

Volume contents

Volume 104, No. 1, January 1998

<i>Announcement</i>	iv
<i>Mini review</i>	
<i>N</i>-acyl-homoserine lactone-mediated gene regulation in biological control by fluorescent pseudomonads: Current knowledge and future work	1–9
L.S. Pierson III, D.W. Wood, E.A. Pierson, S.T. Chancey	
<i>Research articles</i>	
Cacao resistance to <i>Phytophthora</i>: Effect of pathogen species, inoculation depths and pod maturity	11–15
A.D. Iwaro, T.N. Sreenivasan, P. Umaharan	
PCR Assay for specific detection of European stone fruit yellows phytoplasmas and its use for epidemiological studies in France	17–27
W. Jarausch, M. Lansac, C. Saillard, J.M. Broquaire, F. Dosba	
Suppression of pre- and postemergence damping-off in corn by <i>Burkholderia cepacia</i>	29–36
K.P. Hebbar, M.H. Martel, T. Heulin	
Influence of crop management on eyespot development and infection cycles of winter wheat	37–48
N. Colbach, L. Saur	
Use of random amplified polymorphic DNA (RAPD) to identify races 1, 2, 4 and S of <i>Fusarium oxysporum</i> f. sp. <i>dianthi</i> in Italy	49–57
Q. Migheli, E. Briatore, A. Garibaldi	
Purification and characterization of a <i>Bacillus cereus</i> collagenolytic/proteolytic enzyme and its effect on <i>Meloidogyne javanica</i> cuticular proteins	59–67
S. Sela, H. Schickler, I. Chet, Y. Spiegel	
Inoculation of cucumber roots with zoospores of mycoparasitic and plant pathogenic <i>Pythium</i> species: Differential zoospore accumulation, colonization ability and plant growth response	69–76
E.G. Wulff, A.T.H. Pham, M. Chérif, P. Rey, Y. Tirilly, J. Hockenhull	
Comparison of a beet curly top virus isolate originating from the old world with those from the new world	77–84
R.W. Briddon, D.C. Stenger, I.D. Bedford, J. Stanley, K. Izadpanah, P.G. Markham	
Detection of <i>Erwinia herbicola</i> pv. <i>gypsophilae</i> in gypsophila plants by PCR	85–91
S. Manulis, N. Kogan, L. Valinsky, O. Dror, F. Kleitman	
Role of seed infection by the Ascochyta blight pathogen of dried pea (<i>Mycosphaerella pinodes</i>) in seedling emergence, early disease development and transmission of the disease to aerial plant parts	93–102
A. Moussart, B. Tivoli, E. Lemarchand, F. Deneufbourg, S. Roi, G. Sicard	
<i>Short communication</i>	
Transgenic <i>Nicotiana benthamiana</i> plants containing the P1 gene of plum pox virus are resistant to virus challenge	103–107
G. Taver-Roudet, M. Ravelonandro, J.-C. Bachelier, J. Dunez	

Book review	109
Instructions to authors	111–115

Volume 104, No. 2, March 1998

Mini review

Apoptosis, programmed cell death and the hypersensitive response M.C. Heath	117–124
---	----------------

Research articles

Biocontrol strain of <i>Bacillus subtilis</i> AF 1 rapidly induces lipoxygenase in groundnut (<i>Arachis hypogaea</i> L.) compared to crown rot pathogen <i>Aspergillus niger</i> P.R. Sailaja, A.R. Podile, P. Reddanna	125–132
Effects of temperature and atmospheric moisture on the early growth of apple powdery mildew (<i>Podosphaera leucotricha</i>) colonies X.-M. Xu, D.J. Butt	133–140
High tolerance of European plum varieties to plum leptonecrosis L. Carraro, N. Loi, P. Ermacora, R. Osler	141–145
Maize maturity and the development of gibberella ear rot symptoms and deoxynivalenol after inoculation L.M. Reid, R.C. Sinha	147–154
The coat proteins and putative movement proteins of isolates of <i>Prunus</i> necrotic ringspot virus from different host species and geographic origins are extensively conserved S.W. Scott, M.T. Zimmerman, X. Ge, D.J. MacKenzie	155–161
Relative virulence of isolates of <i>Sclerotinia homoeocarpa</i> with varying sensitivity to propiconazole T. Hsiang, L. Yang, W. Barton	163–169
Evaluation of drench treatments with phosphonate derivatives against <i>Pseudomonas syringae</i> pv. <i>syringae</i> on pear under controlled environment conditions C. Moragrega, C. Manceau, E. Montesinos	171–180
Characterization and host range evaluation of <i>Pseudomonas viridiflava</i> from melon, blite, tomato, chrysanthemum and eggplant D.E. Goumans, A.K. Chatzaki	181–188
PCR-amplification of tomato yellow leaf curl virus (TYLCV) DNA from squashes of plants and whitefly vectors: Application to the study of TYLCV acquisition and transmission G. Atzmon, H. van Oss, H. Czosnek	189–194
Differences in temperature requirements between <i>Polymyxa</i> sp. of Indian origin and <i>Polymyxa graminis</i> and <i>Polymyxa betae</i> from temperate areas A. Legrève, P. Delfosse, B. Vanpee, A. Goffin, H. Maraite	195–205
Fungal and plant gene expression during synchronized infection of tomato leaves by <i>Botrytis cinerea</i> E.P. Benito, A. ten Have, J.W. van 't Klooster, J.A.L. van Kan	207–220

Short communication

- Solanum nigrum*: an indigenous weed reservoir for a tomato yellow leaf curl geminivirus in southern Spain** 221–222

I.D. Bedford, A. Kelly, G.K. Banks, R.W. Briddon, J.L. Cenis, P.G. Markham

- Book review** 223

Volume 104, No. 3, April 1998

- Infection of Norway spruce (*Picea abies* (L.) Karst.) seedlings with *Pythium irregulare* Buism. and *Pythium ultimum* Trow.: histological and biochemical responses** 225–234

G. Kozłowski, J.-P. Métraux

- Resistance to metalaxyl in isolates of the sunflower pathogen *Plasmopara halstedii*** 235–242

J.-M. Albourie, J. Tourvieille, D. Tourvieille de Labrouhe

- Screening for fungal antagonists of seed-borne *Fusarium culmorum* on wheat using *in vivo* tests** 243–251

E. Teperi, M. Keskinen, E. Ketoja, R. Tahvonen

- Effect of moisture, inoculum production, and planting substrate on disease reaction of field bind-weed (*Convolvulus arvensis* L.) to the fungal pathogen, *Phomopsis convolvulus*** 253–262

S. Vogelgsang, A.K. Watson, A. DiTommaso

- Vegetative-compatibility groups in *Verticillium dahliae* from Israel** 263–269

J.R. Bao, J. Katan, E. Shabi, T. Katan

- Effect of treating soybean with 2,6-dichloroisonicotinic acid (INA) and benzothiadiazole (BTH) on seed yields and the level of disease caused by *Sclerotinia sclerotiorum* in field and greenhouse studies** 271–278

E. Dann, B. Diers, J. Byrum, R. Hammerschmidt

- Induced systemic resistance in *Trichoderma harzianum* T39 biocontrol of *Botrytis cinerea*** 279–286

G. De Meyer, J. Bigirimana, Y. Elad, M. Höfte

- An antisense coat protein gene confers immunity to potato leafroll virus in a genetically engineered potato** 287–293

A. Palucha, W. Zagórski, M. Chrzanowska, D. Hulanicka

- Effect of plant age at time of infection by tomato spotted wilt tospovirus on the yield of field-grown tomato** 295–300

E. Moriones, J. Aramburu, J. Riudavets, J. Arnó, A. Laviña

- The development of a rapid PCR assay for detection of *Fusarium moniliforme*** 301–311

I. Murillo, L. Cavallarin, B. San Segundo

- Mutations in *ams* genes of *Erwinia amylovora* affect the interactions with host plants** 313–322

M. Menggad, J. Laurent

Volume 104, No. 4, May 1998

- Stem-base disease and fungal colonisation of winter wheat grown in compost inoculated with *Fusarium culmorum*, *F. graminearum* and *Microdochium nivale*** 323–330

J.A. Clement, D.W. Parry

Production and characterisation of monoclonal antibodies to cell wall components of the flax rust fungus	331–346
L.J. Murdoch, I. Kobayashi, A.R. Hardham	
Occurrence and etiology of death of young olive trees in southern Spain	347–357
M.E. Sánchez Hernández, A. Ruiz Dávila, A. Pérez de Algaba, M.A. Blanco López, A. Trapero Casas	
Prevention of <i>Phytophthora</i> Root Rot in <i>Gerbera</i> by increasing copper ion concentration in the nutrient solution	359–366
B. Toppe, K. Thinggaard	
Suppressed germination and early death of <i>Phytophthora infestans</i> sporangia caused by pectin, inorganic phosphate, ion chelators and calcium-modulating treatments	367–376
A.E. Hill, D.E. Grayson, J.W. Deacon	
Field resistance against potato virus Y infection using natural and genetically engineered resistance genes	377–382
S. Dinant, C. Kusiak, B. Cailleteau, J.L. Verrier, M.C. Chupeau, Y. Chupeau, Thi Anh Hong Le, R. Delon, J. Albouy	
Natural infection of petunia by chrysanthemum stunt viroid	383–386
J.Th.J. Verhoeven, M.S.J. Arts, R.A. Owens, J.W. Roenhorst	
Effect of the antagonist <i>Candida sake</i> on apple surface microflora during cold and ambient (shelf life) storage	387–398
N. Teixidó, J. Usall, O. Gutierrez, I. Vinas	
The resistance to powdery mildew (<i>Oidium lycopersicum</i>) in <i>Lycopersicon</i> species is mainly associated with hypersensitive response	399–407
C.-C. Huang, T. Groot, F. Meijer-Dekens, R.E. Niks, P. Lindhout	
Red clover mottle virus from Ukraine is an isolate of RCMV strain S	409–412
L.G. Lapchic, A.J. Clark, G.P. Lomonosoff, M. Shanks	
Comparison of three biological control agents against cucumber powdery mildew (<i>Sphaerotheca fuliginea</i>) in semi-commercial-scale glasshouse trials	413–423
A.J. Dik, M.A. Verhaar, R.R. Bélanger	
Book reviews	425–426
 Volume 104, No. 5, July 1998	
Isolation of Peirce's disease bacteria from grapevines in Europe	427–433
B. Berisha, Y.D. Chen, G.Y. Zhang, B.Y. Xu, T.A. Chen	
The survival and saprophytic competitive ability of the <i>Botrytis</i> spp. antagonist <i>Ulocladium atrum</i> in lily canopies	435–447
P.A.G. Elmer, J. Köhl	
Occurrence in Italy and characteristics of lettuce downy mildew (<i>Bremia lactucae</i>) resistant to phenylamide fungicides	449–455
L. Cobelli, M. Collina, A. Brunelli	
Effects of three microbial broth cultures and an organic amendment on growth and populations of free living and plant-parasitic nematodes on banana	457–463
J. Esnard, N. Marban-Mendoza, B.M. Zuckerman	

	961
Testing variability in pathogenicity of <i>Phytophthora cinnamomi</i>	465–475
C. Robin, M.-L. Desprez-Loustau	
Characterization of phenotypically distinct strains of <i>Xanthomonas axonopodis</i> pv. <i>citri</i> from Southwest Asia	477–487
C. Vernière, J.S. Hartung, O.P. Pruvost, E.L. Civerolo, A.M. Alvarez, P. Maestri, J. Luisetti	
High temperature effects on hypersensitive resistance to Tomato Spotted Wilt <i>Tospovirus</i> (TSWV) in pepper (<i>Capsicum chinense</i> Jacq.)	489–498
B. Moury, K. Gebre Selassie, G. Marchoux, A.-M. Daubèze, A. Palloix	
Genetics of tomato spotted wilt virus resistance coming from <i>Lycopersicon peruvianum</i>	499–509
S. Roselló, M.J. Díez, F. Nuez	
The effects of inoculum dose, duration of wet period, temperature and wound age on infection by <i>Nectria galligena</i> of pruning wounds on apple	511–519
X.-M. Xu, D.J. Butt, M.S. Ridout	
<i>Short communication</i>	
Quantification of late blight resistance of potato using transgenic <i>Phytophthora infestans</i> expressing β-glucuronidase	521–525
S. Kamoun, R van West, F. Govers	
Book review	527

Volume 104, No. 6, August 1998

Research articles

Pathogenicity and genetic variation of <i>Phytophthora cactorum</i> from silver birch and strawberry	529–535
A. Lilija, R. Karjalainen, P. Parikka, K. Kammiovirta, H. Nuorteva	
Structure of populations of wheat powdery mildew (<i>Erysiphe graminis</i> DC f.sp. <i>tritici</i> Marchal) in Central Europe in 1993–1996: I. Dynamics of virulence	537–544
M. Švec, M. Miklovičová	
Formation of wall openings in root cells of <i>Arabidopsis thaliana</i> following infection by the plant-parasitic nematode <i>Heterodera schachtii</i>	545–551
F.M.W. Grundler, M. Sohcak, W. Golinowski	
The effect of fungal infection and nitrogen fertilization on the carbohydrate composition of <i>Rumex obtusifolius</i> leaves	553–559
P.E. Hatcher, P.G. Ayres	
Two <i>in vitro</i> assays to evaluate resistance in <i>Linum usitatissimum</i> to <i>Fusarium</i> wilt disease	561–568
G.M.L.W. Kroes, E. Sommers, W. Lange	
Genetic and physiological evidence for the production of <i>N</i>-acyl homoserine lactones by <i>Pseudomonas syringae</i> pv. <i>syringae</i> and other fluorescent plant pathogenic <i>Pseudomonas</i> species	569–582
C.K. Dumenyo, A. Mukherjee, W. Chun, A.K. Chatterjee	
French isolates of <i>Phytophthora infestans</i> from potato and tomato differ in phenotype and genotype	583–594
L. Lebreton, D. Andrivon	

Molecular characterization of the incitant of cowpea bacterial blight and pustule, <i>Xanthomonas campestris</i> pv. <i>vignicola</i>	595–602
V. Verdier, K. Assigbetsé, G. Khatri-Chhetri, K. Wydra, K. Rudolph, J.-P. Geiger	
Phenotypic variability in different strains of <i>Pseudomonas syringae</i> subsp. <i>savastanoi</i> isolated from different hosts	603–609
F. Alvarez, J.E. García de los Ríos, P. Jimenez, A. Rojas, P. Reche, M.T. Troya	
Molecular marker analysis of European <i>Setosphaeria turcica</i> populations	611–617
D.S. Borchardt, H.G. Welz, H.H. Geiger	
<i>Short communications</i>	
'<i>Candidatus</i> Phytoplasma australiense' is the phytoplasma associated with Australian grapevine yellows, papaya dieback and <i>Phormium</i> yellow leaf diseases	619–623
L.W. Liefting, A.C. Padovan, K.S. Gibb, R.E. Beever, M.T. Andersen, R.D. Newcomb, D.L. Beck, R.L.S. Forster	
Leaf necrosis and twig dieback of sweet persimmon (<i>Dyospiros kaki</i> L.) caused by <i>Pseudomonas syringae</i> pv. <i>syringae</i> in Italy	625–627
M. Scortichini, D. D'Ascenzo, D. Di Silvestro	
Book review	629–630
 Volume 104, No. 7, September 1998	
<i>Research articles</i>	
Biocontrol of soil-borne fungal plant diseases by 2,4-diacetylphloroglucinol-producing fluorescent pseudomonads with different restriction profiles of amplified 16S rDNA	631–643
A. Sharifi-Tehrani, M. Zala, A. Natsch, Y. Moëne-Loccoz, G. Défago	
Selection of virulence in <i>Meloidogyne chitwoodi</i> to resistance in the wild potato <i>Solanum fendleri</i>	645–651
G.J.W. Janssen, O.E. Scholten, A. van Norel, C.(J.) Hoogendoorn	
Ultrastructural and cytochemical investigations of pathogen development and host reactions in susceptible and partially-resistant carrot roots infected by <i>Pythium violae</i>, the major causal agent for cavity spot	653–665
L. Guérin, N. Benhamou, F. Rouxel	
Fire blight risk assessment during bloom in an experimental orchard using BIS (Billing's Integrated System)	667–675
P. Lecomte, J.-P. Paulin, E. Billing	
<i>Phytophthora multivesiculata</i>, a new species causing rot in <i>Cymbidium</i>	677–684
E. Ilieva, W.A. Man in 't Veld, W. Veenbaas-Rijks, R. Pieters	
Characterisation of <i>Erwinia carotovora</i> subspecies and detection of <i>Erwinia carotovora</i> subsp. <i>atroseptica</i> in potato plants, soil and water extracts with PCR-based methods	685–699
V. Hélias, A.-C. Le Roux, Y. Bertheau, D. Andrivon, J.-P. Gauthier, B. Jouan	
Performance of the <i>Pseudomonas chlororaphis</i> biocontrol agent MA 342 against cereal seed-borne diseases in field experiments	701–711
L. Johnsson, M. Hökeberg, B. Gerhardson	
Response of black rot in cabbage to spatial distribution of inoculum	713–723
C.G. Kocks, J.-C. Zodoks, Th.A. Ruissen	

Histology of root rot of flax seedlings (*Linum usitatissimum*) infected by *Fusarium oxysporum* f.sp. *lini* 725–736

G.M.L.W. Kroes, R.P. Baayen, W. Lange

Short communication

High level of resistance in potato to potato mop-top virus induced by transformation with the coat protein gene 737–740

H. Barker, B. Reavy, K.D. McGeachy

Volume 104, No. 8, November 1998

Mini review

Pesticide use and mycotoxin production in *Fusarium* and *Aspergillus* phytopathogens 741–751

J.P.F. D'Mello, A.M.C. Macdonald, D. Postel, W.T.P. Dijkema, A. Dujardin, C.M. Placinta

Research articles

Significance of leaf infection by *Botrytis cinerea* in stem rotting of tomatoes grown in non-heated greenhouses 753–763

D. Shtienberg, Y. Elad, A. Niv, Y. Nitzani, B. Kirshner

The 3' terminal sequence of RNA1 of wheat spindle streak mosaic virus Canadian isolate (WSSMV-C) 765–768

L. Xiaoyun, S. Kashiwazaki, M. Tamura, S. Namba

***Humicola fuscoatra* infects tomato roots, but is not pathogenic** 769–775

J.G. Menzies, D.L. Ehret, C. Koch, C. Bogdanoff

Effect of glucans from different races of *Phytophthora infestans* on defense reactions in potato tuber 777–783

A. Andreu, C. Tonón, M. Van Damme, M. Huarte, G. Daleo

Characterization of *Venturia inaequalis* pathogenicity on leaf discs of apple trees 785–793

G. Benaouf, L. Parisi

Detection and visualization of the major acidic exopolysaccharide of *Ralstonia solanacearum* and its role in tomato root infection and vascular colonization 795–809

I. Araud-Razou, J. Vasse, H. Montrozier, C. Etchebar, A. Trigalet

Characterization of potato potyvirus Y (PVY) isolates from seed potato batches. Situation of the NTN, Wilga and Z isolates 811–819

B. Blanco-Urgoiti, M. Tribodet, S. Leclere, F. Ponz, C.P. de San Román, F.J. Legorburu, C. Kerlan

Race-specific reaction of resistance to black rot in *Brassica oleracea* 821–827

A. Ignatov, Y. Kuginuki, K. Hida

Exploration and exploitation strategies of powdery mildew on barley cultivars with different levels of nutrients 829–833

A.C. Newton, D.C. Guy

Chromosomal location of genes for resistance to *Puccinia striiformis* in the wheat line TP1295 selected from the cross of Soissonais-Desprez with Lemhi 835–847

A. Calonnec, R. Johnson

Short communication

- Influence of sucrose, mucin and xanthan gum on spore germination of ten different fungi** 849–852
G.S. Mahuku, P.H. Goodwin

Volume 104, No. 9, December 1998*Research articles*

- Integrated control of powdery mildew on field-grown mango trees by foliar sprays of mono-potassium phosphate fertilizer, sterol inhibitor fungicides and the strobilurin Kresoxym-methyl** 853–860
M. Reuveni, M. Harpaz, R. Reuveni
- Development of *Pleospora allii* on garlic debris infected by *Stemphylium vesicarium*** 861–870
A.M. Prados-Ligero, J.L. González-Andújar, J.M. Melero-Vara, M.J. Basallote-Ureba
- Vegetative compatibility groupings of *Verticillium dahliae* from cotton in mainland China** 871–876
X. Zhengjun, P.N. Achar, Gu Benkang
- Induced Systemic Resistance (ISR) by *Pseudomonas* spp. Impairs pre- and post-infection development of *Pythium aphanidermatum* on cucumber roots** 877–886
C. Chen, R.R. Bélanger, N. Benhamou, T.C. Paulitz
- Pathogenic, genetic and molecular characterisation of *Fusarium oxysporum* f.sp. *lilii*** 887–894
R.P. Baayen, M.G. Förch, C. Waalwijk, P.J.M. Bonants, H.J.M. Löffler, E.J.A. Roebroek
- Reaction of *Brassica juncea* (Indian mustard) lines to Australian isolates of *Leptosphaeria maculans* under glasshouse and field conditions** 895–902
A. Purwantara, P.A. Salisbury, W.A. Burton, B.J. Howlett
- Implication of systemic induced resistance in the suppression of fusarium wilt of tomato by *Pseudomonas fluorescens* WCS417r and by nonpathogenic *Fusarium oxysporum* Fo47** 903–910
B.J. Duijff, D. Pouhair, C. Olivain, C. Alabouvette, P. Lemanceau
- Survival and extinction of *Xanthomonas campestris* pv. *campestris* in soil** 911–923
C.G. Kocks, M.A. Ruissen, J.C. Zadoks, M.G. Duijkers
- Diversity and complexity of *Erysiphe graminis* f.sp. *hordei* collected from barley cultivar mixtures or barley plots treated with a resistance elicitor** 925–931
A.C. Newton, C.A. Hackett, D.C. Guy
- Development of a downy mildew advisory model based on downcast** 933–943
C.L.M. de Visser
- Short communication*
- Use of degenerate primers in a RT-PCR assay for the identification and analysis of some filamentous viruses, with special reference to clostero- and vitiviruses of the grapevine** 945–950
P. Saldarelli, A. Rowhani, G. Routh, A. Minafra, M. Digiaro
- Book review** 951
- Corrigendum** 953–955
- Volume contents** 957–964
- Author index** 965–967