

Volume contents

Volume 105, No. 1 January 1999

Mini review

- Chlorosis-inducing phytotoxins produced by *Pseudomonas syringae*** 1–12
C.L. Bender

Research articles

- Effects of temperature on the length of the incubation period of rose powdery mildew (*Sphaerotheca pannosa* var. *rosae*)** 13–21
X.-M. Xu
- The effect of irrigation practices on the spatio-temporal increase of Asiatic citrus canker in simulated nursery plots in Reunion Island** 23–37
O. Pruvost, T.R. Gottwald, C. Brocherieux
- Evidence of migration and endophytic presence of *Agrobacterium tumefaciens* in rose plants** 39–50
R. Martí, J. Cubero, A. Daza, J. Piquer, C.I. Salcedo, C. Morente, M.M. López
- Bioassays on *Leptographium wingfieldii*, a bark beetle associated fungus, with phenolic compounds of Scots pine phloem** 51–60
E. Bois, F. Lieutier, A. Yart
- Effects of potato-cyst nematodes (*Globodera pallida*) and soil pH on root growth, nutrient uptake and crop growth of potato** 61–76
F.J. De Ruijter, A.J. Haverkort
- Induced resistance of acibenzolar-S-methyl (CGA 245704) to cucumber and Japanese pear diseases** 77–85
H. Ishii, Y. Tomita, T. Horio, Y. Narusaka, Y. Nakazawa, K. Nishimura, S. Iwamoto
- Oncopsis alni* (Schränk) (Auchenorrhyncha: Cicadellidae) as a vector of the alder yellows phytoplasma of *Alnus glutinosa* (L.) Gaertn.** 87–94
M. Maixner, W. Reinert
- Selective isolation of bacterial antagonists of *Botrytis cinerea*** 95–101
H. Moline, J.E. Hubbard, J.S. Karns, J.S. Buyer, J.D. Cohen
- Penetration, development and emigration of juveniles of the nematode *Meloidogyne arenaria* in Myrobalan plum (*Prunus cerasifera*) clones bearing the *Ma* resistance genes** 103–108
R. Voisin, M.-J. Rubio-Cabetas, J.-C. Minot, D. Esmenjaud
- Instructions to authors** 109–113

Volume 105, No. 2 February 1999

Research articles

- Evaluation of microbial antagonists for biological control of *Botrytis cinerea* stem infection in cucumber and tomato** 115–122
A.J. Dik, G. Koning, J. Köhl

Comparison of antagonists of <i>Botrytis cinerea</i> in greenhouse-grown cucumber and tomato under different climatic conditions	123–137
A.J. Dik, Y. Elad	
Isolation of <i>Microdochium oryzae</i> and <i>Pinatubo oryzae</i> from rice seeds and their survival on stored seeds	139–145
J.B. Manandhar	
Selection of beet necrotic yellow vein virus specific single-chain Fv antibodies from a semi-synthetic combinatorial antibody library	147–156
R.A. Griep, C. van Twisk, A. Schots	
Molecular characterisation of <i>Alternaria linicola</i> and its detection in linseed	157–166
G.J. McKay, A.E. Brown, A.J. Bjourson, P.C. Mercer	
Molecular fingerprinting suggests two primary outbreaks of witches' broom disease (<i>Crinipellis perniciosa</i>) of <i>Theobroma cacao</i> in Bahia, Brazil	167–175
T. Andebrhan, A. Figueira, M.M. Yamada, J. Cascardo, D.B. Furtek	
The role of <i>Trichoderma harzianum</i> protease in the biocontrol of <i>Botrytis cinerea</i>	177–189
Y. Elad, A. Kapat	
Rupestris stem pitting associated virus-1 is consistently detected in grapevines that are infected with rupestris stem pitting	191–199
B. Meng, R. Johnson, S. Peressini, P.L. Forsline, D. Gonsalves	
Combining fluorescent <i>Pseudomonas</i> spp. strains to enhance suppression of fusarium wilt of radish	201–210
M. de Boer, I. van der Sluis, L.C. van Loon, P.A.H.M. Bakker	
<i>Short communications</i>	
Occurrence of cucurbit yellow stunting disorder virus (CYSDV) and beet pseudo-yellows virus in cucurbit crops in Spain and transmission of CYSDV by two biotypes of <i>Bemisia tabaci</i>	211–215
B. Berdiales, J.J. Bernal, E. Sáez, B. Woudt, F. Beitia, E. Rodríguez-Cerezo	
Induction of resistance in mustard (<i>Brassica juncea</i>) against <i>Alternaria</i> black spot with an avirulent <i>Alternaria brassicae</i> isolate-D	217–220
Vishwanath, S.J. Kolte, M.P. Singh, R.P. Awasthi	

Volume 105, No. 3 April 1999

Editorial	III
<i>Mini review</i>	
REMI (Restriction Enzyme Mediated Integration) and its impact on the isolation of pathogenicity genes in fungi attacking plants	221–229
R. Kahmann, C. Basse	
<i>Research articles</i>	
Variation in pathogenicity among South African isolates of <i>Phytophthora cinnamomi</i>	231–239
C. Linde, G.H.J. Kemp, M.J. Wingfield	
A laboratory assay for <i>Phytophthora infestans</i> resistance in various <i>Solanum</i> species reflects the field situation	241–250
V.G.A.A. Vleeshouwers, W. van Dooyeweert, L.C.P. Keizer, L. Sijpkens, F. Govers, L.T. Colon	

A simple PCR-based method for the detection of the chickpea-wilt pathogen <i>Fusarium oxysporum</i> f.sp. <i>ciceris</i> in artificial and natural soils	251–259
M.D. García-Pedrajas, B.W. Bainbridge, J.B. Heale, E. Pérez-Artés, R.M. Jiménez-Díaz	
Genetic diversity in South American <i>Colletotrichum gloeosporioides</i> isolates from <i>Stylosanthes guianensis</i>, a tropical forage legume	261–272
S. Kelemu, D.Z. Skinner, J.L. Badel, C.X. Moreno, M.X. Rodríguez, C.D. Fernandes, M.J. Charchar, S. Chakraborty	
Evidence for three different specific saponin-detoxifying activities in <i>Botrytis cinerea</i> and cloning and functional analysis of a gene coding for a putative avenacinase	273–283
T. Quidde, P. Büttner, P. Tudzynski	
Cellulase in the host–parasite system <i>Phaseolus vulgaris</i> (L.)–<i>Uromyces appendiculatus</i> [Pers.] Link	285–295
C.S. Schmidt, G.A. Wolf	
Successful back-inoculation confirms the role of black currant reversion associated virus as the causal agent of reversion disease	297–301
A. Lemmetty, K. Lehto	
<i>Short communications</i>	
Phenotypic characteristics of <i>Xanthomonas campestris</i> pv. <i>campestris</i> from Nepal	303–305
T.B. Adhikari, R. Basnyat	
<i>Ralstonia</i> (<i>Pseudomonas</i>) <i>solanacearum</i> race 3 (biovar 2) in surface water and natural weed hosts: First report on stinging nettle (<i>Urtica dioica</i>)	307–315
M. Wenneker, M.S.W. Verdel, R.M.W. Groeneveld, C. Kempenaar, A.R. van Beuningen, J.D. Janse	
Book review	317–318
 Volume 105, No. 4 June 1999	
<i>Mini review</i>	
Engineered resistance against fungal plant pathogens	319–326
G. Honée	
<i>Research articles</i>	
Variation in virulence of <i>Plasmodiophora brassicae</i> in Japan tested with clubroot-resistant cultivars of Chinese cabbage (<i>Brassica rapa</i> L. ssp. <i>pekinensis</i>)	327–332
Y. Kuginuki, H. Yoshikawa, M. Hirai	
Accumulation of defense related transcripts in sunflower hypocotyls (<i>Helianthus annuus</i> L.) infected with <i>Plasmopara halstedii</i>	333–340
F. Mazeyrat, S. Mouzeyar, I. Courbou, S. Badaoui, P. Roeckel-Drevet, D. Tourvieille de Labrouhe, G. Ledoigt	
Enzymatic maceration of witloof chicory by the soft rot bacteria <i>Erwinia carotovora</i> subsp. <i>carotovora</i>: the effect of nitrogen and calcium treatments of the plant on pectic enzyme production and disease development	341–349
B.M. Schober, T. Vermeulen	

Local and systemic activity of BABA (DL-3-aminobutyric acid) against <i>Plasmopara viticola</i> in grapevines	351–361
Y. Cohen, M. Reuveni, A. Baider	
Towards the development of a novel <i>in vitro</i> strategy for early screening of <i>Fusarium</i> ear blight resistance in adult winter wheat plants	363–372
H. Diamond, B.M. Cooke	
Design of division specific primers of <i>Ralstonia solanacearum</i> and application to the identification of European isolates	373–380
G. Boudazin, A. Claire Le Roux, K. Josi, P. Labarre, B. Jouan	
Foliar aggressiveness of <i>Phytophthora infestans</i> in three potato growing regions in the Netherlands	381–388
W.G. Flier, L.J. Turkensteen	
Detection of potyviral nuclear inclusion b proteins by monoclonal antibodies raised to synthetic peptides	389–395
F. Liu, E. Sukhacheva, T. Erokhina, J. Schubert	
Variation in pathogenicity and multiplication of beet necrotic yellow vein virus (BNYVV) in relation to the resistance of sugar-beet cultivars	397–405
W. Heijbroek, P.M.S. Musters, A.H.L. Schoone	
<i>Short communications</i>	
Root and collar rot of milkwort caused by <i>Cylindrocladium pauciramosum</i>, a new record for Europe	407–411
G. Polizzi, P.W. Crous	
Conformation polymorphism of RNA transcripts derived from various PNRSV isolates is affected by the temperature of electrophoresis	413–415
A. Rosner, L. Maslenin, S. Spiegel	

Volume 105, No. 5 August 1999

Mini review

Autoregulator-dependent control of extracellular polysaccharide production in phytopathogenic bacteria	417–430
T.P. Denny	

Research articles

Fine structure of the early interaction of lily roots with <i>Fusarium oxysporum</i> f.sp. <i>lilii</i>	431–443
R.P. Baayen, F.H.J. Rijkenberg	
Cultivar resistance to anthracnose disease of cowpea (<i>Vigna unguiculata</i> (L.) Walp.) caused by <i>Colletotrichum destructivum</i> O’Gara	445–451
A.O. Latunde-Dada, R.J. O’Connell, P. Bowyer, J.A. Lucas	
Genetics of Melon yellows virus resistance derived from <i>Cucumis melo</i> ssp. <i>agrestis</i>	453–464
F. Nuez, B. Picó, A. Iglesias, J. Esteva, M. Juarez	
Isolation of mutants exhibiting altered resistance to <i>Sclerotinia sclerotiorum</i> from small M₂ populations of an oilseed rape (<i>Brassica napus</i>) variety	465–475
E. Mullins, C. Quinlan, P. Jones	

Role of salicylic acid in systemic resistance induced by <i>Pseudomonas</i> spp. against <i>Pythium aphanidermatum</i> in cucumber roots	477–486
C. Chen, R.R. Bélanger, N. Benhamou, T.C. Paulitz	
Leek proliferation: A new phytoplasma disease in the Czech Republic and Italy	487–493
A. Bertaccini, J. Fránová, S. Paltrinieri, M. Martini, M. Navrátil, C. Lugaresi, J. Nebesárová, M. Simkova	
Genetic variation among and within <i>Monilinia</i> species causing brown rot of stone and pome fruits	495–500
C.E. Fulton, G.C.M. van Leeuwen, A.E. Brown	
Effect of film-forming polymers on control of lily leaf blight caused by <i>Botrytis elliptica</i>	501–508
T.F. Hsieh, J.W. Huang	
<i>Short communications</i>	
Effects of temperature on infection in <i>Capsicum</i> sp. and <i>Nicotiana benthamiana</i> by impatiens necrotic spot tospovirus	509–512
P. Roggero, G. Dellavalle, M. Ciuffo, S. Pennazio	
<i>Pseudomonas aeruginosa</i> 7NSK2-induced systemic resistance in tobacco depends on <i>in planta</i> salicylic acid accumulation but is not associated with PR1a expression	513–517
G. De Meyer, K. Audenaert, M. Höfte	
Volume 105, No. 6 September 1999	
<i>Mini review</i>	
Genetic variation in <i>Spiroplasma citri</i>	519–533
U. Melcher, J. Fletcher	
<i>Research articles</i>	
Inheritance of resistance to <i>Stenocarpella macrospora</i> (Earle) ear rot of maize in the mid-altitude zone of Nigeria	535–543
R. Olatinwo, K. Cardwell, A. Menkir, M. Deadman, A. Julian	
Genetic diversity of <i>Venturia inaequalis</i> across Europe	545–552
I. Tenzer, C. Gessler	
Molecular characterization of an almond isolate of hop stunt viroid (HSVd) and conditions for eliminating spurious hybridization in its diagnosis in almond samples	553–558
M.C. Cañizares, J.F. Marcos, V. Pallás	
Virulence variation and RAPD polymorphism in African isolates of <i>Phaeoisariospis griseola</i> (Sacc.) Ferr., the causal agent of angular leaf spot of common bean	559–569
J.P. Busogoro, M.H. Jijakli, P. Lepoivre	
Loss of viability of <i>Dematophora necatrix</i> in solarized soils	571–576
C.J. López-Herrera, R.M. Pérez-Jiménez, M.J. Basallote-Ureba, T. Zea-Bonilla, J.M. Melero-Vara	
Biological mode of action of the fungicide, flusulfamide, against <i>Plasmodiophora brassicae</i> (clubroot)	577–584
S. Tanaka, S.-i. Kochi, H. Kunita, S.-i. Ito, M. Kameya-Iwaki	
Infection of linseed by <i>Alternaria linicola</i>; effects of inoculum density, temperature, leaf wetness and light regime	585–595
I. Vloutoglou, B.D.L. Fitt, J.A. Lucas	

- Pathogenicity, electrophoretic characterisation and *in planta* detection of the cocoyam root rot disease pathogen, *Pythium myriotylum*** 597–607

J.T. Tambong, J. Poppe, M. Höfte

- Genetic relationships among *Verticillium dahliae* isolates from cotton in Greece based on vegetative compatibility** 609–616

K. Elena

Short communications

- Potato virus Y from petunia can cause symptoms of potato tuber necrotic ringspot disease (PTNRD)** 617–621

N. Boonham, M. Hims, I. Barker, N. Spence

- Location of *Prunus* necrotic ringspot Ilarvirus within pollen grains of infected nectarine trees: evidence from RT-PCR, dot-blot and *in situ* hybridisation** 623–627

F. Aparicio, M.A. Sánchez-Pina, J.A. Sánchez-Navarro, V. Pallás

Volume 105, No. 7 October 1999

Mini review

- The septoria tritici and stagonospora nodorum blotch diseases of wheat** 629–641

Z. Eyal

Research articles

- Emergence and partial characterization of rice stripe necrosis virus and its fungus vector in South America** 643–650

F.J. Morales, E. Ward, M. Castaño, J.A. Arroyave, I. Lozano, M.J. Adams

- Influence of abscisic acid and the abscisic acid biosynthesis inhibitor, norflurazon, on interactions between *Phytophthora sojae* and soybean (*Glycine max*)** 651–658

K.L. McDonald, D.M. Cahill

- Different patterns of host genes are induced in rice by *Pseudomonas syringae*, a biological inducer of resistance, and the chemical inducer benzothiadiazole (BTH)** 659–665

P. Schweizer, E. Schlagenhauf, U. Schaffrath, R. Dudler

- Gene and genotypic diversity of *Phytophthora cinnamomi* in South Africa and Australia revealed by DNA polymorphisms** 667–680

C. Linde, A. Drenth, M.J. Wingfield

- Analysis of defense-related proteins in stem tissue of carnation inoculated with a virulent and avirulent race of *Fusarium oxysporum* f.sp. *dianthi*** 681–691

H. Van Pelt-Heerschap, O. Smit-Bakker

- Interactions between French isolates of *Phomopsis/Diaporthe helianthi* Munt.-Cvet. et al. and sunflower (*Helianthus annuus* L.) genotypes** 693–702

A. Viguié, F. Vear, D. Tourvieille de Labrouhe

- Analysis of variable short-sequence DNA repeats on the 29 kb plasmid of *Erwinia amylovora* strains** 703–713

W.-S. Kim, K. Geider

- Effects of severity and timing of stem canker (*Leptosphaeria maculans*) symptoms on yield of winter oilseed rape (*Brassica napus*) in the UK** 715–728

Y. Zhou, B.D.L. Fitt, S.J. Welham, P. Gladders, C.E. Sansford, J.S. West

Short communication

- Control of loose smut (*Ustilago nuda* and *U. tritici*) infections in barley and wheat by foliar applications of systemic fungicides** 729–732

P. Jones

Volume 105, No. 8 November 1999

Research articles

- Colletotrichum acutatum* and *C. gloeosporioides* cause anthracnose on olives** 733–741

M.P. Martín, F. García-Figueres

- Phylogenetic and pathotypic analysis of rice bacterial blight Race 3** 743–751

M.R. Finckh, R.J. Nelson

- Phytophthora infestans* secretes extracellular proteases with necrosis inducing activity on potato** 753–760

R. París, L. Lamattina

- Interactions between the mycoparasite *Pythium oligandrum* and sclerotia of the plant pathogen *Sclerotinia sclerotiorum*** 761–768

A.M. Madsen, E. de Neergaard

- Effects of temperature and wetness duration on infection of oilseed rape leaves by ascospores of *Leptosphaeria maculans* (stem canker)** 769–781

J.E. Biddulph, B.D.L. Fitt, P.K. Leech, S.J. Welham, P. Gladders

- The influence of fungicide sprays on infection of apple cv. Bramley's seedling by *Nectria galligena*** 783–790

L.R. Cooke

- Effects of soil fumigation and flooding on suppression of *Pythium* root rot in ornamental bulb culture** 791–800

G.J. van Os, J.P.M. Wijnker, W.J.M. van Gulik

- Sequences of the 3' halves of the genomes of barley yellow dwarf virus-PAV cpA isolates that vary in symptom severity** 801–811

J. Mastari, H. Lapierre

- Rep-PCR based genomic fingerprinting of isolates of *Leptosphaeria maculans* from Poland** 813–823

M. Jedryczka, T. Rouxel, M.-H. Balesdent

Short communications

- Endogenous ethane and ethylene of *Poa pratensis* leaf blades and leaf chlorosis in response to biologically active products of *Bipolaris sorokiniana*** 825–829

C.F. Hodges, D.A. Campbell

- Identification of resistance to barley leaf stripe using a *Pyrenophora graminea* transformant expressing β -glucuronidase** 831–834

M. Aragona, A. Porta-Puglia

Volume 105, No. 9 December 1999*Research articles*

- Differentiation of *Rhizoctonia* AG-D isolates from turfgrass into subgroups I and II based on rDNA and RAPD analyses** 835–846

T. Toda, M. Hyakumachi, H. Suga, K. Kageyama, A. Tanaka, T. Tani

- Serological analysis and coat protein sequence determination of potato virus Y (PVY) pepper pathotypes and differentiation from other PVY strains** 847–857

C. Llave, B. Martínez, J.R. Díaz-Ruiz, D. López-Abella

- The relationship between wheat seed weight, infection by *Fusarium culmorum* or *Microdochium nivale*, germination and seedling disease** 859–866

M.C. Hare, D.W. Parry, M.D. Baker

- Differentiation of *Xanthomonas campestris* pv. *phaseoli* from *Xanthomonas campestris* pv. *phaseoli* var. *fuscans* by PFGE and RFLP** 867–878

J.W.Y.F. Chan, P.H. Goodwin

- Transmission from seed to seedling and secondary spread of *Xanthomonas campestris* pv. *campestris* in Brassica transplants: effects of dose and watering regime** 879–889

S.J. Roberts, L.H. Hiltunen, P.J. Hunter, J. Brough

- Detection and discrimination of wheat spindle streak mosaic virus and wheat yellow mosaic virus using multiplex RT-PCR** 891–896

G. Clover, C. Henry

- Indexing of citrus viroids by imprint hybridisation** 897–903

A. Palacio-Bielsa, X. Foissac, N. Duran-Vila

- Detection and quantification of *Spongospora subterranea* f. sp. *subterranea* in soils and on tubers using specific PCR primers** 905–915

K.S. Bell, J. Roberts, S. Verrall, D.W. Cullen, N.A. Williams, J.G. Harrison, I.K. Toth, D.E.L. Cooke, J.M. Duncan, J.R. Claxton

- Studies on the interaction between *Septoria tritici* and *Stagonospora nodorum* in wheat** 917–925

S. Nolan, B.M. Cooke, F.J. Monahan

Short communication

- Characterization of *Pseudomonas viridiflava* associated with a new symptom on tomato fruit** 927–932

D.E. Goumas, N.E. Malathrakakis, A.K. Chatzaki

- Volume contents** 933–940

- Author index** 941–942