

Volume contents

Volume 106, No. 1 January 2000

Efficacy of different control methods applied separately and in combination in managing root-knot nematodes (<i>Meloidogyne</i> spp.) in common beans	1–10
A.S.M. Ijani, R.B. Mabagala, S. Nchimbi-Msolla	
Susceptibility of broccoli cultivars to bacterial head rot: <i>in vitro</i> screening and the role of head morphology in resistance	11–17
D. Darling, R. Harling, R.A. Simpson, N. McRoberts, E.A. Hunter	
<i>Verticillium dahliae</i> modifies the concentrations of proline, soluble sugars, starch, soluble protein and abscisic acid in pepper plants	19–25
N. Goicoechea, J. Aguirreola, S. Cenoz, J.M. García-Mina	
Characterization of <i>Rhizoctonia</i> species associated with foliar necrosis and leaf scorch of clonally-propagated Eucalyptus in Brazil	27–36
S.F. da Silveira, A.C. Alfenas, F.A. Ferreira, J.C. Sutton	
Short-term cover crop decomposition in organic and conventional soils: Characterization of soil C, N, microbial and plant pathogen dynamics	37–50
N.J. Grünwald, S. Hu, A.H.C. van Bruggen	
Short-term cover crop decomposition in organic and conventional soils: Soil microbial and nutrient cycling indicator variables associated with different levels of soil suppressiveness to <i>Pythium aphanidermatum</i>	51–65
N.J. Grünwald, S. Hu, A.H.C. van Bruggen	
Differentiation of <i>Phoma foveata</i> from <i>P. exigua</i> using a RAPD generated PCR-RFLP marker	67–75
J.E. Macdonald, G.P. White, M.-J. Côté	
Characteristics of <i>Pestalotiopsis</i> associated with hardy ornamental plants in the UK	77–85
K.E. Hopkins, M.P. McQuilken	
Rapid screening of cacao genotypes for field resistance to <i>Phytophthora palmivora</i> using leaves, twigs and roots	87–94
M. Tahi, I. Kebe, A.B. Eskes, S. Ouattara, A. Sangare, F. Mondeil	
<i>Short communication</i>	
RNA 2 of cucumber mosaic virus subgroup I strain NT-CMV is involved in the induction of severe symptoms in tomato	95–99
K.-H. Hellwald, C. Zimmermann, H. Buchenauer	
Announcement	101–102
Instructions to authors	103–107

Volume 106, No. 2 February 2000*Research articles*

- Effect of soil–matric potential and phylloplanes of rotation-crops on the survival of a bioluminescent *Xanthomonas campestris* pv. *campestris*** 109–116
R.S. Arias, S.C. Nelson, A.M. Alvarez
- Identification of greenhouse characteristics which affect the incidence of *Sclerotinia sclerotiorum* (Lib.) de Bary in pepper crops in a Mediterranean climate** 117–122
A. Cuadrado, E. Gallego, J. Sánchez, V. Gómez
- Immunofluorescence colony-staining (IFC) for detection and quantification of *Ralstonia (Pseudomonas) solanacearum* biovar 2 (race 3) in soil and verification of positive results by PCR and dilution plating** 123–133
J.M. van der Wolf, S.G.C. Vriend, P. Kastelein, E.H. Nijhuis, P.J. van Bekkum, J.W.L. van Vuurde
- Influence of inoculum density of races 0 and 5 of *Fusarium oxysporum* f. sp. *ciceris* on development of Fusarium wilt in chickpea cultivars** 135–146
J.A. Navas-Cortés, A.R. Alcalá-Jiménez, B. Hau, R.M. Jiménez-Díaz
- Genetic and pathogenic diversity of *Pseudomonas avellanae* strains isolated from *Corylus avellana* trees in north-west of Italy, and comparison with strains from other regions** 147–154
M. Scortichini, U. Marchesi, M.T. Dettori, L. Angelucci, M.P. Rossi, C. Morone
- Detection of *Clavibacter michiganensis* subsp. *sepedonicus* in potato tubers by multiplex PCR with coamplification of host DNA** 155–165
K.-H. Pastrik
- Evidence of the presence of two serotypes of rice yellow mottle sobemovirus in Côte d'Ivoire** 167–178
P. N'Guessan, A. Pinel, M.L. Caruana, R. Frutos, A. Sy, A. Ghesquière, D. Fargette
- Typing of tomato yellow leaf curl viruses in Europe** 179–186
G.P. Accotto, J. Navas-Castillo, E. Noris, E. Moriones, D. Louro
- Development of strain-specific primers for a strain of *Gliocladium catenulatum* used in biological control** 187–198
S. Paavanen-Huhtala, H. Avikainen, T. Yli-Mattila

Short communications

- First record of A and B type Beet necrotic yellow vein virus in sugar beets in Sweden** 199–201
B.-L. Lennefors, K. Lindsten, R. Koenig
- Control of *Stagonospora nodorum* and *Septoria tritici* in wheat by pre-treatment with *Drechslera teres*, a non-host pathogen** 203–207
S. Nolan, B.M. Cooke

Volume 106, No. 3 March 2000*Research articles*

- Suitability of ten plant baits for the rapid detection of pathogenic *Pythium* species in hydroponic crops** 209–214
J. Sánchez, J. Sánchez-Cara, E. Gallego

Substrate colonization, strain competition, enzyme production <i>in vitro</i>, and biocontrol of <i>Pythium ultimum</i> by <i>Trichoderma</i> spp. isolates P1 and T3	215–225
C. Thrane, D. Funck Jensen, A. Tronsmo	
Comparison of the susceptibility of <i>Quercus petraea</i>, <i>Q. robur</i> and <i>Q. rubra</i> to <i>Collybia fusipes</i>	227–232
B. Marçais, O. Caël	
Biological seed treatment of cereals with fresh and long-term stored formulations of <i>Clonostachys rosea</i>: Biocontrol efficacy against <i>Fusarium culmorum</i>	233–242
B. Jensen, I.M.B. Knudsen, D.F. Jensen	
Assessment of subtractive hybridization to select species and subspecies specific DNA fragments for the identification of <i>Xylophilus ampelinus</i> by polymerase chain reaction (PCR)	243–253
C. Manceau, M.-G. Coutaud, R. Guyon	
Specific detection of biovars of <i>Ralstonia solanacearum</i> in plant tissues by Nested-PCR-RFLP	255–265
S. Poussier, J. Luisetti	
Induction of β-1,3-glucanase in seedlings of pearl millet in response to infection by <i>Sclerospora graminicola</i>	267–274
K.R. Kini, N.S. Vasanthi, H.S. Shetty	
Effects of tuber-borne M-type strain of tobacco rattle virus on yield and quality attributes of potato tubers of the cultivar Wilja	275–282
M.F.B. Dale, D.J. Robinson, D.W. Griffiths, D. Todd, H. Bain	
Identification of <i>Meloidogyne chitwoodi</i>, <i>M. fallax</i> and <i>M. hapla</i> based on SCAR-PCR: a powerful way of enabling reliable identification of populations or individuals that share common traits	283–290
C. Zijlstra	
<i>Short communications</i>	
Survival of the anthurium blight pathogen, <i>Xanthomonas axonopodis</i> pv. <i>dieffenbachiae</i>, in field crop residues	291–295
B. Duffy	
Evidence for an osmotic mechanism in the control of powdery mildew disease of wheat by foliar-applied potassium chloride	297–300
P.S. Kettlewell, J.W. Cook, D.W. Parry	

Volume 106, No. 4 May 2000

Research articles

Effective application of DAS-ELISA for detection of grapevine leafroll associated closterovirus-3 using a polyclonal antiserum developed from recombinant coat protein	301–309
K.-S. Ling, H.-Y. Zhu, Z.-Y. Jiang, D. Gonsalves	
Large scale evaluation of primers for diagnosis of rupestris stem pitting associated virus-1	311–318
G. Nolasco, A. Mansinho, M. Teixeira Santos, C. Soares, Z. Sequeira, C. Sequeira, P.K. Correia, O.A. Sequeira	
Role of the insect vector, <i>Pseudotheraptus devastans</i>, in cassava anthracnose disease development	319–327
C.N. Fokunang, C.N. Akem, T. Ikotun, A.G.O. Dixon, E.A. Tembe	

<i>Trichoderma harzianum</i> T39 and <i>T. virens</i> DAR 74290 as potential biological control agents for <i>Phytophthora erythroseptica</i>	329–337
H.R. Etebarian, E.S. Scott, T.J. Wicks	
Symptomless spread of blight-inducing strains of <i>Xanthomonas campestris</i> pv. <i>campestris</i> on cabbage seedlings in misted seedbeds	339–346
T. Shigaki, S.C. Nelson, A.M. Alvarez	
Physiological and cytological studies on the inhibition of <i>Striga</i> seed germination by the plant growth-promoting bacterium <i>Azospirillum brasilense</i>	347–351
L. Miché, M.-L. Bouillant, R. Rohr, G. Sallé, R. Bally	
The occurrence of dsRNA species in apparently healthy and virus-infected <i>Ribes</i> cultivars, and evidence that one such species originates from a member of the virus family <i>Totiviridae</i>	353–364
S. Cox, M.A. Mayo, A.T. Jones	
Characterisation of BaYMV and BaMMV pathotypes in France	365–372
D. Hariri, M. Meyer, J. Le Gouis, N. Bahrman, M. Fouchard, C. Forget, A. Andre	
Genomic variation within <i>Monilinia laxa</i>, <i>M. fructigena</i> and <i>M. fruticola</i>, and application to species identification by PCR	373–378
R. Ioos, P. Frey	
Host range of tropical and sub-tropical isolates of <i>Polymyxa graminis</i>	379–389
A. Legrève, B. Vanpee, P. Delfosse, H. Maraite	
<i>Short communications</i>	
<i>Mercurialis ambigua</i> and <i>Solanum luteum</i>: two newly discovered natural hosts of tomato yellow leaf curl geminiviruses	391–394
S. Sánchez-Campos, J. Navas-Castillo, F. Monci, J.A. Díaz, E. Moriones	
Effect of humidity on development of tomato powdery mildew (<i>Oidium lycopersici</i>) in the glasshouse	395–397
J.M. Whipps, S.P. Budge	
Book review	399–400

Volume 106, No. 5 June 2000

Mini review

Population dynamics of biocontrol agents and pathogens in soils and rhizospheres	401–413
T.C. Paulitz	

Research articles

Effect of ultraviolet disinfection of hydroponic solutions on <i>Pythium</i> root rot and non-target bacteria	415–421
W. Zhang, J.C. Tu	
Ultrastructural observations and DNA degradation analysis of pepper leaves undergoing a hypersensitive reaction to <i>Xanthomonas campestris</i> pv. <i>vesicatoria</i>	423–431
A. Polverari, R. Buonauro, S. Guiderdone, M. Pezzotti, M. Marte	
Organic seed-treatment as a substitute for chemical seed-treatment to control common bunt of wheat	433–437
M. El-Naimi, H. Toubia-Rahme, O.F. Mamluk	

Effects of host and microbial factors on development of <i>Clonostachys rosea</i> and control of <i>Botrytis cinerea</i> in rose	439–448
M.A.B. Morandi, J.C. Sutton, L.A. Maffia	
<i>Mucor</i> species in orchard soil – population dynamics and pathogenicity on pear fruit	449–454
M. Mari, T. Cembali, L. Casalini, G.C. Pratella	
Assessment of transmission ability of barley yellow dwarf virus-PAV isolates by different populations of <i>Rhopalosiphum padi</i> and <i>Sitobion avenae</i>	455–464
B. Bencharki, M.E. Yamani, D. Zaoui	
Host range of <i>Oidium lycopersici</i> occurring in the Netherlands	465–473
C.-C. Huang, J. Biesheuvel, P. Lindhout, R.E. Niks	
The pathogen of crown gall disease on flowering cherry and its sensitivity to strain K1026	475–479
H. Wang, H. Wang, J. Wang, T. Ng	
<i>Short communication</i>	
Epiphytic occurrence of <i>Pseudomonas syringae</i> pv. <i>papulans</i> (Rose) in France, where blister spot has never been seen	481–485
M. Kerkoud, C. Manceau, L. Gardan, R. Samson, J.-P. Paulin	
Book reviews	487–488
Erratum	489–491

Volume 106, No. 6 July 2000

Mini review

The effect of nitrogen on disease development and gene expression in bacterial and fungal plant pathogens	493–506
S.S. Snoeijers, A. Pérez-García, M.H.A.J. Joosten, P.J.G.M. De Wit	

Research articles

Differentiation of cotton-defoliating and nondefoliating pathotypes of <i>Verticillium dahliae</i> by RAPD and specific PCR analyses	507–517
E. Pérez-Artés, M.D. García-Pedrajas, J. Bejarano-Alcázar, R.M. Jiménez-Díaz	
Yield loss in apple caused by <i>Monilinia fructigena</i> (Aderh. & Ruhl.) Honey, and spatio-temporal dynamics of disease development	519–528
G.C.M. van Leeuwen, A. Stein, I. Holb, M.J. Jeger	
Acibenzolar-S-methyl induces the accumulation of defense-related enzymes in apple and protects from fire blight	529–536
M.-N. Brisset, S. Cesbron, S.V. Thomson, J.-P. Paulin	
Fungal infection and mechanical wounding induce disease resistance in Scots pine	537–541
P. Krokene, H. Solheim, B. Långström	
Defence responses against TNV infection induced by galactoglucomannan-derived oligosaccharides in cucumber cells	543–553
L. Slováková, D. Lišková, P. Capek, M. Kubačková, D. Kákoniová, Š. Karácsonyi	
Infection of rice plants with the sheath blight fungus causes an activation of pentose phosphate and glycolytic pathways	555–561
J. Danson, K. Wasano, A. Nose	

- Forecasting infections of the leaf curl disease on peaches caused by *Taphrina deformans*** 563–571
S. Giosuè, G. Spada, V. Rossi, G. Carli, I. Ponti
- Molecular variability of the capsid protein of the prune dwarf virus** 573–580
D. Vašková, K. Petrzik, J. Špak
- Comparison of physical, chemical and biological methods of controlling garlic white rot** 581–588
J.M. Melero-Vara, A.M. Prados-Ligero, M.J. Basallote-Ureba

Short communication

- Occurrence and diagnosis of *Tomato chlorosis virus* in Portugal** 589–592
D. Louro, G.P. Accotto, A.M. Vaira

Volume 106, No. 7 September 2000

Mini review

- Epidemiology in relation to methods for forecasting light leaf spot (*Pyrenopeziza brassicae*) severity on winter oilseed rape (*Brassica napus*) in the UK** 593–605
T. Gilles, N. Evans, B.D.L. Fitt, M.J. Jeger

Research articles

- Components of partial resistance to powdery mildew in wheat mutants** 607–616
J.T. Kinane, P.W. Jones
- UV irradiation alters the levels of flavonoids involved in the defence mechanism of *Citrus aurantium* fruits against *Penicillium digitatum*** 617–622
M.C. Arcas, J.M. Botía, A.M. Ortuño, J.A. Del Río
- Comparisons of some properties of two laboratory variants of *Raspberry bushy dwarf virus* (RBDV) with those of three previously characterised RBDV isolates** 623–632
A.T. Jones, W.J. McGavin, M.A. Mayo, J.E. Angel-Diaz, S.O. Kärenlampi, H. Kokko
- Prior inoculation with non-pathogenic fungi induces systemic resistance to powdery mildew on cucumber plants** 633–638
M. Reuveni, R. Reuveni
- Potential for biocontrol of *Monosporascus* root rot/vine decline under greenhouse conditions using hypovirulent isolates of *Monosporascus cannonballus*** 639–649
J.S. Batten, K.-B.G. Scholthof, B.R. Lovic, M.E. Miller, R.D. Martyn
- Foliar application of acibenzolar-S-methyl and protection of postharvest rock melons and Hami melons from disease** 651–656
Y. Huang, B.J. Deverall, W.H. Tang, W. Wang, F.W. Wu
- The oxidants and antioxidant enzymes in tomato leaves treated with o-hydroxyethylrutin and infected with *Botrytis cinerea*** 657–665
U. Małolepsza, H. Urbanek
- Inoculum sources and genotypic diversity of *Phytophthora infestans* in Southern Flevoland, the Netherlands** 667–680
M.J. Zwankhuizen, F. Govers, J.C. Zadoks
- Molecular approaches to assist the screening and monitoring of postharvest biocontrol yeasts** 681–691
L. Schena, A. Ippolito, T. Zahavi, L. Cohen, S. Droby
- Short communication*
- Structure and expression in planta of *Botrytis cinerea* ubiquitin genes** 693–698
T.W. Prins, L. Wagemakers, J.A.L. van Kan

Volume 106, No. 8 October 2000

Mini review

- Plant resistance genes: their structure, function and evolution** 699–713
F.L.W. Takken, M.H.A.J. Joosten

Research articles

- Multiphasic approach for the identification of the different classification levels of *Pseudomonas savastanoi* pv. *phaseolicola*** 715–734
A.S. dos A. Marques, R. Corbière, L. Gardan, C. Tourte, C. Manceau, J.D. Taylor, R. Samson
- Interactions between *Plasmopara helianthi*, *Glomus mosseae* and two plant activators in sunflower plants** 735–744
L. Tosi, A. Zazzerini
- Survey of fungicide sensitivity in *Colletotrichum gloeosporioides* from different avocado and mango production areas in South Africa** 745–752
G.M. Sanders, L. Korsten, F.C. Wehner
- Specific oligonucleotide primers for the rapid identification and detection of the agent of tomato pith necrosis, *Pseudomonas corrugata*, by PCR amplification: evidence for two distinct genomic groups** 753–762
V. Catara, D. Arnold, G. Cirvilleri, A. Vivian
- Field resistance to willow leaf rust *Melampsora epitea* in inter- and intraspecific hybrids of *Salix viminalis* and *S. dasyclados*** 763–769
L.K.-H. Johansson, S. Alström
- Heterogeneous nature of a 'new' pathotype of *Melampsora* rust on *Salix* revealed by AFLP** 771–779
M.H. Pei, Z.W. Yuan, T. Hunter, C. Ruiz

Short communications

- Development of a pathotype specific SCAR marker in *Plasmodiophora brassicae*** 781–787
M.J. Manzanares-Dauleux, P. Barret, G. Thomas
- Rapid identification of *Clavibacter michiganensis* subspecies *sepedonicus* based on the stable low molecular weight RNA (LMW RNA) profiles** 789–793
J.L. Palomo, E. Velázquez, P.F. Mateos, P. García-Benavides, E. Martínez-Molina
- Occurrence of *Citrus psorosis virus* in Campania, southern Italy** 795–799
D. Alioto, A. Troisi, A. Peluso, G. Quatrano, V. Masenga, R.G. Milne

Volume 106, No. 9 November 2000

Mini review

- Use of the genetically engineered *Agrobacterium* strain K1026 for biological control of crown gall** 801–810
R. Penyalver, B. Vicedo, M.M. López
- Occurrence, distribution and epidemiology of Grapevine Yellows in Spain** 811–816
A. Batlle, M.A. Martínez, A. Laviña
- Evaluation of induction of systemic resistance in pepper plants (*Capsicum annuum*) to *Phytophthora capsici* using *Trichoderma harzianum* and its relation with capsidiol accumulation** 817–824
A.S. Ahmed, C.P. Sánchez, M.E. Candela

Ribonucleases in the seedlings of pearl millet and their involvement in resistance against downy mildew disease	825–836
P.D. Shivakumar, N.S. Vasanthi, H.S. Shetty, V. Smedegaard-Petersen	
Temperature dependent seed transmission of <i>Stagonospora nodorum</i> in wheat	837–842
D.A. Shah, G.C. Bergstrom	
A survey of viruses of <i>Alstroemeria</i> in the UK and the characterisation of carlaviruses infecting <i>Alstroemeria</i>	843–847
N.J. Spence, P.R. Mills, D.J. Barbara	
Fusaric acid production by <i>Fusarium oxysporum</i> f.sp. <i>lilii</i> and its role in the lily basal rot disease	849–856
P. Curir, L. Guglieri, M. Dolci, A. Capponi, G. Aurino	
Lipoxygenase metabolites of α-linolenic acid in the development of resistance in pigeonpea, <i>Cajanus cajan</i> (L.) Millsp, seedlings against <i>Fusarium udum</i> infection	857–865
P. Uma Maheswari Devi, P. Srinivas Reddy, N.R. Usha Rani, K.J. Reddy, M. Narsa Reddy, P. Reddanna	
Detection of <i>Xanthomonas</i> sp., the causal agent of onion bacterial blight, in onion seeds using a newly developed semi-selective isolation medium	867–877
P. Roumagnac, L. Gagnevin, O. Pruvost	
Pathotype composition in <i>Melampsora epitea</i> populations occurring on willow (<i>Salix</i>) grown in mixed and monoculture plantations	879–886
A.R. McCracken, W.M. Dawson, S. Watson, C.Y. Allen	
Molecular and pathogenicity characteristics of <i>Phytophthora nicotianae</i> responsible for root necrosis and wilting of pepper (<i>Capsicum annuum</i> L.) in Tunisia	887–894
M.B. Allagui, P. Lepoivre	
Resistance risk assessment of cereal eyespot, <i>Tapesia yallundae</i> and <i>Tapesia acuformis</i>, to the anilinopyrimidine fungicide, cyprodinil	895–905
J. Babij, Q. Zhu, P. Brain, D.W. Hollomon	
<i>Short communication</i>	
<i>Fusarium redolens</i> f.sp. <i>asparagi</i>, causal agent of asparagus root rot, crown rot and spear rot	907–912
R.P. Baayen, P.H.J.F. van den Boogert, P.J.M. Bonants, J.T.K. Poll, W.J. Blok, C. Waalwijk	
Volume contents	913–920
Author index	921–923