

Contents to volume 145

Hypothesis

- A role for ribulose-1,5-bisphosphate carboxylase as a metabolite buffer, *A.R. Ashton* 1

Research Letters

- Mitogenic properties of two carbohydrate binding proteins from the *Dolichos biflorus* plant, *C.A.K. Borrebaeck, M.E. Etzler* 8
- Energy transfer inhibition in photosynthesis by anthraquinone dyes, *H. Strotmann, K. Brendel, K.S. Boos, E. Schlimme* 11
- Sulfatide activation of the oxygen radical generating system of leucocytes, *K. Kakinuma, T. Yamaguchi, H. Suzuki, Y. Nagai* 16
- An Asp—Asn substitution in the proteolipid subunit of the ATP-synthase from *Escherichia coli* leads to a non-functional proton channel, *J. Hoppe, H.U. Schairer, P. Friedl, W. Sebald* 21
- Proton efflux from thylakoids induced in darkness and its effect on photosystem II, *S.M. Theg, J.D. Johnson, P.H. Homann* 25
- The galactolipid : galactolipid galactosyltransferase is located on the outer surface of the outer membrane of the chloroplast envelope, *A.-J. Dorne, M.A. Block, J. Joyard, R. Douce* 30
- Field-driven ATP synthesis by the chloroplast coupling factor complex reconstituted into liposomes, *P. Gräber, M. Rögner, H.E. Buchwald* 35
- Photosynthesis is required for induction of the CO₂-concentrating system in *Chlamydomonas reinhardtii*, *M.H. Spalding, W.L. Ogren* 41
- An immunological comparison of nitrogenase proteins of fast and slow growing rhizobia, *T. Bisseling, R.C. van den Bos, L. Moen, J.G.J. Hontelez, A. van Kammen* 45
- Mobility involved in protein—RNA interaction in spherical plant viruses, studied by nuclear magnetic resonance spectroscopy, *G. Vriend, B.J.M. Verduin, M.A. Hemminga, T.J. Schaafsma* 49
- Stoichiometry and kinetics of complex formation by the *recA* protein and a double-stranded DNA, *A.A. Volodin, V.A. Shepelev, Yu.N. Kosaganov* 53
- HeLa cell messenger RNAs of widely differing sizes encode certain heat shock proteins in the *M_r* region of 72 000—74 000, *A.C.B. Cato, G.M. Sillar, J. Kioussis, R.H. Burdon* 57
- Host proteins are associated with adenovirus-specific mRNA in the cytoplasm, *W.J. van Venrooij, T. Riemen, C.A.G. van Eekelen* 62
- Calcium-dependent protein kinase in pea shoot membranes, *A. Hetherington, A. Trewavas* 67
- Isolation of mitochondrial porin from *Neurospora crassa*, *H. Freitag, G. Genchi, R. Benz, F. Palmieri, W. Neupert* 72
- Bathophenanthroline—ruthenium chelate, a fluorescent inhibitor of F₁-ATPase, *C. Carlsson-Skwirut, L. Ernster* 77
- Permeability changes of phospholipid liposomes caused by pancreatic phospholipase A₂: Analysis by means of phase transition release, *E. Okimasu, N. Shiratshi, S. Kobayashi, Y.M. Morimoto, M. Miyahara, K. Utsumi* 82
- Inactivation of cytochrome P-450 and production of N-alkylated porphyrins caused in isolated hepatocytes by substituted dihydropyridines, *F. de Matteis, C. Hollands, A.H. Gibb, N. de Sa, M. Rizzardini* 87
- On the inhibition of the *b*—*c*₁ segment on the mitochondrial respiratory chain by quinone analogues and hydroxyquinoline derivatives, *S. Papa, G. Izzo, F. Guerrieri* 93
- The complete amino acid sequence of a subunit of the vicilin seed storage protein of pea (*Pisum sativum* L.), *H. Hirano, J.A. Gatehouse, D. Boulter* 99

Dansylsphingolipids for labelling and probing membranes <i>R.T.C. Huang</i>	103
Is half-life of circulating liposomes determined by changes in their permeability? <i>J. Senior, G. Gregoriadis</i>	109
Effects of VIP on glucose and lactate metabolism in isolated rat liver cells, <i>J.C. Souquet, J.P. Riou, M. Beylot, J.A. Chavialle, R. Mortex</i>	115
Evidence for the existence of a mutated enkephalin sequence in preproenkephalin, <i>A. Bairoch</i>	121
Presence of two molecular weight forms of somatostatin in neurons from chick embryo cerebral hemispheres in culture, <i>F. Dray, J.C. Louis, C. Rougeot, P. Mandel, C. Bennet</i>	123
A new silent hemoglobin variant in a black family from French West Indies: Hemo- globin Le Lamentin $\alpha 20$ His $\rightarrow$ Gln, <i>M. Sellaye, Y. Blouquit, F. Galacteros, N. Arous, N. Monplaisir, M.D. Rhoda, F. Braconnier, J. Rosa</i>	128
The reconstitution of histone H_3-H_4 tetramer from acid extracted histones in the ab- sence of urea, <i>G.G. Lindsey, P. Thompson, L.R. Purves, C. von Holt</i>	131
Deoxyribose breakdown by the adriamycin semiquinone and H_2O_2 : Evidence for hy- droxyl radical participation, <i>D.A. Bates, C.C. Winterbourn</i>	137
A translational inhibitor activated in rabbit reticulocyte lysates under high pO_2 , <i>G. Almis-Kanigür, B. Kan, S. Kospançali, E. Bermek</i>	143
Location of troponin I-binding on troponin T sequence, <i>M. Tanokura, I. Ohtsuki</i>	147
Ligand binding properties of the cytoplasmic cAMP-binding protein of <i>Dictyostellium discoideum</i> , <i>R.J.W. de Wit, J.C. Arents, R. van Driel</i>	150
The effect of a membrane potential on the kinetics of the nanosecond recombination luminescence and the reaction centre triplet field in <i>Rhodospirillum rubrum</i> chromatophores, <i>H.N. van der Wal, R. van Grondelle, H. Kingma, A.C. van Bochove</i>	155
Solubilization and partial purification of vacuolar ATPase of yeast <i>Saccharomyces carlsbergensis</i> , <i>L.A. Okorokov, T.V. Kulakovskaya, I.S. Kulaev</i>	160
A monoclonal antibody against the skeletal muscle enzyme, creatine kinase, <i>G.E. Morris, L.P. Head</i>	163
In vivo metabolism of mammalian neurofilament polypeptides in developing and adult rat brain, <i>R. Calvert, B.H. Anderton</i>	171
Direct determination of the oxidation reduction potential of the iron-quinone elec- tron acceptor (Q) in photosystem II in <i>Chlamydomonas reinhardtii</i> , <i>M.C.W. Evans, J.H.A. Nugent, L.A. Tilling, Y.E. Atkinson</i>	176
The oxidation of cyclopropyl benzene by rat liver cytochrome P-450: An unusual triple oxidation of a substrate, <i>K.E. Suckling, C.G. Smellie, I. El Sayeed Ibrahim, D.C. Nonhebel, C.J. Suckling</i>	179
Methylglyoxal bis(guanylhydrazone) stimulates the cellular transport system of the polyamines, <i>L. Alhonen-Hongisto, P. Seppänen, J. Jänne</i>	182
The nature of DNA breakage by 4'-[(9-acridinyl)amino]methane-sulphon-m-anisidide (mAMSA), <i>B. Marshall, R.K. Ralph</i>	187
Conserved cysteine and histidine residues in the structure of the tyrosyl and meth- ionyl-tRNA synthetases, <i>D.G. Barker, G. Winter</i>	191
Crystallization and preliminary X-ray diffraction study of 5 S rRNA from <i>Thermus thermophilus</i> HB8, <i>K. Morikawa, M. Kawakami, S. Takemura</i>	194
Determination of the conformations of cyclic nucleotides bound to the N-terminal core of the cyclic AMP receptor protein of <i>Escherichia coli</i> by 1H -NMR, <i>G.M. Clore, A.M. Gronenborn</i>	197
Segmental flexibility of ribosomal protein S1 bound to ribosomes and Q β replicase, <i>Y.G. Chu, C.R. Cantor, I. Sawchyn, P.E. Cole</i>	203
In vitro synthesis of oat globulin, <i>G.J. Matlashewski, K. Adel, I. Altosaar, P.R. Shewry, B.J. Mifflin</i>	208
Self-associating properties of yeast exo- β -glucanases are dependent on the ionic strength, <i>A. Sánchez, A.R. Nebreda, T.G. Villa</i>	213
On a possible role of fructose 2,6-bisphosphate in regulating photo-synthetic metabo- lism in leaves, <i>M. Stitt, G. Mieskes, H.-D. Soling, H.W. Heldt</i>	217

The role of Mg^{2+} in the light activation process of the H^+ -ATPase in intact chloroplasts, <i>Y. Shahak</i>	223
Hydrogenase from <i>Vibrio succinogenes</i> , a nickel protein, <i>G. Unden, R. Böcher, J. Knecht, A. Kroger</i>	230
External electric field-driven ATP synthesis in chloroplasts: A slow, ATP synthase-dependent reaction, <i>C. Vinkler, R. Korenstein, D.L. Farkas</i>	235
Direct electrochemical reduction of ferredoxin promoted by Mg^{2+} , <i>F.A. Armstrong, H.A.O. Hill, N.J. Walton</i>	241
Photo-affinity labelling of the thyrotropin receptor, <i>P.R. Buckland, C.R. Rickards, R.D. Howells, E.D. Jones, B. Rees Smith</i>	245
Evidence for a skeleton in acetylcholine receptor-rich membranes from <i>Torpedo mar-morata</i> electric organ, <i>J. Cartaud, R. Oswald, G. Clement, J.-P. Changeux</i>	250
The isolation and purification of the elvapeptins — a family of peptide inhibitors of mitochondrial ATPase activity, <i>D.A. Bullough, C.G. Jackson, P.J.F. Henderson, P.B. Beechy, P.E. Linnett</i>	258
Increased concentration of fructose 2,6-bisphosphate in livers of genetically obese mice, <i>L. Hue, G.P. van de Werve</i>	263
Inhibitory effect of D-galactosamine administration on fatty acid oxidation in hepatocytes, <i>M. Mangeney-Andreani, O. Sire, J. Montagne-Clavel, R. Nordmann, J. Nordmann</i>	267
Identical catalytic subunit in both molecular forms of hormone-sensitive cholesterol esterase from bovine adrenal cortex, <i>U. Sonnenborn, G. Eiteljörge, W.E. Trzeciak, W.-H. Kunau</i>	271
A photo-CIDNP investigation of tyrosine mobility and exposure in human β -endorphin in the presence of phospholipid micelles, <i>L. Zetta, R. Kaptein, P.J. Hore</i>	277
A genuine acyl donor activity of oleyl-CoA for mitochondrial glycerophosphate acyltransferase, <i>C.D. Grosjean, D. Haldar</i>	281
GSH release in bile as influenced by arsenite, <i>I. Anundi, J. Högborg, M. Vahter</i>	285
On the origin of mitochondria: a re-examination of the molecular structure and kinetic properties of pyruvate dehydrogenase complex from brewer's yeast, <i>E.E. Keha, H. Ronft, G.-B. Kresze</i>	289
Role of phosphatidylethanolamine methylation in the synthesis of phosphatidylcholine by hepatocytes isolated from choline-deficient rats, <i>R. Pascale, L. Pirisi, L. Daino, S. Zanetti, A. Satta, E. Bartoli, F. Feo</i>	293
Poly(ADP-ribose) synthetase inhibitors enhance streptozotocin-induced killing of insulinoma cells by inhibiting the repair of DNA strand breaks, <i>H. Yamamoto, H. Okamoto</i>	298
Crystallization and preliminary X-ray data for peanut agglutinin, <i>K.W. Olsen, R.L. Miller</i>	303
Increase in the number of glucose carriers in chick fibroblasts during embryo development, <i>B. Bernard, P. Codogno, C. Berjonneau, M. Aubery, R. Bourrillon</i>	308
Trapping of a reaction intermediate by tetranitromethane during catalysis by ribulose biphosphate carboxylase, <i>A.S. Bhagwat, B.A. McFadden</i>	313
A low resolution model of fragment I from bovine prothrombin, <i>G. Olsson, L. Andersen, O. Lindquist, L. Sjölin, S. Magnussen, T.E. Petersen, L. Sottrup-Jensen</i>	317
An EPR study of the production of superoxide radicals by neutrophil NADPH oxidase, <i>J.V. Bannister, P. Bellavite, M.C. Serra, P.J. Thornalley, F. Rossi</i>	323
Myosin light chain kinase binding to plastic, <i>R.B. Pearson, C. House, B.E. Kemp</i>	327
Identification of elongation factor 1α from mouse liver, <i>N.J. Coppard, F. Cramer, B.F.C. Clark</i>	332
The role of band III in calcium transport across the human erythrocyte membrane, <i>D.M. Waisman, J. Smallwood, D. Lafreniere, H. Rasmussen</i>	337

Agarose polyacrolein microsphere beads: New effective immunoabsorbents, <i>S. Margel</i>	341
Inhibition of protease activity by polyamines: Relevance for control of leaf senescence, <i>R. Kaur-Sawhney, L.-m. Shih, T. Cegielska, A.W. Galston</i>	345
Hemin regulates the expression of transferrin receptors in human hematopoietic cell lines, <i>P.G. Pellicci, A. Tabilio, P. Thomopoulos, M. Titeux, W. Vainchenker, H. Rochant, U. Testa</i>	350
Inhibition of DNA replication in vitro by pefloxacin, <i>B. Badet, P. Hughes, M. Kohiyama, P. Forterre</i>	355
Structure at restriction endonuclease <i>Mbo</i> I cleavage sites protected by actinomycin D or distamycin A, <i>M.-G. Nilsson, C. Skarped, G. Magnusson</i>	360
Macrophages stimulate the activation of plasminogen by fibroblasts, <i>R. Laub, G. Vaes</i>	365
Vacuum-blotting: A new simple and efficient transfer of proteins from sodium dodecyl sulfate-polyacrylamide gels to nitrocellulose, <i>M. Peferoen, R. Huybrechts, A. de Loof</i>	369
Author Index	373
Table of Contents	378
Notes to Authors	382