

## Contents to volume 152

## Research Letters

|                                                                                                                                                                                                                                                  |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Amino acid sequence of a heat-stable enterotoxin isolated from enterotoxigenic <i>Escherichia coli</i> strain 18D, <i>T. Takao, T. Hitouji, S. Aimoto, Y. Shimonishi, S. Hara, T. Takeda, Y. Takeda, T. Miwatani</i>                             | 1   |
| Seminal plasmin inhibits transcription and translation of $\phi 80$ DNA in vitro, <i>V.M. Rao, E.S.P. Reddy, A. Torriani, P.M. Bhargava</i>                                                                                                      | 6   |
| Activation of brain adenylate cyclase by a factor derived from bovine sperm, <i>R.A. Johnson, J.A. Awad, K.H. Jakobs, G. Schultz</i>                                                                                                             | 11  |
| The nuclear associated endoplasmic reticulum is an early target for the action of the tumor promoter 12- <i>O</i> -tetradecanoyl phorbol-13-acetate in C3H/10T $\frac{1}{2}$ fibroblasts, <i>I.F. Pryme, J.R. Lillehaug, A. Fjose, K. Kleppe</i> | 17  |
| Carbon monoxide fixation into the carboxyl group of acetyl coenzyme A during autotrophic growth of <i>Methanobacterium</i> , <i>E. Stupperich, K.E. Hammel, G. Fuchs, R.K. Thauer</i>                                                            | 21  |
| An abnormal phospholipid in rat organs after ethanol treatment, <i>C. Alling, L. Gustavsson, E. Ånggård</i>                                                                                                                                      | 24  |
| Characteristics of a precursor to vasopressin-associated bovine neurophysin, <i>W.G. North, T.I. Mitchell, G.M. North</i>                                                                                                                        | 29  |
| The effect of a ribonuclease inhibitor from human placenta on the in vitro synthesis of human placental proteins, <i>W. Hiranyavasi, T. Kusamran</i>                                                                                             | 35  |
| Topography of the O <sub>2</sub> -evolving site determined with water analogs, <i>R. Radmer, O. Ollinger</i>                                                                                                                                     | 39  |
| The fungicide chloranilformethan and the herbicide dichlofopmethyl affect calmodulin-dependent cyclic nucleotide phosphodiesterase from bovine brain, <i>C. Hertel, D. Marmé</i>                                                                 | 44  |
| Control of chloroplast electron transport by phosphorylation of thylakoid proteins, <i>P. Horton</i>                                                                                                                                             | 47  |
| Energy-linked spectral shift of ferrocytochrome <i>b</i> in beef heart submitochondrial particles, <i>W.S. Kunz, A. Konstantinov</i>                                                                                                             | 53  |
| Specific lysis of GABAergic synaptosomes by an antiserum to glutamate decarboxylase, <i>M. Docherty, H.F. Bradford, B. Anderton, J.-Y. Wu</i>                                                                                                    | 57  |
| Phosphatidic acid mimicks the muscarinic action of acetylcholine in cultured bovine chromaffin cells, <i>S. Ohsako, T. Deguchi</i>                                                                                                               | 62  |
| Amino acid sequence around the active site cysteine residue of calcium-activated neutral protease (CANP), <i>K. Suzuki, H. Hayashi, T. Hayashi, K. Iwai</i>                                                                                      | 67  |
| Definitive <sup>15</sup> N NMR evidence that water serves as a source of 'O' during nitrite oxidation by <i>Nitrobacter agilis</i> , <i>S. Kumar, D.J.D. Nicholas, E.H. Williams</i>                                                             | 71  |
| Interconversion between states in cytochrome oxidase: Interpretation of kinetic data on mixed valence oxidase, <i>M. Brunori, A. Colosimo, M.T. Wilson, P. Sarti, E. Antonini</i>                                                                | 75  |
| Vitamin K-dependent carboxylase: Synthesis of an inhibitor of the glutamyl binding site, <i>D.H. Rich, M. Kawai, H.L. Goodman, J. Engelke, J.W. Suttie</i>                                                                                       | 79  |
| A sensitive and specific radioimmunoassay for leukotriene C <sub>4</sub> , <i>J.A. Lindgren, S. Hammarström, E.J. Goetzel</i>                                                                                                                    | 83  |
| Construction of noncyclic electron flow from chloroplast photosystem II and mitochondrial cytochrome <i>b-c</i> <sub>1</sub> complex to cytochrome <i>c</i> , <i>E. Lam, R. Malkin</i>                                                           | 89  |
| Reconstitution of stellacyanin as a case of direct Cu(I) transfer between yeast copper thionein and 'blue' copper apoprotein, <i>H.-J. Hartmann, L. Morpurgo, A. Desideri, G. Rotili, U. Weser</i>                                               | 94  |
| Interaction between hysteretic regulation and redox modulation of glucose-6-phosphate dehydrogenase from <i>Anacystis nidulans</i> , <i>J. Udvardy, A. Juhász, G.L. Farkas</i>                                                                   | 97  |
| Involvement of colchicine binding site of tubulin in the polymerisation process, <i>D. Dasgupta, R. Rajgopalan, S. Gurnani</i>                                                                                                                   | 101 |

|                                                                                                                                                                            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Differential crosslinking of histones and non-histones in nuclei by <i>cis</i> -Pt(II), <i>J. Filipski, K.W. Kohn, W.M. Bonner</i>                                         | 105 |
| In vitro degradation of the C-terminal octapeptide of cholecystokinin by 'Enkephalinase A', <i>M. Deschodt-Lanckman, A. D. Strosberg</i>                                   | 109 |
| An essential role of cytosolic thioltransferase in protection of pyruvate kinase from rabbit liver against oxidative inactivation, <i>K. Axelsson, B. Mannervik</i>        | 114 |
| The effect of energization and of thiol modulation on ATP hydrolysis by soluble and membrane-bound chloroplast coupling factor, <i>U. Pick</i>                             | 119 |
| Susceptibility of ribosomes of the tetracycline-producing strain of <i>Streptomyces aureofaciens</i> to tetracyclines, <i>K. Mikulík, A. Jiráňová, I. Janda, J. Weiser</i> | 125 |
| Transmembrane delivery of insulin into cells through $\alpha_2$ -macroglobulin receptor mediated endocytosis, <i>F. Ito, N. Shimizu</i>                                    | 131 |
| Notes to Authors                                                                                                                                                           | 136 |

## Review Letter

|                                                           |     |
|-----------------------------------------------------------|-----|
| On the primary structure of amylases, <i>F. Friedberg</i> | 139 |
|-----------------------------------------------------------|-----|

## Hypothesis

|                                                                                                    |     |
|----------------------------------------------------------------------------------------------------|-----|
| The coupling of ethylene biosynthesis to a transmembrane, electrogenic proton flux, <i>P. John</i> | 141 |
|----------------------------------------------------------------------------------------------------|-----|

## Research Letters

|                                                                                                                                                                                                                                       |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Primary structure of a novel <i>N</i> -glycosidic carbohydrate unit, derived from hen ovomucoid, <i>J. Paz-Parente, G. Strecker, Y. Leroy, J. Montreuil, B. Fournet, H. Van Halbeek, L. Dorland, J.F.G. Vliegenthart</i>              | 145 |
| The primary structure of yeast mitochondrial tyrosine tRNA, <i>A.-P. Sibling, G. Dirheimer, R.P. Martin</i>                                                                                                                           | 153 |
| Interaction of polymerases with 2'-deoxyuridine-5'-triphosphate spin-labeled at the 5-position, <i>P.E. Warwick-Koochaki, A. Hakam, A.M. Bobst</i>                                                                                    | 157 |
| On the presence of two new high mobility group-like proteins in the HeLa 53 cells, <i>T. Lund, J. Holtlund, M. Fredriksen, S.G. Laland</i>                                                                                            | 163 |
| Antioxidant effect of caeruloplasmin on microsomal lipid peroxidation, <i>S. Yamashoji, G. Kajimoto</i>                                                                                                                               | 168 |
| Na <sup>+</sup> -dependent proline transport in isolated membrane vesicles from the L6 muscle cell line. Stimulation of uptake by intravesicular proline. <i>A. Klip, E. Gagalang, W.J. Logan</i>                                     | 171 |
| The occurrence of polysialogangliosides in a human trophoblast cell line, <i>S.J. Friedman, S. Cheng, P. Shekan</i>                                                                                                                   | 175 |
| Rapid reduction in parvalbumin concentration during chronic stimulation of rabbit fast twitch muscle, <i>G. Klug, H. Reichmann, D. Pette</i>                                                                                          | 180 |
| Glycosaminoglycan synthesis in skin fibroblasts from patients with osteogenesis imperfecta, <i>R. Kapoor, S. Bourier, P. Prehm</i>                                                                                                    | 183 |
| Formation of lipid-protein bilayers by micropipette-guided contact of two monolayers, <i>T. Schuerholz, H. Schindler</i>                                                                                                              | 187 |
| Dihydropyridines as potent calcium channel blockers in neuronal cells, <i>M. Takahashi, A. Ogura</i>                                                                                                                                  | 191 |
| Cyclic AMP-dependent protein kinase stimulates the formation of polyphosphoinositides in lymphocyte plasma membrane, <i>B. Sarkadi, A. Enyedi, A. Faragó, G. Mészáros, T. Kremmer, G. Gárdos</i>                                      | 195 |
| Inhibition of epinephrine and gonadotropic hormone-induced ornithine decarboxylase activity by phenoxybenzamine in the testis of immature rat, <i>R. Madhubala, P.R.K. Reddy</i>                                                      | 199 |
| Purification of a troponin I-like factor from pig platelet, <i>E. der Terrossian, G. Pruliere, A. d'Albis</i>                                                                                                                         | 202 |
| Effect of trifluoperazine on <sup>3</sup> H-labeled protein secretion induced by pentoxifylline, cholinergic or adrenergic agonists in rat lacrimal gland. A possible role of calmodulin?, <i>P. Mauduit, G. Herman, B. Rossignol</i> | 207 |
| Differences in the association between the oxidase-dependent activity and plasma membrane receptors for IgG, C3b and concanavalin A of human neutrophils, <i>J. Hed, O. Stendahl, T. Sundqvist</i>                                    | 212 |

|                                                                                                                                                                                                                                                                                     |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Decreased activity of uroporphyrinogen decarboxylase caused by 2,4,5,3',4'-penta-bromobiphenyl in chick embryo hepatocyte cultures: Difference in activity in intact or homogenized cells, <i>P.R. Sinclair, G.H. Elder, W.J. Bement, S.G. Smith, H.L. Bonkowsky, J.F. Sinclair</i> | 217 |
| The effect of inhibitors of glutamate transport on the pathway of glutamate oxidation in rat liver mitochondria, <i>R.M. Njogu, J.B. Hoek</i>                                                                                                                                       | 222 |
| Conformational change of mastoparan from wasp venom on binding with phospholipid membrane, <i>T. Higashijima, K. Wakamatsu, M. Takemitsu, M. Fujino, T. Nakajima, T. Miyazawa</i>                                                                                                   | 227 |
| Purification and characterization of two basic spermatid-specific proteins isolated from the dog-fish <i>Scylliorhinus caniculus</i> , <i>M. Chauvière, B. Laine, P. Sautière, P. Chevaillier</i>                                                                                   | 231 |
| Resonance Raman spectroscopic study on the iron-sulfur proteins containing (2Fe-2S) clusters, <i>Y. Ozaki, K. Nagayama, Y. Kyogoku, T. Hase, H. Matsubara</i>                                                                                                                       | 236 |
| Organization of ribosomal DNA in yellow lupine ( <i>Lupinus luteus</i> ) and sequence of the 5.8 S RNA gene, <i>J.A. Rafalski, M. Wiewirowski, D. Söll</i>                                                                                                                          | 241 |
| Tight coordination of ribonucleotide reduction and thymidylate synthesis in synchronous algae, <i>B. Bachmann, R. Hofmann, H. Follmann</i>                                                                                                                                          | 247 |
| Characterization of a new membrane-bound cytochrome <i>c</i> of <i>Rhodopseudomonas capsulata</i> , <i>H. Hüdig, G. Drews</i>                                                                                                                                                       | 251 |
| Possible physiological role of epidermal growth factor in the development of the mouse mammary gland during pregnancy, <i>Y. Taketani, T. Oka</i>                                                                                                                                   | 256 |
| Catecholamines inhibit insulin-stimulated glucose transport in adipocytes, in the presence of adenosine deaminase, <i>A. Green</i>                                                                                                                                                  | 261 |
| High affinity binding of [ <sup>125</sup> I]monoiodoapamin to isolated guinea-pig hepatocytes, <i>N.S. Cook, D.G. Haylett, P.N. Strong</i>                                                                                                                                          | 265 |
| A membrane-associated creatine kinase (EC 2.7.3.2) identified as an acidic species of the non-receptor, peripheral $\nu$ -proteins in <i>Torpedo</i> acetylcholine receptor membranes, <i>F.J. Barrantes, G. Mieskes, T. Walliman</i>                                               | 270 |
| Formation of the COOH-terminal amide group of thyrotropin-releasing-factor, <i>I. Husain, S.S. Tate</i>                                                                                                                                                                             | 277 |
| The effect of cross-innervation on the tropomyosin composition of rabbit skeletal muscle, <i>D.H. Heeley, G.K. Dhoot, N. Frearson, S.V. Perry, G. Vrbova</i>                                                                                                                        | 282 |
| Experimental evidence against the applicability of the Saffman-Delbrück model to the translational diffusion of lipids in phosphatidylcholine bilayer membranes, <i>W.L.C. Vaz, D. Hallman</i>                                                                                      | 287 |
| Selection of tRNA by different polynucleotide-ribosomal protein complexes, <i>T. Sara-puu, R. Villems</i>                                                                                                                                                                           | 291 |
| Calcium inhibition of a heat-stable cyclic nucleotide phosphodiesterase from <i>Neurospora crassa</i> , <i>N.M. Shaw, R.W. Harding</i>                                                                                                                                              | 295 |
| The complete amino acid sequence of the bifunctional $\alpha$ -amylase/trypsin inhibitor from seeds of ragi (Indian finger millet, <i>Eleusine coracana</i> Gaertn.), <i>F.A.P. Campos, M. Richardson</i>                                                                           | 300 |
| Enzymatic synthesis of a blood group A related, difucosyl heptaglycosylceramide with a type 2 carbohydrate chain, <i>B.E. Samuelsson</i>                                                                                                                                            | 305 |
| Author Index                                                                                                                                                                                                                                                                        | 311 |
| Table of Contents                                                                                                                                                                                                                                                                   | 315 |
| Notes to Authors                                                                                                                                                                                                                                                                    | 319 |