

Contents to volume 196

Hypothesis

- Fine tuning of ribosomal accuracy (FEBS 3324) *J. Ninio* 1

Research Letters

- Is the C-terminal flanking peptide of rat cholecystokinin double sulphated? (FEBS 3340) *T.E. Adrian, J. Domin, A.J. Bacarese-Hamilton, S.R. Bloom* 5
- Direct evidence for a coupling between synthesis and export of PhoS in *E. coli* (FEBS 3328) *J. Anba, C. Lazdunski, J.-M. Pages* 9
- In vivo synthesis and processing of rat hypothalamic prosomatostatin (FEBS 3329) *M. Camier, N. Barre, A. Morel, P. Cohen* 14
- Characterization and quantitative topographical distribution of salmon calcitonin-binding sites in rat kidney sections (FEBS 3327) *Z. Bouizar, W.H. Rostène, M.S. Moukhtar, G. Milhaud* 19
- Sequence analysis of bovine retinal S-antigen: Relationships with α -transducin and G-proteins (FEBS 3334) *G.J. Wistow, A. Katial, C. Craft, T. Shinohara* 23
- Express analysis of protein amino acid sequences: Primary structure of *Penicillium chrysogenum* 152A guanyl-specific ribonuclease (FEBS 3341) *S.V. Shlyapnikov, S.I. Bezborodova, V.A. Kulikov, G.I. Yakovlev* 29
- Inactivation of potassium-evoked adrenomedullary catecholamine release in the presence of calcium, strontium or BAY-K-8644 (FEBS 3333) *F. Sala, R.I. Fonteriz, R. Borges, A.G. Garcia* 34
- Interaction amongst calcineurin subunits: Stimulatory and inhibitory effects of subunit B on calmodulin stimulation of subunit A phosphatase activity depend on Mn²⁺ exposure of the holoenzyme prior to its dissociation by urea (FEBS 3330) *R.C. Gupta, R.L. Khandelwal, P.V. Sulakhe* 39
- Mechanism of *o*-aminophenol metabolism in human erythrocytes (FEBS 3337) *A. Tomoda, J. Yamaguchi, H. Kojima, H. Amemiya, Y. Yoneyama* 44
- Structural and immunological differences between human platelet and endothelial thrombospondins (FEBS 3335) *P. Clezardin, N.R. Hunter, J.L. McGregor, D.S. Pepper, J. Dawes* 49
- Antibody-coated liposomes: The role of non-specific antibody adsorption (FEBS 3336) *J. Senior, J.A. Waters, G. Gregoriadis* 54
- Hydroxylation of acetone by ethanol- and acetone-inducible cytochrome P-450 in liver microsomes and reconstituted membranes (FEBS 3331) *I. Johansson, E. Eliasson, C. Norsten, M. Ingelman-Sundberg* 59
- Binding of concanavalin A to the outer membrane of potato tuber mitochondria detected by flow cytometry (FEBS 3332) *P. Petit, P. Diolez, P. Muller, S.C. Brown* 65
- NMR studies of fluorophenylalanine-containing carbonic anhydrase (FEBS 3338) *M.P. Gamcsik, J.T. Gerig* 71
- Electron microscopic analysis of the transcription of the *Bacillus subtilis* riboflavin operon inserted into the hybrid plasmid pLP102 (FEBS 3344) *N.K. Osina, Yu. A. Kalambet, A.A. Alexandrov* 75
- Viable somatic hybrids are obtained by direct current electrofusion of chemically aggregated plant protoplasts (FEBS 3352) *M. Chapel, M.-H. Montane, B. Ranty, J. Teissie, G. Alibert* 79
- Low density lipoprotein-receptor activity is lost in vivo in malignantly transformed renal tissue (FEBS 3348) *R.V. Clayman, L.E. Bilhartz, D.K. Spady, L.M. Buja, J.M. Dietschy* 87
- Decrease in acetylcholine-receptor content of human myotube cultures mediated by monoclonal antibodies to α , β and γ subunits (FEBS 3359) *S.J. Tzartos, A. Starzinski-Powitz* 91

Gene conversion in human immunoglobulin γ locus shown by unusual location of IgG allotypes (FEBS 3358) <i>M.-P. Lefranc, A.-N. Helal, G. de Lange, H. Chaabani, F. van Loghem, G. Lefranc</i>	96
The excess GTP hydrolyzed during mistranslation is expended at the stage of EF-Tu-promoted binding of non-cognate aminoacyl-tRNA (FEBS 3342) <i>D.G. Kakhiashvili, S.K. Smailov, L.P. Gavrilo</i>	103
Complete characterization of the human IGF-I nucleotide sequence isolated from a newly constructed adult liver cDNA library (FEBS 3350) <i>Y. Le Bouc, D. Dreyer, F. Jaeger, M. Binoux, P. Sondermeyer</i>	108
Full-length sequence and expression of the 42 kDa 2-5A synthetase induced by human interferon (FEBS 3347) <i>M. Wathelet, S. Moutschen, A. Cravador, L. DeWit, P. Defilippi, G. Huez, J. Content</i>	113
Evidence for a diprotomeric structure of Na,K-ATPase: Accurate determination of protein concentration and quantitative end-group analysis (FEBS 3345) <i>A.B. Chetverin</i>	121
cAMP mediated proteolysis of the catalytic subunit of cAMP-dependent protein kinase (FEBS 3325) <i>B.A. Hemmings</i>	126
The protein kinase C activator phorbol-12-myristate-13-acetate enhances cyclic AMP accumulation in pheochromocytoma cells (FEBS 3357) <i>E.B. Hollingsworth, D. Ukena, J.W. Daly</i>	131
Autophosphorylation of calmodulin kinase II: functional aspects (FEBS 3356) <i>J.M. Bronstein, D.B. Farber, C.G. Wasterlain</i>	135
Defects of thrombin-induced protein phosphorylation in platelets from stroke-prone spontaneously hypertensive rats (FEBS 3353) <i>K. Umegaki, M. Ikeda, K. Nakamura, T. Tomita</i>	139
Rapid induction of nucleoside-diphosphate kinase in HeLa S3 cells by human-type interferons (FEBS 3354) <i>K. Ohtsuki, M. Yokoyama, T. Ikeuchi, N. Ishida, K. Sugita, K. Satoh</i>	145
Impaired α -carboxyamidation of gastrin in vitamin C-deficient guinea pigs (FEBS 3351) <i>L. Hilsted, J.F. Rehfeld, T.W. Schwartz</i>	151
Activation of membrane phospholipase C by vasopressin: A requirement for guanyl nucleotides (FEBS 3326) <i>G. Guillon, M.-N. Balesire, B. Mouillac, G. Devilliers</i>	155
Designed inhibitors of horse liver alcohol dehydrogenase: Effect of active-site metal ion substitution (FEBS 3349) <i>C. Freudenreich, U. Pfangert, M. Weis, M. Zeppezauer, J.-F. Biellmann</i>	160
The activity of the Na ⁺ /H ⁺ antiporter in cultured cardiac cells is dependent on the culture conditions used (FEBS 3355) <i>R.D. Green, C. Frelin, P. Vigne, M. Lazdunski</i>	163
Cytoplasmic pH and glycolysis in the <i>Dictyostelium discoideum</i> cell cycle (FEBS 3339) <i>R.J. Aerts, A.J. Durston, W.H. Moolenaar</i>	167
Phytochrome-mediated accumulation of chloroplast DNA in pea leaves (FEBS 3346) <i>Y. Sasaki, Y. Nakamura, R. Matsuno</i>	171
Thermodynamics of left-handed helix formation (FEBS 3343) <i>H.H. Klump</i>	175
Book Reviews and Booklist no. 64	180
Notes to Authors	191

Hypothesis

A plausible mechanism for flagellar rotation in bacteria (FEBS 3405) <i>T. Wagenknecht</i>	193
--	-----

Research Letters

The photochemical cycle of bacteriorhodopsin has no refractory period (FEBS 3376) <i>Z. Dancshazy, G.I. Groma, D. Oesterhelt, J. Tittor</i>	198
Quantitation of plastoquinone-9 in photosystem II reaction center particles: Chemical identification of the primary quinone, electron acceptor Q _A (FEBS 3372) <i>C. de Vitry, C. Carles, B.A. Diner</i>	203

- Metabolism of glucose via a modified Entner-Doudoroff pathway in the thermoacidophilic archaeobacterium *Thermoplasma acidophilum* (FEBS 3379) *N. Budgen, M.J. Danson* 207
- Separation of isoenzymes of citrate synthase and isocitrate dehydrogenase by fast protein liquid chromatography (FEBS 3380) *C.G. Mitchell, S. O'Neil, H.C. Reeves, P.D.J. Weitzman* 211
- Fluorescence study of the RecA-dependent proteolysis of LexA, the repressor of the SOS system in *Escherichia coli* (FEBS 3369) *M. Takahashi, M. Daune, M. Schnarr* 215
- Biochemical comparison of γ -crystallins from duck and frog eye lenses (FEBS 3377) *S.-H. Chiou, W.-C. Chang, J. Kuo, F.-M. Pan, T.-B. Lo* 219
- Chemical characterization and opioid activity of an exorphin isolated from in vivo digests of casein (FEBS 3363) *H. Meisel* 223
- Complete amino acid sequence of alkaline mesentericopeptidase: A subtilisin isolated from a strain of *Bacillus mesentericus* (FEBS 3361) *I. Svendsen, N. Genov, K. Idakieva* 228
- Localization of the N-terminal regions of the B870 α , β and of reaction center L polypeptides on the cytoplasmic surface of the chromatophores of *Rhodospseudomonas capsulata* (FEBS 3365) *M.H. Tadros, R. Frank, G. Drews* 233
- Localisation of the main immunogenic region of the nicotinic acetylcholine receptor (FEBS 3390) *T. Barkas, J. -M. Gabriel, M. Juillerat, A. Kokla, S.J. Tzartos* 237
- Comparison of the internalization efficiency of LDL and transferrin receptors on L₂C guinea pig lymphocytes (FEBS 3389) *M. Vidal, J. Sainte-Marie, J.R. Philippiot, A. Bienvenue* 242
- Lignoceroyl-CoASH ligase: enzyme defect in fatty acid β -oxidation system in X-linked childhood adrenoleukodystrophy (FEBS 3388) *M. Hashmi, W. Stanley, I. Singh* 247
- Modification of some properties of spherical lipid membranes induced by the association with fructose-1,6-bisphosphate aldolase (FEBS 3375) *M. Langner, J. Gutowicz, J. Gomulkiewicz* 251
- Binding of seminalplasmin to the plasma and acrosomal membranes of bovine spermatozoa: Fluorescence studies on the changes in the lipid-phase fluidity (FEBS 3387) *S. Shivaji* 255
- Trisialosyllactosylceramide (GT3) is a ganglioside of human lung (FEBS 3366) *J.-E. Månsson, H. Mo, H. Egge, L. Svennerholm* 259
- Inactivation of ribulose-bisphosphate carboxylase by limited proteolysis: Loss of the catalytic activity without disruption of bisphosphate binding or carbamylation (FEBS 3378) *S. Gutteridge, B.N. Millard, M.A.J. Parry* 263
- Plasminogen activators catalyse conversion of inhibitor from fibrosarcoma cells to an inactive form with a lower apparent molecular mass (FEBS 3382) *L.S. Nielsen, P.A. Andreasen, J. Grøndahl-Hansen, L. Skriver, K. Danø* 269
- Vasopressin-stimulated phosphorylation of rat liver phospholipid methyltransferase in isolated hepatocytes (FEBS 3381) *I. Mérida, I. Varela, J.F. Alvarez, C. Cabrero, J.M. Mato* 274
- Bradykinin stimulates GTP hydrolysis in NG108-15 membranes by a high-affinity, pertussis toxin-insensitive GTPase (FEBS 3404) *R. Grandt, C. Greiner, P. Zubin, K.H. Jakobs* 279
- Dimeric enzyme II^{ml} of the *E. coli* phosphoenolpyruvate-dependent phosphotransferase system: Cross-linking studies with bifunctional sulfhydryl reagents (FEBS 3362) *F.F. Roosien, W. van Es-Spiekman, G.T. Robillard* 284
- Accumulation of exoglucanase activity in yeast secretory mutants blocked at the endoplasmic reticulum level (FEBS 3384) *L.M. Hernández, I. Olivero, M. Ramirez, G. Larriba* 291
- Identification of a *c-myc* oncogene lacking the exon 1 in the normal cells of a patient carrying a thyroid carcinoma (FEBS 3386) *L. Del Senno, E. Degli Uberti, M. Rossi, D. Buzzoni, R. Barbieri, P. Rossi, P. Patracchini, F. Bernardi, G. Marchetti, F. Conconi, R. Gambari* 296
- Detection of the X gene product of simian T-cell leukemia virus (FEBS 3385) *A. Tsujimoto, H. Tsujimoto, N. Yanaihara, K. Abe, M. Hayami, M. Miwa, K. Shimotohno* 301
- Thyrotropin and cyclic AMP regulation of *ras* proto-oncogene expression in cultured thyroid cells (FEBS 3370) *W.H. Dere, H. Hirayu, B. Rapoport* 305

c- <i>ras</i> ^H and ornithine decarboxylase are induced by oestradiol-17 β in the mouse uterine luminal epithelium independently of the proliferative status of the cell (FEBS 3371) <i>S.V.Y. Cheng, J.W. Pollard</i>	309
Primary structure of the β -subunit of <i>Torpedo californica</i> (Na ⁺ + K ⁺)-ATPase deduced from the cDNA sequence (FEBS 3374) <i>S. Noguchi, M. Noda, H. Takahashi, K. Kawakami, T. Ohta, K. Nagano, T. Hirose, S. Inayama, M. Kawamura, S. Numa</i>	315
Binding of transferrin-iron by adriamycin at acidic pH (FEBS 3373) <i>E.J.F. Demant, N. Nørskov-Lauritsen</i>	321
Transglutaminase activity and putrescine-binding capacity in cloned cell lines with different metastatic potential (FEBS 3368) <i>J.G. Delcros, S. Bard, A.M. Roch, G. Quash, M.F. Poupon, S. Korach</i>	325
Extraction, partial purification and functional reconstitution of two mitochondrial carriers transporting keto acids: 2-oxoglutarate and pyruvate (FEBS 3360) <i>M.J. Nałęcz, K.A. Nałęcz, C. Broger, R. Bolli, L. Wojtczak, A. Azzi</i>	331
Kinetics of the membrane-bound inorganic pyrophosphatase from <i>Rhodospirillum rubrum</i> chromatophores: Effect of the transmembrane electrical potential on the rate constants (FEBS 3392) <i>Å. Strid, P. Nyrén, J. Boork, M. Baltscheffsky</i>	337
Inhibition by streptozotocin of the activity of succinyl-CoA synthetase in vitro and in vivo (FEBS 3391) <i>L. Boquist, I. Ericsson</i>	341
Selective uptake of ricin A-chain by hepatic non-parenchymal cells in vitro: Importance of mannose oligosaccharides in the toxin (FEBS 3367) <i>D.N. Skilleter, B.M.J. Foxwell</i>	344
Lysis of chromaffin granules by phospholipase A ₂ -treated plasma membranes: A cell-free model for exocytosis in adrenal medulla (FEBS 3396) <i>F. Izumi, N. Yanagihara, A. Wada, Y. Toyohira, H. Kobayashi</i>	349
Differential prooxidative effect of adult and fetal hemoglobin (FEBS 3395) <i>A. Valenzuela, R. Guerra, L. Lazcano, P. Cañas</i>	353
Production of a novel tryptophan analog, β -1-indazole-L-alanine with tryptophan synthase of <i>Escherichia coli</i> (FEBS 3364) <i>H. Tanaka, K. Tanizawa, T. Arai, K. Saito, T. Arai, K. Soda</i>	357
The effect of substrates on the inter-domain interactions of the hinge-bending enzyme 3-phosphoglycerate kinase (FEBS 3394) <i>B. Adams, R.H. Pain</i>	361
Lack of inhibition of thrombin-induced rise in intracellular Ca ²⁺ levels and 5-hydroxytryptamine secretion by 1-oleoyl-2-acetyl glycerol in human platelets (FEBS 3393) <i>S. Krishnamurthi, S.K. Joseph, V.V. Kakkar</i>	365
Author Index	370
Table of Contents	375
Notes to Authors	379