FEBS Letters 531 (2002) 572 FEBS 26739

Erratum

Erratum to: The glucagon-like peptide-1 receptor binding site for the N-terminus of GLP-1 requires polarity at Asp198 rather than negative charge (FEBS 26658)

[FEBS Letters 530 (2002) 244–248][☆]

Rakel López de Maturana, Dan Donnelly*

School of Biomedical Sciences, University of Leeds, Leeds LS2 9JT, UK

First published online 31 October 2002

In the last stages of the production process, after the author's proof had been returned, an unfortunate error occurred. Fig. 1 was reproduced incorrectly. The correct figure is given below.

Δ

GLP-1(7-36) amide Exendin-4 Exendin(9-39) GLP-1(15-36) amide HAEGTFTSDVSSYLEGQAAKEFIAWLVKGR-NH2 HGEGTFTSDLSKQMEEEAVRLFIEWLKNGGPSSGAPPPS-NH2 DLSKQMEEEAVRLFIEWLKNGGPSSGAPPPS-NH2 DVSSYLEGQAAKEFIAWLVKGR-NH.




Fig. 1. A: The aligned sequences of various GLP-1 receptor peptides used in this analysis. B: A helical wheel showing the sequence of Exendin-4 from residues Ser11 to Gly29. Residues identical to those in GLP-1 are shown in white lettering on a black background while those unique to Exendin-4 are shown in black lettering.

*Corresponding author. Fax: (44)-113-34 34228. E-mail address: d.donnelly@leeds.ac.uk (D. Donnelly).

[☆]PII of original article S0014-5793(02)03492-0.