


Contents

New Low-Molecular-Mass Gelators Based on L-Lysine: Amphiphilic Gelators and Water-Soluble Organogelators

M. Suzuki, M. Yumoto, M. Kimura, H. Shirai, K. Hanabusa*

1



Preparation and (*E/Z*)-Isomerization of the Diastereoisomers of Violaxanthin


P. Molnár, J. Deli, F. Zsila, A. Steck, H. Pfander, G. Tóth**

11

Triplet-Sensitized Photodeprotection of Oligonucleotides in Solution and on Microarray Chips

D. Wöll, S. Walbert, K.-P. Stengele, T. J. Albert, T. Richmond, J. Norton, M. Singer, R. D. Green*, W. Pfeleiderer, U. E. Steiner*


28



Palmitoleate (= (9Z)-Hexadeca-9-enoate) Esters of Oleanane Triterpenoids from the Golden Flowers of *Tagetes erecta*: Isolation and Autoxidation Products

S. Faizi*, A. Naz


46



Selective Inhibition of Collagen-Induced Platelet Aggregation by a Cyclic Peptide from
Drymaria diandra

P.-W. Hsieh, F.-R. Chang, C.-C. Wu, K.-Y. Wu, C.-M. Li, W.-Y. Wang, L.-C. Gu, Y.-C. Wu*


57



Phosphodiesterase-Inhibiting Glycosides from *Symplocos racemosa*

V. U. Ahmad*, M. A. Abbasi, M. Zubair, N. Fatima, U. Farooq,
M. I. Choudhary


67



New Triterpene Saponins from *Acanthophyllum pachystegium*

M. Haddad, T. Miyamoto, M. Ramezani, M.-A. Lacaille-Dubois*


73



Synthesis of Cyclopenta[*b*]indol-1-ones and Carbazol-4-ones from *N*-(2-Halophenyl)-Substituted Enaminones by Intramolecular Heck Reaction

U. S. Sørensen, E. Pombo-Villar*


82



Properties and Reactions of Substituted 1,2-Thiazetidine 1,1-Dioxides:
Chiral Mono- and Bicyclic 1,2-Thiazetidine 1,1-Dioxides from α -Amino Acids

A. Meinzer, A. Breckel, B. A. Thaher, N. Manicone, H.-H. Otto*


90



Enantioselective Synthesis of 2-(2-Arylcyclopropyl)glycines: Conformationally Restricted Homophenylalanine Analogs

A. S. Demir*, Ö. Sesenoglu, D. Ülkü, C. Arici


106



Electrochemistry and Spectroscopy of Sulfate Complexes of (Tetraphenylporphyrinato)manganese

K. Lawson, J. Gross, P. W. Crawford*


120



An Experimental and Mechanistic Investigation of the Complexities Arising During Inhibition of the *Briggs–Rauscher* Reaction by Antioxidants

R. Cervellati*, K. Höner, S. D. Furrow, F. Mazzanti, S. Costa


133



Factors Influencing the Course of the Macrocyclization of α,ω -Diamines with Esters of α,ω -Dicarboxylic Acids

D. Gryko, D. T. Gryko, H. Sierzputowska-Gracz, P. Piątek, J. Jurczak*


156



Synthesis of (±)-Glaucine and (±)-Neospirodienone via an One-Pot *Bischler–Napieralski* Reaction and Oxidative Coupling by a Hypervalent Iodine Reagent

W.-J. Huang, O. V. Singh, C.-H. Chen, S.-S. Lee*


167



Bauhinoxepins A and B: New Antimycobacterial Dibenzo[*b,f*]oxepins from *Bauhinia saccocalyx*

P. Kittakoop*, S. Nopichai, N. Thongon, P. Charoenchai, Y. Thebtaranonth


175



Metabolism of Deuterated *threo*-Dihydroxy Fatty Acids in *Saccharomyces cerevisiae*: Enantioselective Formation and Characterization of Hydroxylactones and γ -Lactones

L.-A. Garbe*, R. Tressl


180



Synthesis of (±)-Kempa-6,8-dien-3-ol (= (2a*RS*,3*SR*,4a*SR*,7*RS*,7a*SR*,10b*SR*,10c*SR*)-2,2a,3,4,4a,5,6,7,7a,8,10b,10c-Dodecahydro-2a,7,10,10c-tetramethylnaphth[2,18-*cde*]-azulen-3-ol)

*T. Kato**, *M. Tanaka*, *S.-s. Takagi*, *K. Nakanishi*, *M. Hoshikawa*


197



A Combined Experimental and Theoretical Approach toward the Development of Optimized Luminescent Carbostyrils

G. A. Strohmeier, *W. M. F. Fabian*, *G. Uray**


215



Desymmetrization of *N*-Sulfonated Aziridines by Alkylolithium Reagents in the Presence of Chiral Ligands

*P. Müller**, *D. Riegert*, *G. Bernardinelli*


227



Spiromarienonols A and B: Two New 7(8 → 9)*abeo*-Lanostane-Type Triterpene Lactones from the Stem Bark of *Abies mariesii*

R. Tanaka*, S.-i. Wada, H. Aoki, S. Matsunaga, T. Yamori


240



Silver and Gold Trinuclear Complexes Based on 3-Substituted or 3,5-Disubstituted Pyrazolato Ligands. X-Ray Crystal Structure of *cyclo*-Tris{ μ -[3,5-bis(4-phenoxyphenyl)-1*H*-pyrazolato- $\kappa N^1 : \kappa N^2$]}trigold Dichloromethane ([Au(μ -pz^{PPz})]₃ · CH₂Cl₂)

M. C. Torralba, P. Ovejero, M. J. Mayoral, M. Cano*, J. A. Campo, J. V. Heras, E. Pinilla, M. R. Torres


250




Berberine/ γ -Cyclodextrin Inclusion Structure Studied by ¹H-NMR Spectroscopy and Molecular-Dynamics Calculations

M. Kamigauchi*, N. Kanbara, M. Sugiura, K. Iwasa, H. Ohishi, T. Ishida

264





* Author to whom correspondence should be addressed
Korrespondenzautor