


Contents

Hybridization and Melting Behavior of Peptide Nucleic Acid (PNA) Oligonucleotide Chimeras Conjugated to Gold Nanoparticles

*D. Murphy, G. Redmond, B. G. de la Torre, R. Eritja**


2727



cyclo(β -Asp- β^3 -hVal- β^3 -hLys) – Solid-Phase Synthesis and Solution Structure of a Water Soluble β -Tripeptide Preliminary Communication

*F. Büttner, M. Erdélyi, P. I. Arvidsson**


2735



Synthesis of Novel Chiral Ionic Liquids and Their Phase Behavior in Mixtures with
Smectic and Nematic Liquid Crystals

M. Tosoni, S. Laschat*, A. Baro

2742



On the Scope of a *Prins*-Type Cyclization of Oxonium Ions

G. Fráter*, U. Müller, P. Kraft


2750



Electrophilic Bromination of *N*-Acylated Cyclohex-3-en-1-amines: Synthesis of
7-Azanorbornanes

P. Kapferer, A. Vasella*



2764



Nonnucleosidic Base Surrogates: The Effect of 1,2-Disubstituted Phenanthrenes on DNA Duplex Stability

D. Ackermann, R. Häner*



2790



Coumarinolignans from the Root of Formosan *Antidesma pentandrum* var. *barbatum*

Y.-C. Chen, M.-J. Cheng, S.-J. Lee, A. K. Dixit, T. Ishikawa, I.-L. Tsai, I.-S. Chen*

2805




2 R¹ = 3-MeO,4-OH-C₆H₃,
R² = 1,1-dimethylprop-2-enyl
3 R¹ = 1,1-dimethylprop-2-enyl,
R² = 3-MeO,4-OH-C₆H₃

Efficient Solid Phase Synthesis of Cleavable Oligodeoxynucleotides Based on a Novel Strategy for the Synthesis of 5'-S-(4,4'-Dimethoxytrityl)-2'-deoxy-5'-thionucleoside Phosphoramidites

K. Jahn-Hofmann, J. W. Engels*


2812



Agallochaols A and B, Two New Diterpenes from the Chinese Mangrove *Excoecaria agallocha* L.

J.-D. Wang, Y.-W. Guo*


2829



Novel Bleomycin Analogues: Synthesis, Antitumor Activity, and Interaction with DNA

Z.-D. Xu, M. Wang, S.-L. Xiao, Y.-J. Zhang, M. Yang*


2834



Adenanthusone, a New Ursane Type Nortriterpenoid from *Isodon adenanthus*

W. Xiang, Q.-S. Song, H.-J. Zhang, R.-T. Li, Z. Na, H.-D. Sun*



2842



Rhodium(II)-Catalyzed Inter- and Intramolecular Enantioselective Cyclopropanations with Alkyl-Diazo(triorganylsilyl)acetates

P. Müller*, F. Lacrampe


2848



ent-Clerodanoids from *Isodon scoparius*

W. Xiang, R.-T. Li, Q.-S. Song, Z. Na, H.-D. Sun*


2860



Lipophilicity Measurement by Reversed-Phase High-Performance Liquid Chromatography (RP-HPLC): A Comparison of Two Stationary Phases Based on Retention Mechanisms

X. Liu*, H. Tanaka, A. Yamauchi, B. Testa, H. Chuman


2866



Isolation and Characterization of New Bitter Diterpenoids from the Basidiomycete *Sarcodon scabrosus*

B.-J. Ma, H.-J. Zhu, J.-K. Liu*

2877



Fluorous-Silica-Supported Perfluoro-Tagged Palladium Complexes Catalyze Suzuki Couplings in Water


C. C. Tzschucke, W. Bannwarth*

2882

Four Novel Dihydroisocoumarin (= 3,4-Dihydro-1*H*-2-benzopyran-1-one) Glucosides from the Fungus *Cephalosporium* sp. AL031

Y.-M. Bi*, X.-B. Bi, Q.-R. Zhao, Y.-T. Chen, J.-L. Xie


2890



Amphiphilic Dendrimers with Heteroleptic Bis([2,2':6',2'']terpyridine)-Ruthenium(II) Cores

D. Joester, V. Gramlich, F. Diederich*


2896



Menverins A–D, New Highly Oxygenated Guaiane Lactones from Hainan Gorgonian
Menella verrucosa (BRUNDIN)

W. Zhang, Y.-W. Guo*, E. Mollo, G. Cimino


2919



Oligonucleosides with a Nucleobase-Including Backbone
Part 11. Linear and Convergent Synthesis of Ethynylene-Linked Uridine-Derived
Oligomers

S. Eppacher, N. Solladié, A. Vasella*


2926



Rubriflorin A and B, Two Novel Partially Saturated Dibenzocyclooctene Lignans from
Schisandra rubriflora

L. Li*, H.-Y. Ren, X.-D. Yang, J.-F. Zhao, G.-P. Li, H.-B. Zhang

2943



J.-F. Nierengarten, T. Gu, G. Hadziiiannou*, D. Tsamouras, V. Krasnikov*

[illegible]

2967

* Author to whom correspondence should be addressed
Korrespondenzautor