


Contents

Asymmetric Syntheses of 2-(1-Aminoethyl)phenols

E. P. Kündig, C. Botuha, G. Lemerrier, P. Romanens, L. Saudan, S. Thibault*


561



1-(Arylalkyl)quinolizidine Derivatives and Thio-Isosteric Analogues as Ligands for Sigma Receptors

A. Sparatore, F. Novelli, F. Sparatore*


580






Bioactive Chemical Constituents of *Cladiella* Species

A. Ata, J. Ackerman, A. Bayoud, P. Radhika*

592






New Types of Very Efficient Photolabile Protecting Groups Based upon the [2-(2-Nitrophenyl)propoxy]carbonyl (NPPOC) Moiety

S. Bühler, I. Lagoja, H. Giegrich, K.-P. Stengele, W. Pfeleiderer*


620



Two New Insecticidal Amide Dimers from Fruits of *Piper nigrum* LINN.

B. S. Siddiqui*, T. Gulzar, S. Begum, F. Afshan, F. A. Sattar


660



Studies Directed to the Total Synthesis of Cepacin A
Preliminary Communication

C.-J. Tang, Y. Wu*


667



Synthesis of ^{13}C -Labeled Pyrazinone Thrombin Inhibitors and Elucidation of Metabolic Activation Pathways

J. Z. Ho*, M. P. Braun, R. Subramanian, Y.-D. Gao, D. C. Dean, D. G. Melillo


674



Four New Diterpenoids from *Ballota limbata*

V. U. Ahmad*, U. Farooq, A. Abbaskhan, J. Hussain, M. A. Abbasi,
S. Ahmad Nawaz, M. I. Choudhary


682



Oxidative Rearrangement of 1-Alkylidene-1,2,3,4-tetrahydro-2-(trichloroacetyl)-isoquinolines to 1,5,6,10b-Tetrahydro-10b-(trichloromethyl)-3*H*-oxazolo[4,3-*a*]-isoquinolin-3-ones

G. R. Lenz*, R. A. Lessor, P. W. Rafalko, E. F. Ezell, Z. Kosarych, L. Meyer,
P. Margaretha*

690





N. F. Utesch, F. Diederich, C. Boudon, J.-P. Gisselbrecht, M. Gross*

[illegible]

M. Terinek, A. Vasella*

*S. D. Furrow, K. Höner, R. Cervellati**



* Author to whom correspondence should be addressed
Korrespondenzautor