


Contents

Oligonucleotide Analogues with Integrated Bases and Backbone
Part 27. Synthesis and Association of Thiomethylene-Linked Cytidine-Derived
Dinucleosides and Tetranucleosides

*L. Herdeis, B. Bernet, A. Augustine, R. E. Kälin, A. W. Brändli, A. Vasella**

545


Self-association of Thiomethylene-linked CC and CCCC Di- and Tetranucleosides



Syntheses of Prekinamycin and a Tetracyclic Quinone from Common Synthetic Intermediates

S. Kimura, S. Kobayashi, T. Kumamoto, A. Akagi, N. Sato, T. Ishikawa*


578



A Concise Route to Valacyclovir Hydrochloride

P. R. V. N. K. V. Vetukuri, R. Vedantham, V. T. Mathad, P. R. Padi, V. A. Ramasamy*


592



Influence of Variation of a Side Chain on the Folding Equilibrium of a β -Peptide

*Z. Lin, F. H. Hodel, W. F. van Gunsteren**


597



Silica Nanoparticles as a Highly Efficient Catalyst for the One-Pot Synthesis of 2-Hydroxyacetamide Derivatives from Isocyanides and Electron-Poor Aromatic Aldehydes

A. Ramazani*, A. Mahyari, H. Lashgari, K. Ślepokura, T. Lis


611



Ophiobolin Sesterterpenoids and Pyrrolidine Alkaloids from the Sponge-Derived Fungus *Aspergillus ustus*

H.-B. Liu, R. Edrada-Ebel, R. Ebel, Y. Wang, B. Schulz, S. Draeger, W. E. G. Müller, V. Wray, W.-H. Lin*, P. Proksch*


623



Three New Cycloartane (= 9,19-Cyclolanostane) Glycosides from *Cimicifuga foetida*

D.-S. Li, Y. Nian, Y. Sun, M.-H. Qiu*


632



Triethylamine-Catalyzed Efficient Synthesis of Oxathiolanes Containing a Highly Polarized Carbon-Carbon Double Bond from Reaction of Malononitrile, Carbon Disulfide (CS₂), and Oxiranes

I. Yavari*, M. Ghazanfarpour-Darjani, Y. Solgi, S. Ahmadian


639



neo-Clerodane Diterpenoids from the Aerial Part of *Scutellaria barbata*

H. Lee, S. H. Shim*


643



Efficient Synthesis of a Styryl Analogue of (2*S*,3*R*,4*E*)-*N*²-Octadecanoyl-4-tetradecasphingenine via Cross-Metathesis Reaction


G. Kumar, S. Kaur, V. Singh*

650




Dammarane Triterpenes from *Gardenia aubryi* Vieill.

R. Grougnet, P. Magiatis, S. Mitaku, A.-L. Skaltsounis*, P. Cabalion, F. Tillequin, S. Michel 656




Two Unusual Xanthenes from the Bark of *Garcinia xanthochymus*

Y. Chen, H. Fan, G.-Z. Yang*, Y. Jiang, F.-F. Zhong, H.-W. He* 662



An Efficient Stereoselective Approach for the Synthesis of (+)-(4*S*,5*S*)-Muricatacin


C. Srinivas, C. N. S. S. P. Kumar, B. C. Raju*, V. J. Rao* 669



New Anthraquinone and Iridoid Glycosides from the Stems of *Hedyotis hedyotideae*

X.-P. Hu, S.-W. Zhang, S.-S. Liu, L.-J. Xuan*


675



Two Unusual Phenolic Substances and One New Xanthone from *Hypericum sampsonii*

W.-B. Xin, G.-L. Jin, Z.-J. Mao, L.-P. Qin*


686





Three New Triterpenoid Saponins from *Ardisia crenata*

D.-L. Liu*, N.-L. Wang, X. Zhang, X.-S. Yao*

693





* Author to whom correspondence should be addressed
Korrespondenzautor