

Subject Index

Abietanes

- Two Novel Abietane Diterpenoids from *Illicium wardii* A.C.Sm., 122
Two New Acidic Diterpenoids from the Heartwood of *Pinus massoniana* LAMB., 1146

Acanthopanax leucorrhizus

- Sesquiterpenoids from the Root Bark of *Acanthopanax leucorrhizus* and Their Biological Activities, 1283

Acetamides

- Synthesis of Novel α -(Acyloxy)- α -(quinolin-4-yl)acetamides by a Three-Component Reaction between an Isocyanide, Quinoline-4-carbaldehyde, and Arenecarboxylic Acids, 1088

Acetates, vinyl

- Ethenolate Transfer Reactions: A Facile Synthesis of Vinyl Esters, 1115

Acetic acid, 2,2,2-trifluoro-

- Synthesis of 3-(ω -Hydroxyalkoxy)isobenzofuran-1(3*H*)-ones by Trifluoroacetic Acid-Mediated Lactonization of *tert*-Butyl 2-(1,3-Dioxol-2-yl)- or 2-(1,3-Dioxan-2-yl)benzoates, 1055

Acetogenins

- New Acetogenins from the Seeds of *Annona coriacea*, 1469

Acetonitrile, 2,2,2-trichloro-

- Copper-Catalyzed Tandem Synthesis of Functionalized Sulfonyl-yn-imines from Sodium Arylsulfonates, Trichloroacetonitrile, and Terminal Alkynes, 384

Acetophenones, *p*-hydroxy

- Three New Chromanones from *Calea clauseniana*, 146

Acetylcholinesterase

- Sesquiterpenoids from the Fruits of *Alpinia oxyphylla* and Their Anti-Acetylcholinesterase Activity, 388
Lycopodium Alkaloids from *Huperzia serrata*, 1433

Acetylcholinesterase (AChE) inhibitory activity

- A New Polyketide from the Mangrove Endophytic Fungus *Penicillium* sp. sk14JW2P, 664

Acetylene

- Reaction of Isonitriles with Dibenzoylacetylene Leading to Furan and Difuropyran Derivatives, 524
Stereoselective Total Synthesis of Ophiocerin C through Two Different Approaches, 1577

Acetylene dicarboxylates

- One-Pot Synthesis of Novel Pyrrolo[1,2-*a*]quinoxaline-4(5*H*)-ones Using Benzene-1,2-diamine, Acetylene-dicarboxylates, and β -Nitrostyrene Derivatives, 646

Acetylene esters

- An Approach to the Synthesis of Spiro[indene-pyridoisoquinoline] Derivatives via 1,4-Dipolar Cycloaddition of Isoquinoline and Acetylene Esters, and (1,3-Dihydro-1,3-dioxo-2*H*-inden-2-ylidene)malononitrile, 1383
Catalyst-Free One-Pot Synthesis of Ketene Imines under Ultrasound Irradiation, 1422

Acetylenic compounds

- Phenylglycol Metabolites from Cultures of the Basidiomycete *Mycena pruinoviscida* BCC 22723, 909

Acidity constant

- Confusing Quantitative Descriptions of *Brønsted–Lowry* Acid–Base Equilibria in Chemistry Textbooks – A Critical Review and Clarifications for Chemical Educators, 1

Aconitum sinomontanum

- Two New Alkaloids from the Roots of *Aconitum sinomontanum* NAKAI, 727

Aconitum vaginatum

- New Alkaloids from *Aconitum vaginatum*, 689

Acyl chlorides

Palladium- and Solvent-Free Synthesis of Ynones by Copper(I)-Catalyzed Acylation of Terminal Alkynes with Acyl Chlorides under Aerobic Conditions, 70

syn-Addition

Synthesis of Enantiomerically Pure Bis-Sulfinyl Substituted Phenylene Ethynylenes, 1237

Aerobic oxidation

Direct Esterification of Aromatic Aldehydes with Tetraphenylphosphonium Bromide under Oxidative N-Heterocyclic Carbene Catalysis, 431

Aglycone, 4-methoxyphenyl-

Synthesis of a Trisaccharide Related to the Cytotoxic Triterpenoid Saponins Isolated from the Bark of *Albizia procera*, 361

Alcohols

Insights into the Synthesis of Steroidal A-Ring Olefins, 39

Reduction of 3-Aminoquinoline-2,4(1*H*,3*H*)-diones and Deamination of the Reaction Products, 595

A Novel Chemoselective Cleavage of (*tert*-Butyl)(dimethyl)silyl (TBS) Ethers Catalyzed by $\text{Ce}(\text{SO}_4)_2 \cdot 4 \text{H}_2\text{O}$, 965

Aldehydes

One-Pot Synthesis of Pyrimido[1,2-*a*]benzimidazoles under Solvent-Free Conditions, 979

P–N Bond Cleavage during the Insertion of Carbon Fragments into P^{III} –N Bonds in Bis(diphenylphosphino) Amines, 1158

Formation of the Compounds with an Epoxychromene Framework: Role of the Methoxy Groups, 1406

Aldol reaction

A Stereoselective Aldol Approach for the Total Syntheses of Two 6-Alkylated 2*H*-Pyran-2-ones, 112

Gelatin Protein-Mediated Direct Aldol Reaction, 574

Alkaloids

Lycopodium Alkaloids from *Lycopodium obscurum* L., 519

Two New Alkaloids from the Roots of *Aconitum sinomontanum* NAKAI, 727

Three New Prenylated Diketopiperazines from *Neosartorya fischeri*, 1020

Lycopodium Alkaloids from *Huperzia serrata*, 1433

Prenylated Indole Alkaloid Derivatives from Marine Sediment-Derived Fungus *Penicillium paneum* SD-44, 1440

Evollionines A–C, Three New Alkaloids Isolated from the Fruits of *Evodia rutaecarpa*, 1481

Chemistry of Hermidin: Insights from Extraction Experiments with the Main Alkaloid of *Mercurialis perennis* L. Tracked by GC/MS and LC/MSⁿ, 1606

Alkanes, diazo

1,3-Dipolar Cycloadditions of Ethyl 2-Diazo-3,3,3-trifluoropropanoate to Alkynes and [1,5] Sigmatropic Rearrangements of the Resulting 3*H*-Pyrazoles: Synthesis of Mono-, Bis- and Tris(trifluoromethyl)-Substituted Pyrazoles, 808

Alkenes, nitro-

Enantioselective Sulfur-*Michael* Addition of Thioacetic Acid to Nitroalkenes Catalyzed by Bifunctional Amine-Thiourea Catalysts, 1700

Alkylation

N-Heterocyclic Carbene-Catalyzed α -Alkylation of Ketones with Primary Alcohols, 1666

Alkylation, reductive

A Simple Synthesis of Polyfunctionalized 4-Aminopyrazolidin-3-ones as ‘Aza-deoxa’ Analogs of D-Cycloserine, 245

Alkylidene-1-amines

A Novel Synthesis of Quinazolines by Cyclization of 1-(2-Isocyanophenyl)alkylideneamines Generated by the Treatment of 2-(1-Azidoalkyl)phenyl Isocyanides with NaH, 822

Alkynes

Palladium- and Solvent-Free Synthesis of Ynones by Copper(I)-Catalyzed Acylation of Terminal Alkynes with Acyl Chlorides under Aerobic Conditions, 70

Copper-Catalyzed Synthesis of Alkynyl Hydrazones from Alkynes and Hydrazonyl Chlorides, 1136

Alpinenone

Sesquiterpenoids from the Fruits of *Alpinia oxyphylla* and Their Anti-Acetylcholinesterase Activity, 388

Alpinia oxyphylla

Sesquiterpenoids from the Fruits of *Alpinia oxyphylla* and Their Anti-Acetylcholinesterase Activity, 388

Ambrox

Enantioselective Access to (–)-*Ambrox*[®] Starting from β -Farnesene, 197

Americium(III)

Novel Template Sorbents for Separation of Americium(III) from Nitric Acid Solutions: Search of Optimal Ion-Imitator of Am^{III}, 1644

Amide bond formation

An Efficient Approach to the Synthesis of Hydrazinyl *Pseudo*-Peptides, 1630

Amides

Cytotoxic Amides and Quinolones from *Clausena lansium*, 298

Ceramides Isolated from *Helianthus annuus* L., 355

First Total Synthesis of *N*-(3-Guanidinopropyl)-2-(4-hydroxyphenyl)-2-oxoacetamide, 404

Amine–thiourea catalyst

Enantioselective Sulfur–Michael Addition of Thioacetic Acid to Nitroalkenes Catalyzed by Bifunctional Amine–Thiourea Catalysts, 1700

Aminides, [1-(2-cyanophenyl)alkylidene]-

Synthesis of 2-Substituted 3-Alkylidene-2,3-dihydro-1*H*-isoindol-1-imines through Cyclization of [1-(2-Cyanophenyl)alkylidene]aminide Intermediates Generated from the Reaction of 2-(1-Azidoalkyl)benzonitriles with NaH, 1624

Amino acids

A Simple Synthesis of Polyfunctionalized 4-Aminopyrazolidin-3-ones as ‘Aza-deoxa’ Analogs of D-Cycloserine, 245

Synthesis of Z-Protected Aib- and Phe(2Me)-Containing Pentapeptides and Their Crystal Structures, 619

Dye-Labeled C ^{α} -Tetrasubstituted α -Amino Acids, 1061

Ammonium salts

A Novel One-Pot Sulfonyloxylactonization of Alkenoic Acids Mediated by Hypervalent Iodine Species Generated *in situ* from Ammonium Iodide, 137

Preparation and Structures of 2-Substituted 5-Benzyl-3-methylimidazolidin-4-one-Derived Iminium Salts, Reactive Intermediates in Organocatalytic Transformations Involving α,β -Unsaturated Aldehydes, 751

Amomum maximum

Labdane Diterpenoids from the Roots of *Amomum maximum* and Their Cytotoxic Evaluation, 1140

5 α -Androsten-17-ones

Insights into the Synthesis of Steroidal A-Ring Olefins, 39

Anhydrides

Ethenolate Transfer Reactions: A Facile Synthesis of Vinyl Esters, 1115

Aniline, 4-fluoro-

Synthesis of 4-Aryl-8-fluoro-3a,4,5,9b-tetrahydro-3*H*-cyclopenta[*c*]quinolines and Their Ozonides, 1317

Anion recognition

Tetrakis(bicyclo[2.2.2]oct-2-ene)-Fused Calix[4]pyrrole, 1427

Annona coriacea

New Acetogenins from the Seeds of *Annona coriacea*, 1469

Anthraquinone derivatives

Anthraquinone Derivatives and an Orsellinic Acid Ester from the Marine Alga-Derived Endophytic Fungus *Eurotium cristatum* EN-220, 973

Anti-aging

New Bisabolane Sesquiterpenes from the Rhizomes of *Curcuma xanthorrhiza* Roxb. and Their Inhibitory Effects on UVB-Induced MMP-1 Expression in Human Keratinocytes, 438

Antibacterial activity

Two New Limonoids from the Root Bark of Chinese Medicinal Plant *Dictamnus dasycarpus*, 1301

Anticancer activity

Four New Cucurbitacins from the Fruit of *Momordica charantia*, 1546

‘Anticatalyst’

RNA Cleavage Catalyzed by Amphoteric Bis(acyl)guanidinium Derivatives, 215

Anti-HIV activity

Synthesis and Anti-HIV Activity of Triazolo-Fused, Medium-Sized Cyclic Nucleoside Analogs Prepared by an Intramolecular Huisgen 1,3-Dipolar Cycloaddition, 733

Anti-inflammatory activity

Coumarinolignans Isolated from the Seeds of *Brucea javanica*, 278

Two New Phenolic Compounds from *Artemisia iwayomogi*, 283

Chemical Constituents of the Leaves of *Desmos cochinchinensis* var. *fulvescens* BAN, 1714

Antimalarial activity

Sulfated Triterpenes from Lemon Balm, 1497

Antimicrobial activity

One-Pot Synthesis of (1,2,3-Triazolyl)methyl 3,4-Dihydro-2-oxo-1*H*-pyrimidine-5-carboxylates as Potentially Active Antimicrobial Agents, 375

Epunctanone, a New Benzophenone, and Further Secondary Metabolites from *Garcinia epunctata* STAPF (Guttiferae), 957

Sesquiterpenoids from the Root Bark of *Acanthopanax leucorrhizus* and Their Biological Activities, 1283

Sulfated Triterpenes from Lemon Balm, 1497

Antioxidant activity

Sulfated Triterpenes from Lemon Balm, 1497

Antiproliferative activity

New Antiproliferative Tricyclic Sesquiterpenoid from the Leaves of *Ocimum sanctum*, 708

Two New Cycloartane Triterpenoids from *Kleinhovia hospita*, 887

Aphagranols D – H

Aphagranols D – H: Five New Limonoids from the Fruits of *Aphanamixis grandifolia*, 1354

Aphanamixis grandifolia

Aphagranols D – H: Five New Limonoids from the Fruits of *Aphanamixis grandifolia*, 1354

Apoptosis

Diterpenoids from Aerial Parts of *Clerodendranthus spicatus* and Their Cytotoxic Activity, 1708

Artemisia iwayomogi

Two New Phenolic Compounds from *Artemisia iwayomogi*, 283

Arylation

CuO Nanoparticles as Effective Reusable Heterogeneous Catalyst for *S*-Arylation Reactions, 420

Synthesis of a Benzannulated Pyrrolizidine by a Copper-Catalyzed Intramolecular α -Arylation Reaction, 569

Copper-Catalyzed *N*-Arylation of 1,1,3,3-Tetramethylguanidine–Phenyl Isocyanate Adduct, 1132

Asperula lilaciflora

Flavonol Glycosides and Iridoids from *Asperula lilaciflora*, 1571

Asprelols A – C

Three New 24-Nortriterpenoids from the Roots of *Ilex asprella*, 64

Asymmetric synthesis

Catalytic Performance of Polystyrene-Bound *ChibaG* Derivatives as Guanidine Organobases in Asymmetric *Michael* Additions, 307

Atropisomers

Further Biphenyl Lignans with a Tetrahydrofuran Moiety from *Gymnotheca chinensis*, 499

Benzo[*a*]azulenediones and 10,10'-Bibenzo[*a*]azulene, 1165

Aurones

New Isoprenylated Aurones from the Flowers of *Rosa damascena*, 414

Azabilin

First Synthesis of Azachlorins and Azacorrins with a N-Atom in β -Pyrrolic Positions, 188

Azachlorin

First Synthesis of Azachlorins and Azacorrins with a N-Atom in β -Pyrrolic Positions, 188

Azacorrin

First Synthesis of Azachlorins and Azacorrins with a N-Atom in β -Pyrrolic Positions, 188

Aza-Michael reaction

Synthesis of a Benzannulated Pyrrolizidine by a Copper-Catalyzed Intramolecular α -Arylation Reaction, 569

Azaphosphoranes

Synthesis of 1-Acyl-3,4-dihydroquinazoline-2(1*H*)-thiones by Cyclization of *N*-[2-(Isothiocyanatomethyl)-phenyl] Amides Generated *in situ* from *N*-[2-(Azidomethyl)phenyl] Amides, 923

Azide-alkyne cycloaddition

Stereoselective Synthesis of 1,2,3-Triazolooxazine and Fused 1,2,3-Triazolo- δ -Lactone Derivatives, 1340

Azides

A Novel Synthesis of Quinazolines by Cyclization of 1-(2-Isocyanophenyl)alkylideneamines Generated by the Treatment of 2-(1-Azidoalkyl)phenyl Isocyanides with NaH, 822

Synthesis of 1-Acyl-3,4-dihydroquinazoline-2(1*H*)-thiones by Cyclization of *N*-[2-(Isothiocyanatomethyl)-phenyl] Amides Generated *in situ* from *N*-[2-(Azidomethyl)phenyl] Amides, 923

Aziridines

Concerted vs. Non-Concerted 1,3-Dipolar Cycloadditions of Azomethine Ylides to Electron-Deficient Dialkyl 2,3-Dicyanobut-2-enedioates, 453

'Azirine/oxazolone method'

Synthesis of Z-Protected Aib- and Phe(2Me)-Containing Pentapeptides and Their Crystal Structures, 619

Azomethine ylides

Concerted vs. Non-Concerted 1,3-Dipolar Cycloadditions of Azomethine Ylides to Electron-Deficient Dialkyl 2,3-Dicyanobut-2-enedioates, 453

Azulene

A Convenient and Simple Synthesis of Densely Functionalized Cyclopenta[*cd*]azulenes and Cyclopenta[*ef*]-heptalenes, 507

Base pairing

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

Basidiomycetes

Phenylglycol Metabolites from Cultures of the Basidiomycete *Mycena pruinoviscida* BCC 22723, 909

Belousov–Zhabotinsky oscillating reaction

The Effect of Sodium Dodecylbenzenesulfonate (SDBS) Micelles on a Belousov–Zhabotinsky Oscillating System Catalyzed with a Tetraazamacrocyclic Copper(II) Complex, 237

Benzenamine, 2-(2,2-dihaloethenyl)-

One-Pot Synthesis of *N,N*-Disubstituted (*Z*)-4-(Halomethylidene)-4*H*-3,1-benzothiazin-2-amines from 2-(2,2-Dihaloethenyl)phenyl Isothiocyanates and Secondary Amines, 315

Benzene-1,2-diamines

One-Pot Synthesis of Novel Pyrrolo[1,2-*a*]quinoxaline-4(5*H*)-ones Using Benzene-1,2-diamine, Acetylenedicarboxylates, and β -Nitrostyrene Derivatives, 646

Synthesis of *ortho*-Phenylenebis(guanidine) Derivatives with Potential Chirality, 1453

Benzene-1,3-disulfonamide, *N,N,N',N'*-tetrabromo-

One-Pot Synthesis of Pyrimido[1,2-*a*]benzimidazoles under Solvent-Free Conditions, 979

Benzenes, methoxy-

I₂-Catalyzed Divergent Regioselective Addition of Methoxybenzenes with Ethenylbenzenes under Microwave Irradiation, 744

Benzimidazoles

An Unexpected Role of Carbon Disulfide: A New and Efficient Method for the Synthesis of 2-Substituted Benzimidazoles, 1539

Benzo[*a*]azulenes

Benzo[*a*]azulenediones and 10,10'-Bibenzo[*a*]azulene, 1165

Benzohydrazide, 2-amino-

Iodine-Catalyzed Synthesis of Spiro[1,3,4-benzotriazepine-2,3'-indole]-2',5(1*H*,1'*H*)-diones under Mild Conditions, 398

Benzonitriles, 1-(1-azidoalkyl)-

Synthesis of 2-Substituted 3-Alkylidene-2,3-dihydro-1*H*-isoindol-1-imines through Cyclization of [1-(2-Cyanophenyl)alkylidene]aminide Intermediates Generated from the Reaction of 2-(1-Azidoalkyl)benzonitriles with NaH, 1624

Benzonorbornadiene

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

Benzo[*a*]phenazine

Synthesis of a New Library of Pyrano-phenazine Derivatives *via* a Novel Three-Component Protocol, 228

Benzophenone, polyprenylated

Epuncanone, a New Benzophenone, and Further Secondary Metabolites from *Garcinia epunctata* STAPF (Guttiferae), 957

4*H*-3,1-Benzothiazin-2-amine, (*Z*)-4-halomethylidene-

One-Pot Synthesis of *N,N*-Disubstituted (*Z*)-4-(Halomethylidene)-4*H*-3,1-benzothiazin-2-amines from 2-(2,2-Dihaloethenyl)phenyl Isothiocyanates and Secondary Amines, 315

Benzothiazoles, 2,3-dihydro-

Efficient Solvent-Free Synthesis of Benzothiazine-Fused Pyrrolo[3,4-*c*]coumarins: Cycloaddition Reactions between Coumarin-Based Dihydrobenzothiazoles and Isocyanides, 847

Benzyl alcohols, 2-amino-

Synthesis of 1-Acyl-3,4-dihydroquinazoline-2(1*H*)-thiones by Cyclization of *N*-[2-(Isothiocyanatomethyl)-phenyl] Amides Generated *in situ* from *N*-[2-(Azidomethyl)phenyl] Amides, 923

Benzyl cyclization

Hypervalent Iodine Catalyzed Cyclization of Aryl-Substituted Alkanoic Acids, 854

10,10'-Bibenzo[*a*]azulene

Benzo[*a*]azulenediones and 10,10'-Bibenzo[*a*]azulene, 1165

Bicyclic nucleic acids (BcNAs)

Functionalization of 2'-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units, 1204

Biginelli reaction

One-Pot Synthesis of (1,2,3-Triazolyl)methyl 3,4-Dihydro-2-oxo-1*H*-pyrimidine-5-carboxylates as Potentially Active Antimicrobial Agents, 375

Biocatalysis

Gelatin Protein-Mediated Direct Aldol Reaction, 574

Biomimetic catalysis

RNA Cleavage Catalyzed by Amphoteric Bis(acyl)guanidinium Derivatives, 215

Biosynthesis

Viability of Nonclassical Carbocations Proposed as Intermediates in the Biosynthesis of Atiserene, Beyerene, Kaurene, and Trachylobane Diterpenes, 1475

Biotransformation

Biotransformation of Oleaside A by *Cunninghamella echinulata*, 290

Biphenyl lignans

Further Biphenyl Lignans with a Tetrahydrofuran Moiety from *Gymnotheca chinensis*, 499

Bisabola-1,10-diene, 3,4-dihydroxy-

Two New Sesquiterpenoids from the Rhizomes of *Curcuma xanthorrhiza*, 1295

Bisamides

Synthesis of New *C*₂-Symmetric Chiral Bisamides from (1*S*,2*S*)-Cyclohexane-1,2-dicarboxylic Acid, 1396

Bis(guanidines)

Synthesis of *ortho*-Phenylenebis(guanidine) Derivatives with Potential Chirality, 1453

Bis(phosphino) amines

P–N Bond Cleavage during the Insertion of Carbon Fragments into P^{III}–N Bonds in Bis(diphenylphosphino) Amines, 1158

Bletilla striata

Two New Cytotoxic Spirostane-Steroidal Saponins from the Roots of *Bletilla striata*, 56

Bolbostemma paniculatum

Three New Triterpene Saponins from *Bolbostemma paniculatum*, 268

Br/Li Exchange

Generation of Aryl(2-lithiophenyl)methanone *O*-Methyl Oximes and Their Use for the Synthesis of *N*-(3-Alkyl-1-aryl- or 1,3-diaryl-1*H*-isoindol-1-yl)-*O*-methylhydroxylamines *via* the Reaction with Nitriles, 915

Synthesis of 3-(*ω*-Hydroxyalkoxy)isobenzofuran-1(3*H*)-ones by Trifluoroacetic Acid-Mediated Lactonization of *tert*-Butyl 2-(1,3-Dioxol-2-yl)- or 2-(1,3-Dioxan-2-yl)benzoates, 1055

Briggs–Rauscher

Regularity of Intermittent Bursts in *Briggs–Rauscher* Oscillating Systems with Phenol, 321

Brønsted–Lowry acid

Confusing Quantitative Descriptions of *Brønsted–Lowry* Acid–Base Equilibria in Chemistry Textbooks – A Critical Review and Clarifications for Chemical Educators, 1

Butanoic acid, 2,3-dihydroxy-

New Orsellinic Acid Esters from Fungus *Chaetomium globosporum*, 151

tert-Butoxycarbonylation

Synthesis of 3-(*ω*-Hydroxyalkoxy)isobenzofuran-1(3*H*)-ones by Trifluoroacetic Acid-Mediated Lactonization of *tert*-Butyl 2-(1,3-Dioxol-2-yl)- or 2-(1,3-Dioxan-2-yl)benzoates, 1055

(tert-Butyl)(dimethyl)silyl (TBS) ethers

A Novel Chemoselective Cleavage of (*tert*-Butyl)(dimethyl)silyl (TBS) Ethers Catalyzed by $\text{Ce}(\text{SO}_4)_2 \cdot 4 \text{H}_2\text{O}$, 965

Butyllithium

Reactions of Quino-Ketenes with C-Nucleophiles: Syntheses of (2-Hydroxyphenyl)methanols and 2-Hydroxyphenyl Ketones, 1097

Caesaldekarin L, 12,16-dihydro-14-dehydroxy-

Three New Cassane-Type Diterpenes from *Caesalpinia minax*, 1009

Caesalpinia minax

Further Diterpenes from the Seeds of *Caesalpinia minax* HANCE, 581

Three New Cassane-Type Diterpenes from *Caesalpinia minax*, 1009

Calcium-modulating activities

Four New Cucurbitacins from the Fruit of *Momordica charantia*, 1546

Calea clauseniana

Three New Chromanones from *Calea clauseniana*, 146

Calix[4]pyrrole

Tetrakis(bicyclo[2.2.2]oct-2-ene)-Fused Calix[4]pyrrole, 1427

Candida albicans

Epunctanone, a New Benzophenone, and Further Secondary Metabolites from *Garcinia epunctata* STAPF (Guttiferae), 957

Carbene Ketones

N-Heterocyclic Carbene-Catalyzed α -Alkylation of Ketones with Primary Alcohols, 1666

Carbenes

Direct Esterification of Aromatic Aldehydes with Tetraphenylphosphonium Bromide under Oxidative N-Heterocyclic Carbene Catalysis, 431

Carbinols, dihydroxyphenyl

Reactions of Quino-Ketenes with C-Nucleophiles: Syntheses of (2-Hydroxyphenyl)methanols and 2-Hydroxyphenyl Ketones, 1097

Carbocations

Viability of Nonclassical Carbocations Proposed as Intermediates in the Biosynthesis of Atiserene, Beyerene, Kaurene, and Trachylobane Diterpenes, 1475

 β -Carbolines

Prenylated Indole Alkaloid Derivatives from Marine Sediment-Derived Fungus *Penicillium paneum* SD-44, 1440

Carbon disulfide

CuO Nanoparticles as Effective Reusable Heterogeneous Catalyst for *S*-Arylation Reactions, 420

An Unexpected Role of Carbon Disulfide: A New and Efficient Method for the Synthesis of 2-Substituted Benzimidazoles, 1539

Carbonyl/iminium equilibrations

How Small Amounts of Impurities Are Sufficient to Catalyze the Interconversion of Carbonyl Compounds and Iminium Ions, or Is There a Metathesis through 1,3-Oxazetidinium Ions? Experiments, Speculations, and Calculations, 1177

Carpesium triste

Eudesmanolides and Guaianolides from *Carpesium triste*, 88

Cassane

- Further Diterpenes from the Seeds of *Caesalpinia minax* HANCE, 581
Three New Cassane-Type Diterpenes from *Caesalpinia minax*, 1009

Catalysis

- Palladium- and Solvent-Free Synthesis of Ynones by Copper(I)-Catalyzed Acylation of Terminal Alkynes with Acyl Chlorides under Aerobic Conditions, 70
RNA Cleavage Catalyzed by Amphoteric Bis(acyl)guanidinium Derivatives, 215
A Simple Synthesis of Polyfunctionalized 4-Aminopyrazolidin-3-ones as ‘Aza-deoxa’ Analogs of D-Cycloserine, 245
Direct Esterification of Aromatic Aldehydes with Tetraphenylphosphonium Bromide under Oxidative N-Heterocyclic Carbene Catalysis, 431
Synthesis of Imidazo[1,2-*a*]pyridines Using Fe₃O₃@SiO₂ as an Efficient Nanomagnetic Catalyst *via* a One-Pot Multicomponent Reaction, 587
Hypervalent Iodine Catalyzed Cyclization of Aryl-Substituted Alkanoic Acids, 854
A Novel Chemoselective Cleavage of (*tert*-Butyl)(dimethyl)silyl (TBS) Ethers Catalyzed by Ce(SO₄)₂·4 H₂O, 965

C–C Bond formation

- Gelatin Protein-Mediated Direct Aldol Reaction, 574

Celastrus stylosus

- Tirucallane-Type Triterpenoids from *Celastrus stylosus* WALL., 1526

 γ -Cembranolides, 3,4-epoxy-

- Pintoxolanes A–C, Highly Functionalized 3,14-Oxa-bridged Cembranoids from the Caribbean Gorgonian Coral *Eunicea pinta*, 712

Centella asiatica

- Three New Pentacyclic Triterpenoids from *Centella asiatica*, 992

Centellasaponins

- Three New Pentacyclic Triterpenoids from *Centella asiatica*, 992

Ceramides

- Ceramides Isolated from *Helianthus annuus* L., 355

Cesium(IV) sulfate catalyst

- A Novel Chemoselective Cleavage of (*tert*-Butyl)(dimethyl)silyl (TBS) Ethers Catalyzed by Ce(SO₄)₂·4 H₂O, 965

C–H Activation

- Sequential *Ugi* Four-Component Reaction (4-CR)/C–H Activation Using (Diacetoxyiodo)benzene for the Synthesis of 3-(Diphenylmethylidene)-2,3-dihydro-1*H*-indol-2-ones, 1555

Chaetomium globosporum

- New Orsellinic Acid Esters from Fungus *Chaetomium globosporum*, 151

Chemotaxonomy

- Tirucallane-Type Triterpenoids from *Celastrus stylosus* WALL., 1526

Chiral crystals

- Synthesis of *ortho*-Phenylenebis(guanidine) Derivatives with Potential Chirality, 1453

Chiral solvating agents

- A Spectroscopic Study of Colchicine in the Solid State and in Solution by Multinuclear Magnetic Resonance and Vibrational Circular Dichroism, 471

Chlorination

- One-Pot Regioselective Synthesis of Novel Oximino Ester-Containing 1-Aryl-4-chloro-3-oxypyrazoles as Potential Fungicides, 1269

Chromanones

- Three New Chromanones from *Calea clauseniana*, 146

Chromatography

- Purification of Enantiomeric Mixtures in Enantioselective Synthesis: Overlooked Errors and Scientific Basis of Separation in Achiral Environment, 161

Chromene

- An Approach to the Synthesis of 7-Amino-6-imino-9-phenyl-6*H*-benzo[*c*]chromene-8-carbonitrile Derivatives *via* a Three-Component Reaction under Ultrasonic Irradiation, 447

Chemoselective Route for Synthesis of *N*-Aryl-3-oxochromeno[2,3-*c*]pyrazole-2(3*H*)-carbothioamide Derivatives, 895

Chromeno[2,3-*c*]pyrazole-2(3*H*)-carbothioamide

Chemoselective Route for Synthesis of *N*-Aryl-3-oxochromeno[2,3-*c*]pyrazole-2(3*H*)-carbothioamide Derivatives, 895

Chukrasia tabularis

Velutinalide C, a New Polycyclic Phragmalin Limonoid from the Leaves of *Chukrasia tabularis* var. *velutina*, 1445

Cinnamyliminium salts

Preparation and Structures of 2-Substituted 5-Benzyl-3-methylimidazolidin-4-one-Derived Iminium Salts, Reactive Intermediates in Organocatalytic Transformations Involving α,β -Unsaturated Aldehydes, 751

Claulansamides A and B

Cytotoxic Amides and Quinolones from *Clausena lansium*, 298

Clausena lansium

Cytotoxic Amides and Quinolones from *Clausena lansium*, 298

Clay

Formation of the Compounds with an Epoxychromene Framework: Role of the Methoxy Groups, 1406

Cleomiscosins A and E

Coumarinolignans Isolated from the Seeds of *Brucea javanica*, 278

Clerodendranthus spicatus

Diterpenoids from Aerial Parts of *Clerodendranthus spicatus* and Their Cytotoxic Activity, 1708

‘Click reaction’

One-Pot Synthesis of (1,2,3-Triazolyl)methyl 3,4-Dihydro-2-oxo-1*H*-pyrimidine-5-carboxylates as Potentially Active Antimicrobial Agents, 375

Coarse-graining

On the Use of a Supramolecular Coarse-Grained Model for the Solvent in Simulations of the Folding Equilibrium of an Octa- β -peptide in MeOH and H₂O, 1591

Co-crystals

Spectroscopic, Thermal, and Structural Studies of Two New Co-Crystals of [4,4'-Bithiazole]-2,2'-diamine, 701

Colchicine

A Spectroscopic Study of Colchicine in the Solid State and in Solution by Multinuclear Magnetic Resonance and Vibrational Circular Dichroism, 471

Commiphora opobalsamum

Myrrhanolide D and Myrrhasin A, New Germacrane-Type Sesquiterpenoids from the Resin of *Commiphora opobalsamum*, 881

Condensation

Formation of the Compounds with an Epoxychromene Framework: Role of the Methoxy Groups, 1406

Copolymerization

Novel Template Sorbents for Separation of Americium(III) from Nitric Acid Solutions: Search of Optimal Ion-Imitator of Am^{III}, 1644

Copper catalyst

Copper-Catalyzed *N*-Arylation of 1,1,3,3-Tetramethylguanidine–Phenyl Isocyanate Adduct, 1132

Copper complexes

The Effect of Sodium Dodecylbenzenesulfonate (SDBS) Micelles on a *Belousov–Zhabotinsky* Oscillating System Catalyzed with a Tetraazamacrocyclic Copper(II) Complex, 237

Copper iodide

Copper-Catalyzed Tandem Synthesis of Functionalized Sulfonyl-yn-imines from Sodium Arylsulfonates, Trichloroacetonitrile, and Terminal Alkynes, 384

Copper-Catalyzed Synthesis of Alkynyl Hydrazones from Alkynes and Hydrazonyl Chlorides, 1136

Corals

Suberosanones A–C, New Metabolites Possessing Cyclopentenone System from the South China Sea Gorgonian Coral *Subergorgia suberosa*, 128

Pintoxolanes A–C, Highly Functionalized 3,14-Oxa-bridged Cembranoids from the Caribbean Gorgonian Coral *Eunicea pinta*, 712

Coriapentocins A and B

New Acetogenins from the Seeds of *Annona coriacea*, 1469

Coumarinolignans

Coumarinolignans Isolated from the Seeds of *Brucea javanica*, 278

Coumarins

Efficient Solvent-Free Synthesis of Benzothiazine-Fused Pyrrolo[3,4-*c*]coumarins: Cycloaddition Reactions between Coumarin-Based Dihydrobenzothiazoles and Isocyanides, 847

Covalent dynamic libraries

Organocatalyzed and Uncatalyzed C=C/C=C and C=C/C=N Exchange Processes between *Knoevenagel* and Imine Compounds in Dynamic Covalent Chemistry, 1219

Crimmins' aldol reaction

A Stereoselective Aldol Approach for the Total Syntheses of Two 6-Alkylated 2*H*-Pyran-2-ones, 112

Cross-coupling

Palladium- and Solvent-Free Synthesis of Ynones by Copper(I)-Catalyzed Acylation of Terminal Alkynes with Acyl Chlorides under Aerobic Conditions, 70

Copper-Catalyzed Tandem Synthesis of Functionalized Sulfonyl-yn-imines from Sodium Arylsulfonates, Trichloroacetonitrile, and Terminal Alkynes, 384

CuO Nanoparticles as Effective Reusable Heterogeneous Catalyst for *S*-Arylation Reactions, 420

Copper-Catalyzed Synthesis of Alkynyl Hydrazones from Alkynes and Hydrazonyl Chlorides, 1136

Cross-metathesis

Stereoselective Total Synthesis of Oxylipins: (6*S*,7*E*,9*R*,10*S*)-6,9,10-Trihydroxyoctadec-7-enoic Acid and (6*Z*,8*R*,9*R*,10*S*)-8,9,10-Trihydroxyoctadec-6-enoic Acid, 546

First Stereoselective and Concise Synthesis of Rhoiptelol C, 999

Croton tigilium

Tiglane Diterpene Esters from the Leaves of *Croton tigilium*, 1014

Cryptand-22

Palladium- and Solvent-Free Synthesis of Ynones by Copper(I)-Catalyzed Acylation of Terminal Alkynes with Acyl Chlorides under Aerobic Conditions, 70

Cudrania tricuspidata

New Isoprenylated Xanthenes from *Cudrania tricuspidata*, 1683

Cunninghamella echinulata

Biotransformation of Oleaside A by *Cunninghamella echinulata*, 290

(–)-Curcuhydroquinone 2,5-di-O-β-D-glucopyranoside

New Bisabolane Sesquiterpenes from the Rhizomes of *Curcuma xanthorrhiza* Roxb. and Their Inhibitory Effects on UVB-Induced MMP-1 Expression in Human Keratinocytes, 438

Curcuma xanthorrhiza

Two New Sesquiterpenoids from the Rhizomes of *Curcuma xanthorrhiza*, 1295

(–)-Cyclaradine

Formal Synthesis of (–)-Cyclaradine Using Ring Closing Metathesis, 861

Cyclization reactions

Unexpected Ring Enlargement of 2-Hydrazono-2,3-dihydro-1,3-thiazoles to 1,3,4-Thiadiazines, 76

Enantioselective Access to (–)-*Ambrox*[®] Starting from β-Farnesene, 197

A Convenient and Simple Synthesis of Densely Functionalized Cyclopenta[*cd*]azulenes and Cyclopenta[*ef*]-heptalenes, 507

Synthesis of a Benzannulated Pyrrolizidine by a Copper-Catalyzed Intramolecular α-Arylation Reaction, 569

Synthesis of Dihydropyrans and Dihydrofurans *via* Radical Cyclization of Unsaturated Alcohols and 1,3-Dicarbonyl Compounds, 652

Formation of Phosphorylated 3*H*-Pyrroles from *Nef*-Isocyanide-*Perkow* Adducts and Tosylmethyl Isocyanide, 1004

Synthesis of Furo[2,3-*d*]pyridazin-4(5*H*)-one and Its *N*(5)-Substituted Derivatives, 1487

An Unexpected Role of Carbon Disulfide: A New and Efficient Method for the Synthesis of 2-Substituted Benzimidazoles, 1539

Cycloadditions

Concerted *vs.* Non-Concerted 1,3-Dipolar Cycloadditions of Azomethine Ylides to Electron-Deficient Dialkyl 2,3-Dicyanobut-2-enedioates, 453

Synthesis and Anti-HIV Activity of Triazolo-Fused, Medium-Sized Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 733

1,3-Dipolar Cycloadditions of Ethyl 2-Diazo-3,3,3-trifluoropropanoate to Alkynes and [1,5] Sigmatropic Rearrangements of the Resulting 3*H*-Pyrazoles: Synthesis of Mono-, Bis- and Tris(trifluoromethyl)-Substituted Pyrazoles, 808

Efficient Solvent-Free Synthesis of Benzothiazine-Fused Pyrrolo[3,4-*c*]coumarins: Cycloaddition Reactions between Coumarin-Based Dihydrobenzothiazoles and Isocyanides, 847

Stereoselective Synthesis of 1,2,3-Triazolooxazine and Fused 1,2,3-Triazolo- δ -Lactone Derivatives, 1340

An Approach to the Synthesis of Spiro[indene-pyridoisoquinoline] Derivatives *via* 1,4-Dipolar Cycloaddition of Isoquinoline and Acetylene Esters, and (1,3-Dihydro-1,3-dioxo-2*H*-inden-2-ylidene)malononitrile, 1383

Cycloartane triterpenoids

Two New Cycloartane Triterpenoids from *Kleinhovia hospita*, 887

Cyclobutanes

Retrospective View on Recent Developments in Cyclobutane Synthesis *via* [2 + 2] Photocycloaddition of Unsaturated Ketones to Acyclic Dienes, 1027

Cyclocondensation

Synthesis of 1-Amino-5,6-diaryl-3-cyano-1*H*-pyridin-2-ones and 6,7-Diaryl-4-cyano-3-hydroxy-1*H*-[1,2]diazepines from Isoflavones, 561

Synthesis of 4-Aryl-8-fluoro-3a,4,5,9b-tetrahydro-3*H*-cyclopenta[*c*]quinolines and Their Ozonides, 1317

Cyclohexane-1,2-dicarboxylic acid

Synthesis of New C_2 -Symmetric Chiral Bisamides from (1*S*,2*S*)-Cyclohexane-1,2-dicarboxylic Acid, 1396

Cyclohexanol, 2-azido-

Stereoselective Synthesis of 1,2,3-Triazolooxazine and Fused 1,2,3-Triazolo- δ -Lactone Derivatives, 1340

Cyclopenta[*cd*]azulene

A Convenient and Simple Synthesis of Densely Functionalized Cyclopenta[*cd*]azulenes and Cyclopenta[*ef*]heptalenes, 507

D-Cycloserine

A Simple Synthesis of Polyfunctionalized 4-Aminopyrazolidin-3-ones as ‘Aza-deoxa’ Analogs of D-Cycloserine, 245

Cytotoxic activity

Two New Cytotoxic Spirostane-Steroidal Saponins from the Roots of *Bletilla striata*, 56

Two Novel Abietane Diterpenoids from *Illicium wardii* A.C.Sm., 122

Cytotoxic Amides and Quinolones from *Clausena lansium*, 298

Further Diterpenes from the Seeds of *Caesalpinia minax* HANCE, 581

Pintoxolanes A – C, Highly Functionalized 3,14-Oxa-bridged Cembranoids from the Caribbean Gorgonian Coral *Eunicea pinta*, 712

Myrrhanolide D and Myrrhasin A, New Germacrane-Type Sesquiterpenoids from the Resin of *Commiphora opobalsamum*, 881

Two New Cycloartane Triterpenoids from *Kleinhovia hospita*, 887

Polyhydroxylated Sterols from the South China Sea Gorgonian *Verrucella umbraculum*, 900

Labdane Diterpenoids from the Roots of *Amomum maximum* and Their Cytotoxic Evaluation, 1140

Sesquiterpenoids from the Root Bark of *Acanthopanax leucorrhizus* and Their Biological Activities, 1283

Palmarumycins from the Endophytic Fungus *Lasiodiplodia pseudotheobromae* XSZ-3, 1289

New Cytotoxic Laurene-, Cuparene-, and Laurokamurene-Type Sesquiterpenes from the Red Alga *Laurencia obtusa*, 1388

Sulfated Triterpenes from Lemon Balm, 1497

Diterpenoids from Aerial Parts of *Clerodendranthus spicatus* and Their Cytotoxic Activity, 1708

Chemical Constituents of the Leaves of *Desmos cochinchinensis* var. *fulvescens* BAN, 1714

Damanrones C – E

New Isoprenylated Aurones from the Flowers of *Rosa damascena*, 414

Dammarane

New Dammarane-Type Saponins from the Roots of *Panax notoginseng*, 102

Two New Dammarane-Type Triterpenoid Saponins from *Gynostemma pentaphyllum*, 1333

Dasylactone A, 23-methoxy-

Two New Limonoids from the Root Bark of Chinese Medicinal Plant *Dictamnus dasycarpus*, 1301

Decanolides

A Stereoselective Total Synthesis of Decarestrictine I, 830

Decarboxylation

A Practical and Enantiospecific Synthesis of (–)-(R)- and (+)-(S)-Piperidin-3-ols, 1507

Decarestrictine I

A Stereoselective Total Synthesis of Decarestrictine I, 830

Denitrogenation

A Novel Synthesis of Quinazolines by Cyclization of 1-(2-Isocyanophenyl)alkylideneamines Generated by the Treatment of 2-(1-Azidoalkyl)phenyl Isocyanides with NaH, 822

Synthesis of 2-Substituted 3-Alkylidene-2,3-dihydro-1*H*-isoindol-1-imines through Cyclization of [1-(2-Cyanophenyl)alkylidene]aminide Intermediates Generated from the Reaction of 2-(1-Azidoalkyl)benzonitriles with NaH, 1624

Density-functional theory (DFT)

Density Functional Study of Interactions between Fluorinated Cyclohexanes and Arenes, 797

Tris-cyclometalated Iridium(III) Complexes with Three Different Ligands: a New Example with 2-(2,4-Difluorophenyl)pyridine-Based Complex, 939

How Small Amounts of Impurities Are Sufficient to Catalyze the Interconversion of Carbonyl Compounds and Iminium Ions, or Is There a Metathesis through 1,3-Oxazetidinium Ions? Experiments, Speculations, and Calculations, 1177

One-Pot Regioselective Synthesis of Novel Oximino Ester-Containing 1-Aryl-4-chloro-3-oxypyrazoles as Potential Fungicides, 1269

Diels–Alder Cyclization of a Dihydropyridine: NMR Spectroscopy, X-Ray Crystallography, and DFT Computations. Bent Aromatic Dimeric Clusters in the Solid Phase, 1365

Desmos cochinchinensis

Chemical Constituents of the Leaves of *Desmos cochinchinensis* var. *fulvescens* BAN, 1714

Desymmetrization

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

(Diacetoxyiodo)benzene

Sequential *Ugi* Four-Component Reaction (4-CR)/C–H Activation Using (Diacetoxyiodo)benzene for the Synthesis of 3-(Diphenylmethylidene)-2,3-dihydro-1*H*-indol-2-ones, 1555

1,2-Diazepines

Synthesis of 1-Amino-5,6-diaryl-3-cyano-1*H*-pyridin-2-ones and 6,7-Diaryl-4-cyano-3-hydroxy-1*H*-[1,2]diazepines from Isoflavones, 561

Dictamnus dasycarpus

Two New Limonoids from the Root Bark of Chinese Medicinal Plant *Dictamnus dasycarpus*, 1301

***Diels–Alder* reaction**

Diels–Alder Cyclization of a Dihydropyridine: NMR Spectroscopy, X-Ray Crystallography, and DFT Computations. Bent Aromatic Dimeric Clusters in the Solid Phase, 1365

Dienes, acyclic

Retrospective View on Recent Developments in Cyclobutane Synthesis *via* [2 + 2] Photocycloaddition of Unsaturated Ketones to Acyclic Dienes, 1027

5*H*-Difuro[2,3-*b*:3',4'-*e*]pyran-3(8*aH*)-yl(phenyl)methanones, {2,5-bis(alkylimino)-4,7,8*a*-triphenyl-

Reaction of Isonitriles with Dibenzoylacetylene Leading to Furan and Difuropyran Derivatives, 524

1,3-Diketones, cyclic

Amine-Promoted One-Pot, Multicomponent Route to Spiro-Fused-Pyran Derivatives in Aqueous Media, 532

Dinucleosides

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

Oligonucleotide Analogues with Integrated Bases and Backbone. Part 32. Thiomethylene- and Amino-methylene-Linked GG Dinucleosides of the ONIB Type: Formation of Quadruplexes, 1244

Dioxinones

Reactions of Quino-Ketenes with C-Nucleophiles: Syntheses of (2-Hydroxyphenyl)methanols and 2-Hydroxyphenyl Ketones, 1097

Di(pyridin-2-yl)amine

Synthesis, Characterization, and Photoluminescence Properties of Silver(I) Metal-Organic Polymers with Nanochannels Based on 2-Sulfoterephthalic Acid and Di(pyridin-2-yl)amine Ligands, 345

Diterpenes

Further Diterpenes from the Seeds of *Caesalpinia minax* HANCE, 581

Three New Cassane-Type Diterpenes from *Caesalpinia minax*, 1009

Tigliane Diterpene Esters from the Leaves of *Croton tiglium*, 1014

Labdane Diterpenoids from the Roots of *Amomum maximum* and Their Cytotoxic Evaluation, 1140

Two New Acidic Diterpenoids from the Heartwood of *Pinus massoniana* LAMB., 1146

Diterpenoids

Two Novel Abietane Diterpenoids from *Illicium wardii* A.C.Sm., 122

Isomeric *ent*-Labdane-Type Diterpenoids from the Stems of *Rhizophora mucronata*, 1531

Diterpenoids from Aerial Parts of *Clerodendranthus spicatus* and Their Cytotoxic Activity, 1708

Dithiocarbamic acid

An Unexpected Role of Carbon Disulfide: A New and Efficient Method for the Synthesis of 2-Substituted Benzimidazoles, 1539

Diversity-oriented synthesis

First Diastereoselective *Passerini–Smiles* and *Ugi–Smiles* Reactions Using Chiral Aldehydes, 1076

DNA

Multi-Walled Carbon Nanotubes (MWCNT)-Ionic Liquid-Modified Carbon Paste Electrode: Probing Furazolidone–DNA Interactions and DNA Determination, 1307

Dog's mercury

Chemistry of Hermidin: Insights from Extraction Experiments with the Main Alkaloid of *Mercurialis perennis* L. Tracked by GC/MS and LC/MSⁿ, 1606

Duplexes

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

Dushman reaction

Perturbations of the *Dushman* Reaction with Piroxicam: Experimental and Model Calculations, 47

Electronic circular dichroism (ECD) spectroscopy

Irigermanone, a Noriridal with Unprecedented Methylketone Function, from *Iris germanica*, 32

Enamine

Enantioselective Access to (–)-*Ambrox*[®] Starting from β -Farnesene, 197

Enantiomer resolution

Purification of Enantiomeric Mixtures in Enantioselective Synthesis: Overlooked Errors and Scientific Basis of Separation in Achiral Environment, 161

Enantiomeric purification

Terminology Related to the Phenomenon ‘Self-Disproportionation of Enantiomers’ (SDE), 1583

Enantioselectivity

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

Endophytes

Palmarumycins from the Endophytic Fungus *Lasiodiplodia pseudotheobromae* XSZ-3, 1289

Biosynthesis of Bromoroquefortines in a High Saline Medium by *Penicillium chrysogenum*, a Terrestrial Endophyte Collected from *Coffea arabica*, 1345

A New Cyclic Peptide and a New Steroid from the Fungus *Penicillium* sp. GD6 Isolated from the Mangrove *Bruguiera gymnorrhiza*, 1564

Enzymatic resolution

Stereoselective Synthesis of 1,2,3-Triazolooxazine and Fused 1,2,3-Triazolo- δ -Lactone Derivatives, 1340

Enzyme models

RNA Cleavage Catalyzed by Amphoteric Bis(acyl)guanidinium Derivatives, 215

(–)-Ephedrine

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

Epoxidation

Formal Total Synthesis of Stevastelins B and B3, 669

Epoxide opening

A Practical and Enantiospecific Synthesis of (–)-(R)- and (+)-(S)-Piperidin-3-ols, 1507

Epunctanone

Epunctanone, a New Benzophenone, and Further Secondary Metabolites from *Garcinia epunctata* STAPF (Guttiferae), 957

Equilibrium constant

Confusing Quantitative Descriptions of Brønsted–Lowry Acid–Base Equilibria in Chemistry Textbooks – A Critical Review and Clarifications for Chemical Educators, 1

Eremophilane glucosides

Eremophilane Glucosides from *Petasites japonicus*, 985

Eschenmoser's reagent

Formal Synthesis of (–)-Cyclaradine Using Ring Closing Metathesis, 861

Esterification

Direct Esterification of Aromatic Aldehydes with Tetraphenylphosphonium Bromide under Oxidative N-Heterocyclic Carbene Catalysis, 431

Ethanones

First Total Synthesis of *N*-(3-Guanidinopropyl)-2-(4-hydroxyphenyl)-2-oxoacetamide, 404

I₂-Catalyzed Divergent Regioselective Addition of Methoxybenzenes with Ethenylbenzenes under Microwave Irradiation, 744

Ethenolates, vinyl

Ethenolate Transfer Reactions: A Facile Synthesis of Vinyl Esters, 1115

Eudesmanolides

Eudesmanolides and Guaianolides from *Carpesium triste*, 88

Eunicea pinta

Pintoxolanes A–C, Highly Functionalized 3,14-Oxa-bridged Cembranoids from the Caribbean Gorgonian Coral *Eunicea pinta*, 712

Eurotium cristatum

Anthraquinone Derivatives and an Orsellinic Acid Ester from the Marine Alga-Derived Endophytic Fungus *Eurotium cristatum* EN-220, 973

Evodia rutaecarpa

Evollionines A–C, Three New Alkaloids Isolated from the Fruits of *Evodia rutaecarpa*, 1481

Evollionines A–C

Evollionines A–C, Three New Alkaloids Isolated from the Fruits of *Evodia rutaecarpa*, 1481

Farnesene

Enantioselective Access to (–)-Ambrox® Starting from β-Farnesene, 197

Five-component reaction

Sequential *Ugi* Four-Component Reaction (4-CR)/C–H Activation Using (Diacetoxyiodo)benzene for the Synthesis of 3-(Diphenylmethylidene)-2,3-dihydro-1*H*-indol-2-ones, 1555

Flavone C-diosides

Flavonol Glycosides with α-Glucosidase Inhibitory Activities and New Flavone C-Diosides from the Leaves of *Machilus konishii*, 1672

Flavonol glycosides

A New Megastigmane Glucoside and Three New Flavonoid Glycosides from *Spiraea prunifolia* var. *simpliciflora*, 1123

Flavonol Glycosides and Iridoids from *Asperula lilaciflora*, 1571

Floccosic acid

Floccosic Acid, a New Triterpenic Acid from *Nepeta floccosa*, 556

Fluorescence

Functionalization of 2''-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units, 1204

Fluorinated compounds

Density Functional Study of Interactions between Fluorinated Cyclohexanes and Arenes, 797

1,3-Dipolar Cycloadditions of Ethyl 2-Diazo-3,3,3-trifluoropropanoate to Alkynes and [1,5] Sigmatropic Rearrangements of the Resulting 3*H*-Pyrazoles: Synthesis of Mono-, Bis- and Tris(trifluoromethyl)-Substituted Pyrazoles, 808

Force field

On the Use of a Supramolecular Coarse-Grained Model for the Solvent in Simulations of the Folding Equilibrium of an Octa- β -peptide in MeOH and H₂O, 1591

Fungi

Rare C₂₅ Steroids Produced by *Penicillium chrysogenum* P1X, a Fungal Endophyte of *Huperzia serrata*, 95
Chemical Constituents of the Endophytic Fungus *Phomopsis* sp. A240 Isolated from *Taxus chinensis* var. *mairei*, 426

A New Polyketide from the Mangrove Endophytic Fungus *Penicillium* sp. sk14JW2P, 664

Anthraquinone Derivatives and an Orsellinic Acid Ester from the Marine Alga-Derived Endophytic Fungus *Eurotium cristatum* EN-220, 973

Palmarumycins from the Endophytic Fungus *Lasiodiplodia pseudotheobromae* XSZ-3, 1289

A New Cyclic Peptide and a New Steroid from the Fungus *Penicillium* sp. GD6 Isolated from the Mangrove *Bruguiera gymnorrhiza*, 1564

Fungicidal activity

One-Pot Regioselective Synthesis of Novel Oximino Ester-Containing 1-Aryl-4-chloro-3-oxypyrazoles as Potential Fungicides, 1269

Furan-3-carboxylate, methyl

Synthesis of Furo[2,3-*d*]pyridazin-4(5*H*)-one and Its *N*(5)-Substituted Derivatives, 1487

Furans, dihydro-

Synthesis of Dihydropyrans and Dihydrofurans *via* Radical Cyclization of Unsaturated Alcohols and 1,3-Dicarbonyl Compounds, 652

Furazolidone

Multi-Walled Carbon Nanotubes (MWCNT)-Ionic Liquid-Modified Carbon Paste Electrode: Probing Furazolidone–DNA Interactions and DNA Determination, 1307

Furo[2,3-*d*]pyridazin-4(5*H*)-one

Synthesis of Furo[2,3-*d*]pyridazin-4(5*H*)-one and Its *N*(5)-Substituted Derivatives, 1487

Garcinia epunctata

Epunctanone, a New Benzophenone, and Further Secondary Metabolites from *Garcinia epunctata* STAPF (Guttiferae), 957

Gelatin

Gelatin Protein-Mediated Direct Aldol Reaction, 574

***Gilman* reaction**

Olefin Cross-Metathesis: Studies towards the Total Synthesis of (+)-Bitungolide F, 868

Ginsenosides

New Dammarane-Type Saponins from the Roots of *Panax notoginseng*, 102

Glucosamine, *N*-acetyl-

Synthesis of a Trisaccharide Related to the Cytotoxic Triterpenoid Saponins Isolated from the Bark of *Albizia procera*, 361

 α -Glucosidase

Lycopodium Alkaloids from *Huperzia serrata*, 1433

 α -Glucosidase inhibition

Flavonol Glycosides with α -Glucosidase Inhibitory Activities and New Flavone *C*-Diosides from the Leaves of *Machilus konishii*, 1672

Glycosides

Sesquiterpenoids and Their Glycosides from *Gynura procumbens*, 369

A New Megastigmane Glucoside and Three New Flavonoid Glycosides from *Spiraea prunifolia* var. *simpliciflora*, 1123

Flavonol Glycosides and Iridoids from *Asperula lilaciflora*, 1571

Flavonol Glycosides with α -Glucosidase Inhibitory Activities and New Flavone *C*-Diosides from the Leaves of *Machilus konishii*, 1672

Glycosylation

Synthesis of a Trisaccharide Related to the Cytotoxic Triterpenoid Saponins Isolated from the Bark of *Albizia procera*, 361

Gnaphalides A–C

Three New Phthalides from *Gnaphalium adnatum*, 1638

Gnaphalium adnatum

Three New Phthalides from *Gnaphalium adnatum*, 1638

Gorgonian

Pintoxolanes A–C, Highly Functionalized 3,14-Oxa-bridged Cembranoids from the Caribbean Gorgonian Coral *Eunicea pinta*, 712

Polyhydroxylated Sterols from the South China Sea Gorgonian *Verrucella umbraculum*, 900

***Grubbs II* catalyst**

Olefin Cross-Metathesis: Studies towards the Total Synthesis of (+)-Bitungolide F, 868

Guaiane

Characterization of Eight New Secondary Metabolites from the Mutant Strain G-444 of *Tubercularia* sp. TF5, 334

Guaianolides

Eudesmanolides and Guaianolides from *Carpesium triste*, 88

Guanidines

Catalytic Performance of Polystyrene-Bound *ChibaG* Derivatives as Guanidine Organobases in Asymmetric *Michael* Additions, 307

Copper-Catalyzed *N*-Arylation of 1,1,3,3-Tetramethylguanidine–Phenyl Isocyanate Adduct, 1132

Gymnotheca chinensis

Further Biphenyl Lignans with a Tetrahydrofuran Moiety from *Gymnotheca chinensis*, 499

Gynostemma pentaphyllum

Two New Dammarane-Type Triterpenoid Saponins from *Gynostemma pentaphyllum*, 1333

Gynura procumbens

Sesquiterpenoids and Their Glycosides from *Gynura procumbens*, 369

Heck reaction

Ethenolate Transfer Reactions: A Facile Synthesis of Vinyl Esters, 1115

Helianthus annuus

Ceramides Isolated from *Helianthus annuus* L., 355

Helleborus thibetanus

Six New Steroidal Saponins from *Helleborus thibetanus*, 1652

Henry reaction

Synthesis of New C_2 -Symmetric Chiral Bisamides from (1*S*,2*S*)-Cyclohexane-1,2-dicarboxylic Acid, 1396

Hepatic stellate cells (HSCs)

Two New Dammarane-Type Triterpenoid Saponins from *Gynostemma pentaphyllum*, 1333

Heptanoids, diaryl-

First Stereoselective and Concise Synthesis of Rhoiptelol C, 999

Hermidin

Chemistry of Hermidin: Insights from Extraction Experiments with the Main Alkaloid of *Mercurialis perennis* L. Tracked by GC/MS and LC/MSⁿ, 1606

Heterocycles

Formation of the Compounds with an Epoxychromene Framework: Role of the Methoxy Groups, 1406

Homochiral

Terminology Related to the Phenomenon ‘Self-Disproportionation of Enantiomers’ (SDE), 1583

Horner–Wadsworth–Emmons reaction

A Stereoselective Aldol Approach for the Total Syntheses of Two 6-Alkylated 2*H*-Pyran-2-ones, 112

Olefin Cross-Metathesis: Studies towards the Total Synthesis of (+)-Bitungolide F, 868

Huperzia serrata

Rare C_{25} Steroids Produced by *Penicillium chrysogenum* P1X, a Fungal Endophyte of *Huperzia serrata*, 95

Lycopodium Alkaloids from *Huperzia serrata*, 1433

Huperzine B, 11 β -methoxy-Two New Lycodine Alkaloids from *Lycopodium casuarinoides*, 1719**Huperzine, 16-oxo-**Two New Lycodine Alkaloids from *Lycopodium casuarinoides*, 1719**Hydrazines**

Highly Convergent One-Pot Four-Component Regioselective Synthesis of Spiro-pyranopyrazoles and Oxa-aza-[3.3.3]propellanes, 694

Chemoselective Route for Synthesis of *N*-Aryl-3-oxochromeno[2,3-*c*]pyrazole-2(3*H*)-carbothioamide Derivatives, 895Synthesis of Furo[2,3-*d*]pyridazin-4(5*H*)-one and Its *N*(5)-Substituted Derivatives, 1487**Hydrazones**

Copper-Catalyzed Synthesis of Alkynyl Hydrazones from Alkynes and Hydrazonyl Chlorides, 1136

Hydride transfer

Reduction of Thiocarbonyl Compounds with Lithium Diisopropylamide, 931

Hydrogen bondingSpectroscopic, Thermal, and Structural Studies of Two New Co-Crystals of [4,4'-Bithiazole]-2,2'-diamine, 701
Oligonucleotide Analogues with Integrated Bases and Backbone. Part 32. Thiomethylene- and Amino-methylene-Linked GG Dinucleosides of the ONIB Type: Formation of Quadruplexes, 1244**Hydrogenation, catalytic**

A Simple Synthesis of Polyfunctionalized 4-Aminopyrazolidin-3-ones as 'Aza-deoxa' Analogs of D-Cycloserine, 245

Hypervalent iodine reagentA Novel One-Pot Sulfonyloxylactonization of Alkenoic Acids Mediated by Hypervalent Iodine Species Generated *in situ* from Ammonium Iodide, 137**Hypoglycemic effects**Four New Cucurbitacins from the Fruit of *Momordica charantia*, 1546**IL-6 Inhibitory activity**Secondary Metabolites from the Endophytic Fungus *Xylaria cubensis*, 1689**IL-12 p40**Two New Phenolic Compounds from *Artemisia iwayomogi*, 283***Ilex asprella***Three New 24-Nortriterpenoids from the Roots of *Ilex asprella*, 64***Illicium wardii***Two Novel Abietane Diterpenoids from *Illicium wardii* A.C.Sm., 122**Imidazolidinones**Preparation and Structures of 2-Substituted 5-Benzyl-3-methylimidazolidin-4-one-Derived Iminium Salts, Reactive Intermediates in Organocatalytic Transformations Involving α,β -Unsaturated Aldehydes, 751**Imidazo[1,2-*a*]pyridines**Synthesis of Imidazo[1,2-*a*]pyridines Using Fe₃O₄@SiO₂ as an Efficient Nanomagnetic Catalyst *via* a One-Pot Multicomponent Reaction, 587**Imines**Organocatalyzed and Uncatalyzed C=C/C=C and C=C/C=N Exchange Processes between *Knoevenagel* and Imine Compounds in Dynamic Covalent Chemistry, 1219**Imines, sulfonyl-yn-**

Copper-Catalyzed Tandem Synthesis of Functionalized Sulfonyl-yn-imines from Sodium Arylsulfonates, Trichloroacetonitrile, and Terminal Alkynes, 384

Indole alkaloidsPrenylated Indole Alkaloid Derivatives from Marine Sediment-Derived Fungus *Penicillium paneum* SD-44, 1440Evollionines A–C, Three New Alkaloids Isolated from the Fruits of *Evodia rutaecarpa*, 1481**1*H*-Indol-2-ones, 3-(diphenylmethylidene)-2,3-dihydro-**Sequential *Ugi* Four-Component Reaction (4-CR)/C–H Activation Using (Diacetoxyiodo)benzene for the Synthesis of 3-(Diphenylmethylidene)-2,3-dihydro-1*H*-indol-2-ones, 1555

Inhibitors

Sesquiterpenoids from the Fruits of *Alpinia oxyphylla* and Their Anti-Acetylcholinesterase Activity, 388

Insertion products

P–N Bond Cleavage during the Insertion of Carbon Fragments into P^{III}–N Bonds in Bis(diphenylphosphino) Amines, 1158

Intermittent bursting

Regularity of Intermittent Bursts in *Briggs–Rauscher* Oscillating Systems with Phenol, 321

Iodine

I₂-Catalyzed Divergent Regioselective Addition of Methoxybenzenes with Ethenylbenzenes under Microwave Irradiation, 744

Hypervalent Iodine Catalyzed Cyclization of Aryl-Substituted Alkanoic Acids, 854

Iodine catalysis

Iodine-Catalyzed Synthesis of Spiro[1,3,4-benzotriazepine-2,3'-indole]-2',5(1*H*,1'*H*)-diones under Mild Conditions, 398

Ionic liquids

Multi-Walled Carbon Nanotubes (MWCNT)-Ionic Liquid-Modified Carbon Paste Electrode: Probing Furazolidone–DNA Interactions and DNA Determination, 1307

Ionic radius

Novel Template Sorbents for Separation of Americium(III) from Nitric Acid Solutions: Search of Optimal Ion-Imitator of Am^{III}, 1644

Ion-pair receptors

Tetrakis(bicyclo[2.2.2]oct-2-ene)-Fused Calix[4]pyrrole, 1427

Iridals

Irigermanone, a Noriridal with Unprecedented Methylketone Function, from *Iris germanica*, 32

Iridium complexes

Tris-cyclometalated Iridium(III) Complexes with Three Different Ligands: a New Example with 2-(2,4-Difluorophenyl)pyridine-Based Complex, 939

Iridoids

Two New Iridoids from the Root and Rhizome of *Valeriana jatamansi* JONES, 722

Flavonol Glycosides and Iridoids from *Asperula lilaciflora*, 1571

Irigermanone

Irigermanone, a Noriridal with Unprecedented Methylketone Function, from *Iris germanica*, 32

Iris germanica

Irigermanone, a Noriridal with Unprecedented Methylketone Function, from *Iris germanica*, 32

Iron oxide nanoparticles, silica-supported

Synthesis of Imidazo[1,2-*a*]pyridines Using Fe₃O₄@SiO₂ as an Efficient Nanomagnetic Catalyst *via* a One-Pot Multicomponent Reaction, 587

Isatins

Iodine-Catalyzed Synthesis of Spiro[1,3,4-benzotriazepine-2,3'-indole]-2',5(1*H*,1'*H*)-diones under Mild Conditions, 398

Isobenzofuran-1(3*H*)-ones

Ethenolate Transfer Reactions: A Facile Synthesis of Vinyl Esters, 1115

Isobenzofuran-1(3*H*)-ones, 3-(*ω*-hydroxyalkoxy)-

Synthesis of 3-(*ω*-Hydroxyalkoxy)isobenzofuran-1(3*H*)-ones by Trifluoroacetic Acid-Mediated Lactonization of *tert*-Butyl 2-(1,3-Dioxol-2-yl)- or 2-(1,3-Dioxan-2-yl)benzoates, 1055

Isocoumarins

Characterization of Eight New Secondary Metabolites from the Mutant Strain G-444 of *Tuberculosis* sp. TF5, 334

Isocyanides

Reaction of Isonitriles with Dibenzoylacetylene Leading to Furan and Difuropyran Derivatives, 524

A Novel Synthesis of Quinazolines by Cyclization of 1-(2-Isocyanophenyl)alkylideneamines Generated by the Treatment of 2-(1-Azidoalkyl)phenyl Isocyanides with NaH, 822

Efficient Solvent-Free Synthesis of Benzothiazine-Fused Pyrrolo[3,4-*c*]coumarins: Cycloaddition Reactions between Coumarin-Based Dihydrobenzothiazoles and Isocyanides, 847

Synthesis of Novel α -(Acyloxy)- α -(quinolin-4-yl)acetamides by a Three-Component Reaction between an Isocyanide, Quinoline-4-carbaldehyde, and Arenecarboxylic Acids, 1088

Catalyst-Free One-Pot Synthesis of Ketene Imines under Ultrasound Irradiation, 1422

Isoflavones

Synthesis of 1-Amino-5,6-diaryl-3-cyano-1*H*-pyridin-2-ones and 6,7-Diaryl-4-cyano-3-hydroxy-1*H*-[1,2]diazepines from Isoflavones, 561

Phenolic Metabolites from the Stems and Leaves of *Sophora flavescens*, 1516

1*H*-Isoindol-1-amines

Generation of Aryl(2-lithiophenyl)methanone *O*-Methyl Oximes and Their Use for the Synthesis of *N*-(3-Alkyl-1-aryl- or 1,3-diaryl-1*H*-isoindol-1-yl)-*O*-methylhydroxylamines *via* the Reaction with Nitriles, 915

Isoindole-1,3-diones

A New and Convenient Synthesis of Amino-phthalimide (1*H*-Isoindole-1,3(2*H*)-dione) Derivatives and Their Photoluminescent Properties, 1107

A Practical and Enantiospecific Synthesis of (–)-(*R*)- and (+)-(*S*)-Piperidin-3-ols, 1507

1*H*-Isoindol-1-imines, 3-alkylidene-2,3-dihydro-

Synthesis of 2-Substituted 3-Alkylidene-2,3-dihydro-1*H*-isoindol-1-imines through Cyclization of [1-(2-Cyanophenyl)alkylidene]aminide Intermediates Generated from the Reaction of 2-(1-Azidoalk-yl)benzonitriles with NaH, 1624

Isonitriles

First Diastereoselective *Passerini–Smiles* and *Ugi–Smiles* Reactions Using Chiral Aldehydes, 1076

Isoquinoline

An Approach to the Synthesis of Spiro[indene-pyridoisoquinoline] Derivatives *via* 1,4-Dipolar Cycloaddition of Isoquinoline and Acetylene Esters, and (1,3-Dihydro-1,3-dioxo-2*H*-inden-2-ylidene)malononitrile, 1383

Isothiocyanates

One-Pot Synthesis of *N,N*-Disubstituted (*Z*)-4-(Halomethylidene)-4*H*-3,1-benzothiazin-2-amines from 2-(2,2-Dihaloethenyl)phenyl Isothiocyanates and Secondary Amines, 315

Synthesis of 1-Acyl-3,4-dihydroquinazoline-2(1*H*)-thiones by Cyclization of *N*-[2-(Isothiocyanatomethyl)-phenyl] Amides Generated *in situ* from *N*-[2-(Azidomethyl)phenyl] Amides, 923

Jacobsen's hydrolytic kinetic resolution

Stereoselective Total Synthesis of Phenolic Nonadecanediol, 613

Jatamanvaltrates P and Q

Two New Iridoids from the Root and Rhizome of *Valeriana jatamansi* JONES, 722

Keck's asymmetric allylation

First Stereoselective and Concise Synthesis of Rhoiptelol C, 999

Ketene imines

Formation of Phosphorylated 3*H*-Pyrroles from *Nef–Isocyanide–Perkow* Adducts and Tosylmethyl Isocyanide, 1004

Catalyst-Free One-Pot Synthesis of Ketene Imines under Ultrasound Irradiation, 1422

Ketones

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

Retrospective View on Recent Developments in Cyclobutane Synthesis *via* [2 + 2] Photocycloaddition of Unsaturated Ketones to Acyclic Dienes, 1027

Reactions of Quino-Ketenes with C-Nucleophiles: Syntheses of (2-Hydroxyphenyl)methanols and 2-Hydroxyphenyl Ketones, 1097

A New and Convenient Synthesis of Amino-phthalimide (1*H*-Isoindole-1,3(2*H*)-dione) Derivatives and Their Photoluminescent Properties, 1107

Kidanin C

Two New Limonoids from the Root Bark of Chinese Medicinal Plant *Dictamnus dasycarpus*, 1301

Kinetic methods

Perturbations of the *Dushman* Reaction with Piroxicam: Experimental and Model Calculations, 47

Kleinhovia hospita

Two New Cycloartane Triterpenoids from *Kleinhovia hospita*, 887

Knoevenagel compounds

Organocatalyzed and Uncatalyzed C=C/C=C and C=C/C=N Exchange Processes between *Knoevenagel* and Imine Compounds in Dynamic Covalent Chemistry, 1219

Kornblum oxidation

I₂-Catalyzed Divergent Regioselective Addition of Methoxybenzenes with Ethenylbenzenes under Microwave Irradiation, 744

Kuguacins T–W

Four New Cucurbitacins from the Fruit of *Momordica charantia*, 1546

Labdane diterpenoids

Labdane Diterpenoids from the Roots of *Amomum maximum* and Their Cytotoxic Evaluation, 1140

Isomeric *ent*-Labdane-Type Diterpenoids from the Stems of *Rhizophora mucronata*, 1531

Lactones

Suberosanones A–C, New Metabolites Possessing Cyclopentenone System from the South China Sea Gorgonian Coral *Subergorgia suberosa*, 128

A Novel One-Pot Sulfonyloxylactonization of Alkenoic Acids Mediated by Hypervalent Iodine Species Generated *in situ* from Ammonium Iodide, 137

Stereoselective Total Synthesis of Botryolide E and Ophiocerin C, 491

Hypervalent Iodine Catalyzed Cyclization of Aryl-Substituted Alkanolic Acids, 854

Lactonization

Synthesis of 3-(ω -Hydroxyalkoxy)isobenzofuran-1(3*H*)-ones by Trifluoroacetic Acid-Mediated Lactonization of *tert*-Butyl 2-(1,3-Dioxol-2-yl)- or 2-(1,3-Dioxan-2-yl)benzoates, 1055

Lanthanides

Novel Template Sorbents for Separation of Americium(III) from Nitric Acid Solutions: Search of Optimal Ion-Imitator of Am^{III}, 1644

Lasiodiplodia pseudotheobromae

Palmarumycins from the Endophytic Fungus *Lasiodiplodia pseudotheobromae* XSZ-3, 1289

Laurencia obtusa

New Cytotoxic Laurene-, Cuparene-, and Laurokamurene-Type Sesquiterpenes from the Red Alga *Laurencia obtusa*, 1388

Lemon balm

Sulfated Triterpenes from Lemon Balm, 1497

Lignans

Coumarinolignans Isolated from the Seeds of *Brucea javanica*, 278

Further Biphenyl Lignans with a Tetrahydrofuran Moiety from *Gymnotheca chinensis*, 499

Phenolic Metabolites from the Stems and Leaves of *Sophora flavescens*, 1516

Limonenones

Formation of the Compounds with an Epoxychromene Framework: Role of the Methoxy Groups, 1406

Limonoids

Two New *C-seco* Limonoids from the Fruit of *Melia azedarach*, 1152

Two New Limonoids from the Root Bark of Chinese Medicinal Plant *Dictamnus dasycarpus*, 1301

Aphagranols D–H: Five New Limonoids from the Fruits of *Aphanamixis grandifolia*, 1354

Velutinalide C, a New Polycyclic Phragmalin Limonoid from the Leaves of *Chukrasia tabularis* var. *velutina*, 1445

Liver fibrosis inhibitory activity

Two New Dammarane-Type Triterpenoid Saponins from *Gynostemma pentaphyllum*, 1333

Lobelioidosides A–D

Four New 13,28-Epoxyoleanane Saponins from *Lysimachia lobelioides*, 839

Luche reduction

Formal Synthesis of (–)-Cyclaradine Using Ring Closing Metathesis, 861

Luminescent labels

Dye-Labeled C ^{α} -Tetrasubstituted α -Amino Acids, 1061

Lycopodiastrum casuarinoides

Two New Lycodine Alkaloids from *Lycopodiastrum casuarinoides*, 1719

Lycopodium alkaloids

Lycopodium Alkaloids from *Huperzia serrata*, 1433

Lycopodium obscurum

Lycopodium Alkaloids from *Lycopodium obscurum* L., 519

Lysimachia lobelioides

Four New 13,28-Epoxyoleanane Saponins from *Lysimachia lobelioides*, 839

Machilus konishii

Flavonol Glycosides with α -Glucosidase Inhibitory Activities and New Flavone C-Diosides from the Leaves of *Machilus konishii*, 1672

MacMillan α -aminoxylation

Stereoselective Total Synthesis of Botryolide E and Ophiocerin C, 491

MacMillan asymmetric epoxidation

A New Stereoselective Total Synthesis of Phomonol, 1326

MacMillan α -hydroxylation

Stereoselective Total Synthesis of Phenolic Nonadecanediol, 613

Macrolactamization

Formal Total Synthesis of Stevastelins B and B3, 669

Macrolactonization

Formal Total Synthesis of Stevastelins B and B3, 669

Malononitrile

CuO Nanoparticles as Effective Reusable Heterogeneous Catalyst for *S*-Arylation Reactions, 420

An Approach to the Synthesis of 7-Amino-6-imino-9-phenyl-6*H*-benzo[*c*]chromene-8-carbonitrile Derivatives via a Three-Component Reaction under Ultrasonic Irradiation, 447

Amine-Promoted One-Pot, Multicomponent Route to Spiro-Fused-Pyran Derivatives in Aqueous Media, 532

Highly Convergent One-Pot Four-Component Regioselective Synthesis of Spiro-pyranopyrazoles and Oxa-aza-[3.3.3]propellanes, 694

Chemoselective Route for Synthesis of *N*-Aryl-3-oxochromeno[2,3-*c*]pyrazole-2(3*H*)-carbothioamide Derivatives, 895

Manganese(III) acetate

Synthesis of Dihydropyrans and Dihydrofurans via Radical Cyclization of Unsaturated Alcohols and 1,3-Dicarbonyl Compounds, 652

Mangroves

A New Cyclic Peptide and a New Steroid from the Fungus *Penicillium* sp. GD6 Isolated from the Mangrove *Bruguiera gymnorrhiza*, 1564

Marine algae

New Cytotoxic Laurene-, Cuparene-, and Laurokamurene-Type Sesquiterpenes from the Red Alga *Laurencia obtusa*, 1388

Megastigmane

A New Megastigmane Glucoside and Three New Flavonoid Glycosides from *Spiraea prunifolia* var. *simpliciflora*, 1123

Melia azedarach

Two New *C-seco* Limonoids from the Fruit of *Melia azedarach*, 1152

Melissa officinalis

Sulfated Triterpenes from Lemon Balm, 1497

Metabolites

Rare C₂₅ Steroids Produced by *Penicillium chrysogenum* P1X, a Fungal Endophyte of *Huperzia serrata*, 95

Suberosanones A–C, New Metabolites Possessing Cyclopentenone System from the South China Sea Gorgonian Coral *Subergorgia suberosa*, 128

Floccosic Acid, a New Triterpenic Acid from *Nepeta floccosa*, 556

Anthraquinone Derivatives and an Orsellinic Acid Ester from the Marine Alga-Derived Endophytic Fungus *Eurotium cristatum* EN-220, 973

Secondary Metabolites from the Endophytic Fungus *Xylaria cubensis*, 1689

Methanone *O*-methyl oximes

Generation of Aryl(2-lithiophenyl)methanone *O*-Methyl Oximes and Their Use for the Synthesis of *N*-(3-Alkyl-1-aryl- or 1,3-diaryl-1*H*-isoindol-1-yl)-*O*-methylhydroxylamines *via* the Reaction with Nitriles, 915

Micelles

The Effect of Sodium Dodecylbenzenesulfonate (SDBS) Micelles on a *Belousov–Zhabotinsky* Oscillating System Catalyzed with a Tetraazamacrocyclic Copper(II) Complex, 237

Michael reaction

Catalytic Performance of Polystyrene-Bound *ChibaG* Derivatives as Guanidine Organobases in Asymmetric *Michael* Additions, 307

Microwave irradiation (MWI)

I₂-Catalyzed Divergent Regioselective Addition of Methoxybenzenes with Ethenylbenzenes under Microwave Irradiation, 744

MMP-1 Expression

New Bisabolane Sesquiterpenes from the Rhizomes of *Curcuma xanthorrhiza* Roxb. and Their Inhibitory Effects on UVB-Induced MMP-1 Expression in Human Keratinocytes, 438

Molecular dynamics (MD)

On the Use of a Supramolecular Coarse-Grained Model for the Solvent in Simulations of the Folding Equilibrium of an Octa- β -peptide in MeOH and H₂O, 1591

Molecular modeling

Functionalization of 2'-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units, 1204

Momordica charantia

Four New Cucurbitacins from the Fruit of *Momordica charantia*, 1546

MP2 Calculations

How Small Amounts of Impurities Are Sufficient to Catalyze the Interconversion of Carbonyl Compounds and Iminium Ions, or Is There a Metathesis through 1,3-Oxazetidinium Ions? Experiments, Speculations, and Calculations, 1177

Mullein

Characterization of Eight New Secondary Metabolites from the Mutant Strain G-444 of *Tuberculosis* sp. TF5, 334

Multicomponent reactions (MCRs)

Synthesis of a New Library of Pyrano-phenazine Derivatives *via* a Novel Three-Component Protocol, 228
One-Pot Synthesis of (1,2,3-Triazolyl)methyl 3,4-Dihydro-2-oxo-1*H*-pyrimidine-5-carboxylates as Potentially Active Antimicrobial Agents, 375

An Approach to the Synthesis of 7-Amino-6-imino-9-phenyl-6*H*-benzo[*c*]chromene-8-carbonitrile Derivatives *via* a Three-Component Reaction under Ultrasonic Irradiation, 447

Synthesis of Imidazo[1,2-*a*]pyridines Using Fe₃O₃@SiO₂ as an Efficient Nanomagnetic Catalyst *via* a One-Pot Multicomponent Reaction, 587

One-Pot Synthesis of Novel Pyrrolo[1,2-*a*]quinoxaline-4(5*H*)-ones Using Benzene-1,2-diamine, Acetylenedicarboxylates, and β -Nitrostyrene Derivatives, 646

First Diastereoselective *Passerini–Smiles* and *Ugi–Smiles* Reactions Using Chiral Aldehydes, 1076

Synthesis of Novel α -(Acyloxy)- α -(quinolin-4-yl)acetamides by a Three-Component Reaction between an Isocyanide, Quinoline-4-carbaldehyde, and Arenecarboxylic Acids, 1088

An Efficient Approach to the Synthesis of Hydrazinyl *Pseudo*-Peptides, 1630

Multi-graining

On the Use of a Supramolecular Coarse-Grained Model for the Solvent in Simulations of the Folding Equilibrium of an Octa- β -peptide in MeOH and H₂O, 1591

Multi-walled carbon nanotubes (MWCNT)

Multi-Walled Carbon Nanotubes (MWCNT)-Ionic Liquid-Modified Carbon Paste Electrode: Probing Furazolidone–DNA Interactions and DNA Determination, 1307

Muurol-4-ene-1 β ,3 β ,10 β -triol

Sesquiterpenoids and Their Glycosides from *Gynura procumbens*, 369

Mycena pruinoviscida

Phenyglycol Metabolites from Cultures of the Basidiomycete *Mycena pruinoviscida* BCC 22723, 909

Mycenadiols A–D

Phenylglycol Metabolites from Cultures of the Basidiomycete *Mycena pruinoviscida* BCC 22723, 909

Myrrhanolide D

Myrrhanolide D and Myrrhasin A, New Germacrane-Type Sesquiterpenoids from the Resin of *Commiphora opobalsamum*, 881

Myrrhasin A

Myrrhanolide D and Myrrhasin A, New Germacrane-Type Sesquiterpenoids from the Resin of *Commiphora opobalsamum*, 881

Nanochannels

Synthesis, Characterization, and Photoluminescence Properties of Silver(I) Metal-Organic Polymers with Nanochannels Based on 2-Sulfoterephthalic Acid and Di(pyridin-2-yl)amine Ligands, 345

Nanomagnetic catalysts

Synthesis of Imidazo[1,2-*a*]pyridines Using Fe₃O₄@SiO₂ as an Efficient Nanomagnetic Catalyst *via* a One-Pot Multicomponent Reaction, 587

Neocaesalpin N

Three New Cassane-Type Diterpenes from *Caesalpinia minax*, 1009

Neosartorya fischeri

Three New Prenylated Diketopiperazines from *Neosartorya fischeri*, 1020

Nepeta floccosa

Floccosic Acid, a New Triterpenic Acid from *Nepeta floccosa*, 556

Neuroprotective activity

Two New Limonoids from the Root Bark of Chinese Medicinal Plant *Dictamnus dasycarpus*, 1301

Nimbolinin

Two New *C-seco* Limonoids from the Fruit of *Melia azedarach*, 1152

Ninhydrin

Amine-Promoted One-Pot, Multicomponent Route to Spiro-Fused-Pyran Derivatives in Aqueous Media, 532
Highly Convergent One-Pot Four-Component Regioselective Synthesis of Spiro-pyranopyrazoles and Oxa-aza-[3.3.3]propellanes, 694

Nitriles

Generation of Aryl(2-lithiophenyl)methanone *O*-Methyl Oximes and Their Use for the Synthesis of *N*-(3-Alkyl-1-aryl- or 1,3-diaryl-1*H*-isoindol-1-yl)-*O*-methylhydroxylamines *via* the Reaction with Nitriles, 915

Nitrous acid

Reduction of 3-Aminoquinoline-2,4(1*H*,3*H*)-diones and Deamination of the Reaction Products, 595

NMR Spectroscopy

On the Use of a Supramolecular Coarse-Grained Model for the Solvent in Simulations of the Folding Equilibrium of an Octa- β -peptide in MeOH and H₂O, 1591

NO Inhibitory activity

Secondary Metabolites from the Endophytic Fungus *Xylaria cubensis*, 1689

Nonadecanediol

Stereoselective Total Synthesis of Phenolic Nonadecanediol, 613

Non-aldol approach

Formal Total Synthesis of Stevastelins B and B3, 669

Non-covalent interactions (NCI)

Density Functional Study of Interactions between Fluorinated Cyclohexanes and Arenes, 797

Nonracemic mixtures

Purification of Enantiomeric Mixtures in Enantioselective Synthesis: Overlooked Errors and Scientific Basis of Separation in Achiral Environment, 161

Norbornanes

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

Norbornenones

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

Norditerpenoids

Two New Alkaloids from the Roots of *Aconitum sinomontanum* NAKAI, 727

12-Nornootkaton-6-en-11-one

Sesquiterpenoids from the Fruits of *Alpinia oxyphylla* and Their Anti-Acetylcholinesterase Activity, 388

Noroleanane saponins

Three New Triterpene Saponins from *Bolbostemma paniculatum*, 268

24-Nortriterpenoids

Three New 24-Nortriterpenoids from the Roots of *Ilex asprella*, 64

Notoginsenoside

New Dammarane-Type Saponins from the Roots of *Panax notoginseng*, 102

Nucleases

RNA Cleavage Catalyzed by Amphoteric Bis(acyl)guanidinium Derivatives, 215

Nucleic acids

Functionalization of 2''-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units, 1204

Nucleosides

Synthesis and Anti-HIV Activity of Triazolo-Fused, Medium-Sized Cyclic Nucleoside Analogs Prepared by an Intramolecular *Huisgen* 1,3-Dipolar Cycloaddition, 733

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

Oligonucleotide Analogues with Integrated Bases and Backbone. Part 32. Thiomethylene- and Amino-methylene-Linked GG Dinucleosides of the ONIB Type: Formation of Quadruplexes, 1244

Obscurumines F and G

Lycopodium Alkaloids from *Lycopodium obscurum* L., 519

Ocimum sanctum

New Antiproliferative Tricyclic Sesquiterpenoid from the Leaves of *Ocimum sanctum*, 708

Octa- β -peptide folding

On the Use of a Supramolecular Coarse-Grained Model for the Solvent in Simulations of the Folding Equilibrium of an Octa- β -peptide in MeOH and H₂O, 1591

Oleanane saponins

Four New 13,28-Epoxyoleanane Saponins from *Lysimachia lobelioides*, 839

Oleaside A

Biotransformation of Oleaside A by *Cunninghamella echinulata*, 290

Olefin cross-metathesis

A Stereoselective Aldol Approach for the Total Syntheses of Two 6-Alkylated 2H-Pyran-2-ones, 112

Olefin Cross-Metathesis: Studies towards the Total Synthesis of (+)-Bitungolide F, 868

Oligonucleotides

Functionalization of 2''-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units, 1204

Ophiocerin C

Stereoselective Total Synthesis of Ophiocerin C through Two Different Approaches, 1577

Organocatalysis

Catalytic Performance of Polystyrene-Bound *ChibaG* Derivatives as Guanidine Organobases in Asymmetric *Michael* Additions, 307

Direct Esterification of Aromatic Aldehydes with Tetraphenylphosphonium Bromide under Oxidative N-Heterocyclic Carbene Catalysis, 431

Preparation and Structures of 2-Substituted 5-Benzyl-3-methylimidazolidin-4-one-Derived Iminium Salts, Reactive Intermediates in Organocatalytic Transformations Involving α,β -Unsaturated Aldehydes, 751

How Small Amounts of Impurities Are Sufficient to Catalyze the Interconversion of Carbonyl Compounds and Iminium Ions, or Is There a Metathesis through 1,3-Oxazetidinium Ions? Experiments, Speculations, and Calculations, 1177

Organocatalyzed and Uncatalyzed C=C/C=C and C=C/C=N Exchange Processes between *Knoevenagel* and Imine Compounds in Dynamic Covalent Chemistry, 1219

Orsellinic acid esters

New Orsellinic Acid Esters from Fungus *Chaetomium globosporum*, 151

Anthraquinone Derivatives and an Orsellinic Acid Ester from the Marine Alga-Derived Endophytic Fungus *Eurotium cristatum* EN-220, 973

Oscillating reactions

Regularity of Intermittent Bursts in *Briggs–Rauscher* Oscillating Systems with Phenol, 321

Oxa-Michael reaction

A New Stereoselective Total Synthesis of Phomonol, 1326

Oxazoles

Chemical Constituents of the Endophytic Fungus *Phomopsis* sp. A240 Isolated from *Taxus chinensis* var. *mairei*, 426

Oxazolidine

Norbornanoid Chiral Ketones by Desymmetrization of Dibromoalkenes, 537

Oxazolidinones

How Small Amounts of Impurities Are Sufficient to Catalyze the Interconversion of Carbonyl Compounds and Iminium Ions, or Is There a Metathesis through 1,3-Oxazetidinium Ions? Experiments, Speculations, and Calculations, 1177

Oxazolo[4,5-*c*]quinoline-2,4(5*H*,9*bH*)-diones, 3,3a-dihydro-

Reduction of 3-Aminoquinoline-2,4(1*H*,3*H*)-diones and Deamination of the Reaction Products, 595

Oxidation

Benzo[*a*]azulenediones and 10,10'-Bibenzo[*a*]azulene, 1165

Oxidative amidation

First Total Synthesis of *N*-(3-Guanidinopropyl)-2-(4-hydroxyphenyl)-2-oxoacetamide, 404

Oxylipins

Stereoselective Total Synthesis of Oxylipins: (6*S*,7*E*,9*R*,10*S*)-6,9,10-Trihydroxyoctadec-7-enoic Acid and (6*Z*,8*R*,9*R*,10*S*)-8,9,10-Trihydroxyoctadec-6-enoic Acid, 546

Ozonolysis

Synthesis of 4-Aryl-8-fluoro-3a,4,5,9b-tetrahydro-3*H*-cyclopenta[*c*]quinolines and Their Ozonides, 1317

p*K*_a

Confusing Quantitative Descriptions of *Brønsted–Lowry* Acid–Base Equilibria in Chemistry Textbooks – A Critical Review and Clarifications for Chemical Educators, 1

Palitantin

A New Polyketide from the Mangrove Endophytic Fungus *Penicillium* sp. sk14JW2P, 664

Palladium

P–N Bond Cleavage during the Insertion of Carbon Fragments into P^{III}–N Bonds in Bis(diphenylphosphino) Amines, 1158

Palladium catalysis

Sequential *Ugi* Four-Component Reaction (4-CR)/C–H Activation Using (Diacetoxyiodo)benzene for the Synthesis of 3-(Diphenylmethylidene)-2,3-dihydro-1*H*-indol-2-ones, 1555

Palmarumycins

Palmarumycins from the Endophytic Fungus *Lasiodiplodia pseudotheobromae* XSZ-3, 1289

Panax notoginseng

New Dammarane-Type Saponins from the Roots of *Panax notoginseng*, 102

Passerini reaction

Synthesis of Novel α -(Acyloxy)- α -(quinolin-4-yl)acetamides by a Three-Component Reaction between an Isocyanide, Quinoline-4-carbaldehyde, and Arenecarboxylic Acids, 1088

Passerini–Smiles reaction

First Diastereoselective *Passerini–Smiles* and *Ugi–Smiles* Reactions Using Chiral Aldehydes, 1076

Penicillium

Rare C₂₅ Steroids Produced by *Penicillium chrysogenum* P1X, a Fungal Endophyte of *Huperzia serrata*, 95

A New Polyketide from the Mangrove Endophytic Fungus *Penicillium* sp. sk14JW2P, 664

Biosynthesis of Bromoroquefortines in a High Saline Medium by *Penicillium chrysogenum*, a Terrestrial Endophyte Collected from *Coffea arabica*, 1345

Prenylated Indole Alkaloid Derivatives from Marine Sediment-Derived Fungus *Penicillium paneum* SD-44, 1440

A New Cyclic Peptide and a New Steroid from the Fungus *Penicillium* sp. GD6 Isolated from the Mangrove *Bruguiera gymnorrhiza*, 1564

Pentane-1,2,3,4-tetraol

New Orsellinic Acid Esters from Fungus *Chaetomium globosporum*, 151

Peptides

Synthesis of Z-Protected Aib- and Phe(2Me)-Containing Pentapeptides and Their Crystal Structures, 619
Dye-Labeled C^α-Tetrasubstituted α -Amino Acids, 1061

A New Cyclic Peptide and a New Steroid from the Fungus *Penicillium* sp. GD6 Isolated from the Mangrove *Bruguiera gymnorrhiza*, 1564

On the Use of a Supramolecular Coarse-Grained Model for the Solvent in Simulations of the Folding Equilibrium of an Octa- β -peptide in MeOH and H₂O, 1591

Perkow reaction

Formation of Phosphorylated 3H-Pyrroles from Nef–Isocyanide–Perkow Adducts and Tosylmethyl Isocyanide, 1004

Perturbations

Perturbations of the *Dushman* Reaction with Piroxicam: Experimental and Model Calculations, 47

Petasites japonicus

Eremophilane Glucosides from *Petasites japonicus*, 985

Petasitoides A – C

Eremophilane Glucosides from *Petasites japonicus*, 985

Phenol

Regularity of Intermittent Bursts in *Briggs–Rauscher* Oscillating Systems with Phenol, 321

Phenolic compounds

Two New Phenolic Compounds from *Artemisia iwayomogi*, 283

Phenyl isocyanate

Copper-Catalyzed *N*-Arylation of 1,1,3,3-Tetramethylguanidine–Phenyl Isocyanate Adduct, 1132

Phenylene ethynylenes

Synthesis of Enantiomerically Pure Bis-Sulfinyl Substituted Phenylene Ethynylenes, 1237

Phenylglycols

Phenylglycol Metabolites from Cultures of the Basidiomycete *Mycena pruinoviscida* BCC 22723, 909

Phenyllithium

Reactions of Quino-Ketenes with C-Nucleophiles: Syntheses of (2-Hydroxyphenyl)methanols and 2-Hydroxyphenyl Ketones, 1097

Phomopsis

Chemical Constituents of the Endophytic Fungus *Phomopsis* sp. A240 Isolated from *Taxus chinensis* var. *mairei*, 426

Phosphate receptors/ligands

RNA Cleavage Catalyzed by Amphoteric Bis(acyl)guanidinium Derivatives, 215

Phosphine oxide

Novel Template Sorbents for Separation of Americium(III) from Nitric Acid Solutions: Search of Optimal Ion-Imitator of Am^{III}, 1644

Phosphines

P–N Bond Cleavage during the Insertion of Carbon Fragments into P^{III}–N Bonds in Bis(diphenylphosphino) Amines, 1158

Photocycloaddition

Retrospective View on Recent Developments in Cyclobutane Synthesis *via* [2 + 2] Photocycloaddition of Unsaturated Ketones to Acyclic Dienes, 1027

Photoluminescence

Synthesis, Characterization, and Photoluminescence Properties of Silver(I) Metal–Organic Polymers with Nanochannels Based on 2-Sulfoterephthalic Acid and Di(pyridin-2-yl)amine Ligands, 345

Tris-cyclometalated Iridium(III) Complexes with Three Different Ligands: a New Example with 2-(2,4-Difluorophenyl)pyridine-Based Complex, 939

A New and Convenient Synthesis of Amino-phthalimide (1*H*-Isoindole-1,3(2*H*)-dione) Derivatives and Their Photoluminescent Properties, 1107

Phragmalin

Velutinalide C, a New Polycyclic Phragmalin Limonoid from the Leaves of *Chukrasia tabularis* var. *velutina*, 1445

Phthalides

Three New Phthalides from *Gnaphalium adnatum*, 1638

Phthalimide, 5-amino-

A New and Convenient Synthesis of Amino-phthalimide (1*H*-Isoindole-1,3(2*H*)-dione) Derivatives and Their Photoluminescent Properties, 1107

Pintoxolanes A – C

Pintoxolanes A – C, Highly Functionalized 3,14-Oxa-bridged Cembranoids from the Caribbean Gorgonian Coral *Eunicea pinta*, 712

Pinus massoniana

Two New Acidic Diterpenoids from the Heartwood of *Pinus massoniana* LAMB., 1146

Piperazines, diketo-

Three New Prenylated Diketopiperazines from *Neosartorya fischeri*, 1020

Piperidine-2,6-dione alkaloids

Chemistry of Hermidin: Insights from Extraction Experiments with the Main Alkaloid of *Mercurialis perennis* L. Tracked by GC/MS and LC/MSⁿ, 1606

Piperidin-3-ols

A Practical and Enantiospecific Synthesis of (–)-(R)- and (+)-(S)-Piperidin-3-ols, 1507

Piroxicam

Perturbations of the *Dushman* Reaction with Piroxicam: Experimental and Model Calculations, 47

Podocarpanes

Two New Acidic Diterpenoids from the Heartwood of *Pinus massoniana* LAMB., 1146

Podopinoic acid

Two New Acidic Diterpenoids from the Heartwood of *Pinus massoniana* LAMB., 1146

Poly(*N*-bromo-*N*-ethylbenzene-1,3-disulfonamide)

One-Pot Synthesis of Pyrimido[1,2-*a*]benzimidazoles under Solvent-Free Conditions, 979

Polyketides

A New Polyketide from the Mangrove Endophytic Fungus *Penicillium* sp. sk14JW2P, 664

Polymers

Catalytic Performance of Polystyrene-Bound *ChibaG* Derivatives as Guanidine Organobases in Asymmetric *Michael* Additions, 307

Potential chirality

Synthesis of *ortho*-Phenylenebis(guanidine) Derivatives with Potential Chirality, 1453

***Prins* cyclization**

Stereoselective Total Synthesis of Botryolide E and Ophiocerin C, 491

Propanedinitrile, 2-(1,3-dihydro-1,3-dioxo-2*H*-inden-2-ylidene)-

An Approach to the Synthesis of Spiro[indene-pyridoisoquinoline] Derivatives *via* 1,4-Dipolar Cycloaddition of Isoquinoline and Acetylene Esters, and (1,3-Dihydro-1,3-dioxo-2*H*-inden-2-ylidene)malononitrile, 1383

[3.3.3]Propellanes

Highly Convergent One-Pot Four-Component Regioselective Synthesis of Spiro-pyranopyrazoles and Oxa-aza-[3.3.3]propellanes, 694

(R)-Propylene oxide

Stereoselective Total Synthesis of Ophiocerin C through Two Different Approaches, 1577

Prop-2-yn-1-ones, 3-[5-(alkylimino)-3,4-dibenzoyl-2-phenyl-2*H*-furan-2-yl]-1-phenyl-

Reaction of Isonitriles with Dibenzoylacetylene Leading to Furan and Difuropyran Derivatives, 524

Pterocarpanes

Phenolic Metabolites from the Stems and Leaves of *Sophora flavescens*, 1516

Pyran, tetrahydro-

A New Stereoselective Total Synthesis of Phomonol, 1326

2*H*-Pyran-2-ones

A Stereoselective Aldol Approach for the Total Syntheses of Two 6-Alkylated 2*H*-Pyran-2-ones, 112

Pyrano-phenazine derivatives

Synthesis of a New Library of Pyrano-phenazine Derivatives *via* a Novel Three-Component Protocol, 228

Pyrans, dihydro-

Synthesis of Dihydropyrans and Dihydrofurans *via* Radical Cyclization of Unsaturated Alcohols and 1,3-Dicarbonyl Compounds, 652

Pyrans, spiro-fused

Amine-Promoted One-Pot, Multicomponent Route to Spiro-Fused-Pyran Derivatives in Aqueous Media, 532

Pyrazoles, 1-aryl-4-chloro-3-methoxy-

One-Pot Regioselective Synthesis of Novel Oximino Ester-Containing 1-Aryl-4-chloro-3-oxypyrazoles as Potential Fungicides, 1269

Pyrazoles, trifluoromethyl-substituted

1,3-Dipolar Cycloadditions of Ethyl 2-Diazo-3,3,3-trifluoropropanoate to Alkynes and [1,5] Sigmatropic Rearrangements of the Resulting 3*H*-Pyrazoles: Synthesis of Mono-, Bis- and Tris(trifluoromethyl)-Substituted Pyrazoles, 808

Pyrazolidin-3-ones, 4-amino-

A Simple Synthesis of Polyfunctionalized 4-Aminopyrazolidin-3-ones as ‘Aza-deoxa’ Analogs of D-Cycloserine, 245

Pyrene

Functionalization of 2''-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units, 1204

Pyridine, 2-(2,4-difluorophenyl)-

Tris-cyclometalated Iridium(III) Complexes with Three Different Ligands: a New Example with 2-(2,4-Difluorophenyl)pyridine-Based Complex, 939

Pyridines

Diels–Alder Cyclization of a Dihydropyridine: NMR Spectroscopy, X-Ray Crystallography, and DFT Computations. Bent Aromatic Dimeric Clusters in the Solid Phase, 1365

Catalyst-Free One-Pot Synthesis of Ketene Imines under Ultrasound Irradiation, 1422

Pyridin-2-ones

Synthesis of 1-Amino-5,6-diaryl-3-cyano-1*H*-pyridin-2-ones and 6,7-Diaryl-4-cyano-3-hydroxy-1*H*-[1,2]diazepines from Isoflavones, 561

1*H*-Pyrimidine-5-carboxylates, (1,2,3-triazolyl)methyl 3,4-dihydro-2-oxo-

One-Pot Synthesis of (1,2,3-Triazolyl)methyl 3,4-Dihydro-2-oxo-1*H*-pyrimidine-5-carboxylates as Potentially Active Antimicrobial Agents, 375

Pyrimido[1,2-*a*]benzimidazoles

One-Pot Synthesis of Pyrimido[1,2-*a*]benzimidazoles under Solvent-Free Conditions, 979

3*H*-Pyrroles

Formation of Phosphorylated 3*H*-Pyrroles from *Nef*–Isocyanide–*Perkow* Adducts and Tosylmethyl Isocyanide, 1004

Pyrrolo[1,2-*a*]indole

Synthesis of a Benzannulated Pyrrolizidine by a Copper-Catalyzed Intramolecular α -Arylation Reaction, 569

Pyrrolo[1,2-*a*]quinoxaline

One-Pot Synthesis of Novel Pyrrolo[1,2-*a*]quinoxaline-4(5*H*)-ones Using Benzene-1,2-diamine, Acetylenedicarboxylates, and β -Nitrostyrene Derivatives, 646

Quadruplexes

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

Quantum chemistry

Viability of Nonclassical Carbocations Proposed as Intermediates in the Biosynthesis of Atiserene, Beyerene, Kaurene, and Trachylobane Diterpenes, 1475

Quantum theory of atoms in molecules (QTAIM)

Density Functional Study of Interactions between Fluorinated Cyclohexanes and Arenes, 797

Quinazolines

A Novel Synthesis of Quinazolines by Cyclization of 1-(2-Isocyanophenyl)alkylideneamines Generated by the Treatment of 2-(1-Azidoalkyl)phenyl Isocyanides with NaH, 822

Quinazoline-2(1*H*)-thiones, 3,4-dihydro-

Synthesis of 1-Acyl-3,4-dihydroquinazoline-2(1*H*)-thiones by Cyclization of *N*-[2-(Isothiocyanatomethyl)-phenyl] Amides Generated *in situ* from *N*-[2-(Azidomethyl)phenyl] Amides, 923

Quino-ketenes

Reactions of Quino-Ketenes with C-Nucleophiles: Syntheses of (2-Hydroxyphenyl)methanols and 2-Hydroxyphenyl Ketones, 1097

Quinoline, 3a,4,5,9b-tetrahydro-

Synthesis of 4-Aryl-8-fluoro-3a,4,5,9b-tetrahydro-3*H*-cyclopenta[*c*]quinolines and Their Ozonides, 1317

Quinoline-4-carbaldehyde

Synthesis of Novel α -(Acyloxy)- α -(quinolin-4-yl)acetamides by a Three-Component Reaction between an Isocyanide, Quinoline-4-carbaldehyde, and Arenecarboxylic Acids, 1088

Quinoline-2,4-diones, 3-amino-

Reduction of 3-Aminoquinoline-2,4(1*H*,3*H*)-diones and Deamination of the Reaction Products, 595

Quinolones

Cytotoxic Amides and Quinolones from *Clausena lansium*, 298

Racemization

A Spectroscopic Study of Colchicine in the Solid State and in Solution by Multinuclear Magnetic Resonance and Vibrational Circular Dichroism, 471

Ranaconidine

Two New Alkaloids from the Roots of *Aconitum sinomontanum* NAKAI, 727

Ravensara crassifolia

A Stereoselective Aldol Approach for the Total Syntheses of Two 6-Alkylated 2*H*-Pyran-2-ones, 112

Reaction mechanism

Concerted vs. Non-Concerted 1,3-Dipolar Cycloadditions of Azomethine Ylides to Electron-Deficient Dialkyl 2,3-Dicyanobut-2-enedioates, 453

Rearrangement reactions

Unexpected Ring Enlargement of 2-Hydrazono-2,3-dihydro-1,3-thiazoles to 1,3,4-Thiadiazines, 76

Reduction of 3-Aminoquinoline-2,4(1*H*,3*H*)-diones and Deamination of the Reaction Products, 595

Reductive amination

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

Oligonucleotide Analogues with Integrated Bases and Backbone. Part 32. Thiomethylene- and Amino-methylene-Linked GG Dinucleosides of the ONIB Type: Formation of Quadruplexes, 1244

Reductive elimination

Stereoselective Total Synthesis of Oxylipins: (6*S*,7*E*,9*R*,10*S*)-6,9,10-Trihydroxyoctadec-7-enoic Acid and (6*Z*,8*R*,9*R*,10*S*)-8,9,10-Trihydroxyoctadec-6-enoic Acid, 546

Rhizophora mucronata

Isomeric *ent*-Labdane-Type Diterpenoids from the Stems of *Rhizophora mucronata*, 1531

Ring closing metathesis (RCM)

A Stereoselective Total Synthesis of Decarestrictine I, 830

Formal Synthesis of (–)-Cyclaradine Using Ring Closing Metathesis, 861

Roquefortine

Biosynthesis of Bromoroquefortines in a High Saline Medium by *Penicillium chrysogenum*, a Terrestrial Endophyte Collected from *Coffea arabica*, 1345

Rosa damascena

New Isoprenylated Aurones from the Flowers of *Rosa damascena*, 414

Salicylaldehyde

An Approach to the Synthesis of 7-Amino-6-imino-9-phenyl-6*H*-benzo[*c*]chromene-8-carbonitrile Derivatives via a Three-Component Reaction under Ultrasonic Irradiation, 447

Chemoselective Route for Synthesis of *N*-Aryl-3-oxochromeno[2,3-*c*]pyrazole-2(3*H*)-carbothioamide Derivatives, 895

Salt stress

Biosynthesis of Bromoroquefortines in a High Saline Medium by *Penicillium chrysogenum*, a Terrestrial Endophyte Collected from *Coffea arabica*, 1345

Samarium iodide

A Stereoselective Aldol Approach for the Total Syntheses of Two 6-Alkylated 2*H*-Pyran-2-ones, 112

Saponins

Two New Cytotoxic Spirostane-Steroidal Saponins from the Roots of *Bletilla striata*, 56

New Dammarane-Type Saponins from the Roots of *Panax notoginseng*, 102

Three New Triterpene Saponins from *Bolbostemma paniculatum*, 268

Synthesis of a Trisaccharide Related to the Cytotoxic Triterpenoid Saponins Isolated from the Bark of *Albizia procera*, 361

Four New 13,28-Epoxyoleanane Saponins from *Lysimachia lobelioides*, 839

Three New Pentacyclic Triterpenoids from *Centella asiatica*, 992

Two New Dammarane-Type Triterpenoid Saponins from *Gynostemma pentaphyllum*, 1333

Six New Steroidal Saponins from *Helleborus thibetanus*, 1652

Sargassum thunbergii

Anthraquinone Derivatives and an Orsellinic Acid Ester from the Marine Alga-Derived Endophytic Fungus *Eurotium cristatum* EN-220, 973

Secondary metabolites

Flavonol Glycosides and Iridoids from *Asperula lilaciflora*, 1571

Self-assembly

Spectroscopic, Thermal, and Structural Studies of Two New Co-Crystals of [4,4'-Bithiazole]-2,2'-diamine, 701

Self-disproportion of enantiomers (SDE)

Terminology Related to the Phenomenon 'Self-Disproportionation of Enantiomers' (SDE), 1583

Self-segregation of enantiomeric associates

Purification of Enantiomeric Mixtures in Enantioselective Synthesis: Overlooked Errors and Scientific Basis of Separation in Achiral Environment, 161

Sequential *Ugi* four-component reaction/C–H activation

Sequential *Ugi* Four-Component Reaction (4-CR)/C–H Activation Using (Diacetoxyiodo)benzene for the Synthesis of 3-(Diphenylmethylidene)-2,3-dihydro-1*H*-indol-2-ones, 1555

Sesquiterpene alcohols

New Cytotoxic Laurene-, Cuparene-, and Laurokamurene-Type Sesquiterpenes from the Red Alga *Laurencia obtusa*, 1388

Sesquiterpenes

Characterization of Eight New Secondary Metabolites from the Mutant Strain G-444 of *Tubercularia* sp. TF5, 334

Chemical Constituents of the Endophytic Fungus *Phomopsis* sp. A240 Isolated from *Taxus chinensis* var. *mairei*, 426

Chemical Constituents of the Leaves of *Desmos cochinchinensis* var. *fulvescens* BAN, 1714

Sesquiterpenoids

Characterization of Eight New Secondary Metabolites from the Mutant Strain G-444 of *Tubercularia* sp. TF5, 334

Sesquiterpenoids and Their Glycosides from *Gynura procumbens*, 369

Sesquiterpenoids from the Fruits of *Alpinia oxyphylla* and Their Anti-Acetylcholinesterase Activity, 388

New Antiproliferative Tricyclic Sesquiterpenoid from the Leaves of *Ocimum sanctum*, 708

Eremophilane Glucosides from *Petasites japonicus*, 985

Sesquiterpenoids from the Root Bark of *Acanthopanax leucorrhizus* and Their Biological Activities, 1283

Two New Sesquiterpenoids from the Rhizomes of *Curcuma xanthorrhiza*, 1295

Sharpless dihydroxylation

First Stereoselective and Concise Synthesis of Rhoiptelol C, 999

Stereoselective Total Synthesis of Ophiocerin C through Two Different Approaches, 1577

Sharpless epoxidation

Olefin Cross-Metathesis: Studies towards the Total Synthesis of (+)-Bitungolide F, 868

[1,5] Sigmatropic rearrangement

1,3-Dipolar Cycloadditions of Ethyl 2-Diazo-3,3,3-trifluoropropanoate to Alkynes and [1,5] Sigmatropic Rearrangements of the Resulting 3*H*-Pyrazoles: Synthesis of Mono-, Bis- and Tris(trifluoromethyl)-Substituted Pyrazoles, 808

Silver(I) coordination polymers

Synthesis, Characterization, and Photoluminescence Properties of Silver(I) Metal-Organic Polymers with Nanochannels Based on 2-Sulfoterephthalic Acid and Di(pyridin-2-yl)amine Ligands, 345

Sodium dodecylbenzenesulfonate (SDBS)

The Effect of Sodium Dodecylbenzenesulfonate (SDBS) Micelles on a *Belousov–Zhabotinsky* Oscillating System Catalyzed with a Tetraazamacrocyclic Copper(II) Complex, 237

Sodium hydride

One-Pot Synthesis of *N,N*-Disubstituted (*Z*)-4-(Halomethylidene)-4*H*-3,1-benzothiazin-2-amines from 2-(2,2-Dihaloethenyl)phenyl Isothiocyanates and Secondary Amines, 315

Sonogashira coupling

Synthesis of Enantiomerically Pure Bis-Sulfinyl Substituted Phenylene Ethynylenes, 1237

Sophora flavescens

Phenolic Metabolites from the Stems and Leaves of *Sophora flavescens*, 1516

Spiraea prunifolia

A New Megastigmane Glucoside and Three New Flavonoid Glycosides from *Spiraea prunifolia* var. *simpliciflora*, 1123

Spiro[1,3,4-benzotriazepine-2,3'-indole]-2',5(1*H*,1'*H*)-diones

Iodine-Catalyzed Synthesis of Spiro[1,3,4-benzotriazepine-2,3'-indole]-2',5(1*H*,1'*H*)-diones under Mild Conditions, 398

Spiro-pyranopyrazoles

Highly Convergent One-Pot Four-Component Regioselective Synthesis of Spiro-pyranopyrazoles and Oxa-aza-[3.3.3]propellanes, 694

Spirostane

Two New Cytotoxic Spirostane-Steroidal Saponins from the Roots of *Bletilla striata*, 56

Spiro-tetrahydroisoquinoline

An Approach to the Synthesis of Spiro[indene-pyridoisoquinoline] Derivatives via 1,4-Dipolar Cycloaddition of Isoquinoline and Acetylene Esters, and (1,3-Dihydro-1,3-dioxo-2*H*-inden-2-ylidene)malononitrile, 1383

 π,π Stacking

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

***Steglich* esterification**

A Stereoselective Total Synthesis of Decarestrictine I, 830

Stereochemistry

Terminology Related to the Phenomenon 'Self-Disproportionation of Enantiomers' (SDE), 1583

Steroids

Insights into the Synthesis of Steroidal *A*-Ring Olefins, 39

Two New Cytotoxic Spirostane-Steroidal Saponins from the Roots of *Bletilla striata*, 56

Rare C₂₅ Steroids Produced by *Penicillium chrysogenum* P1X, a Fungal Endophyte of *Huperzia serrata*, 95

A New Cyclic Peptide and a New Steroid from the Fungus *Penicillium* sp. GD6 Isolated from the Mangrove *Bruguiera gymnorrhiza*, 1564

Six New Steroidal Saponins from *Helleborus thibetanus*, 1652

Sterols

Polyhydroxylated Sterols from the South China Sea Gorgonian *Verrucella umbraculum*, 900

Stevastelins B and B3

Formal Total Synthesis of Stevastelins B and B3, 669

***Still–Gennari* olefination**

A Stereoselective Total Synthesis of Decarestrictine I, 830

Styrenes

One-Pot Synthesis of Novel Pyrrolo[1,2-*a*]quinoxaline-4(5*H*)-ones Using Benzene-1,2-diamine, Acetylene-dicarboxylates, and β -Nitrostyrene Derivatives, 646

I₂-Catalyzed Divergent Regioselective Addition of Methoxybenzenes with Ethenylbenzenes under Microwave Irradiation, 744

Subergorgia suberosa

Suberosanones A–C, New Metabolites Possessing Cyclopentenone System from the South China Sea Gorgonian Coral *Subergorgia suberosa*, 128

Suberosanones A–C

Suberosanones A–C, New Metabolites Possessing Cyclopentenone System from the South China Sea Gorgonian Coral *Subergorgia suberosa*, 128

Sulfamic acid

One-Pot Synthesis of Novel Pyrrolo[1,2-*a*]quinoxaline-4(5*H*)-ones Using Benzene-1,2-diamine, Acetylenedicarboxylates, and β -Nitrostyrene Derivatives, 646

Sulfenic acids

Synthesis of Enantiomerically Pure Bis-Sulfinyl Substituted Phenylene Ethynylenes, 1237

Sulfates, sodium aryl-

Copper-Catalyzed Tandem Synthesis of Functionalized Sulfonyl-yn-imines from Sodium Arylsulfates, Trichloroacetonitrile, and Terminal Alkynes, 384

Sulfonyloxylactonization

A Novel One-Pot Sulfonyloxylactonization of Alkenoic Acids Mediated by Hypervalent Iodine Species Generated *in situ* from Ammonium Iodide, 137

Sulfoxides

Synthesis of Enantiomerically Pure Bis-Sulfinyl Substituted Phenylene Ethynylenes, 1237

Sulfur-Michael addition

Enantioselective Sulfur-Michael Addition of Thioacetic Acid to Nitroalkenes Catalyzed by Bifunctional Amine-Thiourea Catalysts, 1700

Suzuki coupling

Dye-Labeled C ^{α} -Tetrasubstituted α -Amino Acids, 1061

Takasago's process

Enantioselective Access to (–)-*Ambrox*[®] Starting from β -Farnesene, 197

Taspine, N-(chloromethyl)-

Two New Alkaloids from the Roots of *Aconitum sinomontanum* NAKAI, 727

Taxus chinensis

Chemical Constituents of the Endophytic Fungus *Phomopsis* sp. A240 Isolated from *Taxus chinensis* var. *mairei*, 426

Template sorbents

Novel Template Sorbents for Separation of Americium(III) from Nitric Acid Solutions: Search of Optimal Ion-Imitator of Am^{III}, 1644

Terephthalic acid, 2-sulfo-

Synthesis, Characterization, and Photoluminescence Properties of Silver(I) Metal-Organic Polymers with Nanochannels Based on 2-Sulfoterephthalic Acid and Di(pyridin-2-yl)amine Ligands, 345

Terpenes

Formation of the Compounds with an Epoxychromene Framework: Role of the Methoxy Groups, 1406

Viability of Nonclassical Carbocations Proposed as Intermediates in the Biosynthesis of Atiserene, Beyerene, Kaurene, and Trachylobane Diterpenes, 1475

Terpenoids

Two New Cycloartane Triterpenoids from *Kleinhovia hospita*, 887

New Cytotoxic Laurene-, Cuparene-, and Laurokamurene-Type Sesquiterpenes from the Red Alga *Laurencia obtusa*, 1388

Tetraazamacrocyclic complex

The Effect of Sodium Dodecylbenzenesulfonate (SDBS) Micelles on a *Belousov–Zhabotinsky* Oscillating System Catalyzed with a Tetraazamacrocyclic Copper(II) Complex, 237

Tetralone

Characterization of Eight New Secondary Metabolites from the Mutant Strain G-444 of *Tubercularia* sp. TF5, 334

Tetraphenylphosphonium bromide

Direct Esterification of Aromatic Aldehydes with Tetraphenylphosphonium Bromide under Oxidative N-Heterocyclic Carbene Catalysis, 431

Tetrapyrroles

First Synthesis of Azachlorins and Azacorrins with a N-Atom in β -Pyrrolic Positions, 188

Thermal analysis

Spectroscopic, Thermal, and Structural Studies of Two New Co-Crystals of [4,4'-Bithiazole]-2,2'-diamine, 701

Thermal stability

Functionalization of 2''-C-(Piperazinomethyl)-2',3'-BcNA (Bicyclic Nucleic Acids) with Pyren-1-ylcarbonyl Units, 1204

Thiazoles

Unexpected Ring Enlargement of 2-Hydrazono-2,3-dihydro-1,3-thiazoles to 1,3,4-Thiadiazines, 76

1,3-Thiazole-5(4H)-thiones

Reduction of Thiocarbonyl Compounds with Lithium Diisopropylamide, 931

Thioacetic acid

Enantioselective Sulfur-Michael Addition of Thioacetic Acid to Nitroalkenes Catalyzed by Bifunctional Amine-Thiourea Catalysts, 1700

Thioketones

Reduction of Thiocarbonyl Compounds with Lithium Diisopropylamide, 931

Thiourea

One-Pot Synthesis of *N,N*-Disubstituted (*Z*)-4-(Halomethylidene)-4*H*-3,1-benzothiazin-2-amines from 2-(2,2-Dihaloethenyl)phenyl Isothiocyanates and Secondary Amines, 315

Three-component reactions

Synthesis of Novel α -(Acyloxy)- α -(quinolin-4-yl)acetamides by a Three-Component Reaction between an Isocyanide, Quinoline-4-carbaldehyde, and Arenecarboxylic Acids, 1088

Tigliane diterpenes

Tigliane Diterpene Esters from the Leaves of *Croton tiglium*, 1014

Tirucallane

Tirucallane-Type Triterpenoids from *Celastrus stylosus* WALL., 1526

1,2,3-Triazolo- δ -lactone

Stereoselective Synthesis of 1,2,3-Triazolooxazine and Fused 1,2,3-Triazolo- δ -Lactone Derivatives, 1340

1,2,3-Triazolooxazine

Stereoselective Synthesis of 1,2,3-Triazolooxazine and Fused 1,2,3-Triazolo- δ -Lactone Derivatives, 1340

Triplexes

Oligonucleotide Analogues with Integrated Bases and Backbone (ONIB). Part 31. Aminomethylene-Linked CG and GC Dinucleosides of the ONIB Type: Formation of Duplexes and Quadruplexes, 1037

Triterpenes

Sulfated Triterpenes from Lemon Balm, 1497

Triterpenoid saponins

Synthesis of a Trisaccharide Related to the Cytotoxic Triterpenoid Saponins Isolated from the Bark of *Albizia procera*, 361

Four New 13,28-Epoxyoleanane Saponins from *Lysimachia lobelioides*, 839

Three New Pentacyclic Triterpenoids from *Centella asiatica*, 992

Triterpenoids

Three New 24-Nortriterpenoids from the Roots of *Ilex asprella*, 64

Three New Triterpene Saponins from *Bolbostemma paniculatum*, 268

Two New Dammarane-Type Triterpenoid Saponins from *Gynostemma pentaphyllum*, 1333

Tirucallane-Type Triterpenoids from *Celastrus stylosus* WALL., 1526

Tubeimosides A and B

Three New Triterpene Saponins from *Bolbostemma paniculatum*, 268

Tubercularia

Characterization of Eight New Secondary Metabolites from the Mutant Strain G-444 of *Tubercularia* sp. TF5, 334

Ugi four-component reaction

An Efficient Approach to the Synthesis of Hydrazinyl *Pseudo*-Peptides, 1630

Ugi–Smiles reaction

First Diastereoselective *Passerini–Smiles* and *Ugi–Smiles* Reactions Using Chiral Aldehydes, 1076

Ullmann coupling

Copper-Catalyzed *N*-Arylation of 1,1,3,3-Tetramethylguanidine–Phenyl Isocyanate Adduct, 1132

Ultrasound irradiation

An Approach to the Synthesis of 7-Amino-6-imino-9-phenyl-6*H*-benzo[*c*]chromene-8-carbonitrile Derivatives via a Three-Component Reaction under Ultrasonic Irradiation, 447

UV Irradiation

New Bisabolane Sesquiterpenes from the Rhizomes of *Curcuma xanthorrhiza* Roxb. and Their Inhibitory Effects on UVB-Induced MMP-1 Expression in Human Keratinocytes, 438

Vaginatunines A – C

New Alkaloids from *Aconitum vaginatum*, 689

Valeriana jatamansi

Two New Iridoids from the Root and Rhizome of *Valeriana jatamansi* Jones, 722

Velutinalide C

Velutinalide C, a New Polycyclic Phragmalin Limonoid from the Leaves of *Chukrasia tabularis* var. *velutina*, 1445

Verrucella umbraculum

Polyhydroxylated Sterols from the South China Sea Gorgonian *Verrucella umbraculum*, 900

Verumbsteroids A and B

Polyhydroxylated Sterols from the South China Sea Gorgonian *Verrucella umbraculum*, 900

Vibrational circular dichroism (VCD)

A Spectroscopic Study of Colchicine in the Solid State and in Solution by Multinuclear Magnetic Resonance and Vibrational Circular Dichroism, 471

Vilsmeier–Haack formylation

A Convenient and Simple Synthesis of Densely Functionalized Cyclopenta[*cd*]azulenes and Cyclopenta[*ef*]heptalenes, 507

Wardinols A and B

Two Novel Abietane Diterpenoids from *Illicium wardii* A.C.Sm., 122

Water

Confusing Quantitative Descriptions of *Brønsted–Lowry* Acid–Base Equilibria in Chemistry Textbooks – A Critical Review and Clarifications for Chemical Educators, 1

Wittig olefination

Stereoselective Total Synthesis of Oxylipins: (6*S*,7*E*,9*R*,10*S*)-6,9,10-Trihydroxyoctadec-7-enoic Acid and (6*Z*,8*R*,9*R*,10*S*)-8,9,10-Trihydroxyoctadec-6-enoic Acid, 546

Xanthones, isoprenylated

New Isoprenylated Xanthones from *Cudrania tricuspidata*, 1683

Xanthorrhizol 3-*O*- β -glucopyranoside, (7*R*,10*R*)-10,11-dihydro-10,11-dihydroxy-

New Bisabolane Sesquiterpenes from the Rhizomes of *Curcuma xanthorrhiza* Roxb. and Their Inhibitory Effects on UVB-Induced MMP-1 Expression in Human Keratinocytes, 438

X-Ray crystallography

New Orsellinic Acid Esters from Fungus *Chaetomium globosporum*, 151

A Spectroscopic Study of Colchicine in the Solid State and in Solution by Multinuclear Magnetic Resonance and Vibrational Circular Dichroism, 471

Synthesis of *Z*-Protected Aib- and Phe(2Me)-Containing Pentapeptides and Their Crystal Structures, 619

A New Polyketide from the Mangrove Endophytic Fungus *Penicillium* sp. sk14JW2P, 664

Spectroscopic, Thermal, and Structural Studies of Two New Co-Crystals of [4,4'-Bithiazole]-2,2'-diamine, 701

Preparation and Structures of 2-Substituted 5-Benzyl-3-methylimidazolidin-4-one-Derived Iminium Salts, Reactive Intermediates in Organocatalytic Transformations Involving α,β -Unsaturated Aldehydes, 751

Diels–Alder Cyclization of a Dihydropyridine: NMR Spectroscopy, X-Ray Crystallography, and DFT Computations. Bent Aromatic Dimeric Clusters in the Solid Phase, 1365

Synthesis of *ortho*-Phenylenebis(guanidine) Derivatives with Potential Chirality, 1453

Xylaria cubensis

Secondary Metabolites from the Endophytic Fungus *Xylaria cubensis*, 1689

***Yamaguchi* oxirane opening**

Stereoselective Total Synthesis of Phenolic Nonadecanediol, 613

Ylides

Concerted vs. Non-Concerted 1,3-Dipolar Cycloadditions of Azomethine Ylides to Electron-Deficient Dialkyl 2,3-Dicyanobut-2-enedioates, 453

Ynones

Palladium- and Solvent-Free Synthesis of Ynones by Copper(I)-Catalyzed Acylation of Terminal Alkynes with Acyl Chlorides under Aerobic Conditions, 70

Zedoardiol

Two New Sesquiterpenoids from the Rhizomes of *Curcuma xanthorrhiza*, 1295