

SHIGEHICO SUGASAWA

BIBLIOGRAPHY

I STUDIES ON THE SYNTHESSES OF AMINO ACID, INDOLE, MORPHINE AND FLAVONE

- 1 Synthese der Glutaminsäure (I) (dl-Glutaminsäure aus Acrolein). S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1926, 46, 369.
- 2 Synthese der Glutaminsäure (II). S. Sugasawa, J. Pharm. Soc. Japan, 1926, 46, 635.
- 3 Synthese der Glutaminsäure (III). Über die optische Spaltung der rac-Glutaminsäure. S. Sugasawa, J. Pharm. Soc. Japan, 1926, 46, 934.
- 4 Synthese der Glutaminsäure (IV). Einige neue Derivate der Glutaminsäure. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 359.
- 5 Studien zur Synthese der Glutaminsäure (V). Synthese der N-Alkylglutaminsäure. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 1041.
- 6 Studien zur Synthese von Aminosäuren (VI). Synthese des rac-Lysins. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 1044.
- 7 Studien zur Synthese von Aminosäuren (VII). Synthese des rac-Ornithins. S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1928, 48, 24.
- 8 Studien zur Synthese der Indolderivate (I). Synthese des

- Physostigmoläthyläthers. S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1928, 48, 348.
- 9 Studien zur Synthese der Indolderivaten (II). Synthese einiger Indolcarbonsäuren. S. Keimatsu und S. Sugasawa, J. Pharm. Soc. Japan, 1928, 48, 755.
- 10 Studien zur Synthese von Indolderivaten (III). Neue Methode zur Synthese des 3-Keto-3,4,5,6-tetrahydro-4-carbolins. S. Keimatsu, S. Sugasawa, und G. Kasuya, J. Pharm. Soc. Japan, 1928, 48, 762.
- 11 Studien zur Synthese von Indol-derivaten (IV). Synthese des N-β-Phenäthyloxindols (Vorläufige Mitteilung zur Synthese von 2,3,11,12-Tetramethoxy-8-methyldibenzotetrahydropyrrocolinium-salzen). S. Keimatsu, S. Sugasawa, und Nanjun Lee, J. Pharm. Soc. Japan, 1937, 57, 294.
- 12 Preliminary Synthetical Experiments in the Morphine Group. Part I. R. Robinson and S. Sugasawa, J. Chem. Soc., 1931, 3163.
- 13 Preliminary Synthetical Experiments in the Morphine Group. Part II. Some Derivatives of Diphenyl Ether. R. Robinson and S. Sugasawa, J. Chem. Soc., 1931, 3173.
- 14 Preliminary Synthetic Experiments in the Morphine Group. Part IV. A Dehydro-derivative of Laudanosoline Hydrochloride and its Constitution. R. Robinson and S. Sugasawa, J. Chem. Soc., 1932, 789.
- 15 Preliminary Synthetic Experiments in the Morphine Group. Part V. Completion of the Synthesis of Laudanosoline Dimethyl Ether Related to Sinomenine. R. Robinson and S. Sugasawa,

- J. Chem. Soc., 1933, 280.
- 16 Anthoxanthins. Part XI. A Synthesis of Diosmetin and of Luteolin 3'-Methyl Ether. A. Lovecy, R. Robinson, and S. Sugasawa, J. Chem. Soc., 1930, 817.
  - 17 An Attempted Synthesis of Primetin. S. Sugasawa, J. Chem. Soc., 1933, 1621; S. Sugasawa, J. Pharm. Soc. Japan, 1934, 54, 295.
  - 18 The Synthesis of 5-Hydroxyflavone. S. Sugasawa, J. Chem. Soc., 1934, 1483; S. Sugasawa, Proc. Imp. Acad. (Tokyo), 1934, 10, 338; S. Sugasawa und M. Kuriyagawa, J. Pharm. Soc. Japan, 1935, 55, 176.
  - 19 Synthese des 5-Oxy-6-aminoflavons. S. Sugasawa, J. Pharm. Soc. Japan, 1936, 56, 560.
  - 20 Ueber die Synthese des Succindialdehyds. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 551.
  - 21 Ueber die Esterifizierungsmethode nach M. M. R. Locquin und F. Elghozy. S. Sugasawa, J. Pharm. Soc. Japan, 1927, 47, 1050.
  - 22 Synthese einiger Phenyllessigsäuren. S. Sugasawa und T. Tsuda, J. Pharm. Soc. Japan, 1935, 55, 1050.
  - 23 Über die Reaktion zwischen Chinolin, Säure-chlorid und Kalium Cyanid. S. Sugasawa und T. Tsuda, J. Pharm. Soc. Japan, 1936, 56, 557.
- II STUDIES ON THE SYNTHESSES OF HETEROCYCLIC COMPOUNDS CONTAINING NITROGEN
- 24 Synthese der N-Haltigen Hetero-ringe. S. Sugasawa, J. Pharm.

- Soc. Japan, 1937, 57, 557.
- 25 The Synthesis of dl-Homolaudanosoline and its Dehydrogenation. S. Sugasawa and H. Yoshikawa, J. Chem. Soc., 1933, 1583; S. Sugasawa and H. Yoshikawa, J. Pharm. Soc. Japan, 1935, 54, 224.
- 26 Synthese der papaverinverwandten Verbindung II. Synthese des 1-(3',4',5'-Trimethoxyphenyl)-6,7-diäthoxyisochinolins. S. Sugasawa, J. Pharm. Soc. Japan, 1935, 55, 224.
- 27 Synthese der papaverinverwandten Verbindungen III. Einige Experimente über die Synthese des Papaverins. S. Sugasawa und T. Tsuda, J. Pharm. Soc. Japan, 1935, 55, 1044.
- 28 Synthese der papaverinverwandten Verbindungen IV. Synthese des 1-(3',4',5'-Trimethoxyphenyl)-6-propyloxy-7-methoxyisochinolins. S. Sugasawa und K. Kakemi, J. Pharm. Soc. Japan, 1935, 55, 1283.
- 29 Synthese der papaverinverwandten Verbindungen V. Synthese des 1-(3',4'-Methylendioxybenzyl)-3-methyl-6,7-methylendioxyisochinolins und ähnlicher Verbindungen. S. Sugasawa und K. Sakurai, J. Pharm. Soc. Japan, 1936, 56, 563.
- 30 Synthesen von Pyridyl-isochinolin-derivaten (Vorläufige Mittheil). S. Sugasawa und M. Kuriyagawa, Ber., 1936, 69B, 2068; cf. S. Sugasawa, K. Sakurai, M. Fujisawa, and N. Sugimoto, J. Pharm. Soc. Japan, 1940, 60, 140.
- 31 Synthese der papaverinverwandten Verbindungen VI. Synthese der 3-Methylisochinolin-derivate. S. Sugasawa und K. Kakemi, J. Pharm. Soc. Japan, 1937, 57, 172.
- 32 Synthese der Benzolazochinolin-derivaten. S. Sugasawa, K. Kobayashi, und M. Kohara, J. Pharm. Soc. Japan, 1938, 58, 265.

- 33 Synthese der 1,1'-Di-isochinolylsulfid, -sulfoxy und -sulfon. S. Sugasawa und K. Kobayashi, J. Pharm. Soc. Japan, 1944, 64, 186.
- 34 Synthese der 1,1'-Di-isochinolyläther-derivaten. S. Sugasawa, K. Kobayashi, und H. Kawamura, J. Pharm. Soc. Japan, 1945, 65B, 374.
- 35 Der Versuch zur Synthese von 1,1'-Di-isochinolylalkylamin-derivaten. S. Sugasawa, K. Kobayashi, und H. Kawamura, J. Pharm. Soc. Japan, 1945, 65B, 376.
- 36 Synthese der 1,1'-Diphenyl-7,7'-dimethoxy-3,4,3',4'-tetrahydro-6,6'-di-isochinolyläther. S. Sugasawa und K. Kobayashi, J. Pharm. Soc. Japan, 1945, 65B, 379.
- 37 Synthese der 1-tert-Butyl- und 1-( $\beta,\beta$ -Dimethyl-n-propyl)-3-methyl-6,7-methylenedioxyisochinolin. S. Sugasawa, T. Sugiura, und M. Kawanishi, J. Pharm. Soc. Japan, 1945, 65B, 450.
- 38 Synthesis of 1-tert-Alkylisoquinolines. S. Sugasawa and N. Yoshida, J. Pharm. Soc. Japan, 1954, 74, 625.
- 39 Synthesis of 1-tert-Alkyl-6,7-dimethoxyisoquinolines. M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 186.
- 40 Synthesis of 2,2'-Polymethylene-bis(Py-tetrahydroisoquinoline) Derivatives I. Synthesis of 2,2'-Ethylene-bis(3-methyl-6,7-methylenedioxy-Py-tetrahydroisoquinoline). S. Sugasawa, T. Fujisawa, and K. Okada, Pharm. Bull. (Japan), 1953, 1, 80.
- 41 Synthesis of 2,2'-Polymethylene-bis(Py-tetrahydroisoquinoline) Derivatives II. Synthesis of 2,2'-Polymethylene-bis(3-methyl-6,7-methylenedioxy-Py-tetrahydroisoquinoline). T. Fujisawa, Pharm. Bull. (Japan), 1954, 2, 343.

- 42 Synthesis of some 1-Substituted Isoquinoline Derivatives. S. Sugasawa, K. Sakurai, M. Fujisawa, and N. Sugimoto, J. Pharm. Soc. Japan, 1940, 60, 140.
- 43 Direction of Isoquinoline Ring-Closure by Bischler-Napieralski Reaction. S. Sugasawa and H. Shigehara, J. Pharm. Soc. Japan, 1942, 62, 386.
- 44 A Simplified Isoquinoline Synthesis I. S. Sugasawa, S. Toda, and H. Tomiyama, J. Pharm. Soc. Japan, 1952, 72, 252.
- 45 Studies on Synthetic Curariform Substance I. Synthesis of Decamethonium and its Derivatives. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 911.
- 46 Studies on Synthetic Curariform Substance II. Synthesis of Derivatives of 2,2'-Decamethylene-bis(1,2,3,4-tetrahydroisoquinoline). M. Onda, J. Pharm. Soc. Japan, 1954, 74, 915.
- 47 Studies on Synthetic Curariform Substance III. Synthesis of Derivatives of  $\alpha,\theta$ -Bis(2-methyl-1,2,3,4-tetrahydroisoquinolyl-1)octane. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 918.
- 48 Studies on Synthetic Curariform Substance IV. Resolution of Stereoisomers of  $\alpha,\theta$ -Bis(2-methyl-1,2,3,4-tetrahydroisoquinolyl-1)octane Derivatives. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 921.
- 49 Studies on Synthetic Curariform Substance V. Synthesis of Derivatives of Bis(2-methyl-1,2,3,4-tetrahydroisoquinoline)-Possessing Hydroquinone Ether Linkage. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 925.
- 50 Studies on Synthetic Curariform Substance VI. Resolution of Stereoisomers of Bis(2-methyl-1,2,3,4-tetrahydroisoquinoline)-

- Derivatives Possessing Hydroquinone Ether Linkage. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 928.
- 51 Studies on Synthetic Curariform Substance VII. Synthesis of 7,7'-Ethylenedioxy-bis(1-veratryl-6-methoxy-2-methyl-1,2,3,4-tetrahydroisoquinoline) Dimethiodide. M. Onda, J. Pharm. Soc. Japan, 1954, 74, 931.
- 52 Synthesis of 6,7-Dimethoxy-3-(3',4'-dimethoxybenzyl)isoquinoline. S. Sugasawa and R. Tachikawa, J. Pharm. Soc. Japan, 1954, 74, 619.
- 53 Mechanism of the Mannich Isoquinoline Cyclization. N. Yoshida, J. Pharm. Soc. Japan, 1954, 74, 633.
- 54 Synthesis of 1-(3,4-Methylenedioxyphenyl)-3,5-dimethyl-7,8-methylenedioxyisoquinoline. S. Sugasawa and T. Hino, Pharm. Bull. (Japan), 1954, 2, 242.
- 55 Synthesis of 1-Isoquinolylacetic Acid Derivatives. M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 183.
- 56 Synthesis of 1-p-Methoxybenzyl-1,2,3,4,5,6,7,8-octahydroisoquinoline. S. Sugasawa and R. Tachikawa, J. Org. Chem., 1959, 24, 2043.
- 57 Synthesis of 6,7-Dihydroxy-1,2,3,4-tetrahydroisoquinoline Derivatives. E. Yamato, M. Hirakura, and S. Sugasawa, Tetrahedron, 1966, Suppl. 8, Part I, 129.
- 58 Synthesis and Structure of 4-Substituted Decahydroisoquinoline Derivatives. N. Itoh, Chem. and Pharm. Bull. (Japan), 1968, 16, 455.
- 59 Synthese der N-haltigen Hetero-ring VIII. II Gruppe: Synthese in der Chinolin-reihe I. Neue Synthese des Chinolins.

- S. Sugasawa and K. Kakemi, J. Pharm. Soc. Japan, 1937, 57, 745.
- 60 A. Synthesis of 6,7-Dimethoxyquinoline. S. Sugasawa, K. Kakemi, and T. Tsuda, J. Pharm. Soc. Japan, 1938, 58, 402; Proc. Imp. Acad. (Tokyo), 1938, 14, 67.
- 61 Preparation of Some 2-Quinolones. S. Sugasawa, S. Akahoshi, J. Himizu, and M. Kawazu, J. Pharm. Soc. Japan, 1952, 72, 190.
- 62 Synthese der N-haltigen Hetero-Ring (X). III Gruppe: Synthese in den Indol-Derivaten (I). Neue Synthese von Indol. S. Sugasawa, I. Satoda, und J. Yanagisawa, J. Pharm. Soc. Japan, 1938, 58, 139.
- 63 Indole-cyclization of Methyl Propyl Ketone Phenylhydrozone. S. Sugasawa and S. Nakamura, J. Pharm. Soc. Japan, 1953, 73, 647.
- 64 Synthesis of dl-Esermethole. S. Sugasawa and M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 194.
- 65 Synhtesis of Homoesermethole. S. Sugasawa and M. Murayama, Chem. and Pharm. Bull. (Japan), 1958, 6, 200.
- 66 On the Reaction of N,N'-Dimethylfumaranylilide with Aluminium Chloride. T. Hino and T. Shioiri, Chem. and Pharm. Bull. (Japan), 1960, 8, 839.
- 67 Synthetic Approaches to Calycanthaceae Alkaloids II. A Synthesis of 1,1'-Dimethyl-3,3'-bis(2-aminoethyl)-3,3'-bioxindole. T. Hino, Chem. and Pharm. Bull. (Japan), 1961, 9, 979.
- 68 Synthetic Approaches to Calycanthaceae Alkaloids III. Reductive Cyclization of 3,3'-Bioxindole (1). A Formation



- of 5,7-Dimethyl-11b,11c-bis(2-dimethylaminoethyl)-5,5a,6a,7,11b,11c-hexahydrofuro[2,3-b:5,4-b']diindole. T. Hino, Chem. and Pharm. Bull. (Japan), 1961, 9, 988.
- 69 The Reductive Cyclization of 1-Methyl-3-aminoalkyloxindoles with Lithium Aluminium Hydride. S. Yamada, T. Hino, and K. Ogawa, Chem. and Pharm. Bull. (Japan), 1963, 11, 674.
- 70 Total Synthesis of (±)-Folicanthine. T. Hino and S. Yamada, Tetrahedron Letters, 1963, 1757.
- 71 Synthesis of Isoindoline Derivatives I. Synthesis of 1-Benzyl-isoindoline. S. Sugasawa and H. Shigehara, J. Pharm. Soc. Japan, 1943, 63, 98.
- 72 Synthesis of Isoindoline Derivatives II. H. Shigehara, J. Pharm. Soc. Japan, 1944, 64, 9.
- 73 Synthese der N-haltigen Hetero-Ring (IX). IV Gruppe: Synthese in den Kondensierten N-Ringen (I). Synthese der Dibenzochinolicin-Derivate. S. Sugasawa, J. Pharm. Soc. Japan, 1937, 57, 1028.
- 74 Studien zur Synthese von Dibenzochinolizin. S. Sugasawa, J. Pharm. Soc. Japan, 1940, 60, 1.
- 75 Studien zur Synthese von Dibenzochinolizin-Derivaten (I). Synthese von 4',5',4'',5''-Tetramethoxy-1,2,5,6-tetrahydro-[1',2':3,4;1'',2'':7,8-dibenzochinolizin]. S. Sugasawa und K. Kakemi, Ber., 1938, 71B, 1860; S. Sugasawa und K. Kakemi, Proc. Imp. Acad. (Tokyo), 1938, 14, 214; K. Kakemi, J. Pharm. Soc. Japan, 1940, 60, 2.
- 76 Studien zur Synthese von Dibenzochinolizin-Derivaten (II). Synthese von 4',5'-Dimethoxy-4'',5''-methylendioxy-3,4,5,6-

- tetrahydro[1',2':1,2;1",2":7,8-dibenzochinolizin] und der entsprechenden Tetramethoxy-Verbindung. S. Sugasawa und K. Kakemi, Ber., 1939, 72B, 980; S. Sugasawa und K. Kakemi, Proc. Imp. Acad. (Tokyo), 1939, 15, 52; K. Kakemi, J. Pharm. Soc. Japan, 1940, 60, 6.
- 77 Studien zur Synthese von Dibenzochinolizin-Derivaten (III). Synthese von 3',4',3",4"-Tetramethoxy-1,4,5,8-tetrahydro-[1',6':2,3;1",6":6,7-dibenzochinolizin]. S. Sugasawa, K. Kakemi und H. Kazumi, Ber., 1940, 73B, 782; S. Sugasawa, K. Kakemi, und H. Kazumi, Proc. Imp. Acad. (Tokyo), 1939, 15, 223, K. Kakemi, J. Pharm. Soc. Japan, 1940, 60, 11.
- 78 Studien zur Synthese von Dibenzochinolizin-Derivaten (IV). Synthese von 3',4',3",4"-Tetramethoxy-1,2,5,8-tetrahydro-[1',6':3,4;1",6":6,7-dibenzochinolizin]. S. Sugasawa, K. Kodama, und H. Inagaki, Ber., 1941, 74B, 455; S. Sugasawa, K. Kodama, und H. Inagaki, Proc. Imp. Acad. (Tokyo), 1940, 16, 473; S. Sugasawa, K. Kodama, and H. Inagaki, J. Pharm. Soc. Japan, 1941, 61, 491.
- 79 Studien zur Synthese von Dibenzochinolizin-Derivaten (V). Synthese von 4',5':4",5"-Tetramethoxy-5,6,7,8-(1',2':1,2;1",2":3,4-dibenzochinolizin). S. Sugasawa und S. Ohki, J. Pharm. Soc. Japan, 1942, 62, 396; Proc. Imp. Acad. (Tokyo), 1942, 18, 287.
- 80 Studien zur Synthese von Dibenzochinolizin-Derivaten (VI). Synthese von 4',5'-Dimethoxy-1,2,5,6,7,8,3",4",5",6"-deka-hydro-(1',2':3,4';1",2":5,6-dibenzochinolizin). S. Sugasawa and N. Sugimoto, J. Pharm. Soc. Japan, 1943, 63, 127; Proc. Imp. Acad. (Tokyo), 1942, 18, 658.

- 81 Synthesis of 3',4':3",4"-Tetramethoxy-1,4,5,8-tetrahydro-  
(1',6':2,3;1",6":6,7-dibenzoquinolizine). S. Sugasawa and R.  
Tachikawa, Pharm. Bull. (Japan), 1954, 2, 297.
- 82 Studien zur Synthese von Dibenzoindolizin-Derivaten (I).  
Synthese von 4',5':4",5"-Tetramethoxy-3,8,4,7-tetrahydro-  
[1',2":1,2;1",2":5,6-dibenzoindolizin]. S. Sugasawa and K.  
Kodama, Ber., 1941, 74B, 1237; S. Sugasawa, K. Kodama, and  
K. Akatsuka, Proc. Imp. Acad. (Tokyo), 1941, 16, 102; S.  
Sugasawa, K. Kodama, and K. Akatsuka, J. Pharm. Soc. Japan,  
1941, 61, 494.
- 83 Studien zur Synthese von Dibenzoindolizin-Derivaten (II).  
Über die Synthese von Dimethyl-1,8,4,5-tetrahydro-(1',2':2,3;  
1",2":6,7-dibenzoindolizin). S. Sugasawa, und K. Kodama,  
Proc. Imp. Acad. (Tokyo), 1941, 16, 418; J. Pharm. Soc. Japan,  
1942, 62, 367.
- 84 Studien zur Synthese von Dibenzoindolizin-Derivaten (II).  
Ergänzung. S. Sugasawa und K. Kodama, J. Pharm. Soc. Japan,  
1943, 63, 96.
- 85 Studien zur Synthese von Dibenzoindolizin-Derivaten (III).  
Synthese von 4',5':4",5"-Tetramethoxy-1,2,3,8-tetrahydro-  
(1',2':4,5;1",2":6,7-dibenzoindolizin). S. Sugasawa und S.  
Ohki, J. Pharm. Soc. Japan, 1942, 62, 398; Proc. Imp. Acad.  
(Tokyo), 1942, 18, 291.
- 86 Studien zur Synthese von Dibenzoindolizin-Derivaten (IV).  
Synthese von 4",5"-Dimethoxy-1,8,4,7-tetrahydro-(1',2':2,3;  
1",2":5,6-dibenzoindolizin). S. Sugasawa und K. Kodama,

- Proc. Imp. Acad. (Tokyo), 1942, 18, 565; K. Kodama, J. Pharm. Soc. Japan, 1943, 63, 54.
- 87 Studien zur Synthese von Dibenzoindolizin-Derivaten (V).  
Synthese von 4',5'-Dimethoxy-1,2,3,8,6,7,3",4",5",6"-dekahydro-(1",2":2,3;1',2':4,5-dibenzoindolizin). S. Sugasawa und S. Ohki, Proc. Imp. Acad. (Tokyo), 1943, 19, 570; J. Pharm. Soc. Japan, 1944, 64, 190.
- 88 Studies on the Synthesis of Dibenzoindolizine Derivatives (VI).  
Synthesis of 4',5':4";5"-Tetramethoxy-3,4-dihydro-(2',1':1,2;2",1":5,6-dibenzoindolizine). S. Sugasawa and K. Mizukami, Pharm. Bull. (Japan), 1955, 3, 42.
- 89 Studien zur Synthese von Benzochinolizin-Derivaten. S. Sugasawa, J. Pharm. Soc. Japan, 1944, 64B, 14.
- 90 Studien zur Synthese von Benzochinolizin-Derivaten (II).  
Synthese von 4',5'-Dimethoxy-1,2,5,6,7,8-hexahydro-(1',2':3,4-benzochinolizin). S. Sugasawa, N. Sugimoto, und T. Nakata, Proc. Imp. Acad. (Tokyo), 1942, 18, 655; J. Pharm. Soc. Japan, 1943, 63, 125.
- 91 Studien zur Synthese von Benzochinolizin-Derivaten III.  
Synthese von Lilolidin und Julolidin. N. Sugimoto, J. Pharm. Soc. Japan, 1944, 64B, 15.
- 92 Studien zur Synthese von Benzochinolizin-Derivaten IV.  
Synthese von 4',5'-Dimethoxy-1,2,5,6,7,8-hexahydro-(1',2':2,3-benzochinolizin). N. Sugimoto, J. Pharm. Soc. Japan, 1944, 64B, 108.
- 93 Studies on the Synthesis of Benzoquinolizines V. Synthesis of 1,3,4,6,11,11a-Hexahydro-2H-8,9-dimethoxybenzo[b]quinolizine.

- N. Sugimoto, J. Pharm. Soc. Japan, 1956, 76, 1045.
- 94 Synthetic Studies on Benzoquinolizines (I). Synthesis of 1,2-Polymethylenetetrahydroisoquinolines. S. Sugasawa, K. Sakurai, and N. Sugimoto, J. Pharm. Soc. Japan, 1939, 59, 247; Proc. Imp. Acad. (Tokyo), 1939, 15, 82.
- 95 Studien zur Synthese von Benzochinolizin. Synthese von 4',5'-Dimethoxy-8-methyl-6-carbäthoxy-3,4,5,6,7,8-hexahydro-[1',2':1,2-benzochinolizin]. S. Sugasawa, K. Sakurai, und T. Okayama, Ber., 1941, 74B, 537; S. Sugasawa, K. Sakurai, und T. Okayama, Proc. Imp. Acad. (Tokyo), 1940, 16, 225; S. Sugasawa, K. Sakurai, und T. Okayama, J. Pharm. Soc. Japan, 1942, 62, 77.
- 96 Über die Synthese des rac-C-nor-Emetin (-Pyman). S. Sugasawa, und K. Sakurai, Proc. Imp. Acad. (Tokyo), 1941, 17, 501; J. Pharm. Soc. Japan, 1942, 62, 87.
- 97 Studien zur Synthese von Bis-Benzochinolizin-Derivaten (I). Synthese von Di-isochinolyl-spiro-dipiperidin-Derivaten. S. Sugasawa und S. Tomimatsu, J. Pharm. Soc. Japan, 1944, 64, 23; Proc. Imp. Acad. (Tokyo), 1944, 20, 377.
- 98 Über verbesserte Synthese von rac-C-nor-Emetin-Pyman. S. Sugasawa und H. Shigehara, Proc. Imp. Acad. (Tokyo), 1944, 20, 374; J. Pharm. Soc. Japan, 1945, 65B, 369.
- 99 Synthese von 4',5'-Methylenedioxy-6-[ $\beta$ -(6",7"-methylenedioxy-3"-methyl-Py-tetrahydroisochinolyl-1")-äthyl]-4-methyl-3,4,5,6,7,8-hexahydro-(1',2':1,2-benzochinolizin). S. Sugasawa und T. Kametani, J. Pharm. Soc. Japan, 1945, 65B, 372.
- 100 Synthese von Bis-Benzochinolizin-Derivaten (II). Über die Synthese von 4",5":4"',5'''-Bismethylenedioxy-6,6'-bis-[3,4,5,6,

- 7,8-hexahydro-(2',1':1,2)-benzochinolizine]. S. Sugasawa und T. Saito, J. Pharm. Soc. Japan, 1945, 65, 452.
- 101 Synthetic Study of Emetine and its Allied Compounds VIII. Syntheses of Bisbenzoquinolizine III. Synthesis of 6-Piperidyl-(2')-4',5'-methylenedioxy-3,4,5,6,7,8-hexahydro-(2',1':1,2-benzoquinolizine). S. Sugasawa and T. Saito, J. Pharm. Soc. Japan, 1948, 68, 93.
- 102 Synthetic Study of Emetine and its Allied Compounds IX. Synthesis of 4'',5'':4''',5'''-Bismethylenedioxy-7,7'-bis-(3,4,5,6,7,8-hexahydro-2',1':1,2-benzoquinolizine). S. Sugasawa and T. Saito, J. Pharm. Soc. Japan, 1948, 68, 96.
- 103 Syntheses of Emetine and its Allied Compounds X. Improved Synthetic Method for 4',5'-Dimethoxy-6-carbethoxy-8-methyl-3,4,5,6,7,8-hexahydro-[1',2':1,2-benzoquinolizine]. S. Sugasawa and K. Kobayashi, J. Pharm. Soc. Japan, 1949, 69, 85.
- 104 Syntheses of Emetine and its Allied Compounds (XI). Synthesis of rac-Emetine(-Pyman). S. Sugasawa and K. Kobayashi, Proc. Japan Acad., 1948, 24, 17; S. Sugasawa and K. Kobayashi, J. Pharm. Soc. Japan, 1949, 69, 88.
- 105 Synthesis of rac-Emetamine(-Pyman). S. Sugasawa and K. Kobayashi, Proc. Japan Acad., 1948, 24, 23; K. Kobayashi, J. Pharm. Soc. Japan, 1949, 69, 91.
- 106 Synthesis in the Benzoquinolizine. Group XIII. A Synthesis of 4',5'-Methylenedioxy-7-amino-3,4,5,6,7,8-hexahydro-(1',2':1',2'-benzoquinolizine). S. Sugasawa and Y. Suzuta, J. Pharm. Soc. Japan, 1951, 71, 1159.

- 107 Synthesis of 4',5'-Dimethoxy-3,4,5,6,7,8-hexahydro-(1,2:1',2'-benzoquinolizine). S. Sugasawa, S. Akahoshi, and M. Yamada, J. Pharm. Soc. Japan, 1951, 71, 1341.
- 108 Synthesis in the Benzoquinolizine Group XV. A Synthesis of 4',5'-Methylenedioxy-3,4,5,6,7,8-hexahydro-6-(N-methylpyrrolidyl-2")-(1',2':1,2-benzoquinolizine). S. Sugasawa and T. Tatsuno, J. Pharm. Soc. Japan, 1952, 72, 248.
- 109 Synthesis in the Benzoquinolizine Group XVI. A Synthesis of 4',5'-Methylenedioxy-6-amino-2,3,4,5,7,8-hexahydro-(2',1':1,2-benzoquinolizine). S. Sugasawa and H. Tomisawa, J. Pharm. Soc. Japan, 1952, 72, 304.
- 110 Synthesis in the Benzoquinolizine Group XVII. On the Relative Stability of Benzoquinolizinium Ring System. S. Sugasawa and S. Akahoshi, Proc. Japan Acad., 1952, 28, 296; S. Sugasawa, S. Akahoshi, and M. Suzuki, J. Pharm. Soc. Japan, 1952, 72, 1273.
- 111 Synthesis in the Benzoquinolizine Group XVIII. On the Relative Stability of Dibenzquinolizinium Ring System. S. Akahoshi, J. Pharm. Soc. Japan, 1952, 72, 1277.
- 112 Synthesis in the Benzoquinolizine Group XIX. Synthesis of rac-C-Bis(nor)emetine. Y. Tomimatsu, J. Pharm. Soc. Japan, 1953, 73, 75.
- 113 Synthesis in the Benzoquinolizine Group XX. Synthesis of rac-C-Trisnoremetine. S. Sugasawa and K. Oka, Pharm. Bull. (Japan), 1953, 1, 188, 230.
- 114 Synthesis in the Benzoquinolizine Group XXI. Synthesis of Thiazoyl- and Quinolyl-benzoquinolizine Derivatives.

- S. Sugasawa, T. Tatsuno, and T. Kamiya, Pharm. Bull. (Japan), 1953, 1, 233.
- 115 Synthesis in the Benzoquinolizine Group XXIII. Synthesis of rac-C-Bisnoremetine. S. Sugasawa and K. Oka, Pharm. Bull. (Japan), 1954, 2, 85.
- 116 Synthesis in the Benzoquinolizine Group XXIV. A Synthesis of rac-Dihydroisorotundine. K. Mizukami, Chem. and Pharm. Bull. (Japan), 1958, 6, 312.
- 117 Synthesis of rac-Dihydrorotundine. S. Sugasawa and K. Mizukami, Chem. and Pharm. Bull. (Japan), 1958, 6, 359.
- 118 Studies on the Synthesis of Benzoquinolizine Group XXV. A Synthesis of 3-[2-(6,7-Dimethoxy-1,2,3,4-tetrahydro-1-isoquinolyl)ethyl]-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine (rac-C-Noremetine-Pyman). M. Kirisawa, Chem. and Pharm. Bull. (Japan), 1959, 7, 35.
- 119 Studies on the Synthesis of Benzoquinolizine Group XXVI. A Synthesis of 2-(6,7-Dimethoxy-1,2,3,4-tetrahydro-1-isoquinolylmethyl)-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine (rac-C-Bisnoremetine). M. Kirisawa, Chem. and Pharm. Bull. (Japan), 1959, 7, 38.
- 120 Reaction of 1-Phenethyl-2(1H)-pyridones with Phosphoryl Chloride. Formation of 1-Phenethyl-2-chloropyridinium Salts. S. Sugasawa, S. Akaboshi, and Y. Ban, Chem. and Pharm. Bull. (Japan), 1959, 7, 263.
- 121 Synthesis in the Benzoquinolizine Group I. Synthesis of 1,2,3,4,6,7-Hexahydro-11bH-benzo[a]quinolizines. S. Akaboshi, T. Kutsuma, and K. Achiwa, Chem. and Pharm. Bull. (Japan),



- 1960, 8, 14.
- 122 Syntheses of Benzoquinolizine Derivatives I. Syntheses of 3-Dimethylaminoalkyl-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizines. Y. Suzuta, J. Pharm. Soc. Japan, 1959, 79, 1314.
  - 123 Syntheses of Benzoquinolizine Derivatives II. Synthesis of 2-Dimethylaminoethyl-3-methyl-9,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine. Y. Suzuta, J. Pharm. Soc. Japan, 1959, 79, 1319.
  - 124 Syntheses of 1-Azabicycloammonium Derivatives. S. Sugasawa and Y. Suzuta, J. Pharm. Soc. Japan, 1959, 79, 1323.
  - 125 Synthesis of 1-Alkyl-1,2,3,4,6,7-hexahydro-11bH-benzo[a]-quinolizin-2-one Derivatives. M. Kawanishi, Chem. and Pharm. Bull. (Japan), 1962, 10, 185.
  - 126 Synthesis of the So-called Dehydrorotundinium Salt and its Partial Reduction. M. Kawanishi, Chem. and Pharm. Bull. (Japan), 1962, 10, 191.
  - 127 On the Structure of So-called Rotundine. M. Kawanishi and S. Sugasawa, Chem. and Pharm. Bull. (Japan), 1965, 13, 522.
  - 128 Studies on the Synthesis of Emetine I. A Synthesis of 1-(N-Benzyl-2-oxo-5-ethyl-4-piperidylmethyl)-6,7-dimethoxy-3,4-dihydroisoquinoline. (Preliminary Experiments to the Synthesis of Emetine). S. Sugasawa and T. Fujii, Pharm. Bull. (Japan), 1955, 3, 47.
  - 129 Studies on the Synthesis of Emetine II. Synthesis of Rubreminium Bromide. Y. Ban, Pharm. Bull. (Japan), 1955, 3, 53, Proc. Japan Acad., 1954, 30, 31.

- 130 Studies on the Synthesis of Emetine. Part II. A Synthesis of dl-Rubremetinium Bromide. T. Fujii, Chem. and Pharm. Bull. (Japan), 1958, 6, 591.
- 131 Debenzylation of N-Benzyl-acylamides. S. Sugasawa and T. Fujii, Chem. and Pharm. Bull. (Japan), 1958, 6, 587.
- 132 Die Oxydation einiger  $\beta$ -Phenäthylpyridinium- und chinolinium-Salze. S. Sugasawa und N. Sugimoto, Ber., 1939, 72B, 977; Proc. Imp. Acad. (Tokyo), 1939, 15, 49.
- 133 Die Oxydation einiger  $\beta$ -Phenyläthylpyridinium-Salze (II). S. Sugasawa und H. Shigehara, Ber., 1941, 74B, 459; Proc. Imp. Acad. (Tokyo), 1940, 16, 187.
- 134 The Oxidation of 1-Methyl-3-ethylpyridinium Salt. S. Sugasawa and Y. Ban, J. Pharm. Soc. Japan, 1952, 72, 1336.
- 135 Oxidation of 1-Methyl-3-ethylpyridinium Salt (A Correction). S. Sugasawa and M. Kirisawa, Pharm. Bull. (Japan), 1956, 4, 139.
- 136 Oxidation of 3-Substituted 1-Alkylpyridinium Salts II. Oxidation of 1-Methyl- and 1-Phenethyl-3-phenylpyridinium Salts. S. Sugasawa and M. Kirisawa, Pharm. Bull. (Japan), 1955, 3, 187.
- 137 Oxidation of 3-Substituted 1-Alkylpyridinium Salts III. Preparation of 1-Methyl-3-ethyl-6-pyridone and -piperidone. S. Sugasawa and M. Kirisawa, Pharm. Bull. (Japan), 1955, 3, 190.
- 138 Oxidation of N-( $\beta$ -3',4'-Methylenedioxyphenyl)-3-ethylpyridinium Salt and the Constitution of the Resultant Pyridone. S. Sugasawa and T. Tatsuno, Pharm. Bull. (Japan), 1954, 2, 193.

- 139 Oxidation of 4-(1,1-Ethylenedioxyethyl)- and 4-(Ethylenedioxyethyl)-1-methylpyridinium Salts. S. Sugasawa and M. Kirisawa, Chem. and Pharm. Bull. (Japan), 1958, 6, 615.
- 140 Étude sur la détermination de la Constitution des Pyridones. T. Tatsuno, Pharm. Bull. (Japan), 1954, 2, 140.
- 141 Studies on 1-Alkyl-2-pyridone Derivatives I. Sandmeyer Reaction of 1-Phenethyl-4(or 5)-amino-2-pyridone. H. Tomizawa, J. Pharm. Soc. Japan, 1959, 79, 1167.
- 142 Studies on 1-Alkyl-2-pyridone Derivatives II. Dipole Moment of 1-Phenethyl-2-pyridone. H. Tomizawa, J. Pharm. Soc. Japan, 1959, 79, 1170.
- 143 Studies on 1-Alkyl-2-pyridone Derivatives III. Oxidation of 1-Phenethyl-3-phenoxy(3-cyano and 4-bromo)pyridinium Salt. H. Tomizawa, J. Pharm. Soc. Japan, 1959, 79, 1173.
- 144 Synthese von Oktahydrochinolizin. S. Sugasawa und N.-Z. Lee, J. Pharm. Soc. Japan, 1939, 59, 326.
- 145 Application of the Robinson Dehydrogenation Reaction I. A Synthesis of 2,3-Dimethoxy-6H-indolo[2,1-a]isoindole. S. Sugasawa and Y. Kanoka, Pharm. Bull. (Japan), 1955, 3, 266.
- 146 Application of the Robinson Dehydrogenation Reaction II. Oxidative Cyclization of Some Phenethyl- and Phenylpropylamines. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 589.
- 147 Application of the Robinson Dehydrogenation Reaction III. Synthesis of 2,3,9,10-Tetramethoxy-5,6,6a,7,12,13-hexahydro-13-methyldibenzo[b,f]quinolizinium Iodide. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 595.

- 148 Application of the Robinson Dehydrogenation Reaction IV. Oxidation of Some Tetrahydro- $\beta$ -carboline Derivatives. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 597.
- 149 Application of the Robinson Dehydrogenation Reaction V. (Supplement to Part I). Synthesis of 2,3-Dimethoxy-5-methyl-10b,11-dihydro-6H-indolo[2,1-a]isoindolium Iodide. Y. Kanaoka, Chem. and Pharm. Bull. (Japan), 1959, 7, 647.
- 150 Synthesis of Pyridopyrazolone Derivatives I. Synthesis of Pyrido[3,4-c]pyrazolones. S. Sugasawa and N. Yoneda, Pharm. Bull. (Japan), 1956, 4, 360.
- 151 Synthesis in the Azabenzquinolizine. Group I. A Synthesis of 1,2,3,6,7,12b-Hexahydro-4H-1,3-dioxo[j]pyridazo[3,2-a]-isoquinoline. S. Sugasawa and K. Kohno, Pharm. Bull. (Japan), 1956, 4, 477.
- 152 Synthesis in the Azabenzquinolizine. Group II. Synthesis of 9,10-Dimethoxy-1,2,3,4,6,7-hexahydro-11bH-pyrazino[2,1-a]-isoquinoline Derivatives. T. Yamazaki, J. Pharm. Soc. Japan, 1959, 79, 1003.
- 153 Synthesis in the Azabenzquinolizine. Group III. Synthesis of 9,10-Dimethoxy-1,2,3,4,6,7-hexahydro-11bH-pyrimido[4,3-a]-isoquinoline Derivatives. T. Yamazaki, J. Pharm. Soc. Japan, 1959, 79, 1008.
- 154 Synthesis in the Azabenzquinolizine. Group IV. Synthesis of 9,10-Dimethoxy-1,2,3,4,6,7-hexahydro-11bH-pyrimido[2,1-a]-isoquinoline. T. Yamazaki, J. Pharm. Soc. Japan, 1959, 79, 1014.

- 155 Synthesis of Pyrazolone Derivatives I. Synthesis of 4-Formylantipyrine and Some of Its Reactions. I. Ito, J. Pharm. Soc. Japan, 1956, 76, 167.
- 156 Synthesis of Pyrazolone Derivatives II. Synthesis of 3-Amino-1-phenyl-2-methyl-5-pyrazolone and Related Compounds. I. Ito, J. Pharm. Soc. Japan, 1956, 76, 820.
- 157 Synthesis of Pyrazolone Derivatives III. Synthesis of 3-Formyl- and 3,4-Diformyl-2-methyl-5-pyrazolone. I. Ito, J. Pharm. Soc. Japan, 1956, 76, 822.
- 158 Synthesis of Pyrazolone Derivatives IV. Synthesis of 1-Methyl-2-phenyl-5-R-1,4,5,6-tetrahydropyrrolo[3,4-c]pyrazol-3(2H)-one and Related Compounds. I. Ito, J. Pharm. Soc. Japan, 1957, 77, 707.
- 159 Synthesis of Pyrazolone Derivatives V. An Improved Synthesis of 1-Phenyl-2-methyl-3-(2-aminoethyl)-5-pyrazolone. I. Ito, J. Pharm. Soc. Japan, 1959, 79, 709.
- 160 Synthesis of Pyrazolone Derivatives VI. Synthesis of 1,1-Bis[(1-phenyl-2-methyl-5-oxo-3-pyrazolin-3-yl)methyl]methyamine. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1727.
- 161 Synthesis of Pyrazolone Derivatives VII. Synthesis of Pyrazolo[4,3-c]pyridine Derivatives. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1730.
- 162 Synthesis of Pyrazolone Derivatives VIII. Synthesis of 4,5,6,7-Tetrahydro-3H-pyrazolo[4,3-c]pyridine and 3H-pyrazolo[3,4-c]pyridine Derivatives. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1735.

- 163 Synthesis of Pyrazolone Derivatives IX. Synthesis of 3H-Pyrazolo[3,4-b]pyridine and 3H-pyrazolo[4,3-b]pyridine Derivatives. I. Ito, J. Pharm. Soc. Japan, 1961, 81, 1738.
- 164 A Synthesis of  $\beta$ -Carboline Derivatives. S. Sugasawa, M. Terashima, and Y. Kanaoka, Pharm. Bull. (Japan), 1956, 4, 16.
- 165 2-(2-Pyridyl)indole Methiodide. S. Sugasawa and S. Takano, Chem. and Pharm. Bull. (Japan), 1958, 6, 111.
- 166 Syntheses of  $\beta$ -Carboline Derivatives II. Pentacyclic  $\beta$ -Carboline Analogs of Alstoniline and Tetrahydrobenzindoloquinolizines. S. Sugasawa and S. Takano, Chem. and Pharm. Bull. (Japan), 1959, 7, 417.
- 167 Synthesis of  $\beta$ -Carboline Derivatives III. A Synthesis of Dimethoxybenzindoloquinolizine. S. Sugasawa and Y. Deguchi, Chem. and Pharm. Bull. (Japan), 1960, 8, 879.
- 168 Synthesis of 1-Methyl-1,2,3,4,6,7,12,12b-ocatahydro-2,6-methanoindolo[2,3-a]quinolizine. N. Yoneda, Chem. and Pharm. Bull. (Japan), 1965, 13, 1231.
- 169 Synthese partiell hydrierter Phenanthridin-Derivate (I). S. Sugasawa und K. Kodama, Ber., 1939, 72B, 675.
- 170 Synthese partielle hydrierter Phenanthridin-Derivate. II. S. Sugasawa K. Kodama, and S. Hara, J. Pharm. Soc. Japan, 1940, 60, 356.
- 171 Reduction of Nitriles by U-Co-B-Catalyst. S. Saito, J. Pharm. Soc. Japan, 1956, 76, 351.
- 172 Synthesis in the Morphinan Group I. Synthesis of C"-Nor and -Homo Derivatives of 3-Hydroxy-N-methylmorphinan. S. Sugasawa and S. Saito, Pharm. Bull. (Japan), 1956, 4, 237.

- 173 Synthesis in the Morphinan Group II. The Structure of 3-Hydroxy-N-methyl-C-normorphinan. S. Saito, Pharm. Bull. (Japan), 1956, 4, 438.
- 174 Synthesis in the Morphinan Group III. A Synthesis of 2,3- and 3,4-Ethylenedioxy-N-methylmorphinan and their Optical Resolution. M. Sasamoto, Chem. and Pharm. Bull. (Japan), 1960, 8, 324.
- 175 Synthesis in the Morphinan Group IV. Structural Proof of 2,3- and 3,4-Ethylenedioxy-N-methylmorphinan. M. Sasamoto, Chem. and Pharm. Bull. (Japan), 1960, 8, 329.
- 176 Synthesis in the Morphinan Group V. Grewe Cyclization of d- and l-1-(3,4-Ethylenedioxybenzyl)-2-methyl-1,2,3,4,5,6,7,8-ocatahydroisoquinoline. M. Sasamoto, Chem. and Pharm. Bull. (Japan), 1960, 8, 980.

Extension of Bischler-Napieralski Reaction (I: 177 - 180)

- 177 Bischler-Napieralski Reaction in Phosphorous Pentoxide-Pyridine, A New Combination for Bischler-Napieralski Reaction. N. Itoh and S. Sugasawa, Tetrahedron, 1957, 1, 45.
- 178 Synthesis of Some Ketonic Isoquinolines. N. Itoh and S. Sugasawa, Tetrahedron, 1959, 6, 16.
- 179 Synthesis of 2-Oxo-3-ethyl-1,10-dimethoxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizine. N. Itoh and S. Sugasawa, J. Org. Chem., 1959, 24, 2042.
- 180 Synthesis of 1-Acetylisoquinoline Derivatives. N. Itoh, Chem. and Pharm. Bull. (Japan), 1960, 8, 441.

Extension of Bischler-Napieralski Reaction (II: 181 - 184)

- 181 Synthesis of Isoquinoline Derivatives: A Synthesis of rac-Apomorphine Dimethyl Ether. S. Sugasawa and R. Tachikawa, Tetrahedron, 1958, 5, 48.
- 182 Synthesis of Pyrroline Derivatives. S. Sugasawa and S. Ushioda, Tetrahedron, 1959, 5, 48.
- 183 Synthesis of Some Isoquinoline Derivatives. S. Tachikawa, Tetrahedron, 1959, 7, 118.
- 184 Synthesis of Some Pyridine Derivatives. T. Fujisawa and S. Sugasawa, Tetrahedron, 1959, 7, 185.
- 185 A New Synthesis of rac-Nicotine. T. Mizoguchi, Chem. and Pharm. Bull. (Japan), 1961, 9, 818.
- 186 Synthesis of 1-Azabicyclo[x,y,o]alkanediones. T. Mizoguchi, Chem. and Pharm. Bull. (Japan), 1962, 10, 366.
- 187 Synthesis of Quinoline Derivatives. S. Ushioda, M. Fujihara, and S. Sugasawa, J. Pharm. Soc. Japan, 1965, 85, 231.
- 188 Studien zur Synthese von Sulfon (I). Synthese von Bis-(4-Bz-tetrahydrochinazolyl(2)-phenyl)-sulfon und Bis-(4-Bz-tetrahydrochinazolyl-(2)-aminophenyl)-sulfon. S. Sugasawa und J. Iwao, J. Pharm. Soc. Japan, 1945, 65B, 449.
- 189 Synthetic Studies on C-Methyl Derivatives of Several Medicines. I and II. S. Sugasawa und N. Sugimoto, J. Pharm. Soc. Japan, 1941, 61, 62 and 66.



- 190 Synthesis of p-Aminobenzenesulfonamidomethylpyrimidine I. Reaction between Sulfaguanidine and 1,3-Ketoaldehydes. S. Sugasawa, Y. Ban, and R. Mochizuki, J. Pharm. Soc. Japan, 1949, 69, 82.
- 191 Synthesis of 2-(p-Aminobenzenesulfonamido)-4,5-dimethylpyrimidine. S. Sugasawa, S. Yamada, and M. Narahashi, J. Pharm. Soc. Japan, 1951, 71, 1345.
- 192 A Synthesis of rac-4-(N-Methylpyrrolid-2'-yl)-pyridine. S. Sugasawa, T. Tatsuno, and T. Kamiya, Pharm. Bull. (Japan), 1954, 2, 37.
- 193 A New Synthesis of rac-Nicotine. S. Sugasawa, T. Tatsuno, and T. Kamiya, Pharm. Bull. (Japan), 1954, 2, 39.
- 194 Synthesis of Quinolizine Derivatives VI. Synthesis of 3-Aminoquinolizines (1). Synthesis of dl-3-Amino-, dl-3-epi-Amino-, and dl-3-epi-Dimethylaminoquinolizines. Y. Noike, J. Pharm. Soc. Japan, 1959, 79, 1514.
- 195 Synthesis of Quinolizine Derivatives VII. Synthesis of 3-Aminoquinolizines (2). Synthesis of dl-3-Amino-, dl-3-epi-Amino-, dl-3-Dimethylamino-, and dl-3-epi-Dimethylamino-9,10-methylenedioxy-1,2,3,4,6,7-hexahydro-11bH-benzo[a]quinolizines. Y. Noike, J. Pharm. Soc. Japan, 1959, 79, 1519.
- 196 Synthesis in the Erythrinane Group of Compounds I. A Synthesis of dl-15,16-Dimethoxyerythrinane. S. Sugasawa and H. Yoshikawa, Chem. and Pharm. Bull. (Japan), 1960, 8, 290.
- 197 Synthesis of 1-Substituted 4-Phenyl-5-piperidinol Derivatives as Possible Analgesic. N. Itoh, Chem. and Pharm. Bull. (Japan), 1962, 10, 55.

Studies on the Utilization of Safrole as Medicinal Raw Material

- 198 Syntheses of 2-( $\omega$ -Dialkylaminoalkyl)-5,6-methylenedioxyisoindoline Derivatives. T. Fujisawa and K. Okada, J. Pharm. Soc. Japan, 1959, 79, 772.
- 199 Syntheses of 4-Benzylisoquinoline Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 775.
- 200 Syntheses of Indole Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 778.
- 201 Syntheses of Piperidine and Quinoline Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 848.
- 202 Syntheses of Phenanthridine Derivatives. T. Fujisawa, J. Pharm. Soc. Japan, 1959, 79, 783.
- 203 A Synthesis of 3-Methyl-8,9-methylenedioxy-1H,6H-5,10b-propano-2,3,4,4a-tetrahydrophenanthridine. K. Okada, Chem. and Pharm. Bull. (Japan), 1962, 10, 398.
- 204 A Synthesis of 3-Methyl-8,9-methylenedioxy-1H,6H-6,1-b-ethano-2,3,4,4a-tetrahydrophenanthridine. K. Okada, Chem. and Pharm. Bull. (Japan), 1962, 10, 401.
- 205 Synthesis of 3-Methyl-9,10-methylenedioxy-1,2,3,3a,4,5,11b,11c-octahydro-7H-pyrrolo[3,2,1-de]phenanthridine. K. Okada, Chem. and Pharm. Bull. (Japan), 1962, 10, 852.

## III MISCELLANEOUS

- 206 Synthetic Studies on Antimalarial Agents. Synthesis of Nitrogen-containing Heterocyclic Compounds possessing *p*-Aminobenzenesulfonamidoalkylamino Side Chain. S. Sugasawa, J. Pharm. Soc. Japan, 1942, 62, 293.
- 207 Synthetic Studies on Antimalarial Agents (I). Synthesis of 8-[ $\beta$ -*p*-Aminobenzenesulfonamido)ethylamino]-6-methoxyquinoline. S. Sugasawa and N. Sugimoto, J. Pharm. Soc. Japan, 1942, 62, 293.
- 208 Synthetic Studies on Antimalarial Agents (II). Synthesis of 6-Methoxy-4-[ $\beta$ -(*p*-aminobenzenesulfomethylamido)propylamino]-quinaldine. S. Sugasawa and K. Kobayashi, J. Pharm. Soc. Japan, 1942, 62, 294.
- 209 Synthetic Studies on Antimalarial Agents (III). Synthesis of 9-[ $\beta$ -(*p*-Aminobenzenesulfomethylamido)ethylamino]-2-methoxy-6-chloroacridine. S. Sugasawa and N. Sugimoto, J. Pharm. Soc. Japan, 1942, 62, 296.
- 210 Synthetic Studies on Antimalarial Agents (IV). T. Kimura, J. Pharm. Soc. Japan, 1943, 63, 325.
- 211 Reaction of Formamide (I). On a Formylation of Amines by Formamide. S. Sugasawa and H. Shigehara, J. Pharm. Soc. Japan, 1942, 62, 531.
- 212 Reaction of Formamide (II). On an Amidation of Carboxylic Acids by Formamide. S. Sugasawa and H. Shigehara, J. Pharm.

- Soc. Japan, 1942, 62, 532.
- 213 Reaction of Formamide (III). Reaction of Formamide with Di-ketones. N. Sugimoto, J. Pharm. Soc. Japan, 1944, 64, 192.
- 214 Reaction of Formamide (IV). Reaction of Formamide with Keto Carboxylic Acids and Keto Esters. N. Sugimoto, J. Pharm. Soc. Japan, 1944, 64, 199.
- 215 Modified Curtius Degradation (I). On Curtius Degradation. S. Sugawara and T. Saito, Proc. Imp. Acad. (Tokyo), 1944, 20, 137; J. Pharm. Soc. Japan, 1944, 64B, 20.
- 216 Modified Curtius Degradation (II). Curtius Degradation. T. Saito, J. Pharm. Soc. Japan, 1948, 68, 65.
- 217 Modified Curtius Degradation (III). Application of the Modified Method to the Some Acids Containing Nitrogen. S. Sugawara, S. Akaboshi, S. Toda, and H. Tomisawa, J. Pharm. Soc. Japan, 1952, 72, 192.
- 218 Synthesis of Antihistaminic Agents I. Syntheses of Ethylenediamine-Type Bases. S. Ohki, J. Pharm. Soc. Japan, 1950, 70, 44.
- 219 Synthesis of Antihistaminic Agents II. A New Synthesis of  $\beta$ -Dimethylaminoethyl-benzhydryl Ether. S. Sugawara and K. Fujiwara, J. Pharm. Soc. Japan, 1951, 71, 365.
- 220 Synthesis of Antihistaminic Agents III. Synthesis of Some Basic Benzhydryl Alkyl Ethers. K. Fujiwara, M. Ohtsuka, and H. Fukuda, J. Pharm. Soc. Japan, 1951, 71, 367.
- 221 Pharmacological and Chemical Studies on Rutin-like Compounds I. Relation between Chemical Structure of Flavonols and their Effects on Capillary Fragility. H. Ozawa, T. Okuda, and

- S. Matsumoto, J. Pharm. Soc. Japan, 1951, 71, 1173.
- 222 Pharmacological and Chemical Studies on Rutin-like Compounds  
II. Synthesis of 3',4'-Dihydroxyflavonol and Related Compounds. H. Ozawa, T. Okuda, M. Kawanishi, and K. Fujii, J. Pharm. Soc. Japan, 1951, 71, 1178.
- 223 Pharmacological and Chemical Studies on Rutin-like Compounds  
III. Cleavage of Methylenedioxy Radical in 3',4'-Methylenedioxyflavonol and Related Compounds. H. Ozawa, M. Kawanishi, and K. Fujii, J. Pharm. Soc. Japan, 1951, 71, 1183.
- 224 Pharmacological and Chemical Studies on Rutin-like Compounds  
IV. Oxidation of Arylidene-phloracetophenone with Alkaline Hydrogen Peroxide. H. Ozawa and M. Kawanishi, J. Pharm. Soc. Japan, 1951, 71, 1186.
- 225 Synthesis of N'-(2-Diethylaminoethyl)-p-aminobenzamide (Procainamide). M. Yamazaki, Y. Kitagawa, S. Hiraki, and Y. Tsukamoto, J. Pharm. Soc. Japan, 1953, 73, 294.
- 226 Reduction of Aliphatic Unsaturated Nitriles with Raney Cobalt Catalyst. T. Mizoguchi, J. Pharm. Soc. Japan, 1961, 81, 1563.
- 227 The Synthesis and Evaluation of the Local Anesthetic Activity of a Series of Aliphatic Amino Acid Anilides. M. Fujihara, M. Hirakura, T. Mizoguchi, M. Kawanishi, Y. Sugihara, and S. Ohshiro, J. Pharm. Soc. Japan, 1969, 89, 88.
- 228 Synthesis of 6-Formylsafrole and Some of Its Reactions I. S. Sugasawa and N. Yoshida, Pharm. Bull. (Japan), 1953, 1, 281.
- 229 Reactions of 6-Formylsafrole II. S. Sugasawa, N. Yoshida, and M. Terashima, Pharm. Bull. (Japan), 1954, 2, 149.

- 230 Application of the Ball Reaction on Aromatic Alcohols I.  
S. Sugasawa and K. Mizukami, Pharm. Bull. (Japan), 1954, 2,  
341.
- 231 Application of the Ball Reaction to Aromatic Alcohols II.  
S. Sugasawa and K. Mizukami, Pharm. Bull. (Japan), 1955, 3,  
393.
- 232 Friedel-Crafts Reaction using Sulfur Containing Halides.  
Synthesis of 4,4'-Diacetaminodiphenyl Sulfone. S. Sugasawa  
and K. Sakurai, J. Pharm. Soc. Japan, 1940, 60, 22 and 388.
- 233 Synthesis of 2-Phenyl-5-dimethyl-(5,4)-dihydro-oxazole-4-  
carboxylic Acid. S. Akaboshi and K. Yahagi, J. Pharm. Soc.  
Japan, 1949, 69, 569.
- 234 Exhaustive Methylation of Some Ethylenediamine-Type Bases.  
S. Ohki, J. Pharm. Soc. Japan, 1950, 70, 101.
- 235 Syntheses of p-Nitrophenyl-ketones I. Synthesis of p-Nitro-  
acetophenone. S. Sugasawa, N. Sugimoto, J. Iwao, and Y.  
Nakamura, J. Pharm. Soc. Japan, 1951, 71, 225.
- 236 Synthesis of rac-N-Methylephedrine. S. Sugasawa, T. Yamazaki,  
M. Kawanishi, and J. Iwao, J. Pharm. Soc. Japan, 1951, 71, 530.
- 237 A New Method for the Preparation of Secondary Amines I.  
Synthesis of Aliphatic Secondary Amines. S. Sugasawa and  
K. Abe, J. Pharm. Soc. Japan, 1952, 72, 270.
- 238 Synthesis of Several N-Substituted Acid Amides. S. Sugasawa  
and M. Ohara, J. Pharm. Soc. Japan, 1952, 72, 1036.
- 239 Fries Transposition of Chloroacetoguaiacol. S. Sugasawa and  
M. Kawazu, J. Pharm. Soc. Japan, 1953, 73, 1102.

- 240 Preparation of  $\beta$ -(3,4-dimethoxyphenyl)ethylamine. Y. Ban,  
J. Pharm. Soc. Japan, 1954, 74, 212.
- 241 Acid Azide as an Acylating Agent. S. Sugasawa and H. Tomi-  
zawa, Pharm. Bull. (Japan), 1955, 3, 32.
- 242 Synthesis of Piperidine Derivatives. S. Sugasawa and Y.  
Deguchi, J. Pharm. Soc. Japan, 1956, 76, 968.
- 243 A Synthesis of 6-Formylbenzodioxane. S. Sugasawa and Y. Arata,  
Pharm. Bull. (Japan), 1956, 4, 406.
- 244 Partial Hydrolysis of Diethyl  $\gamma,\gamma$ -Diethoxycarbonylpimelate:  
A Method of Preparing  $\gamma,\gamma$ -Diethoxycarbonylpimelic Acid. S.  
Sugasawa and T. Kutsuma, Tetrahedron, 1958, 3, 175.
- 245 A Modified Emde Degradation Reaction (Reductive Cleavage of  
Quaternary Ammonium Salts by Raney Nickel). S. Sugasawa and  
H. Matsuo, Chem. and Pharm. Bull. (Japan), 1956, 4, 142; 1958,  
6, 601.
- 246 Synthesis of  $\alpha,\beta$ -Unsaturated Esters by Application of Witting  
Reaction. S. Sugasawa and H. Matsuo, Chem. and Pharm. Bull.  
(Japan), 1960, 8, 819.
- 247 A new Cyclization Reaction of Cyclic Ketoximes. Y. Arata and  
S. Sugasawa, Chem. and Pharm. Bull. (Japan), 1961, 9, 104.
- 248 Preparation of Nitrile From Primary Amide (I). E. Yamato and  
S. Sugasawa, Tetrahedron Letters, 1970, 4383.