

Index to
IRE TRANSACTIONS
ON
MICROWAVE THEORY AND
TECHNIQUES

VOLUME MTT-10, 1962

IRE Transactions on Microwave Theory and Techniques

Index to Volume MTT-10, 1962

CONTENTS

Volume MTT-10, Number 1, January, 1962

Editorial, <i>Donald D. King</i>	2	A Graphical Method for Transforming Impedances and Reflectances Through a Lossy Twoport, <i>Otto F. Hickelmann</i>	139
X-Band Ladder-Line Traveling-Wave Maser, <i>G. I. Haddad and J. E. Rowe</i>	3	Correspondence.....	
Field Expansions in Cavities Containing Gyrotropic Media, <i>J. Van Bladel</i>	9	VHF Slow-Wave Slotted Line, <i>L. L. Oh and C. D. Lunden</i>	142
An Impedance Transformation Method for Finding the Load Impedance of a Two-Port Network, <i>R. Mittra and R. J. King</i>	13	Miniature Strip-Line to Waveguide Slot Adapter—Co-Linear, <i>Onnig Shahan</i>	142
Criteria for Designing High-Power Coupled Wave Duplexers and Isolators, <i>L. R. Whicker, G. J. Neumann, and F. E. Munyak</i>	20	Addendum to "Discontinuities in the Center Conductor of Symmetric Strip Transmission Line, <i>H. M. Altschuler and A. A. Oliner</i>	143
Scattering Coefficients for Wall Impedance Changes in Waveguides, <i>E. L. Johansen</i>	26	A Simple Method for Measuring the Phase Shift and Attenuation through Active Microwave, <i>John R. Alday</i>	143
An Apparent Anomaly in the Group and Energy Velocity in a Dielectrically Loaded Slow-Wave Structure, <i>G. B. Walker and C. G. Englefield</i>	30	Design of Interstage Coupling Apertures for Narrow-Band Tunable Coaxial Band-Pass Filters, <i>Richard M. Kurzrock</i> ..	143
Parallel Push-Pull Hybrid Circuit, <i>Masahisa Miyagi</i>	34	Pass-Band VSWR of Maximally Flat Band-Pass Filters, <i>Richard M. Kurzrock</i>	145
Ridge Waveguide Field Description and Application to Directional Couplers, <i>William J. Getsinger</i>	41	An Approximate Method of Finding the Order of a Combination Bessel-Function Equation, <i>Ann Y. Hu</i>	145
A New Technique for the Measurement of Spinwave Linewidths from the Saturation of the Ferrimagnetic Resonance Line, <i>P. E. Sieden</i>	51	A Source of Error in the Use of Slope Detection for Perturbation Measurements, <i>K. B. Mallory</i>	146
Frequency Doubling Using Ferrite Slabs, Particularly Planar Ferrites, <i>Isidore Bady</i>	55	A New Microwave Mixer Suitable for Use with Very High Intermediate Frequencies, <i>P. C. Butson and H. M. Glover</i>	147
Coupled Rectangular Bars Between Parallel Plates, <i>William J. Getsinger</i>	65	A High-Power S-Band Filter, <i>H. Gulhart and E. M. T. Jones</i> ..	148
A Sampling Measurement of Multimode Waveguide Power, <i>E. D. Sharp and E. M. T. Jones</i>	73	Contributors.....	149
Correspondence.....			
Some Effects of Dielectric Loading on Ferrite Phase Shifters in Rectangular Waveguide, <i>Arthur K. Jordan</i>	83		
The Gyromagnetic Coupling Limiter at C-Band, <i>J. Clark and J. Brown</i>	84		
Practical Microwave Power Limiters, <i>J. Brown and J. Clark</i>	85		
Temporal Instabilities in Traveling-Wave Parametric Amplifiers, <i>E. S. Cassedy</i>	86		
Novel Method to Orient Ferrimagnetic Single-Crystal Spheres, <i>Martin Auer</i>	88		
Tunnel Diode Burnout from the Video Transient of Gaseous Noise Sources, <i>C. Blake and W. J. Ince</i>	88		
Some Remarks on "Radiation from a Rectangular Waveguide Filled with Ferrite," <i>H. Unz and G. Tyras</i>	90		
Second-Harmonic Effects in Tuned Reflectometers, <i>M. Michael Brady</i>	91		
A High-Capacitance Parametric Diode for Use at Low Frequencies, <i>R. E. Aitchison</i>	91		
A Nonreflective Hybrid Stop-Band Filter, <i>Robert D. Wanselow</i>	92		
A New Electronic Phase Shifter, <i>Milton D. Rubin</i>	98		

Volume MTT-10, Number 2, March, 1962

A Microwave Ferrite Single-Sideband Modulator, <i>Alvin Clavin</i>	103
A Nondegenerate Traveling-Wave Parametric Amplifier, <i>K. P. Grabowski</i>	108
Line Width and Bandwidth of Millimeter-Wave Resonance Isolators, <i>P. Vilmur and K. Ishii</i>	114
Some Characteristics of Microwave Balanced Modulators, <i>Richard C. Mackey</i>	118
Symmetric Strip Transmission Line Tee Junction, <i>A. G. Franco and A. A. Oliner</i>	124
The Use of Exponential Transmission Lines in Microwave Components, <i>Charles P. Womack</i>	133
Eigenvalues for a Centrally Loaded Circular Cylindrical Cavity, <i>D. M. Bolle</i>	

2—MTT TRANSACTIONS INDEX

Volume MTT-10, Number 3, May, 1962

Magnetically Tunable Nonreciprocal Band-Pass Filters Using Ferrimagnetic Resonators, <i>C. N. Patel</i>	152
Propagation on Modulated Corrugated Rods, <i>C. C. Wang and E. T. Kornhauser</i>	161
Small Resonant Scatterers and Their Use for Field Measurements, <i>Roger F. Harrington</i>	165
Wide-Band Matching of Lossless Waveguide Two-Ports, <i>Danko Kajfez</i>	174
An X-Band Ferroelectric Phase Shifter, <i>M. DiDomenico, Jr. and R. H. Pantell</i>	179
A Balanced-Type Parametric Amplifier, <i>S. Hayasi and T. Kurokawa</i>	185
A Survey of the Theory of Wire Grids, <i>Tove Larsen</i>	191
Propagation of TE Modes in Nonuniform Waveguides, <i>H. Zucker and G. I. Cohn</i>	202
An Investigation of a Feedback Control System for Stabilization of Microwave Radiometers, <i>Theodore V. Seling</i>	209
Surface Current Measurements with an Electric Probe, <i>Robert Plonsey</i>	214
Correspondence.....	
Direct Coupled Coaxial and Waveguide Band-Pass Filters, <i>Richard M. Kurzrock</i>	218
A Microwave Power Limiter, <i>M. J. Rodriguez and D. Weissman</i>	219
A Four-Component Polarization Resolver, <i>P. J. Allen</i>	220
The Channel Waveguide, <i>R. J. Vilmur and K. Ishii</i>	220
Frequency Diplexing with Waveguide Bifurcations, <i>George P. Kefalas</i>	221
Contributors.....	223

Volume MTT-10, Number 4, July, 1962

Injection Locking of Klystron Oscillators, <i>Richard C. Mackey</i>	228
The Application of Hypercomplex Matrix Analysis to Variable Parameter Networks, <i>S. Krongelb, J. J. McNichol, and N. Kroll</i>	236
Broad-band Directional Couplers, <i>E. A. Marcatili and D. H. Ring</i>	251

Noise Output and Noise Figure of Biased Millimeter-Wave Detector Diodes, <i>K. Ishii and A. L. Brault</i>	258
Microwave Variable Attenuators and Modulators Using PIN Diodes, <i>J. K. Hunton and A. G. Ryals</i>	262
Analysis of Waveguide Modes by Standing-Wave Pattern Measurements, <i>H. B. Dave</i>	274
Excitation of Surface Waves on a Unidirectionally Conducting Screen, <i>S. R. Seshadri</i>	279
On a Class of Multiple-Line Directional Couplers, <i>C. R. Boyd, Jr.</i>	287
Correspondence	
Analysis of a Two-Section Coupler, <i>Leonard O. Sweet</i>	295
Measuring the ω - β Diagram of Periodic Structures, <i>Odin P. McDuff</i>	295
Synthetic Transmission-Line Impedance Transformers, <i>H. F. Mathis</i>	296
A Unique Solid-State Diplexer, <i>J. Brown and J. Clark</i>	298
Contributors.....	299

Volume MTT-10, Number 5, September, 1962

Broad-Band TEM Diode Limiting, <i>R. V. Garver and J. A. Rosado</i>	302
Improvements in Light Modulators of the Traveling-Wave Type, <i>I. P. Kaminow, R. Kompfner, and W. H. Louisell</i>	311
Electromagnetic Waves in Waveguides with Wall Impedance, <i>Kaneyuki Kurokawa</i>	314
A Three-Cavity Circularly Polarized Waveguide Directional Filter Yielding a Maximally Flat Response, <i>Robert L. Williams</i>	321
Power Transmission Through General Uniform Waveguides, <i>Walter K. Kahn</i>	328
Further Considerations on Fabry-Perot Type Resonators, <i>William Culshaw</i>	331
Stepped-Impedance Transformers and Filter Prototypes, <i>Leo Young</i>	339
In-Line Waveguide Calorimeter for High-Power Measurement, <i>M. Michael Brady</i>	359
Scattering of Surface Waves by Discontinuities on a Unidirectionally Conducting Screen, <i>S. R. Seshadri</i>	367
Surface Waves on Radially Inhomogeneous Cylinders, <i>A. Vignants and S. P. Schlesinger</i>	375
A Plasma Controlled Directional Coupler, <i>Jack Willis</i>	383
Correspondence	
Couplings in Direct-Coupled Waveguide Band-Pass Filters, <i>Richard M. Kurzok</i>	389
Contraphaseshifter, <i>E. J. Wilkinson and F. LaRussa</i>	390
A Beam Plasma Surface Wave Interaction, <i>P. J. Crepea and T. Keegan</i>	391
A Double-Prism Attenuator for Millimeter Waves, <i>H. D. Raker and G. R. Valenzuela</i>	392
Application of Sampling Theorem to the Synthesis of Transmission Line Tapers and Antenna Radiation Patterns, <i>R. E. Collin</i>	393
A Proposed Lossless Electronic Phase Shifter, <i>W. J. Robertson and J. R. Copeland</i>	394
Over-size Waveguide Directional Coupler, <i>H. J. Hindin and J. J. Taub</i>	394
Resonances in a Cylindrical Plasma Column, <i>J. Willis and I. Petroff</i>	395
Proposed Experiment for Eliciting Multiple Resonances from the Ionosphere, <i>W. D. Hershberger</i>	396
Stability Criteria for Tunnel-Diode Amplifiers, <i>B. Henoch and Y. Kvaerna</i>	397
On "An Impedance Transformation Method for Finding the Load Impedance of a Two-Port Network," <i>D. J. R. Stock, L. J. Kaplan, R. Mitra, and R. J. King</i>	398
On "A Solid-State Microwave Source from Reactance-Diode Harmonic Generators," <i>G. B. Stracca, K. L. Kotzebue, and T. Hylin</i>	399
Double-Layer Matching Structures, <i>Michael A. Kott</i>	401
Microwave Noise-Figure Measurement for Small Noise Output, <i>Koryu Ishii</i>	401

On Voltage and Current Continuity in the Youla-Weissfloch Circuit, <i>L. J. Kaplan, D. J. R. Stock, and D. C. Youla</i>	402
Contributors.....	404

Volume MTT-10, Number 6, November, 1962

Microwave Prize for 1961, <i>Dr. George L. Matthaei</i>	408
1962 PGMTT National Symposium.....	410
Editorial—Standards and the Microwave Profession, <i>John M. Richardson</i>	413
Microwave Band-Stop Filters with Narrow Stop Bands, <i>L. Young, G. L. Matthaei, and E. M. T. Jones</i>	416
A Novel High-Power Harmonic Suppressor, <i>E. Wantuch and R. Maines</i>	428
A Plasma-Column Band-Pass Microwave Filter, <i>I. Kaufman and W. H. Steier</i>	431
Fine Grain Spectrum Analysis of Pulsed Microwave Amplifiers, <i>Roland F. Koontz</i>	440
Ferrite Switches in Coaxial or Strip Transmission Line, <i>C. E. Fay</i>	455
Synchronous Branch Guide Directional Couplers for Low and High Power Applications, <i>Leo Young</i>	459
A 6-kw Peak Power Varactor Duplexer, <i>John C. Hoover</i>	476
Interdigital Band-Pass Filters, <i>George L. Matthaei</i>	479
Phase-Shift Characteristics of Dielectric Loaded Waveguide, <i>G. F. Bland and A. G. Franco</i>	492
A New Technique for Multimode Power Measurement, <i>Jesse J. Taub</i>	496
Subtle Differences in System Noise Measurements and Calibration of Noise Standards, <i>T. Mukaihata, B. L. Walsh, Jr., M. F. Bottjer, and E. B. Roberts</i>	506
Frequency-Selective Limiting, <i>K. L. Kotzebue</i>	516
An Accurate Millimeter Wave Loss and Delay Measurement Set, <i>M. B. Chasek</i>	521
Electromagnetic Diffraction by a Planar Array of Circular Disks, <i>W. G. Eggimann and R. E. Collin</i>	528
Ferroelectric Phase Shifters for VHF and UHF, <i>M. Cohn and A. F. Eikenberg</i>	536
An Automatic Microwave Phase Comparator, <i>J. A. Kaiser, H. B. Smith, Jr., W. H. Pepper, and J. H. Little</i>	548
The Synthesis of <i>N</i> -Port Circulators, <i>B. L. Humphreys and J. B. Davies</i>	551
Propagation of Surface Waves on an Inhomogeneous Plane Layer, <i>J. H. Richmond</i>	554
UHF Backward-Wave Parametric Amplifier, <i>S. Okwit, M. Grace, and E. W. Sard</i>	558
Microwave Propagation in Semiconductors with Carrier Density Varying in Time, <i>B. R. Nag and P. Das</i>	564
On the Resonant-Cavity Method for Measurement of Varactors, <i>Frank Keywell</i>	567
Excitation of Surface Waves on a Perfectly Conducting Screen Covered with Anisotropic Plasma, <i>S. R. Seshadri</i>	573
Ferrite Resonance Isolators Using Tapered DC Magnetic Fields, <i>F. S. Chen</i>	579
Plane Waves on a Periodic Structure of Circular Disks and their Application to Surface-Wave Antennas, <i>Joshua Shefer</i>	585
The Sinusoidal Variation of Dissipation Along Uniform Waveguides, <i>George Persky</i>	592
An Analysis of the <i>m</i> -Port Symmetrical <i>H</i> -Plane Waveguide Junction with Central Ferrite Post, <i>J. B. Davies</i>	596
Microwave Modulator Requiring Minimum Modulation Power, <i>E. M. Rutz and E. Kramer</i>	605
Correction to "Higher-Order Evaluation of Electromagnetic Diffraction by Circular Disks," <i>W. H. Eggimann</i>	610
Correspondence	
Millimeter Resonance Isolator Using Chemically Deposited Ferrite Films, <i>W. Wade, Jr., T. Collins, and R. Stern</i>	611
A Device for Rapidly Aligning and Mounting Ferromagnetic Single Crystals Along Any Desired Axis, <i>Y. Sato and P. S. Carter</i>	611
Millimeter Wave Cavity Coupling by Quarter-Wave Transformer, <i>R. J. Strain and P. D. Coleman</i>	612
Contributors.....	614
Annual Index, 1962.....	620

Index to Authors

- A**
Alday, JR Mar 143
Allen, PJ May 220
Altschuler, HM Mar 143
Auer, M Jan 88
- B**
Bady, I Jan 55
Blake, C Jan 88
Bland, GF Nov 492
Bolte, DM Mar 133
Bottjer, MF Nov 506
Boyd, CR, Jr. Jul 287
Brady, MM Sep 359
Brault, AL Jul 258
Brown, J Jan 85; Jul 298
Buston, PC Mar 147
- C**
Calvin, A Mar 98
Carter, PS Nov 611
Cassedy, ES Jan 86
Chasek, MB Nov 521
Chen, FS Nov 579
Clark, J Jan 84; Jul 298
Cohn, GI May 202
Cohn, M Nov 536
Coleman, PD Nov 612
Collin, RE Sep 393; Nov 528
Collins, T Nov 611
Copeland, JR Sep 394
Crepeau, PJ Sep 391
Culshaw, W Sep 331
- D**
Das, P Nov 564
Dave, HB Jul 274
Davies, JB Nov 551, 596
DiDomenico, M, Jr. May 179
- E**
Eggimann, WH Nov 528, 610
Eikenberg, AF Nov 536
Englefield, CG Jan 30
- F**
Fay, CE Nov 455
Franco, AG Mar 118; Nov 492
- G**
Garver, RV Sep 302
Getsinger, WJ Jan 41, 65
- Glover, HM Mar 147
Grabowski, KP Mar 103
Grace, MI Nov 558
Guthart, H Mar 148
- H**
Hadda, GI Jan 3
Harrington, RF May 165
Hayasi, S May 185
Henoeh, B Sep 397
Hershberger, WD Sep 396
Hinckelmann, OF Mar 139
Hindin, HJ Sep 394
Hoover, JC Nov 476
Hu, AY Mar 145
Humphreys, BL Nov 551
Hunton, JK Jul 262
Hyltin, TM Sep 399
- I**
Ince, WJ Jan 88
Ishii, K Mar 108; May 220; Jul 258; Sep 401
- J**
Johansen, EL Jan 26
Jones, EMT Jan 73; Mar 148; Nov 416
Jordan, AK Jan 83
- K**
Kahn, WK Sep 328
Kaiser, JA Nov 548
Kajfez, D May 174
Kaminow, IP Sep 311
Kaplan, LJ Sep 398, 402
Kaufman, I Nov 431
Keegan, T Sep 391
Kefalas, GP May 221
Keywell, F Nov 567
King, RJ Jan 13; Sep 398
Kompfner, R Sep 311
Koontz, RF Nov 440
Kornhauser, ET May 161
Kott, MA Sep 401
Kotzebue, KL Sep 399; Nov 516
Kramer, E Nov 605
Kroll, N Jul 236
Krongelb, S Jul 236
Kurokawa, K Sep 314
Kurokawa, T May 185
- Kurzrock, RM Mar 143, 145; May 218; Sep 389
Kvaerna, Y Sep 397
- L**
Larsen, T May 191
LaRussa, F Sep 390
Little, JH Nov 548
Louisell, WH Sep 311
Lunden, CD Mar 142
- M**
Mackey, RC Mar 114; Jul 228
Maines, R Nov 428
Mallory, KB Mar 146
Marcatili, EZ Jul 251
Mathis, HF Jul 296
Matthaei, GL Nov 416, 479
McDuff, OP Jul 295
McNichol, JJ Jul 236
Mittra, R Jan 13; Sep 398
Miyagi, M Jan 34
Mukaihata, T Nov 506
Munyak, FE Jan 20
- N**
Nag, BR Nov 564
Neumann, GJ Jan 20
- O**
Oh, LL Mar 142
Okwit, S Nov 558
Oliner, AA Mar 118, 143
- P**
Pantell, RH May 179
Patel, CN May 152
Pepper, WH Nov 548
Persky, G Nov 592
Petroff, I Sep 395
Plonsey, R May 214
- R**
Raker, HD Sep 392
Richardson, JM Nov 413
Richmond, JH Nov 554
Ring, DH Jul 251
Roberts, EB Nov 506
Robertson, WJ Sep 394
Rodriguez, MJ May 219
Rosado, JA Sep 302
Rowe, JE Jan 3
- Rutz, EM Nov 605
Ryals, AG Jul 262
- S**
Sard, EW Nov 558
Sato, Y Nov 611
Schlesinger, SP Sep 375
Seling, TV May 209
Seshadri, SR Jul 279; Sep 367; Nov 573
Shahan, O Mar 142
Sharp, ED Jan 73
Shefer, J Nov 585
Sieden, PE Jan 51
Smith, HB, Jr. Nov 548
Steier, WH Nov 431
Stern, R Nov 611
Stock, DJR Sep 398, 402
Stracca, GB Sep 399
Strain, RJ Nov 612
Sweet, LO Jul 295
- T**
Taub, JJ Sep 394; Nov 496
- V**
Valenzuela, GR Sep 392
Van Bladel, J Jan 9
Vigants, A Sep 375
Vilmur, P Mar 108
Vilmur, RJ May 220
- W**
Wade, W, Jr. Nov 611
Walker, GB Jan 30
Walsh, BL, Jr. Nov 506
Wang, CC May 161
Wantuch, E Nov 428
Weissman, D May 219
Whicker, LR Jan 20
Wilkinson, EJ Sep 390
Williams, RL Sep 321
Willis, J Sep 383, 395
Womack, CP Mar 124
- Y**
Youla, DC Sep 402
Young, L Sep 339; Nov 416, 459
- Z**
Zucker, H May 202

Index to Subjects

- A**
Adapter, Strip-Line to Waveguide Slot: Mar 142
Amplifier, Parametric, UHF-Backward-Wave: Nov 558
Amplifiers, Pulsed Microwave, Spectrum Analysis of: Nov 440
Antenna Patterns, Application of Sampling Theorem to Synthesis of Transmission Line Tapers and: Sep 393
Antennas, Surface-Wave, Plane Waves on Circular Disks and Application to: Nov 585
- Attenuation through Active Microwave, Measuring Phase Shift and: Mar 143
Attenuator, Double-Prism, for Millimeter Waves: Sep 392
Attenuators and Modulators, Microwave Variable, Using PIN Diodes: Jul 262
- B**
Bars, Coupled Rectangular, Between Parallel Plates: Jan 65
Bessel-Function Equation, Combination, Finding Order of: Mar 145
- C**
Calorimeter, In-Line Waveguide, for High-Power Measurement: Sep 359
Cavities Containing Gyrotropic Media, Expansions in: Jan 9
Cavity:
Centrally Loaded Circular Cylindrical, Eigenvalues for: Mar 133
Coupling, Millimeter Wave, by Quarter Wave Transformer: Nov 612
Resonant, Method for Measurement of Varactors: Nov 567
Circular Disks and Application to Surface-

Wave Antennas, Plane Waves on: Nov 585
 Circulators, N-port, Synthesis of: Nov 551
 Coaxial and Waveguide Band-Pass Filters, Direct Coupled: May 218
 Conducting Screen:
 Covered with Anisotropic Plasma, Excitation of Surface Waves on: Nov 573
 Unidirectionally, Excitation of Surface Waves on: Jul 279
 Unidirectionally, Scattering of Surface Waves by Discontinuities on: Sep 367
 Contraphaseshifter: Sep 390
 Couplers:
 Broad-Band Directional: Jul 251
 Directional, Ridge Waveguide Field and Application to: Jan 41
 Multiple-Line Directional, Class of: Jul 287
 Oversize Waveguide Directional: Sep 394
 Plasma Controlled Directional: Sep 383
 Synchronous Branch Guide Directional: Nov 459
 Two-Section, Analysis of: Jul 295
 Coupling Apertures for Tunable Coaxial Band-Pass Filters, Design of: Mar 143
 Coupling, Millimeter Wave Cavity, by Quarter Wave Transformer: Nov 612
 Couplings in Direct-Coupled Waveguide Band-Pass Filters: Sep 389
 Current Measurements, Surface, with Electric Probe: May 214
 Cylinders, Radially Inhomogeneous, Surface Waves on: Sep 375

D

Delay Measurement Set, Millimeter Wave Loss and: Nov 521
 Dielectric Loading, Effects of, on Ferrite Phase Shifters: Jan 83
 Diffraction, Electromagnetic, by Circular Disks, Higher-Order Evaluation of, Correction to: Nov 610
 Diffraction by Planar Array of Circular Disks: Nov 528
 Diodes, Biased Millimeter-Wave Detector, Noise Output and Noise Figure of: Jul 258
 Diodes, PIN, Microwave Variable Attenuators and Modulators Using: Jul 262
 Dissipation Along Uniform Waveguides, Sinusoidal Variation of: Nov 592
 Diplexer, Unique Solid-State: Jul 298
 Discontinuities in Center Conductor of Symmetric Strip Transmission Line, Addendum to: Mar 143
 Duplexer, 6 KW Peak Power Varactor: Nov 476
 Duplexers and Isolators, Designing High-Power Coupled Wave: Jan 20

E

Eigenvalues for Centrally Loaded Circular Cylindrical Cavity: Mar 133

F

Fabry-Perot Type Resonators, Considerations on: Sep 331
 Feedback Control System for Stabilization of Microwave Radiometers: May 209
 Ferrimagnetic:
 Resonance Line, Technique for Measurement of Spinwave Linewidths from Saturation of: Jan 51
 Resonators, Magnetically Tunable Non-

reciprocal Band-Pass Filters Using: May 152
 Single-Crystal Spheres, Method to Orient: Jan 88
 Ferrite:
 Central, Post, m-Port Symmetrical H-Plane Waveguide Junction with: Nov 596
 Films, Millimeter Resonance Isolator Using: Nov 611
 Resonance Isolators Using Tapered DC Magnetic Fields: Nov 579
 Single-Sideband Modulator: Mar 98
 Slabs, Frequency Doubling Using: Jan 55
 Some Remarks on Radiation from Waveguide Filled with: Jan 88
 Ferromagnetic Single Crystals Along Any Desired Axis, Device for Aligning and Mounting: Nov 611
 Field Expansions in Cavities Containing Gyrotropic Media: Jan 9
 Field Measurements, Small Resonant Scatterers and: May 165

Filters:

Direct Coupled Coaxial and Waveguide Band-Pass: May 218
 Direct-Coupled Waveguide Band-Pass, Couplings in: Sep 389
 High-Power S-Band: Mar 148
 Interdigital Band-Pass: Nov 479
 Magnetically Tunable Nonreciprocal Band-Pass, Using Ferrimagnetic Resonators: May 152
 Maximally Flat Band-Pass, Pass-Band VSWR of: Mar 145
 Microwave Bandstop, with Narrow Stop-Bands: Nov 416
 Nonreflective Hybrid Stop-Band: Jan 91
 Plasma Column Bandpass Microwave: Nov 431
 Prototypes, Stepped-Impedance Transformers and: Sep 339
 Three-Cavity Circularly Polarized Waveguide Directional: Sep 321
 Tunable Coaxial Band-Pass, Design of Coupling Apertures for: Mar 143
 Frequency Diplexing with Waveguide Bifurcations: May 221
 Frequency Doubling Using Ferrite Slabs: Jan 55

G

Grids, Wire, Theory of: May 191
 Gyromagnetic Coupling Limiter: Jan 84

H

Harmonic Suppressor, High Power: Nov 428
 Hybrid, Circuit, Parallel Push-Pull: Jan 34

I

Impedances:
 and Reflectances Through Lossy Twoport, Graphical Method for Transforming: Mar 139
 Transformation for Finding Load Impedance of Two-Port: Jan 13
 Transformers, Stepped, and Filter Prototypes: Sep 339
 Transformers, Synthetic Transmission-Line: Jul 296
 Ionosphere, Experiment for Eliciting Multiple Resonances from: Sep 396
 Isolators:
 Designing High-Power Coupled Wave Duplexers and: Jan 20
 Ferrite Resonance, Using Tapered DC Magnetic Fields: Nov 579

Line Width and Bandwidth of Millimeter-Wave Resonance: Mar 108
 Millimeter Resonance, Using Ferrite Films: Nov 611

K

Klystron Oscillators, Injection Locking of: Jul 228

L

Light Modulators of Traveling-Wave Type, Improvements in: Sep 311
 Limiter, Gyromagnetic Coupling: Jan 84
 Limiter, Microwave Power: May 219
 Limiters, Microwave Power: Jan 85
 Limiting, Broad-Band TEM Diode: Sep 302
 Limiting, Frequency-Selective: Nov 516
 Loss, Millimeter Wave, and Delay Measurement Set: Nov 521

M

Magnetically Tunable Nonreciprocal Band-Pass Filters Using Ferrimagnetic Resonators: May 152
 Maser, Ladder-Line Traveling-Wave: Jan 3
 Matching Structures, Double-Layer: Sep 401
 Matching, Wide-Band, of Lossless Waveguide Two-Ports: May 174
 Matrix Analysis, Hypercomplex, Application of, to Variable Parameter Networks: Jul 236
 Mixer Suitable for Use with Very High Intermediate Frequencies: Mar 147
 Modulator:
 Ferrite Single-Sideband: Mar 98
 Microwave Balanced, Characteristics of: Mar 114
 Microwave, Requiring Minimum Modulation Power: Nov 605
 Microwave Variable Attenuators and, Using PIN Diodes: Jul 262

N

Networks, Variable Parameter, Application of Hypercomplex Matrix Analysis to: Jul 236
 Noise-Figure Measurement, Microwave, for Small Noise Output: Sep 401
 Noise Output and Noise Figure of Biased Millimeter-Wave Detector Diodes: Jul 258
 Noise, System, Measurements and Calibration of Noise Standards, Differences in: Nov 506

P

Parametric:
 Amplifier:
 Balanced-Type: May 185
 Traveling-Wave: Mar 103
 Traveling-Wave, Instabilities in: Jan 86
 UHF-Backward-Wave: Nov 558
 Diode, High-Capacitance: Jan 91
 Periodic Structures, Measuring the ω - β Diagram of: Jul 295
 Perturbation Measurements, Error in Use of Slope Detection for: Mar 146
 Phase Comparator, Automatic Microwave: Nov 548
 Phase Shift and Attenuation through Active Microwave, Measuring: Mar 143
 Phase Shift Characteristics of Dielectric Loaded Waveguide: Nov 492
 Phase Shifter:
 Contraphaseshifter: Sep 390
 Electronic: Jan 92

Ferrite, Effects of Dielectric Loading on: Jan 83
 Ferroelectric, for VHF and UHF: Nov 536
 Lossless Electronic: Sep 394
 X-Band Ferroelectric: May 179
 Plane Layer, Inhomogeneous, Propagation of Surface Waves on: Nov 554
 Plasma:
 Column Bandpass Microwave Filter: Nov 431
 Column, Cylindrical, Resonances in: Sep 395
 Controlled Directional Coupler: Sep 383
 Surface Wave Interaction, Beam: Sep 391
 Plates, Parallel, Coupled Rectangular Bars Between: Jan 65
 Polarization Resolver, Four-Component: May 220
 Power:
 Measurement, High, In-Line Waveguide Calorimeter for: Sep 359
 Measurement, Multimode, Technique for: Nov 496
 Transmission Through General Uniform Waveguides: Sep 328
 Probe, Electric, Surface Current Measurements with: May 214
 Propagation:
 Microwave, in Semiconductors with Carrier Density Varying in Time: Nov 564
 of Surface Waves on Inhomogeneous Plane Layer: Nov 554
 of TE Modes in Nonuniform Waveguides: May 202
 on Modulated Corrugated Tods: May 161

R

Radiation from Waveguide Filled with Ferrite, Some Remarks on: Jan 88
 Radiometers, Microwave, Feedback Control System for Stabilization of: May 209
 Reflectances Through Lossy Twoport, Graphical Method for Transforming Impedances and: Mar 139
 Reflectometers, Tuned, Second-Harmonic Effects in: Jan 90
 Resonances in Cylindrical Plasma Column: Sep 395
 Resonances, Multiple, Experiment for Eliciting, from Ionosphere: Sep 396
 Resonators, Fabry-Perot Type, Considerations on: Sep 331
 Rods, Modulated Corrugated, Propagation on: May 161

S

Sampling Measurement of Multimode Waveguide Power: Jan 73
 Sampling Theorem, Application of, to Synthesis of Transmission Line Tapers and Antenna Patterns: Sep 393

Scatterers, Small Resonant, and Field Measurements: May 165
 Scattering Coefficients for Wall Impedance Changes in Waveguides: Jan 26
 Scattering of Surface Waves by Discontinuities on Unidirectionally Conducting Screen: Sep 367
 Second-Harmonic Effects in Tuned Reflectometers: Jan 90
 Semiconductors with Carrier Density Varying in Time, Microwave Propagation in: Nov 564
 Slope Detection for Perturbation Measurements, Error in Use of: Mar 146
 Slotted Line, VHF Slow Wave: Mar 142
 Slow-Wave Structure, Anomaly in Group and Energy Velocity in: Jan 30
 Slow-Wave, VHF, Slotted Line: Mar 142
 Spectrum Analysis of Pulsed Microwave Amplifiers: Nov 440
 Spinwave Linewidths from Saturation of Ferrimagnetic Resonance Line, Technique for Measurement of: Jan 51
 Stability Criteria for Tunnel-Diode Amplifiers: Sep 397
 Standing-Wave Pattern Measurements, Analysis of Waveguide Modes by: Jul 274
 Surface Wave:
 Interaction, Beam Plasma: Sep 391
 Excitation of, on Unidirectionally Conducting Screen: Jul 279
 on Conducting Screen Covered with Anisotropic Plasma, Excitation of: Nov 573
 on Inhomogeneous Plane Layer, Propagation of: Nov 554
 on Radially Inhomogeneous Cylinders: Sep 375
 Switches, Ferrite, in Coaxial or Strip Transmission Line: Nov 455

T

Tee Junction, Symmetric Strip Transmission Line: Mar 118
 Transmission Lines:
 Exponential, in Microwave Components: Mar 124
 Impedance Transformers, Synthetic: Jul 296
 Strip, Ferrite Switches in Coaxial or: Nov 455
 Symmetric Strip, Addendum to Discontinuities in the Center Conductor of: Mar 143
 Tapers and Antenna Patterns, Application of Sampling Theorem to Synthesis of: Sep 393
 Tee Junction, Symmetric Strip: Mar 118
 Traveling Wave:
 Maser, Ladder-Line: Jan 3
 Parametric Amplifier: Mar 103
 Parametric Amplifiers, Instabilities in: Jan 86

Type, Improvements in Light Modulators of: Sep 311
 Tunnel-Diode Amplifiers, Stability Criteria for: Sep 397
 Tunnel Diode Burnout from Video Transient: Jan 88
 Two-Port, Impedance Transformation for Finding Load Impedance of: Jan 13
 Twoport, Lossy, Graphical Method for Transforming Impedances and Reflectances Through: Mar 139

V

Varactors, Resonant-Cavity Method for Measurement of: Nov 567
 Velocity, Group and Energy, in Slow-Wave Structure, Anomaly in: Jan 30
 Video Transient, Tunnel Diode Burnout From: Jan 88
 Voltage and Current Continuity in Youla-Weissfloch Circuit: Sep 402

W

Waveguides:
 Band-Pass Filters, Direct Coupled Coaxial and: May 218
 Band-Pass Filters, Direct-Coupled, Couplings in: Sep 389
 Bifurcations, Frequency Diplexing with: May 221
 Channel: May 220
 Dielectric Loaded, Phase-Shift Characteristics of: Nov 492
 Directional Coupler, Oversize: Sep 394
 Directional Filter, Three-Cavity Circularly Polarized: Sep 321
 Field, Ridge, and Application to Directional Couplers: Jan 41
 Filled with Ferrite, Radiation from, Some Remarks on: Jan 88
 General Uniform, Power Transmission Through: Sep 328
 Modes, Analysis of, by Standing-Wave Pattern Measurements: Jul 274
 m-Port Symmetrical H-Plane, Junction with Central Ferrite Post: Nov 596
 Nonuniform, Propagation of TE Modes in: May 202
 Power, Multimode, Sampling Measurement of: Jan 73
 Scattering Coefficients for Wall Impedance Changes in: Jan 26
 Two-Ports, Lossless, Wide-Band Matching of: May 174
 Uniform, Sinusoidal Variation of Dissipation Along: Nov 592
 with Wall Impedance, Waves in: Sep 314

Y

Youla-Weissfloch Circuit, Voltage and Current Continuity in: Sep 402