

Index to

IEEE Transactions

on

Microwave Theory and Techniques

Volume MTT-11, 1963

IEEE Transactions on Microwave Theory and Techniques

Index to Volume MTT-11, 1963

CONTENTS

Volume MTT-11, Number 1, January, 1963

Editorial, <i>Donald D. King</i>	2
Contributions	
Traveling-Wave Tube Nanosecond Pulse Generator in 24-Gc Region, <i>Kazuhiko Miyauchi</i>	3
Loss Measurements of the Beam Waveguide, <i>J. B. Beyer and E. H. Scheibe</i>	18
The Synthesis of Coupled Transmission Line All-Pass Networks in Cascades of 1 to n , <i>W. J. D. Steenaart</i>	23
Sharp Cutoff Microwave Filters, <i>George Oltman</i>	30
Broad-Band Impedance Matching into Dielectric-Filled Waveguides, <i>F. E. Goodwin and G. E. Moss</i>	36
Excitation of Plasma Waves in an Unbounded Homogeneous Plasma by a Line Source, <i>S. R. Seshadri</i>	39
Radial-Line Coaxial Filters in the Microwave Region, <i>B. C. DeLoach, Jr.</i>	50
Periodic Cylinder Arrays as Transmission Lines, <i>Joshua Sherer</i>	55
A New Method for Designing Wide-Band Parametric Amplifiers, <i>Bengt T. Henoch</i>	62
Waveguide Perturbation Techniques in Microwave Semiconductor Diagnostics, <i>K. S. Champlin and D. B. Armstrong</i>	73
The Coupling Coefficients of an Unsymmetrical High-Q Lossy Waveguide Resonator, <i>Henry J. Riblet</i>	78
A General Power Loss Method for Attenuation of Cavities and Waveguides, <i>J. J. Gustinic</i>	83
Correspondence	
Comment on "A Simple Method for Measuring the Phase Shift and Attenuation through Active Microwave Networks," <i>H. M. Altschuler</i>	87
Measurement of Impedance above 300 Mc, <i>Peter I. Somlo</i>	87
A Practical UHF Multidiscriminator Unit, <i>Planet Chiu</i>	88
Q Measurement of Strongly Coupled Cavities, <i>R. Alvarez and J. P. Lindley</i>	89
A Microwave Quadruplexer, <i>L. v.d. Kint and E. Schanda</i>	90
A Resonant Slope Amplifier Using a Microwave Pump Frequency, <i>R. J. Mayer</i>	92
A Three-Port Network with Constant Phase Difference Properties, <i>Bernard L. Geddry</i>	92
A Simple Formula for Calculating Approximate Values of the First Zeros of a Combination Bessel Function Equation, <i>M. A. R. Gunston</i>	93
Maximum Efficiency of a Two Arm Waveguide Junction, <i>Robert W. Beatty</i>	94
Contributors.....	95
PTGMITT Membership Roster.....	97
Cumulative Index 1953-1956.....	108

Volume MTT-11, Number 2, March, 1963

Frontispiece, <i>Donald D. King, Seymour B. Cohn</i>	110
Contributions	
A High-Power Wide-Band Waffle-Iron Filter, <i>Eugene D. Sharp</i>	111
Theory of Operation of a 3-Port Y-Junction Ferrite Circulator, <i>E. N. Skomal</i>	117
The Stabilization of Mixer Diode Performance Against L.O. Power Changes with Optimum DC Bias, <i>J. W. Carr</i>	123
Phase Attenuation, and Impedance Characteristics of Coaxial Transmission Lines with Thin Tubular Conductors, <i>E. J. Post</i>	129
Continuously Variable Directional Couplers in Rectangular Waveguide, <i>M. E. Brodwin and V. Ramaswamy</i>	137
Millimeter Wavelength Resonant Structures, <i>R. W. Zimmerman, M. V. Anderson, G. G. Strine, and Y. Beers</i>	142

Correspondence	
Injection Locked Phase Modulator, <i>Richard C. Mackey</i>	150
A Reflex Klystron Amplifier for Microwave Spectroscopy, <i>Frederick W. Chapman</i>	150
Correction to "In-Line Waveguide Calorimeter for High-Power Measurements"—Accounting for Transverse Waveguide Wall Currents, <i>M. Michael Brady</i>	152
Additional Comment on Fabry-Perot Type Resonators, <i>C. L. Tang</i>	153
A Ferrite-Tuned Coaxial Cavity, <i>J. K. Butler and H. Unz</i>	153
Some Remarks Concerning "Conditions for Maximum Power Transfer," <i>L. Castagnetto, J. C. Matheau, and C. Schulman</i>	153
Discontinuities Appear in the Repeller Current of a Reflex Klystron Detector, <i>Koryu Ishii</i>	154
Contributors.....	156
Announcement: Polytechnic Institute of Brooklyn Summer Course.....	157
PTGMITT National Symposium Program.....	158

Volume MTT-11, Number 3, May, 1963

Contributions	
Direct-Coupled-Cavity Filters for Wide and Narrow Bandwidths, <i>Leo Young</i>	162
Intrinsic Attenuation, <i>R. W. Beatty</i>	179
Analytical Solution to a Waveguide Leaky-Wave Filter Structure, <i>Edward G. Cristal</i>	182
On the Integral Equations of Laser Theory, <i>Samuel P. Morgan</i>	191
The Dipolar Resonance of the Cylindrical Low-Pressure Arc Discharge, <i>Joseph H. Battocletti</i>	193
Correction to "A New Technique for Multimode Power Measurements," <i>Jesse J. Taub</i>	203
Propagation in Arbitrarily Magnetized Ferrites Between Two Conducting Parallel Planes, <i>H. Unz</i>	204
Correspondence	
Parametric Amplification, <i>Vasil Uzunoglu</i>	211
A Microwave Technique for the Measurement of the Dielectric Properties of Soils, <i>W. L. Curtis and R. J. Coe</i>	211
Investigation of Millimeter Wave Reflex Klystron Amplifiers, <i>K. Ishii and D. E. Schumacher</i>	212
Still Another Method for Transforming Impedances Through Lossless Networks, <i>H. F. Mathis</i>	213
Group Delay and Dissipation Loss in Transmission-Line Filters, <i>Leo Young</i>	215
Reciprocal and Nonreciprocal Switches Utilizing Ferrite Junction Circulators, <i>Alvin Clavin</i>	217
Mixed Two-Port Parameters for Characterizing Varactor Mounts in Waveguides, <i>M. E. Viggh</i>	218
Contributors.....	220

Volume MTT-11, Number 4, July, 1963

Contributions	
Dielectric Constant and Loss Tangent of Microwave Ferrites at Elevated Temperatures, <i>I. Bady and T. Collins</i>	222
General Synthesis of Asymmetric Multi-Element Coupled-Transmission-Line Directional Couplers, <i>Ralph Gevy</i>	226
Scattering of Unidirectional Surface Waves, <i>S. R. Seshadri</i>	238
Attenuation Constant of Lunar Line and T-Septate Lunar Line, <i>A. Y. Hu and V. Ishimaru</i>	243
Extension of the Laser-Pumped Ruby Maser to Millimeter Wavelengths, <i>D. P. Devor</i>	251
The Re-Entrant Cross Section and Wide-Band 3-db Hybrid Couplers, <i>Seymour B. Cohn</i>	254

Correspondence	
On the General Relation Between α and Q , <i>H. P. Hsu</i>	258
A Varactor Frequency-Modulated AFC Reference Cavity, <i>A. Farokhrooz and J. B. Linker, Jr.</i>	258
Nonlinear Biasing Resistors for Microwave Tunnel-Diode Oscillators, <i>J. T. Wallmark and A. H. Dansky</i>	260
Mode Cutoff Frequencies in Screened Dielectric Rod Waveguide, <i>A. S. Thompson</i>	262
On the Measurement of Detector Impedance, <i>P. A. Szenté, R. H. Miller and K. B. Mallory</i>	263
The Synthesis of N -Port Circulators, <i>B. L. Humphreys and J. B. Davies</i>	263
Broad-Band Microwave Discriminator, <i>Richard J. Mohr</i>	263
Frequency Response of Strip-Line Traveling-Wave Directional Filters, <i>Robert D. Standley</i>	264
Contributors.....	265

Volume MTT-11, Number 5, September, 1963

The Millimeter and Submillimeter Conference Papers.....	269
State of the Art: Background and Recent Developments—Millimeter and Submillimeter Waves, <i>Paul D. Coleman</i> ..	271
A Racetrack Microtron for Millimeter and Submillimeter Wave Generation, <i>H. Froelich and E. Brannen</i>	288
The Groove Guide, a Low-Loss Waveguide for Millimeter Waves, <i>F. J. Tischer</i>	291
Factors Affecting Earth-Satellite Millimeter Wavelength Communications, <i>A. W. Straiton and C. W. Tolbert</i>	296
Cerenkov Radiation in Anisotropic Ferrites, <i>F. J. Rosenbaum and P. D. Coleman</i>	302
Bunching an Electron Beam by Deflection Modulation, <i>J. R. Baird and P. D. Coleman</i>	312
Multiple Quantum Effects at Millimeter Wavelengths, <i>R. H. Pantell and R. G. Smith</i>	317
TE ₀₁ Mode Components in the 3-mm Region, <i>Alan J. Simmons</i>	324
A Range of 2 and 1 Millimeter Waveguide Components, <i>R. Meredith and G. H. Preece</i>	332
Submillimeter Components Using Oversize Quasi-Optical Waveguide, <i>J. J. Taub, H. J. Hindin, O. F. Hinckelmann, and M. L. Wright</i>	338
Millimeter Resonance Isolators Utilizing Hexagonal Ferrites, <i>D. R. Taft, G. R. Harrison and L. R. Hodges, Jr.</i>	346
Magnetic Materials for Millimeter Wave Applications, <i>G. P. Rodrigue</i>	351
Backward Diodes for Low-Level Millimeter-Wave Detection, <i>C. V. Burrus, Jr.</i>	357
Tunable Submillimeter Interferometers of the Fabry-Perot Type, <i>R. Ulrich, K. F. Renk, and L. Gensel</i>	363
Spherical Mirror Fabry-Perot Resonators, <i>Robert W. Zimmerer</i>	371
Microwave Type Bolometer for Submillimeter Wave Measurements, <i>J. F. Byrne and C. F. Cook</i>	379
A Submillimeter Measurement System Using a Harmonic Mixing Superheterodyne Receiver, <i>J. M. Cotton</i>	385
New Technique for Microwave Radiometry, <i>M. W. Long and J. C. Butterworth</i>	389
Superheterodyne Radiometers for Use at 70 Gc and 140 Gc, <i>R. Meredith and F. L. Warner</i>	397
Papers From Other Sources	
Analysis of the Frequency and Power Performances of Tunnel Diode Generators, <i>H. J. Oguey</i>	412
A Frequency Modulator With Gain for a Space Array, <i>E. M. Rutz-Philipp and E. Kramer</i>	420
Correspondence From Conference	
Status Report on International Millimeter Waveguide Flange Standards, <i>Tore N. Anderson</i>	427
Millimeter Transmission by Oversize and Shielded-Beam Waveguides, <i>G. R. Valenzuela</i>	429
A Wide-Band Rectangular-to-Circular Mode Transducer for Millimeter Waves, <i>Paul H. Wolfert</i>	430
Proposal. The Generation of Coherent Infrared Radiation from a Diffraction Grating, <i>George R. Bird</i>	432
A Simple Grating System for Millimeter and Submillimeter Wavelength Separation, <i>K. B. Mallory, R. H. Miller, and P. A. Szenté</i>	433
Submillimeter Photon Counting in Ruby, <i>R. J. Strain and P. D. Coleman</i>	434
A Measurement of Bolometer Mount Efficiency at Millimeter Wavelengths, <i>R. H. Miller, K. B. Mallory, and P. A. Szenté</i>	435

Correspondence From Other Sources	
Injection Phase Locking of Two-Cavity Klystron Oscillators, <i>Walter R. Day, Jr.</i>	436
TEM Mode in a Parallel-Plate Waveguide Filled with a Gyrotropic Dielectric, <i>S. R. Seshadri</i>	436
Boundary Excitation of Waveguides Containing Anisotropic Media, <i>J. Van Bladel</i>	437
Comments on "Line Width and Bandwidth of Millimeter-Wave Resonance Isolators," <i>I. Bady, P. Vilmur and K. Ishii</i>	439
Ferromagnetic Line Width of Nonoriented Polycrystalline Hexagonal Ferrites with Large Magnetic Anisotropy Fields, <i>I. Bady and G. McCall</i>	442
E -Plane 3-Port X -Band Waveguide Circulators, <i>L. E. Davis and S. R. Longley</i>	443
Comments on "Pulse Waveform Degradation Due to Dispersion in Waveguide," <i>C. M. Knop and G. I. Cohn</i>	445
Temperature Stabilization of Gyromagnetic Couplers, <i>J. Clark, J. Brown and D. E. Tribby</i>	447
An S -Band Wide-Band Degenerate Parametric Amplifier, <i>Bengt T. Henoch</i>	449
Phaseshift of Electromagnetic Waves Propagating Through Waveguide Junctions, <i>D. E. Schumacher and K. Ishii</i>	449
A New High-Power Variable Attenuator, <i>L. R. Whicker and C. J. Neumann</i>	450
VSWR of Broad-Band Waveguide Series-T Junction, <i>R. M. Kurzkrok</i>	452
A Wide Stop Band UHF Coaxial Band-Pass Filter, <i>J. F. Lally and R. R. Ciechoski</i>	452
Comment on "Conditions for Maximum Power Transfer," <i>H. F. Mathis</i>	453
Graphical Analysis of Q -Circuits, <i>Darko Kajfež</i>	453
Calculating Coaxial Transmission-Line Step Capacitance, <i>P. I. Somlo</i>	454
Field Measurements Using Active Scatterers, <i>Roger F. Harrington</i>	454
Contributors.....	455
Call for Papers, 1964 PTG/MTT International Symposium.....	460

Volume MTT-11, Number 6, November, 1963

Contributions	
Radiation from a Uniformly Moving Charge in an Anisotropic Plasma, <i>H. S. Tuan and S. R. Seshadri</i>	462
Some Aspects of the Measurement of the Q Factor of Transmission Lines, <i>P. I. Somlo</i>	472
A Nonuniform Coaxial Line with an Isoperimetric Sheath Deformation, <i>N. Seshagiri</i>	478
Prototypes for Use in Broadbanding Reflection Amplifiers, <i>W. Gelsinger</i>	486
A New Technique for Measuring an Electromagnetic Field by a Coil Spring, <i>Keigo Iizuka</i>	498
Theoretical Design of Symmetrical Junction Stripline Circulators, <i>J. B. Davies and P. Cohen</i>	506
Radiometry in the Submillimeter Region Using the Interferometric Modulator, <i>R. A. Williams and W. S. C. Chang</i>	513
Some Considerations in the Design of Narrow-Band Waveguide Filters, <i>Leo Young</i>	522
Tunable, Dielectric-Loaded Microwave Cavities Capable of High Q and High Filling Factor, <i>E. O. Ammann and R. J. Morris</i>	528
Propagation Constants for TE and TM Surface Waves on an Anisotropic Dielectric Cylinder, <i>P. R. Longaker and C. S. Roberts</i>	543
Correspondence	
Further Formulas for Calculating Approximate Values of the Zeros of Certain Combinations of Bessel Functions, <i>J. Alan Cochran</i>	546
Transmission Line Measurement of Narrow Linewidth Ferromagnetic Samples, <i>G. R. Jones</i>	547
A Note on Strip-Line Band-Stop Filters with Narrow Stop Bands, <i>R. D. Standley and A. C. Todd</i>	548
Comments on "Maximum Efficiency of a Two Arm Waveguide Junction," <i>S. Lefevre</i>	549
A Uniform Coaxial Line with an Elliptic-Circular Cross Section, <i>S. Seshagiri</i>	549
Discontinuity Effects in Single Resonator Traveling Wave Filters, <i>R. D. Standley and A. C. Todd</i>	551

Index to Authors

MTT TRANSACTIONS INDEX—3

Index to Subjects

A

Alpha and Q, General Relation Between: MTT Jul 258
 Amplifier, Reflex Klystron, for Microwave Spectroscopy: Mar 150
 Amplifier, Resonant Slope, Using Microwave Pump Frequency: Jan 92
 Amplifiers, Reflection, Prototypes for: Nov 486
 Anisotropic Media, Boundry Excitation of Waveguides Containing: Sep 437
 Arc Discharge, Cylindrical Low-Pressure, Dipolar Resonance of: May 193
 Arrays, Periodic Cylinder, as Transmission Lines: Jan 55
 Attenuation:
 of Cavities and Waveguides, Power Loss Method for: Jan 83
 Constant of Lunar Line and T-Septate Lunar Line: Jul 243
 Intrinsic: May 179
 Through Active Microwave, Measuring Phase Shift and, *Comment on*: Jan 87
 Attenuator, New High-Power Variable: Sep 450

B

Backward Diodes for Low-Level Millimeter-Wave Detection: Sep 357
 Bandwidth, Increased Design, Effect of Upon Direct-Coupled-Resonator Filters: Nov 557
 Bessel Function Equation, Combination, Calculating Approximate Values of First Zeros of: Jan 93
 Bessel Functions, Calculating Approximate Values of Zeros of Certain Combinations of: Nov 546
 Biasing Resistors, Nonlinear, for Microwave Tunnel-Diode Oscillators: Jul 260
 Bolometer, Microwave Type, for Submillimeter Wave Measurements: Sep 379
 Bolometer, Mount Efficiency at Millimeter Wavelengths: Sep 435
 Bunching an Electron Beam by Deflection Modulation: Sep 312

C

Calorimeter, In-Line Waveguide, for High-Power Measurements, *Correction to*: Mar 152
 Capacitance, Calculating Coaxial Transmission Step: Sep 454
 Cavity:
 Filters, Direct-Coupled, for Wide and Narrow Bandwidth: May 162
 Correction to: Nov 561
 Varactor Frequency-Modulated AFC Reference: Jul 258
 Cavities:
 and Waveguides, Attenuation of, Power Loss Method for: Jan 83
 Strongly Coupled, Q Measurement of: Jan 89
 Tunable, Dielectric-Loaded: Nov 528
 Cerenkov Radiation in Anisotropic Ferrites: Sep 302
 Charge, Moving, Radiation from: Nov 462
 Circulator, 3-Port Y-Junction Ferrite, Theory of: Mar 117
 Circulators:
 E-Plane 3-Port X-Band Waveguide: Sep 443

Ferrite Junction, Switches Utilizing: May 217

N-Port, Synthesis of: Jul 263
 Stripline, Symmetrical Junction: Nov 506
 Coaxial Band-Pass Filter, Wide Stop Band UHF; Sep 452
 Coaxial Microwave Filters, Radical-Line: Jan 50
 Coil Spring, Measuring Field by: Nov 498
 Communications, Earth-Satellite Millimeter Wavelength, Factors Affecting: Sep 296
 Components, Submillimeter, Using Oversize Quasi-Optical Waveguide: Sep 338
 Components, Waveguide, Range of 2 and 1 Millimeter: Sep 332
 Couplers:
 Continuously Variable Directional, in Rectangular Waveguide: Mar 137
 Coupled-Transmission-Line Directional, Synthesis of: Jul 226
 Gyromagnetic, Temperature Stabilization of: Sep 447
 Waveguide Directional, Improving the Response of: Nov 554
 Wideband 3-db Hybrid and Re-Entrant Cross Section: Jul 254
 Coupling Coefficients of High-Q Lossy Waveguide Resonator: Jan 78
 Cylinder, Dielectric; Propagation Constants for Surface Waves on: Nov 543

D

Deflection Modulation, Bunching an Electron Beam by: Sep 312
 Delay, Group, and Dissipation Loss, in Transmission-Line Filters: May 215
 Correction to: Nov 561
 Detection, Low-Level Millimeter-Wave, Backward Diodes for: Sep 357
 Detector:
 Impedance, Measurement of: Jul 263
 Reflex Klystron, Discontinuities Appear in Repeller Current of: Mar 154
 Wall-Current, for Beam Waveguides: Nov 552
 Detectors and Mixers, Millimeter Wave, Tunnel Diodes as: Nov 560
 Dielectric:
 Constant and Loss Tangent of Microwave Ferrites: Jul 222
 Properties of Soils, Microwave Technique for Measurement of: May 211
 Rod Waveguide, Screened, Mode Cutoff Frequencies in: Jul 262
 Diffraction Grating, Generation of Coherent Infrared Radiation from: Sep 432
 Diodes, Backward, for Low-Level Millimeter-Wave Detection: Sep 357
 Discontinuities Appear in Repeller Current of Reflex Klystron Detector: Mar 154
 Discontinuity Effects in Single Resonator Traveling Wave Filters: Nov 551
 Discriminator, Broad-Band Microwave: Jul 263

E

Efficiency, Maximum, of Two Arm Waveguide Junction: Jan 94
 Comments on: Nov 549
 Excitation, Boundry, of Waveguide Containing Anisotropic Media: Sep 437

F

Fabry-Perot Resonators, Spherical Mirror: Sep 371
 Fabry-Perot Type Interferometers, Tunable Submillimeter: Sep 363
 Fabry-Perot Type Resonators: Mar 153
 Ferrite Circulator, 3-Port Y-Junction, Theory of: Mar 117
 Ferrite Junction Circulators, Switches Utilizing: May 217
 Ferrites:
 Anisotropic, Cerenkov Radiation in: Sep 302
 Between Conducting Planes, Magnetized, Propagation in: May 204
 Hexagonal, Millimeter Resonance Isolators Utilizing: Sep 346
 Microwave, Dielectric Constant and Loss Tangent of: Jul 222
 Nonoriented Polycrystalline Hexagonal, Ferromagnetic Line Width of: Sep 442
 Ferromagnetic Line Width of Nonoriented Polycrystalline Hexagonal Ferrites: Sep 442
 Ferromagnetic Samples, Transmission Line Measurement of Narrow Linewidth: Nov 547
 Field Measurement Using Active Scatterers: Sep 454
 Field Measuring, By Coil Spring: Nov 498
 Filter:
 High-Power Wide-Band Waffle-Iron: Mar 111
 Structure, Waveguide Leaky-Wave, Solution to: May 182
 Wide Stop Band UHF Coaxial Band-Pass: Sep 452
 Filters:
 Cavity, Direct-Coupled: May 162
 Direct-Coupled-Cavity, for Wide and Narrow Bandwidths, *Correction to*: Nov 561
 Direct-Coupled-Resonator, Effect of Increased Design Bandwidth upon: Nov 557
 Radical-Line Coaxial Microwave: Jan 50
 Sharp Cutoff Microwave: Jan 30
 Single Resonator Traveling Wave, Discontinuity Effects in: Nov 551
 Strip-Line Band Stop, with Narrow Stop Bands: Nov 548
 Strip-Line Traveling Wave Directional, Frequency Response of: Jul 264
 Transmission-Line, Group Delay and Dissipation Loss in: May 215
 Correction to: Nov 561
 Waffle-Iron, Postscript to Two Papers on: Nov 555
 Waveguide, Design of Narrow-Band: Nov 522
 Fourier Heat Flow Equation in Waveguides with Lossy Dielectrics: Nov 552

G

Generation of Coherent Infrared Radiation from Diffraction Grating: Sep 432
 Generation, Millimeter and Submillimeter Wave, Racetrack Microtron for: Sep 288
 Generators, Tunnel Diodes, Analysis of the Frequency and Power Performances of: Sep 412

Graphical Analysis of Q-Circuits: Sep 453
 Grating System, Simple, for Millimeter and Submillimeter Wavelength Separation: Sep 443
 Groove Guide, Low-Loss Waveguide for Millimeter Waves: Sep 291
 Gyromagnetic Couplers, Temperature Stabilization of: Sep 447
 Gyrotropic Dielectric, TEM Mode in Parallel-Plate Waveguide Filled with: Sep 436

H

Heat Flow Equation, Fourier, in Waveguides with Lossy Dielectrics: Nov 552

I

Impedance:
 Above 300 Mc, Measurement of: Jan 87
 Broad-Band, Matching into Dielectric-Filled Waveguides: Jan 36
 Characteristic, of Square Coaxial Transmission Line: Nov 554
 Characteristics of Coaxial Transmission Lines, and Phase Attenuation, with Thin Tubular Conductors: Mar 129
 Detector, Measurement of: Jul 263
 Impedances, Transforming Through Lossless Networks: May 213
 Infrared Radiation, Coherent, from a Diffraction Grating, Generation of: Sep 432
 Injection Locked Phase Modulator: Mar 150
 Integral Equations of Laser Theory: May 191
 Interferometer, Tunable Submillimeter, of the Fabry-Perot Type: Sep 363
 Isolators, Millimeter Resonance, Utilizing Hexagonal Ferrites: Sep 346

K

Klystron:
 Amplifier, Reflex, for Microwave Spectroscopy: Mar 150
 Amplifiers, Millimeter Wave Reflex: May 212
 Detector, Reflex, Discontinuities Appear in Repeller Current of: Mar 154
 Oscillators, Two-Cavity, Injection Phase-Locking of: Sep 436

L

Laser Theory, Integral Equations of: May 191
 Laser-Pumped Ruby Maser, Extension of to Millimeter Wavelengths: Jul 251
 Loss:
 Dissipation, Group Delay and, in Transmission-Line Filters: May 215
Correction to: Nov 561
 Measurements of Beam Waveguide: Jan 18
 Tangent, and Dielectric Constant, of Microwave Ferrites: Jul 222
 Lunar Line, T-Septate, and Lunar Line, Attenuation Constant of: Jul 243

M

Magnetic Materials for Millimeter Wave Applications: Sep 351
 Maser, Laser-Pumped Ruby, Extension of to Millimeter Wavelengths: Jul 251
 Measurement System, Submillimeter, Using Harmonic Mixing Superheterodyne Receiver: Sep 385
 Microtron, Racetrack, for Millimeter and Submillimeter Wave Generation: Sep 288

Millimeter and Submillimeter Waves—State of the Art: Sep 271
 Millimeter Wave Reflex Klystron Amplifier: May 212
 Mixer Diode, Stabilization of, against L.O. Power Changes: Mar 123
 Mixers, Millimeter Wave Detectors and, Tunnel Diodes as: Nov 560
 Modulator, Frequency, with Gain from Space Array: Sep 420
 Modulator, Injection Locked Phase: Mar 150
 Multidiscriminator Unit, Practical UHF: Jan 88

N

Networks, Lossless, Transforming Impedances Through: May 213

O

Oscillators, Microwave Tunnel-Diode, Nonlinear Biasing Resistors for: Jul 260

P

Parametric:
 Amplification: May 211
 Amplifier, S-Band Wide-Band Degenerate: Sep 449
 Amplifiers, Wideband, Designing: Jan 62
 Phase:
 Attenuation, and Impedance Characteristics of Coaxial Transmission Lines with Thin Tubular Conductors: Mar 129
 Different Properties, Constant, Three-Port with: Jan 92
 Locking, Injection, of Two-Cavity Klystron Oscillators: Sep 436
 Shift and Attenuation, Through Active Microwave, Measuring, *Comment on:* Jan 87
 Phaseshift of Waves Propagating Through Waveguide Junctions: Sep 449
 Photon, Submillimeter, Counting in Ruby: Sep 434
 Plasma Waves in Plasma, Excitation of by Line Source: Jan 39
 Power Loss Method for Attenuation of Cavities and Waveguides: Jan 83
 Power Measurements, Multimode, New Technique for, *Correction to:* May 203
 Power-Transfer, Maximum, Conditions for, Some Remarks Concerning: Mar 153
 Propagation Constants for Surface Waves on Dielectric Cylinder: Nov 543
 Propagation in Magnetized Ferrites Between Conducting Planes: May 204
 Pulse Generator, Traveling-Wave Tube Nanosecond: Jan 3

Q

Q Measurement of Strongly Coupled Cavities: Jan 89
 Q of Transmission Lines, Measurement of: Nov 472
 Q-Circuits, Graphical Analysis of: Sep 453
 Quadruplexer, Microwave: Jan 90
 Quantum Effects, Multiple, at Millimeter Wavelengths: Sep 317

R

Racetrack Microtron for Millimeter and Submillimeter Wave Generation: Sep 288
 Radiation Moving Charge: Nov 462
 Radiometers, Superheterodyne, for Use at 70 Gc and 140 Gc: Sep 397

Radiometry Microwave, New Technique for: Sep 389
 Radiometry in Submillimeter Region: Nov 513
 Rectangular-to-Circular, Wideband, Mode Transducer for Millimeter Waves: Sep 430
 Reflection Amplifiers, Prototypes for: Nov 486
 Reflector, Spherical or Prolate Spheroidal, Vacuum Forming Technique for: Nov 553
 Resonance, Dipolar, of Cylindrical Low-Pressure Arc Discharge: May 193
 Resonant Slope Amplifier Using Microwave Pump Frequency: Jan 92
 Resonant Structures, Millimeter Wavelength: Mar 142
 Resonator, High Q Lossy Waveguide, Coupling Coefficients of: Jan 78
 Resonators, Fabry-Perot, Spherical Mirror: Sep 371
 Resonators, Fabry-Perot Type: Mar 153
 Ruby, Submillimeter Photon Counting in: Sep 434

S

Satellite, Earth-, Millimeter Wavelength Communications, Factors Affecting: Sep 296
 Scatterers, Active, Field Measurements Using: Sep 454
 Scattering of Unidirectional Surface Waves: Jul 238
 Semiconductor Diagnostics, Microwave, Waveguide Perturbation Techniques in: Jan 73
 Separation, Millimeter and Submillimeter, Simple Grating System for: Sep 433
 Sheath Deformation, Non-Uniform Coaxial Transmission Line with: Nov 478
 Soils, Dielectric Properties of, Microwave Techniques for Measurement of: May 211
 Space Array, Frequency Modulator with Gain for: Sep 420
 Spectroscopy, Microwave, Reflex Klystron Amplifier for: Mar 150
 Spherical Mirror Fabry-Perot Resonators: Sep 371
 Standards, International Millimeter Waveguide Flange, Status Report on: Sep 427
 Standing Wave Ratios, Voltage, of Broadband Waveguide Series-T Junctions: Sep 452
 Strip Line Band-Stop Filters with Narrow Stop Bands: Nov 548
 Strip Line Circulators, Symmetrical Junction: Nov 506
 Submillimeter:
 Components Using Oversize Quasi-Optical Waveguide: Sep 338
 Region, Radiometry in: Nov 513
 Waves, Millimeter and,—State of the Art: Sep 271
 Superheterodyne Radiometers for Use at 70 Gc and 140 Gc: Sep 397
 Superheterodyne Receiver, Harmonic Mixing, Submillimeter Measurement System Using: Sep 385
 Switches Utilizing Ferrite Junction Circulators: May 217

T

TE Mode Components in the 3-MM Region: Sep 324
 TEM Mode in Parallel-Plate Waveguide

- Filled with Gyrotropic Dielectric: Sep 436
- Temperature Stabilization of Gyromagnetic Couplers: Sep 447
- Three-Port with Constant Phase Difference Properties: Jan 92
- Transducer, Wide-band Rectangular-to-Circular Mode, for Millimeter Waves: Sep 430
- Transmission Line:
- All-Pass Networks, Coupled, in Cascades: Jan 23
 - Calculating Coaxial, Step Capacitance: Sep 454
 - Measurement of Narrow Linewidth Ferromagnetic Samples: Nov 547
 - Nonuniform Coaxial, with Sheath Deformation: Nov 478
 - Square Coaxial, Characteristic Impedance of: Nov 554
 - Uniform Coaxial, with Elliptic-Circular Cross Section: Nov 549
- Transmission Lines:
- Coaxial, Phase Attenuation and Impedance Characteristics of, with Thin Tubular Conductors: Mar 129
 - Periodic Cylinder Arrays as: Jan 55
 - Q of, Measurement of: Nov 472
- Transmission, Millimeter, by Oversize and Shielded-Beam Waveguides: Sep 429
- Transmission-Line Directional Couplers, Coupled-, Synthesis of: Jul 226
- Traveling-Wave:
- Directional Filters, Strip-Line, Frequency Response of: Jul 264
 - Filters, Single Resonator, Discontinuity Effects in: Nov 551
 - Tube Nanosecond Pulse Generator: Jan 3
- Tunnel Diode Generators, Analysis of the Frequency and Power Performance of: Sep 412
- Tunnel Diode Oscillators, Microwave, Nonlinear Biasing Resistors for: Jul 260
- Tunnel Diodes as Millimeter Wave Detectors and Mixers: Nov 560
- ## V
- Vacuum Forming Technique for Spherical or Prolate Spheroidal Reflector: Nov 553
- Varactor Frequency-Modulated AFC Reference Cavity: Jul 258
- Varactor Mounts in Waveguides, Mixed Two-Port Parameters for Characterizing: May 218
- ## W
- Waffle-Iron Filter, High-Power Wide-Band: Mar 111
- Waffle-Iron Filters, Postscript to Two Papers on: Nov 555
- Waveguide:
- Beam, Loss Measurements of: Jan 18
 - Broad-band, Series-T Junction, Voltage Standing Wave Ratios: Sep 452
 - Circulators, E-Plane 3-Port X-Band: Sep 443
 - Components, Range of 2 and 1 Millimeter: Sep 332
 - Directional Couplers, Improving the Response of: Nov 554
 - Filters, Design of Narrow-Band: Nov 522
 - Flange Standards, International Millimeter, Status Report on: Sep 427
 - Junction, Two Arm, Maximum Efficiency of: Jan 94
 - Comments on:* Nov 549
 - Junctions, Phaseshift of Waves Propagating Through: Sep 449
 - Leaky-Wave Filter Structure, Solution to: May 182
 - Low-Loss, for Millimeter Waves, Groove Guide: Sep 291
 - Oversize Quasi-Optical, Submillimeter Components Using: Sep 338
 - Parallel-Plate, Filled with Gyrotropic Dielectric, TEM Mode in: Sep 436
 - Perturbation Techniques in Microwave Semiconductor Diagnostics: Jan 73
 - Rectangular, Continuously Variable Directional Couplers in: Mar 137
 - Resonator, High-Q Lossy, Coupling Coefficients of: Jan 78
 - Screened Dielectric Rod, Mode Cutoff Frequencies in: Jul 262
- Waveguides:
- Attenuation of, Power Loss Method for, Cavities and: Jan 83
 - Beam, Wall-Current Detector for: Nov 552
 - Dielectric Filled, Broad-Band Impedance Matching into: Jan 36
 - Mixed Two-Port Parameters for Characterizing Varactor Mounts in: May 218
 - Oversize and Shielded-Beam, Millimeter Transmission by: Sep 429
 - with Loss Dielectrics, Fourier Heat flow Equation in: Nov 552
- Waves, Surface, Propagation Constants for, on Dielectric Cylinder: Nov 543
- Waves, Unidirectional Surface, Scattering of: Jul 238
- ## Z
- Zeros, Calculating Approximate Values of, of Certain Combination of Bessel Functions: Nov 546
- Zeros, First, of a Combination Bessel Function Equation, Calculating Approximate Values of: Jan 93