

Index to

IEEE Transactions

on

Microwave Theory and Techniques

Volume MTT-13, 1965

IEEE Transactions

on

Microwave Theory and Techniques

VOLUME MTT-13, 1965

Author Index

(The following author listings include title of paper, page number and month.)

A

- Altschuler, H. M. Interchange of Source and Detector in Low-Power Microwave Network Measurements. 84 (Jan)
- Ammann, E. O. Broadbanded Solid-State Microwave Maser Operating at 77.4°K. 186 (Mar)
- Amoss, J. W., M. R. Donaldson, L. J. Lavedan, A. L. Stanford, J. E. Pippin. Ferroelectric Microwave Switch. 789 (Nov)
- Arnou, S. (*See Meier and Arnou*)
- Ashley, J., C. B. Searles. Prediction and Measurement of Oscillator Frequency Modulation Under Random Vibration. (C) 869 (Nov)
- Audeh, N. F., H. Y. Yee. Measurement of Cutoff Frequencies. (C) 878 (Nov)
- Audeh, N. F. (*See Yee and Audeh*)

B

- Baird, J. R. (*See Degenford, Baird, and Yamashita*)
- Bandler, J. W. Stability and Gain Prediction of Microwave Tunnel-Diode Reflection Amplifiers. 814 (Nov)
- Barber, M. R. Numerical Analysis of the Tunnel-Diode Frequency Converter. 663 (Sep)
- Barlow, H. E. M. Screened Surface Waves and Some Possible Applications. (A-51). 723 (Sep)
- Barnes, C. W. Impulse Response of a Coupled-Mode System. 432 (Jul)
- Beatty, R. W. Correction to Intrinsic Attenuation. (C). 258 (Mar)
- Bell, F. (*See Caputo and Bell*)
- Benson, F. A., J. D. Last. Nonlinear-Transmission-Line Harmonic Generator (A-53). 723 (Sep)
- Benvenise, R. M. Nonuniform TEM Transmission Line. Part 1. Lossless and Log-Periodic Properties. (A-54). 723 (Sep)
- Berceli, T. Optimum Design of Helix Couplers with Shielding. (C) 471 (Jul)
- Berger, Henry. Nonreciprocal Directional Couplers. (C). 474 (Jul)
- Beyer, J. B. (*See Lonngren and Beyer*)
- Biernson, G., D. J. Kinsley. Generalized Plots of Mode Patterns in a Cylindrical Dielectric Waveguide Applied to Retinal Cones. 345 (May)
- Biernson, G. (*See Diamant, Schlesinger, Biernson, and Kinsley*)
- Bolle, D. M., G. S. Heller. Theoretical Considerations of the Use of Circularly Symmetric TE Modes for Digital Ferrite Phase Shifters. 421 (Jul)
- Boyd, Charles R., Jr. Network Model for Transmission Lines with Gyromagnetic Coupling. 652 (Sep)
- Brady, M. M. Accurate Measurements for Dynamic Representations of Parametric Amplifier Varactor Diodes. (C). 133 (Jan)
- Brady, M. M. Plea for Clarity in Waveguide Designation. (C) 247 (Mar)
- Brady, M. Michael. Rectangular Waveguide Flange Nomenclature. (C). 469 (Jul)
- Brand, H., H. W. Fieweger. Ferromagnetic Resonance Linewidth and g-Factor in Ferrites from 2 to 18 Gc/s. (C). 712 (Sep)
- Brodwin, M. E. (*See Gabriel and Brodwin*)
- Brooke, R. L. (*See Cruz and Brooke*)
- Brown, N. J. (*See Ward, Jellison, Brown, and Gould*)
- Bujatti, M. Field Measurements in a Small Cross Section Guide Loaded with Magnetized Ferrite. (C). 385 (May)
- Burton, R. W., R. W. P. King. Experimental Investigation of Two-Slot Transmission Line on Nonplanar Surfaces. 303 (May)

C

- Caputo, J., F. Bell. Waffle-Iron Harmonic Suppression Filter. (C) 701 (Sep)
- Carlin, H. J., W. Kohler. Direct Synthesis of Band-Pass Transmission-Line Structures. 283 (May)
- Carter, Philip S. Side-Wall-Coupled, Strip Transmission-Line Magnetically Tunable Filters Employing Ferrimagnetic YIG Resonators. 306 (May)
- Casey, K. Note on Wave Propagation in Periodic Media. (C) 710 (Sep)
- Casey, K. F. (*See Yeh, Casey, and Kaprielian*)
- Cassedy, E. S. Waves Guided by a Boundary with Time-Space Periodic Modulation. (A-21). 394 (May)
- Chao, Cheng Lee. Note on Varactor Frequency Tripler. (C) 256 (Mar)
- Chien, T. M., H. Unz. Radiation from Rectangular Waveguide with Ferrite Slabs. (C). 137 (Jan)
- Cho, N., T. Makimoto. Oscillating and Amplifying Characteristics of Mavar Using YIG Disk. (A-38). 722 (Sep)
- Clark, W. P. High-Power Phase Shifter for Phase Array Systems. 785 (Nov)
- Cohn, M., A. F. Eikenberg. High-Power Ferroelectric Limiter. 47 (Jan)
- Cohn, Seymour. Microwave Filters, an Advancing Art. 487 (Sep)
- Cohn, Seymour B. 1964 Microwave Prize. 730 (Nov)
- Collier, J. R., C. T. Tai. Guided Waves in Moving Media. 441 (Jul)
- Collin, Robert E. Electromagnetic Potentials and Field Expansions for Plasma Radiation in Waveguides. 413 (Jul)
- Collins, G. E. (*See Torgow and Collins*)
- Collins, T. (*See Wade, Stern, and Collins*)
- Comstock, R. L. (*See Fay and Comstock*)
- Connors, W. P. Maximally Flat Bandwidth of a Nondegenerate Parametric Amplifier with Double Tuned Signal Circuit and Single Tuned Idler Circuit. (C). 251 (Mar)
- Cowlishaw, J. D. (*See Rebsch, Webb, Moore, and Cowlishaw*)
- Craven, G., D. W. Stopp, R. R. Thomas. Resonant-Slot Hybrid Junctions and Channel-Dropping Filters. (A-56). 723 (Sep)
- Cristal, E. G. Addendum to An Exact Method for Synthesis of Microwave Band-Stop Filters. (C). 141 (Jan)
- Cristal, E. G. Comment on Coupled Rods Between Ground Planes. (C). 255 (Mar)
- Cristal, E. G. Coupled Circular Cylindrical Rods Between Parallel Ground Planes. 141 (Jan)
- Cristal, E. G. Tables of Maximally Flat Impedance-Transforming Networks of Low-Pass-Filter Form. (C). 693 (Sep)
- Cristal, E. G. (*See Matthaei and Cristal*)
- Cristal, E. G., L. Young. Theory and Tables of Optimum Symmetrical TEM-Mode Coupled-Transmission-Line Directional Couplers. 544 (Sep)
- Cruz, J. E., R. L. Brooke. Variable Characteristic Impedance Coaxial Line. (C). 477 (Jul)
- Cumming, R. C., D. W. Howell. YIG Filters as Envelope Limiters. 616 (Sep)
- Cupp, R. E. (*See Strauch, Miesch, and Cupp*)
- Curnow, H. J. General Equivalent Circuit for Coupled-Cavity Slow-Wave Structures. 671 (Sep)

D

- Das, S. M. Application of Barium Titanate Compositions to Parametric Amplification. (C). 245 (Mar)

- Degenford, J. E., J. R. Baird, E. Yamashita. Magnetic Loop, Diode Detector Compatible with Microwave and Beam Waveguides. (C).....380 (May)
- De Ronde, F. C. Precise and Sensitive X-Band Reflecto "meter" Providing Automatic Full-Band Display of Reflection Coefficient.....435 (Jul)
- Derr, V. E. (*See Strauch, Smith, and Derr*)
- Diamant, P., S. P. Schlesinger, G. Biernson, D. J. Kinsley. Discrepancies in Dielectric Waveguide Mode Cutoff Conditions. (C).....884 (Nov)
- Dishal, M. Simple Design Procedure for Small Percentage Bandwidth Round-Rod Interdigital Filters. (C).....696 (Sep)
- Dobson, J. (*See Williams, Wilmunder, Dobson, Hogg, Lee, and Loew*)
- Donaldson, M. R. (*See Amoss, Donaldson, Lavedan, Stanford, and Pippin*)
- Duncan, J. W., Jr. Characteristic Impedances of Multiconductor Strip Transmission Lines.....107 (Jan)

E

- Eikenberg, A. F. (*See Cohn and Eikenberg*)
- Engen, G. F. International Intercomparison of Standards for Microwave Power Measurements. (C).....713 (Sep)
- Engineer, M. H., B. R. Nag. Propagation of Electromagnetic Waves in Rectangular Guides Filled with a Semiconductor in the Presence of a Transverse Magnetic Field.....641 (Sep)
- Ernst, W. P. Technique for Measuring Phase Modulation or Rapid Phase Changes of a Microwave Signal.....70 (Jan)

F

- Farber, H., M. Klinger, M. Sucher, E. Malloy. A dc Triggered High-Speed High-Power Microwave Spark Gap Switch.....28 (Jan)
- Fay, C. E., R. L. Comstock. Operation of the Ferrite Junction Circulator.....15 (Jan)
- Fellers, R. G., J. Taylor. Correction to Internal Reflection in Dielectric Prisms. (C).....258 (Mar)
- Fieweger, H. W. (*See Brand and Fieweger*)
- Fisher, R. E. Broadbanding Microwave Diode Switches. (C).....706 (Sep)
- Fletcher, L. B. (*See Kotzebue and Fletcher*)
- Furukawa, T. (*See Kilazato, Onozawa, Nasu, and Furukawa*)

G

- Gabriel, G. J., M. E. Brodwin. Solution of Guided Waves in Inhomogeneous Anisotropic Media by Perturbation and Variational Methods.....364 (May)
- Gandhi, O. P. Birefringence in Semiconductor Magnetoplasmas for Ultramicrowave Gyrotory Devices. (A-52).....723 (Sep)
- Gandhi, O. P. (*See Sidhu and Gandhi*)
- Gans, Michael J. General Proof of Floquet's Theorem. (C).....384 (May)
- Garver, Robert V. Broadband Binary 180° Diode Phase Modulators.....32 (Jan)
- Gillespie, E. S., J. J. Gustincic. Scattering of a TM Surface Wave by Perfectly Conducting Strip.....630 (Sep)
- Goubau, G., F. Schwering. Modes in Radial Wavebeam Resonators.....749 (Nov)
- Gould, L. (*See Ward, Jellison, Brown, and Gould*)
- Gray, M. G. (*See Rambo and Gray*)
- Green, Harry E. Numerical Solution of Some Important Transmission-Line Problems.....676 (Sep)
- Green, H. E., J. R. Pyle. Characteristic Impedance and Velocity Ratio of Dielectric-Supported Strip Line. (C).....135 (Jan)
- Grimes, E. S., Jr. (*See Rucker, Morrow, and Grimes*)
- Guckel, H. Characteristic Impedances of Generalized Rectangular Transmission Lines.....270 (May)
- Gunn, M. W. Measurement of Semiconductor Properties in a Slotted Waveguide Structure. (A-49).....723 (Sep)
- Gustincic, J. J. (*See Gillespie and Gustincic*)

H

- Haga, M. (*See Takada, Nakamura, Yagishita, and Haga*)
- Hamasaki, J. Low-Noise and Wide-Band Esaki Diode Amplifier with a Comparatively High Negative Conductance Diode at 1.3 Gc/s.....213 (Mar)
- Hata, H., K. Suetake, R. Ishii. Progress in Precise Measurement of

- Surface Wave Field Distribution by Small Probes and Rotary Reflectors. (A-26).....482 (Jul)
- Hataya, K. (*See Okada, Machino, Kura, Hataya, and Ikoma*)
- Hatsuda, Suehiko, Tadaaki Takeshima, Yasuhiro Isogai. Slot Array Antenna for Simultaneous Radiation. (A-4).....262 (Mar)
- Heller, G. S. (*See Bolle and Heller*)
- Helszajn, J. Note on Tetrahedral Junction. (C).....132 (Jan)
- Heurtly, J. C., W. Streifer. Mode Losses in Confocal Resonator and Transmission Systems. (C).....711 (Sep)
- Higgins, E. L. (*See Sparks and Higgins*)
- Hill, P. C. J. Some Applications of the Scattering Matrix. (A-17).....394 (May)
- Hirai, M. (*See Once and Hirai*)
- Hirono, M. Observation of the Upper Atmosphere Constituents by Laser Beams. (A-12).....262 (Mar)
- Hogg, H. A. (*See Williams, Wilmunder, Dobson, Hogg, Lee, and Loew*)
- Holmes, D. A. (*See Wexler and Holmes*)
- Horton, M. C., R. J. Wenzel. General Theory and Design of Optimum Quarter-Wave TEM Filters.....316 (May)
- Houlding, N. Varactor Measurements and Equivalent Circuits. (C).....872 (Nov)
- Howell, D. W. (*See Cumming and Howell*)
- Howson, D. P. Conjugately Matched Parametric Upconverters. (A-47).....723 (Sep)
- Howson, D. P. Double-Pumped Parametric Converter. (A-46).....723 (Sep)
- Hyltin, T. M. Microstrip Transmission on Semiconductor Dielectrics.....777 (Nov)

I

- Iida, S., T. Kushida. Spectral Characteristics of Semiconductor (GaAs) Lasers. (A-25).....482 (Jul)
- Ikeuchi, J., I. Mitsufuji, M. Mishima, M. Kashiwabara, H. Ogino, I. Takasaki. Helix Type Traveling-Wave Tubes with a Metal Envelope for the Millimeter Band; ECL-1224. (A-32).....482 (Jul)
- Ikoma, H. (*See Okada, Machino, Kura, Hataya, and Ikoma*)
- Ishida, T. (*See Mushiake and Ishida*)
- Ishii, Koryu T. Error of Doppler Radar in Target Speed Determination for Traffic Control. (C).....389 (May)
- Ishii, R. (*See Hata, Suetake, and Ishii*)
- Ishii, Y., N. Ohashi, T. Yokoyama, S. Ogawa. Development of High Self-Resonant Frequency Variable Capacitance Diode ECL-1219. (A-40).....722 (Sep)
- Ishii, Yasuhiro, Norinari Ohashi, Akio Yokoyama, Shigeo Ogawa. Study of Mini-Diode ECL-1219. (A-10).....262 (Mar)
- Isobe, Toyosaku, Tatsuo Miyakawa. Unidirectional Frequency Multipliers (Using Nonlinear Capacitive and Resistive Elements). (A-2).....262 (Mar)
- Isogai, Yasuhiro. (*See Hatsuda, Takeshima, and Isogai*)
- Ito, M. Dispersion of Very Short Microwave Pulses in Waveguide.....357 (May)

J

- Jacobson, A. D., T. R. O'Meara. Optical All-Pass Network. (C).....475 (Jul)
- Jaffe, J. S., R. C. Mackey. Microwave Frequency Translator.....371 (May)
- Jellison, F. A. (*See Ward, Jellison, Brown, and Gould*)
- Johansen, Elmer L. Radiation Properties of a Parallel-Plane Waveguide in a Transversely Magnetized Homogeneous Plasma.....77 (Jan)
- Jones, R. R. (*See Whicker and Jones*)

K

- Kallas, R. A. Additional Comment on Wave Propagation in Sinusoidally Stratified Dielectric Media. (C).....715 (Sep)
- Kallas, R. A. Comment on Wave Propagation in Sinusoidally Stratified Dielectric Media. (C).....139 (Jan)
- Comment. (C).....141 (Jan)
- Comment. (C).....715 (Sep)
- Kaprielian, Z. A. (*See Yeh, Casey, and Kaprielian*)
- Kashiwabara, M. (*See Ikeuchi, Mitsufuji, Mishima, Kashiwabara, Ogino, and Takasaki*)
- Katsuta, T. (*See Takayanagi and Katsuta*)

Kaufman, I., R. F. Soohoo. Electric Field and Wave Impedance in Spin Wave Propagation. (C) 703 (Sep)
 Kaufman, I., R. F. Soohoo. Magnetic Waves for Microwave Time Delay—Some Observations and Results. 458 (Jul)
 King, D. D. Space for Microwaves. 732 (Nov)
 King, M. (*See Wantuch and King*)
 King, R. W. P. (*See Burton and King*)
 Kinsley, D. J. (*See Biernson and Kinsley*)
 Kinsley, D. J. (*See Diament, Schlesinger, Biernson, and Kinsley*)
 Kint, L. v. d. (*See Schanda, Kint, and Murnaghan*)
 Kitazato, K., K. Onozawa, T. Nasu, T. Furukawa. Large Slot Antenna for 5 Gc Wave. (Parts I and II). (A-36) . . . 722 (Sep)
 Klinger, M. (*See Farber, Klinger, Sucher, and Malloy*)
 Kloza, Maria. Superheterodyne Method of Microwave Noise Measurements. (C) 882 (Nov)
 Kohler, W. (*See Carlin and Kohler*)
 Konishi, Yoshihiro. Lumped Element Y Circulator . . 852 (Nov)
 Korpel, A., V. Ramaswamy. Input Conductance of Four-Frequency Parametric Upconverter. 96 (Jan)
 Kotzebue, K. L., L. B. Fletcher. Ferrimagnetically-Tuned Parametric Amplifier. 773 (Nov)
 Koyama, J., F. Miyauchi. Double Ladder Type Traveling Wave Tube for Millimeter Wave Band. (A-34) 722 (Sep)
 Kraszewski, Andrzej. Some Experimental Results on the X-Band Junction Circulator. (C) 382 (May)
 Kraszewski, Andrzej. (*See Stuchly and Kraszewski*)
 Krokstad, J. Ferrimagnetic Microwave Power Limiter . . 119 (Jan)
 Ksienski, A. Multiplicative Processing Antenna Systems for Radar Applications. (A-16) 394 (May)
 Kumagai, Nobuaki, Masanori Matsuhara, Hiroki Mori. Multi-reflector Fabry-Perot Laser Resonators. (A-1) 262 (Mar)
 Kumagai, N., H. Yamamoto. Generalized Solutions for Optical Maser Amplifiers 445 (Jul)
 Kumagai, S., Y. Nakanishi. Analysis of Electromagnetic Fields in the Cavity Containing a Gyromagnetic Material. (A-43) 722 (Sep)
 Kura, I. (*See Okada, Machino, Kura, Hataya, and Ikoma*)
 Kurauchi, Noritaka. (*See Nakahara and Kurauchi*)
 Kurauchi, H. (*See Nakahara, Kurauchi, and Shioyama*)
 Kurokawa, K. Power Waves and the Scattering Matrix. . 194 (Mar)
 Kushida, T. (*See Iida and Kushida*)

L

Landry, D. H., W. C. Passaro. Four-Bit Latching Ferrite Switch. (C) 866 (Nov)
 Large, D. B. Note on the Phase Velocity in Continuously Loaded Coaxial Cables. (C) 243 (Mar)
 Larrick, R. B. (*See Schiffman, Young, and Larrick*)
 Last, J. D. (*See Benson and Last*)
 Lavedan, L. J. (*See Amoss, Donaldson, Lavedan, Stanford, and Pippin*)
 Lavendol, L., J. J. Taub. Re-entrant Directional Coupler Using Strip Transmission Line. (C) 700 (Sep)
 Lee, M. J. (*See Williams, Wilmunder, Dobson, Hogg, Lee, and Loew*)
 Levy, Ralph. Tables of Element Values for the Distributed Low-Pass Prototype Filter. 514 (Sep)
 Levy, R. Transmission-Line Directional Couplers for Very Broad-Band Operation. (A-50) 723 (Sep)
 Likuski, R. K. Field Equations in Cylindrical Coordinates for Gyroelectric Media with Sources. (C) 881 (Nov)
 Lim, J. T. (*See Scanlan and Lim*)
 Linker, J. B. (*See Peppiatt, McDaniel, and Linker*)
 Linker, J. B., Jr. (*See Rebsch, Peppiatt, McDaniel, and Linker*)
 Lock, R. G. (*See Thal and Lock*)
 Loew, G. A. (*See Williams, Wilmunder, Dobson, Hogg, Lee, and Loew*)
 Lonngren, K. E., J. B. Beyer. Extension to the High Loss Region of the Solution of the Confocal Fabry-Perot Resonator Integral Equation. (C) 243 (Mar)
 Comment. (C) 711 (Sep)
 Lubell, P. D. (*See Torgow and Lubell*)
 Luzzatto, Giorgio. Multiplier-Frequency Shifter Suited to Beat Frequency Generators in Microwave Repeaters. (C) . 388 (May)

M

Machida, S. (*See Mitsufuji and Machida*)
 Machino, H. (*See Okada, Machino, Kura, Hataya, and Ikoma*)
 Mackey, R. C. (*See Jaffe and Mackey*)

4—MTT TRANSACTIONS INDEX

Magoulas, P. P., P. A. Mathews. Current-Distribution Measurements on Thin Conducting Sheets. (A-55) 723 (Sep)
 Makimoto, T. (*See Cho and Makimoto*)
 Makino, H., K. Morita. Space Diversity Reception and Transmission Systems for Line-of-Sight Microwave Link. (A-41) 722 (Sep)
 Makino, Hideo, Tadao Morozumi, Kazuo Morita, Yuji Numano. Space Diversity System for Line-of-Sight Microwave Links. (A-9) 262 (Mar)
 Makino, Hideo, Toru Oyatsu. Repeater for Auxiliary Radio Relay System Operating in 6 Gc Band. (A-11) 262 (Mar)
 Malloy, E. (*See Farber, Klinger, Sucher, and Malloy*)
 Marcuse, D. Design Considerations for Bent-Beam Waveguides 647 (Sep)
 Marcuse, D. Theory of a Thermal Gradient Gas Lens. . . 734 (Nov)
 Mathews, P. A. (*See Magoulas and Mathews*)
 Mathis, H. F. Graphical Procedures for Finding Matrix Elements for a Lattice Network and a Section of Transmission Line. (C) 130 (Jan)
 Mathis, Harold F., Robert F. Mathis. Synthesizing Air with a Radome Sandwich. (C) 708 (Sep)
 Mathis, Robert F. (*See Mathis and Mathis*)
 Matsushita, M., T. Takayama. Traveling Wave Slotted-Cylinder Antenna with Dipole Element. (A-42) 722 (Sep)
 Matsuhara, Masanori. (*See Kumagai, Matsuhara, and Mori*)
 Matthaei, George L. Magnetically Tunable Band-Stop Filters 203 (Mar)
 Matthaei, G. L., E. G. Cristal. Multiplex Channel-Separating Units Using Interdigital and Parallel-Coupled Filters. 328 (May)
 Matthaei, G. L. (*See Schiffman, Matthaei, and Young*)
 Matthaei, G. L. (*See Schiffman, Young, and Matthaei*)
 Matthaei, G. L., D. B. Weller. Circular TE₀₁₁-Mode, Trapped-Mode Band-Pass Filters. 581 (Sep)
 Maxwell, S. P. (*See Waldron and Maxwell*)
 McDaniel, A. V., Jr. (*See Peppiatt, McDaniel, and Linker*)
 McDaniel, A. V., Jr. (*See Rebsch, Peppiatt, McDaniel, and Linker*)
 Meier, P. J., S. Arnow. Wide-Band Polarizer in Circular Waveguide Loaded with Dielectric Discs. 763 (Nov)
 Merlo, D. Development of Group Delay Equalizers for 4 Gc/s. (A-22) 394 (May)
 Miesch, R. A. (*See Strauch, Miesch, and Cupp*)
 Mishima, M. (*See Ikeuchi, Mitsufuji, Mishima, Kashiwabara, Ogino, and Takasaki*)
 Mitsufuji, I. (*See Ikeuchi, Mitsufuji, Mishima, Kashiwabara, Ogino, and Takasaki*)
 Mitsufuji, I., S. Machida. Research on Ceramic-to-Metal Sealing for Millimeter Wave Traveling Wave Tubes. (A-30) . 482 (Jul)
 Miyakawa, Tatsuo. (*See Isobe and Miyakawa*)
 Miyauchi, K. Measurement of Microwave Nanosecond Pulses. (A-31) 482 (Jul)
 Miyauchi, F. (*See Koyama and Miyauchi*)
 Miyazaki, Yasumitsu. (*See Udagawa and Miyazaki*)
 Moore, R. A. (*See Rebsch, Webb, Moore, and Cowlishaw*)
 Mori, Hiroki. (*See Kumagai, Matsuhara, and Mori*)
 Morita, K. (*See Makino and Morita*)
 Morita, Kazuo. (*See Makino, Morozumi, Morita, and Numano*)
 Morozumi, Tadao. (*See Makino, Morozumi, Morita, and Numano*)
 Morrow, W. (*See Rucker, Morrow, and Grimes*)
 Moynihan, R. L. (*See Parad and Moynihan*)
 Mumford, W. W. Tables of Stub Admittances for Maximally Flat Filters Using Shorted Quarter-Wave Stubs. (C) 695 (Sep)
 Murnaghan, J. T. (*See Schanda, Kint, and Murnaghan*)
 Mushiaka, Y., T. Ishida. Characteristics of Loaded Rectangular Waveguides. 451 (Jul)

N

Nag, B. R. (*See Engineer and Nag*)
 Nakahara, Tsuneo. Guided Propagation of Electromagnetic Wave Beams between Two Parallel Plates. (A-15) 262 (Mar)
 Nakahara, Tsuneo. Analysis of Mode Conversion in an H-Guide Taper. (A-14) 262 (Mar)
 Nakahara, T., N. Kurauchi, H. Shioyama. Measurement of Circular Waveguide Imperfections with FM Radar. (A-39) 722 (Sep)
 Nakahara, Tsuneo, Noritaka Kurauchi. Transmission Modes in the Grooved Guide. (A-3) 262 (Mar)

- Nakai, S., C. Yamanaka. Study of Shock Waves by Microwave Techniques. (A-44).....722 (Sep)
- Nakamura, S. (See *Takada, Nakamura, Yagishita, and Haga*)
- Nakanishi, Y. (See *Kumagai and Nakanishi*)
- Nasu, T. (See *Kitazato, Onozawa, Nasu, and Furukawa*)
- Noda, K., K. Yamaguchi, N. Suzuki. Dimensional Tolerance in Circular Waveguides in the Transmission of the Circular Electric Wave. (A-35).....722 (Sep)
- Nojima, M. (See *Yoshida, Takahashi, Nojima, and Takena*)
- Numano, Yuji. (See *Makino, Morozumi, Morita, and Numano*)

O

- Ogawa, S. (See *Ishii, Ohashi, Yokoyama, and Ogawa*)
- Ogino, H. (See *Ikeuchi, Mitsufuji, Mishima, Kashiwabara, Ogino, and Takasaki*)
- Ohashi, N. (See *Ishii, Ohashi, Yokoyama, and Ogawa*)
- Ohkubo, M. Nonreciprocity in Plasma Loaded Waveguide. (A-28).....482 (Jul)
- Okada, J., H. Machino, I. Kura, K. Hataya, H. Ikoma. Oscillation Phenomena in Bulk Semiconductors. (A-24).....482 (Jul)
- Okress, E. C. Organic Superconductor and Dielectric Infrared Waveguide, Resonator, and Antenna Models of Insects' Sensory Organs. (C).....706 (Sep)
- Okress, E. C. Relative to Microwave Power Engineering. (C).....870 (Nov)
- Oliner, A. A. (See *Tamir, Wang, and Oliner*)
- Olson, F. A., J. R. Yaeger. Microwave Delay Techniques Using YIG.....63 (Jan)
- O'Meara, T. R. (See *Jacobson and O'Meara*)
- Onoe, M., M. Hirai. Olympic TV Transmission via Syncom III Satellite. (A-33).....722 (Sep)
- Onozawa, K. (See *Kitazato, Onozawa, Nasu, and Furukawa*)
- Oyatsu, Toru. (See *Makino and Oyatsu*)

P

- Parad, L. I., R. L. Moynihan. Split-Tee Power Divider...91 (Jan)
- Passaro, W. C. (See *Landry and Passaro*)
- Peppiatt, H. J., A. V. McDaniel, Jr., J. B. Linker. 7-Gc/s Narrow-Band Waveguide Switch Using *p-i-n* Junction Diodes.....44 (Jan)
- Comment.....874 (Nov)
- Peppiatt, H. J. (See *Rebsch, Peppiatt, McDaniel, and Linker*)
- Perlman, Barry S. Current-Pumped Abrupt-Junction Varactor Power-Frequency Converters.....150 (Mar)
- Perlman, B. S. (See *Perlow and Perlman*)
- Perlow, S. M., B. S. Perlman. Large Signal Analysis Leading to Intermodulation Distortion Prediction in Abrupt Junction Varactor Upconverters...820 (Nov)
- Pippin, J. E. (See *Amoss, Donaldson, Lavedan, Stanford, and Pippin*)
- Pyle, J. R. (See *Green and Pyle*)

Q

- Quine, John P. *E*- and *H*-Plane Bends for High-Power Oversized Rectangular Waveguide.....54 (Jan)

R

- Ramaswamy, V. (See *Korpeel and Ramaswamy*)
- Rambo, S. I., M. G. Gray. Phase Equalization Problems in a Phased-Array Transmitter...167 (Mar)
- Rao, B. Rama. Current Distribution and Impedance of an Antenna in a Parallel Plate Region. (A-20).....394 (May)
- Rebsch, D. L., H. J. Peppiatt, A. V. McDaniel, Jr., J. B. Linker, Jr. Comparison of Two Low-Loss Semiconductor Switches. (C).....874 (Nov)
- Rebsch, D. L., D. C. Webb, R. A. Moore, J. D. Cowlishaw. Mode Chart for Accurate Design of Cylindrical Dielectric Resonators. (C).....468 (Jul)
- Riblet, Henry J. General Design Procedure for Quarter-Wavelength Inhomogeneous Impedance Transformer Having Approximately Equal-Ripple Performance...622 (Sep)
- Richmond, Jack H. Scattering by an Arbitrary Array of Parallel Wires...408 (Jul)
- Rosen, J. (See *Seidel and Rosen*)
- Rosenbaum, F. J. Correction to Electromagnetic Wave Propagation in Lossy Ferrites. (C).....258 (Mar)

- Ross, Gerald F. Synthetic Generation of Phase-Coherent Microwave Signals for Transient Behavior Measurements. (C).....704 (Sep)
- Rucker, T. C., W. Morrow, E. S. Grimes, Jr. X-Band Parametric Amplifier with Closed-Cycle Cooling. (C).....123 (Jan)
- Ruddy, John M. Experimental Results in Groove Guide. (C).....880 (Nov)
- Russo, F. A., V. R. Schoep. Measurement of Dispersion Effects on Narrow RF Pulses. (C).....250 (Mar)

S

- Sakurai, Noboru. (See *Takeshita and Sakurai*)
- Scanlan, J. O., J. T. Lim. Effect of Parasitic Elements on Reflection Type Tunnel-Diode Amplifier Performance...827 (Nov)
- Schanda, E., L. v. d. Kint, J. T. Murnaghan. Method for Measurement of Plane Resistors at Microwave Frequencies. (A-18).....394 (May)
- Schiffman, B. M. Capacitively-Coupled Stub Filter. (C).....253 (Mar)
- Schiffman, B. M. Correction to Exact Design of Band-Stop Microwave Filters. (C).....703 (Sep)
- Schiffman, B. M., G. L. Matthaei, L. Young. Rectangular-Waveguide Filter Using Trapped-Mode Resonators.....575 (Sep)
- Schiffman, B. M., L. Young, R. B. Larrick. Wire-Grid Waveguide Bolometers for Multimode Power Measurement.....427 (Jul)
- Schiffman, B. M., Leo Young, G. L. Matthaei. New Type of Low-Pass Filter That Attenuates by Dissipation. (C).....699 (Sep)
- Schiffman, B. M. (See *Young and Schiffman*)
- Schlesinger, S. P. (See *Diamant, Schlesinger, Biernson, and Kinsley*)
- Schmitt, H. J. Dispersion of Pulsed Electromagnetic Waves in a Plasma. (C).....472 (Jul)
- Schneider, M. V. Computation of Impedance and Attenuation of TEM-Lines by Finite Difference Methods...793 (Nov)
- Schoep, V. R. (See *Russo and Schoep*)
- Schwering, F. (See *Goubau and Schwering*)
- Searles, C. B. (See *Ashley and Searles*)
- Seidel, H., J. Rosen. Multiplicity in Cascade Transmission-Line Synthesis. Part I.....275 (May)
- Part II.....398 (Jul)
- Seshadri, S. R. Radiation from an Electric Dipole in a Plasma Column. (A-19).....394 (May)
- Shioyama, H. (See *Nakahara, Kurauchi, and Shioyama*)
- Shiraishi, Takayoshi, Kei Takiyama. Higher Harmonic Rejection Three Path Transmission-Line Filter. (A-7).....262 (Mar)
- Shirakura, Kazuo. (See *Taniguchi and Shirakura*)
- Sidhu, G. S., O. P. Gandhi. Four-Port Waveguide Junction Circulator and Effects of Dielectric Loading on Its Performance. (C).....388 (May)
- Simon, J. W. Broadband Strip Transmission-Line Y-Junction Circulators...335 (May)
- Sleven, R. L. (See *Taub and Sleven*)
- Smith, W. T. (See *Strauch, Smith, and Derr*)
- Soohee, R. F. (See *Kaufman and Soohoo*)
- Sparks, R. A., E. L. Higgins. Characteristics of Transient Parametric Amplification of Elastic Waves in YIG. (C).....879 (Nov)
- Stanford, A. L. (See *Amoss, Donaldson, Lavedan, Stanford, and Pippin*)
- Steier, William H. Measurements on a Thermal Gradient Gas Lens...740 (Nov)
- Stelzried, C. T. Temperature Calibration of Microwave Thermal Noise Source. (C).....128 (Jan)
- Stern, E., D. Temme. Magnetostriction Effects in Remanence Phase Shifters. (C).....873 (Nov)
- Stern, R. (See *Wade, Stern, and Collins*)
- Sterzer, F. Progress in Solid-State Microwave Power Sources...768 (Nov)
- Stopp, D. W. (See *Craven, Stopp, and Thomas*)
- Strauch, R. G., R. A. Miesch, R. E. Cupp. Submillimeter Wave Harmonic Mixing. (C).....873 (Nov)
- Strauch, R. G., W. T. Smith, V. E. Derr. Injection Locking of a Ladderton at 35 Gc/s. (C).....473 (Jul)
- Stuchly, Stanislaw, Andrzej Kraszewski. Wide-Band Rectangular to Circular Waveguide Mode and Impedance Transformer. (C).....379 (May)
- Sucher, M. (See *Farber, Klinger, Sucher, and Malloy*)
- Suetake, K. (See *Hata, Suetake, and Ishii*)
- Suzuki, N. (See *Noda, Yamaguchi, and Suzuki*)

T

- Tai, C. T. (*See Collier and Tai*)
 Takada, M., S. Nakamura, H. Yagishita, M. Haga. Attenuation of 11 Gc Waves by Wet Snowfall. (A-45).....722 (Sep)
 Takahashi, S. (*See Yoshida, Takahashi, Nojima, and Takena*)
 Takamoto, T., K. Terayama. Microwave Reflection of Plasma in the External Magnetic Field. (A-29).....482 (Jul)
 Takasaki, I. (*See Ikeuchi, Mitsufuji, Mishima, Kashiwabara, Ogino, and Takasaki*)
 Takayama, T. (*See Matsushita and Takayama*)
 Takayanagi, K., T. Katsuta. Curved Circular Waveguide for TE₀₁ Mode Millimeter Waves. (A-37).....722 (Sep)
 Takena, M. (*See Yoshida, Takahashi, Nojima, and Takena*)
 Takeshima, Tadaaki. (*See Hatsuda, Takeshima, and Isogai*)
 Takeshita, S. Fresnel Gain of Aperture Antenna with Parabolic Tapered Illumination. (A-27).....482 (Jul)
 Takeshita, Shinya, Noboru Sakurai. Path Loss in Fresnel Region. (A-8).....262 (Mar)
 Takiyama, Kei. (*See Shiraiishi and Takiyama*)
 Tamir, T., H. C. Wang, A. A. Oliner. Comment on Wave Propagation in Sinusoidally Stratified Dielectric Media. (C).....141 (Jan)
 Tamir, T., H. C. Wang, A. A. Oliner. Correction to Wave Propagation in Sinusoidally Stratified Dielectric Media. (C).....141 (Jan)
 Taniguchi, Ichiro, Kazuo Shirakura. Experiments on Lasers: (I) Ruby Laser. (A-13).....262 (Mar)
 Taub, J. J. (*See Lavendol and Taub*)
 Taub, J. J., R. L. Slevin. Design of Band-Stop Filters in the Presence of Dissipation.....589 (Sep)
 Taylor, J. (*See Fellers and Taylor*)
 Temme, D. (*See Stern and Temme*)
 Terayama, K. (*See Takamoto and Terayama*)
 Thal, H. L., R. G. Lock. Locking of Magnetrons by an Injected RF Signal.....836 (Nov)
 Thomas, R. R. (*See Craven, Stopp, and Thomas*)
 Toda, Minoru. New Isolator Using a Solid-State Plasma Waveguide. (C).....126 (Jan)
 Todd, A. C. (*See Toullos and Todd*)
 Tomiyasu, K. Optimum Transducer Coupling Coefficient of a Multiple Reflection Pulsed Microwave Delay Line. (C).....390 (May)
 Torgow, Eugene N. Equalization of Waveguide Delay Distortion.....756 (Nov)
 Torgow, E. N., G. E. Collins. Band-Stop Filters for High-Power Applications.....508 (Sep)
 Torgow, E. N., P. D. Lubell. Band-Pass Filter with Steep Skirt Selectivity. (C).....124 (Jan)
 Toullos, P. P., A. C. Todd. Synthesis of Symmetrical TEM-Mode Directional Couplers.....536 (Sep)
 Twisleton, J. R. G. Derivation of Cavity Coupling to Feeder from Tuning Curves. (A-48).....723 (Sep)

U

- Udagawa, Kanehisa, Yasumitsu Miyazaki. Reflection and Mode Conversion in Tilted Millimeter Circular Waveguides—A Study by Conformal Mapping Technique. (A-6).....262 (Mar)
 Unz, H. (*See Chien and Unz*)

V

- Vadopalas, P. Coupled Rods Between Ground Planes. (C).....254 (Mar)
 Comment. (C).....255 (Mar)
 Vetter, M. J. Linear Tuning of a Microwave Cavity. (C).....880 (Nov)
 Vice, David G. Parametric Amplifier Noise Analysis.....162 (Mar)
 Vincent, B. T. Large Signal Operation of Microwave Transistors.....865 (Nov)

W

- Wade, W. L., Jr., R. Stern, T. Collins. Millimeter Resonance Isolator Utilizing Multilayer Ni and NiZn Ferrite Films. (C).....127 (Jan)

- Waldron, R. A., S. P. Maxwell. Note on the Measurement of Material Properties by the Strip-Line Cavity. (C).....711 (Sep)
 Wang, H. C. (*See Tamir, Wang, and Oliner*)
 Wanselow, Robert D. Variable Harmonic Phase Delay Coaxial Network. (C).....708 (Sep)
 Wantuch, E., M. King. High-Power X-Band Limiter. (C).....868 (Nov)
 Ward, C. S., F. A. Jellison, N. J. Brown, L. Gould. Arc Loss of Multimegawatt Gas Discharge Duplexers.....801 (Nov)
 Watanabe, K. (*See Yamada and Watanabe*)
 Webb, D. C. (*See Rebsch, Webb, Moore, and Cowlishaw*)
 Weiss, Jerald A. Circulator Synthesis.....38 (Jan)
 Weller, D. B. (*See Matthaei and Weller*)
 Wenzel, R. J. Application of Exact Synthesis Methods to Multichannel Filter Design.....5 (Jan)
 Wenzel, R. J. Exact Theory of Interdigital Band-Pass Filters and Related Coupled Structures.....559 (Sep)
 Wenzel, R. J. (*See Horton and Wenzel*)
 Wexler, A., D. A. Holmes. Acceptable Mode Types for Inhomogeneous Media. (C).....875 (Nov)
 Wheeler, Harold A. Transmission-Line Properties of Parallel Strips Separated by a Dielectric Sheet.....172 (Mar)
 Whicker, L. R., R. R. Jones. Digital Latching Ferrite Strip Transmission-Line Phase Shifter.....781 (Nov)
 White, J. F. High-Power, *p-i-n* Diode Controlled, Microwave Transmission Phase Shifters.....233 (Mar)
 Williams, C. B., A. R. Wilmunder, J. Dobson, H. A. Hogg, M. J. Lee, G. A. Loew. Automatic Phasing System for the Stanford Two-Mile Accelerator.....806 (Nov)
 Wilmunder, A. R. (*See Williams, Wilmunder, Dobson, Hogg, Lee, and Loew*)
 Woo, Kenneth. Adjustable Microwave Delay Equalizer. 224 (Mar)
 Wrobel, E. J. Orthogonal Coupling to YIG Delay Lines. (C).....707 (Sep)

Y

- Yaeger, J. R. (*See Olson and Yaeger*)
 Yagishita, H. (*See Takada, Nakamura, Yagishita, and Haga*)
 Yamada, R., K. Watanabe. Propagation in Cylindrical Waveguide Containing Inhomogeneous Dielectric. (C).....716 (Sep)
 Yamaguchi, K. (*See Noda, Yamaguchi, and Suzuki*)
 Yamanaka, C. (*See Nakai and Yamanaka*)
 Yamanaka, Hideo. Microwave Measurement of Dielectric Constant by Means of the Perturbation Method. (A-5).....262 (Mar)
 Yamamoto, H. (*See Kumagai and Yamamoto*)
 Yamashita, E. (*See Degenford, Baird, and Yamashita*)
 Yee, Hung Yuet. Natural Resonant Frequencies of Microwave Dielectric Resonators. (C).....256 (Mar)
 Yee, H. Y., N. F. Audeh. Uniform Waveguides with Arbitrary Cross-Section Considered by the Point-Matching Method.....847 (Nov)
 Yee, H. Y. (*See Audeh and Yee*)
 Yeh, C., K. F. Casey, Z. A. Kaprielian. Transverse Magnetic Wave Propagation in Sinusoidally Stratified Dielectric Media.....297 (May)
 Yokoyama, T. (*See Ishii, Ohashi, Yokoyama, and Ogawa*)
 Yoshida, S., S. Takahashi, M. Nojima, M. Takena. Traveling-Wave Ruby Maser. (A-23).....482 (Jul)
 Young, Leo. Microwave Filters—1965 and Bibliography. 489 (Sep)
 Young, L., B. M. Schiffman. Pulse Power Capacity of Short-Slot Couplers. (C).....133 (Jan)
 Young, L. (*See Cristal and Young*)
 Young, L. (*See Schiffman, Matthaei, and Young*)
 Young, L. (*See Schiffman, Young, and Larrick*)
 Young, Leo. (*See Schiffman, Young, and Matthaei*)

Z

- Zanboorie, M. H. Semi-Automatic Technique for Tuning a Reflectometer. (C).....709 (Sep)
 Zimmerer, Robert W. ADI Auxiliary Publications Program. (C).....883 (Nov)

Subject Index

- A**
- All-Pass Microwave Circuit Delay Distortion.....756 (Nov)
 American Documentation Institute Auxiliary Publications Program.
 (C).....883 (Nov)
 Antenna Analysis with Singular Integral Equations. (A-73).....
892 (Nov)
 Antenna (Aperture) Fresnel Gain with Parabolic Tapered Illumina-
 tion. (A-27).....482 (Jul)
 Antenna Array (Slot) for Simultaneous Radiation. (A-4).....262 (Mar)
 Antenna Current Distribution and Impedance in a Parallel Plate
 Region. (A-20).....394 (May)
 Antenna Dielectric Microwave Device Simulation.....345 (May)
 Antenna: Dielectric Rod, High Gain Devices. (A-71).....892 (Nov)
 Antenna, Frequency Scanned, with Dielectric-Loaded Waveguide.
 (A-72).....892 (Nov)
 Antenna Models of Insect Sensors. (C).....706 (Sep)
 Antenna-Feeds in Phased-Array Transmitter Design.....167 (Mar)
 Antenna (Slot) for 5 Gc. (A-36).....722 (Sep)
 Antennas: Broadband, Circularly Polarized Microwave Devices.
 (A-66).....892 (Nov)
 Antennas for Radars: Multiplicative Processing Antenna Systems
 for Radar Applications. (A-16).....394 (May)
 Aperture Antenna Fresnel Gain with Parabolic Tapered Illumination.
 (A-27).....482 (Jul)
 Arc Loss of Multimegawatt Gas Discharge Duplexers.....801 (Nov)
 Array Antenna (Slot) for Simultaneous Radiation. (A-4).....
262 (Mar)
 Array Antennas Beam Steering Phase Shifter Device.....233 (Mar)
 Array Scattering and Far-Field for Parallel Wires.....408 (Jul)
 Atmospheric Analysis with Lasers. (A-12).....262 (Mar)
 Attenuation at Microwave by Dissipation. (C).....699 (Sep)
 Attenuation in Rectangular, Slab-Loaded Waveguides.....451 (Jul)
 Attenuation, Intrinsic, at Microwave. (C).....258 (Mar)
 Autocorrelation Technique for Demodulation of a PM-Modulated
 Laser Beam. (A-68).....892 (Nov)
- B**
- Band-Pass and Stop Filters in Microwave Multiplexer.....328 (May)
 Band-Pass Interdigital Filters and Related Coupled Microwave
 Structures.....559 (Sep)
 Band-Pass Microwave Filters with Steep Skirt Selectivity. (C).....
124 (Jan)
 Band-Pass Microwave Transmission Line Magnetically Tuned.....
306 (May)
 Band-Pass Transmission-Line Structures at Microwave by Direct
 Synthesis.....283 (May)
 Band-Stop Filters for High-Power Microwave Applications.....
508 (Sep)
 Band-Stop Filters in the Presence of Dissipation.....589 (Sep)
 Band-Stop Microwave Filter Design. (C).....703 (Sep)
 Band-Stop Microwave Filter Synthesis. (C).....141 (Jan)
 Band-Stop Microwave Filters with Garnet-Magnetic Tuning.....
203 (Mar)
 Band-Stop Narrow-Band Microwave Filter. (C).....253 (Mar)
 Band-Stop p - i - n Filters for Waveguide Switch.....44 (Jan)
 Comment.....874 (Xov)
 Barium Titanate Compositions in Parametric Amplification. (C).....
245 (Mar)
 Beam Induction Phasing System for the Stanford Linac.....806 (Nov)
 Bent-Beam Waveguide Design.....647 (Sep)
 Bibliography of Current Microwave Filter Techniques.....489 (Sep)
 Birefringence in Semiconductor Magneto-Plasmas for Ultramicro-
 wave Gyrotory Devices. (A-52).....723 (Sep)
 Bolometer Calibration Services. (C).....884 (Nov)
 Bolometers for Waveguides from Grid.....427 (Jul)
 Boundary Value Problems in Realistic Waveguides.....364 (May)
 Broadbanding Techniques with Solid-State Masers.....186 (Mar)
 Butterworth-Chebyshev Characteristics for Microwave TEM Filters
316 (May)
- C**
- Cadmium Sulfide Shows Current Oscillations (A-65).....892 (Nov)
 Capacitance of Parallel Coupled Rods Between Ground Planes. (C)
254 (Mar)
 Comment. (C).....255 (Mar)
- Cavity for Solid-State Maser.....186 (Mar)
 Channel-Dropping Filters (Resonant-Slot Hybrid Junctions). (A-56)
723 (Sep)
 Characteristic Impedance and Velocity Ratio of Dielectric-Supported
 Strip Line. (C).....135 (Jan)
 Characteristic Impedance of Strip Transmission Lines by Computer
793 (Nov)
 Characteristic Impedances in Transmission-Line Gyro-Magnetic
 Coupling.....652 (Sep)
 Characteristic Impedances of Generalized Rectangular Transmission
 Lines.....270 (May)
 Characteristic Impedance Variable in Coaxial Line. (C).....
477 (Jul)
 Characteristic Impedances of Multiconductor Strip Microwave
 Transmission Lines.....107 (Jan)
 Chebyshev-Butterworth Characteristics for Microwave TEM Filters
316 (May)
 Chebyshev Filter Synthesis at Microwave.....5 (Jan)
 Chebyshev-Type Ripple Filters for Microwave: Synthesis Tables ...
514 (Sep)
 Circular Waveguide Tolerances (A-80).....892 (Nov)
 Circularly Polarized, Broadband Antennas for the Microwave Region
 (A-66).....892 (Nov)
 Circulator Experiments on X-Band, Junction Device (C).....
382 (May)
 Circular Ferrite Junction Device.....15 (Jan)
 Circulator in Diode Microwave Phase Modulators.....32 (Jan)
 Circulator in Microwave Ferrite Limiter.....119 (Jan)
 Circulator Junction Waveguide Device Dielectrically Loaded. (C)
388 (May)
 Circulator Losses in Microwave Tunnel-Diode Amplifiers.....213 (Mar)
 Circulator Lumped Element, Y Device (A-75).....892 (Nov)
 Circulator: Microwave Broadband, Strip Transmission-Line Y-Junc-
 tion Device.....335 (May)
 Circulator Optimum Synthesis with T Junctions.....38 (Jan)
 Circulator-Resonator for Optical All-Pass. (C).....475 (Jul)
 Circulator (Y) Lumped Element, Strip-Line Device.....852 (Nov)
 Coax-Helix Coupling Design. (C).....471 (Jul)
 Coaxial Band-Stop Filter Parameters.....589 (Sep)
 Coaxial Bolometer Calibration Services. (C).....884 (Nov)
 Coaxial Continuously Loaded Cable Phase Velocity. (C).....
243 (Mar)
 Coaxial Line Surface Wave Modes. (A-51).....723 (Sep)
 Coaxial Variable Characteristic Impedance. (C).....477 (Jul)
 Computer Programming Analysis of Phased-Array Transmitter
 Equalization Problems.....167 (Mar)
 Conductance (Input) of Parametric Up-Converter.....96 (Jan)
 Confocal Fabry-Perot Resonator Solution in High Loss Region. (C)
243 (Mar)
 Comment (C).....711 (Sep)
 Conformal Mapping for Dielectric Boundaries in Strip-Line Trans-
 mission.....172 (Mar)
 Conformal Mapping Solutions of Transmission-Line Impedances ...
107 (Jan)
 Conformal Mapping Strip Transmission-Line Solutions Confirmed
270 (May)
 Conformal Mapping Study of Circular Waveguide Reflection and
 Conversion (A-6).....262 (Mar)
 Continuous Wave Microwave Power Transmission Limitations. (C)
870 (Nov)
 Conversion Loss Improvement with Microwave Tunnel-Diode Fre-
 quency Converter.....663 (Sep)
 Converter for Linear to Circular Waveguide Polarization.....763 (Nov)
 Coupled-Cavity Slow-Wave Structure Equivalent Circuits.....
671 (Sep)
 Coupled Circular Cylindrical Rods Between Parallel Ground Planes
141 (Jan)
 Coupled Lines with Gyromagnetic Means by Network Model.....
652 (Sep)
 Couplers at Microwave: Nonuniqueness Discussed.....275 (May)
 Couplers for Broad-Band Transmission Lines. (A-50).....723 (Sep)
 Couplers (Nonreciprocal, Directional) and Scattering Matrix. (C)
474 (Jul)
 Coupling at Microwave of Stub Filter. (C).....253 (Mar)
 Coupling at Microwave with Short-Slots. (C).....133 (Jan)

Coupling Constants Measured in Transmission Cavities. (A-48)	723 (Sep)
Coupling in Microwave Magnetically Tuned Band-Pass Filters	306 (May)
Coupling (Orthogonal) to YIG Delay Lines. (C)	707 (Sep)
Crossed-Waveguide Harmonic Mixing in Submillimeter Wave Regions. (C)	873 (Nov)
Cutoff Frequency of Cylindrical Waveguides. (C)	878 (Nov)
Cryogenic Closed-Cooling of Parametric Amplifiers. (C)	123 (Jan)
Current-Distribution Measurements on Thin Conducting Sheets. (A-55)	723 (Sep)
Cyclotron Radiation in Plasma Filled Waveguides.	413 (Jul)

D

Delay at Microwave with Magnetic Waves.	458 (Jul)
Delay Distortion Equalization in Waveguides	756 (Nov)
Delay Equalization at Microwave with Adjustable Device	224 (Mar)
Delay Equalizers for 4 Gc/s. (A-22)	394 (May)
Delay Line (Microwave) Optimum Transducer Coupling. (C)	390 (May)
Delay Line Techniques at Microwave with YIG	63 (Jan)
Delay Lines (YIG) Microwave Orthogonally Coupled. (C)	707 (Sep)
Demodulation and Power-Leveling of FM Signals with YIG Envelope Limiters	616 (Sep)
Detector Diode Compatible with Microwave and Beam Waveguides. (C)	380 (May)
Detector-Generator Interchange for Microwave Scattering Matrix	84 (Jan)
Detectors: Microwave Tunnel-Diode Devices. (A-67)	892 (Nov)
Dielectric Constant Measured by Microwave Perturbation. (A-5)	262 (Mar)
Dielectric Constant Measurements in Strip-Line Cavities. (C)	711 (Sep)
Dielectric Constant of Circuit Board in Strip-Line Impedances. (C)	135 (Jan)
Dielectric Constant of Selenium at 24 GHz. (A-63)	892 (Nov)
Dielectric Constant of Strip Transmission Lines	172 (Mar)
Dielectric Discs for Wideband Circular Waveguide Polarizer	763 (Nov)
Dielectric Loading of Waveguide Four-Port Junction Circulator. (C)	388 (May)
Dielectric Media Wave Propagation	141 (Jan)
Dielectric Medium Affects TM-Propagation	297 (May)
Dielectric Microstrip Transmission	777 (Nov)
Dielectric Power Microwave Phase Shifter for Phase Array Systems	785 (Nov)
Dielectric Prism Internal Reflections. (C)	258 (Mar)
Dielectric Resonator, Design Methods and Applications (A-64)	892 (Nov)
Dielectric Resonator Frequencies at Microwave. (C)	256 (Mar)
Dielectric Resonator from Mode Charts. (C)	468 (Jul)
Dielectric Rod, High Gain Antennas. (A-71)	892 (Nov)
Dielectric Waveguide Mode Cutoff Conditions. (C)	884 (Nov)
Difference Equation Solutions for Characteristic Impedances	793 (Nov)
Diffraction as a Microwave Passive Repeater. (A-79)	892 (Nov)
Digital Calculation of Strip Transmission-Line Impedance	793 (Nov)
Digital Computer Plus Radar Rain Gauge. (A-76)	892 (Nov)
Digital Ferrite Phase Shifters in Circularly Symmetric Waveguides	421 (Jul)
Digital Latching Ferrite Strip Transmission-Line Phase Shifter	781 (Nov)
Diode Design for Microwave. (A-40)	722 (Sep)
Diode for Parametric Amplifier. (A-10)	262 (Mar)
Diode Microwave Phase Modulators	32 (Jan)
Diode Switch Broadbanding for Microwave. (C)	706 (Sep)
Diplexing Network Synthesis for Microwave Filtering	5 (Jan)
Directional Coupler Using Strip Transmission Line. (C)	700 (Sep)
Directional Couplers: Symmetrical TEM-Mode Coupled Transmission Line	544 (Sep)
Directional Coupling Microstrips	777 (Nov)
Directional TEM Coupler Synthesis	536 (Sep)
Discriminator Phase Modulation Detection at Microwave	70 (Jan)
Dispersion in Dielectric Media	297 (May)
Dispersion of Pulsed E-M in a Plasma. (C)	472 (Jul)
Dispersion of Very Short Microwave Pulses in Waveguide	357 (May)

Distributed Low-Pass Prototype Microwave Filters and Synthesis Tables	514 (Sep)
Doppler Radar Error in Target Speed Determination for Traffic Control. (C)	389 (May)
Duplexer (Gas Discharge) Arc Loss	801 (Nov)

E

Eigenvalues as Lossy Waveguide Number Solutions.	364 (May)
Eigenvalues for Rectangular Slab-Loaded Waveguides	451 (Jul)
Elastic Wave Transients Parametrically Amplified in YIG. (C)	879 (Nov)
Electromagnetic Field Equations in Cylindrical Coordinates for Gyroelectric Media with Sources. (C)	881 (Nov)
Electromagnetic Fields in Cavity Containing a Gyromagnetic Material. (A-43)	722 (Sep)
Electromagnetic Guided Propagation Between Two Parallel Plates. (A-77)	892 (Nov)
Electromagnetic Guided Propagation (Parallel Plates). (A-15)	262 (Mar)
Electromagnetic Guided Waves in Moving Media	441 (Jul)
Electromagnetic Potentials and Field Expansions for Plasma Radiation in Waveguides	413 (Jul)
Electromagnetic Propagation in Cylindrical Waveguide Containing Inhomogeneous Dielectric. (C)	716 (Sep)
Electromagnetic Radiation from an Electric Dipole in a Plasma Column. (A-19)	394 (May)
Electromagnetic Radiation from Dielectric Rod Antenna and the New Types with High Gain. (A-71)	892 (Nov)
Electromagnetic Radiation from Rectangular Waveguide with Ferrite Slabs. (C)	137 (Jan)
Electromagnetic Wave Propagation in Lossy Ferrites. (C)	258 (Mar)
Electromagnetic Wave Propagation in Periodic Media. (C)	710 (Sep)
Electromagnetic Wave Propagation in Rectangular Guides Filled with a Semiconductor in the Presence of Transverse Magnetic Field	641 (Sep)
Elsen (1 Frequencies of 1). (A-43)	722 (Sep)
Envelope Limiting Microwave YIG Devices	616 (Sep)
E-plane Bend in Rectangular Waveguide	54 (Jan)
Equal-Element Band-Stop Filters: Insertion Loss vs. Frequency	589 (Sep)
Equal-Ripple Microwave Quarter-Wave Impedance Transformer	622 (Sep)
Equal-Ripple Non-Chebyshev Directional Microwave Coupler	536 (Sep)
Equal-Ripple Symmetrical TEM-Mode Directional Couplers	544 (Sep)
Equalizers at Microwave. (A-22)	394 (May)
Equivalent Circuit for Coupled-Cavity Slow-Wave Structures	671 (Sep)
Equivalent Circuits for Microwave Varactors. (C)	872 (Nov)
Equivalent Circuits for Transmission Lines Laplace Analyzed	676 (Sep)
Equivalent Circuits in Band-Pass Microwave Filter Design from Impedance Matrices	559 (Sep)

F

Fabry-Perot Multireflector Laser Resonators. (A-1)	262 (Mar)
Fabry-Perot Resonance in Lasers	445 (Jul)
Fabry-Perot Resonator Solution in High Loss Region. (C)	243 (Mar)
Comment. (C)	711 (Sep)
Far-Fields of Parallel Wire Arrays	408 (Jul)
Ferrimagnetic Microwave Power Limiter	119 (Jan)
Ferrimagnetic Microwave Time Delay	458 (Jul)
Ferrimagnetic Resonance in Garnet	203 (Mar)
Ferrimagnetically Tuned Parametric Amplifier	773 (Nov)
Ferrite Cores in Microwave Band-Pass Filters	306 (May)
Ferrite Digital Phase Shifter in Waveguide	421 (Jul)
Ferrite Film Millimeter Isolator. (C)	127 (Jan)
Ferrite Junction Circulator	15 (Jan)
Ferrite-Loaded Waveguide Fields. (C)	385 (May)
Ferrite Lossy Electromagnetic Wave Propagation. (C)	258 (Mar)
Ferrite Lumped Element Strip-Line Circulator	852 (Nov)
Ferrite Microwave Latching Switch. (C)	866 (Nov)
Ferrite Remanence Phase Shifters Show Magnetostriction. (C)	873 (Nov)
Ferrite Rod in Waveguide Tetrahedral Junction. (C)	132 (Jan)

Ferrite Single Crystals for Nonreciprocal Microwave Filters. (A-60)	892 (Nov)
Ferrite Slabs in Radiating Waveguides. (C)	137 (Jan)
Ferroelectric High-Power Limiter	47 (Jan)
Ferroelectric Microwave Switch	789 (Nov)
Ferromagnetic Resonance Linewidth and g -Factor in Ferrites from 2 to 18 Gc/s. (C)	712 (Sep)
Field Distribution of Surface Waves by Measurement. (A-26)	482 (Jul)
Filter Design for Microwave Applications	487 (Sep)
Filter Technique Analysis in All Areas of Microwave Theory	489 (Sep)
Filter Theory and Synthesis for Microwave TEM	316 (May)
Filtering Synthesis at Microwave with Duplexing Networks	5 (Jan)
Filters for Microwave: Ferrite, Single Crystals. (A-60)	892 (Nov)
Filters in Microwave Strip-Line Multiplexer Are Parallel-Coupled and Interdigital	328 (May)
Flange Waveguide Nomenclature. (C)	469 (Jul)
Floquet's Theorem for Waveguide Mode Analysis. (C)	384 (May)
Frequency Converter Microwave Device Double Pumped. (A-46)	723 (Sep)
Frequency Locking of Magnetrons by an Injected RF Signal	836 (Nov)
Frequency Modulation of Oscillators in Random Vibration. (C)	869 (Nov)
FM Radar Waveguide Fault Detection. (A-39)	722 (Sep)
Frequency Multipliers (Using Nonlinear Capacitive and Resistive Elements). (A-2)	262 (Mar)
Frequency Scanned Antenna Using Dielectric-Loaded Waveguide. (A-72)	892 (Nov)
Frequency-Shift Multiplier for Microwave Repeater. (C)	388 (May)
Frequency Translation with Switching in Waveguides	371 (May)
Frequency Tripler Varactor Analysed. (C)	256 (Mar)
Frequency Up-and-Down-Conversion	150 (Mar)
Fresnel Gain of Aperture Antenna with Parabolic Tapered Illumination. (A-27)	482 (Jul)
Fresnel Region Path Loss. (A-8)	262 (Mar)

G

Gallium Arsenide Laser Spectral Characteristics. (A-25)	482 (Jul)
Gas Discharge Duplexer Arc Losses	801 (Nov)
Gas Lens Optical Transmission	740 (Nov)
Gas Lens Optics with Thermal Gradient	734 (Nov)
Green's Function for Scattering of TM Surface Wave by Perfectly Conducting Strip	630 (Sep)
Grid in Waveguide for Bolometer	427 (Jul)
Groove Guide Developments. (C)	880 (Nov)
Grooved Guide Transmission Modes. (A-78)	892 (Nov)
Gyrator Semiconductor Magneto-Plasma Birefringence. (A-52)	723 (Sep)
Gyroelectric Media Electromagnetic Field Equations. (C)	881 (Nov)
Gyromagnetic Material Affects E-M Fields in Cavities. (A-43)	722 (Sep)
Gyromagnetic Transmission-Line Coupling by Network Model	652 (Sep)

H

Harmonic Control of Microwave Co-Ax Phase Delay. (C)	708 (Sep)
Harmonic Generation in Nonlinear Lines. (A-53)	723 (Sep)
Harmonic Mixing in Submillimeter Wave Regions. (C)	873 (Nov)
Harmonic Rejection in Three Path Transmission Line Filters. (A-7)	262 (Mar)
Harmonic Suppression in Microwave Filters. (C)	701 (Sep)
Helix Couplers with Shielding for Coax. (C)	471 (Jul)
Helix TWT with a Metal Envelope for the Millimeter Band. (A-32)	482 (Jul)
Helix-Type TW Amplifier Spurious Modes. (A-74)	892 (Nov)
High Frequency Calibration Service Changes. (C)	715 (Sep)
Hill's Equation for TM-Dielectric Propagation	297 (May)
Historical Survey on the Development of the Various Radio Systems in Japan and Their Future Problems. (A-81)	892 (Nov)
H -Plane Bend in Rectangular Waveguide	54 (Jan)

I

Idle Circuit in Parametric Amplifier. (C)	251 (Mar)
Impedance Measurements of Microwave Network by Source-Detector Interchange	84 (Jan)
Impedance Transformation at Microwave. (C)	693 (Sep)
Impedance Transformation with Quarter Wave Equal-Ripple Microwave Device	622 (Sep)
Infrared Waveguide Models of Insect's Sensors. (C)	706 (Sep)
Insect Sensory Organ (Antenna Models) with Organic Superconductor and Dielectric Infrared Waveguide. (C)	706 (Sep)
Insertion Loss Advantages of T -Junction Circulators	38 (Jan)
Insertion Loss as Transmission Line Synthesis Criteria	275 (May)
Insertion Loss Low in Ferroelectric Limiter	47 (Jan)
Insertion-Loss of Microwave Quarter-Wave Impedance Transformer	622 (Sep)
Insertion Loss vs. Frequency of Equal-Element Band-Stop Filters	589 (Sep)
Institute of Electrical and Electronics Engineers G-MTT International Symposium	3 (Jan)
Institute of Electrical and Electronics Engineers Microwave Group 1964 Prize	730 (Nov)
Institute of Electrical and Electronics Engineers Microwave Group 1965 Symposium	729 (Nov)
Interdigital Band-Pass Filter in Microwave Multiplexer	328 (May)
Interdigital Band-Pass Filters and Related Coupled Microwave Structures	559 (Sep)
Interdigital Microwave Round-Rod Filters. (C)	696 (Sep)
Intermodulation Distortion of Square Law Parametric Frequency Converter	820 (Nov)
Intermodulation Reduction in Varactor Converters	150 (Mar)
Iris Height as a Function for Arc Loss of Multimegawatt Gas Discharge Duplexers	801 (Nov)
Isolator (Millimeter Resonance) Utilizing Multilayer Ni and NiZn Ferrite Films. (C)	127 (Jan)
Isolator Using a Solid-State Plasma Waveguide. (C)	126 (Jan)

J

Japanese Radio: Past and Future. (A-81)	892 (Nov)
Junction Microwave Circulators from Broadband, Strip Transmission Line	335 (May)

K

Klystron Automatic Phasing for Stanford Linac	806 (Nov)
---	-----------

L

Laddertron Injection Locked. (C)	473 (Jul)
Laplace's Equation Solutions for Transmission-Line Analyses	676 (Sep)
Large Signal Operation of Microwave Transistors	865 (Nov)
Laser Amplifier Solutions by Laplace	445 (Jul)
Laser Beam PM Modulated Autocorrelated for Demodulation (A-68)	892 (Nov)
Laser Operation Analysis. (A-13)	262 (Mar)
Laser Resonator Fabry-Perot Devices. (A-1)	262 (Mar)
Laser Spectral Characteristics in GaAs. (A-25)	482 (Jul)
Laser Upper Atmosphere Analysis. (A-12)	262 (Mar)
Latching Ferrite Four-Bit Switch. (C)	866 (Nov)
Latching Ferrite Strip Transmission-Line Phase Shifter	781 (Nov)
Leaky-Wave New Microwave Filter. (C)	699 (Sep)
Library of Congress-ADI Publications Program. (C)	883 (Nov)
Limiters at Microwave from Ferrites	119 (Jan)
Linac Automatic Beam Phasing	806 (Nov)
Line of Sight Microwave Links. (A-9)	262 (Mar)
Line-of-Sight Microwave Space Diversity Reflection and Transmission Systems. (A-41)	722 (Sep)
Local Oscillator Voltages of Tunnel-Diode Frequency Converter	663 (Sep)
Log-Periodic Microwave Transmission-Line Characteristics	107 (Jan)
Low-Pass Impedance-Matching at Microwave. (C)	693 (Sep)
Low-Pass Microwave Dissipative Attenuating Filter. (C)	699 (Sep)
Low-Pass Prototype Microwave Filters and Synthesis Tables	514 (Sep)
Lumped Element Y Circulator	852 (Nov)

M

- Magnetic Field-Plasma Interactions. (A-58)..... 892 (Nov)
- Magnetic Field Variable YIG Delay Line..... 63 (Jan)
- Magnetic Fields in Ferrite Junction Circulators..... 15 (Jan)
- Magnetic Loop Waveguide Diode Detector. (C)..... 380 (May)
- Magnetic Material Spin Waves at Microwave. (C)..... 703 (Sep)
- Magnetic Waves for Microwave Time Delay..... 458 (Jul)
- Magnetically Tunable Microwave Band-Stop Filters..... 203 (Mar)
- Magnetically Tuned Band-Pass Microwave Filters..... 306 (May)
- Magneto-Plasma (Semiconductor) Birefringence for Gyrator Devices. (A-52)..... 723 (Sep)
- Magnetostriction Effects in Remanence Phase Shifters. (C)..... 873 (Nov)
- Magnetron Frequency Locked Oscillator..... 836 (Nov)
- Maser Broadband, Solid-State at 77.4 Degrees Kelvin... 186 (Mar)
- Maser: Traveling-Wave, Ruby. (A-23)..... 482 (Jul)
- Mathieu's Equation for TM-Dielectric Propagation..... 297 (May)
- Matrix Elements for a Lattice Network and a Section of Microwave Transmission Line. (C)..... 130 (Jan)
- Matrix Network Model of Gyromagnetic Coupling in Transmission Lines..... 652 (Sep)
- Mavar Oscillator with YIG Disk. (A-38)..... 722 (Sep)
- Maxwell's Equations for Gyroelectric Media. (C)..... 881 (Nov)
- Maxwell's Equations for Mode Analysis in Waveguides. (C)..... 384 (May)
- Maxwell's Equations in Ferrite-Loaded Waveguides. (C)..... 385 (May)
- Microcircuits and Microwave Technology for the Future... 732 (Nov)
- Microminiaturization Techniques for Semiconductor Microwave Packages..... 777 (Nov)
- Microstrip Transmission on Semiconductor Dielectrics... 777 (Nov)
- Microwave and High-Frequency Calibration Services of NBS Part-IV. (C)..... 138 (Jan)
- Microwave Attenuated by Snow. (A-45)..... 722 (Sep)
- Microwave Bandwidth Round-Rod Interdigital Filters. (C)..... 696 (Sep)
- Microwave Calibration Service Changes. (C)..... 715 (Sep)
- Microwave Cavity Linear Tuning. (C)..... 880 (Nov)
- Microwave Cavity Resonator with Spark Gap Switch..... 28 (Jan)
- Microwave Circularly Polarized, Broadband Antennas. (A-66)..... 892 (Nov)
- Microwave Communications System with Space Diversity. (A-9)..... 262 (Mar)
- Microwave Coupler from Strip Line. (C)..... 700 (Sep)
- Microwave CW Power Transmission Limitations. (C)..... 870 (Nov)
- Microwave Delay Equalizer..... 224 (Mar)
- Microwave Devices for the Future..... 732 (Nov)
- Microwave Diode Switch Broadbanding. (C)..... 706 (Sep)
- Microwave Equipment in Vibration Environments. (C)..... 869 (Nov)
- Microwave Ferrite Single Crystal Filters. (A-60)..... 892 (Nov)
- Microwave Filter Synthesis. (C)..... 703 (Sep)
- Microwave Filter Tables of Stub Admittances Using Shorted Quarter-Wave Stubs. (C)..... 695 (Sep)
- Microwave Filters an Advancing Art..... 487 (Sep)
- Microwave Filters—1965 and Bibliography..... 489 (Sep)
- Microwave Frequency Translator with Switching..... 371 (May)
- Microwave Group 1964 Prize..... 730 (Nov)
- Microwave Group 1965 Symposium..... 729 (Nov)
- Microwave Harmonic Suppression Filter. (C)..... 701 (Sep)
- Microwave Limiter High Power YIG Device. (C)..... 868 (Nov)
- Microwave Load Thermal Equivalents. (C)..... 128 (Jan)
- Microwave Lossy Sheet Resistivity. (A-18)..... 394 (May)
- Microwave Measurement of Dielectric Constant by Means of the Perturbation Method. (A-5)..... 262 (Mar)
- Microwave Measurements to Obtain Surface Wave Field Distributions. (A-26)..... 482 (Jul)
- Microwave Nanosecond Pulse Measurement. (A-31)..... 482 (Jul)
- Microwave Noise Measurements by Superheterodyne Method. (C)..... 882 (Nov)
- Microwave Nonreciprocal Directional Couplers. (C)..... 474 (Jul)
- Microwave Optimum Transducer Coupling Coefficient of a Multiple Reflection Pulsed Delay Line. (C)..... 390 (May)
- Microwave Oscillating and Amplifying Characteristics of Mavar Using YIG Disk. (A-38)..... 722 (Sep)
- Microwave Oscillations in Bulk Semiconductor. (A-24)..... 482 (Jul)
- Microwave Oscillator Locking. (C)..... 473 (Jul)
- Microwave Passive Reflector Efficiency. (A-70)..... 892 (Nov)
- Microwave Phase-Coherent Signal Synthesis for Transient Measurements. (C)..... 704 (Sep)
- Microwave Phase Modulation Detection..... 70 (Jan)
- Microwave Phase Delay Coaxial Network with Variable Harmonics. (C)..... 708 (Sep)
- Microwave Piezoelectric Transducers. (A-59)..... 892 (Nov)
- Microwave Power Measurement International Standards. (C)..... 713 (Sep)
- Microwave Power Phase Array Systems..... 785 (Nov)
- Microwave Reflection of Plasma in the External Magnetic Field. (A-29)..... 482 (Jul)
- Microwave Repeater from Helix TWT. (A-32)..... 482 (Jul)
- Microwave Repeater Multiplier-Frequency Shifter. (C)..... 388 (May)
- Microwave Resonance in Dielectrics. (C)..... 256 (Mar)
- Microwave Scattering Matrix Applied. (A-17)..... 394 (May)
- Microwave Signal Detector Diode Waveguide Compatible. (C)..... 380 (May)
- Microwave Solid-State Power Sources..... 768 (Nov)
- Microwave Tables of Maximally Flat Impedance-Transforming Networks of Low-Pass-Filter Form. (C)..... 693 (Sep)
- Microwave Theory and Techniques International Symposium..... 3 (Jan)
- Microwave Transistor Large Signal Operation..... 865 (Nov)
- Microwave Transmission-Line Matrices. (C)..... 130 (Jan)
- Microwave Transmission Mode-Coupled System Impulse Response..... 432 (Jul)
- Microwave Transmission Through Radomes Optimized. (C)..... 708 (Sep)
- Microwave Tunnel-Diode Detectors. (A-67)..... 892 (Nov)
- Microwave Tunnel-Diode Reflection Amplifiers Stability... 814 (Nov)
- Microwave Wide-Band Rectangular to Circular Waveguide Mode and Impedance Transformer. (C)..... 379 (May)
- Millimeter Band Double-Ladder TWT. (A-34)..... 722 (Sep)
- Millimeter Curved Circular Waveguide. (A-37)..... 722 (Sep)
- Millimeter Helix TWT for Repeaters. (A-32)..... 482 (Jul)
- Millimeter TWT Ceramic Seals. (A-30)..... 482 (Jul)
- Millimeter Wave Resonant-Slot Hybrid Junctions and Channel-Dropping Filters. (A-56)..... 723 (Sep)
- Millimeter Waves and General Applications. (A-57)..... 892 (Nov)
- Mixing Harmonics in Crossed Waveguides. (C)..... 873 (Nov)
- Modal Analysis of Plasma Filled Waveguides..... 413 (Jul)
- Modes in Inhomogeneous Media Waveguides. (C)..... 875 (Nov)
- Modes in Radial Wavebeam Resonators..... 749 (Nov)
- Modes of Transmission in the Grooved Guide. (A-78)..... 892 (Nov)
- Modal Transmission in Grooved Waveguide. (A-3)..... 262 (Mar)
- Mode Analysis in Periodic Structures by Floquet's Theorem. (C)..... 384 (May)
- Mode Chart for Accurate Design of Cylindrical Dielectric Resonators. (C)..... 468 (Jul)
- Mode Conversion in an *H*-Guide Taper. (A-14)..... 262 (Mar)
- Mode Conversion in Circular Waveguides. (A-6)..... 262 (Mar)
- Mode Conversion in Circular Waveguides from Imperfections. (A-35)..... 722 (Sep)
- Mode-Coupled System Impulse Response..... 432 (Jul)
- Mode Losses in Confocal Resonator and Transmission Systems. (C)..... 711 (Sep)
- Mode Patterns in a Cylindrical Dielectric Waveguide Applied to Retinal Cones..... 345 (May)
- Mode Solutions to Microwave Transmission Lines..... 107 (Jan)
- Modes of Transmission in Rectangular, Slab-Loaded Waveguides..... 451 (Jul)
- Modulation in Waveguides by Time-Varying Boundaries. (A-21)..... 394 (May)
- Modulation Index Enhancement of YIG Envelope Limiters..... 616 (Sep)
- Multichannel Filtering Synthesis at Microwave..... 5 (Jan)
- Multipath Distortion of Radio Transmission. (A-82)..... 892 (Nov)
- Multiplexer Channel-Separating Microwave Units Using Interdigital and Parallel-Coupled Filters..... 328 (May)
- Multiplier-Frequency Shifter for Microwave Repeaters. (C)..... 388 (May)

N

- National Bureau of Standards HF Calibration Services. (C)..... 138 (Jan)
- Negative Conductance Design Criteria for Amplifiers..... 213 (Mar)
- Noise Analysis of a Paramagnetic Amplifier..... 162 (Mar)

Noise Figure of Tunnel-Diode Frequency Converter.....	663 (Sep)
Noise Measurements at Microwave by Superheterodyne Method. (C).....	882 (Nov)
Noise Temperature Calibration in Microwave Terminations. (C).....	128 (Jan)
Nonlinear Impedances in Frequency Multiplier. (A-2).....	262 (Mar)
Nonlinear-Transmission-Line Harmonic Generator. (A-53).....	723 (Sep)
Nyquist Criterion for Microwave Tunnel-Diode Reflection Amplifiers Stability.....	814 (Nov)

O

Olympic TV Transmission via Syncom III Satellite. (A-33).....	722 (Sep)
Optical All-Pass Network. (C).....	475 (Jul)
Optical Considerations in Bent-Beam Waveguides.....	647 (Sep)
Optical Retina Mode Patterns Simulated by Computer as Cylindrical, Dielectric Waveguide.....	345 (May)
Optical Transmission with Thermal Gas Lenses.....	740 (Nov)
Optics of a Thermal Gradient Gas Lens.....	734 (Nov)
Organic Superconductor and Dielectric Infrared Waveguide, Resonator, and Antenna Models of Insects' Sensory Organs. (C).....	706 (Sep)
Oscillation Phenomena in Bulk Semiconductors. (A-24).....	482 (Jul)
Oscillations of Current in Cds. (A-65).....	892 (Nov)
Oscillator Solid-State Microwave Power Devices.....	768 (Nov)

P

Parallel-Coupled Line Arrays in Microwave Band-Pass Filter Design.....	559 (Sep)
Parallel Plate E-M Guided Propagation. (A-77).....	892 (Nov)
Parametric Amplification with Barium Titanate. (C).....	245 (Mar)
Parametric Amplifier at X-Band Closed-Cycle Cooled. (C).....	123 (Jan)
Parametric Amplifier Diode Design. (A-40).....	722 (Sep)
Parametric Amplifier Noise Analysis.....	162 (Mar)
Parametric Amplifier Tuned Ferrimagnetically.....	773 (Nov)
Parametric Amplifier Varactor Diodes Dynamic Representations. (C).....	133 (Jan)
Parametric Amplifier with Double Tuned Signal Circuit and Single Tuned Idler Circuit. (C).....	251 (Mar)
Parametric Amplifying Mini-Diode. (A-10).....	262 (Mar)
Parametric Converter Double-Pumped. (A-46).....	723 (Sep)
Parametric Four-Frequency Upconverter Input Conductance.....	96 (Jan)
Parametric Ideal Converters.....	150 (Mar)
Parametric Transient Amplification of Elastic Waves in YIG. (C).....	879 (Nov)
Parametric Upconverter Intermodulation Distortion.....	820 (Nov)
Parametric Upconverters Conjugately Matched. (A-47).....	723 (Sep)
Parasitic Elements in Reflection Type Tunnel Diode Amplifier Performance.....	827 (Nov)
Pass-band (Narrow) Filter for Circular Waveguides.....	581 (Sep)
Pass-Band (Narrow) Filter for Rectangular Waveguides.....	575 (Sep)
Periodic Structure Wave Propagation Equations. (C).....	710 (Sep)
Permeability (Tensor) in Plasma Solid-State Waveguide Isolator. (C).....	126 (Jan)
Permittivity of Semiconductors from Waveguide Measurements. (A-49).....	723 (Sep)
Permittivity Variations in Waveguides. (C).....	139 (Jan)
Comment. (C).....	141 (Jan)
Comment. (C).....	715 (Sep)
Perturbation at Microwave Gives Dielectric Constant. (A-5).....	262 (Mar)
Perturbation Theory Applied to Realistic Waveguide Structures.....	364 (May)
Phased-Array Transmitter Equalization Problems.....	167 (Mar)
Phase-Coherent Microwave Signals for Transient Behavior Measurements. (C).....	704 (Sep)
Phase Distortion Equalization in Waveguides.....	756 (Nov)
Phase Locked Microwave Oscillation. (C).....	473 (Jul)
Phase Modulation Detection at Microwave.....	70 (Jan)
Phase Modulation with Broadband 180 Degrees Microwave Diode.....	32 (Jan)
Phase-Shift for Microwave Frequency Translation.....	371 (May)
Phase Shifter: Digital Latching Ferrite Strip Device.....	781 (Nov)
Phase Shifter: Ferrite, Microwave, Remanence Device Shows Magnetostriction. (C).....	873 (Nov)

Phase Shifter: Microwave, Power Device.....	785 (Nov)
Phase Shifters for Microwave Power Transmission.....	233 (Mar)
Phase Shifters from Ferrite Filled Waveguides.....	421 (Jul)
Phase Shifters (Nonreciprocal) in Circulators Synthesis.....	38 (Jan)
Phasing System for the Stanford Linac.....	806 (Nov)
Phase Velocity in Continuously Loaded Coaxial Cables. (C).....	243 (Mar)
Piezoelectric Transducers for Microwaves. (A-59).....	892 (Nov)
<i>p-i-n</i> Diodes Control Microwave Power Transmission.....	233 (Mar)
<i>p-i-n</i> Junction Diode Waveguide Switch.....	44 (Jan)
Comment.....	874 (Nov)
<i>p-i-n</i> Microwave Switch Broadbanding. (C).....	706 (Sep)
Plasma Dipole Radiations vs. Propagations. (A-19).....	394 (May)
Plasma Dispersion of Pulsed E-M Waves. (C).....	472 (Jul)
Plasma in Parallel-Plane Waveguide Affect E-M Waves.....	77 (Jan)
Plasma Loaded Transmission Line: Attenuation and Electrical Length. (A-62).....	892 (Nov)
Plasma-Loaded Waveguide Nonreciprocity. (A-28).....	482 (Jul)
Plasma-Magnetic Field Interactions. (A-58).....	892 (Nov)
Plasma Radiation in Waveguides and Modal Analysis.....	413 (Jul)
Plasma Shock Waves Studied by Microwave Techniques. (A-44).....	722 (Sep)
Plasma Solid-State Waveguide Isolator. (C).....	126 (Jan)
Point-Matching for Arbitrary Uniform Cross-Section Waveguides.....	847 (Nov)
Polarizer in Circular Waveguide Loaded with Dielectric Discs.....	763 (Nov)
Power Divider Microwave for Wideband Use.....	91 (Jan)
Power Limiter: Microwave, Ferrite Device.....	119 (Jan)
Power Microwave Phase Shifter for Phase Array Systems.....	785 (Nov)
Power Microwave Transistor Amplifiers.....	865 (Nov)
Power Sources for Microwave Applications.....	768 (Nov)
Propagation Constant of Waveguide with Semiconductor and Magnetic Field in the Cavity.....	641 (Sep)
Propagation Mode-Coupled System Impulse Response.....	432 (Jul)
Propagation of Waves in Guided, Moving Media.....	441 (Jul)
Pulse Compression Circuit with Microwave Spark Gap Switch.....	28 (Jan)
Pulse Degradation in Waveguides. (C).....	250 (May)
Pulse Dispersion in Waveguide.....	357 (May)
Pulse Measurements at Microwave. (A-31).....	482 (Jul)
Pulse Power Capacity of Short-Slot Microwave Couplers. (C).....	133 (Jan)
Pump Power-Noise Analysis of a Paramagnetic Amplifier.....	162 (Mar)

Q

Q of Radial Wavebeam Resonators.....	749 (Nov)
Quarter-Wave Stub Flat Filter Admittance Tables. (C).....	695 (Sep)
Quarter-Wave TEM Filter Synthesis.....	316 (May)
Quarter-Wavelength Inhomogeneous Waveguide Impedance Transformers Having Approximately Equal-Ripple Performance.....	622 (Sep)
Q Controls Microwave Band-Pass Filters. (C).....	124 (Jan)
Q of Band-Stop Elements at Microwave.....	508 (Sep)

R

Radar Antennas: Multiplicative Processing Systems. (A-16).....	394 (May)
Radar-Computer Rain Gauge. (A-76).....	892 (Nov)
Radar (Doppler) Error in Target Speed Determination for Traffic Control. (C).....	389 (May)
Radar Phased-Array Transmitter Design.....	167 (Mar)
Radar FM Measures Circular Waveguide Imperfections. (A-39).....	722 (Sep)
Radiation of a Parallel-Plane Waveguide in a Magnetized Plasma.....	77 (Jan)
Radio Astronomy and the Rao Observatory. (A-61).....	892 (Nov)
Radio Frequency Signal Locking in Magnetrons.....	836 (Nov)
Radio Link Space Diversity Effects Measured on a Long Mountain Diffraction Path. (A-83).....	892 (Nov)
Radio Standards Lab Calibration of Coaxial Bolometer Units. (C).....	884 (Nov)
Radio Standards Lab Microwave and High-Frequency Calibration Service Changes. (C).....	715 (Sep)
Radio Transmission Path Loss and Multipath Distortion. (A-82).....	892 (Nov)
Radome (Ideal) Sandwich Synthesis of Air. (C).....	708 (Sep)

Rain Gauge with Computer and Radar. (A-76)...	892 (Nov)
Reciprocal Microwave Two-Port Matrices by Source-Detector Interchange.	84 (Jan)
Reflected Power as Traveling Waves in Microwave Networks	194 (Mar)
Reflection Coefficient at X-Band from Waveguide System.	435 (Jul)
Reflection Coefficient of Scattering of TM Surface Wave by Perfectly Conducting Strip	630 (Sep)
Reflection Coefficient of TWT Attenuator. (A-69)	892 (Nov)
Reflection in Microwave Diodes for Phase Modulation.	32 (Jan)
Reflection Mode Analysis of Lasers.	445 (Jul)
Reflection Type Tunnel-Diode Amplifier Performance	827 (Nov)
Reflectometer Semi-Automatic Tuning. (C)	709 (Sep)
Relaxation Oscillation in Ruby Lasers. (A-13)	262 (Mar)
Remanence Phase Shifters Show Magnetostriction. (C).	873 (Nov)
Repeater for Auxillary Radio Relay System Operating in the 6 Gc Band. (A-11)	262 (Mar)
Repeater: Passive Microwave Diffractor Device. (A-79)	892 (Nov)
Resistivity of Selenium at 24 GHz. (A-63)	892 (Nov)
Resonance in Varactor Analysis. (C)	872 (Nov)
Resonance Linewidth and g-Factor in Ferrites from 2 to 18 Gc/s. (C)	712 (Sep)
Resonant Isolator (Millimeter Resonance) Utilizing Multilayer Ni and NiZn Ferrite Films. (C)	127 (Jan)
Resonant-Slot Hybrid Junctions and Channel-Dropping Filters. (A-56)	723 (Sep)
Resonator (Cylindrical Dielectric) Mode Chart. (C).	468 (Jul)
Resonator (Dielectric) Design and Applications. (A-64).	892 (Nov)
Resonator (Radial Wavebeam) Modes and Q.	749 (Nov)
Resonators (Trapped-Mode) in Narrow Pass-Band Circular Waveguide Filter.	581 (Sep)
Resonators (Trapped-Mode) in Narrow Pass-Band Rectangular Waveguide Filter.	575 (Sep)
Resonators with Moderate Q for Microwave Band-Pass Filters. (C)	124 (Jan)
Retina Optical Mode Patterns Simulated by Computer as Cylindrical, Dielectric Waveguide.	345 (May)
Rime Effects on Microwave Passive Reflector Efficiency. (A-70)	892 (Nov)

S

S-Band Current-Distribution Measurements on Thin Conducting Sheets. (A-55)	723 (Sep)
Scattering by an Arbitrary Array of Parallel Wires.	408 (Jul)
Scattering Matrix and Reflected Power Waves in Microwave Networks.	194 (Mar)
Scattering Matrix Elements for a Lattice Network and a Section of Microwave Transmission Line. (C)	130 (Jan)
Scattering Matrix Microwave Applications. (A-17)	394 (May)
Scattering Matrix of Nonreciprocal Directional Couplers. (C)	474 (Jul)
Scattering of TM Surface Wave by Perfectly Conducting Strip	630 (Sep)
Scattering Parameters at Microwave by Source-Detector Interchange	84 (Jan)
Semiconductor Field Waveguide Propagation.	641 (Sep)
Selenium's Resistivity and Dielectric Constant at 24 GHz. (A-63)	892 (Nov)
Semiconductor Material Oscillations. (A-24)	482 (Jul)
Semiconductor Properties in a Slotted Waveguide Structure. (A-49)	723 (Sep)
Semiconductor Waveguide Switches. (C)	874 (Nov)
Servo Control of Reflectometer Tuning. (C)	709 (Sep)
Sheet Resistivity at Microwave. (A-18)	394 (May)
Shock Waves Studied by Microwave Techniques. (A-44)	722 (Sep)
Slot Antenna for 5 Gc. (A-36)	722 (Sep)
Slot Transmission Line as Dual of Microwave Strip Line	303 (May)
Slotted-Cylinder Antenna with Dipole Element. (A-42)	722 (Sep)
Slow TW Coupled-Cavity Structure Equivalent Circuits.	671 (Sep)
Snow Attenuation of Microwaves. (A-45)	722 (Sep)
Solid-State Microwave Power Sources.	768 (Nov)
Space Diversity Effects Measured on a Long Mountain Diffraction Path. (A-83)	892 (Nov)
Space Diversity Reception and Transmission Systems for Line-of-Sight Microwave Link. (A-41)	722 (Sep)
Spark Gap Switch for Microwave	28 (Jan)

Spectral Characteristics of Semiconductor (GaAs) Lasers. (A-25)	482 (Jul)
Spectrum Analyser from Waveguide Dispersive Line.	357 (May)
Spin-Wave Propagation E-Field and Impedance. (C)	703 (Sep)
Spin-Wave Propagation in YIG Variable Delay Lines.	63 (Jan)
Spin Waves in YIG for Microwave Time Delay.	458 (Jul)
Split-Tee Power Divider	91 (Jan)
Square Law Parametric Frequency Converter.	820 (Nov)
Stability and Gain Prediction of Microwave Tunnel-Diode Reflection Amplifiers	814 (Nov)
Stability and Tunnel-Diode Amplifier Parasitic Element Effects	827 (Nov)
Stability of Microwave Tunnel-Diode Amplifiers.	213 (Mar)
Stability of Networks from Power Wave-Scattering Matrix Considerations.	194 (Mar)
Standards for Microwave Power Measurements Compared. (C)	713 (Sep)
Standards for Waveguide Designation. (C)	247 (Mar)
Stanford Linac Automatic Beam Phasing	806 (Nov)
Static vs. Dynamic Varactor Diode Characteristics. (C)	133 (Jan)
Strip-Line Band-Stop Microwave Filters.	203 (Mar)
Strip-Line Cavity Measurements. (C)	711 (Sep)
Strip-Line Circuit Board is Dielectric. (C)	135 (Jan)
Strip-Line Dielectric Supported Transmission Analyzed	172 (Mar)
Strip-Line Digital Latching Phase Shifter.	781 (Nov)
Strip-Line Ferrite Junction Circulator.	15 (Jan)
Strip-Line Ferrite Lumped Element Y Circulator.	852 (Nov)
Strip-Line has Microwave Dual in Slotted Line.	303 (May)
Strip-Line Impedance by Computer.	793 (Nov)
Strip-Line Microwave Directional Coupler. (C)	700 (Sep)
Strip-Line Multiplexer Channel-Separating Microwave Units Using Interdigital and Parallel-Coupled Filters.	328 (May)
Strip-Line Y Lumped Element Y Circulator. (A-75)	892 (Nov)
Strip Microwave Transmission-Line Characteristic Impedances	107 (Jan)
Strip Transmission-Line Characteristic Impedances.	270 (May)
Strip Transmission-Line in Microwave Circulator.	335 (May)
Stub Admittance Tables for Microwave Flat Filters with Quarter-Wave Stubs. (C)	695 (Sep)
Stub Band-Stop TEM Caps Filters.	508 (Sep)
Stub Filter Capacitively Coupled. (C)	253 (Mar)
Stub-Load Resistance Relation for Microwave Transmission	283 (May)
Submillimeter Wave Harmonic Mixing. (C)	873 (Nov)
Superheterodyne Method of Microwave Noise Measurements. (C)	882 (Nov)
Surface TM Wave Scattering by Perfectly Conducting Strip	630 (Sep)
Surface Wave Modes in Coaxial Line. (A-51)	723 (Sep)
Switch for Narrow-Band, Waveguide Applications.	44 (Jan)
Comment.	874 (Nov)
Switching at Microwave with Ferroelectric Devices.	789 (Nov)
Switching at Microwave with Four-Bit, Latching Ferrite. (C)	866 (Nov)
Switching Techniques for Microwave Frequency Translation	371 (May)
Syncom III Television Transmission. (A-33)	722 (Sep)
Synthesis of Band-Pass Transmission Line Structures at Microwave by Direct Synthesis.	283 (May)
Synthesis of Equal-Line Transmission Lines for Insertion Losses	275 (May)
Synthesis of Low-Pass Microwave Filters with Tables.	514 (Sep)
Synthesis of Microwave Band-Stop Filters. (C)	703 (Sep)
Synthesis of Microwave Interdigital Band-Pass Filters.	559 (Sep)
Synthesis of Symmetrical TEM-Mode Directional Couplers	536 (Sep)

T

Target Speed Doppler Radar Errors. (C)	389 (May)
Television from Japan with Syncom III. (A-33)	722 (Sep)
Television Slotted-Cylinder Antenna with Dipole Element. (A-42)	722 (Sep)
TE-Mode Trapped-Mode Band-Pass Filters for Circular Waveguides	581 (Sep)
TEM-Mode Coupled-Transmission-Line Directional Couplers	544 (Sep)
TEM-Mode Symmetrical Directional Coupler Synthesis.	536 (Sep)

TEM Transmission Line Analysis with Laplace Solutions.	676 (Sep)
TEM Transmission Line Losses. (A-54)	723 (Sep)
Tetrahedral Junction for Waveguides. (C)	132 (Jan)
Thermal Gas Lens Optical Transmission	740 (Nov)
Thermal Gradient Gas Lens	734 (Nov)
Thermal Noise Source Microwave Temperature Calibration. (C)	128 (Jan)
Thermionic Diodes in Linac Beam Phasing	806 (Nov)
Thin Metal Sheet S-Band Currents. (A-55)	723 (Sep)
T Junction in Circulator Synthesis	38 (Jan)
T Junctions in Diode Microwave Phase Modulators	32 (Jan)
Tolerances in Circular Waveguides. (A-80)	892 (Nov)
Transformers for Microwave Mode, Impedance. (C)	379 (May)
Transistor Large Signal Microwave Amplifiers	865 (Nov)
Transistor Microwave Power Devices	768 (Nov)
Transmission Cavity Coupling Measured. (A-48)	723 (Sep)
Transmission-Line Analysis of Microwave Phase Shifter	233 (Mar)
Transmission-Line Analysis with Laplace Solutions	676 (Sep)
Transmission-Line Band-Pass Direct Synthesis at Microwave	283 (May)
Transmission-Line (Coupled) Directional Symmetrical TEM-Mode Couplers	544 (Sep)
Transmission-Line Directional Couplers for Very Broad-Band Operations. (A-50)	723 (Sep)
Transmission-Line Filter Device: Three Path, Harmonic Rejection. (A-7)	262 (Mar)
Transmission-Line (Helix) Plasma Loaded: Attenuation and Electrical Length. (A-62)	892 (Nov)
Transmission-Line Microwave Duals: Slot and Strip Lines	303 (May)
Transmission-Line Microwave Ferroelectric Switch	789 (Nov)
Transmission-Line Model with Gyromagnetic Coupling	652 (Sep)
Transmission-Line Parallel Conductor Capacitance with Ground Effects. (C)	254 (Mar)
Comment. (C)	255 (Mar)
Transmission-Line Properties of Parallel Strips Separated by a Dielectric Sheet	172 (Mar)
Transmission-Line Reflection Coefficient Measuring System	435 (Jul)
Transmission-Line Synthesis for Insertion-Loss Function	275 (May)
Transmission-Nonlinear-Line Harmonic Generator. (A-53)	723 (Sep)
Transmission System Mode Losses. (C)	711 (Sep)
Transmission (TEM) Line Losses. (A-54)	723 (Sep)
Transverse Electric-Magnetic Wave Filter Synthesis	316 (May)
Transverse Magnetic Wave Propagation in Sinusoidally Stratified Dielectric Media	297 (May)
Trapped-Mode Resonators in Narrow Pass-Band Circular Waveguide Filter	581 (Sep)
Trapped-Mode Resonators in Narrow Pass-Band Rectangular Waveguide Filter	575 (Sep)
Traveling Wave Analogies in Microwave Reflected Power Networks	194 (Mar)
Traveling-Wave Equivalent Circuit for Coupled-Cavity Slow-Wave Structures	671 (Sep)
Traveling Wave Helix Amplifier Spurious Modes (A-74)	892 (Nov)
Traveling Wave-Magnetron Frequency Locking	836 (Nov)
Traveling-Wave Ruby Maser. (A-23)	482 (Jul)
Traveling Wave Slotted-Cylinder Antenna with Dipole Element. (A-42)	722 (Sep)
Traveling Wave Tube Attenuator Reflection Coefficient (A-69)	892 (Nov)
Traveling Wave Tube (Double Ladder Type) for Millimeter Wave Band. (A-34)	722 (Sep)
Traveling Wave Tube Pulsed for Phased-Array Microwave Transmission	167 (Mar)
Traveling Wave Tube Seals: Ceramic-to-Metal. (A-30)	482 (Jul)
Tuning (Linear) of a Microwave Cavity. (C)	880 (Nov)
Tuning of Parametric Amplifier with Ferrimagnetics	773 (Nov)
Tunnel-Diode Amplifier Parasitic Element Effects	827 (Nov)
Tunnel-Diode Detectors at Microwave Frequencies (A-67)	892 (Nov)
Tunnel-Diode Efficient Microwave Amplifier	213 (Mar)
Tunnel-Diode Frequency Converter Numerical Analysis	663 (Sep)
Tunnel-Diode Reflection Amplifiers Stability	814 (Nov)

U

Upconverted Microwave Devices Conjugately Matched. (A-47)	723 (Sep)
---	-----------

Upconverter: Four-Frequency, Parametric	96 (Jan)
Upconverter (Parametric) Intermodulation Distortion	820 (Nov)

V

Veractor Diode Parametrics Dynamically Represented Accurately (C)	133 (Jan)
Varactor Diode-Type Four-Frequency Parametric Upconverter	96 (Jan)
Varactor Frequency Tripler Detailed Analysis. (C)	256 (Mar)
Varactor Measurements and Equivalent Circuits. (C)	872 (Nov)
Varactor Parametric Amplifier Noise Analysis	162 (Mar)
Varactor Power Microwave Frequency Converters	150 (Mar)
Variational Techniques Applied to Realistic Waveguide Structures	364 (May)
Variational Techniques Calculate Strip Transmission Impedances	270 (May)
Vibration Testing of Microwave Equipment. (C)	869 (Nov)

W

Waffle-Iron Harmonic Suppression Filter. (C)	701 (Sep)
Wave Equation Solutions for Lasers	445 (Jul)
Wave Propagation in Sinusoidally Stratified Dielectric Media. (C)	141 (Jan)
Wave Propagation in Waveguides with Arbitrary Uniform Cross-Section Considered by the Point-Matching Method	847 (Nov)
Wavebeam Radial Resonator	749 (Nov)
Waveguide Band-Stop Filter Parameters	589 (Sep)
Waveguide Band-Stop Microwave Filters	203 (Mar)
Waveguide Bent-Beam Device Design	647 (Sep)
Waveguide Bolometers from Wire-Grid for Multimode Power Measurement	427 (Jul)
Waveguide Cavity Band-Stop Filters	508 (Sep)
Waveguide Cavity Ferrite Junction Circulators	15 (Jan)
Waveguide (Circular, Curved) for TE ₀₁ Mode Millimeter Waves. (A-37)	722 (Sep)
Waveguide (Circular) Pass-Band Filter Using Trapped-Mode Band-Pass Filters	581 (Sep)
Waveguide (Circular) Polarizer	763 (Nov)
Waveguide (Circular) Reflection and Mode Conversion. (A-6)	262 (Mar)
Waveguide Coupled Circular Cylindrical Rods Between Parallel Ground Planes	141 (Jan)
Waveguide Coupler Pulse Power Capacity. (C)	133 (Jan)
Waveguide Cutoff Frequency Measurement. (C)	878 (Nov)
Waveguide (Cylindrical) with Dielectric E-M Propagation. (C)	716 (Sep)
Waveguide Delay Distortion Equalization	756 (Nov)
Waveguide Delay Equalizer	224 (Mar)
Waveguide Designation System. (C)	247 (Mar)
Waveguide: Dielectric, Cylindrical, Mode Patterns	345 (May)
Waveguide (Dielectric-Loaded) for Frequency Scanned Antenna (A-72)	892 (Nov)
Waveguide Dielectric Mode Cutoff Conditions. (C)	884 (Nov)
Waveguide Dispersion of RF Pulses. (C)	250 (Mar)
Waveguide Electromagnetic Guided Propagation (Parallel Plates). (A-15)	262 (Mar)
Waveguide E-M Propagation with Semiconductor and Magnetic Field in the Cavity	641 (Sep)
Waveguide Field Measurements in a Small Cross Section Guide Loaded with Magnetized Ferrite. (C)	385 (May)
Waveguide Groove Device Development. (C)	880 (Nov)
Waveguide (Grooved) Modes. (A-3)	262 (Mar)
Waveguide (H-taper) Mode Conversion. (A-14)	262 (Mar)
Waveguide Imperfections Measured with FM Radar. (A-39)	722 (Sep)
Waveguide Inhomogeneous Media Acceptable Modes. (C)	875 (Nov)
Waveguide Junction Circulator and Effects of Dielectric Loading on Its Performance. (C)	388 (May)
Waveguide Measurement of Semiconductor Properties. (A-49)	723 (Sep)
Waveguide Mode and Impedance Transformer. (C)	379 (May)
Waveguide Moving Media	441 (Jul)
Waveguide Narrow-Band Switch	44 (Jan)
Comment	874 (Nov)
Waveguide, Oversize, High-Power, E- and H-Plane Bends	54 (Jan)
Waveguide (Parallel-Plane) Radiation	77 (Jan)

