

TECHNICAL PROGRAM

MONDAY MORNING, 12 MAY 1975
INTRODUCTORY SESSION
0830-0915

WELCOMING REMARKS: E. W. Matthews,
Chairman, Symposium Steering Committee

KEYNOTE ADDRESS: H. W. Cooper,
President, MTT-S Administrative Committee

<u>Session 1. MICROWAVES IN EARTH SENSING</u> 0915-1200, Room B <u>Chairman:</u> Kiyo Tomiyasu, General Electric, Co., Philadelphia, PA		<u>Session 2. MICROWAVES IN COMMUNICATION</u> 0915-1200, Room A <u>Chairman:</u> C. Ryan, Motorola-GED, Scottsdale, AZ		<u>Session 3. MICROWAVE FILTERS AND COMPONENTS I</u> 0915-1200, Room C <u>Chairman:</u> E. G. Cristal, Hewlett-Packard Co, Palo Alto, CA	
	<u>PAGE</u>		<u>PAGE</u>		<u>PAGE</u>
1-1 PASSIVE MICROWAVE SENSING OF THE EARTH 0915 David H. Staelin, Massachusetts Institute of Technology, Cambridge, MA	20	2-1 SOME ASPECTS OF MICROWAVE DEVELOPMENT IN A DEVELOPING COUNTRY 0915 J. T. Senise, Escola de Engenharia Maua, São Paulo, Brazil	34	3-1 SOLVING THE APPROXIMATION PROBLEM FOR NARROWBAND BANDPASS FILTERS WITH EQUAL-RIPPLE PASSBAND RESPONSE AND ARBITRARY PHASE RESPONSE (INVITED) 0915 R. J. Wenzel, Wavecom, Northridge, CA	50
1-2 SATELLITE ALTIMETRY APPLICATIONS 0950 J. T. McGoogan, NASA Wallops Flight Center, Wallops Island, VA	23	2-2 BI-POLAR IC'S FOR MICROWAVE SIGNAL PROCESSING, (INVITED) 0950 C. Ryan, Motorola, Inc., Scottsdale, AZ	37	3-2 TEMPLATE METHODS FOR EFFICIENT MICROWAVE FILTER DESIGN 0945 G. R. Hoffman, Laboratory for Electromagnetism and Acoustics, University of Ghent, Belgium	51
1-3 MICROWAVE SCATTERING FROM THE OCEAN SURFACE 1035 W. Jones, W. Grantham, L. Schroeder, J. Johnson, C. Swift, NASA Langley Research Center, Hampton, VA	26	2-3 MICROWAVE QPSK DEMODULATION TECHNIQUES AT THE RECEIVER FRONT END, (INVITED) 1035 L. Cuccia, Philco/Ford, Palo Alto, CA	40	3-3 MICROWAVE FILTERS WITH SINGLE ATTENUATION POLES AT REAL OR IMAGINARY FREQUENCIES 1005 R. Levy, Microwave Development Laboratories, Inc. Natick, MA	54
1-4 IMAGING RADAR POTENTIALS FOR EARTH RESOURCES 1110 W. Brown, Jr., C. Elachi, Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA	29	2-4 ELECTRONICALLY-TUNABLE LOW NOISE Ka-BAND PARAMP-DOWN CONVERTER SATELLITE COMMUNICATIONS RECEIVER 1100 H. C. Okean, J. A. DeGruyl, L. J. Steffek, A. J. Kelly, and S. J. Foti, LNR Communications, Inc., Hauppauge, NY	43	3-4 ON THE FIELD ENERGY AND POWER OF WAVEGUIDES AND CAVITIES SYNTHESIZED WITH NON-SEPARABLE SOLUTIONS OF HELMHOLTZ WAVE EQUATION 1040 P. J. Luypaert, and D. H. Schoonaert, Dept. of Elektrotechniek KUL, Belgium	57
		2-5 DEPOLARIZATION MEASUREMENTS ON THE ATS-6 20 GHz DOWN LINK: A DESCRIPTION OF THE VPI & SU EXPERIMENT AND SOME INITIAL RESULTS 1120 C. W. Bostian, W. L. Stutzman, E. A. Manus, P. H. Wiley, and R. E. Marshall, Virginia Polytechnic Institute and State University, Blacksburg, VA	46	3-5 GENERALIZED TE ₀₁₁ MODE WAVEGUIDE BANDPASS FILTERS 1100 A. E. Williams and A. E. Atia, COMSAT Laboratories, Clarksburg, MD.	60
				3-6 MICROWAVE BANDPASS FILTERS CONTAINING DIELECTRIC RESONATORS WITH IMPROVED TEMPERATURE STABILITY AND SPURIOUS RESPONSE 1120 K. Wakino, T. Nishikawa, S. Tamura, Y. Ishikawa, Murata Mfg. Co., Kyoto, Japan	63

MONDAY AFTERNOON, 12 MAY 1975

Session 4. MICROWAVE GENERATION & AMPLIFICATION 1330-1770, Room B Chairman: K. Kennedy, Watkins-Johnson, Palo Alto, CA			Session 5. MICROWAVE MEASUREMENTS 1330-1770, Room A Chairman: R. W. Beatty, National Bureau of Standards, Boulder, CO			Session 6. MICROWAVE FILTERS & COMPONENTS II 1330-1770, Room C Chairman: R. Levy, Microwave Development Labs, Natick, MA		
		<u>PAGE</u>			<u>PAGE</u>			<u>PAGE</u>
4-1 1330	ACTIVE SOLID STATE MICROWAVE DEVICE PERFORMANCE, (INVITED) B. E. Berson, Hewlett-Packard Co., Palo Alto, CA	68	5-1 1330	THE EVOLUTION OF AUTOMATED MICRO-WAVE MEASUREMENTS (INVITED) John H. Meyer, Hewlett-Packard Co., Palo Alto, CA	92	6-1 1330	TAPPED-LINE COUPLED-TRANSMISSION LINES WITH APPLICATIONS TO COMBINE AND INTERDIGITAL FILTERS Edward G. Cristal, Hewlett-Packard Company, Palo Alto, CA	110
4-2 1410	MICROWAVE OCTAVE-BAND GaAs FET AMPLIFIERS W. Ku, M. Mokari-Bolhassan, W. Petersen, Cornell University, Ithaca, NY Allen F. Podell, Bruce R. Kendall, Hewlett-Packard Company, Palo Alto, CA	69	5-2 1405	AUTOMATED CALIBRATION OF DIRECTIONAL-COUPLER-BOLOMETER-MOUNT ASSEMBLIES Glenn F. Engen, National Bureau of Standards, Boulder, CO	95	6-2 1350	MULTI-SECTION INHOMOGENEOUS COUPLED-LINE FILTERS WITH LARGE MODE-VELOCITY RATIOS James L. Allen, University of South Florida, Tampa, FL	113
4-3 1425	X-BAND SILICON POWER TRANSISTOR Han-Tzong Yuan, James B. Kruger, You-Sun Wu, Texas Instruments, Inc., Dallas, TX	73	5-3 1430	USING AN ARBITRARY SIX-PORT JUNCTION TO MEASURE COMPLEX VOLTAGE RATIOS Cletus A. Hoer and Keith C. Roe, National Bureau of Standards, Boulder, CO	98	6-3 1410	A NEW N-WAY POWER DIVIDER/COMBINER SUITABLE FOR HIGH-POWER APPLICATIONS Ulrich H. Gysel, Stanford Research Institute, Menlo Park, CA	115
4-4 1500	WIDEBAND, HIGH GAIN, DUAL DIODE GUNN AMPLIFIER CIRCUITS J. G. de Koning, R. E. Goldwasser, R. J. Hamilton, Jr., Varian Assoc., Palo Alto, CA	76	5-4 1455	NON DESTRUCTIVE RESONANT TECHNIQUE FOR THE MEASUREMENT OF COMPLEX PERMITTIVITY-THEORETICAL ANALYSIS AND EXPERIMENTAL RESULTS Mark C. Decréton, and M. S. Ramachandraiah, Ecole Polytechnique Fédérale de Lausanne, Lausanne, Switzerland	100	6-4 1450	CHARACTERISTICS OF UNSYMMETRICAL BROADSIDE-COUPLED STRIPS IN AN INHOMOGENEOUS DIELECTRIC MEDIUM C. L. Chao, TRW Systems Group, Redondo Beach, CA	119
4-5 1515	C-BAND SOLID STATE TWT REPLACEMENT M. R. Harris, W. C. Tsai, S. F. Paik, Raytheon Co., Waltham, MA	79	5-5 1550	MEASUREMENT OF THE EQUIVALENT CIRCUIT PARAMETERS OF DISCONTINUITIES IN A RESONANT MICROSTRIP RING Wolfgang J. R. Hoefer and Asoknath Chattopadhyay, University of Ottawa, Ottawa, Canada	103	6-5 1510	WIDEBAND, TOTALLY COUPLED DIRECTIONAL TRANSFORMERS Ross A. Speciale, Tektronix, Beaverton, OR	122
4-6 1530	A HIGH POWER WAVEGUIDE IMPATT AMPLIFIER Paolo Ruella, Hewlett-Packard Co., Palo Alto, CA	82	5-6 1615	RESONANCE MEASUREMENT OF EVEN AND ODD MODE PROPAGATION CONSTANTS IN COUPLED MICROSTRIPS Vittorio Rizzoli, Università di Bologna, Bologna, Italy		6-6 1550	HIGH DIRECTIVITY MICROSTRIP COUPLERS USING DIELECTRIC OVERLAYS C. Buntschuh, Microwave Associates, Burlington, MA	125
4-7 1545	HARMONIC TUNING EFFECTS OF TRAPATT OSCILLATORS R. J. Trew, G. I. Haddad, and N. A. Masnari, The University of Michigan, Ann Arbor, MI	85				<u>MONDAY EVENING, 12 MAY 1975</u> Session 7. PROFESSIONAL ACTION PANEL 2000-2200, Room B Chairman: Leo Young, Department of Defense, Washington, D.C.		
4.8 1600	HIGH POWER PULSED UHF AND L-BAND P ⁺ -N-N ⁺ SILICON TRAPATT DIODE OSCILLATORS Chuka O. G. Obah, E. Benko, H. C. Bowers, T. A. Midford, Hughes Aircraft Co., Torrance, CA	88						

Session 8. MICROWAVE INTEGRATED CIRCUITS 0830-1200, Room B <u>Chairman:</u> Martin Caulton, RCA Laboratories, Princeton, NJ			Session 9. TECHNOLOGY FORECASTING 0830-1200, Room A <u>Moderators:</u> Warren Cooper, Westinghouse Electric Corp., Baltimore, MD; Al Clavin, Hughes Aircraft Co., Canoga Park, CA			Session 10. MICROWAVE DIODE CONTROL DEVICES 0830-1200, Room C <u>Chairman:</u> J. White, Microwave Associates, Burlington, MA		
		PAGE			PAGE			PAGE
8-1 0830	TAPERED ASYMMETRIC MICROSTRIP MAGIC TEE M. H. Arain and N. W. Spencer, Rockwell International, Anaheim, CA	134	9-0 0830	TECHNOLOGY FORECASTING AND ASSESSMENT PANEL Jeffery E. Grant, Hughes Aircraft Co., Torrance, CA Ken Button, MIT Cambridge, MA Bernard T. Murphy, Bell Tel Labs., Murray Hill, NJ Sy Okwit, LNR Long Island, NY	61	10-1 0830	INTEGRATED DIODE PHASE SHIFTERS AND PERFORMANCE IN A 502 ELEMENT X-BAND ARRAY, (INVITED) Mark E. Davis, General Electric, Utica, NY	164
8-2 0850	AN EFFICIENT MICROSTRIP UPCON- VERTER FOR Ka-BAND Paul S. Henry, Bell Telephone Laboratories, Crawford Hill Laboratory, Holmdel, NJ	137				10-2 0900	RECENT ADVANCES IN BINARY PROGRAMMED ELECTRONICALLY TUNABLE BANDPASS FILTERS OF THE "FLAUTO" TYPE A. Karp & W. Weir, Stanford Research Institute, Menlo Park, CA	167
8-3 0910	DESIGN & PERFORMANCE OF A BROAD- BAND MIC LOW NOISE K-BAND BALANCED MIXER & RELATED COMPONENTS A. K. Gorwara, D. R. Chambers, U. Gysel, and D. Parker, Stanford Research Inst., Menlo Park, CA	140	8-8 1105	CHARACTERISTICS AND APPLICATIONS OF COUPLED MICROSTRIP LINES E. Rivier, J. P. Blot, D. Pompei, & A. Ros, Laboratoire d'Electronique Faculte Des Sciences PCNI, Nice Cedex, France	155	10-3 0920	4 GHz 8 X 8 SWITCH MATRIX FOR SDMA SYSTEM M. Yamaguchi, Y. Ito, M. Kyogoku, R&D Labs, Kokusai Denshin Denwa Co., Ltd., Tokyo, Japan T. Kudo & M. Akao, Fujitsu, Ltd., Kawasaki, Japan	170
8-4 0930	NEW DEVELOPMENTS WITH INTEGRATED FIN-LINE AND RELATED PRINTED MILLIMETER CIRCUITS Paul J. Meier, AIL, Melville, NY	143				10-4 1000	DIODE STRUCTURES FOR A MILLIMETER WAVE PHASE SHIFTER Gerald R. Vanier & Ralph M. Mindock, Martin Marietta Aerospace, Orlando, FL	173
8-5 1005	LOW NOISE MICROWAVE AND MILLIMETER WAVE INTEGRATED CIRCUIT MIXERS A. J. Kelly, H. C. Okean, and S. J. Foti, LNR Communications, Inc., Hauppauge, NY	146	10-7 1100	RF BURNOUT OF MIXER DIODES AS INDUCED UNDER CONTROLLED LABORATORY CONDITIONS AND CORRELATION TO SIMULATED SYSTEM PERFORMANCE *G. E. Morris, †Y. Anand, *V. J. Higgins, ††C. Cook, and *G. Hall, *U. S. Army Electronics Technology & Devices Lab., Fort Monmouth, NJ; †Microwave Assoc., Burlington, MA; ††Electronic Materials and Nuclear Hardening Research Area, Fort Monmouth, NJ	182	10-5 1020	A TRANSFERRED-ELECTRON FREQUENCY MEMORIZER W. R. Curtice, RCA Labs, Princeton, NJ	176
8-6 1025	A NEW "PHASED-TYPE" IMAGE ENHANCED MIXER L. E. Dickens & D. W. Maki, Westinghouse Defense & E.S.C., Baltimore, MD	149				10-6 1040	OCTAVE BANDWIDTH HIGH SPEED LIMITER WITH UNIFORM SUPPRESSION CHARACTERISTICS B. Geller, J. E. Degenford, and M. Cohn, Westinghouse Electric Corp., Baltimore, MD	179
8-7 1045	A 3.5 WATT HIGH EFFICIENCY FREQ- UENCY QUADRUPLER FOR X-BAND APPLICATIONS C. W. Sirles, Texas Instruments, Dallas, TX R. Allison, Collins Radio, Dallas, TX	152	10-8 1120	PICOSECOND PULSE SEQUENTIAL WAVEFORM GENERATION Harry M. Cronson, Sperry Research Center, Sudbury, MA	185			

TUESDAY AFTERNOON, 13 MAY 1975

Session 11. COMPUTER AIDED MICROWAVE PRACTICES 1330-1700, Room B <u>Chairman:</u> Robert Hall, RRC International, Inc., Los Altos, CA			Session 12. MILLIMETER WAVE COMMUNICATIONS IN JAPAN (INVITED SESSION) 1330-1700, Room A <u>Chairman:</u> S. Okamura University of Tokyo, Tokyo, Japan			Session 13. MICROWAVE FERRITE CONTROL DEVICES 1330-1700, Room C <u>Chairman:</u> L. R. Whicker, Naval Research Labs., Washington, D.C.		
		PAGE			PAGE			PAGE
11-1	ANALYSIS OF MICROWAVE NETWORK	188	12-1	W-40G GUIDED MILLIMETER WAVE TRANS-	208	13-1	DESIGN OF FERRITE DIFFERENTIAL	240
1330	PROBLEMS BY TIME AND FREQUENCY DOMAIN COMPARISONS (INVITED) Harold Stinehelfer, Microwave Associates, Burlington, MA		1330	MISSION SYSTEMS K. Miyauchi, Nippon T&T Public Corp., Yokosuka-shi, Japan		1330	PHASE SHIFT SECTIONS C. R. Boyd, Jr., Microwave Applications Group, Chatsworth, CA	
11-2	A COMPLETE COMPUTER PROGRAM FOR THE	191	12-2	20G-400M DIGITAL RADIO RELAY SYSTEM	212	13-2	PREMATURE DECLINE LIMITING IN	243
1405	SYNTHESIS OF MATCHING NETWORKS FOR MICROWAVE AMPLIFIERS Douglas J. Mellor, Hewlett-Packard Co., Palo Alto, CA John G. Linvill, Stanford University, Stanford, CA			K. Kohiyama, H. Yamamoto, and Y. Nakamura, Nippon T&T Public Corp., Yokosuka-shi, Japan		1350	X-BAND YIG FILTERS R. A. Sparks, & R. Dibiase, Raytheon Co., Bedford, MA	
11-3	MODELING AND COMPUTER SIMULATION OF	194	12-3	RECEIVING PART OF SATELLITE BORNE	216	13-3	MICROWAVE YIG TUNED ELEMENTS FOR	246
1430	A MICROWAVE-TO-DC ENERGY CONVERSION ELEMENT Joseph J. Nahas, University of Notre Dame, Notre Dame, IN		12-4a	150 GHZ BAND IMPATT OSCILLATORS, FREQUENCY CONVERTERS AND DOUBLERS M. Ohmori, M. Hirayama, & T. Ishibashi, Nippon T&T Public Corp., Tokyo, Japan	219	1410	MONITORING OF EHVAC AND HVDC TRANS. SYSTEMS S. S. Stuchly, J. A. Dobrowolski, M. Z. Tarnawecy, and M. Yunik, University of Manitoba, Winnipeg, Canada	
11-4	NETWORK MODELING OF INTERACTING	197	12-4b	WIDEBAND TUNABLE AND HIGHLY STABIL- IZED MILLIMETER-WAVE IMPATT DIODE OSCILLATORS T. Miyakawa, N. Tokoyo, T. Nakagami, & H. Hayashi, Fujitsu Labs, Ltd., Kawasaki, Japan	222	13-4	Y JUNCTION CIRCULATOR ANALYSIS	247
1515	CAPACITIVE IRISES AND STEPS IN WAVEGUIDE T. E. Rozzi, Philips Research Labs, Eindhoven, The Netherlands		12-5a	WAVEGUIDE COMPONENTS FOR MILLIMETER- WAVE COMMUNICATIONS AT 40 - 90 GHZ S. Kitazume & H. Ishihara, Nippon Electric Co., Ltd. Yokohama-shi, 226, Japan	224	1445	Z. Chan Song Lint, A. Delfour, A. Priou, Laboratoire du DERM (O.N.E.R.A.C.E.R.T.B.P.) 4025, 31055 Toulouse Cedex, France	
11-5	THREE-DIMENSIONAL NUMERICAL ANALYSIS	200	12-5b	LOW-LOSS BANDPASS FILTERS AT 80 GHZ USING CYLINDRICAL TE ₁₁₁ -MODE CAVITIES T. Nakagami & S. S. Takenaka, Fujitsu Labs, Ltd., Kawasaki, 211, Japan	229	13-5	NEW EDGE GUIDED MODE DEVICES	250
1540	OF MICROWAVE CAVITIES USING THE TLM METHOD P. B. Johns & S. Akhtarzad, University of Nottingham, Nottingham, England		12-5c	ADVANCED LOSS-REDUCTION TECHNIQUES IN MILLIMETER WAVEGUIDE INSTRUMENTS S. Ishii & K. Ohi, Hitachi Electronics, Ltd., Tokyo, Japan	232	1505	K. Araki, T. Koyama, Y. Naito, Tokyo Institute of Technology, Tokyo, Japan	
11-6	SOLUTION OF LARGE, SPARSE SYSTEMS	202	12-6	CIRCULAR ARC POLYGONAL TYPE TE _{0N}	235	13-6	POSSIBILITY OF DOUBLE CIRCULATION	254
1600	IN DESIGN AND ANALYSIS A. Wexler, J. A. Dobrowolski, and A. E. Hammad, University of Manitoba, Winnipeg, Canada			MODE FILTER T. Inada, T. Akimoto, & T. Hayakawa, Telecommunication Engineering and Development Dept., The Fujikura Cable Works, Ltd., Tokyo, Japan		1525	FREQUENCY OF STRIPLINE Y-JUNCTION CIRCULATOR Tsukasa Nagao, Department of Electrical Engineering, Defense Academy, Hashirimizu, Yokosuka, Japan	
11-7	INTEGRATED APPROACH TO MICROWAVE	204						
1640	DESIGN J. W. Bandler, P. C. Liu, and H. Tromp, McMaster University, Hamilton, Canada							

Session 14. MILLIMETER WAVE SYSTEMS 0830-1200, Room B <u>Chairman:</u> J. C. Wiltse, Martin Marietta Corporation, Orlando, FL			Session 15. MICROWAVES IN MEDICINE 0830-1200, Room A <u>Chairman:</u> P. Polson, Stanford Research Institute, Menlo Park, CA			Session 16. NOISE IN MICROWAVE TRANSMISSION AND APPLICATIONS OF GUNN/IMPATT DIODES 0830-1200, Room C, PANEL SESSION <u>Chairman:</u> John Elliott, Bell Northern Research, Ottawa, Ontario, Canada		
		PAGE			PAGE			PAGE
14-1 0830	A SOLID-STATE 94 GHz DOPPLER RADAR F. J. Bernues & H. J. Kuno, Hughes Aircraft, Torrance, CA J. McIntosh, U. S. Coast Guard Research & Development Center, Groton, CT	258	15-1 0830	RESONANT ELECTROMAGNETIC POWER DEPOSITION IN MAN AND ANIMALS O. P. Gandhi, Electrical Engineering Department, University of Utah, Salt Lake City, UT	282	16 0830	Introduction by Chairman	304
14-2 0855	ADVANCED SOLID-STATE COMPONENTS FOR MILLIMETER WAVE RADARS P. M. Schwartz, R. F. Lohr, Jr., & R. L. Zimmerman, Hughes Aircraft, Malibu, CA K. P. Weller, Hughes Aircraft, Torrance, CA	261	15-2 0855	MICROWAVE MEASUREMENT OF RESPIRATION James C. Lin & J. Salinger, Electrical Engineering Dept., Wayne State University, Detroit, MI	285	16-1 0840	THE SYSTEM/CIRCUIT INTERFACE IN IMPATT DIODE APPLICATIONS J. W. Gewartowski, Bell Laboratories, Allentown, PA	305
14-3 0920	WIDEBAND ELECTRONICALLY TUNED MILLI- METER-WAVE IMPATT DIODE OSCILLATORS C. Chao, Y. Chang, E. Benko, & H. J. Kuno, Hughes Aircraft Co., Torrance, CA	264	15-3 0920	COMPLEX PERMITTIVITY AND PENETRATION DEPTH OF CERTAIN BIOLOGICAL TISSUE BETWEEN 40 AND 90 GHz Jochen Edrich & Patrick C. Hardee, University of Denver, Denver, CO	288	16-2 0850	THE SYSTEM/CIRCUIT INTERFACE IN GUNN DIODE APPLICATIONS Ferdo Ivanek, Farinon Microwave, Mountain View, CA	306
14-4 0940	MICROSTRIP VARACTOR-TUNED MILLIMETER WAVE IMPATT DIODE OSCILLATORS E. J. Denlinger, J. Rosen, E. Mykietyn, & E. C. McDermott, RCA David Sarnoff Labs, Princeton, NJ	266	15-4 0945	DIELECTRIC MEASUREMENTS FOR THE DESIGN OF A PHANTOM EYE Mark R. Foster, H.E.W., Bureau of Radiological Health, Winchester, MA William B. Westphal, MIT Cambridge, MA	291	16-3 0900	THE CIRCUIT/DEVICE INTERFACE IN IMPATT DIODE APPLICATIONS Marinus T. Vlaardingerbroek, Phillips Research Labs., Eindhoven, Holland	307
14-5 1020	MILLIMETER-WAVE POWER AMPLIFIER AND COMBINER H. J. Kuno & D. L. English, Hughes Aircraft Co., Torrance, CA	269	15-5 1030	EFFECT OF MICROWAVE FIELDS ON RABBIT VAGUS NERVES AND SUPERIOR CERVICAL GANGLIA Chung-Kwang Chou & Arthur W. Guy, University of Washington, Seattle, WA	292	16-4 0910	THE CIRCUIT/DEVICE INTERFACE IN GUNN DIODE APPLICATIONS Allen A. Sweet, Microwave Associates, Burlington, MA	308
14-6 1040	A LOW NOISE BROADBAND Ka-BAND WAVEGUIDE MIXER L. T. Yuan, TRW Systems Group, Redondo Beach, CA	272	15-6	MICROWAVE IRRADIATION DESIGN USING DIELECTRIC LENSES Henry S. Ho, Gary J. Hagan, Mark R. Foster, US Dept. of Health, Education and Welfare, Rockville, MD	295	16-5 0920	IMPATT AND GUNN DIODE NOISE DIAGNOSTICS J. Robert Ashley, University of Colorado, Colorado Springs, CO	310
14-7 1100	VARACTOR FREQUENCY DOUBLERS AND TRIPLERS FOR THE 200 TO 300 GHz RANGE L. D. Cohen, S. Nussbaum, E. Kraemer, J. Calviello, J. Taub, AIL, Deer Park, NY	274	15-7 1120	A NONPERTURBING LIQUID CRYSTAL FIBER- OPTIC MICROWAVE POWER PROBE O. P. GANDHI, University of Utah, Salt Lake City, UT T. C. Rozzell, Office of Naval Research, Arlington, VA	297	16-6 0930	THEORETICAL ASPECTS OF GUNN AND IMPATT DIODE NOISE Herman A. Haus, Bell Laboratories, Holmdel, NJ	311
14-8 1125	NEW WAVEGUIDE STRUCTURES FOR MILLI- METER-WAVE INTEGRATED CIRCUITS T. Itoh & R. Mittra, University of Illinois, Urbana, IL	277	15-8 1140	FIBEROPTIC MICROPROBES FOR MEASURE- MENT OF ELECTROMAGNETIC FIELDS A. Deficis, Department of Microwaves, O.N.E.R.A. - C.E.R.T. Toulouse, Cedex, France	300	1000	Discussion	

WEDNESDAY AFTERNOON, 14 MAY 1975

Session 17. REDUCTION AND MEASUREMENT OF NOISE 1330-1700, Room B <u>Chairman:</u> J. Kuno, Hughes Aircraft Company, Torrance, CA			Session 18. MICROWAVES IN TRANSPORTATION AND NAVIGATION 1330-1700, Room A <u>Chairman:</u> Herman N. Chait, The Aerospace Corporation, El Segundo, CA			Session 19. MICROWAVE ACOUSTICS AND DELAY LINES 1330-1700, Room C <u>Chairman:</u> R. Williamson, Massachusetts Institute of Techno- logy, Lincoln Laboratories, Lexington, MA		
		PAGE			PAGE			PAGE
17-1	FRONTIERS OF MICROWAVE NOISE	314	18-1	NAVSTAR GLOBAL POSITIONING SYSTEM:	334	19-1	CURRENTLY AVAILABLE MICROWAVE	350
1330	MEASUREMENT, (INVITED) C. K. S. Miller, National Bureau of Standards, Boulder, CO		1330	A SATELLITE BASED MICROWAVE NAVIGATION SYSTEM (INVITED) E. Lassiter, The Aerospace Corp., El Segundo, CA		1330	ACOUSTIC DEVICES AND TECHNIQUES (INVITED) Louis Claiborne, Texas Instruments, Dallas, TX	
17-2	A MEASURE FOR THE STABILITY OF	315	18-2	DUAL-MODE AUTOMOBILE COLLISION	335	19-2	DESIGN, FABRICATION AND TESTING OF	353
1410	SOLID STATE NOISE SOURCES Motohisa Kanda, National Bureau of Standards, Boulder, CO		1410	AVOIDANCE RADAR (INVITED) G. S. Kaplan, F. Sterzer, RCA Laboratories, Princeton, NJ		1400	SAW BUTTERWORTH FILTERS A. J. Slobodnik, Jr., W. J. Kearns, J. P. Noonan, Air Force Cambridge Research Labs, Bedford, MA	
17-3	ANOMALOUS NOISE IN SCHOTTKY DIODE	318	18-3	INTERMEDIATE FREQUENCY INTERFEROMETRY	338	19-3	PROBLEMS IN THE REALIZATION OF FLAT	356
1435	MIXERS AT MILLIMETER WAVELENGTHS A. R. Kerr, Goddard Institute for Space Studies, New York, NY		1450	H. I. Ewen, G. G. Haroulse, Ewen-Knight, Inc., Weston, MA			DELAY, NARROW-BAND SURFACE WAVE FILTERS AT UHF AND MICROWAVE FREQUENCIES Halvor Skeie, The Norwegian Institute of Technology, Trondheim, Norway	
17-4	MIC MODULATOR WITH ELECTRONICALLY	321	18-4	THE ACCURATE MEASUREMENT OF RANGE BY	341	19-4	ELECTRICAL MATCHING OF UNIDIRECTIONAL	359
1515	VARIABLE CARRIER CANCELLATION CIRCUIT Don Neuf, RHG Electronics Laboratory, Deer Park, NY		1535	THE USE OF MICROWAVE DELAY LINE TECHNIQUES Gerald F. Ross, Sperry Research Center, Sudbury, MA		1535	SURFACE WAVE DEVICES Roy B. Brown, Texas Instruments, Inc., Dallas, TX	
17-5	FEEDBACK EFFECTS ON THE NOISE	324	18-5	MICROWAVE TECHNOLOGY IN THE	343	19-5	INFLUENCE OF SOLID ELASTIC PROPERTIES	362
1540	PERFORMANCE OF GaAs MESFET'S George D. Vendelin, Varian Associates, Palo Alto, CA		1605	MICROWAVE LANDING SYSTEM Rudolph M. Kalafus, DOT-Transpor- tation Systems Center, Cambridge, MA		1600	ON THE SCATTERING OF A RAYLEIGH WAVE BY NORMAL DISCONTINUITIES E. Cambiaggio, F. Cuzzo, J. P. Damiano, E. Rivier, Faculté des Sciences, P.C.N.I., Nice Cedex, France	
17-6	STABILITY CONSIDERATIONS OF LOW-	327	18-6	INSTRUMENT LANDING SYSTEM	346	19-6	REAL TIME DISCRETE FOURIER TRANSFORMS	365
1600	NOISE TRANSISTOR AMPLIFIERS WITH SIMULTANEOUS NOISE AND POWER MATCH Les Besser, Farinon Electric, San Carlos, CA		1635	PERFORMANCE PREDICTION G. Chin, L. Jordan, D. Kahn, S. Morin, DOT-Transportation Systems Center, Cambridge, MA		1615	USING A PROGRAMMABLE DIODE-CONVULUOR MODULE T. Reeder, United Aircraft Research Labs., East Hartford, CT M. Speiser, H. Whitehouse, Naval Under- sea Center, San Diego, CA	
17-7	IMPATT PUMP SIDEBAND NOISE AND ITS	330				19-7	RADIATION RESISTANCE OF MICROSTRIP	368
1620	EFFECT ON PARAMETRIC AMPLIFIER NOISE TEMPERATURE C. A. Tearle & K. R. Heath, Services Electronics Research Lab, Ministry of Defense, Baldock, Hertfordshire, United Kingdom					1630	EXCITED MAGNETOSTATIC SURFACE WAVES A. K. Ganguly & D. C. Webb, Naval Research Laboratory, Washington, D.C.	
						19-8	A MAGNETOSTATIC DELAY LINE OSCILLATOR	371
						1645	J. Haworth, Electronics Research Division, Rockwell International, Anaheim, CA	

