

1981 Index

IEEE Transactions on Microwave Theory and Techniques

Vol. MTT-29

This index covers all items—papers, correspondence, reviews, etc.—that appeared in this periodical during 1981, and items from prior years that were commented upon or corrected in 1981. The index is divided into an Author Index and a Subject Index, both arranged alphabetically.

The *Author Index* contains the primary entry for each item; this entry is listed under the name of the first author and includes coauthor names, title, location of the item, and notice of corrections and comments if any. Cross-references are given from each coauthor name to the name of the corresponding first author. The location of the item is specified by the journal name (abbreviated), year, month, and inclusive pages.

The *Subject Index* contains several entries for each item, each consisting of a subject heading, modifying phrase(s), first author's name, and enough information to locate the item. For coauthors, title, comments and corrections if any, etc., it is necessary to refer to the primary entry in the Author Index. Subject cross-references are provided as required by the subject matter. Also provided whenever appropriate are listings under generic headings such as *Bibliographies* (for any paper with at least 50 references, as well as papers that are exclusively bibliographies), *Book reviews*, and *Special issues*.

A U T H O R I N D E X

A

- Abbozzo, Laura Ronchi, and Riccardo Pratesi; Mode and energy guidance properties of a slab of inhomogeneous medium with transverse variations of the gain only; *T-MTT Apr 81* 378-383
- Abe, Takeo, and Yoshio Yamaguchi; Propagation constant below cutoff frequency in a circular waveguide with conducting medium; *T-MTT Jul 81* 707-712
- Abouzahra, Mohamad D.; On the radiation from microstrip discontinuities; *T-MTT Jul 81* 666-668
- Abramovitz, Irwin J., see Casseday, Michael W.; *T-MTT May 81* 483-490
- Aditya, Sheel, see Hansson, E. R. Bertil; *T-MTT Mar 81* 209-215
- Ahmed, M. Jamil; Impedance transformation equations for exponential, cosine-squared, and parabolic tapered transmission lines (Short p.); *T-MTT Jan 81* 67-68
- Akyel, Cevdet, see Li, Shihe; *T-MTT Oct 81* 1041-1048
- Alberty, Michael, see Ohm, Gerhard; *T-MTT Jul 81* 724-731
- Amoss, John W., see Rucker, Charles T.; *T-MTT Dec 81* 1266-1271
- Araki, Kiyomichi, and Tatsuo Itoh; Analysis of periodic ferrite slab waveguides by means of improved perturbation method; *T-MTT Sep 81* 911-916
- Archer, John W., Mikio Ogai, and Ernest M. Caloccia; The sector coupler—Theory and performance; *T-MTT Mar 81* 202-208
- Archer, John W.; Millimeter wavelength frequency multipliers; *T-MTT Jun 81* 552-557
- Arima, Masaki, see Watanabe, Kenzo; *T-MTT Aug 81* 829-831
- Aruna, R., and J. Behari; Dielectric loss in biogenic steroids at microwave frequencies; *T-MTT Nov 81* 1205-1209
- Atia, Ali E., see Bonetti, René R.; *T-MTT Apr 81* 323-326. *Correction*, Nov 81 1239
- Atia, Ali E., see Bonetti, René R.; *T-MTT Dec 81* 1333-1337
- Atsuki, Kazuhiko, see Yamashita, Eikichi; *T-MTT Jun 81* 610-611
- Atsuki, Kazuhiko, see Yamashita, Eikichi; *T-MTT Sep 81* 987-990
- Atwater, Harry A.; Impedance transformations for the generalized reflection modulator; *T-MTT Mar 81* 229-234
- Aumiller, Bernd, see Vowinkel, Bernd; *T-MTT Jun 81* 535-541
- Awai, Ikuo, and Tatsuo Itoh; Coupled-mode theory analysis of distributed nonreciprocal structures; *T-MTT Oct 81* 1077-1087
- Bahl, Inder J., and Prakash Bhartia; Aperture coupling between dielectric image lines; *T-MTT Sep 81* 891-896
- Bandler, John W., and Mohamed R. M. Rizk; Analysis and sensitivity evaluation of 2p-port cascaded networks; *T-MTT Jul 81* 719-723
- Bardati, Fernando; Time-dependent microwave heating and surface cooling of simulated living tissues; *T-MTT Aug 81* 825-828
- Bava, Elio, Gian Paolo Bava, Aldo Godone, and Giovanni Rietto; Analysis of Schottky-barrier millimetric varactor doublers; *T-MTT Nov 81* 1145-1150
- Bava, Gian Paolo, see Bava, Elio; *T-MTT Nov 81* 1145-1150
- Bedair, S. S., and M. I. Sobhy; Open-end discontinuity in shielded microstrip circuits (Short p.); *T-MTT Oct 81* 1107-1109
- Behar, David, see Bowers, John E.; *T-MTT May 81* 491-498
- Behari, J., see Aruna, R.; *T-MTT Nov 81* 1205-1209
- Berg, Norman J., see Casseday, Michael W.; *T-MTT May 81* 483-490
- Berry, Gerald G., see Dickman, Robert L.; *T-MTT Aug 81* 788-793
- Beyer, Adalbert; Analysis of the characteristics of an earthed fin line; *T-MTT Jul 81* 676-680
- Beyer, Adalbert, and Klaus Solbach; A new fin-line ferrite isolator for integrated millimeter-wave circuits; *T-MTT Dec 81* 1344-1348
- Bhartia, Prakash, see Bahl, Inder J.; *T-MTT Feb 81* 165-168
- Bhartia, Prakash, see Bahl, Inder J.; *T-MTT Sep 81* 891-896
- Bhat, Bharathi, see Koul, Shiban K.; *T-MTT Dec 81* 1364-1370
- Bhattacharya, D., see Kal, S.; *T-MTT Apr 81* 386-388
- Bhooshan, S., and R. Mittra; On the design of transitions between a metal and inverted strip dielectric waveguide for millimeter waves (Short p.); *T-MTT Mar 81* 263-265
- Black, James F., see Grudkowski, Thomas W.; *T-MTT Dec 81* 1348-1356
- Bolle, Donald M., and Salvador H. Talisa; Fundamental considerations in millimeter and near-millimeter component design employing magnetoplasmons; *T-MTT Sep 81* 916-923
- Bolle, Donald M., see Talisa, Salvador H.; *T-MTT Dec 81* 1338-1343
- Bonetti, René R., and Ali E. Atia; Design of cylindrical dielectric resonators in inhomogeneous media; *T-MTT Apr 81* 323-326. *Correction*, Nov 81 1239
- Bonetti, René R., and Ali E. Atia; Analysis of microstrip circuits coupled to dielectric resonators; *T-MTT Dec 81* 1333-1337
- Booth, Peter L., Stuart R. Longley, and Barrie H. Newton; Frequency tuning of microstrip TRAPATT oscillators; *T-MTT Jan 81* 6-10
- Bosio, Renato G., see Li, Shihe; *T-MTT Oct 81* 1041-1048
- Bowers, John E., Gordon S. Kino, David Behar, and Hermund Olaisen; Adaptive deconvolution using a SAW storage correlator; *T-MTT May 81* 491-498
- Brazil, Thomas J., and Sean O. Scanlan; Self-consistent solutions for IMPATT diode networks; *T-MTT Jan 81* 26-32
- Bristol, Thomas W., *Guest ed.*, see Williamson, Richard C., *Guest ed.*; *T-MTT May 81* 393-394
- Brossard, Pierre C., see Henaff, Jeannine; *T-MTT May 81* 439-450
- Brown, William C.; Status of the microwave power transmission components for the solar power satellite; *T-MTT Dec 81* 1319-1327

C

- Cain, Charles A.; A theoretical basis for microwave and RF field effects on excitable cellular membranes; *T-MTT Feb 80* 142-147. *Correction*, Jan 81 74
- Calandra, Enrico F., and Antonino M. Sommariva; Stability analysis of injection-locked oscillators in their fundamental mode of operation; *T-MTT Nov 81* 1137-1144
- Callsen, Heinrich, see Solbach, Klaus; *T-MTT Nov 81* 1189-1191
- Caloccia, Ernest M., see Archer, John W.; *T-MTT Mar 81* 202-208
- Cameron, Richard J., and John David Rhodes; Asymmetric realizations for dual-mode bandpass filters; *T-MTT Jan 81* 51-58
- Cap, Ferdinand; Toroidal resonators and waveguides of arbitrary cross section; *T-MTT Oct 81* 1053-1059
- Cardiasmenos, Apostle G., see Parrish, Peter Tor; *T-MTT Nov 81* 1150-1153

B

- Bahl, Inder J., and Prakash Bhartia; The design of broadside-coupled stripline circuits (Short p.); *T-MTT Feb 81* 165-168

- Carr, Kenneth L.**, Anas Morsi El-Mahdi, and James Shaeffer; Dual-mode microwave system to enhance early detection of cancer; *T-MTT Mar 81* 256-260
- Casseday, Michael W.**, Norman J. Berg, Irwin J. Abramovitz, and John N. Lee; Wide-band signal processing using the two-beam surface acoustic wave acoustooptic time integrating correlator; *T-MTT May 81* 483-490
- Chadha, Rakesh**, and K. C. Gupta; Green's functions for circular sectors, annular rings, and annular sectors in planar microwave circuits (Short p.); *T-MTT Jan 81* 68-71
- Chadha, Rakesh**, and K. C. Gupta; Segmentation method using impedance matrices for analysis of planar microwave circuits (Short p.); *T-MTT Jan 81* 71-74
- Chakraborti, N. B.**, see Kal, S.; *T-MTT Apr 81* 386-388
- Chang, David C.**, see Sreenivasiah, Ippalapalli; *T-MTT Jan 81* 40-47
- Chang, David C.**, Guest ed., see Itoh, Tatsuo, Guest ed.; *T-MTT Sep 81* 841-842
- Chang, David C.**, and Edward F. Kuester; A hybrid method for paraxial beam propagation in multimode optical waveguides; *T-MTT Sep 81* 923-933
- Chang, Kai**, W. Frank Thrower, and George M. Hayashibara; Millimeter-wave silicon IMPATT sources and combiners for the 110-260-GHz range; *T-MTT Dec 81* 1278-1284
- Chang, Kai**, see Yen, Huan-Chun; *T-MTT Dec 81* 1292-1297
- Chang, William S. C.**, see Lin, Zong-Qi; *T-MTT Sep 81* 881-891
- Chatterjee, Indira**, see Hagmann, Mark J.; *T-MTT Mar 81* 252-255
- Chatterjee, Indira**, Mark J. Hagmann, and Om P. Gandhi; An empirical relationship for electromagnetic energy absorption in man for near-field exposure conditions (Short p.); *T-MTT Nov 81* 1231-1234
- Chen, Chun Hsiung**, see Liu, Chang-Tsuo; *T-MTT Aug 81* 805-812
- Chew, Weng Cho**, see Poh, Soon Yun; *T-MTT Feb 81* 135-142. Correction, Oct 81 1119
- Chew, Weng Cho**, and Jin Au Kong; Asymptotic eigenequations and analytic formulas for the dispersion characteristics of open wide microstrip lines; *T-MTT Sep 81* 933-941
- Christou, Aristos**, see Cohen, Eliot D.; *T-MTT Jul 81* 636-642
- Citerne, Jacques**, see Gelin, Philippe; *T-MTT Feb 81* 107-114
- Citerne, Jacques**, see Gelin, Philippe; *T-MTT Jul 81* 712-719
- Clavin, Alvin**; The 1981 MTT-S International Microwave Symposium *T-MTT Dec 81* 1252-1258
- Cohen, Eliot D.**, Alan C. MacPherson, and Aristos Christou; Reliability of power GaAs FET's—Au gates and Al-Au linked gates; *T-MTT Jul 81* 636-642
- Collins, Jeffrey H.**, and Peter M. Grant; A review of current and future components for electronic warfare receivers; *T-MTT May 81* 395-403
- Cory, Haim**; Dispersion characteristics of microstrip lines; *T-MTT Jan 81* 59-61
- Cowart, Gregory**, see Subrahmanyam, J. V.; *T-MTT Oct 81* 1066-1073
- Crombach, Ulrich**; Analysis of single and coupled rectangular dielectric waveguides; *T-MTT Sep 81* 870-875
- Cronson, Harry M.**, and Leon Susman; A dual six-port automatic network analyzer; *T-MTT Apr 81* 372-378
- D**
- Darby, Barry J.**, and John M. Hannah; Programmable frequency-hop synthesizers based on chirp mixing; *T-MTT May 81* 456-463
- Das, B. N.**, see Rao, J. S.; *T-MTT Feb 81* 150-154
- Dasgupta, D.**, and P. K. Saha; Eigenvalue spectrum of rectangular waveguide with two symmetrically placed double ridges; *T-MTT Jan 81* 47-51
- Davies, J. Brian**, see Mirshekar-Syahkal, D.; *T-MTT Feb 81* 123-128
- Davis, Christopher C.**, see Swicord, Mays L.; *T-MTT Nov 81* 1198-1205
- Delavaux, Jean-Marc**, see Lin, Zong-Qi; *T-MTT Sep 81* 881-891
- de Santis, Pietro**; Extension of existing models to ion-implanted MESFET's; *T-MTT Jun 80* 638-647. Correction, Feb 81 174
- Dickman, Robert L.**, William J. Wilson, and Gerald G. Berry; Super-Schottky mixer performance at 92 GHz; *T-MTT Aug 81* 788-793
- Dietterle, Robert E.**, see Lao, Binney Y.; *T-MTT Dec 81* 1327-1333
- Dixon, Samuel, Jr.**, and Harold Jacobs; Millimeter-wave InP image line self-mixing Gunn oscillator; *T-MTT Sep 81* 958-961
- Dolan, Gerald J.**, Richard A. Linke, T. C. L. Gerhard Sollner, David P. Woody, and T. G. Phillips; Superconducting tunnel junctions as mixers at 115 GHz; *T-MTT Feb 81* 87-91
- Dormer, Leslie**, see James, D. S.; *T-MTT Dec 81* 1298-1310
- Dragonetti, Philip G.**, see Tanski, William J.; *T-MTT May 81* 424-429
- Drury, David M.**, see Kiehl, Richard A.; *T-MTT Oct 81* 1004-1010
- Durney, Carl H.**, see Lakhtakia, Akhlesh; *T-MTT Jun 81* 588-594
- E**
- Eisenhart, Robert L.**, Guest Ed.; Editor's overview; *T-MTT Dec 81* 1251
- El-Mahdi, Anas Morsi**, see Carr, Kenneth L.; *T-MTT Mar 81* 256-260
- Elmoazzen, Yakout E.**, and Lotfollah Shafai; Coupling between two collinear parallel-plate waveguides of unequal widths (Short p.); *T-MTT Mar 81* 270-273
- El-Sherbiny, Abdel-Moniem A.**; Exact analysis of shielded microstrip lines and bilateral fin lines; *T-MTT Jul 81* 669-675
- El-Sherbiny, Abdel-Moniem A.**; Hybrid mode analysis of microstrip lines on anisotropic substrates; *T-MTT Dec 81* 1261-1266
- Erickson, Neal R.**; A 200-300-GHz heterodyne receiver; *T-MTT Jun 81* 557-561
- Esdale, Daniel J.**, and Michael J. Howes; A reflection coefficient approach to the design of one-port negative impedance oscillators; *T-MTT Aug 81* 770-776
- F**
- Ferguson, Patrick E.**, see Symons, Robert S.; *T-MTT Mar 81* 181-184
- Ferguson, Patrick E.**, Gerald Valier, and Robert S. Symons; Gyrotron-TWT operating characteristics; *T-MTT Aug 81* 794-799
- Fernandes, António Simão de Carvalho**; Slotted and loose braid cables: Brief conclusions of a comparative study (Short p.); *T-MTT Mar 81* 273-275
- Filipsson, Gunnar**, see Hansson, E. R. Bertil; *T-MTT Nov 81* 1161-1169
- Forouhar, Siamak**, see Lin, Zong-Qi; *T-MTT Sep 81* 881-891
- Foster, Kenneth R.**, see Friend, Albert W.; *T-MTT Dec 81* 1271-1277
- Frater, Robert H.**, and David R. Williams; An active 'cold' noise source; *T-MTT Apr 81* 344-347
- Friend, Albert W.**, Susan L. Gartner, Kenneth R. Foster, and Harlan Howe Jr.; The effects of high power microwave pulses on red blood cells and the relationship to transmembrane thermal gradients; *T-MTT Dec 81* 1271-1277
- Fukui, Hatsuaki**; Design of microwave GaAs MESFET's for broad-band low-noise amplifiers; *T-MTT Jul 79* 643-650. Addendum, Oct 81 1119
- G**
- Galani, Zvi**, James L. Lampen, and Steven J. Temple; Single-frequency analysis of radial and planar amplifier combiner circuits; *T-MTT Jul 81* 642-654
- Galin, Israel**, see Parrish, Peter Tor; *T-MTT Nov 81* 1150-1153
- Gandhi, Om P.**, see Hagmann, Mark J.; *T-MTT Mar 81* 252-255
- Gandhi, Om P.**, see Chatterjee, I.; *T-MTT Nov 81* 1231-1234
- Gartner, Susan L.**, see Friend, Albert W.; *T-MTT Dec 81* 1271-1277
- Gaunaurd, Guillermo C.**, see Subrahmanyam, J. V.; *T-MTT Oct 81* 1066-1073
- Gautier, Hervé**, and P. Tournois; Very fast signal processors as a result of the coupling of surface acoustic wave and digital technologies; *T-MTT May 81* 404-409
- Gelin, Philippe**, Michel Petenzi, and Jacques Citerne; Rigorous analysis of the scattering of surface waves in an abruptly ended slab dielectric waveguide; *T-MTT Feb 81* 107-114
- Gelin, Philippe**, Serge Toutain, Patrick Kennis, and Jacques Citerne; Scattering of the TE₀₁ and TM₀₁ modes on transverse discontinuities in a rod dielectric waveguide—Application to the dielectric resonators; *T-MTT Jul 81* 712-719
- Geshiro, Masahiro**, and Shinnosuke Sawa; A method for diminishing total transmission losses in curved dielectric optical waveguides; *T-MTT Nov 81* 1178-1183
- Ghatak, A. K.**, see Sharma, Anurag; *T-MTT Jun 81* 607-610
- Gilden, Meyer**, see Grudkowski, Thomas W.; *T-MTT Dec 81* 1348-1356
- Godone, Aldo**, see Bava, Elio; *T-MTT Nov 81* 1145-1150
- Goll, Jeffrey H.**, and Donald C. Malocha; An application of SAW convolvers to high bandwidth spread spectrum communications; *T-MTT May 81* 473-483
- Gopinath, Anand**; Maximum *Q*-factor of microstrip resonators; *T-MTT Feb 81* 128-131
- Grant, Peter M.**, see Collins, Jeffrey H.; *T-MTT May 81* 395-403
- Grudkowski, Thomas W.**, Gary K. Montress, Meyer Gilden, and James F. Black; Integrated circuit compatible surface acoustic wave devices on gallium arsenide; *T-MTT Dec 81* 1348-1356
- Grüner, Konrad**, see Vowinkel, Bernd; *T-MTT Jun 81* 535-541
- Gudmundsen, R. A.**, see Soohoo, Jack; *T-MTT Nov 81* 1170-1177
- Gupta, Inderjeet**, see Paul, Alakananda; *T-MTT Feb 81* 114-117
- Gupta, Kuldip C.**, see Chadha, Rakesh; *T-MTT Jan 81* 68-71
- Gupta, Kuldip C.**, see Chadha, Rakesh; *T-MTT Jan 81* 71-74
- Gupta, Kuldip C.**, see Sharma, P. C.; *T-MTT Oct 81* 1094-1098
- Gupta, Madhu S.**, Richard W. Laton, and Timothy T. Lee; Performance and design of microwave FET harmonic generators (Short p.); *T-MTT Mar 81* 261-263
- H**
- Haddad, George I.**, see Mains, Richard K.; *T-MTT Nov 81* 1154-1160
- Hagmann, Mark J.**, Indira Chatterjee, and Om P. Gandhi; Dependence of electromagnetic energy deposition upon angle of incidence for an inhomogeneous block model of man under plane-wave irradiation; *T-MTT Mar 81* 252-255

- Hagmann, Mark J., see Chatterjee, Indira; *T-MTT Nov 81* 1231-1234
- Hannah, John M., see Darby, Barry J.; *T-MTT May 81* 456-463
- Hansson, E. R. Bertil, Sheel Aditya, and Mats A. Larsson; Planar meanderline ferrite-dielectric phase shifter; *T-MTT Mar 81* 209-215
- Hansson, E. R. Bertil, and Gunnar Filipsson; Synthesis of transformer coupled multiple frequency circulators with Chebyshev characteristics; *T-MTT Nov 81* 1161-1169
- Hartnagel, Hans L., see Singh, Amarjit; *T-MTT Oct 81* 1117-1119
- Hatori, Kozo, see Sakagami, Iwata; *T-MTT Feb 81* 118-122
- Hatori, Kozo, see Shibata, Koji; *T-MTT Jul 81* 680-689
- Hayashi, Yoshio, see Kitazawa, Toshihide; *T-MTT Oct 81* 1035-1040
- Hayashibara, George M., see Chang, Kai; *T-MTT Dec 81* 1278-1284
- Haydl, William H., Wilhelm Sander, and Wulf-D. Wirth; Precision SAW filters for a large phased-array radar system; *T-MTT May 81* 414-419
- Hazama, Katashi, see Matsu-ura, Shigeo; *T-MTT May 81* 434-439
- Hecken, Rudolf P.; Analysis of linear noisy two-ports using scattering waves; *T-MTT Oct 81* 997-1004
- Heggs, P. J., see Ingham, D. B.; *T-MTT Nov 81* 1236-1239
- Hegji, S. J., see Symons, Robert S.; *T-MTT Mar 81* 181-184
- Helszajn, Joseph; Standing wave solutions of planar irregular hexagonal and wye resonators; *T-MTT Jun 81* 562-567
- Helszajn, Joseph, and Michael E. Powlesland; Low-loss high-peak-power microstrip circulators; *T-MTT Jun 81* 572-578
- Helszajn, Joseph, and W. Terence Nisbet; Circulators using planar WYE resonators; *T-MTT Jul 81* 689-699
- Helszajn, Joseph; Operation of tracking circulators; *T-MTT Jul 81* 700-712
- Henaff, Jeannine, and Pierre C. Brossard; Implementation of satellite communication systems using surface acoustic waves; *T-MTT May 81* 439-450
- Hersman, Michael S., and Gene A. Poe; Sensitivity of the total power radiometer with periodic absolute calibration; *T-MTT Jan 81* 32-40
- Higashi, Toru, and Toshihiko Makino; Resonant frequency stability of the dielectric resonator on a dielectric substrate; *T-MTT Oct 81* 1048-1052
- Higashisaka, Asamitsu, and Takayuki Mizuta; 20-GHz band monolithic GaAs FET low-noise amplifier; *T-MTT Jan 81* 1-6
- Hill, Gerald N., see Rucker, Charles T.; *T-MTT Dec 81* 1266-1271
- Hines, Marion E.; Inherent signal losses in resistive-diode mixers; *T-MTT Apr 81* 281-292
- Hirahata, Tetsuya, see Yamashita, Eikichi; *T-MTT Jun 81* 610-611
- Hochuli, Christian, and Gideon Kantor; An analysis of minimally perturbing temperature probe and thermographic measurements in microwave diathermy; *T-MTT Dec 81* 1285-1291
- Hoer, Cletus A.; A high power dual six-port automatic network analyzer used in determining biological effects of RF and microwave radiation; *T-MTT Dec 81* 1356-1364
- Hofmann, Holger, see Schmidt, L. P.; *T-MTT Apr 81* 352-355
- Honjo, Kazuhiko, and Yoichiro Takayama; A 25-W 5-GHz GaAs FET amplifier for a microwave landing system; *T-MTT Jun 81* 579-582
- Honjo, Kazuhiko, and Yoichiro Takayama; GaAs FET ultrabroad-band amplifiers for Gbit/s data rate systems; *T-MTT Jul 81* 629-635
- Hori, Toshikazu, and Takao Itanami; Circularly polarized linear array antenna using a dielectric image line; *T-MTT Sep 81* 967-970
- Howe, Harlan, Jr., see Friend, Albert W.; *T-MTT Dec 81* 1271-1277
- Howes, Michael J., see Esdale, Daniel J.; *T-MTT Aug 81* 770-776
- Hsu, Ting-Ih, see Oliner, Arthur A.; *T-MTT Sep 81* 855-869
- Huang, Ho-Chung, see Kumar, Mahesh; *T-MTT Mar 81* 185-189
- Huang, Ho-Chung, see Kumar, Mahesh; *T-MTT Oct 81* 1098-1102
- Huang, Ho-Chung, see Kumar, Mahesh; *T-MTT Nov 81* 1229-1231
- Huber, Charles J., see Jones, Norman G.; *T-MTT May 81* 451-456
- Igarashi, Mitsuru, and Yoshiyuki Naito; Parallel component μ_z of partially magnetized microwave ferrites; *T-MTT Jun 81* 568-571
- Ikeuchi, Masatoshi, Hideo Sawami, and Hiroshi Niki; Analysis of open-type dielectric waveguides by the finite-element iterative method; *T-MTT Mar 81* 234-239
- Imai, Tadao, see Okoshi, Takanori; *T-MTT Mar 81* 194-202
- Ingham, D. B., P. J. Heggs, and M. Manzoor; Boundary integral equation analysis of transmission-line singularities (Short p.); *T-MTT Nov 81* 1236-1239
- Irzinski, E. P.; A coaxial waveguide commutator feed for a scanning circular phased array antenna (Short p.); *T-MTT Mar 81* 266-270
- Ishii, Takashi, see Mitsui, Yasuo; *T-MTT Apr 81* 304-309
- Iskander, Magdy F., see Lakhtakia, Akhlesh; *T-MTT Jun 81* 588-594
- Itanami, Takao, see Hori, Toshikazu; *T-MTT Sep 81* 967-970
- Itanami, Takao; A periodic branching filter for millimeter-wave integrated circuits; *T-MTT Sep 81* 971-978
- Ito, Kazuya, see Okoshi, Takanori; *T-MTT Mar 81* 194-202
- Itoh, Tatsuo, see Schmidt, L. P.; *T-MTT Apr 81* 352-355
- Itoh, Tatsuo, Guest ed., and David C. Chang Guest ed.; Foreword to special issue; *T-MTT Sep 81* 841-842
- Itoh, Tatsuo, see Araki, Kiyomichi; *T-MTT Sep 81* 911-916
- Itoh, Tatsuo, see Awai, Ikuo; *T-MTT Oct 81* 1077-1087
- Ivanov, Stephan A.; Characteristic impedances of four-conductor transmission line (Short p.); *T-MTT Jun 81* 611-615
- J
- Jacobs, Harold, see Dixon, Samuel, Jr.; *T-MTT Sep 81* 958-961
- James, D. S., and Leslie Dormer; A study of high power pulsed characteristics of low-noise GaAs MESFET's; *T-MTT Dec 81* 1298-1310
- James, Graeme L.; Analysis and design of TE₁₁-to-HE₁₁ corrugated cylindrical waveguide mode converters; *T-MTT Oct 81* 1059-1066
- Jervis, B. W., see Pannell, R. M.; *T-MTT Apr 81* 383-386
- Jones, Norman G., Robert Avery Moore, and Charles J. Huber; Optimized SAW spectral control filters for digital satellite communications system; *T-MTT May 81* 451-456
- Jory, Howard R., see Symons, Robert S.; *T-MTT Mar 81* 181-184
- Joshi, K. K., see Rao, J. S.; *T-MTT Feb 81* 150-154
- K
- Kal, S., D. Bhattacharya, and N. B. Chakraborti; Empirical relations for capacitive and inductive coupling coefficients of coupled microstrip lines (Short p.); *T-MTT Apr 81* 386-388
- Kantor, Gideon, see Hochuli, Christian; *T-MTT Dec 81* 1285-1291
- Kennis, Patrick, see Gelin, Philippe; *T-MTT Jul 81* 712-719
- Keskin, Mustafa, see Subrahmanyam, J. V.; *T-MTT Oct 81* 1066-1073
- Khanna, A. P. S., and J. Obregon; Microwave oscillator analysis (Short p.); *T-MTT Jun 81* 606-607
- Kheifets, Semyon A.; Electromagnetic fields in an axial symmetric waveguide with variable cross section; *T-MTT Mar 81* 222-229
- Kiehl, Richard A., and David M. Drury; Performance of optically coupled microwave switching devices; *T-MTT Oct 81* 1004-1010
- King, R. J., and Y. H. Yen; Probing amplitude, phase, and polarization of microwave field distributions in real time; *T-MTT Nov 81* 1221-1227
- Kino, Gordon S., see Bowers, John E.; *T-MTT May 81* 491-498
- Kitazawa, Toshihide, and Yoshio Hayashi; Coupled slots on an anisotropic sapphire substrate; *T-MTT Oct 81* 1035-1040
- Klohn, Kenneth L.; Metal walls in close proximity to a dielectric waveguide antenna; *T-MTT Sep 81* 962-966
- Knerr, Reinhard H., Ed.; Editorial; *T-MTT Aug 81* 753
- Knorr, Jeffrey B.; Equivalent reactance of a shorting septum in a fin-line: Theory and experiment; *T-MTT Nov 81* 1192-1197
- Kobayashi, Kunikatsu, Yoshiaki Nemoto, and Risaburo Sato; Kuroda's identity for mixed lumped and distributed circuits and their application to nonuniform transmission lines; *T-MTT Feb 81* 81-86
- Kobayashi, Kunikatsu, Yoshiaki Nemoto, and Risaburo Sato; Equivalent circuits of binomial form nonuniform coupled transmission lines; *T-MTT Aug 81* 817-824
- Kobiki, Michihiro, see Mitsui, Yasuo; *T-MTT Apr 81* 304-309
- Kodama, Toshikazu, Kouji Sato, and Yoshiaki Uemura; SAW vestigial sideband filter for TV broadcasting transmitter; *T-MTT May 81* 429-433
- Komizo, Hidemitsu, see Shibata, Koji; *T-MTT Jul 81* 680-689
- Kong, Jin Au, see Poh, Soon Yun; *T-MTT Feb 81* 135-142. Correction, Oct 81 1119
- Kong, Jin Au, see Chew, Weng Cho; *T-MTT Sep 81* 933-941
- Kosco, Edward G., see Tanski, William J.; *T-MTT May 81* 424-429
- Koul, Shiban K., and Bharathi Bhat; Propagation parameters of coupled microstrip-like transmission lines for millimeter-wave applications; *T-MTT Dec 81* 1364-1370
- Kuester, Edward F., see Chang, David C.; *T-MTT Sep 81* 923-933
- Kumagai, Nobuaki, see Tsutsumi, Makoto; *T-MTT Jun 81* 583-587
- Kumar, Mahesh, and Ho-Chung Huang; Dual-gate MESFET variable-gain constant-output power amplifier; *T-MTT Mar 81* 185-189
- Kumar, Mahesh, Raymond J. Menna, and Ho-Chung Huang; Broad-band active phase shifter using dual-gate MESFET (Short p.); *T-MTT Oct 81* 1098-1102
- Kumar, Mahesh, Raymond J. Menna, and Ho-Chung Huang; Planar broad-band 180° hybrid power divider/combiner circuit (Short p.); *T-MTT Nov 81* 1229-1231
- Kurazono, Sadao, see Shinonaga, Hideyuki; *T-MTT Jun 81* 542-546
- L
- Lagasse, P. E., see Mabaya, N.; *T-MTT Jun 81* 600-605
- Lakhtakia, Akhlesh, Magdy F. Iskander, Carl H. Durney, and Habib Massoudi; Near-field absorption in prolate spheroidal models of humans exposed to a small loop antenna of arbitrary orientation; *T-MTT Jun 81* 588-594
- Lampen, James L., see Galani, Zvi; *T-MTT Jul 81* 642-654
- Lao, Binneg Y., Neal J. Schneider, David A. Rowe, Robert E. Dietterle, Jeffrey S. Schoenwald, Edward J. Staples, and Jack Wise; SAW oscillators in UHF Transit satellite links; *T-MTT Dec 81* 1327-1333
- Larsson, Mats A., see Hansson, E. R. Bertil; *T-MTT Mar 81* 209-215
- Laton, Richard W., see Gupta, Madhu S.; *T-MTT Mar 81* 261-263

- Laura, Patricio A. A.;** Comments on 'Conformal transformations combined with numerical techniques, with applications to coupled-bar problems' by Levy, Ralph; *T-MTT Jun 81* 618-619
- Lazarus, Max J., F. R. Pantoja, and M. G. Somekh;** Metallized dielectric horn and waveguide structures for millimeter-wave oscillator/mixer systems; *T-MTT Feb 81* 102-106
- Lee, John N.,** see Casseday, Michael W.; *T-MTT May 81* 483-490
- Lee, Timothy T.,** see Gupta, Madhu S.; *T-MTT Mar 81* 261-263
- Levinson, H.,** see Vyse, B.; *T-MTT Jul 81* 739-745
- Levy, Ralph;** Conformal transformations combined with numerical techniques, with applications to coupled-bar problems; *T-MTT Apr 80* 369-375
- Comments by* Laura, P. A. A.; *T-MTT Jun 81* 618-619
- Li, Shihe, Cevdet Akyel, and Renato G. Bosisio;** Precise calculations and measurements on the complex dielectric constant of lossy materials using TM₀₁₀ cavity perturbation techniques; *T-MTT Oct 81* 1041-1048
- Lin, James C.,** see Olsen, Richard G.; *T-MTT Oct 81* 1114-1117
- Lin, Zong-Qi, Shu-Tong Zhou, William S. C. Chang, Siamak Forouhar, and Jean-Marc Delavaux;** A generalized two-dimensional coupled-mode analysis of curved and chirped periodic structures in open dielectric waveguides; *T-MTT Sep 81* 881-891
- Lindell, Ismo V.;** On the quasi-TEM modes in inhomogeneous multiconductor transmission lines; *T-MTT Aug 81* 812-817
- Lindell, Ismo V.;** Asymptotic high-frequency modes of homogeneous waveguide structures with impedance boundaries; *T-MTT Oct 81* 1087-1093
- Linke, Richard A.,** see Dolan, Gerald J.; *T-MTT Feb 81* 87-91
- Lipparini, Alessandro,** see Rizzoli, Vittorio; *T-MTT Feb 81* 143-150
- Lipparini, Alessandro,** see Rizzoli, Vittorio; *T-MTT Jul 81* 655-661
- Liu, Chang-Tsuo, and Chun Hsiung Chen;** A variational theory for wave propagation in inhomogeneous dielectric slab loaded waveguides; *T-MTT Aug 81* 805-812
- Lodwig, Richard A.,** see Wheeler, Harold A.; *T-MTT Nov 81* 1227-1229
- Longley, Stuart R.,** see Booth, Peter L.; *T-MTT Jan 81* 6-10
- Mabaya, N., P. E. Lagasse, and P. Vandenbulcke;** Finite element analysis of optical waveguides; *T-MTT Jun 81* 600-605
- Maclean, Douglas J. H.;** Comments on 'The matched feedback amplifier: Ultrawide-band microwave amplification with GaAs MESFET's' by Niclas, K. B., et al.; *T-MTT Jun 81* 619-621
- MacPherson, Alan C.,** see Cohen, Eliot D.; *T-MTT Jul 81* 636-642
- MacPhie, Robert H.,** see Safavi-Naini, Reza; *T-MTT Apr 81* 337-343
- Madjar, Asher, and Fred J. Rosenbaum;** A large-signal model for the GaAs MESFET; *T-MTT Aug 81* 781-788
- Mains, Richard K., George I. Haddad, and Dean F. Peterson;** Investigations of broad-band, linear phase shifters using optimum varactor diode doping profiles; *T-MTT Nov 81* 1154-1160
- Majewski, Marian L., Robert W. Rose, and James R. Scott;** Modeling and characterization of microstrip-to-coaxial transitions; *T-MTT Aug 81* 799-805
- Makino, Toshihiko,** see Higashi, Toru; *T-MTT Oct 81* 1048-1052
- Malocha, Donald C.,** see Goll, Jeffrey H.; *T-MTT May 81* 473-483
- Manenkov, Alexander Bentsionovich;** Irregular magneto-optical waveguides; *T-MTT Sep 81* 906-911
- Manes, Gianfranco F.;** Surface-acoustic-wave random-access memories; *T-MTT May 81* 498-506
- Mansingh, Abhai, and Anand Parkash;** Microwave measurement of conductivity and permittivity of semiconductor spheres by cavity perturbation technique; *T-MTT Jan 81* 62-65
- Manzoor, M.,** see Ingham, D. B.; *T-MTT Nov 81* 1236-1239
- Masaoka, Yoshihiko,** see Tsutsumi, Makoto; *T-MTT Jun 81* 583-587
- Massoudi, Habib,** see Lakhtakia, Akhlesh; *T-MTT Jun 81* 588-594
- Matsu-ura, Shigeo, Katashi Hazama, and Toshinori Murata;** TV tuning systems with SAW comb filter; *T-MTT May 81* 434-439
- Menna, Raymond J.,** see Kumar, Mahesh; *T-MTT Oct 81* 1098-1102
- Menna, Raymond J.,** see Kumar, Mahesh; *T-MTT Nov 81* 1229-1231
- Menzel, Wolfgang,** see Solbach, Klaus; *T-MTT Nov 81* 1189-1191
- Meyer, Wolfgang;** Helical resonators for measuring dielectric properties of materials; *T-MTT Mar 81* 240-247
- Meyer, Wolfgang, and Wolfram M. Schilz;** Feasibility study of density-independent moisture measurement with microwaves; *T-MTT Jul 81* 732-739
- Miki, Nobushiro,** see Sakagami, Iwata; *T-MTT Feb 81* 118-122
- Miller, James E.,** see Soohoo, Jack; *T-MTT Nov 81* 1170-1177
- Minnis, Brian J.;** Printed circuit coupled-line filters for bandwidths up to and greater than an octave; *T-MTT Mar 81* 215-222
- Mirshakar-Syahkal, D., and J. Brian Davies;** Accurate analysis of tapered planar transmission lines for microwave integrated circuits; *T-MTT Feb 81* 123-128
- Misra, Devendra K.;** Permittivity measurement of modified infinite samples by a directional coupler and sliding load (Short p.); *T-MTT Jan 81* 65-67
- Mitsui, Yasuo, Michihiro Kobiki, Manabu Wataze, Kazuaki Segawa, Mutsuyuki Otsubu, and Takashi Ishii;** 10-GHz 10-W internally matched flip-chip GaAs power FET's; *T-MTT Apr 81* 304-309
- Mittra, Raj,** see Bhooshan, S.; *T-MTT Mar 81* 263-265
- Mittra, Raj,** see Trinh, Trang; *T-MTT Sep 81* 875-880
- Mittra, Raj,** see Trinh, Trang N.; *T-MTT Dec 81* 1310-1314
- Mittra, Raj,** see Trinh, Trang N.; *T-MTT Dec 81* 1315-1318
- Mizuta, Takayuki,** see Higashisaka, Asamitsu; *T-MTT Jan 81* 1-6
- Montress, Gary K.,** see Grudkowski, Thomas W.; *T-MTT Dec 81* 1348-1356
- Moore, Robert Avery,** see Jones, Norman G.; *T-MTT May 81* 451-456
- Morishita, Katsumi;** Numerical analysis of pulse broadening in graded index optical fibers; *T-MTT Apr 81* 348-352
- Mur, Gerrit;** The modeling of singularities in the finite-difference approximation of the time-domain electromagnetic-field equations; *T-MTT Oct 81* 1073-1077
- Murata, Toshinori,** see Matsu-ura, Shigeo; *T-MTT May 81* 434-439

N

- Nagai, Nobuo,** see Sakagami, Iwata; *T-MTT Feb 81* 118-122
- Naito, Yoshiyuki,** see Igarashi, Mitsuru; *T-MTT Jun 81* 568-571
- Nakajima, Nobuo, and Ryuichi Watanabe;** A quasi-optical circuit technology for shortmillimeter-wavelength multiplexers; *T-MTT Sep 81* 897-905
- Nemoto, Yoshiaki,** see Kobayashi, Kunikatsu; *T-MTT Feb 81* 81-86
- Nemoto, Yoshiaki,** see Kobayashi, Kunikatsu; *T-MTT Aug 81* 817-824
- Newton, Barrie H.,** see Booth, Peter L.; *T-MTT Jan 81* 6-10
- Niclas, Karl B., Walter T. Wilser, Richard B. Gold, and William R. Hitchens;** The matched feedback amplifier: Ultrawide-band microwave amplification with GaAs MESFET's
- Comments by* Maclean, D. J. H.; *T-MTT Jun 81* 619-621
- Niki, Hiroshi,** see Ikeuchi, Masatoshi; *T-MTT Mar 81* 234-239
- Nisbet, W. Terence,** see Helszajn, Joseph; *T-MTT Jul 81* 689-699
- Nishida, Shigeo,** see Yoneyama, Tsukasa; *T-MTT Nov 81* 1184-1188
- Nishino, Yoshiki,** see Yamashita, Eikichi; *T-MTT Sep 81* 987-990
- Nyström, G. Lennart;** Synthesis of broad-band 3-dB hybrids based on the 2-way power divider; *T-MTT Mar 81* 189-194

O

- Obregon, J.,** see Khanna, A. P. S.; *T-MTT Jun 81* 606-607
- Ogai, Mikio,** see Archer, John W.; *T-MTT Mar 81* 202-208
- Ogusu, Kazuhiko;** Propagation properties of a planar dielectric waveguide with periodic metallic strips; *T-MTT Jan 81* 16-21
- Ohira, Takashi,** see Tsutsumi, Makoto; *T-MTT Jun 81* 583-587
- Ohkawa, Sumio,** see Yashiro, Ken'ichiro; *T-MTT Jul 81* 745-747
- Ohm, Gerhard, and Michael Alberty;** Microwave phase detectors for PSK demodulators; *T-MTT Jul 81* 724-731
- Okoshi, Takanori,** see Oyamada, Kimiyuki; *T-MTT Oct 80* 1113-1118, *Correction, Aug 81* 832
- Okoshi, Takanori, Tadao Imai, and Kazuya Ito;** Computer-oriented synthesis of optimum circuit pattern of 3-dB hybrid ring by the planar circuit approach; *T-MTT Mar 81* 194-202
- Olaisen, Hermund,** see Bowers, John E.; *T-MTT May 81* 491-498
- Oliner, Arthur A.,** see Peng, Song-Tsuen; *T-MTT Sep 81* 843-855
- Oliner, Arthur A., Song-Tsuen Peng, Ting-Ih Hsu, and Alberto Sanchez;** Guidance and leakage properties of a class of open dielectric waveguides—II: New physical effects; *T-MTT Sep 81* 855-869
- Olsen, Richard G., and James C. Lin;** Microwave pulse-induced acoustic resonances in spherical head models (Short p.); *T-MTT Oct 81* 1114-1117
- Oltman, H. George, Jr.,** *Guest ed.;* Editor's preface to 28-year index; *T-MTT Jun 81 Part II* 1
- Ortega, Vicente,** see Perez, Felix; *T-MTT Oct 81* 1019-1027
- Osmani, R. M.;** Synthesis of Lange couplers (Short p.); *T-MTT Feb 81* 168-170
- Otsubu, Mutsuyuki,** see Mitsui, Yasuo; *T-MTT Apr 81* 304-309
- Oyamada, Kimiyuki, and Takanori Okoshi;** High-accuracy numerical data on propagation characteristics of α -power graded-core fibers; *T-MTT Oct 80* 1113-1118, *Correction, Aug 81* 832

P

- Paleta, Roy J., Jr.,** see Trinh, Trang N.; *T-MTT Dec 81* 1310-1314
- Pannell, R. M., and B. W. Jervis;** Two simple methods for the measurement of the dielectric permittivity of low-loss microstrip substrates (Short p.); *T-MTT Apr 81* 383-386
- Pantoja, F. R.,** see Lazarus, Max J.; *T-MTT Feb 81* 102-106
- Parkash, Anand,** see Mansingh, Abhai; *T-MTT Jan 81* 62-65
- Parrish, Peter Tor, Apostle G. Cardiasmenos, and Israel Galin;** 94-GHz beam-lead balanced mixer; *T-MTT Nov 81* 1150-1153
- Paul, Alakananda, and Inderjeet Gupta;** An analysis of log periodic antenna with printed dipoles; *T-MTT Feb 81* 114-117
- Paul, Jeffrey A., and Percy C. H. Yen;** Millimeter-wave passive components and six-port network analyzer in dielectric waveguide; *T-MTT Sep 81* 948-953
- Peltonen, Juhani K.,** see Vowinkel, Bernd; *T-MTT Jun 81* 535-541
- Peng, Song-Tsuen, and Arthur A. Oliner;** Guidance and leakage

- properties of a class of open dielectric waveguides—I: Mathematical formulations; *T-MTT Sep 81* 843-855
- Peng, Song-Tsuen**, see Oliner, Arthur A.; *T-MTT Sep 81* 855-869
- Perez, Felix**, and Vicente Ortega; A graphical method for the design of feedback networks for microwave transistor amplifiers: Theory and applications; *T-MTT Oct 81* 1019-1027
- Petenzi, Michel**, see Gelin, Philippe; *T-MTT Feb 81* 107-114
- Peterson, Dean F.**, see Mains, Richard K.; *T-MTT Nov 81* 1154-1160
- Phillips, T. G.**, see Dolan, Gerald J.; *T-MTT Feb 81* 87-91
- Pileri, Stefano**, see Sorrentino, Roberto; *T-MTT Sep 81* 942-948
- Platte, Walter**; Optoelectronic microwave switching via laser-induced plasma tapers in GaAs microstrip sections; *T-MTT Oct 81* 1010-1019
- Plourde, James K.**, and Chung-Li Ren; Application of dielectric resonators in microwave components; *T-MTT Aug 81* 754-770
- Poe, Gene A.**, see Hersman, Michael S.; *T-MTT Jan 81* 32-40
- Poh, Soon Yun**, Weng Cho Chew, and Jin Au Kong; Approximate formulas for line capacitance and characteristic impedance of microstrip line; *T-MTT Feb 81* 135-142. *Correction, Oct 81* 1119
- Pospieszalski, M. W.**; Cylindrical dielectric resonators and their applications in TEM line microwave circuits; *T-MTT Mar 79* 233-238. *Correction, Oct 81* 1119
- Powlesland, Michael E.**, see Helszajn, Joseph; *T-MTT Jun 81* 572-578
- Pratesi, Riccardo**, see Abbozzo, Laura Ronchi; *T-MTT Apr 81* 378-383
- Pucel, Robert A.**; Design considerations for monolithic microwave circuits; *T-MTT Jun 81* 513-534
- R**
- Rao, J. S., K. K. Joshi**, and B. N. Das; Analysis of small aperture coupling between rectangular waveguide and microstrip line; *T-MTT Feb 81* 150-154
- Rauscher, Christen**; Large-signal technique for designing single-frequency and voltage-controlled GaAs FET oscillators; *T-MTT Apr 81* 293-304
- Reible, Stanley A.**; Acoustoelectric convolver technology for spread-spectrum communications; *T-MTT May 81* 463-473
- Reinert, Werner**, see Vowinkel, Bernd; *T-MTT Jun 81* 535-541
- Ren, Chung-Li**, see Plourde, James K.; *T-MTT Aug 81* 754-770
- Rhodes, John David**, see Cameron, Richard J.; *T-MTT Jan 81* 51-58
- Riblet, Gordon P.**; A compact waveguide 'resolver' for the accurate measurement of complex reflection and transmission coefficients using the 6-port measurement concept; *T-MTT Feb 81* 155-162
- Riblet, Henry J.**; Two limiting values of the capacitance of symmetrical rectangular coaxial strip transmission line; *T-MTT Jul 81* 661-666
- Rietto, Giovanni**, see Bava, Elio; *T-MTT Nov 81* 1145-1150
- Rizk, Mohamed R. M.**, see Bandler, John W.; *T-MTT Jul 81* 719-723
- Rizzoli, Vittorio**, and Alessandro Lipparini; Bloch-wave analysis of stripline- and microstriparray slow-wave structures; *T-MTT Feb 81* 143-150
- Rizzoli, Vittorio**, and Alessandro Lipparini; A resonance method for the broad-band characterization of general two-port microstrip discontinuities; *T-MTT Jul 81* 655-661
- Rogers, Robert G.**; Comments on 'Transmission line identities for a class of interconnected coupled-line sections with application to adjustable microstrip and stripline tuners' by Saleh, A. A. M.; *T-MTT Aug 81* 832
- Rose, Robert W.**, see Majewski, Marian L.; *T-MTT Aug 81* 799-805
- Rosenbaum, Fred J.**, see Madjar, Asher; *T-MTT Aug 81* 781-788
- Rotholz, Ersch**; Transmission-line transformers; *T-MTT Apr 81* 327-331
- Rowe, David A.**, see Lao, Binney Y.; *T-MTT Dec 81* 1327-1333
- Rucker, Charles T.**, John W. Amoss, and Gerald N. Hill; Chip level IMPATT combining at 40 GHz; *T-MTT Dec 81* 1266-1271
- S**
- Saad, Theodore S.**; A history of the *Transactions on Microwave Theory and Techniques*; *T-MTT Jun 81 Part II* 2-10
- Safavi-Naini, Reza**, and Robert H. MacPhie; On solving waveguide junction scattering problems by the conservation of complex power technique; *T-MTT Apr 81* 337-343
- Saha, P. K.**, see Dasgupta, D.; *T-MTT Jan 81* 47-51
- Sakagami, Iwata**, Nobushiro Miki, Nobuo Nagai, and Kozo Hatori; Digital frequency multipliers using multisection two-strip coupled line; *T-MTT Feb 81* 118-122
- Saleh, Adel A. M.**; Transmission line identities for a class of interconnected coupled-line sections with application to adjustable microstrip and stripline tuners; *T-MTT Jul 80* 725-732
Comments by Rogers, R. G., *T-MTT Aug 81* 832
- Saleh, Adel A. M.**; Planar multipoint quadrature-like power dividers/combiners; *T-MTT Apr 81* 332-337
- Sanchez, Alberto**, see Oliner, Arthur A.; *T-MTT Sep 81* 855-869
- Sander, Wilhelm**, see Haydl, William H.; *T-MTT May 81* 414-419
- Sato, Kouji**, see Kodama, Toshikazu; *T-MTT May 81* 429-433
- Sato, Risaburo**, see Kobayashi, Kunikatsu; *T-MTT Feb 81* 81-86
- Sato, Risaburo**, see Kobayashi, Kunikatsu; *T-MTT Aug 81* 817-824
- Saulich, Gisbert**; A new approach in the computation of ultrahigh degree equal-ripple polynomials for 90°-coupler synthesis; *T-MTT Feb 81* 132-135
- Saulich, Gisbert**; An easy tunable stepped coupled lines filter (Short p.); *T-MTT Nov 81* 1234-1236
- Sawa, Shinnosuke**, see Geshiro, Masahiro; *T-MTT Nov 81* 1178-1183
- Sawami, Hideo**, see Ikeuchi, Masatoshi; *T-MTT Mar 81* 234-239
- Scanlan, Sean O.**, see Brazil, Thomas J.; *T-MTT Jan 81* 26-32
- Scanlan, Sean O.**, see Young, George P.; *T-MTT Oct 81* 1027-1035
- Schiltz, Wolfram M.**, see Meyer, Wolfgang; *T-MTT Jul 81* 732-739
- Schmidt, L. P.**, Tatsuo Itoh, and Holger Hofmann; Characteristics of unilateral fin-line structures with arbitrarily located slots; *T-MTT Apr 81* 352-355
- Schneider, Neal J.**, see Lao, Binney Y.; *T-MTT Dec 81* 1327-1333
- Schoenwald, Jeffrey S.**, see Lao, Binney Y.; *T-MTT Dec 81* 1327-1333
- Schott, F. W.**; A universal overlay for surface impedance calculations for composite conductors (Short p.); *T-MTT Feb 81* 171-172
- Scott, James R.**, see Majewski, Marian L.; *T-MTT Aug 81* 799-805
- Segawa, Kazuaki**, see Mitsui, Yasuo; *T-MTT Apr 81* 304-309
- Seshadri, S. R.**, and Ming-Chi Tsai; Magnetic waves guided by a linearly tapered YIG film; *T-MTT Feb 81* 96-101
- Seshadri, S. R.**; Reflection by a sinusoidally modulated surface reactance at oblique incidence; *T-MTT Jun 81* 594-600
- Shaeffer, James**, see Carr, Kenneth L.; *T-MTT Mar 81* 256-260
- Shafai, Lotfollah**, see Elmoazzen, Yakout E.; *T-MTT Mar 81* 270-273
- Sharma, Anurag**, and A. K. Ghatak; A simple numerical method for the cutoff frequency of a single-mode fiber with an arbitrary index-profile (Short p.); *T-MTT Jun 81* 607-610
- Sharma, P. C.**, and Kuldeep C. Gupta; Desegmentation method for analysis of two-dimensional microwave circuits; *T-MTT Oct 81* 1094-1098
- Shibata, Koji**, Kozo Hatori, Yasuyuki Tokumitsu, and Hidemitsu Komizo; Microstrip spiral directional coupler; *T-MTT Jul 81* 680-689
- Shigesawa, Hiroshi**, see Tsuji, Mikio; *T-MTT Jun 81* 547-552
- Shinonaga, Hideyuki**, and Sadao Kurazono; Y dielectric waveguide for millimeter- and submillimeter-wave; *T-MTT Jun 81* 542-546
- Shurtz, Richard R., II**, see Soohoo, Jack; *T-MTT Nov 81* 1170-1177
- Simão de Carvalho Fernandes, Antônio**, see Fernandes, Antônio Simão de Carvalho
- Simons, Rainee N.**; Suspended coupled slotline using double layer dielectric (Short p.); *T-MTT Feb 81* 162-165
- Simons, Rainee N.**; Suspended slot line using double layer dielectric (Short p.); *T-MTT Oct 81* 1102-1107
- Singh, Amarjit**, Hans L. Hartnagel, and D. C. Tiwari; Proposal for an electrically tunable surface plasmon light emitter (Ltr.); *T-MTT Oct 81* 1117-1119
- Smith, Glenn S.**; Analysis of miniature electric field probes with resistive transmission lines; *T-MTT Nov 81* 1209-1220
- Snyder, Richard V.**; Stepped-ferrite tunable evanescent filters; *T-MTT Apr 81* 364-371
- Sobhy, M. I.**, see Bedair, S. S.; *T-MTT Oct 81* 1107-1109
- Sobol, H.**; 1980 MTT-S awards; *T-MTT Dec 81* 1259-1260
- Solbach, Klaus**; Slots in dielectric image line as mode launchers and circuit elements; *T-MTT Jan 81* 10-16
- Solbach, Klaus**; Millimeter-wave dielectric image line detector-circuit employing etched slot structure; *T-MTT Sep 81* 953-957
- Solbach, Klaus**, Heinrich Callsen, and Wolfgang Menzel; Spurious resonances in asymmetrical fin-line junctions; *T-MTT Nov 81* 1189-1191
- Solbach, Klaus**, see Bever, Adalbert; *T-MTT Dec 81* 1344-1348
- Solie, Leland P.**, and Merton D. Wohlers; Use of an SAW multiplexer in FMCW radar system; *T-MTT May 81* 419-423
- Sollner, T. C. L. Gerhard**, see Dolan, Gerald J.; *T-MTT Feb 81* 87-91
- Somekh, M. G.**, see Lazarus, Max J.; *T-MTT Feb 81* 102-106
- Sommariva, Antonino M.**, see Calandra, Enrico F.; *T-MTT Nov 81* 1137-1144
- Sone, Jun'ichi**, and Yoichiro Takayama; K-band high-power GaAs FET amplifiers; *T-MTT Apr 81* 309-313
- Soohoo, Jack**, Shi-Kay Yao, James E. Miller, Richard R. Shurtz II, Yuan Taur, and R. A. Gudmundsen; A laser-induced traveling-wave device for generating millimeter waves; *T-MTT Nov 81* 1170-1177
- Sorrentino, Roberto**, and Stefano Pileri; Method of analysis of planar networks including radiation loss; *T-MTT Sep 81* 942-948
- Sreenivasiah, Ippalapalli**, and David C. Chang; A variational expression for the scattering matrix of a double-step discontinuity in a coaxial line and its application to a TEM cell; *T-MTT Jan 81* 40-47
- Staples, Edward J.**, see Lao, Binney Y.; *T-MTT Dec 81* 1327-1333
- St. Cyr, Raymond A.**, see Tanski, William J.; *T-MTT May 81* 424-429
- Steyskal, Hans**; On the orthogonality of approximate waveguide mode functions (Short p.); *T-MTT Jun 81* 615-617
- Stone, David S.**; Mode analysis in multimode waveguides using voltage traveling wave ratios; *T-MTT Feb 81* 91-95
- Strid, Eric W.**; Measurement of losses in noise-matching networks; *T-MTT Mar 81* 247-252
- Subrahmanyam, J. V.**, Gregory Cowart, Mustafa Keskin, Herbert Überall, Guillermo C. Gaunard, and Eugenia Tanglis; Surface waves and their relation to the eigenfrequencies of a circular-cylindrical cavity; *T-MTT Oct 81* 1066-1073

- Suhara, Shigefumi**, *see* Tsuji, Mikio; *T-MTT Jun 81* 547-552
Susman, Leon, *see* Cronson, Harry M.; *T-MTT Apr 81* 372-378
Swicord, Mays L., and Christopher C. Davis; Energy absorption from small radiating coaxial probes in lossy media; *T-MTT Nov 81* 1198-1205
Symons, Robert S., Howard R. Jory, S. J. Hegji, and Patrick E. Ferguson; An experimental gyro-TWT; *T-MTT Mar 81* 181-184
Symons, Robert S., *see* Ferguson, Patrick E.; *T-MTT Aug 81* 794-799

T

- Takayama, Yoichiro**, *see* Sone, Jun'ichi; *T-MTT Apr 81* 309-313
Takayama, Yoichiro, *see* Honjo, Kazuhiko; *T-MTT Jun 81* 579-582
Takayama, Yoichiro, *see* Honjo, Kazuhiko; *T-MTT Jul 81* 629-635
Takiyama, Kei, *see* Tsuji, Mikio; *T-MTT Jun 81* 547-552
Talisa, Salvador H., *see* Bolle, Donald M.; *T-MTT Sep 81* 916-923
Talisa, Salvador H., and Donald M. Bolle; Performance predictions for isolators and differential phase shifters for the near-millimeter wave range; *T-MTT Dec 81* 1338-1343
Tamir, Theodor; Microwave modeling of optical periodic waveguides (Short p.); *T-MTT Sep 81* 979-983
Tanglis, Eugenia, *see* Subrahmanyam, J. V.; *T-MTT Oct 81* 1066-1073
Tanski, William J., Raymond A. St. Cyr, Philip G. Dragonetti, and Edward G. Kosco; A radar system application of an 840-MHz SAW resonator stabilized oscillator; *T-MTT May 81* 424-429
Taur, Yuan, *see* Soohoo, Jack; *T-MTT Nov 81* 1170-1177
Temple, Steven J., *see* Galani, Zvi; *T-MTT Jul 81* 642-654
Thrower, W. Frank, *see* Chang, Kai; *T-MTT Dec 81* 1278-1284
Tiwari, D. C., *see* Singh, Amarjit; *T-MTT Oct 81* 1117-1119
Tokumitsu, Yasuyuki, *see* Shibata, Koji; *T-MTT Jul 81* 680-689
Tournois, P., *see* Gautier, Hervé; *T-MTT May 81* 404-409
Toutain, Serge, *see* Gelin, Philippe; *T-MTT Jul 81* 712-719
Toyoda, Sachihiro; Variable bandpass filters using varactor diodes; *T-MTT Apr 81* 356-363
Trinh, Trang N., and Raj Mittra; Coupling characteristics of planar dielectric waveguides of rectangular cross section; *T-MTT Sep 81* 875-880
Trinh, Trang N., Raj Mittra, and Roy J. Paleta Jr.; Horn image-guide leaky-wave antenna; *T-MTT Dec 81* 1310-1314
Trinh, Trang N., and Raj Mittra; Field profile in a single-mode curved dielectric waveguide of rectangular cross section; *T-MTT Dec 81* 1315-1318
Tripathi, Vijai K.; The scattering parameters and directional coupler analysis of characteristically terminated three-line structures in an inhomogeneous medium; *T-MTT Jan 81* 22-26
Tsai, Ming-Chi, *see* Seshadri, S. R.; *T-MTT Feb 81* 96-101
Tsuji, Mikio, Shigefumi Suhara, Hiroshi Shigesawa, and Kei Takiyama; Submillimeter guided-wave experiments with dielectric rib waveguides; *T-MTT Jun 81* 547-552
Tsutsumi, Makoto, Yoshihiko Masaoka, Takashi Ohira, and Nobuaki Kumagai; A new technique for magnetostatic wave delay lines; *T-MTT Jun 81* 583-587
Tsutsumi, Makoto; First-order Bragg interactions in a gyromagnetic-dielectric waveguide (Short p.); *T-MTT Oct 81* 1111-1114
Tucker, Rodney S.; RF characterization of microwave power FET's; *T-MTT Aug 81* 776-781

U

- Überall, Herbert**, *see* Subrahmanyam, J. V.; *T-MTT Oct 81* 1066-1073
Uemura, Yoshiaki, *see* Kodama, Toshikazu; *T-MTT May 81* 429-433
Ulriksson, Bengt; A time domain reflectometer using a semiautomatic network analyzer and the fast Fourier transform (Short p.); *T-MTT Feb 81* 172-174

V

- Valier, Gerald**, *see* Ferguson, Patrick E.; *T-MTT Aug 81* 794-799
Van Bladel, Jean; Dielectric resonator in a waveguide below cutoff; *T-MTT Apr 81* 314-322
Vandenbulcke, P., *see* Mabaya, N.; *T-MTT Jun 81* 600-605
Verbitskii, I. L.; Dispersion relations for comb-type slow-wave structures; *T-MTT Jan 80* 48-50. *Correction, Jan 81* 74
Veszely, Gyula; Extension of an old circulator model (Short p.); *T-MTT Oct 81* 1109-1111
Vowinkel, Bernd, Juhani K. Peltonen, Werner Reinert, Konrad Grüner, and Bernd Aumiller; Airborne imaging system using a cryogenic 90-GHz receiver; *T-MTT Jun 81* 535-541
Vyse, B., and H. Levinson; The stability of magnetrons under short pulse conditions (Short p.); *T-MTT Jul 81* 739-745

W

- Watanabe, Kenzo**, Masaki Arima, and Tatsuo Yamamoto; Graph design of p-i-n diode phase shifters (Short p.); *T-MTT Aug 81* 829-831
Watanabe, Ryuichi, *see* Nakajima, Nobuo; *T-MTT Sep 81* 897-905
Wataze, Manabu, *see* Mitsui, Yasuo; *T-MTT Apr 81* 304-309
Wheeler, Harold A., and Richard A. Ludwig; The thermal dielectric quotient for characterizing dielectric heat conductors (Short p.); *T-MTT Nov 81* 1227-1229
Williams, David R., *see* Frater, Robert H.; *T-MTT Apr 81* 344-347
Williamson, Richard C., *Guest ed.*, and Thomas W. Bristol *Guest ed.*; Foreword to special issue; *T-MTT May 81* 393-394
Wilson, William J., *see* Dickman, Robert L.; *T-MTT Aug 81* 788-793
Wirth, Wulf-D., *see* Havdl, William H.; *T-MTT May 81* 414-419
Wise, Jack, *see* Lao, Binneg Y.; *T-MTT Dec 81* 1327-1333
Wohlers, Merton D., *see* Solie, Leland P.; *T-MTT May 81* 419-423
Woody, David P., *see* Dolan, Gerald J.; *T-MTT Feb 81* 87-91

Y

- Yamaguchi, Yoshio**, *see* Abe, Takeo; *T-MTT Jul 81* 707-712
Yamamoto, Kazuyuki; Anomalous low-loss transmission in a gas-confined dielectric waveguide for millimeter and submillimeter wavelengths (Short p.); *T-MTT Sep 81* 983-987
Yamamoto, Tatsuo, *see* Watanabe, Kenzo; *T-MTT Aug 81* 829-831
Yamashita, Eikichi, Kazuhiko Atsuki, and Tetsuya Hirahata; Microstrip dispersion in a wide-frequency range (Short p.); *T-MTT Jun 81* 610-611
Yamashita, Eikichi, Kazuhiko Atsuki, and Yoshiki Nishino; Composite dielectric waveguides with two elliptic-cylinder boundaries (Short p.); *T-MTT Sep 81* 987-990
Yao, Shi-Kay, *see* Soohoo, Jack; *T-MTT Nov 81* 1170-1177
Yashiro, Ken'ichiro, and Sumio Ohkawa; Guided magnetostatic waves of the YIG plate magnetized nonuniformly (Short p.); *T-MTT Jul 81* 745-747
Yen, Huan-Chun, and Kai Chang; A 63-W W-band injection-locked pulsed solid-state transmitter; *T-MTT Dec 81* 1292-1297
Yen, Percy C. H., *see* Paul, Jeffrey A.; *T-MTT Sep 81* 948-953
Yen, Y. H., *see* King, R. J.; *T-MTT Nov 81* 1221-1227
Yoneyama, Tsukasa, and Shigeo Nishida; Nonradiative dielectric waveguide for millimeter-wave integrated circuits; *T-MTT Nov 81* 1184-1188
Young, George P., and Sean O. Scanlan; Matching network design studies for microwave transistor amplifiers; *T-MTT Oct 81* 1027-1035

Z

- Zhou, Shu-Tong**, *see* Lin, Zong-Qi; *T-MTT Sep 81* 881-891

SUBJECT INDEX

A

- Acoustic delay lines**; *cf.* Acoustic surface-wave delay lines
Acoustic filters; *cf.* Acoustic surface-wave filters
Acoustic surface-wave correlators
 analog adaptive filter using SAW storage correlator for distorted signal deconvolution; *Bowers, John E.*; *T-MTT May 81* 491-498
 two-beam acoustooptic time-integrating correlator for wideband signal processing; *Casseday, Michael W.*; *T-MTT May 81* 483-490
Acoustic surface-wave delay lines
 SAW RAM configurations and applications; *Manes, Gianfranco F.*; *T-MTT May 81* 498-506
 two-beam acoustooptic time-integrating correlator for wideband signal processing; *Casseday, Michael W.*; *T-MTT May 81* 483-490
Acoustic surface-wave devices
 electronic warfare receiver components based on SAW and acoustooptic Bragg cells; overview; *Collins, Jeffrey H.*; *T-MTT May 81* 395-403
 PSK satellite communication; SAW device applications; *Henaff, Jeannine*; *T-MTT May 81* 439-450
 SAW device applications; *joint special issue with T-SU May 81*; *T-MTT May 81* 393-512
 SAW device applications; special issue foreword; *Williamson, Richard C.*, *Guest ed.*; *T-MTT May 81* 393-394
Acoustic surface-wave filters
 FDMA satellite communication; optimized SAW spectral-control filters; *Jones, Norman G.*; *T-MTT May 81* 451-456
 FMCW millimeter-wave radar systems; SAW multiplexer to develop range line resolution; *Solie, Leland P.*; *T-MTT May 81* 419-423
 phased-array electronically steerable radar system; precision SAW filters; *Haydl, William H.*; *T-MTT May 81* 414-419
 programmable frequency-hop synthesizers based on mixing of chirp

signals generated by SAW filters; *Darby, Barry J.*; *T-MTT May 81* 456-463

SAW convolvers for high-bandwidth spread-spectrum communication; *Goll, Jeffrey H.*; *T-MTT May 81* 473-483

TV tuning system with SAW comb filter; *Matsu-ura, Shigeo*; *T-MTT May 81* 434-439

vestigial-sideband SAW filter with LiTaO₃ substrate for TV transmitters; *Kodama, Toshikazu*; *T-MTT May 81* 429-433

Acoustic surface-wave filters; cf. Acoustic surface-wave resonator filters

Acoustic surface-wave memories
SAW RAM configurations and applications; *Manes, Gianfranco F.*; *T-MTT May 81* 498-506

Acoustic surface-wave oscillators
SAW resonator-controlled oscillator for transit satellite marine navigation system; *Lao, Binney Y.*; *T-MTT Dec 81* 1327-1333

Acoustic surface-wave resonator filters
radar system with 840-MHz SAW-resonator-stabilized oscillator; *Tanski, William J.*; *T-MTT May 81* 424-429

Acoustic surface-wave resonators
GaAs SAW resonators using MESFET and Schottky barrier fabrication techniques; *Grudkowski, Thomas W.*; *T-MTT Dec 81* 1348-1356

Acoustic surface-wave signal processing
compatibility of digital and SAW technologies; very fast signal processors; *Gautier, Hervé*; *T-MTT May 81* 404-409

Acoustoelectric devices
spread-spectrum communication; acoustoelectric convolver for jam-resistant secure communication; *Reible, Stanley A.*; *T-MTT May 81* 463-473

Acoustooptic correlators
SAW-delay line two beam time-integrating correlator for wideband signal processing; *Casseday, Michael W.*; *T-MTT May 81* 483-490

Acoustooptic devices
electronic warfare receiver components based on SAW and acoustooptic Bragg cells; overview; *Collins, Jeffrey H.*; *T-MTT May 81* 395-403

Acoustooptic signal processors; cf. Acoustooptic correlators

Adaptive filters
analog adaptive filter using SAW storage correlator for distorted signal deconvolution; *Bowers, John E.*; *T-MTT May 81* 491-498

Aircraft landing guidance
5-GHz GaAs FET amplifier for microwave landing system; *Honjo, Kazuhiko*; *T-MTT Jun 81* 579-582

Amplifier noise
microwave GaAs MESFET broadband low-noise amplifiers; relationships between device parameters and two-port noise parameters; *Fukui, Hatsuaki*; *T-MTT Jul 79* 643-650. *Addendum, Oct 81* 1119
microwave low-noise FET amplifier; *Higashisaka, Asamitsu*; *T-MTT Jan 81* 1-6

Amplifiers; cf. Feedback amplifiers; Microwave amplifiers; Millimeter-wave amplifiers; Power amplifiers

Antenna array feeds
circularly polarized linear array antenna using dielectric image line; *Hori, Toshikazu*; *T-MTT Sep 81* 967-970
coaxial-waveguide commutation feed system for scanning circular antenna arrays; *Irzinski, E. P.*; *T-MTT Mar 81* 266-270

Antenna arrays
dielectric image lines; slots as mode launchers and circuit elements; *Solbach, Klaus*; *T-MTT Jan 81* 10-16
log periodic antenna with printed dipoles; *Paul, Alakananda*; *T-MTT Feb 81* 114-117

Antenna arrays; cf. Circular arrays; Linear arrays; Phased arrays

Antenna feeds; cf. Antenna array feeds

Antennas; cf. Antenna arrays; Dipole antennas; Horn antennas; Leaky-wave antennas; Loop antennas; Microstrip antennas; Millimeter-wave antennas; Probe antennas; Scanning antennas; Waveguide antennas

Apertures
aperture coupling between dielectric image lines; *Bahl, Inder J.*; *T-MTT Sep 81* 891-896
rectangular waveguide and microstrip line coupled via small aperture; *Rao, J. S.*; *T-MTT Feb 81* 150-154

Approximation methods
capacitance and characteristic impedance of microstrip line; approximate formulas; *Poh, Soon Yun*; *T-MTT Feb 81* 135-142. *Correction, Oct 81* 1119

Auditory system
microwave-induced acoustic pressures in spherical models of human and animal head; *Olsen, Richard G.*; *T-MTT Oct 81* 1114-1117

Avalanche diodes; cf. IMPATT diodes

Awards
IEEE Microwave Theory and Techniques Society 1980 awards; *Sobol, H.*; *T-MTT Dec 81* 1259-1260

B

Bandpass filters
dual-mode microwave filters; asymmetric realizations; *Cameron, Richard J.*; *T-MTT Jan 81* 51-58
quasi-optical filters; analysis and sensitivity evaluation; *Bandler, John W.*; *T-MTT Jul 81* 719-723
tunable stepped-ferrite evanescent filters; *Snyder, Richard V.*; *T-MTT Apr 81* 364-371
variable-bandpass filters using varactor diodes; *Toyoda, Sachihito*; *T-MTT Apr 81* 356-363

Bibliographies
dielectric resonators in microwave components; review and bibliography to English-language publications; *Plourde, James K.*; *T-MTT Aug 81* 754-770

Biological cells
microwave and RF field effects in excitable cellular membranes; *Cain, Charles A.*; *T-MTT Feb 80* 142-147. *Correction, Jan 81* 74

Biological cells; cf. Blood cells

Biological radiation effects; cf. Electromagnetic radiation effects

Biological system modeling
microwave-induced acoustic pressures in spherical models of human and animal head; *Olsen, Richard G.*; *T-MTT Oct 81* 1114-1117

Biological tissues
time-dependent microwave heating and surface cooling of simulated living tissues; solution of heat conduction equation; *Bardati, Fernando*; *T-MTT Aug 81* 825-828

Blood cells
high-power microwave pulse effect on red blood cells; relationship to transmembrane thermal gradients; *Friend, Albert W.*; *T-MTT Dec 81* 1271-1277

C

Cables; cf. Coaxial cables

Cascade networks
2p-port cascaded networks; analysis and sensitivity evaluation; *Bandler, John W.*; *T-MTT Jul 81* 719-723

Cavity perturbation methods
complex dielectric constant of lossy materials; precise calculations and measurements using cavity perturbation techniques; *Li, Shihe*; *T-MTT Oct 81* 1041-1048
conductivity and permittivity measurement of semiconductor spheres; *Mansingh, Abhai*; *T-MTT Jan 81* 62-65

Cavity resonators
eigenfrequencies in relation to surface waves in circular-cylindrical cavity; *Subrahmanyam, J. V.*; *T-MTT Oct 81* 1066-1073
microstrip two-port discontinuities; resonance method for broad band characterization; *Rizzoli, Vittorio*; *T-MTT Jul 81* 655-661

Cavity resonators; cf. Cavity perturbation methods

Circular arrays
coaxial-waveguide commutation feed system for scanning circular antenna arrays; *Irzinski, E. P.*; *T-MTT Mar 81* 266-270

Circular waveguides
cutoff region of waveguide surrounded by finite-conductivity medium; propagation characteristics; *Abe, Takeo*; *T-MTT Jul 81* 707-712
millimeter-wave overdimensioned circular waveguide communication system; sector coupler; *Archer, John W.*; *T-MTT Mar 81* 202-208
voltage traveling wave equations in multimode circular waveguides; *Stone, David S.*; *T-MTT Feb 81* 91-95

Circulators
extension of model; *Veszely, Gyula*; *T-MTT Oct 81* 1109-1111
planar Y resonators; use in circulators; *Helszajn, Joseph*; *T-MTT Jul 81* 689-699
tracking circulators; eigennetwork description; *Helszajn, Joseph*; *T-MTT Jul 81* 700-712

Circulators; cf. Ferrite circulators; Microstrip circulators; Stripline circulators

Coaxial-cable discontinuities
boundary integral equation analysis of transmission-line singularities; *Ingham, D. B.*; *T-MTT Nov 81* 1236-1239
double-step discontinuity in coaxial line; variational expression of scattering matrix and application to TEM cell; *Sreenivasiah, Ippalappalli*; *T-MTT Jan 81* 40-47
longitudinally slotted and loose braid coaxial cables in free space; *Fernandes, António Simão de Carvalho*; *T-MTT Mar 81* 273-275
lossy microstrip-to-coaxial line transitions; modeling and characterization; *Majewski, Marian L.*; *T-MTT Aug 81* 799-805

Coaxial cables
energy absorption from small radiating coaxial probes in lossy media; model with application to hyperthermia cancer treatment; *Swicord, Mays L.*; *T-MTT Nov 81* 1198-1205

Coaxial components
symmetrical rectangular coaxial strip transmission line; capacitance limiting values; *Riblet, Henry J.*; *T-MTT Jul 81* 661-666

Coaxial waveguides
commutation feed system for scanning circular antenna array; *Irzinski, E. P.*; *T-MTT Mar 81* 266-270

Comb filters

TV tuning system with SAW comb filter; *Matsu-ura, Shigeo*; *T-MTT May 81* 434-439

Conducting media

composite conductors; surface impedance computation using universal graphical overlay for Smith-chart or $Z-T$ chart; *Schott, F. W.*; *T-MTT Feb 81* 171-172

Conductivity measurements

cavity perturbation technique for conductivity and permittivity measurement of semiconductor spheres; *Mansingh, Abhai*; *T-MTT Jan 81* 62-65

Conferences; cf. Microwave Symposium, International

Coplanar stripline; cf. Stripline

Corrugated waveguides

TE_{11} - HE_{11} corrugated cylindrical waveguide mode converter; *James, Graeme L.*; *T-MTT Oct 81* 1059-1066

Coupled-mode analysis

distributed nonreciprocal structures; coupled-mode analysis; *Awai, Ikuo*; *T-MTT Oct 81* 1077-1087

gyromagnetic-dielectric waveguide; first-order Bragg interactions; *Tsutsumi, Makoto*; *T-MTT Oct 81* 1111-1114

tapered planar transmission lines; coupled-mode analysis; *Mirshekar-Syahkal, D.*; *T-MTT Feb 81* 123-128

Coupled transmission lines

aperture coupling between dielectric image lines; *Bahl, Inder J.*; *T-MTT Sep 81* 891-896

binomial-form nonuniform coupled transmission lines; equivalent circuits; *Kobayashi, Kunikatsu*; *T-MTT Aug 81* 817-824

capacitive and inductive coupling coefficients of coupled microstrip lines; *Kal, S.*; *T-MTT Apr 81* 386-388

coupled microstrip-like transmission lines for millimeter-wave applications; propagation parameters; *Koul, Shibani K.*; *T-MTT Dec 81* 1364-1370

coupled slots on anisotropic sapphire substrate; analytical approach; *Kitazawa, Toshihide*; *T-MTT Oct 81* 1035-1040

digital frequency multiplier using multisection two-strip coupled line; *Sakagami, Iwata*; *T-MTT Feb 81* 118-122

interconnected coupled-line sections identities; application to adjustable microstrip and strip tuners; *Rogers, Robert G.*; *T-MTT Aug 81* 832

microstrip lines; dispersion characteristics via coupled-line analysis in conjunction with Carlin's model; *Cory, Haim*; *T-MTT Jan 81* 59-61

suspended coupled slotline with double-layer dielectric substrate; *Simons, Rainee N.*; *T-MTT Feb 81* 162-165

two-dimensional boundary-value problems solved by combining conformal transformations with numerical techniques; application to coupled-bar problems; *Laura, Patricio A. A.*; *T-MTT Jun 81* 618-619

Coupled transmission lines; cf. Multiconductor transmission lines

Couplers

millimeter-wave overdimensioned circular waveguide communication system; sector coupler; *Archer, John W.*; *T-MTT Mar 81* 202-208

Couplers; cf. Apertures; Directional couplers; Microstrip couplers;

Optical couplers; Stripline couplers

Cryogenics

airborne imaging system using cryogenic 90-GHz receiver; *Vowinkel, Bernd*; *T-MTT Jun 81* 535-541

CW radar

SAW multiplexer use to develop range line resolution of FMCW in millimeter-wave radar system; *Solité, Leland P.*; *T-MTT May 81* 419-423

Cyclotron radiation; cf. Gyrotrons

Cylindrical waveguides

TE_{11} - HE_{11} corrugated cylindrical waveguide mode converter; *James, Graeme L.*; *T-MTT Oct 81* 1059-1066

D**Deconvolution**

analog adaptive filter using SAW storage correlator for distorted signal deconvolution; *Bowers, John E.*; *T-MTT May 81* 491-498

Delay lines

magnetostatic volume-wave delay lines using YIG slab; *Tsutsumi, Makoto*; *T-MTT Jun 81* 583-587

Demodulation; cf. Modulation/demodulation

Detectors; cf. Microwave detectors; Modulation/demodulation

Diathermy; cf. Electromagnetic radiation therapy

Dielectric constant measurement; cf. Dielectric measurements

Dielectric-loaded waveguides

inhomogeneous dielectric-slab-loaded waveguides; variational formulation of wave propagation; *Liu, Chang-Tsuo*; *T-MTT Aug 81* 805-812

Dielectric loss measurement; cf. Dielectric measurements

Dielectric measurements

cavity perturbation technique for conductivity and permittivity measurement of semiconductor spheres; *Mansingh, Abhai*; *T-MTT Jan 81* 62-65

complex dielectric constant of lossy materials; precise calculations and

measurements using cavity perturbation techniques; *Li, Shihe*; *T-MTT Oct 81* 1041-1048

dielectric loss in biogenic steroids at microwave frequencies; *Aruna, R.*; *T-MTT Nov 81* 1205-1209

helical resonators for measuring dielectric properties of materials; *Meyer, W.*; *T-MTT Mar 81* 240-247

low-loss microstrip substrate; *Pannell, R. M.*; *T-MTT Apr 81* 383-386

microstrip resonators; maximum Q factor; *Gopinath, Anand*; *T-MTT Feb 81* 128-131

permittivity of infinite sample measured by directional coupler and sliding load; *Misra, Devendra K.*; *T-MTT Jan 81* 65-67

thermal dielectric quotient; use for characterizing dielectric heat conductors; *Wheeler, Harold A.*; *T-MTT Nov 81* 1227-1229

Dielectric resonators

below-cutoff waveguide with dielectric resonator connected to above-cutoff waveguides; *Van Bladel, Jean*; *T-MTT Apr 81* 314-322

cylindrical resonators for TEM-line circuit applications; resonant frequencies of TE modes; *Pospieszalski, M. W.*; *T-MTT Mar 79* 233-238. *Correction, Oct 81* 1119

cylindrical resonators in inhomogeneous media; *Bonetti, René R.*; *T-MTT Apr 81* 323-326. *Correction, Nov 81* 1239

microstrip circuits coupled to dielectric resonators; analysis using lumped-element circuit model; *Bonetti, René R.*; *T-MTT Dec 81* 1333-1337

review of microwave components with dielectric resonators; *Plourde, James K.*; *T-MTT Aug 81* 754-770

scattering properties on transverse discontinuities in rod dielectric waveguide; application to dielectric resonator; *Gelin, Philippe*; *T-MTT Jul 81* 712-719

stability of resonant frequency of resonator on dielectric substrate; *Higashi, Toru*; *T-MTT Oct 81* 1048-1052

Dielectric waveguides

circularly polarized linear array antenna using dielectric image line; *Hori, Toshikazu*; *T-MTT Sep 81* 967-970

composite waveguides with two different elliptic-cylinder boundaries; *Yamashita, Eikichi*; *T-MTT Sep 81* 987-990

cost-effective passive components fabrication in dielectric waveguide; *Paul, Jeffrey A.*; *T-MTT Sep 81* 948-953

coupling characteristics of rectangular planar waveguides; *Trinh, Trang*; *T-MTT Sep 81* 875-880

curved and chirped periodic structures in open dielectric waveguides; two-dimensional coupled-mode analysis; *Lin, Zong-Qi*; *T-MTT Sep 81* 881-891

dielectric rib waveguides; experiments in submillimeter region; *Tsuji, Mikio*; *T-MTT Jun 81* 547-552

dielectric waveguide with Y-shaped cross-section for millimeter and submillimeter waves; *Shinonaga, Hideyuki*; *T-MTT Jun 81* 542-546

distributed nonreciprocal structures; coupled-mode analysis; *Awai, Ikuo*; *T-MTT Oct 81* 1077-1087

etched slot structure in millimeter-wave dielectric image line detector circuit; *Solbach, Klaus*; *T-MTT Sep 81* 953-957

field profile in single-mode curved waveguide of rectangular cross-section; *Trinh, Trang N.*; *T-MTT Dec 81* 1315-1318

gas-confined dielectric waveguides for millimeter and submillimeter wavelengths; low-loss transmission; *Yamamoto, Kazuyuki*; *T-MTT Sep 81* 983-987

gyromagnetic-dielectric waveguide; first-order Bragg interactions; *Tsutsumi, Makoto*; *T-MTT Oct 81* 1111-1114

InP image line millimeter-wave self-mixing Gunn oscillators; *Dixon, Samuel, Jr.*; *T-MTT Sep 81* 958-961

metal walls in close proximity to dielectric waveguide antenna; *Klohn, Kenneth L.*; *T-MTT Sep 81* 962-966

metallized dielectric horn and waveguide for oscillator/mixer systems; *Lazarus, Max J.*; *T-MTT Feb 81* 102-106

nonradiative dielectric waveguide for millimeter-wave integrated circuits; *Yoneyama, Tsukasa*; *T-MTT Nov 81* 1184-1188

open-type dielectric waveguide analysis by finite-element iterative method; *Ikeuchi, Masatoshi*; *T-MTT Mar 81* 234-239

open waveguides; guidance and leakage properties, mathematical formulations; *Peng, Song-Tsuen*; *T-MTT Sep 81* 843-855

open waveguides; guidance and leakage properties, physical effects; *Oliner, Arthur A.*; *T-MTT Sep 81* 855-869

propagation in planar dielectric waveguide with periodic metallic strips; *Ogusu, Kazuhiko*; *T-MTT Jan 81* 16-21

scattering of surface waves in abruptly ended slab dielectric waveguide; *Gelin, Philippe*; *T-MTT Feb 81* 107-114

scattering properties on transverse discontinuities in rod dielectric waveguide; application to dielectric resonator; *Gelin, Philippe*; *T-MTT Jul 81* 712-719

single and coupled rectangular waveguides; *Crombach, Ulrich*; *T-MTT Sep 81* 870-875

slots as mode launchers and circuit elements on dielectric image lines; *Solbach, Klaus*; *T-MTT Jan 81* 10-16

transitions between metal guide and inverted-strip dielectric guide; *Bhooshan, S.*; *T-MTT Mar 81* 263-265

Dielectric waveguides; cf. Optical waveguides

Diode phase shifters

broadband linear phase shifter using optimum varactor doping profiles; *Mains, Richard K.*; *T-MTT Nov 81* 1154-1160

p-i-n diode phase shifters; design based on relation between reflection coefficient and impedance; *Watanabe, Kenzo*; *T-MTT Aug 81* 829-831

Dipole antennas

log periodic antenna with printed dipoles; *Paul, Alakananda*; *T-MTT Feb 81* 114-117

Directional couplers

aperture coupling between dielectric image lines; *Bahl, Inder J.*; *T-MTT Sep 81* 891-896

permittivity of infinite sample measured by directional coupler and sliding load; *Misra, Devendra K.*; *T-MTT Jan 81* 65-67

scattering parameters of coupled symmetrical three-line structures in nonhomogeneous medium; *Tripathi, Vijai K.*; *T-MTT Jan 81* 22-26

spiral microstrip directional coupler construction and performance; *Shibata, Koji*; *T-MTT Jul 81* 680-689

ultrahigh-degree equal-ripple polynomials for 90°-coupler synthesis; *Saulich, Gisbert*; *T-MTT Feb 81* 132-135

Discontinuities; cf. Transmission-line discontinuities

Discrete Fourier transforms

time-domain reflectometer simulated by applying fast Fourier transform to frequency-domain measurements; *Ulriksson, Bengt*; *T-MTT Feb 81* 172-174

Dispersive media; cf. Electromagnetic propagation, dispersive media

Distributed-parameter networks

Kuroda's identity for mixed lumped and distributed circuits; *Kobayashi, Kunikatsu*; *T-MTT Feb 81* 81-86

lumped-element and distributed-element matching networks for microwave transistor amplifiers; *Young, George P.*; *T-MTT Oct 81* 1027-1035

nonreciprocal millimeter-wave devices; coupled-mode analysis; *Awai, Ikuo*; *T-MTT Oct 81* 1077-1087

Distributed-parameter networks; cf. Microwave circuits

DPSK

abbr. of Differential phase-shift keying

DPSK modulation/demodulation

SAW convolvers for high-bandwidth spread-spectrum communication; *Goll, Jeffrey H.*; *T-MTT May 81* 473-483

E

Eigenvalues

earthed unilateral finline; characteristic analysis; *Beyer, Adalbert*; *T-MTT Jul 81* 676-680

eigenfrequencies in relation to surface waves in circular-cylindrical cavity; *Subrahmanyam, J. V.*; *T-MTT Oct 81* 1066-1073

open wide microstrip lines; asymptotic eigenequations and analytic formulas for dispersion characteristics; *Chew, Weng Cho*; *T-MTT Sep 81* 933-941

rectangular waveguides with two symmetrical double ridges; *Dasgupta, D.*; *T-MTT Jan 81* 47-51

tracking circulators; eigennetwork description; *Helszajn, Joseph*; *T-MTT Jul 81* 700-712

Electroluminescent devices

infrared emitter excited by surface plasmons; *Singh, Amarjit*; *T-MTT Oct 81* 1117-1119

Electromagnetic analysis

two-dimensional boundary-value problems solved by combining conformal transformations with numerical techniques; application to coupled-bar problems; *Laura, Patricio A. A.*; *T-MTT Jun 81* 618-619

Electromagnetic measurements; cf. Dielectric measurements; Microwave measurements; Probe antennas; UHF measurements

Electromagnetic propagation; cf. Waveguides

Electromagnetic propagation, dispersive media; cf. Transmission lines

Electromagnetic propagation, magnetic media

magnetic waves guided by linearly tapered YIG film; *Seshadri, S. R.*; *T-MTT Feb 81* 96-101

Electromagnetic propagation, nonhomogeneous media

cylindrical resonators in inhomogeneous media; *Bonetti, René R.*; *T-MTT Apr 81* 323-326. *Correction*, Nov 81 1239

reflection of TM and TE surface waves by weak sinusoidal modulation of surface reactance; oblique incidence; *Seshadri, S. R.*; *T-MTT Jun 81* 594-600

scattering parameters of coupled symmetrical three-line structures in nonhomogeneous medium; *Tripathi, Vijai K.*; *T-MTT Jan 81* 22-26

Electromagnetic propagation, nonhomogeneous media; cf. Electromagnetic radiation effects; Nonhomogeneously loaded waveguides; Waveguides

Electromagnetic radiation effects, biological

dielectric loss in biogenic steroids at microwave frequencies; *Aruna, R.*; *T-MTT Nov 81* 1205-1209

dual-mode microwave system for early cancer detection; *Carr, Kenneth L.*; *T-MTT Mar 81* 256-260

energy absorption from small radiating coaxial probes in lossy media; model with application to hyperthermia cancer treatment; *Swicord, Mays L.*; *T-MTT Nov 81* 1198-1205

energy absorption in man for near-field exposure; *Chatterjee, I.*; *T-MTT Nov 81* 1231-1234

excitable cellular membranes; RF and microwave field effects; *Cain, Charles A.*; *T-MTT Feb 80* 142-147. *Correction*, Jan 81 74

high-power microwave pulse effect on red blood cells; relationship to transmembrane thermal gradients; *Friend, Albert W.*; *T-MTT Dec 81* 1271-1277

inhomogeneous block-model of man under plane-wave irradiation; energy deposition as function of incidence cycle; *Hagmann, Mark J.*; *T-MTT Mar 81* 252-255

microwave-induced acoustic pressures in spherical models of human and animal head; *Olsen, Richard G.*; *T-MTT Oct 81* 1114-1117

network analyzer for determining biological effects of RF and microwave radiation; 1-1000-W automatic dual six-port unit; *Hoer, Cletus A.*; *T-MTT Dec 81* 1356-1364

prolate spheroidal model of man exposed to small loop antenna of arbitrary orientation; near-field absorption; *Lakhtakia, Akhlesh*; *T-MTT Jun 81* 588-594

time-dependent microwave heating and surface cooling of simulated living tissues; solution of heat conduction equation; *Bardati, Fernando*; *T-MTT Aug 81* 825-828

Electromagnetic radiation effects, biological; cf. Electromagnetic radiation therapy

Electromagnetic radiation propagation

radiation from microstrip discontinuities; *Abouzahra, Mohamad D.*; *T-MTT Jul 81* 666-668

Electromagnetic radiation therapy

dual-mode microwave system for early cancer detection; *Carr, Kenneth L.*; *T-MTT Mar 81* 256-260

energy absorption from small radiating coaxial probes in lossy media; model with application to hyperthermia cancer treatment; *Swicord, Mays L.*; *T-MTT Nov 81* 1198-1205

minimally perturbing temperature probe for measurements in fat-muscle phantoms; *Hochuli, Christian*; *T-MTT Dec 81* 1285-1291

Electromagnetic scattering; cf. Transmission-line discontinuities; Waveguide discontinuities

Electromagnetic surface waves

eigenfrequencies in relation to surface waves in circular-cylindrical cavity; *Subrahmanyam, J. V.*; *T-MTT Oct 81* 1066-1073

reflection of TM and TE surface waves by weak sinusoidal modulation of surface reactance; oblique incidence; *Seshadri, S. R.*; *T-MTT Jun 81* 594-600

scattering of surface waves in abruptly ended slab dielectric waveguide; *Gelin, Philippe*; *T-MTT Feb 81* 107-114

Electromagnetic transient analysis

singularities modeling in finite-difference approximation of time-domain electromagnetic field equations; *Mur, Gerrit*; *T-MTT Oct 81* 1073-1077

F

Feedback amplifiers

microwave GaAs MESFET ultrawideband amplifier; design and performance; *Maclean, Douglas J. H.*; *T-MTT Jun 81* 619-621

Feedback networks

feedback networks for microwave transistor amplifiers; graphical design method; *Perez, Felix*; *T-MTT Oct 81* 1019-1027

Ferrite circulators

planar resonators for three-port junction circulators; *Helszajn, Joseph*; *T-MTT Jun 81* 562-567

Ferrite circulators; cf. Microstrip circulators

Ferrite devices

parallel component of partially magnetized microwave ferrites; *Igarashi, Mitsuru*; *T-MTT Jun 81* 568-571

Ferrite isolators

fineline ferrite isolator for millimeter-wave ICs; *Beyer, Adalbert*; *T-MTT Dec 81* 1344-1348

Ferrite-loaded waveguides

periodic ferrite-slab waveguides; perturbation method analysis; *Araki, Kiyomichi*; *T-MTT Sep 81* 911-916

tunable stepped-ferrite evanescent filters; *Snyder, Richard V.*; *T-MTT Apr 81* 364-371

Ferrite phase shifters

meanderline circuit with multilayer ferrite-dielectric embedding; *Hansson, E. R. Bertil*; *T-MTT Mar 81* 209-215

FETs; cf. Microwave FETs; Schottky-barrier FETs

Fiber optics; cf. Optical fibers

Filters; cf. Adaptive filters; Bandpass filters; Comb filters; Matched filters; Microwave filters; Millimeter-wave filters; Programmable filters; Resonator filters; Transmission-line filters

Finite-difference methods

singularities modeling in finite-difference approximation of time-domain electromagnetic field equations; *Mur, Gerrit*; *T-MTT Oct 81* 1073-1077

Finite-element methods

anisotropic optical waveguide analysis; *Mabaya, N.*; *T-MTT Jun 81* 600-605

open-type dielectric waveguide analysis by finite-element iterative method; *Ikeuchi, Masatoshi*; *T-MTT Mar 81* 234-239

Finline

- asymmetrical finline junctions; spurious resonances; *Solbach, Klaus*; *T-MTT Nov 81* 1189-1191
- earthed unilateral finline; characteristic analysis; *Beyer, Adalbert*; *T-MTT Jul 81* 676-680
- finline ferrite isolator for millimeter-wave ICs; *Beyer, Adalbert*; *T-MTT Dec 81* 1344-1348
- shielded microstrip lines and bilateral fin lines; exact analysis; *El-Sherbiny, A.-M. A.*; *T-MTT Jul 81* 669-675
- shorting septum in finline; equivalent reactance; *Knorr, Jeffrey B.*; *T-MTT Nov 81* 1192-1197
- unilateral finline structures with arbitrarily located slots; *Schmidt, L. P.*; *T-MTT Apr 81* 352-355
- Frequency conversion**; cf. Harmonic generation; Microwave frequency conversion; Millimeter-wave frequency conversion; Mixers
- Frequency-division multiple-access**; cf. Satellite communication, multiple-access
- Frequency-hop modulation**
 - programmable frequency-hop synthesizers based on mixing of chirp signals generated by SAW filters; *Darby, Barry J.*; *T-MTT May 81* 456-463
- Frequency multiplication**; cf. Frequency conversion

G

- Gallium alloys/compounds, devices**
 - monolithic microwave circuit design; *Pucel, Robert A.*; *T-MTT Jun 81* 513-534
- Gallium alloys/compounds, devices**; cf. Microwave FETs
- Gallium alloys/compounds, lasers**
 - optoelectronic GaAs microstrip switch controlled by pulse-operated laser diode via substrate-edge excitation; *Platte, Walter*; *T-MTT Oct 81* 1010-1019
- Garnet films**; cf. YIG films
- Green's function**
 - microwave circuits; circular sectors, rings and annular sectors; *Chadha, Rakesh*; *T-MTT Jan 81* 68-71
- Gunn device oscillators**
 - InP image line millimeter-wave self-mixing Gunn oscillators; *Dixon, Samuel, Jr.*; *T-MTT Sep 81* 958-961
- Gyrators**
 - tracking circulators; eigennetwork description; *Helszajn, Joseph*; *T-MTT Jul 81* 700-712
- Gyrotrons**
 - gyrotron-TWT characteristics and associated magnetic field configuration; *Ferguson, Patrick E.*; *T-MTT Aug 81* 794-799

H

- Harmonic generation**
 - FET harmonic generator design and performance; *Gupta, Madhu S.*; *T-MTT Mar 81* 261-263
- Horn antennas**
 - image-guide leaky-wave horn antennas; *Trinh, Trang N.*; *T-MTT Dec 81* 1310-1314
 - metallized dielectric horn and waveguide for oscillator/mixer systems; *Lazarus, Max J.*; *T-MTT Feb 81* 102-106
- Hybrid integrated circuits**; cf. Microwave integrated circuits

I

- IEEE Microwave Theory and Techniques Society**
 - 28-year cumulative index to *Transactions on Microwave Theory and Techniques*, 1953-1980; *T-MTT Jun 81 Part II*
 - awards for 1980; *Sobol, H.*; *T-MTT Dec 81* 1259-1260
 - cumulative index foreword; *Oltman, H. George, Jr., Guest ed.*; *T-MTT Jun 81 Part II 1*
 - history of *Transactions*; *Saad, Theodore S.*; *T-MTT Jun 81 Part II 2-10*
 - proposed coverage of patents in *Transactions*; *Knerr, Reinhard H., Ed.*; *T-MTT Aug 81* 753
- Immittance inverters**; cf. Gyrators
- IMPATT diode oscillators**
 - CW and pulsed silicon sources in 110-260-GHz range; *Chang, Kai*; *T-MTT Dec 81* 1278-1284
- IMPATT diode power combiners**
 - CW 40-GHz IMPATT on diamond; device and circuit loss effects; *Rucker, Charles T.*; *T-MTT Dec 81* 1266-1271
 - high-power injection-locked pulsed solid-state transmitter using IMPATT power combiners; *Yen, Huan-Chun*; *T-MTT Dec 81* 1292-1297
- IMPATT diodes**
 - self-consistent solutions for IMPATT diode networks; subharmonic instability; *Brazil, Thomas J.*; *T-MTT Jan 81* 26-32
- Impedance matching**
 - exponential, cosine-squared and parabolically tapered transmission lines; impedance equations; *Ahmed, M. Jamil*; *T-MTT Jan 81* 67-68

- generalized two-state reflection modulator; phase-shifter with phase change at constant amplitude; amplitude modulator with level shift at constant or variable phase; *Atwater, Harry A.*; *T-MTT Mar 81* 229-234
- lumped-element and distributed-element matching networks for microwave transistor amplifiers; *Young, George P.*; *T-MTT Oct 81* 1027-1035
- Impedance measurement**
 - composite conductors; surface impedance computation using universal graphical overlay for Smith-chart or $Z-T$ chart; *Schott, F. W.*; *T-MTT Feb 81* 171-172
- Impedance transformers**; cf. Impedance matching
- Indexes**
 - 28-year cumulative index to *Transactions on Microwave Theory and Techniques*, 1953-1980; *T-MTT Jun 81 Part II*
- Injection-locked oscillators**
 - fundamental-wave injection-synchronized oscillators; phase-lock stability; *Calandra, Enrico F.*; *T-MTT Nov 81* 1137-1144
 - high-power injection-locked pulsed solid-state transmitter using IMPATT power combiners; *Yen, Huan-Chun*; *T-MTT Dec 81* 1292-1297
- Integrated circuits**; cf. Microwave integrated circuits; Millimeter-wave integrated circuits
- Ion implantation**
 - MESFET with arbitrary doping density profiles modeled by extension of uniform MESFET models; *de Santis, Pietro*; *T-MTT Jun 80* 638-647. *Correction, Feb 81* 174
- Isolators**; cf. Ferrite isolators; Plasma isolators

J

- Junctions**; cf. Waveguide junctions

L

- Laplace equations**
 - two-dimensional boundary-value problems solved by combining conformal transformations with numerical techniques; application to coupled-bar problems; *Laura, Patricio A. A.*; *T-MTT Jun 81* 618-619
- Lasers**
 - CW millimeter-wave generators based on laser-induced traveling-wave device; *Soohoo, Jack*; *T-MTT Nov 81* 1170-1177
- Leaky-wave antennas**
 - image-guide leaky-wave horn antennas; *Trinh, Trang N.*; *T-MTT Dec 81* 1310-1314
- Limiting**; cf. Microwave limiters
- Linear arrays**
 - circularly polarized linear array antenna using dielectric image line; *Hori, Toshikazu*; *T-MTT Sep 81* 967-970
- Linear networks**
 - spot noise analysis of linear two-ports using scattering waves; *Hecken, Rudolf P.*; *T-MTT Oct 81* 997-1004
- Lithium alloys/compounds**
 - vestigial-sideband SAW filter with LiTaO₃ substrate for TV transmitters; *Kodama, Toshikazu*; *T-MTT May 81* 429-433
- Loaded waveguides**; cf. Dielectric-loaded waveguides
- Locked oscillators**; cf. Injection-locked oscillators
- Loop antennas**
 - prolate spheroidal model of man exposed to small loop antenna of arbitrary orientation; near-field absorption; *Lakhtakia, Akhlesh*; *T-MTT Jun 81* 588-594
- Lumped-element microwave circuits**
 - Kuroda's identity for mixed lumped and distributed circuits; *Kobayashi, Kunikatsu*; *T-MTT Feb 81* 81-86

M

- Magnetic films**; cf. Garnet films
- Magnetics**
 - magnetic waves guided by linearly tapered YIG film; *Seshadri, S. R.*; *T-MTT Feb 81* 96-101
- Magnetostatic volume waves**
 - YIG plates nonuniformly magnetized; guided magnetostatic waves; *Yashiro, Ken'ichiro*; *T-MTT Jul 81* 745-747
- Magnetrons**
 - stability under short-pulse conditions; *Vyse, B.*; *T-MTT Jul 81* 739-745
- Marine-vehicle control**
 - SAW resonator-controlled oscillator for transit satellite marine navigation system; *Lao, Binneg Y.*; *T-MTT Dec 81* 1327-1333

Matched filters

SAW convolvers for high-bandwidth spread-spectrum communication; *Goll, Jeffrey H.*; *T-MTT May 81* 473-483
 spread-spectrum communication; acoustoelectric convolver for jam-resistant secure communication; *Reible, Stanley A.*; *T-MTT May 81* 463-473

Matching; cf. Impedance matching

Matrices

segmentation method for analysis of two-dimensional microwave circuits; *Chadha, Rakesh*; *T-MTT Jan 81* 71-74

Measurement; cf. Semiconductor device measurements

MESFETs; cf. Microwave FETs

Microstrip

capacitance and characteristic impedance of microstrip line; approximate formulas; *Poh, Soon Yun*; *T-MTT Feb 81* 135-142. *Correction, Oct 81* 1119
 coupled microstrip-like transmission lines for millimeter-wave applications; propagation parameters; *Koul, Shibani K.*; *T-MTT Dec 81* 1364-1370
 dielectric permittivity measurement of low-loss microstrip substrate; *Pannell, R. M.*; *T-MTT Apr 81* 383-386
 dispersion characteristics; *Cory, Haim*; *T-MTT Jan 81* 59-61
 dispersion measurements of microstrip lines in 2.50-GHz range; *Yamashita, Eikichi*; *T-MTT Jun 81* 610-611
 high-frequency performance of microstrip line on anisotropic substrate; hybrid mode analysis; *El-Sherbiny, Abdel-Moniem A.*; *T-MTT Dec 81* 1261-1266
 interconnected coupled-line sections identities; application to adjustable microstrip and strip tuners; *Rogers, Robert G.*; *T-MTT Aug 81* 832
 microstrip circuits coupled to dielectric resonators; analysis using lumped-element circuit model; *Bonetti, Rene R.*; *T-MTT Dec 81* 1333-1337
 open wide microstrip lines; asymptotic eigenequations and analytic formulas for dispersion characteristics; *Chew, Weng Cho*; *T-MTT Sep 81* 933-941
 rectangular waveguide and microstrip line coupled via small aperture; *Rao, J. S.*; *T-MTT Feb 81* 150-154
 shielded microstrip circuits; open-end discontinuity; *Bedair, S. S.*; *T-MTT Oct 81* 1107-1109
 shielded microstrip lines and bilateral fin lines; exact analysis; *El-Sherbiny, A.-M. A.*; *T-MTT Jul 81* 669-675
 stripline- and microstrip-array slow-wave structures; Bloch-wave analysis; *Rizzoli, Vittorio*; *T-MTT Feb 81* 143-150

Microstrip antennas

Green's function for circular sectors, rings, and annular sectors in planar microwave circuits and microstrip antennas; *Chadha, Rakesh*; *T-MTT Jan 81* 68-71

Microstrip circuits

tuning microstrip TRAPATT oscillators; *Booth, Peter L.*; *T-MTT Jan 81* 6-10

Microstrip circulators

low-loss high-peak-power circulators using disk and triangular resonators; *Helszajn, Joseph*; *T-MTT Jun 81* 572-578

Microstrip couplers

capacitive and inductive coupling coefficients of coupled microstrip lines; *Kal, S.*; *T-MTT Apr 81* 386-388
 Lange coupler synthesis; *Osmani, R. M.*; *T-MTT Feb 81* 168-170
 spiral microstrip directional coupler construction and performance; *Shibata, Koji*; *T-MTT Jul 81* 680-689

Microstrip discontinuities

boundary integral equation analysis of transmission-line singularities; *Ingham, D. B.*; *T-MTT Nov 81* 1236-1239
 radiation from discontinuities; *Abouzahra, Mohamad D.*; *T-MTT Jul 81* 666-668
 two-port discontinuities; resonance method for broad band characterization; *Rizzoli, Vittorio*; *T-MTT Jul 81* 655-661

Microstrip resonators

low-loss high-peak-power circulators using disk and triangular resonators; *Helszajn, Joseph*; *T-MTT Jun 81* 572-578
 maximum Q -factor; *Gopinath, Anand*; *T-MTT Feb 81* 128-131

Microstrip switches

optoelectronic GaAs microstrip switch controlled by pulse-operated laser diode via substrate-edge excitation; *Platte, Walter*; *T-MTT Oct 81* 1010-1019

Microstrip transitions

lossy microstrip-to-coaxial line transitions; modeling and characterization; *Majewski, Marian L.*; *T-MTT Aug 81* 799-805

Microwave (3–30 GHz); cf. Millimeter-wave (30–300 GHz); UHF (300–3000 MHz)

Microwave amplifiers

lumped-element and distributed-element matching networks for microwave transistor amplifiers; *Young, George P.*; *T-MTT Oct 81* 1027-1035
 radial and planar amplifier combiner circuits; single-frequency analysis; *Galani, Zvi*; *T-MTT Jul 81* 642-654

Microwave amplifiers; cf. Microwave FET amplifiers; Traveling-wave amplifiers

Microwave antennas; cf. *Specific type*

Microwave circuits

two-dimensional circuit analysis by desegmentation method; *Sharma, P. C.*; *T-MTT Oct 81* 1094-1098

Microwave circuits; cf. Microwave Symposium, International; Microwave technology; *specific circuit topic*

Microwave detectors

phase detectors for PSK demodulators; analysis and performance; *Ohm, Gerhard*; *T-MTT Jul 81* 724-731

Microwave devices; cf. Microwave Symposium, International; Microwave technology; *specific device*

Microwave diodes; cf. IMPATT diodes; Microwave amplifiers; Microwave mixers

Microwave emission; cf. Microwave radiometry

Microwave FET amplifiers

broadband low-noise amplifiers; relationships between device parameters and two-port noise parameters; *Fukui, Hatsuaki*; *T-MTT Jul 79* 643-650. *Addendum, Oct 81* 1119
 feedback networks for microwave transistor amplifiers; graphical design method; *Perez, Felix*; *T-MTT Oct 81* 1019-1027
 GaAs MESFET ultrawideband matched feedback amplifier; design and performance; *Maclean, Douglas J. H.*; *T-MTT Jun 81* 619-621
 landing system using 5-GHz GaAs FET amplifier; *Honjo, Kazuhiko*; *T-MTT Jun 81* 579-582
 monolithic low-noise amplifier; *Higashisaka, Asamitsu*; *T-MTT Jan 81* 1-6
 ultra-broadband amplifier for systems with Gbit/s data rate; *Honjo, Kazuhiko*; *T-MTT Jul 81* 629-635

Microwave FET amplifiers, power

lumped-element internal matching circuit; *Sone, Jun'ichi*; *T-MTT Apr 81* 309-313

Microwave FET oscillators

voltage-controlled oscillator for optimum large-signal performance; *Rauscher, Christen*; *T-MTT Apr 81* 293-304

Microwave FETs

broadband dual-gate MESFET phase shifter; *Kumar, Mahesh*; *T-MTT Oct 81* 1098-1102
 broadband variable-gain constant-output power amplifier using feed-forward ACG circuit; *Kumar, Mahesh*; *T-MTT Mar 81* 185-189
 COLFET circuit as 'cold' noise source; *Frater, Robert H.*; *T-MTT Apr 81* 344-347
 harmonic generator design and performance; *Gupta, Madhu S.*; *T-MTT Mar 81* 261-263
 low-noise GaAs MESFETs; high-power pulsed characteristics; *James, D. S.*; *T-MTT Dec 81* 1298-1310

Microwave FETs, power

internally matched flip-chip FETs; *Mitsui, Yasuo*; *T-MTT Apr 81* 304-309
 reliability of GaAs FETs with Au gates and Al-Au linked gates; *Cohen, Eliot D.*; *T-MTT Jul 81* 636-642
 RF power characterization based on large-signal S-parameters and load-pull measurements; *Tucker, Rodney S.*; *T-MTT Aug 81* 776-781

Microwave filters

dual-mode bandpass filters; asymmetric realizations; *Cameron, Richard J.*; *T-MTT Jan 81* 51-58
 easily-tunable stepped coupled-stripline filter; *Saulich, Gisbert*; *T-MTT Nov 81* 1234-1236
 edge-coupled-line printed-circuit filters for bandwidths up to and greater than octave; *Minnis, Brian J.*; *T-MTT Mar 81* 215-222
 variable- bandpass filters using varactor diodes; *Toyoda, Sachihiko*; *T-MTT Apr 81* 356-363

Microwave filters; cf. Cavity-resonator filters

Microwave frequency conversion

digital frequency multiplier using multisection two-strip coupled line; *Sakagami, Iwata*; *T-MTT Feb 81* 118-122

Microwave frequency conversion; cf. Microwave mixers

Microwave heating

time-dependent microwave heating and surface cooling of simulated living tissues; solution of heat conduction equation; *Bardati, Fernando*; *T-MTT Aug 81* 825-828

Microwave heating; cf. Electromagnetic radiation effects

Microwave integrated circuits

3-dB hybrid ring; optimum circuit pattern synthesis by planar circuit approach; *Okoshi, Takanori*; *T-MTT Mar 81* 194-202
 Green's function for circular sectors, rings, and annular sectors in planar microwave circuits and microstrip antennas; *Chadha, Rakesh*; *T-MTT Jan 81* 68-71
 monolithic microwave circuit design; *Pucel, Robert A.*; *T-MTT Jun 81* 513-534
 planar broadband 180° hybrid power divider/combiner; *Kumar, Mahesh*; *T-MTT Nov 81* 1229-1231
 planar multiport quadrature-like power dividers/combiners for combining arbitrary number of identical one or two-ports while maintaining a match at input port; *Saleh, Adel A. M.*; *T-MTT Apr 81* 332-337
 plane network analysis including radiation loss; *Sorrentino, Roberto*; *T-MTT Sep 81* 942-948
 segmentation method for analysis of two-dimensional microwave circuits; *Chadha, Rakesh*; *T-MTT Jan 81* 71-74

- tapered planar transmission lines; coupled-mode analysis; *Mirshekar-Syahkal, D.*; *T-MTT Feb 81* 123-128
- Microwave integrated circuits**; cf. Lumped-element microwave circuits; Microstrip
- Microwave measurements**
density-independent moisture measurement with microwaves; feasibility study; *Meyer, Wolfgang*; *T-MTT Jul 81* 732-739
real-time probing of amplitude, phase, and polarization of microwave field distributions; *King, R. J.*; *T-MTT Nov 81* 1221-1227
resistive transmission-line effects on miniature field probe; *Smith, Glenn S.*; *T-MTT Nov 81* 1209-1220
- Microwave measurements**; cf. Cavity perturbation methods; Conductivity measurements; Dielectric measurements; Electromagnetic radiation effects; Microwave radiometry; Scattering parameters measurement; Semiconductor device measurements; Transmission-line measurements
- Microwave mixers**
FET harmonic generator design and performance; *Gupta, Madhu S.*; *T-MTT Mar 81* 261-263
losses in resistive-diode mixers; time-domain approach; *Hines, Marion E.*; *T-MTT Apr 81* 281-292
millimetric varactor doublers using Schottky-barrier diodes; *Bava, Elvio*; *T-MTT Nov 81* 1145-1150
- Microwave modulation/demodulation**; cf. Microwave detectors; Microwave mixers
- Microwave oscillators**
generalized oscillation condition for n -port active device; *Khanna, A. P. S.*; *T-MTT Jun 81* 606-607
one-port negative-impedance oscillators; reflection-coefficient approach to design; *Esdale, Daniel J.*; *T-MTT Aug 81* 770-776
- Microwave oscillators**; cf. Gunn device oscillators; IMPATT diode oscillators; Magnetrons; Microwave FET oscillators; TRAPATT diode oscillators
- Microwave power transmission**
solar power satellites; microwave components; *Brown, William C.*; *T-MTT Dec 81* 1319-1327
- Microwave propagation**; cf. Waveguides
- Microwave radiation effects/safety**; cf. Electromagnetic radiation ...
- Microwave radio receivers**
electronic warfare receiver components based on SAW and acoustooptic Bragg cells; overview; *Collins, Jeffrey H.*; *T-MTT May 81* 395-403
- Microwave radiometry**
total power radiometer with periodic absolute calibration; sensitivity; *Hersman, Michael S.*; *T-MTT Jan 81* 32-40
- Microwave switches**
optically coupled microwave switches; performance; *Kiehl, Richard A.*; *T-MTT Oct 81* 1004-1010
- Microwave switches**; cf. Microstrip switches
- Microwave Symposium, International**
June 1981 Symposium papers; special issue; *T-MTT Dec 81* 1251-1370
June 1981 Symposium papers; special issue introduction; *Eisenhart, Robert L.*; *Guest Ed.*; *T-MTT Dec 81* 1251
June 1981 Symposium; overview; *Clavin, Alvin*; *T-MTT Dec 81* 1252-1258
- Microwave technology**
abstracts of papers from journals published in Australia, India, and Japan; *T-MTT Oct 81* 1125-1133
- Microwave technology**; cf. Microwave Symposium, International; Patent abstracts; specific topic
- Microwave transistors**
lumped-element and distributed-element matching networks for microwave transistor amplifiers; *Young, George P.*; *T-MTT Oct 81* 1027-1035
- Microwave transistors**; cf. Microwave FETs
- Microwave waveguides**; cf. Waveguides
- Millimeter-wave amplifiers**
gyrotron-TWT characteristics and associated magnetic field configuration; *Ferguson, Patrick E.*; *T-MTT Aug 81* 794-799
- Millimeter-wave antennas**
image-guide leaky-wave horn antennas; *Trinh, Trang N.*; *T-MTT Dec 81* 1310-1314
- Millimeter-wave circuits**
nonreciprocal millimeter-wave devices; coupled-mode analysis; *Awai, Ikuo*; *T-MTT Oct 81* 1077-1087
- Millimeter-wave devices**
cost-effective passive components fabrication in dielectric waveguide; *Paul, Jeffrey A.*; *T-MTT Sep 81* 948-953
CW millimeter-wave generators based on laser-induced traveling-wave device; *Soohoo, Jack*; *T-MTT Nov 81* 1170-1177
surface magnetoplasmons used for millimeter and near-millimeter component design; *Bolle, Donald M.*; *T-MTT Sep 81* 916-923
- Millimeter-wave diodes**; cf. IMPATT diodes; Millimeter-wave mixers
- Millimeter-wave FETs**
cryogenic 90-GHz receiver for airborne imaging system; *Vowinkel, Bernd*; *T-MTT Jun 81* 535-541
- Millimeter-wave filters**
periodic branching filter for millimeter-wave integrated circuits; *Itanami, Takao*; *T-MTT Sep 81* 971-978
- Millimeter-wave frequency conversion**
mechanically tunable frequency doubler and tripler; *Archer, John W.*; *T-MTT Jun 81* 552-557
- Millimeter-wave frequency conversion**; cf. Millimeter-wave mixers
- Millimeter-wave integrated circuits**
coupled microstrip-like transmission lines for millimeter-wave applications; propagation parameters; *Koul, Shiban K.*; *T-MTT Dec 81* 1364-1370
periodic branching filter for millimeter-wave integrated circuits; *Itanami, Takao*; *T-MTT Sep 81* 971-978
- Millimeter-wave mixers**
94-GHz beam-lead balanced mixer; *Parrish, Peter Tor*; *T-MTT Nov 81* 1150-1153
cryogenic 90-GHz receiver for airborne imaging system; *Vowinkel, Bernd*; *T-MTT Jun 81* 535-541
InP image line millimeter-wave self-mixing Gunn oscillators; *Dixon, Samuel, Jr.*; *T-MTT Sep 81* 958-961
low-noise 200-350-GHz heterodyne receiver for astronomy observations; *Erickson, Neal R.*; *T-MTT Jun 81* 557-561
metallized dielectric horn and waveguide for oscillator/mixer systems; *Lazarus, Max J.*; *T-MTT Feb 81* 102-106
super-Schottky mixer performance at 92 GHz; *Dickman, Robert L.*; *T-MTT Aug 81* 788-793
superconducting tunnel junctions; *Dolan, Gerald J.*; *T-MTT Feb 81* 87-91
- Millimeter-wave modulation/demodulation**; cf. Millimeter-wave mixers
- Millimeter-wave oscillators**
metallized dielectric horn and waveguide for oscillator/mixer systems; *Lazarus, Max J.*; *T-MTT Feb 81* 102-106
- Millimeter-wave oscillators**; cf. Gunn device oscillators; Gyrotrons; IMPATT diode oscillators
- Millimeter-wave radar**
SAW multiplexer use to develop range line resolution of FMCW in millimeter-wave radar system; *Solie, Leland P.*; *T-MTT May 81* 419-423
- Millimeter-wave radio receivers**
cryogenic 90-GHz receiver for airborne imaging system; *Vowinkel, Bernd*; *T-MTT Jun 81* 535-541
low-noise 200-350-GHz heterodyne receiver for astronomy observations; *Erickson, Neal R.*; *T-MTT Jun 81* 557-561
- Millimeter-wave radiometry**
cryogenic 90-GHz receiver for airborne imaging system; *Vowinkel, Bernd*; *T-MTT Jun 81* 535-541
- Millimeter-wave waveguide communication**
sector coupler for overdimensioned circular waveguide system; *Archer, John W.*; *T-MTT Mar 81* 202-208
- Millimeter-wave waveguides**
dielectric waveguide with Y-shaped cross-section for millimeter and submillimeter waves; *Shinonaga, Hideyuki*; *T-MTT Jun 81* 542-546
etched slot structure in millimeter-wave dielectric image line detector circuit; *Solbach, Klaus*; *T-MTT Sep 81* 953-957
gas-confined dielectric waveguides for millimeter and submillimeter wavelengths; low-loss transmission; *Yamamoto, Kazuyuki*; *T-MTT Sep 81* 983-987
InP image line millimeter-wave self-mixing Gunn oscillators; *Dixon, Samuel, Jr.*; *T-MTT Sep 81* 958-961
nonradiative dielectric waveguide for millimeter-wave integrated circuits; *Yoneyama, Tsukasa*; *T-MTT Nov 81* 1184-1188
open-type dielectric waveguide analysis by finite-element iterative method; *Ikeuchi, Masatoshi*; *T-MTT Mar 81* 234-239
quasi-optical circuit technology for short millimeter-wavelength multiplexers; *Nakajima, Nobuo*; *T-MTT Sep 81* 897-905
transitions between metal guide and inverted-strip dielectric guide; *Bhooshan, S.*; *T-MTT Mar 81* 263-265
unilateral finline structures with arbitrarily located slots; *Schmidt, L. P.*; *T-MTT Apr 81* 352-355
- Mixers**; cf. Microwave mixers; Millimeter-wave mixers; UHF mixers
- Mode coupling**; cf. Coupled-mode analysis
- Modulation/demodulation**; cf. PSK
- Moisture measurement**
density-independent moisture measurement with microwaves; feasibility study; *Meyer, Wolfgang*; *T-MTT Jul 81* 732-739
- MSK**
abbr. of Minimum-shift keying
- MSK communication**
SAW convolvers for high-bandwidth spread-spectrum communication; *Goll, Jeffrey H.*; *T-MTT May 81* 473-483
- Multiconductor transmission lines**
characteristic impedances of four-conductor line in rectangular shield; *Ivanov, Stephan A.*; *T-MTT Jun 81* 611-615
inhomogeneous shielded lines; quasi-TEM modes; *Lindell, Ismo V.*; *T-MTT Aug 81* 812-817
- Multiconductor transmission lines**; cf. Coupled transmission lines
- Multimode transmission lines**; cf. Coupled transmission lines
- Multimode waveguides**
paraxial beam propagation in multimode optical waveguides; hybrid method; *Chang, David C.*; *T-MTT Sep 81* 923-933

voltage traveling wave equations in multimode circular waveguides; *Stone, David S.*; *T-MTT Feb 81* 91-95

Multimode waveguides; cf. Optical fibers

Multiple-access communication; cf. Satellite communication, multiple-access

Multiplexing
quasioptical circuit technology for short millimeter-wavelength multiplexers; *Nakajima, Nobuo*; *T-MTT Sep 81* 897-905

Multiport networks
2p-port cascaded networks; analysis and sensitivity evaluation; *Bandler, John W.*; *T-MTT Jul 81* 719-723
dual six-port automatic network analyzer; calibration; *Cronson, Harry M.*; *T-MTT Apr 81* 372-378
generalized oscillation condition for n-port active device; *Khanna, A. P. S.*; *T-MTT Jun 81* 606-607
planar multiport quadrature-like power dividers/combiners for combining arbitrary number of identical one or two-ports while maintaining a match at input port; *Saleh, Adel A. M.*; *T-MTT Apr 81* 332-337

N

Network noise
loss measurement in input-matching networks of low-noise amplifiers; *Strid, Eric W.*; *T-MTT Mar 81* 247-252
spot noise analysis of linear two-ports using scattering waves; *Hecken, Rudolf P.*; *T-MTT Oct 81* 997-1004

Network sensitivity analysis
2p-port cascaded networks; analysis and sensitivity evaluation; *Bandler, John W.*; *T-MTT Jul 81* 719-723

Networks; cf. Cascade networks; Impedance matching; Multiport networks; Nonreciprocal networks; One-port networks; Two-port networks

Noise; cf. Amplifier noise; Network noise; Semiconductor device noise

Nonhomogeneous media; cf. Electromagnetic propagation, nonhomogeneous media

Nonhomogeneously loaded waveguides
dielectric-slab-loaded waveguides; variational formulation of wave propagation; *Liu, Chang-Tsuo*; *T-MTT Aug 81* 805-812

Nonlinear networks; cf. Mixers

Nonreciprocal networks
distributed nonreciprocal structures; coupled-mode analysis; *Awai, Ikuro*; *T-MTT Oct 81* 1077-1087

Nonuniform transmission lines; cf. Distributed-parameter networks

Numerical methods; cf. Finite-element methods; Matrices; Variational methods

O

Optical couplers
optically coupled microwave switches; performance; *Kiehl, Richard A.*; *T-MTT Oct 81* 1004-1010

Optical fibers
cutoff frequency of single-mode fiber with arbitrary-index profile; *Sharma, Anurag*; *T-MTT Jun 81* 607-610
irregular magneto-optical waveguides; *Manenkov, Alexander Bentsionovich*; *T-MTT Sep 81* 906-911
multimode fibers; impulse response approximation from refractive index profiles; *Morishita, Katsumi*; *T-MTT Apr 81* 348-352
propagation characteristics of α -power graded-core fibers; high-accuracy numerical data; *Oyamada, Kimiyuki*; *T-MTT Oct 80* 1113-1118, *Correction*, Aug 81 832

Optical planar waveguides
coupling characteristics of rectangular planar waveguides; *Trinh, Trang*; *T-MTT Sep 81* 875-880
inhomogeneous dielectric-slab-loaded waveguides; variational formulation of wave propagation; *Liu, Chang-Tsuo*; *T-MTT Aug 81* 805-812
periodic ferrite-slab waveguides; perturbation method analysis; *Araki, Kiyomichi*; *T-MTT Sep 81* 911-916
propagation in planar dielectric waveguide with periodic metallic strips; *Ogusu, Kazuhiko*; *T-MTT Jan 81* 16-21
scattering of surface waves in abruptly ended slab dielectric waveguide; *Gelin, Philippe*; *T-MTT Feb 81* 107-114
slab of parabolic graded index medium with transverse variations of gain only; *Abbozzo, Laura Ronchi*; *T-MTT Apr 81* 378-383

Optical propagation; cf. Optical waveguides

Optical waveguides
finite-element analysis of anisotropic optical waveguides; *Mabaya, N.*; *T-MTT Jun 81* 600-605
loss reduction in curved dielectric optical waveguides; *Geshiro, Masahiro*; *T-MTT Nov 81* 1178-1183
parallel-plate modeling of periodic optical waveguides; *Tamir, Theodor*; *T-MTT Sep 81* 979-983
paraxial beam propagation in multimode optical waveguides; hybrid method; *Chang, David C.*; *T-MTT Sep 81* 923-933

Optical waveguides; cf. Optical fibers; Optical planar waveguides

Oscillators; cf. Acoustic surface-wave oscillators; Injection-locked oscillators; Microwave oscillators; Millimeter-wave oscillators; UHF oscillators; Voltage-controlled oscillators

P

Parallel-plate waveguides

comb-type slow-wave structures; dispersion relations; *Verbitskii, I. L.*; *T-MTT Jan 80* 48-50, *Correction*, Jan 81 74
coupling between two collinear waveguides of unequal width; *Elmoazzen, Yakout E.*; *T-MTT Mar 81* 270-273

Patent abstracts

T-MTT Aug 81 834-835
T-MTT Sep 81 990-996
T-MTT Oct 81 1120-1125
T-MTT Nov 81 1240
T-MTT Dec 81 1364-1369

Periodic media; cf. Nonhomogeneous media

Periodic structures

branching filter for millimeter-wave integrated circuits; *Itanami, Takao*; *T-MTT Sep 81* 971-978
curved and chirped periodic structures in open dielectric waveguides; two-dimensional coupled-mode analysis; *Lin, Zong-Qi*; *T-MTT Sep 81* 881-891
parallel-plate modeling of periodic optical waveguides; *Tamir, Theodor*; *T-MTT Sep 81* 979-983
periodic ferrite-slab waveguides; perturbation method analysis; *Araki, Kiyomichi*; *T-MTT Sep 81* 911-916
propagation in planar dielectric waveguide with periodic metallic strips; *Ogusu, Kazuhiko*; *T-MTT Jan 81* 16-21
stripline- and microstrip-array slow-wave structures; Bloch-wave analysis; *Rizzoli, Vittorio*; *T-MTT Feb 81* 143-150

Permittivity; cf. Dielectric constant

Perturbation methods; cf. Cavity perturbation methods

Phase comparators

microwave phase detectors for PSK demodulators; analysis and performance; *Ohm, Gerhard*; *T-MTT Jul 81* 724-731

Phase-locked oscillators; cf. Injection-locked oscillators

Phase shifters

generalized two-state reflection modulator; *Atwater, Harry A.*; *T-MTT Mar 81* 229-234

Phase shifters; cf. Diode phase shifters; Ferrite phase shifters; Semiconductor phase shifters

Phased arrays

coaxial-waveguide commutation feed system for scanning circular antenna arrays; *Irzinski, E. P.*; *T-MTT Mar 81* 266-270
precision SAW filters for phased-array electronically steerable radar system; *Haydl, William H.*; *T-MTT May 81* 414-419

p-i-n diodes

phase shifter design based on relation between reflection coefficient and impedance; *Watanabe, Kenzo*; *T-MTT Aug 81* 829-831

Planar circuits; cf. Microwave integrated circuits

Planar waveguides; cf. Optical planar waveguides

Plasma isolators

surface magnetoplasmon on high-quality semiconductor substrate; application to differential phase shifters; *Talisa, Salvador H.*; *T-MTT Dec 81* 1338-1343

Power amplifiers

dual-gate MESFET variable-gain constant-output amplifier using feed-forward AGC circuit; *Kumar, Mahesh*; *T-MTT Mar 81* 185-189

Power combiners

planar broadband 180° hybrid power divider/combiner; *Kumar, Mahesh*; *T-MTT Nov 81* 1229-1231
planar multiport quadrature-like power dividers/combiners for combining arbitrary number of identical one or two-ports while maintaining a match at input port; *Saleh, Adel A. M.*; *T-MTT Apr 81* 332-337
radial and planar amplifier combiner circuits; single-frequency analysis; *Galani, Zvi*; *T-MTT Jul 81* 642-654

Power combiners; cf. IMPATT diode power combiners

Power distribution transformers

radio-frequency transformers consisting of matched transmission lines of equal length and characteristic impedance; *Rotholz, Ersch*; *T-MTT Apr 81* 327-331

Power dividers

broadband two-way Wilkinson hybrids having one isolation resistor and arbitrary number of quarter-wave transformers; *Nyström, G. Lennart*; *T-MTT Mar 81* 189-194
millimeter-wave overdimensioned circular waveguide communication system; sector coupler; *Archer, John W.*; *T-MTT Mar 81* 202-208
planar broadband 180° hybrid power divider/combiner; *Kumar, Mahesh*; *T-MTT Nov 81* 1229-1231
planar multiport quadrature-like power dividers/combiners for combining arbitrary number of identical one or two-ports while maintaining a match at input port; *Saleh, Adel A. M.*; *T-MTT Apr 81* 332-337

Power FET amplifiers; cf. Microwave FET amplifiers, power

Power FETs; cf. Microwave FETs, power

Power transmission; cf. Microwave power transmission

Probe antennas

energy absorption from small radiating coaxial probes in lossy media; model with application to hyperthermia cancer treatment; *Swicord, Mays L.*; *T-MTT Nov 81* 1198-1205

real-time probing of amplitude, phase, and polarization of microwave field distributions; *King, R. J.*; *T-MTT Nov 81* 1221-1227

resistive transmission-line effects on miniature field probe; *Smith, Glenn S.*; *T-MTT Nov 81* 1209-1220

Programmable filters

SAW convolvers for high-bandwidth spread-spectrum communication; *Goll, Jeffrey H.*; *T-MTT May 81* 473-483

spread-spectrum communication; acoustoelectric convolver for jam-resistant secure communication; *Reible, Stanley A.*; *T-MTT May 81* 463-473

Propagation; cf. Electromagnetic propagation

PSK

abbr. of Phase-shift keying

PSK communication

satellite communication; SAW device applications; *Henaff, Jeannine.*; *T-MTT May 81* 439-450

PSK modulation/demodulation

microwave phase detectors for PSK demodulators; analysis and performance; *Ohm, Gerhard.*; *T-MTT Jul 81* 724-731

R

Radar

precision SAW filters for phased-array electronically steerable radar system; *Haydl, William H.*; *T-MTT May 81* 414-419

SAW-resonator-stabilized oscillator; radar system application; *Tanski, William J.*; *T-MTT May 81* 424-429

Radar; cf. Synthetic aperture radar

Radar countermeasures

electronic warfare receiver components based on SAW and acoustooptic Bragg cells; overview; *Collins, Jeffrey H.*; *T-MTT May 81* 395-403

Radiation effects; cf. Electromagnetic radiation effects

Radiation monitoring

network analyzer for determining biological effects of RF and microwave radiation; 1-1000-W automatic dual six-port unit; *Hoer, Cletus A.*; *T-MTT Dec 81* 1356-1364

Radio communication countermeasures

spread-spectrum communication; acoustoelectric convolver for jam-resistant secure communication; *Reible, Stanley A.*; *T-MTT May 81* 463-473

Radio receivers; cf. Microwave radio receivers; Millimeter-wave radio receivers

Radio telescopes

low-noise 200-350-GHz heterodyne receiver for astronomy observations; *Erickson, Neal R.*; *T-MTT Jun 81* 557-561

Radiometry; cf. Microwave radiometry; Millimeter-wave radiometry

Random-access memories

SAW RAM configurations and applications; *Manes, Gianfranco F.*; *T-MTT May 81* 498-506

Read diodes; cf. IMPATT diodes

Receivers; cf. Radio receivers

Reflection coefficient measurement; cf. Scattering parameters measurement

Resonator filters; cf. Acoustic surface-wave resonator filters

Resonators

helical resonators for measuring dielectric properties of materials; *Meyer, W.*; *T-MTT Mar 81* 240-247

planar resonators for three-port junction circulators; *Helszajn, Joseph.*; *T-MTT Jun 81* 562-567

planar Y resonators; use in circulators; *Helszajn, Joseph.*; *T-MTT Jul 81* 689-699

toroidal resonators and waveguides of arbitrary cross-section; *Cap, Ferdinand.*; *T-MTT Oct 81* 1053-1059

Resonators; cf. Acoustic surface-wave resonators; Cavity resonators; Dielectric resonators; Microstrip resonators; Stripline resonators

Riccati equations, differential

exponential, cosine-squared and parabolically tapered transmission lines; impedance equations; *Ahmed, M. Jamil.*; *T-MTT Jan 81* 67-68

Ridge waveguides

eigenvalue spectrum of rectangular waveguides with two symmetrical double ridges; *Dasgupta, D.*; *T-MTT Jan 81* 47-51

S

Satellite communication

SAW device applications in FSK communication; *Henaff, Jeannine.*; *T-MTT May 81* 439-450

SAW resonator-controlled oscillator for transit satellite marine navigation system; *Lao, Binng Y.*; *T-MTT Dec 81* 1327-1333

Satellite communication, multiple-access

optimized SAW spectral-control filters for FDMA system; *Jones, Norman G.*; *T-MTT May 81* 451-456

Scanning antennas

coaxial-waveguide commutation feed system for scanning circular antenna arrays; *Irzinski, E. P.*; *T-MTT Mar 81* 266-270

Scattering; cf. Waveguide discontinuities

Scattering matrices

double-step discontinuity in coaxial line; variational expression of scattering matrix and application to TEM cell; *Sreenvasiah, Ippalapalli.*; *T-MTT Jan 81* 40-47

radial and planar combiner/divider networks; *Galani, Zvi.*; *T-MTT Jul 81* 642-654

Scattering parameters

directional coupler properties of symmetrical three-line structure in nonhomogeneous medium; *Tripathi, Vijai K.*; *T-MTT Jan 81* 22-26

Scattering parameters measurement

dual six-port automatic network analyzer; calibration; *Cronson, Harry M.*; *T-MTT Apr 81* 372-378

optimum 5-port network for measuring complex reflection and transmission coefficients; *Riblet, Gordon P.*; *T-MTT Feb 81* 155-162

semiautomatic network analyzer used to simulate time-domain reflectometer based on frequency-domain measurements; *Ulriksson, Bengt.*; *T-MTT Feb 81* 172-174

waveguide junction scattering problem solution by complex power conservation technique; *Sajavi-Naini, Reza.*; *T-MTT Apr 81* 337-343

Schottky-barrier devices

super-Schottky mixer performance at 92 GHz; *Dickman, Robert L.*; *T-MTT Aug 81* 788-793

Schottky-barrier diodes

CW millimeter-wave generators based on laser-induced traveling-wave device; *Soohoo, Jack.*; *T-MTT Nov 81* 1170-1177

millimetric varactor doublers using Schottky-barrier diodes; *Bava, Elio.*; *T-MTT Nov 81* 1145-1150

Schottky-barrier FETs

GaAs SAW resonators using MESFET and Schottky barrier fabrication techniques; *Grudkowski, Thomas W.*; *T-MTT Dec 81* 1348-1356

ion-implanted MESFETs; modeling by extension of uniform MESFET model; *de Santis, Pietro.*; *T-MTT Jun 80* 638-647. *Correction, Feb 81* 174

large-signal model based on charge transport and electric field; *Madjar, Asher.*; *T-MTT Aug 81* 781-788

Schottky-barrier FETs; cf. Microwave FETs; Millimeter-wave FETs

Semiconductor device doping

broadband linear phase shifter using optimum varactor doping profiles; *Mains, Richard K.*; *T-MTT Nov 81* 1154-1160

Semiconductor device measurements

cavity perturbation technique for conductivity and permittivity measurement of semiconductor spheres; *Mansingh, Abhai.*; *T-MTT Jan 81* 62-65

Semiconductor device noise

COLFET circuit as 'cold' noise source; *Frater, Robert H.*; *T-MTT Apr 81* 344-347

microwave GaAs MESFET broadband low-noise amplifiers; relationships between device parameters and two-port noise parameters; *Fukui, Hatsuaki.*; *T-MTT Jul 79* 643-650. *Addendum, Oct 81* 1119

Semiconductor device reliability

microwave power GaAs FETs; *Cohen, Eliot D.*; *T-MTT Jul 81* 636-642

Semiconductor diode phase shifters; cf. Diode phase shifters

Semiconductor diode switches; cf. p-i-n diodes

Semiconductor diodes; cf. IMPATT diodes; Schottky-barrier diodes; Varactors

Semiconductor lasers; cf. Gallium alloys/compounds, lasers

Semiconductor phase shifters

broadband dual-gate MESFET phase shifter; *Kumar, Mahesh.*; *T-MTT Oct 81* 1098-1102

surface magnetoplasmon on high-quality semiconductor substrate; application to differential phase shifters; *Talisa, Salvador H.*; *T-MTT Dec 81* 1338-1343

Sensitivity analysis

total power radiometer with periodic absolute calibration; sensitivity; *Hersman, Michael S.*; *T-MTT Jan 81* 32-40

Sensitivity analysis; cf. Network sensitivity analysis

Silicon-on-insulator

monolithic microwave circuit design; *Pucel, Robert A.*; *T-MTT Jun 81* 513-534

Six-port junctions; cf. Scattering parameters measurement

Slab waveguides; cf. Optical planar waveguides

Slotline

circularly polarized linear array antenna using dielectric image line; *Hori, Toshikazu.*; *T-MTT Sep 81* 967-970

coupled slots on anisotropic sapphire substrate; analytical approach; *Kitazawa, Toshihide.*; *T-MTT Oct 81* 1035-1040

etched slot structure in millimeter-wave dielectric image line detector circuit; *Solbach, Klaus.*; *T-MTT Sep 81* 953-957

suspended coupled slotline with double-layer dielectric substrate; *Simons, Rainee N.*; *T-MTT Feb 81* 162-165

suspended slotline on double-layer dielectric substrate or sandwiched between two dielectric substrates; *Simons, Raine; T-MTT Oct 81 1102-1107*

unilateral finline structures with arbitrarily located slots; *Schmidt, L. P.; T-MTT Apr 81 352-355*

Slotline discontinuities
coaxial mode of longitudinally slotted and loose braid coaxial cables in free space; *Fernandes, Antônio Simão de Carvalho; T-MTT Mar 81 273-275*

dielectric image lines; slots as mode launchers and circuit elements; *Solbach, Klaus; T-MTT Jan 81 10-16*

Slow-wave structures
comb structures in parallel-plate waveguides; slow eigenvalue dispersion; *Verbitskii, I. L.; T-MTT Jan 80 48-50. Correction, Jan 81 74*

stripline- and microstrip-array slow-wave structures; Bloch-wave analysis; *Rizzoli, Vittorio; T-MTT Feb 81 143-150*

Smith charts
composite conductors; surface impedance computation using universal graphical overlay for Smith-chart or $Z-T$ chart; *Schott, F. W.; T-MTT Feb 81 171-172*

Solar power satellites
microwave power transmission components; *Brown, William C.; T-MTT Dec 81 1319-1327*

SOS (silicon-on-sapphire); cf. Silicon-on-insulator

Special issues
International Microwave Symposium, June 1981; *T-MTT Dec 81 1251-1370*

open guided wave structures; *T-MTT Sep 81 841-990*

SAW device application; *T-MTT May 81 393-512*

Spread-spectrum communication
acoustoelectric convolver for jam-resistant secure communication; *Reible, Stanley A.; T-MTT May 81 463-473*

SAW convolvers for high-bandwidth spread-spectrum communication; *Goll, Jeffrey H.; T-MTT May 81 473-483*

Spread-spectrum communication; cf. Frequency-hop modulation

Stability
self-consistent solutions for IMPATT diode networks; subharmonic instability; *Brazil, Thomas J.; T-MTT Jan 81 26-32*

Strip transmission lines
digital frequency multiplier using multisection two-strip coupled line; *Sakagami, Iwata; T-MTT Feb 81 118-122*

symmetrical rectangular coaxial strip transmission line; capacitance limiting values; *Riblet, Henry J.; T-MTT Jul 81 661-666*

Strip transmission lines; cf. Microstrip

Stripline
easily-tunable stepped coupled-stripline filter; *Saulich, Gisbert; T-MTT Nov 81 1234-1236*

interconnected coupled-line sections identities; application to adjustable microstrip and strip tuners; *Rogers, Robert G.; T-MTT Aug 81 832*

open-type dielectric waveguide analysis by finite-element iterative method; *Ikeuchi, Masatoshi; T-MTT Mar 81 234-239*

stripline- and microstrip-array slow-wave structures; Bloch-wave analysis; *Rizzoli, Vittorio; T-MTT Feb 81 143-150*

transitions between metal guide and inverted-strip dielectric guide; *Bhooshan, S.; T-MTT Mar 81 263-265*

Stripline circulators
broadband matching of stripline junction circulators with Chebyshev characteristics; *Hansson, E. R. Bertil; T-MTT Nov 81 1161-1169*

planar Y resonators; use in circulators; *Helszajn, Joseph; T-MTT Jul 81 689-699*

Stripline couplers
broadside-coupled stripline circuit design; *Bahl, I. J.; T-MTT Feb 81 165-168*

ultrahigh-degree equal-ripple polynomials for 90°-coupler synthesis; *Saulich, Gisbert; T-MTT Feb 81 132-135*

Stripline resonators
cylindrical dielectric resonators for TEM-line circuit applications; resonant frequencies of TE modes; *Pospieszalski, M. W.; T-MTT Mar 79 233-238. Correction, Oct 81 1119*

planar Y resonators; use in circulators; *Helszajn, Joseph; T-MTT Jul 81 689-699*

Submillimeter-wave waveguides
dielectric rib waveguides; experiments in submillimeter region; *Tsuji, Mikio; T-MTT Jun 81 547-552*

dielectric waveguide with Y-shaped cross-section for millimeter and submillimeter waves; *Shinonaga, Hideyuki; T-MTT Jun 81 542-546*

gas-confined dielectric waveguides for millimeter and submillimeter wavelengths; low-loss transmission; *Yamamoto, Kazuyuki; T-MTT Sep 81 983-987*

open-type dielectric waveguide analysis by finite-element iterative method; *Ikeuchi, Masatoshi; T-MTT Mar 81 234-239*

Superconducting devices
helical resonators for measuring dielectric properties of materials; *Meyer, W.; T-MTT Mar 81 240-247*

millimeter-wave mixers with superconducting tunnel junctions; *Dolan, Gerald J.; T-MTT Feb 81 87-91*

Surface waves; cf. Electromagnetic surface waves

Switches; cf. Waveguide switches

Synthetic-aperture radar
prolate spheroidal model of man exposed to small loop antenna of arbitrary orientation; near-field absorption; *Lakhtakia, Akhlesh; T-MTT Jun 81 588-594*

T

Temperature measurement
minimally perturbing temperature probe for measurements in fat-muscle phantoms; *Hochuli, Christian; T-MTT Dec 81 1285-1291*

Thermal factors
thermal dielectric quotient; use for characterizing dielectric heat conductors; *Wheeler, Harold A.; T-MTT Nov 81 1227-1229*

Thin-film waveguides
magnetic waves guided by linearly tapered YIG film; *Seshadri, S. R.; T-MTT Feb 81 96-101*

Transistors; cf. FETs

Transitions; cf. Microstrip transitions

Transmission coefficient measurement; cf. Scattering parameters measurement

Transmission-line discontinuities; cf. Coaxial cable discontinuities; Microstrip discontinuities; Slotline discontinuities

Transmission-line filters
easily-tunable stepped coupled-stripline filter; *Saulich, Gisbert; T-MTT Nov 81 1234-1236*

Transmission-line measurements
dispersion measurements of microstrip lines in 2.50-GHz range; *Yamashita, Eikichi; T-MTT Jun 81 610-611*

Transmission lines
exponential, cosine-squared and parabolically tapered transmission lines; impedance equations; *Ahmed, M. Jamil; T-MTT Jan 81 67-68*

radio-frequency transformers consisting of matched transmission lines of equal length and characteristic impedance; *Rotholz, Ersch; T-MTT Apr 81 327-331*

Transmission lines; cf. Coupled transmission lines; Distributed-parameter networks; Finline; Microstrip; Multiconductor transmission lines; Optical fibers; Slotline; Strip transmission lines; Stripline; Waveguides

TRAPATT diode oscillators
tuning microstrip TRAPATT oscillators; *Booth, Peter L.; T-MTT Jan 81 6-10*

Traveling-wave amplifiers
gyro traveling wave tubes; design, characteristics, and testing; *Symons, Robert S.; T-MTT Mar 81 181-184*

Traveling-wave tubes
CW millimeter-wave generators based on laser-induced traveling-wave device; *Soohee, Jack; T-MTT Nov 81 1170-1177*

gyrotron-TWT characteristics and associated magnetic field configuration; *Ferguson, Patrick E.; T-MTT Aug 81 794-799*

Tumors
dual-mode microwave system for early cancer detection; *Carr, Kenneth L.; T-MTT Mar 81 256-260*

Tumors; cf. Electromagnetic radiation therapy

Tunable filters; cf. Programmable filters

Tuners; cf. TV receiver tuners

Tunneling
millimeter-wave mixers with superconducting tunnel junctions; *Dolan, Gerald J.; T-MTT Feb 81 87-91*

TV receiver tuners
TV tuning system with SAW comb filter; *Matsu-ura, Shigeo; T-MTT May 81 434-439*

TV transmitters
vestigial-sideband SAW filter with LiTaO₃ substrate for TV transmitters; *Kodama, Toshikazu; T-MTT May 81 429-433*

Two-port networks
2p-port cascaded networks; analysis and sensitivity evaluation; *Bandler, John W.; T-MTT Jul 81 719-723*

microstrip two-port discontinuities; resonance method for broad band characterization; *Rizzoli, Vittorio; T-MTT Jul 81 655-661*

spot noise analysis of linear two-ports using scattering waves; *Hecken, Rudolf P.; T-MTT Oct 81 997-1004*

U

UHF frequency conversion; cf. UHF mixers

UHF measurements
resistive transmission-line effects on miniature field probe; *Smith, Glenn S.; T-MTT Nov 81 1209-1220*

UHF mixers
programmable frequency-hop synthesizers based on mixing of chirp signals generated by SAW filters; *Darby, Barry J.; T-MTT May 81 456-463*

UHF modulation/demodulation; cf. UHF mixers

UHF oscillators

SAW-resonator-stabilized oscillator; radar system application; *Tanski, William J.*; *T-MTT May 81* 424-429

V**Varactor circuits**

broadband linear phase shifter using optimum varactor doping profiles; *Mains, Richard K.*; *T-MTT Nov 81* 1154-1160
millimetric varactor doublers using Schottky-barrier diodes; *Bava, Elio*; *T-MTT Nov 81* 1145-1150

Varactors

variable- bandpass filters using varactor diodes; *Toyoda, Sachihito*; *T-MTT Apr 81* 356-363

Variational methods

double-step discontinuity in coaxial line; variational expression of scattering matrix and application to TEM cell; *Sreenivasiah, Ippalapalli*; *T-MTT Jan 81* 40-47
inhomogeneous dielectric-slab-loaded waveguides; variational formulation of wave propagation; *Liu, Chang-Tsuo*; *T-MTT Aug 81* 805-812

Voltage-controlled oscillators

microwave FET oscillator for optimum large-signal performance; *Rauscher, Christen*; *T-MTT Apr 81* 293-304

W**Waveguide antennas**

circularly polarized linear array antenna using dielectric image line; *Hori, Toshikazu*; *T-MTT Sep 81* 967-970
metal walls in close proximity to dielectric waveguide antenna; *Klohn, Kenneth L.*; *T-MTT Sep 81* 962-966

Waveguide communication; cf. Millimeter-wave waveguide communication**Waveguide discontinuities**

scattering of surface waves in abruptly ended slab dielectric waveguide; *Gelin, Philippe*; *T-MTT Feb 81* 107-114
shielded microstrip circuits; open-end discontinuity; *Bedair, S. S.*; *T-MTT Oct 81* 1107-1109
shorting septum in finline; equivalent reactance; *Knorr, Jeffrey B.*; *T-MTT Nov 81* 1192-1197

Waveguide discontinuities; cf. Loaded waveguides; Transmission-line discontinuities; Waveguide junctions; Waveguide transitions**Waveguide junctions**

asymmetrical finline junctions; spurious resonances; *Solbach, Klaus*; *T-MTT Nov 81* 1189-1191
below-cutoff waveguide with dielectric resonator connected to above-cutoff waveguides; *Van Bladel, Jean*; *T-MTT Apr 81* 314-322
millimeter-wave mixers with superconducting tunnel junctions; *Dolan, Gerald J.*; *T-MTT Feb 81* 87-91
rectangular waveguide and microstrip line coupled via small aperture; *Rao, J. S.*; *T-MTT Feb 81* 150-154
scattering problem solution by complex power conservation technique; *Safavi-Naini, Reza*; *T-MTT Apr 81* 337-343

Waveguide switches

coaxial-waveguide commutation feed system for scanning circular antenna arrays; *Irzinski, E. P.*; *T-MTT Mar 81* 266-270

Waveguide transitions

between metal guide and inverted-strip dielectric guide; *Bhooshan, S.*; *T-MTT Mar 81* 263-265

Waveguides

homogeneous structures with impedance boundaries; asymptotic high-frequency modes; *Lindell, Ismo V.*; *T-MTT Oct 81* 1087-1093
open guided wave structures; *special issue*; *T-MTT Sep 81* 841-990
open guided wave structures; *special issue introduction*; *Itoh, Tatsuo, Guest ed.*; *T-MTT Sep 81* 841-842
orthogonality of approximate mode functions; *Steyskal, Hans*; *T-MTT Jun 81* 615-617
toroidal resonators and waveguides of arbitrary cross-section; *Cap, Ferdinand*; *T-MTT Oct 81* 1053-1059
variable-cross-section axial symmetric waveguides; Maxwell equations; *Kheifets, Semyon A.*; *T-MTT Mar 81* 222-229
Waveguides; cf. Circular waveguides; Coaxial waveguides; Corrugated waveguides; Dielectric waveguides; Ferrite-loaded waveguides; Finline; Microstrip; Millimeter-wave waveguides; Multimode waveguides; Optical fibers; Optical waveguides; Parallel-plate waveguides; Ridge waveguides; Slotline; Stripline; Submillimeter-wave waveguides; Thin-film waveguides

Y**YIG**

abbr. of Yttrium iron garnet
guided magnetostatic waves with nonuniformly magnetized YIG plates; *Yashiro, Ken'ichiro*; *T-MTT Jul 81* 745-747
magnetostatic volume-wave delay lines using YIG slab; *Tsutsumi, Makoto*; *T-MTT Jun 81* 583-587

YIG films

magnetic waves guided by linearly tapered YIG film; *Seshadri, S. R.*; *T-MTT Feb 81* 96-101