

1983 Index

IEEE Transactions on Microwave Theory and Techniques

Vol. MTT-31

This index covers all items—papers, correspondence, reviews, etc.—that appeared in this periodical during 1983, and items from prior years that were commented upon or corrected in 1983. The index is divided into an Author Index and a Subject Index, both arranged alphabetically.

The *Author Index* contains the primary entry for each item; this entry is listed under the name of the first author and includes coauthor names, title, location of the item, and notice of corrections and comments if any. Cross-references are given from each coauthor name to the name of the corresponding first author. The location of the item is specified by the journal name (abbreviated), year, month, and inclusive pages.

The *Subject Index* contains several entries for each item, each consisting of a subject heading, modifying phrase(s), first author's name—followed by + if the paper has coauthors—and enough information to locate the item. For coauthors, title, comments, and corrections if any, etc., it is necessary to refer to the primary entry in the Author Index. Subject cross-references are provided as required by the subject matter. Also provided whenever appropriate are listings under generic headings such as *Bibliographies* (for any paper with at least 50 references, as well as papers that are exclusively bibliographies), *Book reviews*, and *Special issues*.

AUTHOR INDEX

A

- Abdallah, Esmat A. F., see El-Deeb, Nabil A., *T-MTT Jul 83* 592–596
 Adams, Arlon T., see Leviatan, Yehuda, *T-MTT Oct 83* 806–812
 Adde, R., see Henaux, J.-C., *T-MTT Feb 83* 177–183
 Aditya, Sheel, see Chadha, Devi, *T-MTT Jan 83* 73–76
 Afsar, Mohammed Nurul, and Kenneth J. Button. Precise millimeter-wave measurements of complex refractive index, complex dielectric permittivity and loss tangent of GaAs, Si, SiO₂, Al₂O₃, BeO, macor, and glass; *T-MTT Feb 83* 217–223
 Albertsen, N. Chr., and Per Skov-Madsen. A compact septum polarizer; *T-MTT Aug 83* 654–660
 Alexopoulos, N. G., and S. A. Maas. Performance of microstrip couplers on an anisotropic substrate with an isotropic superstrate (Short p.); *T-MTT Aug 83* 671–674
 Alexopoulos, Nicolaos G., Pisti B. Katehi, and D. B. Rutledge. Substrate optimization for integrated circuit antennas; *T-MTT Jul 83* 550–557
 Alferness, Rod C. Corrections to 'Waveguide electrooptic modulators' (Aug 82 1121–1137); *T-MTT Mar 83* 315
 Anand, Yogi, see Armstrong, Albert L., *T-MTT Feb 83* 238–241
 Anderson, D., M. Lisak, and T. Lewin. Noise due to pulse-to-pulse incoherence in injection-locked pulsed microwave oscillators (Short p.); *T-MTT Nov 83* 963–964
 Angelakos, D. J., see Hubbell, S., *T-MTT Aug 83* 687–688
 Archer, John, see Lundien, Keith, *T-MTT Feb 83* 235–238
 Ardemagni, Fiorenzo. An optimized L-band eight-way Gysel power divider—combiner (Short p.); *T-MTT Jun 83* 491–495
 Armstrong, Albert L., and Yogi Anand. A limiter for high-power millimeter-wave systems (Short p.); *T-MTT Feb 83* 238–241
 Arndt, Fritz, see Vahldieck, Rüdiger, *T-MTT Jan 83* 65–69
 Arora, Rajendra K., see Chadha, Devi, *T-MTT Jan 83* 73–76
 Ashley, J. Robert, Thomas A. Barley, and Gustaf J. Rast, Jr. Comments on discriminator theory (Ltr.); *T-MTT Jul 83* 605–606
 Atia, Ali E., see Zaki, Kawthar A., *T-MTT Dec 83* 1039–1045
 Atwater, Harry A. Microstrip reactive circuit elements (Short p.); *T-MTT Jun 83* 488–491
 Aubourg, Michel, Jean-Pierre Villotte, Franck Godon, and Yves Garault. Finite element analysis of lossy waveguides—Application to microstrip lines on semiconductor substrate; *T-MTT Apr 83* 326–331
 Auda, Hesham, and Roger F. Harrington. A moment solution for waveguide junction problems; *T-MTT Jul 83* 515–520

B

- Bahar, Ezekiel, and John D. Saylor. A feasibility study to monitor soil moisture content using microwave signals; *T-MTT Jul 83* 533–541
 Bandyopadhyay, D., see Biswas, B. N., *T-MTT Mar 83* 271–276
 Barley, Thomas A., see Ashley, J. Robert, *T-MTT Jul 83* 605–606
 Batchman, T. E., and George Gimpelson. An implantable electric-field probe of submillimeter dimensions; *T-MTT Sep 83* 745–751
 Bauhahn, Paul E., see Chao, Chente, *T-MTT Jan 83* 11–15
 Bauhahn, Paul E., see Sokolov, Vladimir, *T-MTT Dec 83* 1077–1083
 Bava, Elio, see Cazzola, Roberto, *T-MTT Oct 83* 797–805
 Bava, Gian Paolo, see Cazzola, Roberto, *T-MTT Oct 83* 797–805
 Bayuk, Franklin J., see Mooney, Dale W., *T-MTT Feb 83* 171–177
 Bermudez, Luis Alfonso, see Podcameni, Abelardo, *T-MTT Apr 83* 358–361
 Bertoni, Henry L., see Rubin, Barry J., *T-MTT Jul 83* 541–549
 Bhat, Bharathi, see Sharma, Arvind K., *T-MTT Aug 83* 681–685
 Bhat, Bharathi, see Koul, Shiban Kishen, *T-MTT Dec 83* 1051–1059
 Biswas, B. N., S. K. Ray, K. Pramanik, M. Sadhu, and D. Bandyopadhyay. Hold-in characteristics of an extended range Gunn oscillator system; *T-MTT Mar 83* 271–276
 Blakey, P. A., and R. K. Froelich. On the transient analysis of circuits containing multiple diodes (Short p.); *T-MTT Sep 83* 781–783
 Blomfield, D. A. E., A. G. Williamson, and B. Egan. A design method for non-commensurate broad-band matching networks (Short p.); *T-MTT Sep 83* 774–776
 Bolomey, J. C., L. Jofre, and G. Peronnet. On the possible use of microwave active imaging for remote thermal sensing (Short p.); *T-MTT Sep 83* 777–781
 Bornemann, Jens, see Vahldieck, Rüdiger, *T-MTT Jan 83* 65–69
 Bosisio, Renato G., see Li, Shihe, *T-MTT Apr 83* 321–326
 Boström, Anders. Passbands and stopbands for an electromagnetic waveguide with a periodically varying cross section; *T-MTT Sep 83* 752–755
 Bui, Long Q., see Shih, Yi-Chi, *T-MTT Feb 83* 135–142
 Button, Kenneth J., see Afsar, Mohammed Nurul, *T-MTT Feb 83* 217–223

C

- Callsen, Heinrich, see Menzel, Wolfgang, *T-MTT Feb 83* 142–146
 Camacho-Peñalosa, Carlos. Numerical steady-state analysis of nonlinear microwave circuits with periodic excitation; *T-MTT Sep 83* 724–730
 Camilleri, Natalino, see Stephan, Karl D., *T-MTT Feb 83* 164–170.
 Camilleri, Natalino, see Stephan, Karl, *T-MTT Jun 83* 504
 Campisi, Isidoro E., and William O. Hamilton. Experimental properties of three-cavity tunnel diode RF oscillators; *T-MTT Nov 83* 905–910
 Cazzola, Roberto, Gianpiero P. Poncino, Elio Bava, Aldo Godone, and Gian Paolo Bava. Nonlinear theory of parametric oscillator: Steady-state operation and fluctuation analysis; *T-MTT Oct 83* 797–805
 Chadha, Devi, Sheel Aditya, and Rajendra K. Arora. Field theory of planar helix traveling-wave tube (Short p.); *T-MTT Jan 83* 73–76
 Chadha, Rakesh, and K. C. Gupta. Green's function approach for obtaining S-matrices of multimode planar networks (Short p.); *T-MTT Feb 83* 224–227
 Chambers, David S. G., and John David Rhodes. A low-pass prototype network allowing the placing of integrated poles at real frequencies; *T-MTT Jan 83* 40–45
 Chang, Kai, and Cheng Sun. Millimeter-wave power-combining techniques; *T-MTT Feb 83* 91–107
 Chang, Kai, Kenneth Louie, Albert J. Grote, Raghibir S. Tahim, Mitchell J. Mlinar, George M. Hayashibara, and Cheng Sun. V-band low-noise integrated circuit receiver; *T-MTT Feb 83* 146–154
 Chang, Kai, see Tahim, Raghibir S., *T-MTT Mar 83* 271–283
 Chang, Yu-Wen. Millimeter-wave (W-band) quartz image guide Gunn oscillator; *T-MTT Feb 83* 194–199
 Chao, Chente, A. Contolatis, Stephen A. Jamison, and Paul E. Bauhahn. K_a-band monolithic GaAs balanced mixers; *T-MTT Jan 83* 11–15
 Chao, Chente, see Sokolov, Vladimir, *T-MTT Dec 83* 1077–1083
 Chen, Hollis C. A coordinate-free approach to wave reflection from a uniaxially anisotropic medium; *T-MTT Apr 83* 331–336
 Cherpak, Nikolay T., and Tamara A. Smirnova. A broad-band traveling-wave maser for the range 40–46.5 GHz (Short p.); *T-MTT Mar 83* 306–309
 Chiou, Arthur E. T., see Pickett, Herbert M., *T-MTT May 83* 373–380

- Choe, Joon Y., see Uhm, Hans S., *T-MTT Sep 83* 704–710
- Chu, Alejandro, Leonard J. Mahoney, Michael E. Elta, William E. Courtney, M. C. Finn, William J. Piacentini, and Joseph P. Donnelly. A two-stage monolithic IF amplifier utilizing a Ta₂O₅ capacitor; *T-MTT Jan 83* 21–26
- Chu, Shiou Lung G., see Holway, Lowell H., Jr., *T-MTT Nov 83* 916–922
- Chua, Y. L., J. B. Davies, and D. Mirshekar-Syahkal. An accurate bivariate formulation for computer-aided design of circuits including microstrip (Short p.); *T-MTT Aug 83* 685–687
- Cisco, Terry C., see Forward, Robert L., *T-MTT Jan 83* 45–50
- Cloete, J. H. The resonant frequency of rectangular interdigital filter elements (Short p.); *T-MTT Sep 83* 772–774
- Contolatis, A., see Chao, Chente, *T-MTT Jan 83* 11–15
- Contolatis, A., see Sokolov, Vladimir, *T-MTT Dec 83* 1077–1083
- Courtney, William E., see Chu, Alejandro, *T-MTT Jan 83* 21–26
- Cox, Donald C., see Saleh, Adel A. M., *T-MTT Jan 83* 51–56
- Cronson, Harry M., see Fong-Tom, Robert A., *T-MTT Feb 83* 158–164
- Curtice, Walter R., see Upadhyayula, I. Chainulu, *T-MTT Jan 83* 2–10

D

- Das, B. N., K. V. Seshagiri Rao, and A. K. Mallick. Analysis of an oval symmetrically located inside a rectangular boundary by conformal mapping (Short p.); *T-MTT May 83* 403–406
- Das, B. N., see Seshagiri Rao, K. V., *T-MTT Aug 83* 678–681
- Dasgupta, D., and P. K. Saha. Rectangular waveguide with two double ridges (Short p.); *T-MTT Nov 83* 938–941
- Davies, J. B., see Chua, Y. L., *T-MTT Aug 83* 685–687
- De Salles, Alvaro Augusto A. Optical control of GaAs MESFET's; *T-MTT Oct 83* 812–820
- Decker, D. R., see Gupta, Aditya, *T-MTT Jan 83* 16–20
- Decker, D. R., see Petersen, Wendall C., *T-MTT Jan 83* 27–29
- DeFord, John F., Om P. Gandhi, and Mark J. Hagmann. Moment-method solutions and SAR calculations for inhomogeneous models of man with large number of cells (Short p.); *T-MTT Oct 83* 848–851
- Dixon, Samuel, Jr., and Roger J. Malik. Subharmonic planar doped barrier mixer conversion loss characteristics; *T-MTT Feb 83* 155–158
- Donnelly, Joseph P., see Chu, Alejandro, *T-MTT Jan 83* 21–26
- Dropkin, H. Comments, with reply, on 'A rigorous technique for measuring the scattering matrix of a multiport device with a two-port network analyzer' by R. A. Speciale and J. C. Tippet; *T-MTT Jan 83* 79–81 (Original paper, May 82 661–666)
- Durney, C. H., see Lakhtakia, A., *T-MTT Aug 83* 640–647

E

- Egan, B., see Blomfield, D. A. E., *T-MTT Sep 83* 774–776
- El-Deeb, Nabil A. The calibration and performance of a microstrip six-port reflectometer; *T-MTT Jul 83* 509–514
- El-Deeb, Nabil A., Esmat A. F. Abdallah, and Mohamed B. Saleh. Design parameters of inhomogeneous asymmetrical coupled transmission lines (Short p.); *T-MTT Jul 83* 592–596
- Elta, Michael E., see Chu, Alejandro, *T-MTT Jan 83* 21–26
- Endo, Isao, Yoshiaki Nemoto, and Risaburo Sato. Equivalent representations of lossy nonuniform transmission lines; *T-MTT Jun 83* 457–462
- Engberg, Jakob. Comment, with reply, on 'The exact noise figure of amplifiers with parallel feedback and lossy matching circuit' by K. B. Niclas; *T-MTT Jan 83* 81 (Original paper, May 82 832–834)
- Esfandiari, Reza, Douglas W. Maki, and Mario Siracusa. Design of interdigitated capacitors and their application to gallium arsenide monolithic filters; *T-MTT Jan 83* 57–64

F

- Felch, Kevin L., see Stone, David S., *T-MTT Sep 83* 710–718
- Fiedziuszko, S. J. Corrections to 'Dual mode dielectric resonator loaded cavity filters' (Sep 82 1311–1316); *T-MTT Mar 83* 315
- Fikioris, John G., see Lyras, Andreas D., *T-MTT Nov 83* 945–950
- Finn, M. C., see Chu, Alejandro, *T-MTT Jan 83* 21–26
- Fong-Tom, Robert A., and Harry M. Cronson. Diode detector characteristics for a 94-GHz six-port application; *T-MTT Feb 83* 158–164
- Forward, Robert L., and Terry C. Cisco. Electronically cold microwave artificial resistors; *T-MTT Jan 83* 45–50
- Froelich, R. K., see Blakey, P. A., *T-MTT Sep 83* 781–783
- Francisz, Wojciech, see Mehdi-zadeh, Mehrdad, *T-MTT Dec 83* 1059–1064
- Fujita, Sadao, see Yoneyama, Tsukasa, *T-MTT Dec 83* 1002–1008
- Fukumoto, Katsumi, Masamitsu Nakajima, and Jun-ichi Ikenoue. Mathematical representation of microwave oscillator characteristics by use of the Rieke diagram (Short p.); *T-MTT Nov 83* 954–959
- Fukuoka, Yoshiro, Yi-Chi Shih, and Tatsuo Itoh. Analysis of slow-wave coplanar waveguide for monolithic integrated circuits; *T-MTT Jul 83* 567–573

- Fukuoka, Yoshiro, and Tatsuo Itoh. Slow-wave coplanar waveguide on periodically doped semiconductor substrate; *T-MTT Dec 83* 1013–1017

G

- Gabriel, G. J. Comments, with reply, on 'Variational methods for nonstandard eigenvalue problems in waveguide and resonator analysis' by I. V. Lindell; *T-MTT Sep 83* 786–789 (Original paper, Aug 82 1194–1204)
- Gajda, Gregory B., and Stanislaw S. Stuchly. Numerical analysis of open-ended coaxial lines; *T-MTT May 83* 380–384
- Galwas, Bogdan A. Scattering matrix description of microwave resonators (Short p.); *T-MTT Aug 83* 669–671
- Gandhi, Om P., see Ghodgaonkar, Deepak K., *T-MTT Jun 83* 442–446
- Gandhi, Om P., see DeFord, John F., *T-MTT Oct 83* 848–851
- Garault, Y., see Khanna, Aps, *T-MTT Mar 83* 261–264
- Garault, Yves, see Aubourg, Michel, *T-MTT Apr 83* 326–331
- Garcia, J. L., see Prieto, A., *T-MTT Sep 83* 785–786 (Original paper, Nov 82 1826–1831)
- Gardner, C. Gerald, see Ou, Weiming, *T-MTT Mar 83* 225–261
- Geddes, John J., see Sokolov, Vladimir, *T-MTT Dec 83* 1077–1083
- Gelnovatch, Vladimir G., *Guest ed.* Foreword; *T-MTT Jan 83* 1
- Gelnovatch, Vladimir G., *Guest ed.*, and Harold Jacobs, *Guest ed.* Foreword to special issue; *T-MTT Feb 83* 89
- Getsinger, William J. Measurement and modeling of the apparent characteristic impedance of microstrip; *T-MTT Aug 83* 624–632
- Ghodgaonkar, Deepak K., Om P. Gandhi, and Mark J. Hagmann. Estimation of complex permittivities of three-dimensional inhomogeneous biological bodies; *T-MTT Jun 83* 442–446
- Gilmore, Rowan J., and Fred J. Rosenbaum. An analytic approach to optimum oscillator design using S-parameters; *T-MTT Aug 83* 633–639
- Gimpelson, George, see Batchman, T. E., *T-MTT Sep 83* 745–751
- Glisson, Allen W., Darko Kajfez, and Joseph James. Evaluation of modes in dielectric resonators using a surface integral equation formulation; *T-MTT Dec 83* 1023–1029
- Godon, Franck, see Aubourg, Michel, *T-MTT Apr 83* 326–331
- Godone, Aldo, see Cazzola, Roberto, *T-MTT Oct 83* 797–805
- Golio, J. M. Michael, and Robert J. Trew. Profile studies of ion-implanted MESFET's; *T-MTT Dec 83* 1066–1071
- Grauerholz, Dietrich, see Vahldieck, Rüdiger, *T-MTT Jan 83* 65–69
- Grote, Albert J., see Chang, Kai, *T-MTT Feb 83* 146–154
- Gruener, Konrad, see Vowinkel, Bernd, *T-MTT Dec 83* 996–1001
- Gruner, L. Higher-order modes in squared coaxial lines (Short p.); *T-MTT Sep 83* 770–772
- Guo, T. C., W. W. Guo, L. E. Larsen, and J. H. Jacobi. Comments, with reply, on 'Heat transfer in surface-cooled objects subject to microwave heating' by K. R. Foster, et. al.; *T-MTT Sep 83* 783–785 (Original paper, Aug 82 1158–1166)
- Guo, W. W., see Guo, T. C., *T-MTT Sep 83* 783–785 (Original paper, Aug 82 1158–1166)
- Gupta, Aditya, Wendell C. Petersen, and D. R. Decker. Yield considerations for ion-implanted GaAs MMIC's; *T-MTT Jan 83* 16–20
- Gupta, Aditya, see Petersen, Wendall C., *T-MTT Jan 83* 27–29
- Gupta, Aditya K., D. P. Siu, Kwan T. Ip, and W. C. Petersen. Low-noise MESFET's for ion-implanted GaAs MMIC's; *T-MTT Dec 83* 1072–1076
- Gupta, K. C., see Chadha, Rakesh, *T-MTT Feb 83* 224–227

H

- Hagmann, Mark J., see Ghodgaonkar, Deepak K., *T-MTT Jun 83* 442–446
- Hagmann, Mark J., see DeFord, John F., *T-MTT Oct 83* 848–851
- Hallford, Ben R. Investigation of a single-sideband mixer anomaly; *T-MTT Dec 83* 1030–1038
- Hamilton, William O., see Campisi, Isidoro E., *T-MTT Nov 83* 905–910
- Hansson, E. R. Bertil, and Gordon P. Riblet. An ideal six-port network consisting of a matched reciprocal lossless five-port and a perfect directional coupler; *T-MTT Mar 83* 284–288
- Harrington, Roger F., see Auda, Hesham, *T-MTT Jul 83* 515–520
- Hayashi, Y., and R. Mittra. An analytical investigation of finlines with magnetized ferrite substrate (Short p.); *T-MTT Jun 83* 495–498
- Hayashi, Yoshio, see Kitazawa, Toshihide, *T-MTT Jun 83* 429–433
- Hayashibara, George M., see Chang, Kai, *T-MTT Feb 83* 146–154
- Hayashibara, George M., see Tahim, Raghib S., *T-MTT Mar 83* 271–283
- Haydl, William H. Fundamental and harmonic operation of millimeter-wave Gunn diodes; *T-MTT Nov 83* 879–889
- Heidemann, R., and D. Jäger. Optical injection locking of BARITT oscillators (Short p.); *T-MTT Jan 83* 78–79
- Helsajn, Joseph, and John Sharp. Resonant frequencies, Q-factor, and susceptance slope parameter of waveguide circulators using weakly magnetized open resonators; *T-MTT Jun 83* 434–441
- Helsajn, Joseph. Complex gyrator circuits of planar circulators using higher order modes in a disk resonator; *T-MTT Nov 83* 931–938

- Henaux, J.-C., G. Vernet, and R. Adde. Synchronization effects in a submillimeter Josephson self-oscillator; *T-MTT Feb 83* 177-183
- Hoefler, Wolfgang J. R., see Sharma, Arvind K., *T-MTT Apr 83* 350-356
- Hoefler, Wolfgang J. R., see Sharma, Arvind K., *T-MTT Jun 83* 498-502
- Hoer, Cletus A. Choosing line lengths for calibrating network analyzers (Short p.); *T-MTT Jan 83* 76-78
- Holway, Lowell H., Jr., and Shiou Lung G. Chu. Theory and measurement of back bias voltage in IMPATT diodes; *T-MTT Nov 83* 916-922
- Honjo, Kazuhiko, Tadahiko Sugiura, Tsutomu Tsuji, and Tsohiharu Ozawa. Low-noise, low power dissipation GaAs monolithic broad-band amplifiers (Short p.); *T-MTT May 83* 412-417
- Honjo, Kazuhiko, see Sugiura, Tadahiko, *T-MTT Dec 83* 1083-1088
- Hori, Shigekazu, Kiyoho Kamei, Kiyoyasu Shibata, Mikio Tatamatsu, Katsuhiko Mishima, and Susumu Okano. GaAs monolithic MIC's for direct broadcast satellite receivers; *T-MTT Dec 83* 1089-1096
- Horng, Jing Shyang, see Lee, Chung Len, *T-MTT Nov 83* 890-897
- Hosono, Toshio, see Suzuki, Mitsunori, *T-MTT Oct 83* 836-841
- Howe, Harlan, Jr. The 1983 MTT-S International Microwave Symposium; *T-MTT Dec 83* 975-984
- Howes, Michael J., see Jefford, Peter A., *T-MTT Aug 83* 613-624
- Hu, Chia-Lun J. Microwave automatic impedance measuring schemes using three fixed probes; *T-MTT Sep 83* 756-762
- Huang, Cheng Hao, see Lee, Chung Len, *T-MTT Nov 83* 890-897
- Huang, Ho-Chung, see Kumar, Mahesh, *T-MTT Jan 83* 29-32
- Hubbell, S., and D. J. Angelakos. A technique for measuring the effective dielectric constant of a microstrip line; *T-MTT Aug 83* 687-688
- Hyde, James S., see Mehdi-zadeh, Mehrdad, *T-MTT Dec 83* 1059-1064

I

- Ikenoue, Jun-ichi, see Fukumoto, Katsumi, *T-MTT Nov 83* 954-959
- Ip, Kwan T., see Gupta, Aditya K., *T-MTT Dec 83* 1072-1076
- Ishii, T. Koryu, see Mehdi-zadeh, Mehrdad, *T-MTT Dec 83* 1059-1064
- Ishizaki, Masayuki, see Tokumitsu, Yasuyuki, *T-MTT Feb 83* 121-128
- Iskander, M. F., see Lakhtakia, A., *T-MTT Aug 83* 640-647
- Itoh, Hitoshi, see Sugiura, Tadahiko, *T-MTT Dec 83* 1083-1088
- Itoh, Tatsuo, see Shih, Yi-Chi, *T-MTT Feb 83* 135-142
- Itoh, Tatsuo, see Stephan, Karl D., *T-MTT Feb 83* 164-170.
- Itoh, Tatsuo, see Miao, Jing-Feng, *T-MTT Apr 83* 361-363
- Itoh, Tatsuo, see Stephan, Karl, *T-MTT Jun 83* 504
- Itoh, Tatsuo, see Fukuoka, Yoshiro, *T-MTT Jul 83* 567-573
- Itoh, Tatsuo, see Shih, Yi-Chi, *T-MTT Dec 83* 1009-1013
- Itoh, Tatsuo, see Fukuoka, Yoshiro, *T-MTT Dec 83* 1013-1017
- Itoh, Tatsuo, see Su, Luo, *T-MTT Dec 83* 1017-1022
- Iwakuni, Mikio, see Tokumitsu, Yasuyuki, *T-MTT Feb 83* 121-128

J

- Jacobi, J. H., see Guo, T. C., *T-MTT Sep 83* 783-785 (Original paper, Aug 82 1158-1166)
- Jacobs, Harold, *Guest ed.*, see Gelnovatch, Vladimir G., *Guest ed.*, *T-MTT Feb 83* 89
- Jäger, D., see Heidemann, R., *T-MTT Jan 83* 78-79
- James, Graeme L. On the problem of applying mode-matching techniques in analyzing conical waveguide discontinuities; *T-MTT Sep 83* 718-723
- James, Joseph, see Glisson, Allen W., *T-MTT Dec 83* 1023-1029
- Jamison, Stephen A., see Chao, Chente, *T-MTT Jan 83* 11-15
- Jefford, Peter A., and Michael J. Howes. Modulation schemes in low-cost microwave field sensors; *T-MTT Aug 83* 613-624
- Jofre, L., see Bolomey, J. C., *T-MTT Sep 83* 777-781
- Johnson, Deron L., see Matthaei, George L., *T-MTT Oct 83* 825-835

K

- Kajfez, Darko, see Glisson, Allen W., *T-MTT Dec 83* 1023-1029
- Kamei, Kiyoho, see Hori, Shigekazu, *T-MTT Dec 83* 1089-1096
- Kanellopoulos, John D., see Lyras, Andreas D., *T-MTT Nov 83* 945-950
- Kastner, Raphael, and Raj Mittra. A new stacked two-dimensional spectral iterative technique (SIT) for analyzing microwave power deposition in biological media; *T-MTT Nov 83* 898-904
- Katehi, Pisti B., see Alexopoulos, Nicolaos G., *T-MTT Jul 83* 550-557
- Kerr, Anthony R., see Siegel, Peter H., *T-MTT Jun 83* 473-484
- Khanna, Aps, and Y. Garault. Determination of loaded, unloaded, and external quality factors of a dielectric resonator coupled to a microstrip line; *T-MTT Mar 83* 261-264
- Kim, Yun Myung, see Matthaei, George L., *T-MTT Oct 83* 825-835
- King, Ronald W. P., B. S. Trembly, and J. W. Strohbehn. The electromagnetic field of an insulated antenna in a conducting or dielectric medium; *T-MTT Jul 83* 574-583
- Kitazawa, Toshihide, and Yoshio Hayashi. Propagation characteristics of striplines with multilayered anisotropic media; *T-MTT Jun 83* 429-433

- Knerr, Reinhard H., *Ed.* Announcement—Changes in the Editorial Board; *T-MTT Jan 83* 33
- Knoechel, Reinhard. Capabilities of multiapplicator systems for focussed hyperthermia (Short p.); *T-MTT Jan 83* 70-73.
- Comments by Turner, P. F., T-MTT Oct 83* 851-852
- Kobayashi, Masanori. Corrections to 'New view on an anisotropic medium in a moving line charge problem' (Nov 82 2046-2048); *T-MTT Jul 83* 606
- Kollberg, Erik L., and Herbert H. G. Zirath. A cryogenic millimeter-wave Schottky-diode mixer (Short p.); *T-MTT Feb 83* 230-235
- Komatsu, Yasutoshi, and Yoshikazu Murakami. Coupling coefficient between microstrip line and dielectric resonator; *T-MTT Jan 83* 34-40
- Koul, Shiban Kishen, and Bharathi Bhat. Generalized analysis of microstrip-like transmission lines and coplanar strips with anisotropic substrates for MIC, electrooptic modulator, and SAW application; *T-MTT Dec 83* 1051-1059
- Kritzer, Thomas R., see Niclas, Karl B., *T-MTT Jun 83* 447-456
- Krupka, Jerzy. Optimization of an electrodynamic basis for determination of the resonant frequencies of microwave cavities partially filled with a dielectric (Short p.); *T-MTT Mar 83* 302-305
- Kumagai, Nobuaki, see Surawatpunya, Charray, *T-MTT Jul 83* 584-588
- Kumagai, Nobuaki, see Nishimura, Eiichi, *T-MTT Nov 83* 923-930
- Kumar, Mahesh, S. N. Subbarao, Raymond J. Menna, and Ho-Chung Huang. Monolithic GaAs integrated digited couplers (Short p.); *T-MTT Jan 83* 29-32
- Kuno, H. J., *Symp. Chmn.* Foreword; *T-MTT Dec 83* 1065
- Kwan, B. W., see Newman, E. H., *T-MTT Nov 83* 941-945

L

- Lakhtakia, A., M. F. Iskander, and C. H. Durney. An iterative extended boundary condition method for solving the absorption characteristics of lossy dielectric objects of large aspect ratios; *T-MTT Aug 83* 640-647
- Lakshminarayana, Mysore R., and Larry D. Partain. Large-signal, dynamic, negative conductance of Gunn devices in Sharpless flanges; *T-MTT Mar 83* 265-271
- Lao, Binng Y., see Rowe, David A., *T-MTT Nov 83* 911-915
- Larsen, L. E., see Guo, T. C., *T-MTT Sep 83* 783-785 (Original paper, Aug 82 1158-1166)
- Laura, Patricio A. A., and José L. Pombo. Comments, with reply, on 'The dynamical behavior of a single-mode optical fiber strain gage' by M. Martinelli; *T-MTT Apr 83* 364-366 (Original paper, Apr 82 512-516)
- Lee, Chi H., see Vaucher, Aileen M., *T-MTT Feb 83* 209-216
- Lee, Chung Len, Jing Shyang Horng, and Cheng Hao Huang. A planar electrooptic beam splitter with a zig-zag electrode; *T-MTT Nov 83* 890-897
- Leviatan, Yehuda, Ping G. Li, Arlon T. Adams, and Jose Perini. Single-post inductive obstacle in rectangular waveguide; *T-MTT Oct 83* 806-812
- Lewin, T., see Anderson, D., *T-MTT Nov 83* 963-964
- Li, Ping G., see Leviatan, Yehuda, *T-MTT Oct 83* 806-812
- Li, Shihe, and Renato G. Bosio. The measurement of complex reflection coefficient by means of a five-port reflectometer; *T-MTT Apr 83* 321-326
- Lighthart, Leo P. A fast computational technique for accurate permittivity determination using transmission line methods; *T-MTT Mar 83* 249-254
- Lindell, Ismo V., and Ari H. Sihvola. Dielectrically loaded corrugated waveguide: Variational analysis of a nonstandard eigenproblem; *T-MTT Jul 83* 520-526
- Lindell, Ismo V., and Markku I. Oksanen. Transversely anisotropic optical fibers: Variational analysis of a nonstandard eigenproblem; *T-MTT Sep 83* 736-745
- Lipparini, Alessandro, see Rizzoli, Vittorio, *T-MTT Sep 83* 762-770
- Lisak, M., see Anderson, D., *T-MTT Nov 83* 963-964
- Long, Stuart A., see Ou, Weiming, *T-MTT Mar 83* 225-261
- Louie, Kenneth, see Chang, Kai, *T-MTT Feb 83* 146-154
- Love, John D., and Allan W. Snyder. Comments, with reply, on 'Refraction at a curved dielectric interface: Geometrical optics solution' by S. W. Lee, et al.; *T-MTT Oct 83* 853 (Original paper, Jan 82 12-19)
- Lüdeke, K. M., see Siweris, H. J., *T-MTT Apr 83* 364 (Original paper, May 82 715-718)
- Lundien, Keith, Robert J. Matlack, John Archer, and Roger Malik. Hyperabrupt junction varactor diodes for millimeter-wavelength harmonic generators (Short p.); *T-MTT Feb 83* 235-238
- Lyras, Andreas D., John A. Roumeliotis, John D. Kanellopoulos, and John G. Fikioris. Analysis of the hybrid modes for an eccentrically clad fiber (Short p.); *T-MTT Nov 83* 945-950

M

- Maas, S. A., see Alexopoulos, N. G., *T-MTT Aug 83* 671–674
- Madihian, Mohammad, and Shizuo Mizushima. A 3M-device cavity-type power combiner; *T-MTT Sep 83* 731–735
- Mage, J. C., see Maystre, D., *T-MTT Oct 83* 844–848
- Mahoney, Leonard J., see Chu, Alejandro, *T-MTT Jan 83* 21–26
- Maki, Douglas W., see Esfandiari, Reza, *T-MTT Jan 83* 57–64
- Makimoto, Mitsuo, see Yamashita, Sadahiko, *T-MTT Jun 83* 485–488
- Makimoto, Mitsuo, see Yamashita, Sadahiko, *T-MTT Sep 83* 697–703
- Malik, Roger, see Lundien, Keith, *T-MTT Feb 83* 235–238
- Malik, Roger J., see Dixon, Samuel, Jr., *T-MTT Feb 83* 155–158
- Mallick, A. K., see Das, B. N., *T-MTT May 83* 403–406
- Mallick, A. K., see Seshagiri Rao, K. V., *T-MTT Aug 83* 678–681
- Marazzi, Ernesto, see Rizzoli, Vittorio, *T-MTT Sep 83* 762–770
- Matsumoto, Soichi, see Tsuji, Mikio, *T-MTT Apr 83* 337–342
- Mattauch, Robert J., see Lundien, Keith, *T-MTT Feb 83* 235–238
- Matthaei, George L. A note concerning modes in dielectric waveguide gratings for filter applications (Short p.); *T-MTT Mar 83* 309–312
- Matthaei, George L., Dong Chul Park, Yun Myung Kim, and Deron L. Johnson. A study of the filter properties of single and parallel-coupled dielectric-waveguide gratings; *T-MTT Oct 83* 825–835
- Maystre, D., P. Vincent, and J. C. Mage. Theoretical and experimental study of the resonant frequency of a cylindrical dielectric resonator (Short p.); *T-MTT Oct 83* 844–848
- Mehdizadeh, Mehrdad, T. Koryu Ishii, James S. Hyde, and Wojciech Froncisz. Loop-gap resonator: A lumped mode microwave resonant structure; *T-MTT Dec 83* 1059–1064
- Meier, Paul J. E-plane W-band printed-circuit balanced mixer (Short p.); *T-MTT Feb 83* 227–230
- Menna, Raymond J., see Kumar, Mahesh, *T-MTT Jan 83* 29–32
- Menzel, Wolfgang, and Heinrich Callen. Integrated fin-line components and subsystems at 60 and 94 GHz; *T-MTT Feb 83* 142–146
- Miao, Jing-Feng, and Tatsuo Itoh. Coupling between microstrip line and image guide through small apertures in the common ground plane (Short p.); *T-MTT Apr 83* 361–363
- Minakawa, Shinya, see Shibata, Hisashi, *T-MTT May 83* 385–391
- Mirshekar-Syahkal, D., see Chua, Y. L., *T-MTT Aug 83* 685–687
- Mirshekar-Syahkal, D. An accurate determination of dielectric loss effect in monolithic microwave integrated circuits including microstrip and coupled microstrip lines (Short p.); *T-MTT Nov 83* 950–954
- Mishima, Katsuhiko, see Hori, Shigekazu, *T-MTT Dec 83* 1089–1096
- Mitra, R., see Hayashi, Y., *T-MTT Jun 83* 495–498
- Mitra, Raj, see Kastner, Raphael, *T-MTT Nov 83* 898–904
- Mizuno, Hideki. Microwave characteristics of an optically controlled GaAs MESFET (Short p.); *T-MTT Jul 83* 596–600
- Mizushima, Shizuo, see Madihian, Mohammad, *T-MTT Sep 83* 731–735
- Mlinar, Mitchell J., see Chang, Kai, *T-MTT Feb 83* 146–154
- Mobbs, Christopher Ian, and John David Rhodes. A generalized Chebyshev suspended substrate stripline bandpass filter; *T-MTT May 83* 397–402
- Mooney, Dale W., and Franklin J. Bayuk. Injection locking performance of a 41-GHz 10-W power combining amplifier; *T-MTT Feb 83* 171–177
- Morishita, Katsumi. Hybrid modes in circular cylindrical optical fibers; *T-MTT Apr 83* 344–350
- Morita, Nagayoshi, see Nishimura, Eiichi, *T-MTT Nov 83* 923–930
- Muraguchi, Masahiro, Takeshi Yukiatake, and Yoshiyuki Naito. Optimum design of 3-dB branch-line couplers using microstrip lines (Short p.); *T-MTT Aug 83* 674–678
- Murakami, Yoshikazu, see Komatsu, Yasutoshi, *T-MTT Jan 83* 34–40

N

- Naito, Yoshiyuki, see Muraguchi, Masahiro, *T-MTT Aug 83* 674–678
- Nakajima, Masamitsu, see Fukumoto, Katsumi, *T-MTT Nov 83* 954–959
- Nalbandian, Vahakn, see Wandinger, Lothar, *T-MTT Feb 83* 189–193
- Nemoto, Yoshiaki, see Endo, Isao, *T-MTT Jun 83* 457–462
- Newman, E. H., J. H. Richmond, and B. W. Kwan. Mutual impedance computation between microstrip antennas (Short p.); *T-MTT Nov 83* 941–945
- Niclas, Karl B., Walter T. Wilser, Thomas R. Kritzer, and Ramon R. Pereira. On theory and performance of solid-state microwave distributed amplifiers; *T-MTT Jun 83* 447–456
- Niclas, Karl B., and Brett A. Tucker. On noise in distributed amplifiers at microwave frequencies; *T-MTT Aug 83* 661–668
- Nishida, Shigeo, see Yoneyama, Tsukasa, *T-MTT Aug 83* 648–654
- Nishida, Shigeo, see Yoneyama, Tsukasa, *T-MTT Dec 83* 1002–1008
- Nishimura, Eiichi, Nagayoshi Morita, and Nobuaki Kumagai. Scattering of guided modes caused by an arbitrarily shaped broken end in dielectric slab waveguide; *T-MTT Nov 83* 923–930

O

- Okano, Susumu, see Hori, Shigekazu, *T-MTT Dec 83* 1089–1096
- Oksanen, Markku I., see Lindell, Ismo V., *T-MTT Sep 83* 736–745
- Onuki, Kota, see Shimoda, Yoshio, *T-MTT Jul 83* 527–532
- Ou, Weiming, C. Gerald Gardner, and Stuart A. Long. Nondestructive measurement of a dielectric layer using surface electromagnetic waves; *T-MTT Mar 83* 225–261
- Overfelt, P. L., and D. J. White. Comments, with reply, on 'Integration method of measuring Q of the microwave resonators' by I. Kneppo; *T-MTT Jun 83* 502–504 (Original paper, Feb 78 131)
- Ozawa, Tsohiharu, see Honjo, Kazuhiko, *T-MTT May 83* 412–417

P

- Park, Dong Chul, see Matthaei, George L., *T-MTT Oct 83* 825–835
- Parker, Don. 1983 MTT-S awards; *T-MTT Dec 83* 985–989
- Partain, Larry D., see Lakshminarayana, Mysore R., *T-MTT Mar 83* 265–271
- Pauker, Vlad, see Tsironis, Christos, *T-MTT Mar 83* 312–314
- Peng, Song-Tsuen, see Schwing, Felix K., *T-MTT Feb 83* 199–209
- Pereira, Ramon R., see Niclas, Karl B., *T-MTT Jun 83* 447–456
- Perini, Jose, see Leviatan, Yehuda, *T-MTT Oct 83* 806–812
- Perlow, Stewart M., see Woodward, Oakley M., *T-MTT Oct 83* 821–824
- Peronnet, G., see Bolomey, J. C., *T-MTT Sep 83* 777–781
- Petersen, W. C., see Gupta, Aditya K., *T-MTT Dec 83* 1072–1076
- Petersen, Wendall C., Aditya Gupta, and D. R. Decker. A monolithic GaAs DC to 2-GHz feedback amplifier (Short p.); *T-MTT Jan 83* 27–29
- Petersen, Wendall C., see Gupta, Aditya, *T-MTT Jan 83* 16–20
- Peterson, Dorn W., see Siegel, Peter H., *T-MTT Jun 83* 473–484
- Piacentini, William J., see Chu, Alejandro, *T-MTT Jan 83* 21–26
- Pickett, Herbert M., and Arthur E. T. Chiou. Folded Fabry – Perot quasi-optical ring resonator diplexer: Theory and experiment; *T-MTT May 83* 373–380
- Pires, Paulo Sérgio Motta, and David Anthony Rogers. Single-mode fiber design for minimum dispersion (Short p.); *T-MTT Nov 83* 959–962
- Podcameni, Abelardo, and Luis Alfonso Bermudez. Large scale design of GaAs FET oscillators using input dielectric resonators (Short p.); *T-MTT Apr 83* 358–361
- Pombo, José L., see Laura, Patricio A. A., *T-MTT Apr 83* 364–366 (Original paper, Apr 82 512–516)
- Poncino, Gianpiero P., see Cazzola, Roberto, *T-MTT Oct 83* 797–805
- Pope, David J., see Tucker, Rodney S., *T-MTT Mar 83* 289–294
- Pöpel, Ralf. Measured temperature-dependence of attenuation constant and phase velocity of a superconducting PbAu/SiO/Pb microstripline at 10 GHz and 30 GHz (Short p.); *T-MTT Jul 83* 600–604
- Pramanik, K., see Biswas, B. N., *T-MTT Mar 83* 271–276
- Prieto, A., E. Rubio, J. Rodríguez, and J. L. García. Comments, with reply, on 'Hollow image guide and overlaid image guide coupler' by J. F. Miao and T. Itoh; *T-MTT Sep 83* 785–786 (Original paper, Nov 82 1826–1831)

Q

- Qian, Jing-ren, and Wei-chen Zhuang. New narrow-band dual-mode bandstop waveguide filters; *T-MTT Dec 83* 1045–1050

R

- Rao, K. V. Seshagiri, see Seshagiri Rao, K. V.
- Rast, Gustaf J., Jr., see Ashley, J. Robert, *T-MTT Jul 83* 605–606
- Rauscher, Christen. High-frequency doubler operation of GaAs field-effect transistors; *T-MTT Jun 83* 462–473
- Rautio, James C. Techniques for correcting scattering parameter data of an imperfectly terminated multiport when measured with a two-port network analyzer (Short p.); *T-MTT May 83* 407–412
- Ray, S. K., see Biswas, B. N., *T-MTT Mar 83* 271–276
- Reinert, Werner, see Vowinkel, Bernd, *T-MTT Dec 83* 996–1001
- Rhodes, John David, see Chambers, David S. G., *T-MTT Jan 83* 40–45
- Rhodes, John David, see Mobbs, Christopher Ian, *T-MTT May 83* 397–402
- Riblet, Gordon P., see Hansson, E. R. Bertil, *T-MTT Mar 83* 284–288
- Riblet, Henry J. An accurate approximation of the impedance of a circular cylinder concentric with an external square tube (Short p.); *T-MTT Oct 83* 841–844
- Richmond, J. H., see Newman, E. H., *T-MTT Nov 83* 941–945
- Rivera, Juan, see Su, Luo, *T-MTT Dec 83* 1017–1022
- Rizzoli, Vittorio, Alessandro Lipparini, and Ernesto Marazzi. A general-purpose program for nonlinear microwave circuit design; *T-MTT Sep 83* 762–770
- Rodriguez, J., see Prieto, A., *T-MTT Sep 83* 785–786 (Original paper, Nov 82 1826–1831)
- Rogers, David Anthony, see Pires, Paulo Sérgio Motta, *T-MTT Nov 83* 959–962

- Rosenbaum, Fred J., see Gilmore, Rowan J., *T-MTT Aug 83* 633–639
 Roumeliotis, John A., see Lyras, Andreas D., *T-MTT Nov 83* 945–950
 Rowe, David A., and Binneg Y. Lao. Numerical analysis of shielded coplanar waveguides; *T-MTT Nov 83* 911–915
 Rubin, Barry J., and Henry L. Bertoni. Waves guided by conductive strips above a periodically perforated ground plane; *T-MTT Jul 83* 541–549
 Rubio, E., see Prieto, A., *T-MTT Sep 83* 785–786 (Original paper, Nov 82 1826–1831)
 Rutledge, D. B., see Alexopoulos, Nicolaos G., *T-MTT Jul 83* 550–557

S

- Saad, Theodore S. The MTT Symposia; *T-MTT Sep 83* II-2-II-15
 Sadhu, M., see Biswas, B. N., *T-MTT Mar 83* 271–276
 Saha, P. K., see Dasgupta, D., *T-MTT Nov 83* 938–941
 Saito, Toshiyuki, see Tokumitsu, Yasuyuki, *T-MTT Feb 83* 121–128
 Saleh, Adel A. M., and Donald C. Cox. Improving the power-added efficiency of FET amplifiers operating with varying-envelope signals; *T-MTT Jan 83* 51–56
 Saleh, Mohamed B., see El-Deeb, Nabil A., *T-MTT Jul 83* 592–596
 Sarkar, B. K. Design consideration for high-isolation coaxial broad-band p-i-n diode switches and limiters (Short p.); *T-MTT Sep 83* 776–777
 Sato, Risaburo, see Endo, Isao, *T-MTT Jun 83* 457–462
 Saylor, John D., see Bahar, Ezekiel, *T-MTT Jul 83* 533–541
 Schiek, B., see Siweris, H. J., *T-MTT Apr 83* 364 (Original paper, May 82 715–718)
 Schwarz, S. E., see Wang, Taichi, *T-MTT Feb 83* 128–134
 Schwarz, S. E., see Williams, Dylan F., *T-MTT Jul 83* 558–566
 Schwing, Felix K., and Song-Tsuen Peng. Design of dielectric grating antennas for millimeter-wave applications; *T-MTT Feb 83* 199–209
 Seshagiri Rao, K. V., B. N. Das, and A. K. Mallick. Characteristic impedance of an oval located symmetrically between the ground planes of finite width (Short p.); *T-MTT Aug 83* 678–681
 Seshagiri Rao, K. V., see Das, B. N., *T-MTT May 83* 403–406
 Sharma, Arvind K., and Wolfgang J. R. Hoefer. Empirical expressions for fin-line design; *T-MTT Apr 83* 350–356
 Sharma, Arvind K., and Wolfgang J. R. Hoefer. Propagation in coupled unilateral and bilateral finlines (Short p.); *T-MTT Jun 83* 498–502
 Sharma, Arvind K., and Bharathi Bhat. Spectral domain analysis of interacting microstrip resonant structures (Short p.); *T-MTT Aug 83* 681–685
 Sharp, John, see Helszajn, Joseph, *T-MTT Jun 83* 434–441
 Shibata, Hisashi, Shinya Minakawa, and Ryuiti Terakado. A numerical calculation of the capacitance for the rectangular coaxial line with offset inner conductor having an anisotropic dielectric; *T-MTT May 83* 385–391
 Shibata, Kiyoyasu, see Hori, Shigekazu, *T-MTT Dec 83* 1089–1096
 Shigesawa, Hiroshi, see Tsuji, Mikio, *T-MTT Apr 83* 337–342
 Shigesawa, Hiroshi, see Tsuji, Mikio, *T-MTT May 83* 392–396
 Shih, Yi-Chi, Tatsuo Itoh, and Long Q. Bui. Computer-aided design of millimeter-wave E-plane filters; *T-MTT Feb 83* 135–142
 Shih, Yi-Chi, see Fukuoka, Yoshiro, *T-MTT Jul 83* 567–573
 Shih, Yi-Chi, and Tatsuo Itoh. E-plane filters with finite-thickness septa; *T-MTT Dec 83* 1009–1013
 Shimoda, Yoshio, Hisashi Tomimuro, and Kota Onuki. A proposal of a new dielectric resonator construction for MIC's; *T-MTT Jul 83* 527–532
 Siegel, Peter H., Dorn W. Peterson, and Anthony R. Kerr. Design and analysis of the channel waveguide transformer; *T-MTT Jun 83* 473–484
 Sihvola, Ari H., see Lindell, Ismo V., *T-MTT Jul 83* 520–526
 Simonis, George J. A quasi-optical nulling method for material birefringence measurements at near-millimeter wavelengths (Short p.); *T-MTT Apr 83* 356–358
 Siracusa, Mario, see Esfandiari, Reza, *T-MTT Jan 83* 57–64
 Siu, D. P., see Gupta, Aditya K., *T-MTT Dec 83* 1072–1076
 Siweris, H. J., B. Schiek, and K. M. Lüdeke. Comments, with reply, on 'Some pitfalls in millimeter-wave noise measurements utilizing a cross-correlation receiver' by A. D. Sutherland and A. Van der Ziel; *T-MTT Apr 83* 364 (Original paper, May 82 715–718)
 Skov-Madsen, Per, see Albertsen, N. Chr., *T-MTT Aug 83* 654–660
 Smirnova, Tamara A., see Cherpak, Nikolay T., *T-MTT Mar 83* 306–309
 Smith, Rene, see Upadhyayula, I. Chainulu, *T-MTT Jan 83* 2–10
 Snyder, Allan W., see Love, John D., *T-MTT Oct 83* 853 (Original paper, Jan 82 12–19)
 Sokolov, Vladimir, John J. Geddes, A. Contolatis, Paul E. Bauhahn, and Chente Chao. A Ka-band GaAs monolithic phase shifter; *T-MTT Dec 83* 1077–1083
 Solbach, Klaus. The status of printed millimeter-wave E-plane circuits; *T-MTT Feb 83* 107–121
 Spang, Stephen T., see Stone, David S., *T-MTT Sep 83* 710–718
 Staecker, Peter, *Guest ed.* Editor's preface; *T-MTT Sep 83* II-1
 Stephan, Karl, Natalino Camilleri, and Tatsuo Itoh. Corrections to 'A quasi-optical polarization-duplexed balanced mixer for millimeter-wave applications' (Feb 83 164–170); *T-MTT Jun 83* 504

- Stephan, Karl D., Natalino Camilleri, and Tatsuo Itoh. A quasi-optical polarization-duplexed balanced mixer for millimeter-wave applications; *T-MTT Feb 83* 164–170. *Correction*, Jun 83 504
 Stone, David S., Kevin L. Felch, and Stephen T. Spang. Mode-specific reflectometry in a multimode waveguide; *T-MTT Sep 83* 710–718
 Striffler, Charles D., see Vaucher, Aileen M., *T-MTT Feb 83* 209–216
 Strohhahn, J. W., see King, Ronold W. P., *T-MTT Jul 83* 574–583
 Stuchly, Stanislaw S., see Gajda, Gregory B., *T-MTT May 83* 380–384
 Su, Luo, Tatsuo Itoh, and Juan Rivera. Design of an overlay directional coupler by a full-wave analysis; *T-MTT Dec 83* 1017–1022
 Subbarao, S. N., see Kumar, Mahesh, *T-MTT Jan 83* 29–32
 Sugiura, Tadahiko, see Honjo, Kazuhiko, *T-MTT May 83* 412–417
 Sugiura, Tadahiko, Hitoshi Itoh, Tsutomu Tsuji, and Kazuhiko Honjo. 12-GHz-band low-noise GaAs monolithic amplifiers; *T-MTT Dec 83* 1083–1088
 Sun, Cheng, see Chang, Kai, *T-MTT Feb 83* 91–107
 Sun, Cheng, see Chang, Kai, *T-MTT Feb 83* 146–154
 Surawatpunya, Charray, Makoto Tsutsumi, and Nobuaki Kumagai. Bragg reflection characteristics of millimeter waves in a corrugated H-guide (Short p.); *T-MTT Jul 83* 584–588
 Sutton, E. C. A superconducting tunnel junction receiver for 230 GHz (Short p.); *T-MTT Jul 83* 589–592
 Suzuki, Mitsunori, and Toshio Hosono. Optimum sectional shape of dominant mode waveguide; *T-MTT Oct 83* 836–841

T

- Tahim, Raghib S., see Chang, Kai, *T-MTT Feb 83* 146–154
 Tahim, Raghib S., George M. Hayashibara, and Kai Chang. Design and performance of W-band broad-band integrated circuit mixers; *T-MTT Mar 83* 271–283
 Takiyama, Kei, see Tsuji, Mikio, *T-MTT Apr 83* 337–342
 Takiyama, Kei, see Tsuji, Mikio, *T-MTT May 83* 392–396
 Tatsumatsu, Mikio, see Hori, Shigekazu, *T-MTT Dec 83* 1089–1096
 Terakado, Ryuiti, see Shibata, Hisashi, *T-MTT May 83* 385–391
 Thoren, Glenn R., and Michael J. Virosko. A high-power W-band (90–99 GHz) solid-state transmitter for high duty cycles and wide bandwidth; *T-MTT Feb 83* 183–188
 Thoren, Glenn R., *Guest ed.* Editor's overview; *T-MTT Dec 83* 973–974
 Tokumitsu, Yasuyuki, Masayuki Ishizaki, Mikio Iwakuni, and Toshiyuki Saito. 50-GHz IC components using alumina substrates; *T-MTT Feb 83* 121–128
 Tomimuro, Hisashi, see Shimoda, Yoshio, *T-MTT Jul 83* 527–532
 Tozawa, Norio, see Yoneyama, Tsukasa, *T-MTT Aug 83* 648–654
 Tremblay, B. S., see King, Ronold W. P., *T-MTT Jul 83* 574–583
 Trew, Robert J., see Golio, J. M. Michael, *T-MTT Dec 83* 1066–1071
 Tsiornis, Christos, and Vlad Pauker. Temperature stabilization of GaAs MESFET oscillators using dielectric resonators (Short p.); *T-MTT Mar 83* 312–314
 Tsuji, Mikio, Soichi Matsumoto, Hiroshi Shigesawa, and Kei Takiyama. Guided-wave experiments with dielectric waveguides having finite periodic corrugation; *T-MTT Apr 83* 337–342
 Tsuji, Mikio, Hiroshi Shigesawa, and Kei Takiyama. On the complex resonant frequency of open dielectric resonators; *T-MTT May 83* 392–396
 Tsuji, Tsutomu, see Honjo, Kazuhiko, *T-MTT May 83* 412–417
 Tsuji, Tsutomu, see Sugiura, Tadahiko, *T-MTT Dec 83* 1083–1088
 Tsutsumi, Makoto, see Surawatpunya, Charray, *T-MTT Jul 83* 584–588
 Tucker, Brett A., see Niclas, Karl B., *T-MTT Aug 83* 661–668
 Tucker, Rodney S., and David J. Pope. Microwave circuit models of semiconductor injection lasers; *T-MTT Mar 83* 289–294
 Turner, Paul F. Comments, with reply, on 'Capabilities of multi-appliator systems for focused hyperthermia' by R. Knoechel; *T-MTT Oct 83* 851–852 (Original paper, Jan 83 70–73)

U

- Uhm, Hans S., and Joon Y. Choe. Electromagnetic-wave propagation in a conducting waveguide loaded with a tape helix; *T-MTT Sep 83* 704–710
 Unz, Hillel. Propagation in longitudinally magnetized compressible plasma between two parallel planes (Short p.); *T-MTT Mar 83* 305–306
 Upadhyayula, I. Chainulu, Walter R. Curtice, and Rene Smith. Design, fabrication, and evaluation of 2- and 3-bit GaAs MESFET analog-to-digital converter IC's; *T-MTT Jan 83* 2–10

V

- Vahldieck, Rüdiger, Jens Bornemann, Fritz Arndt, and Dietrich Grauerholz. Optimized waveguide E-plane metal insert filters for millimeter-wave applications; *T-MTT Jan 83* 65–69
 Vaucher, Aileen M., Charles D. Striffler, and Chi H. Lee. Theory of optically controlled millimeter-wave phase shifters; *T-MTT Feb 83* 209–216

- Vernet, G., see Henaux, J.-C., *T-MTT Feb 83* 177–183
 Villotte, Jean-Pierre, see Aubourg, Michel, *T-MTT Apr 83* 326–331
 Vincent, P., see Maystre, D., *T-MTT Oct 83* 844–848
 Virostko, Michael J., see Thoren, Glenn R., *T-MTT Feb 83* 183–188
 Vowinkel, Bernd, Konrad Gruener, and Werner Reinert. Cryogenic all solid-state millimeter-wave receivers for airborne radiometry; *T-MTT Dec 83* 996–1001

W

- Wandinger, Lothar, and Vahakn Nalbandian. Millimeter-wave power combiner using quasi-optical techniques; *T-MTT Feb 83* 189–193
 Wang, Taichi, and S. E. Schwarz. Design of dielectric ridge waveguides for millimeter-wave integrated circuits; *T-MTT Feb 83* 128–134
 White, D. J., see Overfelt, P. L., *T-MTT Jun 83* 502–504 (Original paper, Feb 78 131)
 Williams, Dylan F., and S. E. Schwarz. Design and performance of coplanar waveguide bandpass filters; *T-MTT Jul 83* 558–566
 Williamson, A. G. Analysis and modeling of 'two-gap' coaxial line rectangular waveguide junctions; *T-MTT Mar 83* 295–302
 Williamson, A. G., see Blomfield, D. A. E., *T-MTT Sep 83* 774–776
 Wilser, Walter T., see Niclas, Karl B., *T-MTT Jun 83* 447–456
 Wilson, William J. Submillimeter-wave receivers—A status report; *T-MTT Nov 83* 873–878
 Woodward, Oakley M., and Stewart M. Perlow. Balance quality measurements on Baluns; *T-MTT Oct 83* 821–824

Y

- Yamashita, Sadahiko, and Mitsuo Makimoto. The Q -factor of coaxial resonators partially loaded with high dielectric constant microwave ceramics (Short p.); *T-MTT Jun 83* 485–488
 Yamashita, Sadahiko, and Mitsuo Makimoto. Miniaturized coaxial resonator partially loaded with high-dielectric-constant microwave ceramics; *T-MTT Sep 83* 697–703
 Yoneyama, Tsukasa, Norio Tozawa, and Shigeo Nishida. Coupling characteristics of nonradiative dielectric waveguides; *T-MTT Aug 83* 648–654
 Yoneyama, Tsukasa, Sadao Fujita, and Shigeo Nishida. Insulated nonradiative dielectric waveguide for millimeter-wave integrated circuits; *T-MTT Dec 83* 1002–1008
 Yukitake, Takeshi, see Muraguchi, Masahiro, *T-MTT Aug 83* 674–678

Z

- Zaki, Kawthar A., and Ali E. Atia. Modes in dielectric-loaded waveguides and resonators; *T-MTT Dec 83* 1039–1045
 Zanforlin, Luigi. Permittivity measurements of lossy liquids at millimeter-wave frequencies (Short p.); *T-MTT May 83* 417–419
 Zhuang, Wei-chen, see Qian, Jing-ren, *T-MTT Dec 83* 1045–1050
 Zienutycz, Włodzimierz. Comments, with reply, on 'The ZEPLS program for solving characteristic equations of electromagnetic structures' by P. Lampariello and R. Sorrentino; *T-MTT May 83* 420 (Original paper, May 75 457–458)
 Zirath, Herbert H. G., see Kollberg, Erik L., *T-MTT Feb 83* 230–235

SUBJECT INDEX

A

Absorbing media; cf. Electromagnetic propagation, absorbing media; Electromagnetic scattering, absorbing media

Abstracts

- abstracts of papers in microwave technology published in Australia, India, and Japan. *T-MTT Oct 83* 856–869
 patent abstracts in microwave technology. *T-MTT Jan 83* 82–85
 patent abstracts in microwave technology. *T-MTT Feb 83* 242–246
 patent abstracts in microwave technology. *T-MTT Mar 83* 316–318
 patent abstracts in microwave technology. *T-MTT Apr 83* 367–370
 patent abstracts in microwave technology. *T-MTT May 83* 421–425
 patent abstracts in microwave technology. *T-MTT Jun 83* 505–508
 patent abstracts in microwave technology. *T-MTT Jul 83* 607–611
 patent abstracts in microwave technology. *T-MTT Aug 83* 689–693
 patent abstracts in microwave technology. *T-MTT Sep 83* 790–793
 patent abstracts in microwave technology. *T-MTT Oct 83* 854–856
 patent abstracts in microwave technology. *T-MTT Nov 83* 965–967
 patent abstracts in microwave technology. *T-MTT Dec 83* 1097–1099

+ Check author entry for coauthors

Access control; cf. Site security monitoring

Acoustic surface-wave transducers

microstrip-like transmission lines and coplanar strips on anisotropic substrates for MIC, electrooptic, and SAW applications; generalized analysis. Koul, Shibhan Kishen, +, *T-MTT Dec 83* 1051–1059

Active circuits; cf. Gytrators

Admittance measurement; cf. Impedance measurement

Alarm systems; cf. Site security monitoring

Aluminum materials/devices

50-GHz IC components using alumina substrates with application to FET oscillator doubler and Doppler radar. Tokumitsu, Yasuyuki, +, *T-MTT Feb 83* 121–128
 traveling-wave maser for 40 – 46.5 GHz range using andalusite active crystal, digit comb isolator, and ferrite isolator. Cherpak, Nikolay T., +, *T-MTT Mar 83* 306–309

AM noise

microwave transmitters; measuring AM and FM noise. Ashley, J. Robert, +, *T-MTT Jul 83* 605–606

Amplifier noise

12-GHz-band low-noise GaAs monolithic amplifiers for direct-broadcast satellite receivers. Sugiura, Tadahiko, +, *T-MTT Dec 83* 1083–1088

comment, with reply, on 'The exact noise figure of amplifiers with parallel feedback and lossy matching circuit' by K. B. Niclas. Engberg, Jakob, *T-MTT Jan 83* 81 (Original paper, May 82 832–834)

distributed amplifiers; noise characteristics at microwave frequencies. Niclas, Karl B., +, *T-MTT Aug 83* 661–668

GaAs monolithic MICs for direct broadcast satellite receivers. Hori, Shigekazu, +, *T-MTT Dec 83* 1089–1096

Amplifiers; cf. dc amplifiers; Distributed amplifiers; Feedback amplifiers; FET amplifiers; HF amplifiers; IF amplifiers; Millimeter-wave amplifiers; VHF amplifiers

Analog – digital conversion

2-bit and 3-bit GaAs MESFET analog-to-digital converter integrated circuits. Upadhyayula, I. Chainulu, +, *T-MTT Jan 83* 2–10

Analog integrated circuits; cf. Microwave bipolar integrated circuits; Microwave integrated circuits; Millimeter-wave FET integrated circuits; Millimeter-wave integrated circuits; UHF FET integrated circuits; UHF integrated circuits

Anisotropic media

corrections to 'new view on an anisotropic medium in a moving line charge problem' (Nov 82 2046–2048). Kobayashi, Masanori, *T-MTT Jul 83* 606

numerical calculation of capacitance for rectangular coaxial line with offset linear conductor having an anisotropic dielectric. Shibata, Hisashi, +, *T-MTT May 83* 385–391

Anisotropic media; cf. Electromagnetic propagation, anisotropic media; Electromagnetic scattering, anisotropic media

Antenna array mutual coupling

microstrip antennas; mutual impedance between two elements calculated using moment method. Newman, E. H., +, *T-MTT Nov 83* 941–945

Antenna arrays

multiapplicator system for focussed hyperthermia. Knoechel, Reinhard, *T-MTT Jan 83* 70–73. †

Antenna arrays; cf. Microstrip arrays

Antennas; cf. Antenna arrays; Burned antennas; Dielectric antennas; Dielectric-covered antennas; Dipole antennas; Leaky-wave antennas; Microstrip antennas; Millimeter-wave antennas; Slot antennas

Aperture antennas; cf. Slot antennas

Apertures

array of conductive strips above periodically perforated ground plane; propagation characteristics and current distribution. Rubin, Barry J., +, *T-MTT Jul 83* 541–549

coupling between microstrip line and image guide through small apertures in common ground plane. Miao, Jing-Feng, +, *T-MTT Apr 83* 361–363

Approximation methods

circular cylinder concentric with external square tube; characteristic impedance approximation using Green's function. Riblet, Henry J., *T-MTT Oct 83* 841–844

iterative band approximation method for solving large matrix equations; application to calculating specific absorption rate of electromagnetic energy in inhomogeneous model of man. DeFord, John F., +, *T-MTT Oct 83* 848–851

Approximation methods; cf. Interpolation

Arrays; cf. Antenna arrays

Attenuators; cf. Millimeter-wave attenuators

Avalanche diodes; cf. IMPATT diodes

Awards

IEEE Microwave Theory and Techniques Society awards for 1983. Parker, Don, *T-MTT Dec 83* 985–989

† Check author entry for subsequent corrections/comments

B

- Baluns**
balance quality measurements on baluns. *Woodward, Oakley M.*, + , *T-MTT Oct 83* 821–824
- Bandpass filters**
coplanar waveguide bandpass filters; design and performance. *Williams, Dylan F.*, + , *T-MTT Jul 83* 558–566
generalized Chebyshev suspended substrate stripline bandpass filter. *Mobbs, Christopher Ian*, + , *T-MTT May 83* 397–402
interdigitated capacitors with application to GaAs monolithic filters. *Esfandiari, Reza*, + , *T-MTT Jan 83* 57–64
millimeter-wave *E*-plane filters; computer-aided design. *Shih, Yi-Chi*, + , *T-MTT Feb 83* 135–142
single and parallel-coupled dielectric-waveguide gratings; filter properties. *Matthaei, George L.*, + , *T-MTT Oct 83* 825–835
- Bandstop filters**
narrow dual-mode bandstop waveguide filter. *Qian, Jing-ren*, + , *T-MTT Dec 83* 1045–1050
- BARITT diode oscillators**
optical injection locking of BARITT oscillators. *Heidemann, R.*, + , *T-MTT Jan 83* 78–79
- Beam-lead devices**
W-band broadband IC mixers using suspended stripline and finline configurations with GaAs beam-lead diodes. *Tahim, Raghbir S.*, + , *T-MTT Mar 83* 271–283
- Bibliographies**
IEEE MTT Symposia, 1952–1983; cumulative index. *T-MTT Sep 83* II-16–II-138
millimeter-wave power-combining techniques using IMPATT and Gunn diodes; survey. *Chang, Kai*, + , *T-MTT Feb 83* 91–107
printed millimeter-wave *E*-plane circuits; technology survey. *Solbach, Klaus*, *T-MTT Feb 83* 107–121
- Biological thermal factors**
comments, with reply, on 'Heat transfer in surface-cooled objects subject to microwave heating' by K. R. Foster, et. al. *Guo, T. C.*, + , *T-MTT Sep 83* 783–785 (Original paper, Aug 82 1158–1166)
- Biological thermal factors; cf.** Biomedical radiation applications; Biomedical radiation effects/protection
- Biomedical imaging, electromagnetic**
estimating complex permittivities for chest portion of block model of man; moment-method formulation. *Ghodgaonkar, Deepak K.*, + , *T-MTT Jun 83* 442–446
- Biomedical imaging, electromagnetic; cf.** Tomography, electromagnetic
- Biomedical measurements**
implantable electric-field probe of submillimeter dimensions. *Batchman, T. E.*, + , *T-MTT Sep 83* 745–751
open-ended coaxial lines used as sensors for *in vivo* permitting measurements of biological substances; numerical analysis of lines. *Gajda, Gregory B.*, + , *T-MTT May 83* 380–384
- Biomedical radiation applications, electromagnetic**
insulated dipole in conducting or dielectric medium; field calculations; application to hyperthermia. *King, Ronold W. P.*, + , *T-MTT Jul 83* 574–583
multiapplicator system for focussed hyperthermia. *Knoechel, Reinhard*, *T-MTT Jan 83* 70–73. †
- Biomedical radiation effects/protection, electromagnetic**
absorption characteristics of lossy dielectric objects of large aspect ratios; calculation using iterative extended boundary condition; application to prolate spheroidal model of man. *Lakhtakia, A.*, + , *T-MTT Aug 83* 640–647
implantable electric-field probe of submillimeter dimensions. *Batchman, T. E.*, + , *T-MTT Sep 83* 745–751
specific absorption-rate calculation for inhomogeneous model of man with large number of cells; iterative band approximation method for solving large matrix equations. *DeFord, John F.*, + , *T-MTT Oct 83* 848–851
stacked 2-D spectral iterative technique for analyzing EM power deposition in large biological bodies. *Kastner, Raphael*, + , *T-MTT Nov 83* 898–904
- Biomedical radiation effects/protection, electromagnetic; cf.** Biomedical radiation applications, electromagnetic
- Bipolar integrated circuits, analog; cf.** Microwave bipolar integrated circuits
- Breakdown; cf.** Semiconductor device thermal factors
- Broadcasting; cf.** Satellite communication, broadcast
- Buried antennas**
insulated dipole in conducting or dielectric medium; field calculations; application to hyperthermia. *King, Ronold W. P.*, + , *T-MTT Jul 83* 574–583

C

- Cables; cf.** Coaxial cables
- CAD (computer-aided design); cf.** Design automation
- Cancer; cf.** Tumors
- Capacitance calculations**
numerical calculation of capacitance for rectangular coaxial line with offset linear conductor having an anisotropic dielectric. *Shibata, Hisashi*, + , *T-MTT May 83* 385–391
- Capacitors**
interdigitated capacitors with application to GaAs monolithic filters. *Esfandiari, Reza*, + , *T-MTT Jan 83* 57–64
microstrip reactive circuit elements. *Atwater, Harry A.*, *T-MTT Jun 83* 488–491
- Capacitors; cf.** Thin-film capacitors; Varactors
- Cascade circuits**
cascades of lumped and lossy nonuniform transmission lines; equivalent transformations. *Endo, Isao*, + , *T-MTT Jun 83* 457–462
- Cavity resonators**
comments, with reply, on 'Integration method of measuring *Q* of the microwave resonators' by I. Kneppo. *Overfelt, P. L.*, + , *T-MTT Jun 83* 502–504 (Original paper, Feb 78 131)
dielectric-loaded waveguide cavities; computation of resonant frequencies. *Zaki, Kawthar A.*, + , *T-MTT Dec 83* 1039–1045
resonant-frequency determination for microwave cavity partially filled with dielectric; determining best set of electrodynamic basis functions. *Krupka, Jerzy*, *T-MTT Mar 83* 302–305
- Cavity resonators; cf.** Coaxial resonators; Superconducting cavity resonators
- Cavity-resonator filters**
corrections to 'Dual-mode dielectric resonator loaded cavity filters' (Sep 82 1311–1316). *Fiedziuszko, S. J.*, *T-MTT Mar 83* 315
- Cavity-resonator filters; cf.** Waveguide filters
- Ceramic materials/devices**
miniaturized coaxial resonator partially loaded with high-dielectric-constant microwave ceramics. *Yamashita, Sadahiko*, + , *T-MTT Sep 83* 697–703
- Cerenkov radiation**
corrections to 'new view on an anisotropic medium in a moving line charge problem' (Nov 82 2046–2048). *Kobayashi, Masanori*, *T-MTT Jul 83* 606
- Chebyshev filters**
generalized Chebyshev suspended substrate stripline bandpass filter. *Mobbs, Christopher Ian*, + , *T-MTT May 83* 397–402
low-pass prototype network allowing placing of integrated poles at real frequencies. *Chambers, David S. G.*, + , *T-MTT Jan 83* 40–45
- Chest imaging**
estimating complex permittivities for chest portion of block model of man; moment-method formulation. *Ghodgaonkar, Deepak K.*, + , *T-MTT Jun 83* 442–446
- Circuit boards; cf.** Printed circuits
- Circuit noise**
electronically cold microwave artificial resistors using microwave FET with drain-to-gate feedback. *Forward, Robert L.*, + , *T-MTT Jan 83* 45–50
- Circuit noise; cf.** Amplifier noise; Oscillator noise
- Circuit transient analysis**
transient analysis of circuits containing multiple diodes. *Blakey, P. A.*, + , *T-MTT Sep 83* 781–783
- Circuits; cf.** Cascade circuits; Gytrators; Impedance matching; Lossless circuits; Microwave circuits; Multiport circuits; Scattering matrices; Scattering parameters; Two-port circuits
- Circulators; cf.** Ferrite circulators; Millimeter-wave circulators; Stripline circulators
- Coaxial cable discontinuities**
two-gap coaxial line – rectangular waveguide junction; analysis and modeling. *Williamson, A. G.*, *T-MTT Mar 83* 295–302
- Coaxial cables**
numerical calculation of capacitance for rectangular coaxial line with offset linear conductor having an anisotropic dielectric. *Shibata, Hisashi*, + , *T-MTT May 83* 385–391
open-ended coaxial lines used as sensors for *in vivo* permitting measurements of biological substances; numerical analysis of lines. *Gajda, Gregory B.*, + , *T-MTT May 83* 380–384
oval inner conductor symmetrically placed between two finite ground planes; analysis using conformal mapping. *Seshagiri Rao, K. V.*, + , *T-MTT Aug 83* 678–681
oval inner conductor symmetrically placed inside rectangular outer conductor; analysis using conformal mapping. *Das, B. N.*, + , *T-MTT May 83* 403–406
soil moisture monitoring using buried leaky coaxial cable; surface impedance of outer leaky conductor related to moisture content. *Bahar, Ezekiel*, + , *T-MTT Jul 83* 533–541

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Coaxial resonators

- miniaturized coaxial resonator partially loaded with high-dielectric-constant microwave ceramics. *Yamashita, Sadahiko*, + , *T-MTT Sep 83* 697–703
- stepped-impedance coaxial resonator partially loaded with high-dielectric-constant microwave ceramics; *Q*-factor calculation. *Yamashita, Sadahiko*, + , *T-MTT Jun 83* 485–488

Coaxial waveguides

- circular cylinder concentric with external square tube; characteristic impedance approximation using Green's function. *Riblet, Henry J.*, *T-MTT Oct 83* 841–844

Computer-aided design; cf. Design automation**Conjugated waveguides**

- single and parallel-coupled dielectric-waveguide gratings; filter properties. *Matthaei, George L.*, + , *T-MTT Oct 83* 825–835

Coplanar transmission lines

- coplanar waveguide bandpass filters; design and performance. *Williams, Dylan F.*, + , *T-MTT Jul 83* 558–566
- microstrip-like transmission lines and coplanar strips on anisotropic substrates for MIC, electrooptic, and SAW applications; generalized analysis. *Koul, Shiban Kishen*, + , *T-MTT Dec 83* 1051–1059
- shielded coplanar waveguide with ground plane under thin dielectric; numerical method for calculating impedance and effective dielectric constant. *Rowe, David A.*, + , *T-MTT Nov 83* 911–915
- slow-wave characteristics of MIS coplanar waveguide analyzed using mode-matching and spectral-domain techniques. *Fukuoka, Yoshiro*, + , *T-MTT Jul 83* 567–573
- slow-wave coplanar waveguide on periodically doped semiconductor substrate. *Fukuoka, Yoshiro*, + , *T-MTT Dec 83* 1013–1017

Corrugated waveguides

- comments, with reply, on 'Variational methods for nonstandard eigenvalue problems in waveguide and resonator analysis' by I. V. Lindell. *Gabriel, G. J.*, *T-MTT Sep 83* 786–789 (Original paper, Aug 82 1194–1204)
- dielectric-load corrugated waveguides; analysis using theory of nonstandard eigenvalues and variational methods. *Lindell, Ismo V.*, + , *T-MTT Jul 83* 520–526
- H*-guide having corrugated dielectric slab; Bragg reflection characteristics of millimeter waves. *Surawatpunya, Charray*, + , *T-MTT Jul 83* 584–588
- mode conversions in dielectric waveguides having gratings; filter applications. *Matthaei, George L.*, *T-MTT Mar 83* 309–312
- passbands and stopbands for electromagnetic waveguide with periodically varying cross section. *Boström, Anders*, *T-MTT Sep 83* 752–755
- planar dielectric waveguides with finite periodic corrugations; analytical and experimental investigation. *Tsuji, Mikio*, + , *T-MTT Apr 83* 337–342

Coupled transmission lines

- array of conductive strips above periodically perforated ground plane; propagation characteristics and current distribution. *Rubin, Barry J.*, + , *T-MTT Jul 83* 541–549
- asymmetric coupled transmission lines in nonhomogeneous medium; design parameters. *El-Deeb, Nabil A.*, + , *T-MTT Jul 83* 592–596
- dielectric loss in monolithic microwave integrated circuits; effect on characteristics analyzed using spectral domain technique; application to microstrip and coupled microstrip. *Mirshekar-Syahkal, D.*, *T-MTT Nov 83* 950–954
- nonradiative dielectric waveguides; coupling characteristics. *Yoneyama, Tsukasa*, + , *T-MTT Aug 83* 648–654
- propagation characteristics in coupled unilateral and bilateral finlines. *Sharma, Arvind K.*, + , *T-MTT Jun 83* 498–502
- single and parallel-coupled dielectric-waveguide gratings; filter properties. *Matthaei, George L.*, + , *T-MTT Oct 83* 825–835
- stripline with multilayered anisotropic media; propagation characteristics of single and coupled stripline. *Kitazawa, Toshihide*, + , *T-MTT Jun 83* 429–433

Coupled transmission lines; cf. Multimode transmission lines**Couplers**

- comments, with reply, on 'Hollow image guide and overlaid image guide coupler' by J. F. Miao and T. Itoh. *Prieto, A.*, + , *T-MTT Sep 83* 785–786 (Original paper, Nov 82 1826–1831)
- monolithic GaAs C-band 90° interdigitated couplers with 50-Ω and 25-Ω impedances. *Kumar, Mahesh*, + , *T-MTT Jan 83* 29–32

Couplers; cf. Apertures; Coupled transmission lines**Coupling; cf. Electromagnetic coupling****Cryogenic cables; cf. Superconducting cables****Cryogenic materials/devices**

- cryogenic millimeter-wave Schottky-diode mixer. *Kollberg, Erik L.*, + , *T-MTT Feb 83* 230–235
- cryogenic solid-state receiver modules for 90 and 140 GHz airborne radiometry. *Vowinkel, Bernd*, + , *T-MTT Dec 83* 996–1001

Curved waveguides; cf. Waveguide bends**CW radar; cf. Doppler radar**

+ Check author entry for coauthors

D**dc amplifiers**

- monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C.*, + , *T-MTT Jan 83* 27–29

Design automation

- general-purpose program for nonlinear microwave circuit design. *Rizzoli, Vittorio*, + , *T-MTT Sep 83* 762–770

Diathermy; cf. Biomedical radiation applications, electromagnetic**Dielectric antennas**

- dielectric grating antenna design for millimeter-wave applications. *Schwering, Felix K.*, + , *T-MTT Feb 83* 199–209

Dielectric heating; cf. Biomedical radiation applications, electromagnetic; Biomedical radiation effects/protection, electromagnetic**Dielectric losses; cf. Dielectric measurements****Dielectric materials/devices**

- complex refractive index, complex dielectric permittivity and loss tangent of GaAs, Si, SiO₂, Al₂O₃, BeO, macor, and glass; precise millimeter-wave measurements. *Afsar, Mohammed Nurul*, + , *T-MTT Feb 83* 217–223

Dielectric materials/devices; cf. Capacitors; Ceramic materials/devices**Dielectric measurements**

- birefringence measurements at 245 GHz using quasi-optical nulling method. *Simonis, George J.*, *T-MTT Apr 83* 356–358
- complex refractive index, complex dielectric permittivity and loss tangent of GaAs, Si, SiO₂, Al₂O₃, BeO, macor, and glass; precise millimeter-wave measurements. *Afsar, Mohammed Nurul*, + , *T-MTT Feb 83* 217–223
- dielectric layer on conducting substrate; nondestructive measurement of thickness and dielectric constant using electromagnetic surface waves. *Ou, Weiming*, + , *T-MTT Mar 83* 225–261
- microstrip of coupler cross section; measuring effective dielectric constant. *Hubbell, S.*, + , *T-MTT Aug 83* 687–688
- open-ended coaxial lines used as sensors for *in vivo* permitting measurements of biological substances; numerical analysis of lines. *Gajda, Gregory B.*, + , *T-MTT May 83* 380–384
- permittivity determination at microwave frequencies using transmission-line methods; fast computational method for accurate permittivity determination. *Lighthart, Leo P.*, *T-MTT Mar 83* 249–254
- permittivity measurements of lossy liquids at millimeter-wave frequencies. *Zanforlin, Luigi*, *T-MTT May 83* 417–419
- resonant-frequency determination for microwave cavity partially filled with dielectric; determining best set of electrodynamic basis functions. *Krupka, Jerzy*, *T-MTT Mar 83* 302–305

Dielectric resonators

- complex resonant frequency calculation for open pillbox resonators. *Tsuji, Mikio*, + , *T-MTT May 83* 392–396
- coupling coefficient between microstrip line and dielectric resonator. *Komatsu, Yasutoshi*, + , *T-MTT Jan 83* 34–40
- dielectric resonator coupled to microstrip line; determination of loaded, unloaded, and external quality factors. *Khanna, Aps*, + , *T-MTT Mar 83* 261–264
- dielectric resonator FET oscillators; temperature stabilization. *Tsironis, Christos*, + , *T-MTT Mar 83* 312–314
- GaAs FET oscillator with dielectric resonator at input; large-signal design. *Podcameni, Abelardo*, + , *T-MTT Apr 83* 358–361
- miniaturized coaxial resonator partially loaded with high-dielectric-constant microwave ceramics. *Yamashita, Sadahiko*, + , *T-MTT Sep 83* 697–703
- mode evaluation in dielectric resonators using moment method. *Glisson, Allen W.*, + , *T-MTT Dec 83* 1023–1029
- resonant frequencies calculation for circular cylindrical dielectric rod between two perfectly conducting plates. *Maystre, D.*, + , *T-MTT Oct 83* 844–848
- stepped-impedance coaxial resonator partially loaded with high-dielectric-constant microwave ceramics; *Q*-factor calculation. *Yamashita, Sadahiko*, + , *T-MTT Jun 83* 485–488
- with no shielding walls or tuning screw; for MIC applications. *Shimoda, Yoshio*, + , *T-MTT Jul 83* 527–532

Dielectric-covered antennas

- insulated dipole in conducting or dielectric medium; field calculations; application to hyperthermia. *King, Ronold W. P.*, + , *T-MTT Jul 83* 574–583

Dielectric-covered antennas; cf. Buried antennas**Dielectric-loaded waveguides**

- dielectric-load corrugated waveguides; analysis using theory of nonstandard eigenvalues and variational methods. *Lindell, Ismo V.*, + , *T-MTT Jul 83* 520–526
- dielectric-loaded waveguide cavities; computation of resonant frequencies. *Zaki, Kawthar A.*, + , *T-MTT Dec 83* 1039–1045
- H*-guide having corrugated dielectric slab; Bragg reflection characteristics of millimeter waves. *Surawatpunya, Charray*, + , *T-MTT Jul 83* 584–588

Dielectric-resonator filters

- corrections to 'Dual-mode dielectric resonator loaded cavity filters' (Sep 82 1311–1316). *Fiedziuszko, S. J.*, *T-MTT Mar 83* 315

† Check author entry for subsequent corrections/comments

Dielectric waveguides

- arbitrarily shaped broken end in slab waveguides; scattering of guided modes analyzed using integral equation method. *Nishimura, Eiichi*, + , *T-MTT Nov 83* 923-930
- comments, with reply, on 'Hollow image guide and overlaid image guide coupler' by J. F. Miao and T. Itoh. *Prieto, A.*, + , *T-MTT Sep 83* 785-786 (Original paper, Nov 82 1826-1831)
- corrections to 'Waveguide electrooptic modulators' (Aug 82 1121-1137). *Alferness, Rod C.*, *T-MTT Mar 83* 315
- coupling between microstrip line and image guide through small apertures in common ground plane. *Miao, Jing-Feng*, + , *T-MTT Apr 83* 361-363
- coupling characteristics of nonradiative dielectric waveguides. *Yoneyama, Tsukasa*, + , *T-MTT Aug 83* 648-654
- dielectric ridge waveguide design for millimeter-wave integrated circuits. *Wang, Taichi*, + , *T-MTT Feb 83* 128-134
- insulated nonradiative dielectric waveguide for millimeter-wave ICs. *Yoneyama, Tsukasa*, + , *T-MTT Dec 83* 1002-1008
- mode conversions in dielectric waveguides having gratings; filter applications. *Matthaei, George L.*, *T-MTT Mar 83* 309-312
- optically controlled millimeter-wave phase shifters using dielectric waveguide with plasma-dominated region. *Vaucher, Aileen M.*, + , *T-MTT Feb 83* 209-216
- planar dielectric waveguides with finite periodic corrugations; analytical and experimental investigation. *Tsuji, Mikio*, + , *T-MTT Apr 83* 337-342
- single and parallel-coupled dielectric-waveguide gratings; filter properties. *Matthaei, George L.*, + , *T-MTT Oct 83* 825-835

Dielectric waveguides; cf. Optical waveguides

Digital integrated circuits; cf. FET integrated circuits

Diplexers

- folded Fabry - Perot quasi-optical ring resonator diplexer; theory and experiment. *Pickett, Herbert M.*, + , *T-MTT May 83* 373-380

Dipole antennas

- insulated dipole in conducting or dielectric medium; field calculations; application to hyperthermia. *King, Ronald W. P.*, + , *T-MTT Jul 83* 574-583
- microstrip antennas; substrate optimization. *Alexopoulos, Nicolaos G.*, + , *T-MTT Jul 83* 550-557

Directional couplers; cf. Microstrip directional couplers

Discontinuities; cf. Waveguide discontinuities

Dispersive media; cf. Electromagnetic propagation, dispersive media; Optical fibers

Distributed amplifiers

- GaAs MESFET distributed amplifiers; theory and performance. *Niclas, Karl B.*, + , *T-MTT Jun 83* 447-456
- noise characteristics of microwave distributed amplifiers. *Niclas, Karl B.*, + , *T-MTT Aug 83* 661-668

Distributed-parameter circuits

- cascades of lumped and lossy nonuniform transmission lines; equivalent transformations. *Endo, Isao*, + , *T-MTT Jun 83* 457-462

Distributed-parameter circuits; cf. Baluns; Coupled transmission lines; Distributed-parameter filters; Finline ...; Microstrip ...; Microwave circuits; Stripline ...

Distributed-parameter circuits, active; cf. Distributed amplifiers

Distributed-parameter filters

- coplanar waveguide bandpass filters; design and performance. *Williams, Dylan F.*, + , *T-MTT Jul 83* 558-566

Distributed-parameter filters; cf. Microwave filters; Millimeter-wave filters; Waveguide filters

Doppler measurements

- short-range microwave field sensors; modulation schemes; low-cost self-detecting Doppler sensors. *Jefford, Peter A.*, + , *T-MTT Aug 83* 613-624

Doppler radar

- 50-GHz IC components using alumina substrates with application to FET oscillator doubler and Doppler radar. *Tokumitsu, Yasuyuki*, + , *T-MTT Feb 83* 121-128

Duplexers

- quasi-optical polarization-duplexed balanced mixer for millimeter-wave applications. *Stephan, Karl D.*, + , *T-MTT Feb 83* 164-170. †

E

Earth remote sensing; cf. Remote sensing

Eigenvalues

- comments, with reply, on 'Variational methods for nonstandard eigenvalue problems in waveguide and resonator analysis' by I. V. Lindell. *Gabriel, G. J.*, *T-MTT Sep 83* 786-789 (Original paper, Aug 82 1194-1204)
- dielectric-load corrugated waveguides; analysis using theory of nonstandard eigenvalues and variational methods. *Lindell, Ismo V.*, + , *T-MTT Jul 83* 520-526

- 3M-device cavity-type power combiner. *Madhian, Mohammad*, + , *T-MTT Sep 83* 731-735

rectangular waveguide having two double ridges; eigenvalues calculation; cutoff wavelengths and bandwidths; application to varactor-tuned Gunn oscillators. *Dasgupta, D.*, + , *T-MTT Nov 83* 938-941

variational principle for nonstandard eigenproblem; application to study of guided-wave propagation in anisotropic dielectric waveguide. *Lindell, Ismo V.*, + , *T-MTT Sep 83* 736-745

Electric variables measurement; cf. Dielectric measurements; Impedance measurement; Noise measurement; Scattering parameters measurement; Voltage measurement

Electromagnetic coupling

- coupling coefficient between microstrip line and dielectric resonator. *Komatsu, Yasutoshi*, + , *T-MTT Jan 83* 34-40

resonant frequency of rectangular interdigital filter elements. *Cloete, J. H.*, *T-MTT Sep 83* 772-774

Electromagnetic coupling; cf. Antenna array mutual coupling; Apertures; Coupled transmission lines; Couplers

Electromagnetic diffraction; cf. Apertures

Electromagnetic heating; cf. Biomedical radiation applications, electromagnetic

Electromagnetic measurements; cf. Dielectric measurements; Microwave measurements; Millimeter-wave measurements

Electromagnetic propagation; cf. Electromagnetic surface waves; Waveguides

Electromagnetic propagation, absorbing media

- dielectric loss in monolithic microwave integrated circuits; effect on characteristics analyzed using spectral domain technique; application to microstrip and coupled microstrip. *Mirshakar-Syahkal, D.*, *T-MTT Nov 83* 950-954

finite-element analysis of lossy waveguides; application to MIS or Schottky-contact microstrip. *Aubourg, Michel*, + , *T-MTT Apr 83* 326-331

Electromagnetic propagation, absorbing media; cf. Buried antennas; Electromagnetic scattering, absorbing media

Electromagnetic propagation, anisotropic media

- corrections to 'new view on an anisotropic medium in a moving line charge problem' (Nov 82 2046-2048). *Kobayashi, Masanori*, *T-MTT Jul 83* 606

microstrip directional couplers on anisotropic substrate with isotropic superstrate; performance characteristics. *Alexopoulos, N. G.*, + , *T-MTT Aug 83* 671-674

microstrip-like transmission lines and coplanar strips on anisotropic substrates for MIC, electrooptic, and SAW applications; generalized analysis. *Koul, Shiban Kishen*, + , *T-MTT Dec 83* 1051-1059

stripline with multilayered anisotropic media; propagation characteristics of single and coupled stripline. *Kitazawa, Toshihide*, + , *T-MTT Jun 83* 429-433

Electromagnetic propagation, dispersive media

- electromagnetic-wave propagation in conducting waveguide loaded with tape helix. *Uhm, Hans S.*, + , *T-MTT Sep 83* 704-710

Electromagnetic propagation, dispersive media; cf. Transmission lines; Waveguide ...

Electromagnetic propagation, magnetic media; cf. Ferrite-loaded waveguides

Electromagnetic propagation, nonhomogeneous media

- stripline with multilayered anisotropic media; propagation characteristics of single and coupled stripline. *Kitazawa, Toshihide*, + , *T-MTT Jun 83* 429-433

Electromagnetic propagation, nonhomogeneous media; cf. Electromagnetic scattering, nonhomogeneous media; Nonhomogeneously loaded waveguides

Electromagnetic propagation, plasma media; cf. Plasma waves; Plasma-loaded waveguides

Electromagnetic radiation effects/protection; cf. Biomedical radiation applications, electromagnetic; Biomedical radiation effects/protection, electromagnetic; UHF radiation effects/protection

Electromagnetic refraction

- birefringence measurements at 245 GHz using quasi-optical nulling method. *Simonis, George J.*, *T-MTT Apr 83* 356-358

comments, with reply, on 'Refraction at a curved dielectric interface: Geometrical optics solution' by S. W. Lee, et al. *Love, John D.*, + , *T-MTT Oct 83* 853 (Original paper, Jan 82 12-19)

complex refractive index, complex dielectric permittivity and loss tangent of GaAs, Si, SiO₂, Al₂O₃, BeO, macor, and glass; precise millimeter-wave measurements. *Afsar, Mohammed Nurul*, + , *T-MTT Feb 83* 217-223

Electromagnetic scattering; cf. Waveguide discontinuities

Electromagnetic scattering, absorbing media

- absorption characteristics of lossy dielectric objects of large aspect ratios; calculation using iterative extended boundary condition;

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

- application to prolate spheroidal model of man. *Lakhtakia, A., + , T-MTT Aug 83 640-647*
- Electromagnetic scattering, anisotropic media**
coordinate-free approach to wave reflection from uniaxially anisotropic medium. *Chen, Hollis C., T-MTT Apr 83 331-336*
- Electromagnetic scattering, inverse problem**
estimating complex permittivities for chest portion of block model of man; moment-method formulation. *Ghodgaonkar, Deepak K., + , T-MTT Jun 83 442-446*
- Electromagnetic scattering, nonhomogeneous media**
estimating complex permittivities for chest portion of block model of man; moment-method formulation. *Ghodgaonkar, Deepak K., + , T-MTT Jun 83 442-446*
- Electromagnetic surface waves**
dielectric layer on conducting substrate; nondestructive measurement of thickness and dielectric constant using electromagnetic surface waves. *Ou, Weiming, + , T-MTT Mar 83 225-261*
- Electromagnetic surface-wave waveguides; cf. Dielectric waveguides**
- Electromagnetic tomography; cf. Tomography, electromagnetic**
- Electron emission; cf. Photoemitting materials/devices**
- Electrooptic materials/devices**
optical control of GaAs MESFET characteristics. *Mizuno, Hideki, T-MTT Jul 83 596-600*
optical control of GaAs MESFETs. *De Salles, Alvaro Augusto A., T-MTT Oct 83 812-820*
planar electrooptic beam splitter with a zig-zag electrode. *Lee, Chung Len, + , T-MTT Nov 83 890-897*
- Electrooptic modulation**
corrections to 'Waveguide electrooptic modulators' (Aug 82 1121-1137). *Alfness, Rod C., T-MTT Mar 83 315*
microstrip-like transmission lines and coplanar strips on anisotropic substrates for MIC, electrooptic, and SAW applications; generalized analysis. *Koul, Shibhan Kishen, + , T-MTT Dec 83 1051-1059*
- Equalizers; cf. Impedance matching**
- Equiripple filters; cf. Chebyshev filters**
- F
- Fabrication; cf. Integrated-circuit fabrication; Thin-film device fabrication**
- Fabry - Perot resonators**
folded Fabry - Perot quasi-optical ring resonator diplexer; theory and experiment. *Pickett, Herbert M., + , T-MTT May 83 373-380*
- Fault diagnosis**
breakage detection and location in optical fibers; scattering of guide modes in dielectric slab waveguide caused by arbitrarily shaped broken end. *Nishimura, Eiichi, + , T-MTT Nov 83 923-930*
- Feedback amplifiers**
comment, with reply, on 'The exact noise figure of amplifiers with parallel feedback and lossy matching circuit' by K. B. Niclas. *Engberg, Jakob, T-MTT Jan 83 81* (Original paper, May 82 832-834)
monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C., + , T-MTT Jan 83 27-29*
- Ferrite circulators**
complex gyrator circuits of planar circulators using higher order modes in a disk resonator. *Helszajn, Joseph, T-MTT Nov 83 931-938*
waveguide circulators with weakly magnetized open resonators; calculation of resonant frequencies, Q -factor, and slope parameter of resonator. *Helszajn, Joseph, + , T-MTT Jun 83 434-441*
- Ferrite isolators**
traveling-wave maser for 40 - 46.5 GHz range using andalusite active crystal, digit comb isolator, and ferrite isolator. *Cherpak, Nickolay T., + , T-MTT Mar 83 306-309*
- Ferrite-loaded resonators**
waveguide circulators with weakly magnetized open resonators; calculation of resonant frequencies, Q -factor, and slope parameter of resonator. *Helszajn, Joseph, + , T-MTT Jun 83 434-441*
- Ferrite-loaded waveguides**
comments, with reply, on 'Variational methods for nonstandard eigenvalue problems in waveguide and resonator analysis' by I. V. Lindell. *Gabriel, G. J., T-MTT Sep 83 786-789* (Original paper, Aug 82 1194-1204)
unilateral finline on magnetized ferrite substrate; analysis using network analysis method. *Hayashi, Y., + , T-MTT Jun 83 495-498*
- FET amplifiers**
GaAs FET monolithic amplifiers for VHF - UHF mobile radio with low noise and low dc power dissipation. *Honjo, Kazuhiko, + , T-MTT May 83 412-417*
monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C., + , T-MTT Jan 83 27-29*
- FET amplifiers; cf. Microwave FET amplifiers; Power FET amplifiers; UHF FET amplifiers**
- FET integrated circuits**
monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C., + , T-MTT Jan 83 27-29*
- FET integrated circuits, analog; cf. Millimeter-wave FET integrated circuits; UHF FET integrated circuits**
- FET oscillators; cf. Microwave FET oscillators; Millimeter-wave FET oscillators**
- FET switches**
 K_a -band GaAs monolithic phase shifter. *Sokolov, Vladimir, + , T-MTT Dec 83 1077-1083*
- FETs; cf. Microwave FETs; Submillimeter-wave FETs**
- Filtering; cf. Limiting**
- Filters; cf. Bandpass filters; Bandstop filters; Chebyshev filters; Impedance matching; Low-pass filters; Microwave filters; Millimeter-wave filters; Resonator filters**
- Finite-element methods**
finite-element analysis of lossy waveguides; application to MIS or Schottky-contact microstrip. *Aubourg, Michel, + , T-MTT Apr 83 326-331*
open-ended coaxial lines used as sensors for *in vivo* permitting measurements of biological substances; numerical analysis of lines. *Gajda, Gregory B., + , T-MTT May 83 380-384*
waveguide conductor loss minimization; optimum cross-section of dominant mode waveguide. *Suzuki, Mitsunori, + , T-MTT Oct 83 836-841*
- Finline**
closed-form empirical expressions for design of unilateral and bilateral finline. *Sharma, Arvind K., + , T-MTT Apr 83 350-356*
propagation characteristics in coupled unilateral and bilateral finlines. *Sharma, Arvind K., + , T-MTT Jun 83 498-502*
unilateral finline on magnetized ferrite substrate; analysis using network analysis method. *Hayashi, Y., + , T-MTT Jun 83 495-498*
- Finline circuits**
printed millimeter-wave E -plane circuits; technology survey. *Solbach, Klaus, T-MTT Feb 83 107-121*
 W -band broadband IC mixers using suspended stripline and finline configurations with GaAs beam-lead diodes. *Tahim, Raghbir S., + , T-MTT Mar 83 271-283*
- Finline components**
integrated finline components and subsystems at 60 and 94 GHz featuring balanced mixers, p-i-n diode attenuators, and switches. *Menzel, Wolfgang, + , T-MTT Feb 83 142-146*
- FM**
short-range microwave field sensors; modulation schemes; low-cost self-detecting Doppler sensors. *Jefford, Peter A., + , T-MTT Aug 83 613-624*
- FM noise**
microwave transmitters; measuring AM and FM noise. *Ashley, J. Robert, + , T-MTT Jul 83 605-606*
- Focusing**
multiapplicator system for focussed hyperthermia. *Knoechel, Reinhard, T-MTT Jan 83 70-73. †*
- Fourier transforms**
stacked 2-D spectral iterative technique for analyzing EM power deposition in large biological bodies. *Kastner, Raphael, + , T-MTT Nov 83 898-904*
- Frequency control; cf. Oscillator stability**
- Frequency conversion**
50-GHz IC components using alumina substrates with application to FET oscillator doubler and Doppler radar. *Tokumitsu, Yasuyuki, + , T-MTT Feb 83 121-128*
numerical steady-state analysis of nonlinear microwave circuits with periodic excitation. *Camacho-Peñalosa, Carlos, T-MTT Sep 83 724-730*
- Frequency conversion; cf. Microwave frequency conversion; Millimeter-wave frequency conversion**
- Frequency measurement; cf. Doppler measurements**
- Frequency stability; cf. Oscillator stability**
- G
- Gallium materials/devices**
2-bit and 3-bit GaAs MESFET analog-to-digital converter integrated circuits. *Upadhyayula, I. Chainulu, + , T-MTT Jan 83 2-10*
12-GHz-band low-noise GaAs monolithic amplifiers for direct-broadcast satellite receivers. *Sugiura, Tadahiko, + , T-MTT Dec 83 1083-1088*
dielectric resonator FET oscillators; temperature stabilization. *Tsironis, Christos, + , T-MTT Mar 83 312-314*
GaAs FET frequency doubler with input at 13, 15, or 18 GHz. *Rauscher, Christen, T-MTT Jun 83 462-473*
GaAs FET monolithic amplifiers for VHF - UHF mobile radio with low noise and low dc power dissipation. *Honjo, Kazuhiko, + , T-MTT May 83 412-417*

- GaAs FET oscillator with dielectric resonator at input; large-signal design. *Podcameni, Abelardo*, +, *T-MTT Apr 83* 358–361
- GaAs MESFET distributed amplifiers; theory and performance. *Niclas, Karl B.*, +, *T-MTT Jun 83* 447–456
- GaAs monolithic MICs for direct broadcast satellite receivers. *Hori, Shigekazu*, +, *T-MTT Dec 83* 1089–1096
- Gunn diodes in 26 – 110 GHz range; fundamental and harmonic operation. *Haydl, William H.*, *T-MTT Nov 83* 879–889
- IMPATT diodes; back bias voltage formula derivation. *Holway, Lowell H., Jr.*, +, *T-MTT Nov 83* 916–922
- interdigitated capacitors with application to GaAs monolithic filters. *Esfandiari, Reza*, +, *T-MTT Jan 83* 57–64
- K_a -band GaAs monolithic phase shifter. *Sokolov, Vladimir*, +, *T-MTT Dec 83* 1077–1083
- K_a -band monolithic GaAs balanced mixer using suspended stripline circuit in cross-bar mixer circuit; integration with hybrid MIC IF preamplifier. *Chao, Chente*, +, *T-MTT Jan 83* 11–15
- low-noise MESFETs for ion-implanted GaAs monolithic MICs; fabrication considerations. *Gupta, Aditya K.*, +, *T-MTT Dec 83* 1072–1076
- monolithic GaAs C-band 90° interdigitated couplers with 50- Ω and 25- Ω impedances. *Kumar, Mahesh*, +, *T-MTT Jan 83* 29–32
- monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C.*, +, *T-MTT Jan 83* 27–29
- optical control of GaAs MESFET characteristics. *Mizuno, Hideki*, *T-MTT Jul 83* 596–600
- optical control of GaAs MESFETs. *De Salles, Alvaro Augusto A.*, *T-MTT Oct 83* 812–820
- subharmonic planar doped barrier mixers; conversion loss characteristics. *Dixon, Samuel, Jr.*, +, *T-MTT Feb 83* 155–158
- two-stage monolithic IF amplifier incorporating sputtered Ta₂O₅ capacitor for 1.2-to-2.6 GHz. *Chu, Alejandro*, +, *T-MTT Jan 83* 21–26
- W-band broadband IC mixers using suspended stripline and finline configurations with GaAs beam-lead diodes. *Tahim, Raghbir S.*, +, *T-MTT Mar 83* 271–283
- yield considerations for ion-implanted GaAs monolithic microwave integrated circuits. *Gupta, Aditya*, +, *T-MTT Jan 83* 16–20
- Gallium materials/lasers**
- small-signal two-port circuit models of injection lasers that can be incorporated into microwave circuit analysis programs. *Tucker, Rodney S.*, +, *T-MTT Mar 83* 289–294
- Geometrical optics**
- comments, with reply, on 'Refraction at a curved dielectric interface: Geometrical optics solution' by S. W. Lee, et al. *Love, John D.*, +, *T-MTT Oct 83* 853 (Original paper, Jan 82 12–19)
- Geophysical measurements; cf. Soil measurements**
- Green's function**
- circular cylinder concentric with external square tube; characteristic impedance approximation using Green's function. *Riblet, Henry J.*, *T-MTT Oct 83* 841–844
- Green's function approach for obtaining S-matrices of multimode planar networks. *Chadha, Rakesh*, +, *T-MTT Feb 83* 224–227
- passbands and stopbands for electromagnetic waveguide with periodically varying cross section. *Boström, Anders*, *T-MTT Sep 83* 752–755
- Gunn device oscillators**
- fundamental and harmonic operation in 26 – 110 GHz range. *Haydl, William H.*, *T-MTT Nov 83* 879–889
- Gunn device in Sharpless flange; large-signal dynamic negative conductance. *Lakshminarayana, Mysore R.*, +, *T-MTT Mar 83* 265–271
- injection-locked Gunn oscillator system with wide locking widebandwidth; system based on self-tracking. *Biswas, B. N.*, +, *T-MTT Mar 83* 271–276
- millimeter-wave power combiner using quasi-optical resonator plus several Gunn oscillators. *Wandinger, Lothar*, +, *T-MTT Feb 83* 189–193
- rectangular waveguide having two double ridges; eigenvalues calculation; cutoff wavelengths and bandwidths; application to varactor-tuned Gunn oscillators. *Dasgupta, D.*, +, *T-MTT Nov 83* 938–941
- V-band low-noise integrated circuit receiver. *Chang, Kai*, +, *T-MTT Feb 83* 146–154
- W-band quartz image guide Gunn oscillator. *Chang, Yu-Wen*, *T-MTT Feb 83* 194–199
- Gunn devices**
- millimeter-wave power-combining techniques using IMPATT and Gunn diodes; survey. *Chang, Kai*, +, *T-MTT Feb 83* 91–107
- Gyrators**
- complex gyrator circuits of planar circulators using higher order modes in a disk resonator. *Helszajn, Joseph*, *T-MTT Nov 83* 931–938
- Gyrotrons**
- mode-specific reflectometry in multimode waveguide. *Stone, David S.*, +, *T-MTT Sep 83* 710–718

+ Check author entry for coauthors

H

HF amplifiers

monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C.*, +, *T-MTT Jan 83* 27–29

Hydrologic measurements; cf. Soil measurements

I

IEEE Microwave Theory and Techniques Society

1983 awards. *Parker, Don*, *T-MTT Dec 83* 985–989

change of editors. *Knerr, Reinhard H.*, Ed., *T-MTT Jan 83* 33

IF amplifiers

two-stage monolithic IF amplifier incorporating sputtered Ta₂O₅ capacitor for 1.2-to-2.6 GHz. *Chu, Alejandro*, +, *T-MTT Jan 83* 21–26

Imaging/mapping; cf. Microwave imaging/mapping; Remote sensing

Immittance inverters; cf. Gyrators

IMPATT diodes

back bias voltage formula derivation. *Holway, Lowell H., Jr.*, +, *T-MTT Nov 83* 916–922

millimeter-wave power-combining techniques using IMPATT and Gunn diodes; survey. *Chang, Kai*, +, *T-MTT Feb 83* 91–107

solid-state transmitter for high duty cycle and tunable bandwidth from 90 to 99 GHz. *Thoren, Glenn R.*, +, *T-MTT Feb 83* 183–188

Impedance matching

channel waveguide transformers for microwave and millimeter-wave applications. *Siegel, Peter H.*, +, *T-MTT Jun 83* 473–484

comment, with reply, on 'The exact noise figure of amplifiers with parallel feedback and lossy matching circuit' by K. B. Niclas. *Engberg, Jakob*, *T-MTT Jan 83* 81 (Original paper, May 82 832–834)

ideal six-port network consisting of matched reciprocal lossless five-port and perfect directional coupler. *Hansson, E. R. Bertil*, +, *T-MTT Mar 83* 284–288

noncommensurate broadband matching networks; design method. *Blomfield, D. A. E.*, +, *T-MTT Sep 83* 774–776

Impedance measurement

microwave automatic impedance measuring schemes using three fixed probes. *Hu, Chia-Lun J.*, *T-MTT Sep 83* 756–762

Impedance transformers; cf. Impedance matching

Indexes

IEEE MTT Symposia, 1952 – 1983; cumulative index. *T-MTT Sep 83* II-16-II-138

Inductors

microstrip reactive circuit elements. *Atwater, Harry A.*, *T-MTT Jun 83* 488–491

Infrared propagation, dispersive media; cf. Optical fibers

Injection lasers; cf. Gallium materials/lasers

Injection-locked oscillators

Gunn device in Sharpless flange; large-signal dynamic negative conductance. *Lakshminarayana, Mysore R.*, +, *T-MTT Mar 83* 265–271

injection-locked Gunn oscillator system with wide locking widebandwidth; system based on self-tracking. *Biswas, B. N.*, +, *T-MTT Mar 83* 271–276

optical control of GaAs MESFETs. *De Salles, Alvaro Augusto A.*, *T-MTT Oct 83* 812–820

optical injection locking of BARITT oscillators. *Heidemann, R.*, +, *T-MTT Jan 83* 78–79

pulsed oscillators, noise due to pulse-to-pulse incoherence; reduction by injection locking. *Anderson, D.*, +, *T-MTT Nov 83* 963–964

synchronization effects in submillimeter Josephson self-oscillator. *Henaux, J.-C.*, +, *T-MTT Feb 83* 177–183

Integral equations

dielectric slab waveguide with arbitrarily shaped broken end; scattering of guided modes analyzed using integral equation method. *Nishimura, Eiichi*, +, *T-MTT Nov 83* 923–930

Integral equations; cf. Moment methods; Variational methods

Integrated circuits; cf. FET integrated circuits; Integrated optics; Microwave integrated circuits; Millimeter-wave integrated circuits; UHF integrated circuits

Integrated optics

planar electrooptic beam splitter with a zig-zag electrode. *Lee, Chung Len*, +, *T-MTT Nov 83* 890–897

Integrated-circuit fabrication

low-noise MESFETs for ion-implanted GaAs monolithic MICs; fabrication considerations. *Gupta, Aditya K.*, +, *T-MTT Dec 83* 1072–1076

Integrated-circuit fabrication; cf. Integrated-circuit ion implantation

Integrated-circuit interconnections; cf. Beam-lead devices

Integrated-circuit ion implantation

low-noise MESFETs for ion-implanted GaAs monolithic MICs; fabrication considerations. *Gupta, Aditya K.*, +, *T-MTT Dec 83* 1072–1076

† Check author entry for subsequent corrections/comments

yield considerations for ion-implanted GaAs monolithic microwave integrated circuits. *Gupta, Aditya*, +, *T-MTT Jan 83* 16–20

Integrated-circuit noise

12-GHz-band low-noise GaAs monolithic amplifiers for direct-broadcast satellite receivers. *Sugiura, Tadahiko*, +, *T-MTT Dec 83* 1083–1088

GaAs monolithic MICs for direct broadcast satellite receivers. *Hori, Shigekazu*, +, *T-MTT Dec 83* 1089–1096

low-noise MESFETs for ion-implanted GaAs monolithic MICs; fabrication considerations. *Gupta, Aditya K.*, +, *T-MTT Dec 83* 1072–1076

Interconnected circuits; cf. Cascade circuits

Interpolation

bivariate interpolation method to compute microstrip parameters of any strip width and at any frequency; fast method for CAD. *Chua, Y. L.*, +, *T-MTT Aug 83* 685–687

Inverse scattering problem; cf. Electromagnetic scattering, inverse problem

Ion implantation; cf. Integrated-circuit ion implantation; Semiconductor device ion implantation

Isolators; cf. Ferrite isolators; Millimeter-wave isolators

J

Josephson device oscillators

synchronization effects in submillimeter Josephson self-oscillator. *Henaux, J.-C.*, +, *T-MTT Feb 83* 177–183

Junctions; cf. Multiport circuits; Waveguide junctions

L

Land mobile radio transmitters/receivers

GaAs FET monolithic amplifiers for VHF – UHF mobile radio with low noise and low dc power dissipation. *Honjo, Kazuhiko*, +, *T-MTT May 83* 412–417

Laser resonators; cf. Fabry – Perot resonators

LC circuits; cf. Lossless circuits

Lead materials/devices

superconducting PbAu/SiO/Pb microstrip; temperature-dependence measurements of attenuation constant and phase velocity at 10 and 30 GHz. *Pöpel, Ralf*, *T-MTT Jul 83* 600–604

Leaky-wave antennas

dielectric grating antenna design for millimeter-wave applications. *Schwering, Felix K.*, +, *T-MTT Feb 83* 199–209

soil moisture monitoring using buried leaky coaxial cable; surface impedance of outer leaky conductor related to moisture content. *Bahar, Ezekiel*, +, *T-MTT Jul 83* 533–541

Limiting

limiter for high-power millimeter-wave systems. *Armstrong, Albert L.*, +, *T-MTT Feb 83* 238–241

Limiting; cf. Microwave limiters

Linear arrays; cf. Antenna arrays

Liquids

permittivity measurements of lossy liquids at millimeter-wave frequencies. *Zanforlin, Luigi*, *T-MTT May 83* 417–419

Lithium materials/devices

planar electrooptic beam splitter with a zig-zag electrode. *Lee, Chung Len*, +, *T-MTT Nov 83* 890–897

Loaded waveguides

comments, with reply, on 'The ZEPLS program for solving characteristic equations of electromagnetic structures' by P. Lampariello and R. Sorrentino. *Zieniutycz, Wlodzimierz*, *T-MTT May 83* 420 (Original paper, May 75 457–458)

Loaded waveguides; cf. Dielectric-loaded waveguides; Ferrite-loaded waveguides; Nonhomogeneously loaded waveguides; Plasma-loaded waveguides; Semiconductor-loaded waveguides; Waveguide discontinuities

Locked oscillators; cf. Injection-locked oscillators

Lossless circuits

microstrip reactive circuit elements. *Atwater, Harry A.*, *T-MTT Jun 83* 488–491

Low-pass filters

high-isolation coaxial broadband p-i-n diode switches and limiters; design aspects. *Sarkar, B. K.*, *T-MTT Sep 83* 776–777

low-pass prototype network allowing placing of integrated poles at real frequencies. *Chambers, David S. G.*, +, *T-MTT Jan 83* 40–45

Lumped-element microwave circuits

interdigitated capacitors with application to GaAs monolithic filters. *Esfandiari, Reza*, +, *T-MTT Jan 83* 57–64

M

Maintenance; cf. Fault diagnosis

Mapping; cf. Remote sensing

Masers

traveling-wave maser for 40 – 46.5 GHz range using andalusite active crystal, digit comb isolator, and ferrite isolator. *Cherpak, Nickolay T.*, +, *T-MTT Mar 83* 306–309

Matching; cf. Impedance matching

Matrices; cf. Eigenvalues; Mode-matching methods; Moment methods; Scattering matrices

Matrix equations

iterative band approximation method for solving large matrix equations; application to calculating specific absorption rate of electromagnetic energy in inhomogeneous model of man. *DeFord, John F.*, +, *T-MTT Oct 83* 848–851

Measurement; cf. Biomedical measurements; Dielectric measurements; Microwave measurements; Remote sensing

MIC; cf. Microwave integrated circuits

Microstrip

apparent characteristic impedance; measurement and modeling. *Getsinger, William J.*, *T-MTT Aug 83* 624–632

bivariate interpolation method to compute microstrip parameters of any strip width and at any frequency; fast method for CAD. *Chua, Y. L.*, +, *T-MTT Aug 83* 685–687

coupling between microstrip line and image guide through small apertures in common ground plane. *Miao, Jing-Feng*, +, *T-MTT Apr 83* 361–363

coupling coefficient between microstrip line and dielectric resonator. *Komatsu, Yasutoshi*, +, *T-MTT Jan 83* 34–40

dielectric loss in monolithic microwave integrated circuits; effect on characteristics analyzed using spectral domain technique; application to microstrip and coupled microstrip. *Mirshekar-Syahkal, D.*, *T-MTT Nov 83* 950–954

finite-element analysis of lossy waveguides; application to MIS or Schottky-contact microstrip. *Aubourg, Michel*, +, *T-MTT Apr 83* 326–331

microstrip of coupler cross section; measuring effective dielectric constant. *Hubbell, S.*, +, *T-MTT Aug 83* 687–688

microstrip-like transmission lines and coplanar strips on anisotropic substrates for MIC, electrooptic, and SAW applications; generalized analysis. *Koul, Shiban Kishen*, +, *T-MTT Dec 83* 1051–1059

superconducting PbAu/SiO/Pb microstrip; temperature-dependence measurements of attenuation constant and phase velocity at 10 and 30 GHz. *Pöpel, Ralf*, *T-MTT Jul 83* 600–604

Microstrip antennas

substrate optimization for integrated circuit antennas. *Alexopoulos, Nicolaos G.*, +, *T-MTT Jul 83* 550–557

Microstrip arrays

mutual impedance between two elements calculated using moment method. *Newman, E. H.*, +, *T-MTT Nov 83* 941–945

Microstrip circuits

five-port reflectometer for measuring complex reflection coefficients; microstrip realization. *Li, Shihe*, +, *T-MTT Apr 83* 321–326

Green's function approach for obtaining S-matrices of multimode planar networks. *Chadha, Rakesh*, +, *T-MTT Feb 83* 224–227

interdigitated capacitors with application to GaAs monolithic filters. *Esfandiari, Reza*, +, *T-MTT Jan 83* 57–64

microstrip six-port reflectometer; calibration and performance. *El-Deeb, Nabil A.*, *T-MTT Jul 83* 509–514

reactive circuit elements. *Atwater, Harry A.*, *T-MTT Jun 83* 488–491

Microstrip couplers; cf. Microstrip directional couplers

Microstrip directional couplers

3-dB branch-line couplers having reduced internal impedance levels. *Muraguchi, Masahiro*, +, *T-MTT Aug 83* 674–678

on anisotropic substrate with isotropic superstrate; performance characteristics. *Alexopoulos, N. G.*, +, *T-MTT Aug 83* 671–674

overlay coupler full-wave analysis using spectral domain method. *Su, Luo*, +, *T-MTT Dec 83* 1017–1022

Microstrip resonators

dielectric resonator coupled to microstrip line; determination of loaded, unloaded, and external quality factors. *Khanna, Aps*, +, *T-MTT Mar 83* 261–264

dielectric resonator with no shielding walls or tuning screw. *Shimoda, Yoshio*, +, *T-MTT Jul 83* 527–532

interacting resonators analyzed using spectral domain technique; half-wave coupled and quarter-wave coupled rectangular microstrip resonators. *Sharma, Arvind K.*, +, *T-MTT Aug 83* 681–685

Microwave (3 – 30 GHz); cf. Millimeter-wave (30 – 300 GHz)

Microwave amplifiers

distributed amplifiers; noise characteristics at microwave frequencies. *Niclas, Karl B.*, +, *T-MTT Aug 83* 661–668

Microwave amplifiers; cf. Masers; Microwave FET amplifiers

- Microwave amplifiers, power; cf.** Traveling-wave tubes
- Microwave and Millimeter-Wave Monolithic Circuits Symposium, IEEE**
selected, expanded papers from 1982 symposium (special issue). *T-MTT Jan 83* 1–29
selected, expanded papers from 1983 symposium (special section). *T-MTT Dec 83* 1065–1096
- Microwave bipolar integrated circuits**
general-purpose program for nonlinear microwave circuit design. *Rizzoli, Vittorio, +, T-MTT Sep 83* 762–770
- Microwave circuits**
channel waveguide transformers for microwave and millimeter-wave applications. *Siegel, Peter H., +, T-MTT Jun 83* 473–484
numerical steady-state analysis of nonlinear microwave circuits with periodic excitation. *Camacho-Peñalosa, Carlos, T-MTT Sep 83* 724–730
- Microwave circuits; cf.** *Specific type*
- Microwave FET amplifiers**
12-GHz-band low-noise GaAs monolithic amplifiers for direct-broadcast satellite receivers. *Sugiura, Tadahiko, +, T-MTT Dec 83* 1083–1088
distributed amplifiers; noise characteristics at microwave frequencies. *Niclas, Karl B., +, T-MTT Aug 83* 661–668
GaAs MESFET distributed amplifiers; theory and performance. *Niclas, Karl B., +, T-MTT Jun 83* 447–456
GaAs monolithic MICs for direct broadcast satellite receivers. *Hori, Shigekazu, +, T-MTT Dec 83* 1089–1096
power-added efficiency improvement of FET amplifiers operating with varying-envelope signals. *Saleh, Adel A. M., +, T-MTT Jan 83* 51–56
- Microwave FET integrated circuits**
2-bit and 3-bit GaAs MESFET analog-to-digital converter integrated circuits. *Upadhyayula, I. Chainulu, +, T-MTT Jan 83* 2–10
12-GHz-band low-noise GaAs monolithic amplifiers for direct-broadcast satellite receivers. *Sugiura, Tadahiko, +, T-MTT Dec 83* 1083–1088
GaAs monolithic MICs for direct broadcast satellite receivers. *Hori, Shigekazu, +, T-MTT Dec 83* 1089–1096
general-purpose program for nonlinear microwave circuit design. *Rizzoli, Vittorio, +, T-MTT Sep 83* 762–770
low-noise MESFETs for ion-implanted GaAs monolithic MICs; fabrication considerations. *Gupta, Aditya K., +, T-MTT Dec 83* 1072–1076
monolithic GaAs C-band 90° interdigitated couplers with 50-Ω and 25-Ω impedances. *Kumar, Mahesh, +, T-MTT Jan 83* 29–32
optical control of GaAs MESFETs. *De Salles, Alvaro Augusto A., T-MTT Oct 83* 812–820
yield considerations for ion-implanted GaAs monolithic microwave integrated circuits. *Gupta, Aditya, +, T-MTT Jan 83* 16–20
- Microwave FET oscillators**
dielectric resonator FET oscillators; temperature stabilization. *Tsironis, Christos, +, T-MTT Mar 83* 312–314
GaAs FET oscillator with dielectric resonator at input; large-signal design. *Podcameni, Abelardo, +, T-MTT Apr 83* 358–361
optical control of GaAs MESFETs. *De Salles, Alvaro Augusto A., T-MTT Oct 83* 812–820
optimum design using scattering parameters; analytic approach. *Gilmore, Rowan J., +, T-MTT Aug 83* 633–639
- Microwave FETs**
electronically cold microwave artificial resistors using microwave FET with drain-to-gate feedback. *Forward, Robert L., +, T-MTT Jan 83* 45–50
GaAs FET frequency doubler with input at 13, 15, or 18 GHz. *Rauscher, Christen, T-MTT Jun 83* 462–473
ion-implanted MESFET performance as function of implantation energy and fluency. *Golio, J. M. Michael, +, T-MTT Dec 83* 1066–1071
optical control of GaAs MESFET characteristics. *Mizuno, Hideki, T-MTT Jul 83* 596–600
optical control of GaAs MESFETs. *De Salles, Alvaro Augusto A., T-MTT Oct 83* 812–820
- Microwave filters**
interdigitated capacitors with application to GaAs monolithic filters. *Esfandiari, Reza, +, T-MTT Jan 83* 57–64
- Microwave filters; cf.** Cavity-resonator filters; Dielectric-resonator filters; Resonator filters; Stripline filters; Waveguide filters
- Microwave frequency conversion**
GaAs FET frequency doubler with input at 13, 15, or 18 GHz. *Rauscher, Christen, T-MTT Jun 83* 462–473
- Microwave frequency conversion; cf.** Microwave mixers
- Microwave heating**
comments, with reply, on 'Heat transfer in surface-cooled objects subject to microwave heating' by K. R. Foster, et. al. *Guo, T. C., +, T-MTT Sep 83* 783–785 (Original paper, Aug 82 1158–1166)
- Microwave heating; cf.** Biomedical radiation applications, electromagnetic
- Microwave imaging/mapping**
microwave active imaging for remote thermal sensing. *Bolomey, J. C., +, T-MTT Sep 83* 777–781
- Microwave integrated circuits**
dielectric loss in monolithic microwave integrated circuits; effect on characteristics analyzed using spectral domain technique; application to microstrip and coupled microstrip. *Mirshekar-Syahkal, D., T-MTT Nov 83* 950–954
selected, expanded papers from 1982 IEEE Microwave and Millimeter-Wave Monolithic Circuits Symposium. *T-MTT Jan 83* 1–29
selected, expanded papers from 1983 IEEE Microwave and Millimeter-Wave Monolithic Circuits Symposium (special section). *T-MTT Dec 83* 1065–1096
- Microwave integrated circuits; cf.** Finline ...; Lumped-element microwave circuits; Microstrip ...; Microwave bipolar integrated circuits; Stripline ...
- Microwave limiters**
high-isolation coaxial broadband p-i-n diode switches and limiters; design aspects. *Sarkar, B. K., T-MTT Sep 83* 776–777
- Microwave measurements**
dielectric layer on conducting substrate; nondestructive measurement of thickness and dielectric constant using electromagnetic surface waves. *Ou, Weiming, +, T-MTT Mar 83* 225–261
ideal six-port network consisting of matched reciprocal lossless five-port and perfect directional coupler. *Hansson, E. R. Bertil, +, T-MTT Mar 83* 284–288
microstrip apparent characteristic impedance. *Getsinger, William J., T-MTT Aug 83* 624–632
microstrip of coupler cross section; measuring effective dielectric constant. *Hubbell, S., +, T-MTT Aug 83* 687–688
microwave automatic impedance measuring schemes using three fixed probes. *Hu, Chia-Lun J., T-MTT Sep 83* 756–762
mode-specific reflectometry in multimode waveguide. *Stone, David S., +, T-MTT Sep 83* 710–718
noise measurement in transmitters; AM and FM noise. *Ashley, J. Robert, +, T-MTT Jul 83* 605–606
open-ended coaxial lines used as sensors for *in vivo* permitting measurements of biological substances; numerical analysis of lines. *Gajda, Gregory B., +, T-MTT May 83* 380–384
permittivity determination at microwave frequencies using transmission-line methods; fast computational method for accurate permittivity determination. *Lighthart, Leo P., T-MTT Mar 83* 249–254
resonant-frequency determination for microwave cavity partially filled with dielectric; determining best set of electrodynamic basis functions. *Krupka, Jerzy, T-MTT Mar 83* 302–305
- Microwave measurements; cf.** Scattering parameters measurement
- Microwave mixers**
SSB balun-coupled mixer conversion loss anomaly, higher than theoretically predicted loss. *Hallford, Ben R., T-MTT Dec 83* 1030–1038
- Microwave modulation/demodulation**
short-range microwave field sensors; modulation schemes; low-cost self-detecting Doppler sensors. *Jefford, Peter A., +, T-MTT Aug 83* 613–624
- Microwave modulation/demodulation; cf.** Microwave mixers
- Microwave oscillators**
characteristics of oscillator represented by polynomial whose coefficients are determined from Rieke diagram. *Fukumoto, Katsumi, +, T-MTT Nov 83* 954–959
Gunn device in Sharpless flange; large-signal dynamic negative conductance. *Lakshminarayana, Mysore R., +, T-MTT Mar 83* 265–271
Gunn diodes in 26 – 110 GHz range; fundamental and harmonic operation. *Haydl, William H., T-MTT Nov 83* 879–889
injection-locked Gunn oscillator system with wide locking widebandwidth; system based on self-tracking. *Biswas, B. N., +, T-MTT Mar 83* 271–276
pulsed oscillators, noise due to pulse-to-pulse incoherence; reduction by injection locking. *Anderson, D., +, T-MTT Nov 83* 963–964
rectangular waveguide having two double ridges; eigenvalues calculation; cutoff wavelengths and bandwidths; application to varactor-tuned Gunn oscillators. *Dasgupta, D., +, T-MTT Nov 83* 938–941
- Microwave oscillators; cf.** Masers; Microwave FET oscillators
- Microwave phase shifters**
K_a-band GaAs monolithic phase shifter. *Sokolov, Vladimir, +, T-MTT Dec 83* 1077–1083
- Microwave radio receivers**
GaAs monolithic MICs for direct broadcast satellite receivers. *Hori, Shigekazu, +, T-MTT Dec 83* 1089–1096
- Microwave radio receivers; cf.** Microwave frequency conversion; Microwave mixers; Microwave modulation/demodulation
- Microwave radio transmitters**
noise measurement; AM and FM noise. *Ashley, J. Robert, +, T-MTT Jul 83* 605–606
- Microwave radio transmitters; cf.** Microwave modulation/demodulation
- Microwave radiometry; cf.** Microwave imaging/mapping

Microwave resonators

- lumped-mode resonators for *L*- and *S*-band; loop-gap resonator. *Mehdizadeh, Mehrdad*, + , *T-MTT Dec 83* 1059–1064
- scattering matrix description. *Galwas, Bogdan A.*, *T-MTT Aug 83* 669–671

Microwave switches; cf. Duplexers**Microwave Symposium, IEEE MTT-S International**

- cumulative index to IEEE MTT Symposia, 1952 – 1983. *T-MTT Sep 83* II-16-II-138
- history of IEEE MTT Symposia, 1952 – 1983. *Saad, Theodore S.*, *T-MTT Sep 83* II-2-II-15
- selected papers from 1983 symposium (special issue). *T-MTT Dec 83* 973–1064

Microwave technology

- abstracts of papers published in Australia, India, and Japan. *T-MTT Oct 83* 856–869
- patent abstracts. *T-MTT Jan 83* 82–85
- patent abstracts. *T-MTT Feb 83* 242–246
- patent abstracts. *T-MTT Mar 83* 316–318
- patent abstracts. *T-MTT Apr 83* 367–370
- patent abstracts. *T-MTT May 83* 421–425
- patent abstracts. *T-MTT Jun 83* 505–508
- patent abstracts. *T-MTT Jul 83* 607–611
- patent abstracts. *T-MTT Aug 83* 689–693
- patent abstracts. *T-MTT Sep 83* 790–793
- patent abstracts. *T-MTT Oct 83* 854–856
- patent abstracts. *T-MTT Nov 83* 965–967
- patent abstracts. *T-MTT Dec 83* 1097–1099

Millimeter-wave (30 – 300 GHz); cf. Microwave (3 – 30 GHz)**Millimeter-wave amplifiers**

- traveling-wave maser for 40 – 46.5 GHz range using andalusite active crystal, digit comb isolator, and ferrite isolator. *Cherpak, Nickolay T.*, + , *T-MTT Mar 83* 306–309

Millimeter-wave amplifiers, power

- injection-locking performance of 41-GHz 10-W power combining amplifier. *Mooney, Dale W.*, + , *T-MTT Feb 83* 171–177

Millimeter-wave antennas

- dielectric grating antenna design for millimeter-wave applications. *Schwering, Felix K.*, + , *T-MTT Feb 83* 199–209
- quasi-optical polarization-duplexed balanced mixer for millimeter-wave applications. *Stephan, Karl D.*, + , *T-MTT Feb 83* 164–170. †

Millimeter-wave attenuators

- integrated finline components and subsystems at 60 and 94 GHz featuring balanced mixers, p-i-n diode attenuators, and switches. *Menzel, Wolfgang*, + , *T-MTT Feb 83* 142–146

Millimeter-wave circuits

- limiter for high-power millimeter-wave systems. *Armstrong, Albert L.*, + , *T-MTT Feb 83* 238–241
- millimeter-wave devices and circuits (special issue). *T-MTT Feb 83* 89–241

Millimeter-wave circulators

- complex gyrator circuits of planar circulators using higher order modes in a disk resonator. *Helszajn, Joseph*, *T-MTT Nov 83* 931–938

Millimeter-wave detectors

- diode detector characteristics for 94-GHz six-port application. *Fong-Tom, Robert A.*, + , *T-MTT Feb 83* 158–164
- printed millimeter-wave *E*-plane circuits; technology survey. *Solbach, Klaus*, *T-MTT Feb 83* 107–121

Millimeter-wave devices

- millimeter-wave devices and circuits (special issue). *T-MTT Feb 83* 89–241

Millimeter-wave diodes

- diode detector characteristics for 94-GHz six-port application. *Fong-Tom, Robert A.*, + , *T-MTT Feb 83* 158–164

Millimeter-wave FET integrated circuits

- K_a*-band GaAs monolithic phase shifter. *Sokolov, Vladimir*, + , *T-MTT Dec 83* 1077–1083

Millimeter-wave FET oscillators

- 50-GHz IC components using alumina substrates with application to FET oscillator doubler and Doppler radar. *Tokumitsu, Yasuyuki*, + , *T-MTT Feb 83* 121–128

Millimeter-wave filters

- millimeter-wave *E*-plane filters; computer-aided design. *Shih, Yi-Chi*, + , *T-MTT Feb 83* 135–142
- optimized waveguide *E*-plane insert filters for millimeter-wave applications. *Vahldieck, Rüdiger*, + , *T-MTT Jan 83* 65–69

Millimeter-wave frequency conversion

- channel waveguide transformers for microwave and millimeter-wave applications. *Siegel, Peter H.*, + , *T-MTT Jun 83* 473–484
- hyperabrupt-junction varactor diodes for millimeter-wavelength harmonic generators. *Lundien, Keith*, + , *T-MTT Feb 83* 235–238

Millimeter-wave frequency conversion; cf. Millimeter-wave mixers**Millimeter-wave imaging/mapping; cf. Millimeter-wave radiometry****Millimeter-wave integrated circuits**

- 50-GHz IC components using alumina substrates with application to FET oscillator doubler and Doppler radar. *Tokumitsu, Yasuyuki*, + , *T-MTT Feb 83* 121–128
- dielectric ridge waveguide design for millimeter-wave integrated circuits. *Wang, Taichi*, + , *T-MTT Feb 83* 128–134
- insulated nonradiative dielectric waveguide for millimeter-wave ICs. *Yoneyama, Tsukasa*, + , *T-MTT Dec 83* 1002–1008
- integrated finline components and subsystems at 60 and 94 GHz featuring balanced mixers, p-i-n diode attenuators, and switches. *Menzel, Wolfgang*, + , *T-MTT Feb 83* 142–146
- K_a*-band monolithic GaAs balanced mixer using suspended stripline circuit in cross-bar mixer circuit; integration with hybrid MIC IF preamplifier. *Chao, Chente*, + , *T-MTT Jan 83* 11–15
- millimeter-wave devices and circuits (special issue). *T-MTT Feb 83* 89–241
- nonradiative dielectric waveguides; coupling characteristics. *Yoneyama, Tsukasa*, + , *T-MTT Aug 83* 648–654
- printed millimeter-wave *E*-plane circuits; technology survey. *Solbach, Klaus*, *T-MTT Feb 83* 107–121
- selected, expanded papers from 1982 IEEE Microwave and Millimeter-Wave Monolithic Circuits Symposium. *T-MTT Jan 83* 1–29
- selected, expanded papers from 1983 IEEE Microwave and Millimeter-Wave Monolithic Circuits Symposium (special section). *T-MTT Dec 83* 1065–1096
- V-band low-noise integrated circuit receiver. *Chang, Kai*, + , *T-MTT Feb 83* 146–154
- W-band broadband IC mixers using suspended stripline and finline configurations with GaAs beam-lead diodes. *Tahim, Raghibir S.*, + , *T-MTT Mar 83* 271–283

Millimeter-wave integrated circuits; cf. Millimeter-wave FET integrated circuits**Millimeter-wave isolators**

- traveling-wave maser for 40 – 46.5 GHz range using andalusite active crystal, digit comb isolator, and ferrite isolator. *Cherpak, Nickolay T.*, + , *T-MTT Mar 83* 306–309

Millimeter-wave measurements

- birefringence measurements at 245 GHz using quasi-optical nulling method. *Simonis, George J.*, *T-MTT Apr 83* 356–358
- comments, with reply, on 'Some pitfalls in millimeter-wave noise measurements utilizing a cross-correlation receiver' by A. D. Sutherland and A. Van der Ziel. *Siweris, H. J.*, + , *T-MTT Apr 83* 364 (Original paper, May 82 715–718)
- complex refractive index, complex dielectric permittivity and loss tangent of GaAs, Si, SiO₂, Al₂O₃, BeO, macor, and glass; precise millimeter-wave measurements. *Afsar, Mohammed Nurul*, + , *T-MTT Feb 83* 217–223
- permittivity measurements of lossy liquids at millimeter-wave frequencies. *Zanforlin, Luigi*, *T-MTT May 83* 417–419

Millimeter-wave mixers

- channel waveguide transformers for microwave and millimeter-wave applications. *Siegel, Peter H.*, + , *T-MTT Jun 83* 473–484
- cryogenic millimeter-wave Schottky-diode mixer. *Kollberg, Erik L.*, + , *T-MTT Feb 83* 230–235
- E*-plane W-band printed-circuit balanced mixer. *Meier, Paul J.*, *T-MTT Feb 83* 227–230
- folded Fabry – Perot quasi-optical ring resonator diplexer; theory and experiment. *Pickett, Herbert M.*, + , *T-MTT May 83* 373–380
- integrated finline components and subsystems at 60 and 94 GHz featuring balanced mixers, p-i-n diode attenuators, and switches. *Menzel, Wolfgang*, + , *T-MTT Feb 83* 142–146
- K_a*-band monolithic GaAs balanced mixer using suspended stripline circuit in cross-bar mixer circuit; integration with hybrid MIC IF preamplifier. *Chao, Chente*, + , *T-MTT Jan 83* 11–15
- printed millimeter-wave *E*-plane circuits; technology survey. *Solbach, Klaus*, *T-MTT Feb 83* 107–121
- quasi-optical polarization-duplexed balanced mixer for millimeter-wave applications. *Stephan, Karl D.*, + , *T-MTT Feb 83* 164–170. †
- subharmonic planar doped barrier mixers; conversion loss characteristics. *Dixon, Samuel, Jr.*, + , *T-MTT Feb 83* 155–158
- superconductor-insulator-superconductor mixer and receiver for 230 GHz. *Sutton, E. C.*, *T-MTT Jul 83* 589–592
- W-band broadband IC mixers using suspended stripline and finline configurations with GaAs beam-lead diodes. *Tahim, Raghibir S.*, + , *T-MTT Mar 83* 271–283

Millimeter-wave oscillators

- Gunn diodes in 26 – 110 GHz range; fundamental and harmonic operation. *Haydl, William H.*, *T-MTT Nov 83* 879–889
- printed millimeter-wave *E*-plane circuits; technology survey. *Solbach, Klaus*, *T-MTT Feb 83* 107–121
- W-band quartz image guide Gunn oscillator. *Chang, Yu-Wen*, *T-MTT Feb 83* 194–199

Millimeter-wave oscillators; cf. Millimeter-wave FET oscillators**Millimeter-wave phase shifters**

- K_a*-band GaAs monolithic phase shifter. *Sokolov, Vladimir*, + , *T-MTT Dec 83* 1077–1083

- optically controlled millimeter-wave phase shifters using dielectric waveguide with plasma-dominated region. *Vaucher, Aileen M.*, + , *T-MTT Feb 83* 209–216
- Millimeter-wave power dividers/combiners**
 injection-locking performance of 41-GHz 10-W power combining amplifier. *Mooney, Dale W.*, + , *T-MTT Feb 83* 171–177
 millimeter-wave power combiner using quasi-optical resonator plus several Gunn oscillators. *Wandinger, Lothar*, + , *T-MTT Feb 83* 189–193
 millimeter-wave power-combining techniques using IMPATT and Gunn diodes; survey. *Chang, Kai*, + , *T-MTT Feb 83* 91–107
- Millimeter-wave radar**
 solid-state transmitter for high duty and tunable bandwidth from 90 to 99 GHz. *Thoren, Glenn R.*, + , *T-MTT Feb 83* 183–188
- Millimeter-wave radio receivers**
 cryogenic solid-state receiver modules for 90 and 140 GHz airborne radiometry. *Vowinkel, Bernd*, + , *T-MTT Dec 83* 996–1001
 superconductor-insulator-superconductor mixer and receiver for 230 GHz. *Sutton, E. C.*, *T-MTT Jul 83* 589–592
 V-band low-noise integrated circuit receiver. *Chang, Kai*, + , *T-MTT Feb 83* 146–154
- Millimeter-wave radio receivers; cf.** Millimeter-wave frequency conversion; Millimeter-wave mixers
- Millimeter-wave radiometry**
 cryogenic solid-state receiver modules for 90 and 140 GHz airborne radiometry. *Vowinkel, Bernd*, + , *T-MTT Dec 83* 996–1001
- Millimeter-wave switches**
 printed millimeter-wave *E*-plane circuits; technology survey. *Solbach, Klaus*, *T-MTT Feb 83* 107–121
- Millimeter-wave waveguides**
H-guide having corrugated dielectric slab; Bragg reflection characteristics of millimeter waves. *Surawatpunya, Charray*, + , *T-MTT Jul 83* 584–588
- Minimization methods; cf.** Optimization methods
- MIS devices**
 finite-element analysis of lossy waveguides; application to MIS or Schottky-contact microstrip. *Aubourg, Michel*, + , *T-MTT Apr 83* 326–331
 slow-wave characteristics of MIS coplanar waveguide analyzed using mode-matching and spectral-domain techniques. *Fukuoka, Yoshiro*, + , *T-MTT Jul 83* 567–573
 slow-wave coplanar waveguide on periodically doped semiconductor substrate. *Fukuoka, Yoshiro*, + , *T-MTT Dec 83* 1013–1017
- Mixers; cf.** Microwave mixers; Millimeter-wave mixers
- Mode-matching methods**
 mode-matching at discontinuities in conical waveguides. *James, Graeme L.*, *T-MTT Sep 83* 718–723
- Modes**
 higher-order modes in squared coaxial lines. *Gruner, L.*, *T-MTT Sep 83* 770–772
- Modes; cf.** *Specific topic*
- Modulation/demodulation; cf.** Microwave modulation/demodulation; Pulse modulation
- Moisture measurement; cf.** Soil measurements
- Moment methods**
 estimating complex permittivities for chest portion of block model of man; moment-method formulation. *Ghodgaonkar, Deepak K.*, + , *T-MTT Jun 83* 442–446
 iterative band approximation method for solving large matrix equations; application to calculating specific absorption rate of electromagnetic energy in inhomogeneous model of man. *DeFord, John F.*, + , *T-MTT Oct 83* 848–851
 microstrip antennas; mutual impedance between two elements calculated using moment method. *Newman, E. H.*, + , *T-MTT Nov 83* 941–945
 mode evaluation in dielectric resonators using moment method. *Glisson, Allen W.*, + , *T-MTT Dec 83* 1023–1029
 moment solution for waveguide junction problems. *Auda, Hesham*, + , *T-MTT Jul 83* 515–520
 open-ended coaxial lines used as sensors for *in vivo* permitting measurements of biological substances; numerical analysis of lines. *Gajda, Gregory B.*, + , *T-MTT May 83* 380–384
 single-post inductive obstacle in rectangular waveguide; rapidly converging moment solution. *Leviatan, Yehuda*, + , *T-MTT Oct 83* 806–812
- Multiconductor transmission lines; cf.** Coupled transmission lines
- Multimode transmission lines**
 Green's function approach for obtaining *S*-matrices of multimode planar networks. *Chadha, Rakesh*, + , *T-MTT Feb 83* 224–227
- Multimode transmission lines; cf.** Coupled transmission lines
- Multimode waveguides**
 mode-specific reflectometry in multimode waveguide. *Stone, David S.*, + , *T-MTT Sep 83* 710–718
- Multiplexing; cf.** Diplexers

+ Check author entry for coauthors

Multipoint circuits

- comments, with reply, on 'A rigorous technique for measuring the scattering matrix of a multipoint device with a two-port network analyzer' by R. A. Speciale and J. C. Tippet. *Dropkin, H.*, *T-MTT Jan 83* 79–81 (Original paper, May 82 661–666)
- correcting scattering parameter data of an imperfectly terminated multipoint when measured with two-port network analyzer. *Rautio, James C.*, *T-MTT May 83* 407–412
- diode detector characteristics for 94-GHz six-port application. *Fong-Tom, Robert A.*, + , *T-MTT Feb 83* 158–164
- five-port reflectometer for measuring complex reflection coefficients; microstrip realization. *Li, Shihe*, + , *T-MTT Apr 83* 321–326
- ideal six-port network consisting of matched reciprocal lossless five-port and perfect directional coupler. *Hansson, E. R. Bertil*, + , *T-MTT Mar 83* 284–288
- microstrip six-port reflectometer; calibration and performance. *El-Deeb, Nabil A.*, *T-MTT Jul 83* 509–514
- Multipoint circuits; cf.** Two-port circuits

N

N-port circuits; cf. Multipoint circuits

Newton's method

- waveguide conductor loss minimization; optimum cross-section of dominant mode waveguide. *Suzuki, Mitsunori*, + , *T-MTT Oct 83* 836–841

Noise; cf. AM noise; Amplifier noise; Circuit noise; FM noise; Integrated-circuit noise; Oscillator noise

Noise measurement

- comments, with reply, on 'Some pitfalls in millimeter-wave noise measurements utilizing a cross-correlation receiver' by A. D. Sutherland and A. Van der Ziel. *Siweris, H. J.*, + , *T-MTT Apr 83* 364 (Original paper, May 82 715–718)
- microwave transmitters; measuring AM and FM noise. *Ashley, J. Robert*, + , *T-MTT Jul 83* 605–606

Nonhomogeneous media; cf. Electromagnetic propagation, nonhomogeneous media; Electromagnetic scattering, nonhomogeneous media

Nonhomogeneously loaded waveguides

- dielectric-load corrugated waveguides; analysis using theory of nonstandard eigenvalues and variational methods. *Lindell, Ismo V.*, + , *T-MTT Jul 83* 520–526
- electromagnetic-wave propagation in conducting waveguide loaded with tape helix. *Uhm, Hans S.*, + , *T-MTT Sep 83* 704–710

Nonlinear algebraic equations; cf. Newton's method

Nonlinear circuits; cf. Frequency conversion; Nonlinear oscillators

Nonlinear circuits, time-varying

- numerical steady-state analysis of nonlinear microwave circuits with periodic excitation. *Camacho-Peñalosa, Carlos*, *T-MTT Sep 83* 724–730

Nonlinear filtering; cf. Limiting

Nonlinear oscillators

- characteristics of oscillator represented by polynomial whose coefficients are determined from Rieke diagram. *Fukamoto, Katsumi*, + , *T-MTT Nov 83* 954–959
- nonlinear theory of parametric oscillator; steady-state operation and fluctuation analysis. *Cazzola, Roberto*, + , *T-MTT Oct 83* 797–805

Nonlinear oscillators; cf. Injection-locked oscillators

Nonreciprocal circuits; cf. Gytrators

Numerical methods

- numerical steady-state analysis of nonlinear microwave circuits with periodic excitation. *Camacho-Peñalosa, Carlos*, *T-MTT Sep 83* 724–730
- shielded coplanar waveguide with ground plane under thin dielectric; numerical method for calculating impedance and effective dielectric constant. *Rowe, David A.*, + , *T-MTT Nov 83* 911–915
- stacked 2-D spectral iterative technique for analyzing EM power deposition in large biological bodies. *Kastner, Raphael*, + , *T-MTT Nov 83* 898–904

Numerical methods; cf. Approximation methods; Eigenvalues; Finite-element methods; Integral equations; Interpolation; Moment methods; Newton's method; Optimization methods; Variational methods

O

Optical beam splitting

- planar electrooptic beam splitter with a zig-zag electrode. *Lee, Chung Len*, + , *T-MTT Nov 83* 890–897

Optical fiber mechanical factors

- breakage detection and location in optical fibers; scattering of guide modes in dielectric slab waveguide caused by arbitrarily shaped broken end. *Nishimura, Eiichi*, + , *T-MTT Nov 83* 923–930

† Check author entry for subsequent corrections/comments

Optical fiber transducers

comments, with reply, on 'The dynamical behavior of a single-mode optical fiber strain gage' by M. Martinelli. *Laura, Patricio A. A., + , T-MTT Apr 83 364-366* (Original paper, Apr 82 512-516)

Optical fibers

eccentrically clad three-layer fiber; hybrid-cladding modes. *Lyras, Andreas D., + , T-MTT Nov 83 945-950*
 hybrid modes in circular cylindrical optical fibers. *Morishita, Katsumi, T-MTT Apr 83 344-350*
 minimizing dispersion; optimum radius of single-mode step-index fiber. *Pires, Paulo Sérgio Motta, + , T-MTT Nov 83 959-962*

Optical radiation effects/protection

optical control of GaAs MESFET characteristics. *Mizuno, Hideki, T-MTT Jul 83 596-600*

Optical radiation effects/protection; cf. Cerenkov radiation**Optical resonators; cf. Fabry - Perot resonators****Optical waveguides**

variational principle for nonstandard eigenproblem; application to study of guided-wave propagation in anisotropic dielectric waveguide. *Lindell, Ismo V., + , T-MTT Sep 83 736-745*

Optical ...; cf. Electrooptic ...; Optical fiber ...**Optimization methods**

optical fiber dispersion minimization; optimum radius of single-mode step-index fiber. *Pires, Paulo Sérgio Motta, + , T-MTT Nov 83 959-962*
 waveguide conductor loss minimization; optimum cross-section of dominant mode waveguide. *Suzuki, Mitsunori, + , T-MTT Oct 83 836-841*

Optimization methods; cf. Approximation methods**Oscillator noise**

pulsed oscillators, noise due to pulse-to-pulse incoherence; reduction by injection locking. *Anderson, D., + , T-MTT Nov 83 963-964*

Oscillator stability

dielectric resonator FET oscillators; temperature stabilization. *Tsironis, Christos, + , T-MTT Mar 83 312-314*
 three-cavity tunnel-diode RF oscillators; theoretical and experimental study of frequency stabilization scheme. *Campisi, Isidoro E., + , T-MTT Nov 83 905-910*

Oscillators; cf. BARITT diode oscillators; Gunn device oscillators; Injection-locked oscillators; Josephson device oscillators; Nonlinear oscillators; Parametric oscillators; Submillimeter-wave oscillators; UHF oscillators

P

p-i-n diodes

high-isolation coaxial broadband p-i-n diode switches and limiters; design aspects. *Sarkar, B. K., T-MTT Sep 83 776-777*
 integrated finline components and subsystems at 60 and 94 GHz featuring balanced mixers, p-i-n diode attenuators, and switches. *Menzel, Wolfgang, + , T-MTT Feb 83 142-146*
 limiter for high-power millimeter-wave systems. *Armstrong, Albert L., + , T-MTT Feb 83 238-241*
 printed millimeter-wave E-plane circuits; technology survey. *Solbach, Klaus, T-MTT Feb 83 107-121*

Parallel-plate waveguides

propagation in longitudinally magnetized compressible plasma between two parallel planes. *Unz, Hillel, T-MTT Mar 83 305-306*

Parametric oscillators

nonlinear theory of parametric oscillator; steady-state operation and fluctuation analysis. *Cazzola, Roberto, + , T-MTT Oct 83 797-805*

Phase shifters; cf. Microwave phase shifters; Millimeter-wave phase shifters

Phase-locked oscillators; cf. Injection-locked oscillators

Photoemitting materials/devices

optical injection locking of BARITT oscillators. *Heidemann, R., + , T-MTT Jan 83 78-79*

Piezoelectric transducers; cf. Acoustic surface-wave transducers

Plasma waves

propagation in longitudinally magnetized compressible plasma between two parallel planes. *Unz, Hillel, T-MTT Mar 83 305-306*

Plasma-loaded waveguides

optically controlled millimeter-wave phase shifters using dielectric waveguide with plasma-dominated region. *Vaucher, Aileen M., + , T-MTT Feb 83 209-216*

Polarization

waveguide polarizer with resonant notches in septum; design data derived using Wiener - Hopf technique. *Albertsen, N. Chr., + , T-MTT Aug 83 654-660*

Poles and zeros

comments, with reply, on 'The ZEPLS program for solving characteristic equations of electromagnetic structures' by P. Lampariello and R. Sorrentino. *Zienitycz, Włodzimierz, T-MTT May 83 420* (Original paper, May 75 457-458)

Poles and zeros; cf. Eigenvalues

Power amplifiers; cf. Millimeter-wave amplifiers, power; Power FET amplifiers; Traveling-wave tubes

Power cables; cf. Superconducting cables

Power dividers/combiners

3M-device cavity-type power combiner. *Madihian, Mohammad, + , T-MTT Sep 83 731-735*

Power dividers/combiners; cf. Millimeter-wave power dividers/combiners; Submillimeter-wave power dividers/combiners; UHF power dividers/combiners

Power FET amplifiers

power-added efficiency improvement of FET amplifiers operating with varying-envelope signals. *Saleh, Adel A. M., + , T-MTT Jan 83 51-56*

Printed circuits

E-plane W-band printed-circuit balanced mixer. *Meier, Paul J., T-MTT Feb 83 227-230*

printed millimeter-wave E-plane circuits; technology survey. *Solbach, Klaus, T-MTT Feb 83 107-121*

Pulse modulation

short-range microwave field sensors; modulation schemes; low-cost self-detecting Doppler sensors. *Jefford, Peter A., + , T-MTT Aug 83 613-624*

Q

Quartz materials/devices

W-band quartz image guide Gunn oscillator. *Chang, Yu-Wen, T-MTT Feb 83 194-199*

R

Radar; cf. Doppler radar; Millimeter-wave radar

Radar imaging/mapping; cf. Electromagnetic scattering, inverse problem

Radar transmitters

solid-state transmitter for high duty cycle and tunable bandwidth from 90 to 99 GHz. *Thoren, Glenn R., + , T-MTT Feb 83 183-188*

Radio broadcasting; cf. Satellite communication, broadcast

Radio receivers; cf. Land mobile radio transmitters/receivers; Microwave radio receivers; Millimeter-wave radio receivers; Submillimeter-wave radio receivers

Radio tomography; cf. Tomography, electromagnetic

Radio transmitters; cf. Land mobile radio transmitters/receivers; Microwave radio transmitters

Radomes; cf. Dielectric-covered antennas

Reflection coefficient measurement; cf. Scattering parameters measurement

Refraction; cf. Electromagnetic refraction

Remote sensing

microwave active imaging for remote thermal sensing. *Bolomey, J. C., + , T-MTT Sep 83 777-781*

Resistors

electronically cold microwave artificial resistors using microwave FET with drain-to-gate feedback. *Forward, Robert L., + , T-MTT Jan 83 45-50*

Resonator filters

coplanar waveguide bandpass filters; design and performance. *Williams, Dylan F., + , T-MTT Jul 83 558-566*

resonant frequency of rectangular interdigital filter elements. *Cloete, J. H., T-MTT Sep 83 772-774*

Resonator filters; cf. Cavity-resonator filters; Dielectric-resonator filters

Resonators

comments, with reply, on 'Variational methods for nonstandard eigenvalue problems in waveguide and resonator analysis' by I. V. Lindell. *Gabriel, G. J., T-MTT Sep 83 786-789* (Original paper, Aug 82 1194-1204)

Resonators; cf. Cavity resonators; Coaxial resonators; Dielectric resonators; Fabry - Perot resonators; Ferrite-loaded resonators; Microstrip resonators; Microwave resonators; Superconducting cavity resonators; UHF resonators

Ridge waveguides

dielectric ridge waveguide design for millimeter-wave integrated circuits. *Wang, Taichi, + , T-MTT Feb 83 128-134*

rectangular waveguide having two double ridges; eigenvalues calculation; cutoff wavelengths and bandwidths; application to varactor-tuned Gunn oscillators. *Dasgupta, D., + , T-MTT Nov 83 938-941*

S

Satellite communication, broadcast

12-GHz-band low-noise GaAs monolithic amplifiers for direct-broadcast satellite receivers. *Sugiura, Tadahiko*, + , *T-MTT Dec 83* 1083–1088

GaAs monolithic MICs for direct broadcast satellite receivers. *Hori, Shigekazu*, + , *T-MTT Dec 83* 1089–1096

Scattering matrices

comments, with reply, on 'A rigorous technique for measuring the scattering matrix of a multiport device with a two-port network analyzer' by R. A. Speciale and J. C. Tippet. *Dropkin, H.*, *T-MTT Jan 83* 79–81 (Original paper, May 82 661–666)

Green's function approach for obtaining *S*-matrices of multimode planar networks. *Chadha, Rakesh*, + , *T-MTT Feb 83* 224–227

microwave resonators. *Galwas, Bogdan A.*, *T-MTT Aug 83* 669–671

Scattering parameters

microwave FET oscillator optimum design using scattering parameters; analytic approach. *Gilmore, Rowan J.*, + , *T-MTT Aug 83* 633–639

Scattering parameters measurement

correcting scattering parameter data of an imperfectly terminated multiport when measured with two-port network analyzer. *Rautio, James C.*, *T-MTT May 83* 407–412

five-port reflectometer for measuring complex reflection coefficients; microstrip realization. *Li, Shihe*, + , *T-MTT Apr 83* 321–326

ideal six-port network consisting of matched reciprocal lossless five-port and perfect directional coupler. *Hansson, E. R. Bertil*, + , *T-MTT Mar 83* 284–288

microstrip six-port reflectometer; calibration and performance. *El-Deeb, Nabil A.*, *T-MTT Jul 83* 509–514

network analyzer calibration using precision transmission lines as standard. *Hoer, Cletus A.*, *T-MTT Jan 83* 76–78

permittivity determination at microwave frequencies using transmission-line methods; fast computational method for accurate permittivity determination. *Lighthart, Leo P.*, *T-MTT Mar 83* 249–254

Schottky-barrier devices

finite-element analysis of lossy waveguides; application to MIS or Schottky-contact microstrip. *Aubourg, Michel*, + , *T-MTT Apr 83* 326–331

Schottky-barrier diode mixers

cryogenic millimeter-wave Schottky-diode mixer. *Kollberg, Erik L.*, + , *T-MTT Feb 83* 230–235

K_a -band monolithic GaAs balanced mixer using suspended stripline circuit in cross-bar mixer circuit; integration with hybrid MIC IF preamplifier. *Chao, Chente*, + , *T-MTT Jan 83* 11–15

Schottky-barrier diodes

hyperabrupt-junction varactor diodes for millimeter-wavelength harmonic generators. *Lundien, Keith*, + , *T-MTT Feb 83* 235–238

implantable electric-field probe of submillimeter dimensions. *Batchman, T. E.*, + , *T-MTT Sep 83* 745–751

Semiconductor device fabrication; cf. Integrated-circuit fabrication; Semiconductor device ion implantation**Semiconductor device ion implantation**

ion-implanted MESFET performance as function of implantation energy and fluency. *Golio, J. M. Michael*, + , *T-MTT Dec 83* 1066–1071

Semiconductor device noise; cf. Integrated-circuit noise**Semiconductor device thermal factors**

dielectric resonator FET oscillators; temperature stabilization. *Tsironis, Christos*, + , *T-MTT Mar 83* 312–314

Semiconductor devices; cf. Photoemitting materials/devices**Semiconductor diodes**

transient analysis of circuits containing multiple diodes. *Blakey, P. A.*, + , *T-MTT Sep 83* 781–783

Semiconductor diodes; cf. Millimeter-wave diodes; p-i-n diodes; Varactors**Semiconductor heterojunctions; cf. Gallium materials/devices; Gallium materials/lasers****Semiconductor lasers; cf. Gallium materials/lasers****Semiconductor logic circuits; cf. FET integrated circuits****Semiconductor switches; cf. FET switches; p-i-n diodes****Semiconductor-loaded waveguides**

slow-wave coplanar waveguide on periodically doped semiconductor substrate. *Fukuoka, Yoshiro*, + , *T-MTT Dec 83* 1013–1017

Site security monitoring

short-range microwave field sensors; modulation schemes; low-cost self-detecting Doppler sensors. *Jefford, Peter A.*, + , *T-MTT Aug 83* 613–624

Slot antennas

microstrip antennas; substrate optimization. *Alexopoulos, Nicolaos G.*, + , *T-MTT Jul 83* 550–557

quasi-optical polarization-duplexed balanced mixer for millimeter-wave applications. *Stephan, Karl D.*, + , *T-MTT Feb 83* 164–170. †

Slow-wave structures

slow-wave characteristics of MIS coplanar waveguide analyzed using mode-matching and spectral-domain techniques. *Fukuoka, Yoshiro*, + , *T-MTT Jul 83* 567–573

slow-wave coplanar waveguide on periodically doped semiconductor substrate. *Fukuoka, Yoshiro*, + , *T-MTT Dec 83* 1013–1017

Slow-wave structures; cf. Specific topic**Soil measurements**

soil moisture monitoring using buried leaky coaxial cable; surface impedance of outer leaky conductor related to moisture content. *Bahar, Ezekiel*, + , *T-MTT Jul 83* 533–541

Special issues/sections

IEEE MTT Symposia, 1952 – 1983; cumulative index. *T-MTT Sep 83* II-16–II-138

IEEE MTT Symposia, 1952 – 1983; history. *Saad, Theodore S.*, *T-MTT Sep 83* II-2–II-15

millimeter-wave devices and circuits. *T-MTT Feb 83* 89–241

selected, expanded papers from 1982 IEEE Microwave and Millimeter-Wave Monolithic Circuits Symposium. *T-MTT Jan 83* 1–29

selected, expanded papers from 1983 IEEE Microwave and Millimeter-Wave Monolithic Circuits Symposium (special section). *T-MTT Dec 83* 1065–1096

selected papers from 1983 IEEE MTT-S International Microwave Symposium. *T-MTT Dec 83* 973–1064

Spheroids

absorption characteristics of lossy dielectric objects of large aspect ratios; calculation using iterative extended boundary condition; application to prolate spheroidal model of man. *Lakhtakia, A.*, + , *T-MTT Aug 83* 640–647

Stability; cf. Oscillator stability**Stimulated emission; cf. Masers****Strain transducers**

comments, with reply, on 'The dynamical behavior of a single-mode optical fiber strain gage' by M. Martinelli. *Laura, Patricio A.*, + , *T-MTT Apr 83* 364–366 (Original paper, Apr 82 512–516)

Strip transmission lines

array of conductive strips above periodically perforated ground plane; propagation characteristics and current distribution. *Rubin, Barry J.*, + , *T-MTT Jul 83* 541–549

nonhomogeneously loaded waveguides. *El-Deeb, Nabil A.*, + , *T-MTT Jul 83* 592–596

Stripline

stripline with multilayered anisotropic media; propagation characteristics of single and coupled stripline. *Kitazawa, Toshihide*, + , *T-MTT Jun 83* 429–433

Stripline; cf. Coplanar transmission lines**Stripline circuits**

ideal six-port network consisting of matched reciprocal lossless five-port and perfect directional coupler. *Hansson, E. R. Bertil*, + , *T-MTT Mar 83* 284–288

K_a -band monolithic GaAs balanced mixer using suspended stripline circuit in cross-bar mixer circuit; integration with hybrid MIC IF preamplifier. *Chao, Chente*, + , *T-MTT Jan 83* 11–15

subharmonic planar doped barrier mixers; conversion loss characteristics. *Dixon, Samuel, Jr.*, + , *T-MTT Feb 83* 155–158

W-band broadband IC mixers using suspended stripline and finline configurations with GaAs beam-lead diodes. *Tahim, Raghibir S.*, + , *T-MTT Mar 83* 271–283

Stripline circulators

complex gyrator circuits of planar circulators using higher order modes in a disk resonator. *Helszajn, Joseph*, *T-MTT Nov 83* 931–938

Stripline filters

generalized Chebyshev suspended substrate stripline bandpass filter. *Mobbs, Christopher Ian*, + , *T-MTT May 83* 397–402

Submillimeter-wave FETs

numerical steady-state analysis of nonlinear microwave circuits with periodic excitation. *Camacho-Peñalosa, Carlos*, *T-MTT Sep 83* 724–730

Submillimeter-wave oscillators

synchronization effects in submillimeter Josephson self-oscillator. *Henaux, J.-C.*, + , *T-MTT Feb 83* 177–183

Submillimeter-wave power dividers/combiners

millimeter-wave power combiner using quasi-optical resonator plus several Gunn oscillators. *Wandering, Lothar*, + , *T-MTT Feb 83* 189–193

Submillimeter-wave radio receivers

status report on heterodyne receivers in 300 – 1000 GHz range. *Wilson, William J.*, *T-MTT Nov 83* 873–878

Submillimeter-wave transistors; cf. Submillimeter-wave FETs**Superconducting cables**

superconducting PbAu/SiO/Pb microstrip; temperature-dependence measurements of attenuation constant and phase velocity at 10 and 30 GHz. *Pöpel, Ralf*, *T-MTT Jul 83* 600–604

Superconducting cavity resonators

nonlinear theory of parametric oscillator; steady-state operation and fluctuation analysis. *Cazzola, Roberto*, + , *T-MTT Oct 83* 797–805

Superconducting devices

superconductor-insulator-superconductor mixer and receiver for 230 GHz. *Sutton, E. C.*, *T-MTT Jul 83* 589–592

Superconducting devices; cf. Cryogenic materials/devices; Josephson device oscillators

Surface waves; cf. Electromagnetic surface waves

Switches/switching; cf. Millimeter-wave switches

Synchronization

synchronization effects in submillimeter Josephson self-oscillator. *Henaux, J.-C.*, + , *T-MTT Feb 83* 177–183

T

Temperature measurement

microwave active imaging for remote thermal sensing. *Bolomey, J. C.*, + , *T-MTT Sep 83* 777–781

Testing; cf. Fault diagnosis

Thermal factors; cf. Biological thermal factors; Semiconductor device thermal factors

Thickness measurement

dielectric layer on conducting substrate; nondestructive measurement of thickness and dielectric constant using electromagnetic surface waves. *Ou, Weiming*, + , *T-MTT Mar 83* 225–261

Thin-film capacitors

two-stage monolithic IF amplifier incorporating sputtered Ta₂O₅ capacitor for 1.2-to-2.6 GHz. *Chu, Alejandro*, + , *T-MTT Jan 83* 21–26

Thin-film device fabrication

two-stage monolithic IF amplifier incorporating sputtered Ta₂O₅ capacitor for 1.2-to-2.6 GHz. *Chu, Alejandro*, + , *T-MTT Jan 83* 21–26

Time-varying circuits; cf. Nonlinear circuits, time-varying

Tomography, electromagnetic

microwave active imaging for remote thermal sensing. *Bolomey, J. C.*, + , *T-MTT Sep 83* 777–781

Transducers; cf. Acoustic surface-wave transducers

Transforms; cf. Fourier transforms

Transient analysis; cf. Circuit transient analysis

Transistors; cf. Microwave FETs

Transmission coefficient measurement; cf. Scattering parameters measurement

Transmission lines

higher-order modes in squared coaxial lines. *Gruner, L.*, *T-MTT Sep 83* 770–772

network analyzer calibration using precision transmission lines as standard. *Hoer, Cletus A.*, *T-MTT Jan 83* 76–78

oval inner conductor symmetrically placed between two finite ground planes; analysis using conformal mapping. *Seshagiri Rao, K. V.*, + , *T-MTT Aug 83* 678–681

oval inner conductor symmetrically placed inside rectangular outer conductor; analysis using conformal mapping. *Das, B. N.*, + , *T-MTT May 83* 403–406

Transmission lines; cf. Coplanar transmission lines; Coupled transmission lines; Finline; Microstrip; Optical fiber ...; Strip transmission lines; Stripline; Waveguides

Transmission-line discontinuities; cf. Coaxial cable discontinuities; Waveguide discontinuities

Traveling-wave devices

traveling-wave maser for 40 – 46.5 GHz range using andalusite active crystal, digit comb isolator, and ferrite isolator. *Cherpak, Nickolay T.*, + , *T-MTT Mar 83* 306–309

Traveling-wave tubes

field theory of planar helix traveling-wave tube. *Chadha, Devi*, + , *T-MTT Jan 83* 73–76

Tumors

insulated dipole in conducting or dielectric medium; field calculations; application to hyperthermia. *King, Ronald W. P.*, + , *T-MTT Jul 83* 574–583

multiapplicator system for focussed hyperthermia. *Knoechel, Reinhard*, *T-MTT Jan 83* 70–73. †

Tunnel effect

superconductor-insulator-superconductor mixer and receiver for 230 GHz. *Sutton, E. C.*, *T-MTT Jul 83* 589–592

Tunnel-diode oscillators

three-cavity tunnel-diode RF oscillators; theoretical and experimental study of frequency stabilization scheme. *Campisi, Isidoro E.*, + , *T-MTT Nov 83* 905–910

TV broadcasting; cf. Satellite communication, broadcast

Two-port circuits

comments, with reply, on 'A rigorous technique for measuring the scattering matrix of a multiport device with a two-port network analyzer' by R. A. Speciale and J. C. Tippet. *Dropkin, H.*, *T-MTT Jan 83* 79–81 (Original paper, May 82 661–666)

U

UHF amplifiers; cf. UHF FET amplifiers

UHF amplifiers, power; cf. Traveling-wave tubes

UHF bipolar transistor oscillators; cf. UHF oscillators

UHF FET amplifiers

GaAs FET monolithic amplifiers for VHF – UHF mobile radio with low noise and low dc power dissipation. *Honjo, Kazuhiko*, + , *T-MTT May 83* 412–417

monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C.*, + , *T-MTT Jan 83* 27–29

two-stage monolithic IF amplifier incorporating sputtered Ta₂O₅ capacitor for 1.2-to-2.6 GHz. *Chu, Alejandro*, + , *T-MTT Jan 83* 21–26

UHF FET integrated circuits

two-stage monolithic IF amplifier incorporating sputtered Ta₂O₅ capacitor for 1.2-to-2.6 GHz. *Chu, Alejandro*, + , *T-MTT Jan 83* 21–26

UHF integrated circuits

monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C.*, + , *T-MTT Jan 83* 27–29

UHF oscillators

three-cavity tunnel-diode RF oscillators; theoretical and experimental study of frequency stabilization scheme. *Campisi, Isidoro E.*, + , *T-MTT Nov 83* 905–910

UHF power dividers/combiners

optimized L-band eight-way Gysel power divider – combiner. *Ardemagni, Fiorenzo*, *T-MTT Jun 83* 491–495

UHF radiation effects/protection

absorption characteristics of lossy dielectric objects of large aspect ratios; calculation using iterative extended boundary condition; application to prolate spheroidal model of man. *Lakhtakia, A.*, + , *T-MTT Aug 83* 640–647

stacked 2-D spectral iterative technique for analyzing EM power deposition in large biological bodies. *Kastner, Raphael*, + , *T-MTT Nov 83* 898–904

UHF resonators

lumped-mode resonators for L- and S-band; loop-gap resonator. *Mehdizadeh, Mehrdad*, + , *T-MTT Dec 83* 1059–1064

miniaturized coaxial resonator partially loaded with high-dielectric-constant microwave ceramics. *Yamashita, Sadahiko*, + , *T-MTT Sep 83* 697–703

Underground antennas; cf. Buried antennas

V

Varactors

hyperabrupt-junction varactor diodes for millimeter-wavelength harmonic generators. *Lundien, Keith*, + , *T-MTT Feb 83* 235–238

nonlinear theory of parametric oscillator; steady-state operation and fluctuation analysis. *Cazzola, Roberto*, + , *T-MTT Oct 83* 797–805

Variational methods

dielectric-load corrugated waveguides; analysis using theory of nonstandard eigenvalues and variational methods. *Lindell, Ismo V.*, + , *T-MTT Jul 83* 520–526

Variational methods; cf. Integral equations

VHF amplifiers

GaAs FET monolithic amplifiers for VHF – UHF mobile radio with low noise and low dc power dissipation. *Honjo, Kazuhiko*, + , *T-MTT May 83* 412–417

monolithic GaAs dc-to-2 GHz feedback amplifier. *Petersen, Wendall C.*, + , *T-MTT Jan 83* 27–29

Voltage measurement

mode-specific reflectometry in multimode waveguide. *Stone, David S.*, + , *T-MTT Sep 83* 710–718

Voltmeters; cf. Voltage measurement

VSWR measurement; cf. Microwave measurements

W

Waveguide attenuators; cf. Millimeter-wave attenuators

Waveguide bends

nonradiative dielectric waveguides; coupling characteristics. *Yoneyama, Tsukasa*, + , *T-MTT Aug 83* 648–654

Waveguide discontinuities

dielectric slab waveguide with arbitrarily shaped broken end; scattering of guided modes analyzed using integral equation method. *Nishimura, Eiichi*, + , *T-MTT Nov 83* 923–930

mode-matching at discontinuities in conical waveguides. *James, Graeme L.*, *T-MTT Sep 83* 718–723

- single-post inductive obstacle in rectangular waveguide; rapidly converging moment solution. *Leviatan, Yehuda, + , T-MTT Oct 83 806–812*
- waveguide polarizer with resonant notches in septum; design data derived using Wiener – Hopf technique. *Albertsen, N. Chr., + , T-MTT Aug 83 654–660*
- Waveguide discontinuities; cf.** Loaded waveguides; Waveguide bends; Waveguide junctions; Waveguide mounts
- Waveguide filters**
- coplanar waveguide bandpass filters; design and performance. *Williams, Dylan F., + , T-MTT Jul 83 558–566*
- E*-plane filters; CAD program incorporating effect of metallization thickness of septum. *Shih, Yi-Chi, + , T-MTT Dec 83 1009–1013*
- mode conversions in dielectric waveguides having gratings; filter applications. *Matthaei, George L., T-MTT Mar 83 309–312*
- narrow dual-mode bandstop waveguide filter. *Qian, Jing-ren, + , T-MTT Dec 83 1045–1050*
- optimized waveguide *E*-plane insert filters for millimeter-wave applications. *Vahldieck, Rüdiger, + , T-MTT Jan 83 65–69*
- single and parallel-coupled dielectric-waveguide gratings; filter properties. *Matthaei, George L., + , T-MTT Oct 83 825–835*
- Waveguide filters; cf.** Cavity-resonator filters; Microwave filters
- Waveguide junctions**
- moment solution for waveguide junction problems. *Auda, Hesham, + , T-MTT Jul 83 515–520*
- two-gap coaxial line – rectangular waveguide junction; analysis and modeling. *Williamson, A. G., T-MTT Mar 83 295–302*
- Waveguide junctions; cf.** Waveguide discontinuities
- Waveguide mounts**
- Gunn device in Sharpless flange; large-signal dynamic negative conductance. *Lakshminarayana, Mysore R., + , T-MTT Mar 83 265–271*
- Waveguides**
- channel waveguide transformers for microwave and millimeter-wave applications. *Siegel, Peter H., + , T-MTT Jun 83 473–484*
- comments, with reply, on 'The ZEPLS program for solving characteristic equations of electromagnetic structures' by P. Lampariello and R. Sorrentino. *Zieniutycz, Włodzimierz, T-MTT May 83 420 (Original paper, May 75 457–458)*
- finite-element analysis of lossy waveguides; application to MIS or Schottky-contact microstrip. *Aubourg, Michel, + , T-MTT Apr 83 326–331*
- minimize conductor loss; optimum cross-section of dominant mode guide. *Suzuki, Mitsunori, + , T-MTT Oct 83 836–841*
- passbands and stopbands for electromagnetic waveguide with periodically varying cross section. *Boström, Anders, T-MTT Sep 83 752–755*
- Waveguides; cf.** *Specific topic or type*
- Wiener – Hopf theory**
- waveguide polarizer with resonant notches in septum; design data derived using Wiener – Hopf technique. *Albertsen, N. Chr., + , T-MTT Aug 83 654–660*

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments