

1984 Index

IEEE Transactions on Microwave Theory and Techniques

Vol. MTT-32

This index covers all items—papers, correspondence, reviews, etc.—that appeared in this periodical during 1984, and items from prior years that were commented upon or corrected in 1984. The index is divided into an Author Index and a Subject Index, both arranged alphabetically.

The *Author Index* contains the primary entry for each item; this entry is listed under the name of the first author and includes coauthor names, title, location of the item, and notice of corrections and comments if any. Cross-references are given from each coauthor name to the name of the corresponding first author. The location of the item is specified by the journal name (abbreviated), year, month, and inclusive pages.

The *Subject Index* contains several entries for each item, each consisting of a subject heading, modifying phrase(s), first author's name—followed by + if the paper has coauthors—and enough information to locate the item. For coauthors, title, comments, and corrections if any, etc., it is necessary to refer to the primary entry in the Author Index. Subject cross-references are provided as required by the subject matter. Also provided whenever appropriate are listings under generic headings such as *Bibliographies* (for any paper with at least 50 references, as well as papers that are exclusively bibliographies), *Book reviews*, and *Special issues*.

AUTHOR INDEX

A

- Adam, Stephen F.** Microwave instrumentation: An historical perspective; *T-MTT Sep 84* 1157–1161
- Adam, Stephen F.** The 1984 MTT-S International Microwave Symposium; *T-MTT Dec 84* 1527–1534
- Adami, Michele**, see Lovisolo, Giorgio A., *T-MTT Aug 84* 893–896
- Adams, Arlon T.**, see Li, Ping Guan, *T-MTT Apr 84* 365–373
- Adams, Arlon T.**, see Leviatan, Yehuda, *T-MTT Oct 84* 1411–1415
- Adamski, Daniel**, see Kraszewski, Andrzej, *T-MTT Aug 84* 779–783
- Afendy, M.**, see Mains, R. K., *T-MTT Feb 84* 208–212
- Afsar, Mohammed Nurul.** Dielectric measurements of millimeter-wave materials; *T-MTT Dec 84* 1598–1609
- Aichmann, H.**, G. Nimtz, L. Denhofer, and A.-H. Frucht. On the nonthermal microwave response of *Drosophila melanogaster* (Short p.); *T-MTT Aug 84* 888–891
- Aishima, Asuo**, and Yoshifumi Fukushima. An analysis of an electronically tunable n-GaAs distributed oscillator; *T-MTT Feb 84* 157–167
- Akers, N. P.**, and P. D. Allan. An evanescent mode waveguide bandpass filter at Q band (Short p.); *T-MTT Nov 84* 1487–1489
- Allan, P. D.**, see Akers, N. P., *T-MTT Nov 84* 1487–1489
- Andersen, J. Bach**, see Raskmark, Povl, *T-MTT Aug 84* 887–888
- Andrade, Thomas**, see Moghe, Sanjay B., *T-MTT Dec 84* 1698–1704
- Andrade, Thomas**, see Kennan, Wayne, *T-MTT Dec 84* 1693–1697
- Aoki, Kazuo**, see Uchida, Kazunori, *T-MTT Jan 84* 11–19
- Araki, Kiyomichi**, see Kim, Dong Il, *T-MTT Jan 84* 51–57
- Araki, Kiyomichi**, see Kim, Dong Il, *T-MTT Jun 84* 621–627
- Araneta, Jose C.**, Morris E. Brodwin, and Gregory A. Kriegsmann. High-temperature microwave characterization of dielectric rods; *T-MTT Oct 84* 1328–1335
- Arcangeli, Giorgio**, see Lovisolo, Giorgio A., *T-MTT Aug 84* 893–896
- Archer, John W.** An efficient 200–290-GHz frequency tripler incorporating a novel stripline structure; *T-MTT Apr 84* 416–420
- Archer, John W.** A novel quasi-optical frequency multiplier design for millimeter and submillimeter wavelengths; *T-MTT Apr 84* 421–427
- Arndt, Fritz**, see Vahldieck, Rüdiger, *T-MTT Jan 84* 133–135
- Arndt, Fritz**, Jens Bornemann, and Rüdiger Vahldieck. Design of multisection impedance-matched dielectric-slab filled waveguide phase shifters; *T-MTT Jan 84* 34–39
- Arndt, Fritz**, Jens Bornemann, Rüdiger Vahldieck, and Dietrich Grauerholz. E-plane integrated circuit filters with improved stopband attenuation (Short p.); *T-MTT Oct 84* 1391–1394
- Arndt, Fritz**, Ulrich Tucholke, and Thomas Wriedt. Computer-optimized multisection transformers between rectangular waveguides of adjacent frequency bands (Short p.); *T-MTT Nov 84* 1479–1484
- Auda, Hesham**, and Roger F. Harrington. Inductive posts and diaphragms of arbitrary shape and number in a rectangular waveguide; *T-MTT Jun 84* 606–613

- Axelrod, Alexander**, and Moshe Kisliuk. Experimental study of the W-band dielectric-guide Y-branch interferometer; *T-MTT Jan 84* 46–50
- Ayasli, Yalçin**, Leonard D. Reynolds, Jr., James L. Vorhaus, and Larry K. Hanes. 2–20-GHz GaAs traveling-wave amplifier; *T-MTT Jan 84* 71–77
- Ayasli, Yalçin**, Leonard D. Reynolds, Robert L. Mozzi, and Larry K. Hanes. 2–20-GHz GaAs traveling-wave power amplifier; *T-MTT Mar 84* 290–295
- Ayasli, Yalçin**, Stephen W. Miller, Robert L. Mozzi, and Larry K. Hanes. Capacitively coupled traveling-wave power amplifier; *T-MTT Dec 84* 1704–1709
- Ayasli, Yalçin**, Stephen W. Miller, Robert L. Mozzi, and Larry K. Hanes. Wide-band monolithic phase shifter; *T-MTT Dec 84* 1710–1714
- Azizur, Rahman, B. M.**, and J. Brian Davies. Penalty function improvement of waveguide solution by finite elements; *T-MTT Aug 84* 922–928

B

- Ball, D.**, see Bui, L. Q., *T-MTT Dec 84* 1655–1658
- Bansal, R.**, see Jain, F. C., *T-MTT Feb 84* 204–208
- Barrett, Robert M.** Microwave printed circuits—The early years; *T-MTT Sep 84* 983–990
- Barton, David K.** A half century of radar; *T-MTT Sep 84* 1161–1170
- Basu, B. N.**, B. B. Pal, V. N. Singh, and N. C. Vaidya. Optimum design of a potentially dispersion-free helical slow-wave circuit of a broadband TWT (Short p.); *T-MTT Apr 84* 461–463
- Bates, Bevan D.**, and Peter J. Khan. Stability of multifrequency negative-resistance oscillators; *T-MTT Oct 84* 1310–1318
- Bates, Bevan D.** A comparison of IMPATT oscillator power and frequency above 100 GHz with results derived from theoretical models (Short p.); *T-MTT Oct 84* 1394–1398
- Baudrand, Henri**, Tanos El Khoury, and Désiré Lilonga. Amplification by interdigital excitation of space-charge waves in semiconductors; *T-MTT Nov 84* 1434–1441
- Becker, Robert C.**, see Beyer, James B., *T-MTT Mar 84* 268–275
- Bedair, S. S.**, and M. I. Sobhy. Tolerance analysis of shielded microstrip lines (Short p.); *T-MTT May 84* 544–547
- Bernardi, Paolo**, and Guglielmo D'Inzeo. A nonlinear analysis of the effects of transient electromagnetic fields on excitable membranes; *T-MTT Jul 84* 670–679
- Beyer, James B.**, S. N. Prasad, Robert C. Becker, James E. Nordman, and Gert K. Hohenwarter. MESFET distributed amplifier design guidelines; *T-MTT Mar 84* 268–275
- Bhartia, Prakash**, and Protap Pramanick. A new microstrip dispersion model (Short p.); *T-MTT Oct 84* 1379–1384
- Bhat, Bharathi**, and Shiban Kishen Koul. Lumped capacitance, open-circuit end effects, and edge-capacitance of microstrip-like transmission lines for microwave and millimeter-wave applications; *T-MTT Apr 84* 433–439
- Bhat, Bharathi**, and Anup K. Tiwari. Analysis of low-loss broadside-coupled dielectric image guide using the mode-matching technique (Short p.); *T-MTT Jul 84* 711–717
- Bhattacharya, D.**, see Kal, S., *T-MTT Feb 84* 198–200
- Bialkowski, Marek E.**, and Peter J. Khan. Determination of the admittance of a general waveguide—coaxial line junction (Short p.); *T-MTT Apr 84* 465–467
- Bianchini, Michael J.**, see Galani, Zvi, *T-MTT Dec 84* 1556–1565
- Bilik, Vladimir.** One-rooted intervals of dispersion relations for a resonator with dielectric samples (Short p.); *T-MTT Feb 84* 197–198
- Bilohoubek, E. F.** Advances in hybrid MIC's; *T-MTT Oct 84* 1372–1373
- Bolomey, J. Ch.**, A. Izadnegahdar, L. Jofre, Ch. Pichot, G. Peronnet, and M. Solaimani. Reply to comments on 'Microwave diffraction tomography for biomedical applications'; *T-MTT Jun 84* 648
- Bornemann, Jens**, see Vahldieck, R., *T-MTT Jan 84* 133–135
- Bornemann, Jens**, see Arndt, Fritz, *T-MTT Jan 84* 34–39
- Bornemann, Jens**, see Arndt, Fritz, *T-MTT Oct 84* 1391–1394
- Borrani, Antonello**, see Lovisolo, Giorgio A., *T-MTT Aug 84* 893–896
- Borup, David T.**, and Om P. Gandhi. Fast-Fourier-transform method for calculation of SAR distributions in finely discretized inhomogeneous models of biological bodies; *T-MTT Apr 84* 355–360
- Bosch, Berthold G.**, see Langmann, Ulrich, *T-MTT Dec 84* 1675–1677
- Bosisio, Renato G.**, see Kaliouby, Leopoldine, *T-MTT Dec 84* 1678–1682
- Boudouris, G.**, see Yova, D., *T-MTT Aug 84* 891–893

- Boulanger, P., see Carmel, Y., *T-MTT Nov 84* 1493–1495
- Bowling, D., see Mains, R. K., *T-MTT Feb 84* 208–212
- Bradley, Peter D., see Tucker, Rodney S., *T-MTT Mar 84* 296–300
- Brand, G., Fergus, Nigel G., Douglas, Mark Gross, James Y. L. Ma, Laurence C. Robinson, and Zhiyi Chen. A 125 – 260-GHz gyrotron; *T-MTT Jan 84* 58–64
- Bressan, Marco, see Conciauro, Giuseppe, *T-MTT Nov 84* 1495–1504
- Bridges, William B., see Schweig, Edgar, *T-MTT May 84* 531–541
- Brodwin, Morris E., see Araneta, Jose C., *T-MTT Oct 84* 1328–1335
- Bromborsky, Alan, and Brian Ruth. Calculation of TM_{0n} dispersion relations in a corrugated cylindrical waveguide; *T-MTT Jun 84* 600–605
- Brown, William C. The history of power transmission by radio waves; *T-MTT Sep 84* 1230–1242
- Brunkard, Kathleen Montaigne, see Gokhale, Ashok V., *T-MTT Aug 84* 795–797
- Bryant, John H. Coaxial transmission lines, related two-conductor transmission lines, connectors and components: A US historical perspective; *T-MTT Sep 84* 970–983. Correction, *Oct 84* 1422
- Bui, L. Q., D. Ball, and T. Itoh. Broad-band millimeter-wave *E*-plane bandpass filters (Short p.); *T-MTT Dec 84* 1655–1658
- Burns, Stanley G., and Richard S. Ketcham. Fundamental-mode Pierce oscillators utilizing bulk-acoustic-wave resonators in the 250 – 300 MHz range (Short p.); *T-MTT Dec 84* 1668–1671
- Button, Kenneth J. Microwave ferrite devices: The first ten years; *T-MTT Sep 84* 1088–1096
- C
- Calamai, Guido, see Lovisolo, Giorgio A., *T-MTT Aug 84* 893–896
- Calandra, Enrico F., Giovanni Martines, and Mario Sannino. Characterization of GaAs FET's in terms of noise, gain, and scattering parameters through a noise parameter test set; *T-MTT Mar 84* 231–237
- Callarotti, Roberto C., and Augusto Gallo. On the solution of a microstripline with two dielectrics; *T-MTT Apr 84* 333–339
- Camisa, Raymond L., see Curtice, Walter R., *T-MTT Dec 84* 1573–1578
- Cancellieri, Giovanni, and Paola Fantini. Time dispersion properties of cascaded multimode fiber links; *T-MTT Aug 84* 929–935
- Caorsi, S. Microwave hyperthermic distributions in a layered living body with nonlinear thermoregulatory properties; *T-MTT Oct 84* 1406–1411
- Cap, Ferdinand F. Electromagnetic waves in toroidal vessels of arbitrary cross section filled with radially inhomogeneous dielectric medium; *T-MTT Oct 84* 1336–1341
- Cappello, Anthony, and John Pierro. A 22 – 24-GHz cryogenically cooled GaAs FET amplifier; *T-MTT Mar 84* 226–230
- Carmel, Y., K. R. Chu, M. E. Read, V. L. Granatstein, G. Faillon, P. Boulanger, E. Kammerer, and G. Mourier. A technique to identify electromagnetic modes in oversize waveguides (Short p.); *T-MTT Nov 84* 1493–1495
- Carter, Ronald L., John M. Owens, and D. K. De. YIG oscillators: Is a planar geometry better? (Short p.); *T-MTT Dec 84* 1671–1674
- Cashman, John D., and Harry E. Green. Reflection coefficient of a conducting sphere on the broad wall of a rectangular waveguide; *T-MTT Jun 84* 582–586
- Chakraborti, N. B., see Kal, S., *T-MTT Feb 84* 198–200
- Champness, Clifford H., see Ding, Li, *T-MTT Feb 84* 151–157
- Chan, Karen H., see Lin, James C., *T-MTT Aug 84* 854–860
- Chang, David C., see McHenry, Mark A., *T-MTT Nov 84* 1469–1475
- Chang, Kai. Impedance calculation of three narrow resonant strips on the transverse plane of a rectangular waveguide (Short p.); *T-MTT Jan 84* 126–130
- Chang, Kai, see Grote, Albert, *T-MTT Dec 84* 1663–1667
- Chang, William S. C. The birth of lightwave technology and its implications to microwaves; *T-MTT Sep 84* 1140–1143
- Chatterjee, Indira, see Kanai, Hiroshi, *T-MTT Aug 84* 763–772
- Chaudhuri, Sujee K., see Tang, Wai-Cheung, *T-MTT Nov 84* 1449–1454
- Chen, Chun Hsiung, see Tai, Gwo-Chung, *T-MTT Jan 84* 111–113
- Chen, Kun-Mu, see Hessary, Manochehr Kamyab, *T-MTT Jun 84* 569–576
- Chen, Kun-Mu, see Zhu, Shi-Guo, *T-MTT Aug 84* 784–795
- Chen, Zhiyi, see Brand, G. Fergus, *T-MTT Jan 84* 58–64
- Chernick, Michael R., see Shimabukuro, Fred I., *T-MTT Jul 84* 659–665
- Choiniski, Thomas C. Composite coupler design; *T-MTT Jun 84* 613–620
- Chou, Chung-Kwang, see Lai, Henry, *T-MTT Aug 84* 882–887
- Chou, Chung-Kwang, see Guy, Arthur W., *T-MTT Aug 84* 752–763
- Chu, K. R., see Carmel, Y., *T-MTT Nov 84* 1493–1495
- Chuang, Huey-Ru, see Zhu, Shi-Guo, *T-MTT Aug 84* 784–795
- Chung, Nak Sam, Jeong Hwan Kim, and Joon Shin. A dual six-port automatic network analyzer and its performance (Short p.); *T-MTT Dec 84* 1683–1686
- Cividalli, Anna, see Lovisolo, Giorgio A., *T-MTT Aug 84* 893–896
- Cloete, J. H. Rectangular bars coupled through a finite-thickness slot; *T-MTT Jan 84* 39–46
- Cohn, M. Microwave and millimeter-wave solid-state devices; *T-MTT Oct 84* 1373–1374
- Cohn, Seymour B., and Ralph Levy. History of microwave passive components with particular attention to directional couplers; *T-MTT Sep 84* 1046–1054
- Cohn, Seymour B., see Levy, Ralph, *T-MTT Sep 84* 1055–1067
- Cole, J. Bradford, see Galani, Zvi, *T-MTT Dec 84* 1556–1565
- Collins, Jeffrey H. A short history of microwave acoustics; *T-MTT Sep 84* 1127–1140
- Conciauro, Giuseppe, Marco Bressan, and Cinzia Zuffada. Waveguide modes via an integral equation leading to a linear matrix eigenvalue problem (Short p.); *T-MTT Nov 84* 1495–1504
- Crescenzi, E. James, Jr., *Guest Ed.* Editor's overview; *T-MTT Dec 84* 1525
- Cullen, Alec. A conversation between Harold Barlow and Alec Cullen, on November 24, 1983; *T-MTT Sep 84* 1243–1248
- Curtice, Walter R., and Raymond L. Camisa. Self-consistent GaAs FET models for amplifier design and device diagnostics; *T-MTT Dec 84* 1573–1578
- D
- Damaskos, Nickander J., Richard B. Mack, Andrew L. Maffett, Walter Parmon, and Piergiorgio L. E. Uslenghi. The inverse problem for biaxial materials; *T-MTT Apr 84* 400–405
- Daniel, Detlef, see Langmann, Ulrich, *T-MTT Dec 84* 1675–1677
- Das, B. N., and K. V. S. V. R. Prasad. A generalized formulation of electromagnetically coupled striplines; *T-MTT Nov 84* 1427–1433
- Das, B. N., and K. V. S. V. R. Prasad. Even- and odd-mode impedances of coupled elliptic arc strips (Short p.); *T-MTT Nov 84* 1475–1479
- Davies, J. Brian, see Rahman, B. M. Azizur, *T-MTT Jan 84* 20–28
- Davies, J. Brian, see Azizur, Rahman, B. M., *T-MTT Aug 84* 922–928
- De, D. K., see Carter, Ronald L., *T-MTT Dec 84* 1671–1674
- De Smedt, Ronald. Correction due to a finite permittivity for a ring resonator in free space; *T-MTT Oct 84* 1288–1293
- Del Cerro, Manuel, see Williams, Wesley M., *T-MTT Aug 84* 808–818
- Dennhofer, L., see Aichmann, H., *T-MTT Aug 84* 888–891
- Dibiase, Robert, see Galani, Zvi, *T-MTT Dec 84* 1556–1565
- Diestel, Heinrich, and Stephan B. Worm. Analysis of hybrid field problems by the method of lines with nonequidistant discretization; *T-MTT Jun 84* 633–638
- Dileo, Robert, and Milton Magid. Correction to 'Characteristic impedance of rectangular coaxial transmission lines' (Ltr.); *T-MTT Feb 84* 219
- Ding, Li, I. Shih, Thomas J. F. Pavlasek, and Clifford H. Champness. Measurements of the photo-induced complex permittivity of Si, Ge, and Te at 9 GHz; *T-MTT Feb 84* 151–157
- D'Inzeo, Guglielmo, see Bernardi, Paolo, *T-MTT Jul 84* 670–679
- Djankov, Georgi L., see Ivanov, Stephan A., *T-MTT Apr 84* 450–452
- Doane, J. L. Hyperbolic secant coupling in overmoded waveguide; *T-MTT Oct 84* 1362–1371
- Douglas, Nigel G., see Brand, G. Fergus, *T-MTT Jan 84* 58–64
- Dragone, Corrado. Scattering at a junction of two waveguides with different surface impedances; *T-MTT Oct 84* 1319–1328
- Drobot, Adam T., see Vitello, Peter, *T-MTT Apr 84* 373–386
- Drobot, Adam T., see Miner, William H., Jr., *T-MTT Oct 84* 1293–1301
- Durney, Carl H., see Iskander, Magdy F., *T-MTT May 84* 554–556
- Durney, Carl H., see Massoudi, Habib, *T-MTT Aug 84* 746–752
- Dyson, Howell B., see Shimabukuro, Fred I., *T-MTT Jul 84* 659–665
- E
- Ehlers, Eric R. An empirical design technique for microwave oscillators (Short p.); *T-MTT May 84* 556–559
- El-Gabaly, Moustafa A., and Moustafa Ezzat El-Shandwily. Theoretical analysis of intermodulation distortion of reflection-type IMPATT amplifiers; *T-MTT Apr 84* 394–399
- El-Gabaly, Moustafa A., Richard K. Mains, and George I. Haddad. Effect of doping profile variation on GaAs hybrid and double-Read IMPATT diode performance at 60 and 94 GHz; *T-MTT Oct 84* 1342–1352
- El-Gabaly, Moustafa A., Richard K. Mains, and George I. Haddad. Effects of doping profile on GaAs double-drift IMPATT diodes at 33 and 44 GHz using the energy – momentum transport model; *T-MTT Oct 84* 1353–1361
- El Khoury, Tanos, see Baudrand, Henri, *T-MTT Nov 84* 1434–1441
- El-Shandwily, Moustafa Ezzat, see El-Gabaly, Moustafa A., *T-MTT Apr 84* 394–399
- Endo, Akira, Kunikatsu Kobayashi, Yoshiaki Nemoto, and Risaburo Sato. Two-port equivalent circuits of two-wire parabolic tapered coupled transmission lines; *T-MTT Feb 84* 177–182
- Erickson, Neal R., see Predmore, C. Read, *T-MTT May 84* 498–507
- F
- Faillon, G., see Carmel, Y., *T-MTT Nov 84* 1493–1495
- Fantini, Paola, see Cancellieri, Giovanni, *T-MTT Aug 84* 929–935

- Farhoomand, Jam, see Pickett, Herbert M., *T-MTT Aug 84* 936-937
 Farzaneh, F., see Obregon, J., *T-MTT Apr 84* 452-455
 Fetterman, Harold R., see Kreischer, Kenneth E., *T-MTT May 84* 481-490
 Franceschetti, Giorgio, and Innocenzo Pinto. Cell membrane nonlinear response to an applied electromagnetic field; *T-MTT Jul 84* 653-658
 Freibergs, Elmer, see Horn, Robert E., *T-MTT Feb 84* 171-176
 Freude, Wolfgang. Comments on 'The measurement of noise in microwave transmitters' by J. R. Ashley, et al.; *T-MTT May 84* 559-561 (Original paper, Apr 77 294-318)
 Froncisz, W., see Mehdizadeh, M., *T-MTT Feb 84* 219
 Frucht, A.-H., see Aichmann, H., *T-MTT Aug 84* 888-891
 Fukai, Ichiro, see Kagami, Shin, *T-MTT Apr 84* 455-461
 Fukai, Ichiro, see Yoshida, Norinobu, *T-MTT May 84* 491-498
 Fukushima, Yoshifumi, see Aishima, Asuo, *T-MTT Feb 84* 157-167

G

- Gabriel, G. J. Further comments, with reply, on 'Variational methods for nonstandard eigenvalue problems' by I. V. Lindell; *T-MTT Apr 84* 474-476
 Galani, Zvi, Michael J. Bianchini, Raymond C. Waterman, Jr., Robert Dibiase, Richard W. Laton, and J. Bradford Cole. Analysis and design of a single-resonator GaAs FET oscillator with noise degeneration; *T-MTT Dec 84* 1556-1565
 Gallo, Augusto, see Callarotti, Roberto C., *T-MTT Apr 84* 333-339
 Gandhi, Om P., see Borup, David T., *T-MTT Apr 84* 355-360
 Gandhi, Om P., see Gu, Yong-Gang, *T-MTT Jun 84* 645-647
 Gandhi, Om P., see Kanai, Hiroshi, *T-MTT Aug 84* 763-772
 Geshiro, Masahiro, Yasuo Kaihara, and Sinnosuke Sawa. Analysis of wave propagation in anisotropic film waveguides with bent optical axes; *T-MTT Apr 84* 339-347
 Giannini, Franco, Roberto Sorrentino, and Jan Vrba. Planar circuit analysis of microstrip radial stub (Short p.); *T-MTT Dec 84* 1652-1655
 Gillespie, Anthony R., see Haslam, Nicola C., *T-MTT Aug 84* 829-835
 Glisson, Allen W., see Kafjef, Darko, *T-MTT Dec 84* 1609-1616
 Goel, Jitendra. A K-band GaAs FET amplifier with 8.2-W output power; *T-MTT Mar 84* 317-324
 Gokhale, Ashok V., Kathleen Montaigne Brunkard, and William F. Pickard. The absence of significant short-term electromagnetic bioeffects in giant algal cells exposed to CW and pulse-modulated X-band bursts; *T-MTT Aug 84* 795-797
 Goldsmith, Paul F., see Predmore, C. Read, *T-MTT May 84* 498-507
 Goyal, R., see Moghe, Sanjay B., *T-MTT Dec 84* 1698-1704
 Granatstein, V. L., see Carmel, Y., *T-MTT Nov 84* 1493-1495
 Grange, T., see Iskander, Magdy F., *T-MTT May 84* 554-556
 Grauerholz, Dietrich, see Vahldieck, Rüdiger, *T-MTT Jan 84* 133-135
 Grauerholz, Dietrich, see Arndt, Fritz, *T-MTT Oct 84* 1391-1394
 Gray, R. L., see Jennings, A., *T-MTT Nov 84* 1489-1493
 Green, Harry E., see Cashman, John D., *T-MTT Jun 84* 582-586
 Greiling, Paul. The historical development of GaAs FET digital IC technology; *T-MTT Sep 84* 1144-1156
 Gross, Mark, see Brand, G. Fergus, *T-MTT Jan 84* 58-64
 Grote, Albert, and Kai Chang. 60-GHz integrated-circuit high data rate quadriphase shift keying exciter and modulator (Short p.); *T-MTT Dec 84* 1663-1667
 Gruner, Lucian, see Weil, Clause M., *T-MTT Jun 84* 638-641
 Gu, Yong-Gang, and Om P. Gandhi. Phased-dipole applicators for torso heating in electromagnetic hyperthermia (Short p.); *T-MTT Jun 84* 645-647
 Guo, Theodore C., Wendy W. Guo, and Lawrence E. Larsen. Comments on 'Microwave diffraction tomography for biomedical applications' by J. H. Bolomey, et al.; *T-MTT Apr 84* 473-474 (Original paper, Nov 82 1998-2000)
 Guo, Theodore C., Wendy W. Guo, and Lawrence E. Larsen. Microwave-induced thermoacoustic effect in dielectrics and its coupling to external medium—A thermodynamical formulation; *T-MTT Aug 84* 835-843
 Guo, Theodore C., Wendy W. Guo, and Lawrence E. Larsen. A local field study of a water-immersed microwave antenna array for medical imagery and therapy; *T-MTT Aug 84* 844-854
 Guo, Wendy W., see Guo, Theodore C., *T-MTT Apr 84* 473-474 (Original paper, Nov 82 1998-2000)
 Guo, Wendy W., see Guo, Theodore C., *T-MTT Aug 84* 835-843
 Guo, Wendy W., see Guo, Theodore C., *T-MTT Aug 84* 844-854
 Gupta, K. C., see Sharma, P. C., *T-MTT Jan 84* 1-4
 Guy, Arthur W., see Lai, Henry, *T-MTT Aug 84* 882-887
 Guy, Arthur W., Chung-Kwang Chou, and Barry Neuhaus. Average SAR and SAR distributions in human exposed to 450-MHz radiofrequency radiation; *T-MTT Aug 84* 752-763
 Guy, Arthur W. History of biological effects and medical applications of microwave energy; *T-MTT Sep 84* 1182-1200

H

- Haddad, George I., see Mains, Richard K., *T-MTT Feb 84* 208-212
 Haddad, George I., see El-Gabaly, Moustafa A., *T-MTT Oct 84* 1342-1352
 Haddad, George I., see El-Gabaly, Moustafa A., *T-MTT Oct 84* 1353-1361
 Hagmann, Mark J. Propagation on a sheath helix in a coaxially layered lossy dielectric medium (Short p.); *T-MTT Jan 84* 122-126
 Hanes, Larry K., see Ayasli, Yalçin, *T-MTT Jan 84* 71-77
 Hanes, Larry K., see Ayasli, Yalçin, *T-MTT Mar 84* 290-295
 Hanes, Larry K., see Ayasli, Yalçin, *T-MTT Dec 84* 1704-1709
 Hanes, Larry K., see Ayasli, Yalçin, *T-MTT Dec 84* 1710-1714
 Hanna, Victor Fouad, and Dominique Thebault. Theoretical and experimental investigation of asymmetric coplanar waveguides (Short p.); *T-MTT Dec 84* 1649-1651
 Hano, Mitsuo. Finite-element analysis of dielectric-loaded waveguides; *T-MTT Oct 84* 1275-1279
 Hansson, E. R. Bertil, see Riblet, Gordon P., *T-MTT Feb 84* 164-171
 Harada, Kazuhide, see Miyagi, Mitsunobu, *T-MTT May 84* 513-521
 Hardy, John C., see Pickett, Herbert M., *T-MTT Aug 84* 936-937
 Harrington, Roger F., see Wei, Cao, *T-MTT Apr 84* 439-450
 Harrington, Roger F., see Auda, Hesham, *T-MTT Jun 84* 606-613
 Harrington, Roger F., and Cao Wei. Losses on multiconductor transmission lines in multilayered dielectric media; *T-MTT Jul 84* 705-710
 Harrington, Roger F., see Rao, Sadasiva M., *T-MTT Nov 84* 1441-1448
 Harrison, Robert G., and Grigorios A. Kalivas. Impedance measurement in frequency-halving networks using a two-frequency synthetic loading technique; *T-MTT Dec 84* 1591-1597
 Hartsgrrove, George, see Kraszewski, Andrzej, *T-MTT Aug 84* 779-783
 Hasegawa, Hideki, and Shouhei Seki. Analysis of interconnection delay on very high-speed LSI/VLSI chips using an MIS microstrip line model; *T-MTT Dec 84* 1715-1720
 Hasegawa, Hideki, see Seki, Shouhei, *T-MTT Dec 84* 1721-1727
 Haslam, C. Glyn T., see Haslam, Nicola C., *T-MTT Aug 84* 829-835
 Haslam, Nicola C., Anthony R. Gillespie, and C. Glyn T. Haslam. Aperture synthesis thermography—A new approach to passive microwave temperature measurements in the body; *T-MTT Aug 84* 829-835
 Hayata, Kazuya, see Koshiba, Masanori, *T-MTT Jun 84* 587-593
 Helszajn, Joseph. Design of waveguide circulators with Chebyshev characteristics using partial-height ferrite resonators; *T-MTT Aug 84* 908-917
 Hessary, Manochehr Kamyab, and Kun-Mu Chen. EM local heating with HF electric fields; *T-MTT Jun 84* 569-576
 Hill, Douglas A. Effect of separation from ground on human whole-body RF absorption rates; *T-MTT Aug 84* 772-778
 Hines, Marion E. The virtues of nonlinearity—Detection, frequency conversion, parametric amplification and harmonic generation; *T-Schieblich, Christian, T-MTT Dec 84* 1638-1645
 Hirachi, Yasutake, Yukihiko Takeuchi, Masafumi Igarashi, Kinjiro Kosemura, and Sumio Yamamoto. A packaged 20-GHz 1-W GaAs MESFET with a novel via-hole plated heat sink structure; *T-MTT Mar 84* 309-316
 Hirayama, Masahiro, see Tajima, Jun, *T-MTT May 84* 542-544
 Hirota, Tetsuo, and Hiroyo Ogawa. A novel K-band balanced FET up-converter; *T-MTT Jul 84* 679-683
 Hirsh, Israel, see Kopeika, N. S., *T-MTT Oct 84* 1384-1387
 Hoefer, Wolfgang J. R., see Itoh, Tatsuo, *T-MTT Oct 84* 1374-1377
 Hoefer, Wolfgang J. R., see Verver, Cornelius J., *T-MTT Dec 84* 1645-1648
 Hoer, Cletus A., see Juroshek, John R., *T-MTT Jan 84* 78-82
 Hoer, Cletus A., see Juroshek, John R., *T-MTT Aug 84* 818-824
 Hohenwarter, Gert K., see Beyer, James B., *T-MTT Mar 84* 268-275
 Honjo, Kazuhiko. On temperature characteristics for a GaAs monolithic broad-band amplifier having resistive loads (Short p.); *T-MTT May 84* 552-553
 Horita, Akira, see Lai, Henry, *T-MTT Aug 84* 882-887
 Horn, Robert E., Harold Jacobs, and Elmer Freibergs. Integrated tunable cavity Gunn oscillator for 60-GHz operation in image line waveguide; *T-MTT Feb 84* 171-176
 Horno, Manuel, and Ricardo Marqués. Coupled microstrips on double anisotropic layers (Short p.); *T-MTT Apr 84* 467-470
 Horton, J. B. Microwave systems—1983; *T-MTT Oct 84* 1377-1378
 Hoss, Wayne, see Williams, Wesley M., *T-MTT Aug 84* 808-818
 Howe, Harlan, Jr. Microwave integrated circuits—An historical perspective; *T-MTT Sep 84* 991-996
 Hu, Chia-Lun J. Correction to 'Microwave automatic impedance measuring schemes using three fixed probes' (Sep 83 756-762); *T-MTT Feb 84* 219
 Huang, Charles C., see Kennan, Wayne, *T-MTT Dec 84* 1693-1697
 Huang, Charles C., see Moghe, Sanjay B., *T-MTT Dec 84* 1698-1704
 Huang, Charles C., *Guest Ed.*, see Tserng, Hua Quen, *Guest Ed.*, *T-MTT Mar 84* 225
 Hunter, John D. The displaced rectangular waveguide junction and its use as an adjustable reference reflection; *T-MTT Apr 84* 387-394
 Hwan, Eugene J., see Kafjef, Darko, *T-MTT Jul 84* 666-670
 Hyde, J. S., see Mehdizadeh, M., *T-MTT Feb 84* 219

I

- Idda, Masao, Tohru Takada, and Tsuneta Sudo. Analysis of high-speed GaAs source-coupled FET logic circuits; *T-MTT Jan 84* 5–10
- Igarashi, Masafumi, see Hirachi, Yasutake, *T-MTT Mar 84* 309–316
- Imai, Nobuaki, see Ogawa, Hiroyo, *T-MTT Dec 84* 1551–1556
- Ishii, T. Koryu, see Mehdiadeh, M., *T-MTT Feb 84* 219
- Ishii, T. Koryu, see Lopuch, Stanislaw L., *T-MTT Jan 84* 29–33
- Iskander, Magdy F., C. H. Durney, T. Grange, and C. S. Smith. Radiometric technique for measuring changes in lung water (Short p.); *T-MTT May 84* 554–556
- Iskander, Magdy F., see Massoudi, Habib, *T-MTT Aug 84* 746–752
- Itoh, Tatsuo, R. H. Jansen, W. J. R. Hoefer, F. Schwering, I. Wolff, and E. Yamashita. Microwave field theory—1983; *T-MTT Oct 84* 1374–1377
- Itoh, Tatsuo, see Bui, L. Q., *T-MTT Dec 84* 1655–1658
- Itoh, Tatsuo, see Stephan, Karl D., *T-MTT Jan 84* 97–102.
- Itoh, Tatsuo, see Stephan, Karl D., *T-MTT Apr 84* 476
- Itoh, Tatsuo, see Sorrentino, Roberto, *T-MTT Dec 84* 1633–1638
- Ivanov, Stephan A., and Georgi L. Djankov. Determination of the characteristic impedance by a step current density approximation (Short p.); *T-MTT Apr 84* 450–452
- Izadnegahdar, A., see Bolomey, J. Ch., *T-MTT Jun 84* 648

J

- Jacard, Benjamin, and Oscar Maldonado. Microwave modeling of rectangular tunnels; *T-MTT Jun 84* 576–581
- Jacobs, Harold, see Horn, Robert E., *T-MTT Feb 84* 171–176
- Jain, F. C., R. Bansal, and C. V. Valerio, Jr. Semiconductor antenna: A new device in millimeter-and submillimeter-wave integrated circuits (Short p.); *T-MTT Feb 84* 204–208
- James, Joseph, see Kajfez, Darko, *T-MTT Dec 84* 1609–1616
- Jansen, Rolf H., see Itoh, Tatsuo, *T-MTT Oct 84* 1374–1377
- Jansen, Rolf H., see Kirschning, Manfred, *T-MTT Jan 84* 83–90
- Jennings, A., and R. L. Gray. Extension of Levy's large-aperture design formulas to the design of circular irises in coupled-resonator waveguide filters (Short p.); *T-MTT Nov 84* 1489–1493
- Jofre, L., see Bolomey, J. Ch., *T-MTT Jun 84* 648
- Juroshek, John R., and Cletus A. Hoer. A dual six-port network analyzer using diode detectors; *T-MTT Jan 84* 78–82
- Juroshek, John R., and Cletus A. Hoer. A high-power automatic network analyzer for measuring the RF power absorbed by biological samples in a TEM cell; *T-MTT Aug 84* 818–824

K

- Kagami, Shin, and Ichiro Fukai. Application of boundary-element method to electromagnetic field problems (Short p.); *T-MTT Apr 84* 455–461
- Kaiharu, Yasuo, see Geshiro, Masahiro, *T-MTT Apr 84* 339–347
- Kajfez, Darko, and Eugene J. Hwan. *Q*-factor measurement with network analyzer; *T-MTT Jul 84* 666–670
- Kajfez, Darko. Incremental frequency rule for computing the *Q*-factor of a shielded TE_{omp} dielectric resonator (Short p.); *T-MTT Aug 84* 941–943
- Kajfez, Darko, Allen W. Glisson, and Joseph James. Computed model field distributions for isolated dielectric resonators; *T-MTT Dec 84* 1609–1616
- Kak, Avinash C., see Slaney, Malcolm, *T-MTT Aug 84* 860–874
- Kal, S., D. Bhattacharya, and N. B. Chakraborti. Normal-mode parameters of microstrip coupled lines of unequal width (Short p.); *T-MTT Feb 84* 198–200
- Kaliouby, Leopoldine, and Renato G. Bosisio. A new method for six-port swept frequency automatic network analysis (Short p.); *T-MTT Dec 84* 1678–1682
- Kalivas, Grigorios A., see Harrison, Robert G., *T-MTT Dec 84* 1591–1597
- Kammerer, E., see Carmel, Y., *T-MTT Nov 84* 1493–1495
- Kanai, Hiroshi, Indira Chatterjee, and Om P. Gandhi. Human body impedance for electromagnetic hazard analysis in the VLF to MF band; *T-MTT Aug 84* 763–772
- Kaneko, Yoshiaki, see Tokumitsu, Yasuyuki, *T-MTT Mar 84* 301–308
- Kawabe, Daisuke, see Kim, Dong Il, *T-MTT Jun 84* 621–627
- Kawakami, Shojiro, see Miyagi, Mitsunobi, *T-MTT May 84* 513–521
- Kennan, Wayne, Thomas Andrade, and Charles C. Huang. A 2–18-GHz monolithic distributed amplifier using dual-gate GaAs FETs; *T-MTT Dec 84* 1693–1697
- Kerr, A. R., see Siegel, Peter H., *T-MTT Dec 84* 1579–1590
- Ketcham, Richard S., see Burns, Stanley G., *T-MTT Dec 84* 1668–1671
- Khan, Peter J., see Bialkowski, Marek E., *T-MTT Apr 84* 465–467
- Khan, Peter J., see Bates, Bevan D., *T-MTT Oct 84* 1310–1318
- Kharadly, M. M. Z., see Whitney, H. Stuart, *T-MTT Aug 84* 798–803
- Kiang, Yean-Woei, see Tai, Gwo-Chung, *T-MTT Jan 84* 111–113
- Kim, Bumman, Hua Quen Tserng, and Paul Saunier. GaAs dual-gate FET for operation up to K-band; *T-MTT Mar 84* 256–261

- Kim, Bumman, see Peterson, Darrell L., *T-MTT Mar 84* 276–281
- Kim, Dong Il, Kiyomichi Araki, and Yoshiyuki Naito. Properties of the symmetrical five-port circuit and its broad-band design; *T-MTT Jan 84* 51–57
- Kim, Dong Il, Daisuke Kawabe, Kiyomichi Araki, and Yoshiyuki Naito. Directly connected image guide 3-dB couplers with very flat couplings; *T-MTT Jun 84* 621–627
- Kim, Jeong Hwan, see Chung, Nak Sam, *T-MTT Dec 84* 1683–1686
- Kirschning, Manfred, and Rolf H. Jansen. Accurate wide-range design equations for the frequency-dependent characteristic of parallel coupled microstrip lines; *T-MTT Jan 84* 83–90
- Kisliuk, Moshe, see Axelrod, Alexander, *T-MTT Jan 84* 46–50
- Kitazawa, Toshihide, and Raj Mittra. An investigation of striplines and fin lines with periodic stubs; *T-MTT Jul 84* 684–688
- Kitazawa, Toshihide, and Raj Mittra. Analysis of finline with finite metallization thickness (Short p.); *T-MTT Nov 84* 1484–1487
- Knorr, Jeffery B. Scattering analysis of a millimeter-wave scalar network analyzer; *T-MTT Feb 84* 183–190
- Kobayashi, Kunikatsu, see Endo, Akira, *T-MTT Feb 84* 177–182
- Kopeika, N. S., Israel Hirsh, and M. Ravfogel. Microwave point contact diode responsivity improvement through surface effects in vacuum (Short p.); *T-MTT Oct 84* 1384–1387
- Kosemura, Kinjiro, see Hirachi, Yasutake, *T-MTT Mar 84* 309–316
- Koshiba, Masanori, Kazuya Hayata, and Michio Suzuki. Approximate scalar finite-element analysis of anisotropic optical waveguides with off-diagonal elements in a permittivity tensor; *T-MTT Jun 84* 587–593
- Koshiji, Kohji, and Eimei Shu. Effect of inner conductor offset in a coplanar waveguide (Short p.); *T-MTT Oct 84* 1387–1390
- Kotzebue, K. L. A technique for the design of microwave transistor oscillators (Short p.); *T-MTT Jul 84* 719–721
- Koul, Shiban Kishen. An analytical method for the capacitance of the rectangular inhomogeneous coaxial line having anisotropic dielectrics (Short p.); *T-MTT Aug 84* 937–941
- Koul, Shiban Kishen, see Bhat, Bharathi, *T-MTT Apr 84* 433–439
- Kraszewski, Andrzej, Maria A. Stuchly, Stanislaw S. Stuchly, George Hartsgrove, and Daniel Adamski. Specific absorption rate distribution in a full-scale model of man at 350 MHz; *T-MTT Aug 84* 779–783
- Kraszewski, Andrzej, see Wong, Gary H., *T-MTT Aug 84* 824–828
- Kreischer, Kenneth E., Richard J. Temkin, Harold R. Fetterman, and William J. Mulligan. Multimode oscillation and mode competition in high-frequency gyrotrons; *T-MTT May 84* 481–490
- Kriegsmann, Gregory A., see Araneta, Jose C., *T-MTT Oct 84* 1328–1335
- Krowne, Clifford M. Fourier transformed matrix method of finding propagation characteristics of complex anisotropic layered media; *T-MTT Dec 84* 1617–1625
- Ku, Walter H., see Liu, Louis C. T., *T-MTT Mar 84* 282–290
- Kuester, Edward F. Accurate approximations for a function appearing in the analysis of microstrip (Short p.); *T-MTT Jan 84* 131–133
- Kumagai, Nobuaki, see Surawatpunya, Charray, *T-MTT Jul 84* 689–695
- Kumar, Arun, M. R. Shenoy, and K. Thyagarajan. Modes in anisotropic rectangular waveguides: An accurate and simple perturbation approach (Short p.); *T-MTT Oct 84* 1415–1418
- Kuno, H. J. Solid-state microwave and millimeter-wave sources development—A personal account; *T-MTT Sep 84* 1083–1087
- Kuroki, Futoshi, see Yoneyama, Tsukasa, *T-MTT Dec 84* 1659–1662
- Kusama, Noboru, see Watanabe, Satoru, *T-MTT Dec 84* 1688–1692
- Kuttler, James R. A new method for calculating TE and TM cutoff frequencies of uniform waveguides with lunar or eccentric annular cross section; *T-MTT Apr 84* 348–354

L

- Lagrande, J. Bradner, see McQuiddy, David N., Jr., *T-MTT Sep 84* 997–1008
- Lai, Henry, Akira Horita, C.-K. Chou, and A. W. Guy. Microwave-induced post-exposure hyperthermia: Involvement of endogenous opioids and serotonin; *T-MTT Aug 84* 882–887
- Langmann, Ulrich, Detlef Daniel, and Berthold G. Bosch. Injection laser modulation at 2 Gbit/s by monolithic silicon multiplexer (Short p.); *T-MTT Dec 84* 1675–1677
- Larsen, Lawrence E., see Guo, Theodore C., *T-MTT Apr 84* 473–474 (Original paper, Nov 82 1998–2000)
- Larsen, Lawrence E., see Guo, Theodore C., *T-MTT Aug 84* 835–843
- Larsen, Lawrence E., see Slaney, Malcolm, *T-MTT Aug 84* 860–874
- Larsen, Lawrence E., see Guo, Theodore C., *T-MTT Aug 84* 844–854
- Laton, Richard W., see Galani, Zvi, *T-MTT Dec 84* 1556–1565
- Laura, Patricio A. A., and Jose L. Pombo. Correction to 'Comments on the dynamical behavior of a single-mode optical fiber strain gage' (Apr 83 364–366); *T-MTT Mar 84* 324
- Lazar, Steven, see Shimabukuro, Fred I., *T-MTT Jul 84* 659–665
- Leuzzi, Giorgio, see Sorrentino, Roberto, *T-MTT Apr 84* 410–416
- Leviatan, Yehuda, see Li, Ping Guan, *T-MTT Apr 84* 365–373
- Leviatan, Yehuda, Der-Hua Shau, and Arlon T. Adams. Numerical study of the current distribution post on in a rectangular waveguide (Short p.); *T-MTT Oct 84* 1411–1415

- Levush, Baruch, and Wallace M. Manheimer. Generation of high-frequency radiation by quasi-optical gyrotron at harmonics of the cyclotron frequency (Short p.); *T-MTT Oct 84* 1398–1401
- Levy, Ralph, *see* Cohn, Seymour B., *T-MTT Sep 84* 1046–1054
- Levy, Ralph, and Seymour B. Cohn. A history of microwave filter research, design, and development; *T-MTT Sep 84* 1055–1067
- Lewin, Leonard. A method of avoiding the edge current divergence in perturbation loss calculations (Short p.); *T-MTT Jul 84* 717–719
- Li, Ping Guan, Arlon T. Adams, Yehuda Leviatan, and Jose Perini. Multiple-post inductive obstacles in rectangular waveguide; *T-MTT Apr 84* 365–373
- Lilonga, Désiré, *see* Baudrand, Henri, *T-MTT Nov 84* 1434–1441
- Lin, James C., and Karen H. Chan. Microwave thermoelastic tissue imaging—System design; *T-MTT Aug 84* 854–860
- Liu, Louis C. T., and Walter H. Ku. Computer-aided synthesis of lumped lossy matching networks for monolithic microwave integrated circuits (MMIC's); *T-MTT Mar 84* 282–290
- Lopuch, Stanislaw L., and T. Koryu Ishii. Field distribution of two conducting posts in a waveguide; *T-MTT Jan 84* 29–33
- Loukas, S., *see* Yova, D., *T-MTT Aug 84* 891–893
- Lovisollo, Giorgio A., Michele Adami, Giorgio Arcangeli, Antonello Borroni, Guido Calamai, Anna Cividalli, and Francesco Mauro. A multifrequency water-filled waveguide applicator: Thermal dosimetry *in vivo* (Short p.); *T-MTT Aug 84* 893–896
- Lu, Shin-Tsu, *see* Roberts, Norbert J., Jr., *T-MTT Aug 84* 803–807
- Lu, Shin-Tsu, *see* Williams, Wesley M., *T-MTT Aug 84* 808–818
- Luhmann, Neville C., Jr., *see* Tong, Peter P., *T-MTT May 84* 507–512
- Luk, Kwai Man, *see* Yu, Ping Kong, *T-MTT Jun 84* 641–645
- Lundén, Hans B., *see* Tripathi, Vijai K., *T-MTT Apr 84* 427–432

M

- Ma, James Y. L., *see* Brand, G. Fergus, *T-MTT Jan 84* 58–64
- Maas, Stephen A. Theory and analysis of GaAs MESFET mixers (Short p.); *T-MTT Oct 84* 1402–1406
- Mack, Richard B., *see* Damaskos, Nickander J., *T-MTT Apr 84* 400–405
- Maclean, Douglas J. H. Stability margins in microwave amplifiers; *T-MTT Mar 84* 237–242
- Maffett, Andrew L., *see* Damaskos, Nickander J., *T-MTT Apr 84* 400–405
- Magid, Milton, *see* Dileo, Robert, *T-MTT Feb 84* 219
- Mains, Richard K., G. I. Haddad, D. Bowling, and M. Afendykiw. Dynamic behavior of pulsed-IMPATT oscillators (Short p.); *T-MTT Feb 84* 208–212
- Mains, Richard K., *see* El-Gabaly, Moustafa A., *T-MTT Oct 84* 1342–1352
- Mains, Richard K., *see* El-Gabaly, Moustafa A., *T-MTT Oct 84* 1353–1361
- Maldonado, Oscar, *see* Jacard, Benjamin, *T-MTT Jun 84* 576–581
- Mallick, A. K., *see* Nair, N. V., *T-MTT Feb 84* 200–204
- Manheimer, Wallace M., *see* Levush, Baruch, *T-MTT Oct 84* 1398–1401
- Marqués, Ricardo, *see* Horno, Manuel, *T-MTT Apr 84* 467–470
- Marrero, Jose L. R., *see* Predmore, C. Read, *T-MTT May 84* 498–507
- Martines, Giovanni, *see* Calandra, Enrico F., *T-MTT Mar 84* 231–237
- Massoudi, Habib, Carl H. Durney, and Magdy F. Iskander. Limitations of the cubical block model of man in calculating SAR distributions; *T-MTT Aug 84* 746–752
- Mauro, Francesco, *see* Lovisollo, Giorgio A., *T-MTT Aug 84* 893–896
- Mautz, Joseph R., *see* Wei, Cao, *T-MTT Apr 84* 439–450
- Mayaram, Kartikeya, *see* Sussman-Fort, Stephen E., *T-MTT Apr 84* 471–473
- McHenry, Mark A., and David C. Chang. Coupled-mode theory of two nonparallel dielectric waveguides; *T-MTT Nov 84* 1469–1475
- McQuiddy, David N., Jr., John W. Wassel, J. Bradner Lagrande, and William R. Wiseman. Monolithic microwave integrated circuits—An historical perspective; *T-MTT Sep 84* 997–1008
- Mehdizadeh, M., T. K. Ishii, J. S. Hyde, and W. Francisz. Correction to 'Loop-gas resonator: A lumped mode microwave resonant structure' (Dec 83 1059–1064); *T-MTT Feb 84* 219
- Meierer, Roman, *see* Tsironis, Christos, *T-MTT Mar 84* 248–255
- Mezger, Peter G. 50 years of radio astronomy; *T-MTT Sep 84* 1224–1229
- Michaelson, Sol M., *see* Roberts, Norbert J., Jr., *T-MTT Aug 84* 803–807
- Michaelson, Sol M., *see* Williams, Wesley M., *T-MTT Aug 84* 808–818
- Michaud, Alain, *see* Villeneuve, Bernard, *T-MTT Dec 84* 1565–1572
- Miller, Patrick D., *see* Tajima, Yusuke, *T-MTT Mar 84* 261–267
- Miller, Stephen W., *see* Ayasli, Yalçin, *T-MTT Dec 84* 1704–1709
- Miller, Stephen W., *see* Ayasli, Yalçin, *T-MTT Dec 84* 1710–1714
- Milnes, Arthur G., *see* Mondal, Jyoti P., *T-MTT Oct 84* 1280–1288
- Minasian, Robert A., *see* Scott, James R., *T-MTT Mar 84* 243–248
- Miner, William H., *see* Vitello, Peter, *T-MTT Apr 84* 373–386
- Miner, William H., Jr., Peter Vitello, and Adam T. Drobot. Theory and numerical simulation of a TE₁₁₁ gyroresonant accelerator; *T-MTT Oct 84* 1293–1301
- Mittra, Raj, *see* Kitazawa, Toshihide, *T-MTT Jul 84* 684–688
- Mittra, Raj, *see* Kitazawa, Toshihide, *T-MTT Nov 84* 1484–1487
- Miyagi, Mitsunobu, Kazuhide Harada, and Shojiro Kawakami. Wave propagation and attenuation in the general class of circular hollow waveguides with uniform curvature; *T-MTT May 84* 513–521

- Miyazaki, Shin-Ichi, *see* Watanabe, Satoru, *T-MTT Dec 84* 1688–1692
- Moghe, Sanjay B., Horng-Jye Sun, Thomas Andrade, Charles C. Huang, and R. Goyal. A monolithic direct-coupled GaAs IC amplifier with 12-GHz bandwidth; *T-MTT Dec 84* 1698–1704
- Mollier, Jean-Claude, and Michelle Valentin. Microwave helix waveguide absorption cell for passive frequency standard (Short p.); *T-MTT Jul 84* 721–722
- Mondal, Jyoti P., Arthur G. Milnes, James G. Oakes, and Shing-Kuo Wang. Phase shifts in single- and dual-gate GaAs MESFET's for 2–4-GHz quadrature phase shifters; *T-MTT Oct 84* 1280–1288
- Mourier, G., *see* Carmel, Y., *T-MTT Nov 84* 1493–1495
- Mozzi, Robert L., *see* Ayasli, Yalçin, *T-MTT Dec 84* 1704–1709
- Mozzi, Robert L., *see* Ayasli, Yalçin, *T-MTT Dec 84* 1710–1714
- Mozzi, Robert L., *see* Ayasli, Yalçin, *T-MTT Mar 84* 290–295
- Mulligan, William J., *see* Kreischer, Kenneth E., *T-MTT May 84* 481–490
- Mushiake, Yasuto, *see* Yabe, Hatsuo, *T-MTT Jan 84* 65–71
- Mushiake, Yasuto, *see* Yabe, Hatsuo, *T-MTT Jan 84* 91–96

N

- Nachman, M., and G. Turgeon. Heating pattern in a multilayered material exposed to microwaves (Short p.); *T-MTT May 84* 547–552
- Nagayoshi, Morita. Correction to 'Scattering of guided modes caused by an arbitrarily shaped broken end in a dielectric slab waveguide' (Nov 83 923–930); *T-MTT Feb 84* 219
- Nair, N. V., and A. K. Mallick. An analysis of a width-modulated microstrip periodic structure (Short p.); *T-MTT Feb 84* 200–204
- Naito, Yoshiyuki, *see* Kim, Dong Il, *T-MTT Jan 84* 51–57
- Naito, Yoshiyuki, *see* Kim, Dong Il, *T-MTT Jun 84* 621–627
- Nakata, Taka-Aki, *see* Watanabe, Satoru, *T-MTT Dec 84* 1688–1692
- Narasimhan, Subramanian, *see* Sussman-Fort, Stephen E., *T-MTT Apr 84* 471–473
- Neikirk, Dean P., *see* Tong, Peter P., *T-MTT May 84* 507–512
- Nemoto, Yoshiaki, *see* Endo, Akira, *T-MTT Feb 84* 177–182
- Neuhauss, Barry, *see* Guy, Arthur W., *T-MTT Aug 84* 752–763
- Niclas, Karl B. Comments with reply, on 'The microstrip open-ring resonator' by I. Wolff and V. K. Tripathi; *T-MTT Aug 84* 946–947 (Original paper, Jan 84 102–107)
- Niclas, Karl B. Multi-octave performance of single-ended microwave solid-state amplifiers; *T-MTT Aug 84* 896–908
- Nimt, G., *see* Aichmann, H., *T-MTT Aug 84* 888–891
- Nishida, Shigeo, *see* Yoneyama, Tsukasa, *T-MTT Aug 84* 943–946
- Nishida, Shigeo, *see* Yoneyama, Tsukasa, *T-MTT Dec 84* 1659–1662
- Nishio, Kazunori, *see* Yabe, Hatsuo, *T-MTT Jan 84* 91–96
- Nordman, James E., *see* Beyer, James B., *T-MTT Mar 84* 268–275

O

- Oakes, James G., *see* Mondal, Jyoti P., *T-MTT Oct 84* 1280–1288
- Obregon, J., and F. Farzaneh. Definition of nonlinear reflection coefficient of a microwave device using describing function formalism (Short p.); *T-MTT Apr 84* 452–455
- Ogawa, Hiroyo, *see* Hirota, Tetsuo, *T-MTT Jul 84* 679–683
- Ogawa, Hiroyo, Kazuyuki Yamamoto, and Nobuaki Imai. A 26-GHz high-performance MIC transmitter/receiver for digital radio subscriber systems; *T-MTT Dec 84* 1551–1556
- Ogusu, Kazuhiko. Dielectric waveguide corner and power divider with a metallic reflector (Short p.); *T-MTT Jan 84* 113–116
- Ohnishi, Hiroshi, and Sadahiko Yamashita. S- and X-band GaAs FET mixers with thin-film lumped elements (Short p.); *T-MTT Jan 84* 135–138
- Okubo, Naofumi, *see* Tokumitsu, Yasuyuki, *T-MTT Mar 84* 301–308
- Okwit, S. A historical view of the evolution of low-noise concepts and techniques; *T-MTT Sep 84* 1068–1082
- Oliner, A. A. Historical perspectives on microwave field theory; *T-MTT Sep 84* 1022–1045
- Omar, Abbas Sayed, and Klaus Schünemann. Space-domain decoupling of LSE and LSM fields in generalized planar guiding structures; *T-MTT Dec 84* 1626–1632
- Osephchuk, John M. A history of microwave heating applications; *T-MTT Sep 84* 1200–1224
- Owens, John M., *see* Carter, Ronald L., *T-MTT Dec 84* 1671–1674

P

- Packard, Karle S. The origin of waveguides: A case of multiple rediscovery; *T-MTT Sep 84* 961–969
- Pal, B. B., *see* Basu, B. N., *T-MTT Apr 84* 461–463
- Parker, Don. 1984 MTT-S awards; *T-MTT Dec 84* 1535–1541
- Parmon, Walter, *see* Damaskos, Nickander J., *T-MTT Apr 84* 400–405
- Pavio, Anthony M., Jr., *see* Peterson, Darrell L., *T-MTT Mar 84* 276–281
- Pavlaek, Thomas J. F., *see* Ding, Li, *T-MTT Feb 84* 151–157
- Peebles, W. A., *see* Tong, Peter P., *T-MTT May 84* 507–512

- Perini, Jose, see Li, Ping Guan, *T-MTT Apr 84* 365–373
- Perlow, S. M., and A. Presser. The interdigitated three-strip coupler (Short p.); *T-MTT Oct 84* 1418–1422
- Peronnet, G., see Bolomey, J. Ch., *T-MTT Jun 84* 648
- Peterson, Darrell L., Anthony M. Pavio, Jr., and Bumman Kim. A GaAs FET model for large-signal applications; *T-MTT Mar 84* 276–281
- Pichot, Ch., see Bolomey, J. Ch., *T-MTT Jun 84* 648
- Pickard, William F., see Gokhale, Ashok V., *T-MTT Aug 84* 795–797
- Pickett, Herbert M., John C. Hardy, and Jam Farhoomand. Characterization of a dual-mode horn for submillimeter wavelengths (Short p.); *T-MTT Aug 84* 936–937
- Pierro, John, see Cappello, Anthony, *T-MTT Mar 84* 226–230
- Pinto, Innocenzo, see Franceschetti, Giorgio, *T-MTT Jul 84* 653–658
- Piotrowski, Jerzy K., see Schiebllich, Christian, *T-MTT Dec 84* 1638–1645
- Pombo, Jose L., see Laura, Patricio A. A., *T-MTT Mar 84* 324
- Pramanick, Protap, see Bhartiya, Prakash, *T-MTT Oct 84* 1379–1384
- Prasad, K. V. S. V. R., see Das, B. N., *T-MTT Nov 84* 1427–1433
- Prasad, K. V. S. V. R., see Das, B. N., *T-MTT Nov 84* 1475–1479
- Prasad, S. N., see Beyer, James B., *T-MTT Mar 84* 268–275
- Predmore, C. Read, Antti V. Räisänen, Neal R. Erickson, Paul F. Goldsmith, and Jose L. R. Marrero. A broad-band ultra-low-noise Schottky diode mixer receiver from 80 to 115 GHz; *T-MTT May 84* 498–507
- Pregla, Reinhold, see Worm, Stephen B., *T-MTT Feb 84* 191–196
- Presser, A., see Perlow, S. M., *T-MTT Oct 84* 1418–1422

Q

- Qian, Jing-Ren, and Wei-Chen Zhuang. Corrections to 'New narrow-band dual-mode bandstop waveguide filters' (Dec 83 1045–1050); *T-MTT Mar 84* 324

R

- Rahman, B. M. Azizur, and J. Brian Davies. Finite-element analysis of optical and microwave waveguide problems; *T-MTT Jan 84* 20–28
- Räisänen, Antti V., see Predmore, C. Read, *T-MTT May 84* 498–507
- Rao, Sadasiva M., Tapan K. Sarkar, and Roger F. Harrington. The electrostatic field of conducting bodies in multiple dielectric media; *T-MTT Nov 84* 1441–1448
- Raskmark, Povl, and J. Bach Andersen. Focused electromagnetic heating of muscle tissue (Short p.); *T-MTT Aug 84* 887–888
- Rauscher, Christen. Regenerative frequency division with a GaAs FET; *T-MTT Nov 84* 1461–1468
- Ravfogel, M., see Kopeika, N. S., *T-MTT Oct 84* 1384–1387
- Read, M. E., see Carmel, Y., *T-MTT Nov 84* 1493–1495
- Reynolds, Leonard D., see Ayasli, Yalcin, *T-MTT Mar 84* 290–295
- Reynolds, Leonard D., Jr., see Ayasli, Yalcin, *T-MTT Jan 84* 71–77
- Riblet, Gordon P., and E. R. Bertil Hansson. Some properties of the matched symmetrical six-port junction; *T-MTT Feb 84* 164–171
- Roberts, Norbert J., Jr., Sol M. Michaelson, and Shin-Tsu Lu. Exposure of human mononuclear leukocytes to microwave energy pulse modulated at 16 or 60 Hz; *T-MTT Aug 84* 803–807
- Robinson, Laurence C., see Brand, G. Fergus, *T-MTT Jan 84* 58–64
- Rubin, Barry J. The propagation characteristics of signal lines in a mesh-plane environment; *T-MTT May 84* 522–531
- Ruth, Brian, see Bromborsky, Alan, *T-MTT Jun 84* 600–605
- Rutledge, David B., see Tong, Peter P., *T-MTT May 84* 507–512

S

- Saad, Theodore S. History of the Administrative Committee of the Microwave Theory and Techniques Society; *T-MTT Sep 84* 956–960
- Saad, Theodore S., *Guest Ed.* Introduction to special Centennial issue; *T-MTT Sep 84* 955
- Saito, Toshiyuki, see Tokumitsu, Yasuyuki, *T-MTT Mar 84* 301–308
- Sannino, Mario, see Calandra, Enrico F., *T-MTT Mar 84* 231–237
- Sarkar, Tapan K., see Wei, Cao, *T-MTT Apr 84* 439–450
- Sarkar, Tapan K., see Rao, Sadasiva M., *T-MTT Nov 84* 1441–1448
- Sato, Risaburo, see Endo, Akira, *T-MTT Feb 84* 177–182
- Saunier, Paul, see Kim, Bumman, *T-MTT Mar 84* 256–261
- Sawa, Sinnosuke, see Geshiro, Masahiro, *T-MTT Apr 84* 339–347
- Schiebllich, Christian, Jerzy K. Piotrowski, and J. H. Hinken. Synthesis of optimum finline tapers using dispersion formulas for arbitrary slot widths and locations; *T-MTT Dec 84* 1638–1645
- Schünemann, Klaus, see Omar, Abbas Sayed, *T-MTT Dec 84* 1626–1632
- Schweig, Edgard, and William B. Bridges. Computer analysis of dielectric waveguides: A finite-difference method; *T-MTT May 84* 531–541
- Schwering, F., see Itoh, T., *T-MTT Oct 84* 1374–1377
- Scott, James R., and Robert A. Minasian. A simplified microwave model of the GaAs dual-gate MESFET; *T-MTT Mar 84* 243–248
- Sedair, S. S. Characteristics of some asymmetrical coupled transmission lines (Short p.); *T-MTT Jan 84* 108–110

- Seki, Shouhei, see Hasegawa, Hideki, *T-MTT Dec 84* 1715–1720
- Seki, Shouhei, and Hideki Hasegawa. Analysis of crosstalk in very high-speed LSI/VLSI's using a coupled multiconductor MIS microstrip line model; *T-MTT Dec 84* 1721–1727
- Sethares, J. C., see Weinberg, I. J., *T-MTT Apr 84* 463–464
- Sharma, Arvind K. Spectral domain analysis of an elliptic microstrip ring resonator (Short p.); *T-MTT Feb 84* 212–218
- Sharma, P. C., and K. C. Gupta. An alternative procedure for implementing the desegmentation method; *T-MTT Jan 84* 1–4
- Shau, Der-Hua, see Leviatan, Yehuda, *T-MTT Oct 84* 1411–1415
- Shenoy, M. R., see Kumar, Arun, *T-MTT Oct 84* 1415–1418
- Shibata, Hisashi, and Ryuiti Terakado. Characteristics of transmission lines with a single wire for a multiwire circuit board; *T-MTT Apr 84* 360–364
- Shigesawa, Hiroshi, see Tsuji, Mikio, *T-MTT Jun 84* 628–633
- Shih, L., see Ding, Li, *T-MTT Feb 84* 151–157
- Shih, Yi-Chi. Design of waveguide E-plane filters with all-metal inserts; *T-MTT Jul 84* 695–704
- Shimabukuro, Fred I. Correction to 'Quasi-optical method for measuring the complex permittivity of materials' (Jul 84 659–665); *T-MTT Nov 84* 1504
- Shimabukuro, Fred I., Steven Lazar, Michael R. Chernick, and Howell B. Dyson. A quasi-optical method for measuring the complex permittivity of materials; *T-MTT Jul 84* 659–665
- Shin, Joon, see Chung, Nak Sam, *T-MTT Dec 84* 1683–1686
- Shinozaki, Satoru, see Watanabe, Satoru, *T-MTT Dec 84* 1688–1692
- Shu, Eimei, see Koshiji, Kohji, *T-MTT Oct 84* 1387–1390
- Siegel, Peter H., and A. R. Kerr. The measured and computed performance of a 140 – 220 GHz Schottky diode mixer; *T-MTT Dec 84* 1579–1590
- Silbermann, Agnès, see Sorrentino, Roberto, *T-MTT Apr 84* 410–416
- Simons, Rainee Navin. Broadside-coupled slot-line field components (Short p.); *T-MTT Jan 84* 116–120
- Singh, V. N., see Basu, B. N., *T-MTT Apr 84* 461–463
- Slaney, Malcolm, Avinash C. Kak, and Lawrence E. Larsen. Limitations of imaging with first-order diffraction tomography; *T-MTT Aug 84* 860–874
- Smith, C. S., see Iskander, M. F., *T-MTT May 84* 554–556
- Smith, Glenn S. Limitations on the size of miniature electric-field probes; *T-MTT Jun 84* 594–600
- Sobhy, M. I., see Bedair, S. S., *T-MTT May 84* 544–547
- Sobol, Harold. Microwave communications—An historical perspective; *T-MTT Sep 84* 1170–1181
- Solaimani, M., see Bolomey, J. Ch., *T-MTT Jun 84* 648
- Solbach, Klaus. 94-GHz 4-port E-plane junction circulator (Short p.); *T-MTT Jul 84* 722–724
- Somlo, P. I. Radar-echo location of conducting spheres in waveguide (Short p.); *T-MTT Jan 84* 120–122
- Sorrentino, Roberto, Giorgio Leuzzi, and Agnès Silbermann. Characteristics of metal-insulator-semiconductor coplanar waveguides for monolithic microwave circuits; *T-MTT Apr 84* 410–416
- Sorrentino, Roberto, and Tatsuo Itoh. Transverse resonance analysis of finline discontinuities; *T-MTT Dec 84* 1633–1638
- Sorrentino, Roberto, see Giannini, Franco, *T-MTT Dec 84* 1652–1655
- Spiegel, Ronald J. A review of numerical models for predicting the energy deposition and resultant thermal response of humans exposed to electromagnetic fields; *T-MTT Aug 84* 730–746
- Spielman, B. E. Technology summaries for microwave theory and techniques—1983; *T-MTT Oct 84* 1372–1378
- Stahlmann, Rainer, see Tsironis, Christos, *T-MTT Mar 84* 248–255
- Starski, J. Piotr, see Tripathi, Vijai K., *T-MTT Apr 84* 427–432
- Stephan, Karl D., and Tatsuo Itoh. A planar quasi-optical subharmonically pumped mixer characterized by isotropic conversion loss; *T-MTT Jan 84* 97–102.
- Correction, Apr 84 476
- Stephan, Karl D., and Tatsuo Itoh. Corrections to 'A planar quasi-optical subharmonically pumped mixer characterized by isotropic conversion loss' (Jan 84 97–102); *T-MTT Apr 84* 476
- Stuchly, Maria A., see Kraszewski, Andrzej, *T-MTT Aug 84* 779–783
- Stuchly, Maria A., see Wong, Gary H., *T-MTT Aug 84* 824–828
- Stuchly, Stanislaw S., see Kraszewski, Andrzej, *T-MTT Aug 84* 779–783
- Stuchly, Stanislaw S., see Wong, Gary H., *T-MTT Aug 84* 824–828
- Sudo, Tsuneta, see Idda, Masao, *T-MTT Jan 84* 5–10
- Sugeta, Takayuki, see Tajima, Jun, *T-MTT May 84* 542–544
- Sun, Horng-Jye, see Moghe, Sanjay B., *T-MTT Dec 84* 1698–1704
- Surawatpunya, Charray, Makoto Tsutsumi, and Nobuaki Kumagai. Bragg interaction of electromagnetic waves in a ferrite slab periodically loaded with metal strips; *T-MTT Jul 84* 689–695
- Sussman-Fort, Stephen E., Subramanian Narasimhan, and Kartikeya Mayaram. A complete GaAs MESFET computer model for SPICE (Short p.); *T-MTT Apr 84* 471–473
- Suzuki, Michio, see Koshiba, Masanori, *T-MTT Jun 84* 587–593

T

- Tai, Gwo-Chung, Chun Hsiung Chen, and Yean-Woei Kiang. Plasma-dielectric sandwich structure used as a tunable bandpass microwave filter (Short p.); *T-MTT Jan 84* 111–113
- Tajima, Jun, Yasushi Yamao, Takayuki Sugeta, and Masahiro Hirayama. GaAs monolithic low-power amplifiers with RC parallel feedback (Short p.); *T-MTT May 84* 542–544
- Tajima, Yusuke, and Patrick D. Miller. Design of broad-band power GaAs FET amplifiers; *T-MTT Mar 84* 261–267
- Takada, Tohru, see Idda, Masao, *T-MTT Jan 84* 5–10
- Takeuchi, Yukihiro, see Hirachi, Yasutake, *T-MTT Mar 84* 309–316
- Takiyama, Kei, see Tsuji, Mikio, *T-MTT Jun 84* 628–633
- Tang, Wai-Cheung, and Sujeet K. Chaudhury. A true elliptic-function filter using triple-mode degenerate cavities; *T-MTT Nov 84* 1449–1454
- Temkin, Richard J., see Kreischer, Kenneth E., *T-MTT May 84* 481–490
- Terakado, Ryuiti, see Shibata, Hisashi, *T-MTT Apr 84* 360–364
- Tetu, Michel, see Villeneuve, Bernard, *T-MTT Dec 84* 1565–1572
- Thebault, Dominique, see Hanna, Victor Fouad, *T-MTT Dec 84* 1649–1651
- Thomsen, Flemming. On the resolution of Dicke-type radiometers; *T-MTT Feb 84* 145–150
- Thyagarajan, K., see Kumar, Arun, *T-MTT Oct 84* 1415–1418
- Tiwari, Anup K., see Bhat, Bharathi, *T-MTT Jul 84* 711–717
- Tokumitsu, Yasuyuki, Toshiyuki Saito, Naofumi Okubo, and Yoshiaki Kaneko. A 6-GHz 80-W GaAs FET amplifier with a TM-mode cavity power combiner; *T-MTT Mar 84* 301–308
- Toler, James C., *Guest Ed.* Editorial (Special issue intro.); *T-MTT Aug 84* 729
- Tong, Peter P., Dean P. Neikirk, Peter E. Young, W. A. Peebles, Neville C. Luhmann, Jr., and David B. Rutledge. Imaging polarimeter arrays for near-millimeter waves; *T-MTT May 84* 507–512
- Tozawa, Norio, see Yoneyama, Tsukasa, *T-MTT Aug 84* 943–946
- Tremblay, Pierre, see Villeneuve, Bernard, *T-MTT Dec 84* 1565–1572
- Tripathi, Vijai K. Comments, with reply, on 'The design parameters of nonsymmetrical coupled microstrips' by N. A. El-Deeb, et al.; *T-MTT May 84* 561–563 (Original paper, *Jul 83* 592–596)
- Tripathi, Vijai K., see Wolff, Ingo, *T-MTT Jan 84* 102–107.
- Tripathi, Vijai K., and Ingo Wolff. Perturbation analysis and design equations for open- and closed-ring microstrip resonators; *T-MTT Apr 84* 405–410
- Tripathi, Vijai K., Hans B. Lundén, and J. Piotr Starski. Analysis and design of branch-line hybrids with coupled lines; *T-MTT Apr 84* 427–432
- Tserng, Hua Quen, see Kim, Bumman, *T-MTT Mar 84* 256–261
- Tserng, Hua Quen, *Guest Ed.*, and Charles C. Huang, *Guest Ed.* Foreword to special issue; *T-MTT Mar 84* 225
- Tsironis, Christos, Roman Meicer, and Rainer Stahlmann. Dual-gate MESFET mixers; *T-MTT Mar 84* 248–255
- Tsuji, Mikio, Hiroshi Shigesawa, and Kei Takiyama. Analytical and experimental investigations on several resonant modes in open dielectric resonators; *T-MTT Jun 84* 628–633
- Tsutsumi, Makoto, see Surawatpunya, Charray, *T-MTT Jul 84* 689–695
- Tucholke, Ulrich, see Arndt, Fritz, *T-MTT Nov 84* 1479–1484
- Tucker, Rodney S., and Peter D. Bradley. Computer-aided error correction of large-signal load-pull measurements; *T-MTT Mar 84* 296–300
- Turgeon, G., see Nachman, M., *T-MTT May 84* 547–552
- Turner, Paul F. Hyperthermia and inhomogeneous tissue effects using an annular phased array; *T-MTT Aug 84* 874–882

U

- Uchida, Kazunori, and Kazuo Aoki. Scattering of surface waves on transverse discontinuities in symmetrical three-layer dielectric waveguides; *T-MTT Jan 84* 11–19
- Uslenghi, Piergiorgio L. E., see Damaskos, Nickander J., *T-MTT Apr 84* 400–405

V

- Vahldieck, Rüdiger, J. Bornemann, F. Arndt, and D. Grauerholz. W-band low-insertion-loss E-plane filter (Short p.); *T-MTT Jan 84* 133–135
- Vahldieck, Rüdiger, see Arndt, Fritz, *T-MTT Jan 84* 34–39
- Vahldieck, Rüdiger, see Arndt, Fritz, *T-MTT Oct 84* 1391–1394
- Vahldieck, Rüdiger. Accurate hybrid-mode analysis of various fin-line configurations including multilayered dielectrics, finite metallization thickness, and substrate holding grooves; *T-MTT Nov 84* 1454–1460
- Vaidya, N. C., see Basu, B. N., *T-MTT Apr 84* 461–463
- Valentin, Michelle, see Mollier, Jean-Claude, *T-MTT Jul 84* 721–722
- Valerio, C. V., Jr., see Jain, F. C., *T-MTT Feb 84* 204–208
- Varian, Dorothy. From *The Inventor and the Pilot: Russell and Sigurd Varian*; *T-MTT Sep 84* 1248–1263
- Verver, Cornelius J., and Wolfgang J. R. Hoefer. Quarter-wave matching of waveguide-to-finline transitions (Short p.); *T-MTT Dec 84* 1645–1648

- Villeneuve, Alfred T. Analysis of slotted, dielectrically loaded, ridged waveguide; *T-MTT Oct 84* 1302–1310
- Villeneuve, Bernard, Pierre Tremblay, Alain Michaud, and Michel Tetu. RF spectrum of thermal noise and frequency stability of a microwave cavity-oscillator; *T-MTT Dec 84* 1565–1572
- Vitello, Peter, William H. Miner, and Adam T. Drobot. Theory and numerical modeling of a compact low-field high-frequency gyrotron; *T-MTT Apr 84* 373–386
- Vitello, Peter. Cyclotron maser and peniotron-like instabilities in a whispering gallery mode gyrotron; *T-MTT Aug 84* 917–921
- Vitello, Peter, see Miner, William H., Jr., *T-MTT Oct 84* 1293–1301
- Vorhaus, James L., see Ayasli, Yalcin, *T-MTT Jan 84* 71–77
- Vrba, Jan, see Giannini, Franco, *T-MTT Dec 84* 1652–1655

W

- Wang, Shing-Kuo, see Mondal, Jyoti P., *T-MTT Oct 84* 1280–1288
- Wassel, John W., see McQuiddy, David N., Jr., *T-MTT Sep 84* 997–1008
- Watanabe, Satoru, Satoru Shinozaki, Noboru Kusama, Shin-Ichi Miyazaki, and Taka-Aki Nakata. Si-monolithic microwave prescaler IC; *T-MTT Dec 84* 1688–1692
- Waterman, Raymond C., Jr., see Galani, Zvi, *T-MTT Dec 84* 1556–1565
- Wei, Cao, Roger F. Harrington, Joseph R. Mautz, and Tapan K. Sarkar. Multiconductor transmission lines in a multilayered dielectric media; *T-MTT Apr 84* 439–450
- Wei, Cao, see Harrington, Roger F., *T-MTT Jul 84* 705–710
- Weil, Clause M., and Lucian Gruner. High-order mode cutoff in rectangular striplines (Short p.); *T-MTT Jun 84* 638–641
- Weinberg, I. J., and J. C. Sethares. Magnetostatic forward volume wave propagation—Finite width (Short p.); *T-MTT Apr 84* 463–464
- Wheeler, Harold A. Reflection charts relating to impedance matching; *T-MTT Sep 84* 1008–1021
- White, Joseph F. Origins of high-power diode switching; *T-MTT Sep 84* 1105–1117
- Whitney, H. Stuart, and M. M. Z. Kharadly. Some results on low-level microwave treatment of the mountain pine beetle and the darkling beetle; *T-MTT Aug 84* 798–803
- Williams, Wesley M., Shin-Tsu Lu, Manuel Del Cerro, Wayne Hoss, and Sol M. Michaelson. Effects of 2450-MHz microwave energy on the blood-brain barrier: An overview and critique of past and present research; *T-MTT Aug 84* 808–818
- Wiltse, James C. History of millimeter and submillimeter waves; *T-MTT Sep 84* 1118–1127
- Wisseman, William R., see McQuiddy, David N., Jr., *T-MTT Sep 84* 997–1008
- Wisseman, William R., *Guest Ed.* Foreword to special section; *T-MTT Dec 84* 1687
- Wolff, Ingo, see Itoh, Tatsuo, *T-MTT Oct 84* 1374–1377
- Wolff, Ingo, and Vijai K. Tripathi. The microstrip open-ring resonator; *T-MTT Jan 84* 102–107.
- Comments by Niclas, K. B., *T-MTT Aug 84* 946–947
- Wolff, Ingo, see Tripathi, Vijai K., *T-MTT Apr 84* 405–410
- Wong, Gary H., Stanislaw S. Stuchly, Andrzej Kraszewski, and Maria A. Stuchly. Probing electromagnetic fields in lossy spheres and cylinders; *T-MTT Aug 84* 824–828
- Worm, Stephan B., see Diestel, Heinrich, *T-MTT Jun 84* 633–638
- Worm, Stephan B., and Reinhold Pregla. Hybrid-mode analysis of arbitrarily shaped planar microwave structures by the method of lines; *T-MTT Feb 84* 191–196
- Wriedt, Thomas, see Arndt, Fritz, *T-MTT Nov 84* 1479–1484

Y

- Yabe, Hatsuo, and Yasuto Mushiaki. An analysis of a hybrid-mode in a twisted rectangular waveguide; *T-MTT Jan 84* 65–71
- Yabe, Hatsuo, Kazunori Nishio, and Yasuto Mushiaki. Dispersion characteristics of twisted rectangular waveguides; *T-MTT Jan 84* 91–96
- Yamamoto, Kazuyuki, see Ogawa, Hiroyo, *T-MTT Dec 84* 1551–1556
- Yamamoto, Sumio, see Hirachi, Yasutake, *T-MTT Mar 84* 309–316
- Yamao, Yasushi, see Tajima, Jun, *T-MTT May 84* 542–544
- Yamashita, E., see Itoh, T., *T-MTT Oct 84* 1374–1377
- Yamashita, Sadahiko, see Ohnishi, Hiroshi, *T-MTT Jan 84* 135–138
- Yoneyama, Tsukasa, Norio Tozawa, and Shigeo Nishida. Loss measurements of nonradiative dielectric waveguide (Short p.); *T-MTT Aug 84* 943–946
- Yoneyama, Tsukasa, Futoshi Kuroki, and Shigeo Nishida. Design of nonradiative dielectric waveguide filters (Short p.); *T-MTT Dec 84* 1659–1662
- Yoshida, Norinobu, and Ichiro Fukai. Transient analysis of a stripline having a corner in three-dimensional space; *T-MTT May 84* 491–498
- Young, John A. 1984 IEEE MTT-S International Microwave Symposium keynote address; *T-MTT Dec 84* 1541–1544

- Young, Peter E., see Tong, Peter P., *T-MTT May 84* 507–512
 Yova, D., S. Loukas, and G. Boudouris. Changes in liposomes permeability induced by gramicidin D after microwave irradiation (Short p.); *T-MTT Aug 84* 891–893
 Yu, Ping Kong, and Kwai Man Luk. Field patterns and resonant frequencies of high-order modes in an open resonator (Short p.); *T-MTT Jun 84* 641–645

Z

- Zhu, Shi-Guo, Kun-Mu Chen, and Huey-Ru Chuang. Interaction of the near-zone fields of a slot on a conducting sphere with a spherical model of man; *T-MTT Aug 84* 784–795
 Zhuang, Wei-Chen, see Qian, Jing-Ren, *T-MTT Mar 84* 324
 Zuffada, Cinzia, see Conciauro, Giuseppe, *T-MTT Nov 84* 1495–1504

SUBJECT INDEX

A

- Absorbing media;** cf. Electromagnetic propagation, absorbing media
Accelerator cavities
 injection system for compact high-harmonic gyrotron; TE₁₁₁ gyroresonant accelerator cavity. *Miner, William H., Jr., + , T-MTT Oct 84* 1293–1301
Acoustic bulk-wave devices
 history of microwave acoustics. *Collins, Jeffrey H., T-MTT Sep 84* 1127–1140
Acoustic bulk-wave resonators
 fundamental-mode Pierce oscillators utilizing bulk-acoustic-wave resonators in 250 – 300 MHz range. *Burns, Stanley G., + , T-MTT Dec 84* 1668–1671
Acoustic imaging; cf. Biomedical imaging, acoustic
Acoustic resonators; cf. Acoustic bulk-wave resonators
Acoustic surface-wave devices
 history of microwave acoustics. *Collins, Jeffrey H., T-MTT Sep 84* 1127–1140
Acoustooptic materials/devices
 history of microwave acoustics. *Collins, Jeffrey H., T-MTT Sep 84* 1127–1140
Active antennas
 semiconductor antennas for millimeter and submillimeter wavelengths; monolithic IC implementation. *Jain, F. C., + , T-MTT Feb 84* 204–208
Aircraft propulsion
 history of microwave power transmission. *Brown, William C., T-MTT Sep 84* 1230–1242
Amplifier distortion
 reflection-type IMPATT amplifiers; intermodulation distortion theoretical analysis. *El-Gabaly, Moustafa A., + , T-MTT Apr 84* 394–399
Amplifier noise
 cryogenically cooled low-noise GaAs FET amplifier in 22 – 24-GHz range. *Cappello, Anthony, + , T-MTT Mar 84* 226–230
Amplifiers; cf. Distributed amplifiers; Feedback amplifiers; IMPATT diode amplifiers; Microwave amplifiers; Parametric amplifiers
Analog integrated circuits; cf. Microwave FET integrated circuits; Microwave integrated circuits; Millimeter-wave integrated circuits
Animals
 fruit flies irradiated by 40-GHz EM energy; no effect on fertility observed. *Aichmann, H., + , T-MTT Aug 84* 888–891
 resistance of mountain pine beetle and darkling beetle to low-level EM radiation at 10, 35, and 74 GHz. *Whitney, H. Stuart, + , T-MTT Aug 84* 798–803
Anisotropic media; cf. Electromagnetic propagation, anisotropic media; Optical propagation, anisotropic media
Antenna arrays; cf. Circular arrays; Phased arrays; Planar arrays
Antenna tolerance analysis
 sensitivity of dipole probes; limitations due to size reduction. *Smith, Glenn S., T-MTT Jun 84* 594–600
Antennas; cf. Dipole antennas; Horn antennas; Microstrip antennas; Millimeter-wave antennas; Probe antennas; Slot antennas; Submillimeter-wave antennas
Aperture antennas; cf. Horn antennas; Slot antennas
Approximation methods
 closed-form approximations to infinite sum $\sum x^m \ln(m+1/m)$; function appearing in microstrip analysis. *Kuester, Edward F., T-MTT Jan 84* 131–133
 diffraction tomography for cross-sectional imaging of biological systems; domains of applicability of the Born and Rytov approximations. *Slaney, Malcolm, + , T-MTT Aug 84* 860–874

+ Check author entry for coauthors

Approximation methods; cf. Describing functions; Perturbation methods
Astronomy; cf. Radio astronomy

Avalanche diode amplifiers; cf. IMPATT diode amplifiers

Avalanche diode oscillators; cf. IMPATT diode oscillators

Avalanche diodes; cf. IMPATT diodes

Awards

IEEE Microwave Theory and Techniques Society awards presentations for 1984. *Parker, Don, T-MTT Dec 84* 1535–1541

B

Bandpass filters

broadband millimeter-wave E-plane bandpass filters; computer-aided design. *Bui, L. Q., + , T-MTT Dec 84* 1655–1658

evanescent-mode waveguide bandpass filter at Q band. *Akers, N. P., + , T-MTT Nov 84* 1487–1489

Bandstop filters

correction to 'New narrow-band dual-mode bandstop waveguide filters' (Dec 83 1045–1050). *Qian, Jing-Ren, + , T-MTT Mar 84* 324

Bibliographies

microwave technology advances during 1983. *Spielman, B. E., T-MTT Oct 84* 1372–1378

Bioacoustics; cf. Biomedical acoustics

Biochemistry

changes in liposome permeability induced by Gramicidin D after microwave irradiation. *Yova, D., + , T-MTT Aug 84* 891–893

Biochemistry; cf. Drugs

Bioelectric phenomena; cf. Biomedical radiation effects, electromagnetic

Biological cells; cf. Blood cells; Tumors

Biological liquids; cf. Blood

Biological system irradiation; cf. Biomedical radiation effects

Biological thermal factors; cf. Biomedical radiation effects

Biological tissues; cf. Muscles; Tumors

Biomedical acoustics

microwave-induced thermoacoustic effect in dielectrics and its coupling to external medium; thermodynamical formulation. *Guo, Theodore C., + , T-MTT Aug 84* 835–843

Biomedical acoustics; cf. Biomedical imaging, acoustic

Biomedical imaging, acoustic

microwave-induced thermoelastic tissue imaging system. *Lin, James C., + , T-MTT Aug 84* 854–860

Biomedical imaging, electromagnetic

measuring temperatures inside human body using UHF radiometry and aperture synthesis. *Haslam, Nicola C., + , T-MTT Aug 84* 829–835

microwave-induced thermoelastic tissue imaging system. *Lin, James C., + , T-MTT Aug 84* 854–860

water-immersed planar microwave antenna array for medical imaging and therapy; analysis of local field pattern. *Guo, Theodore C., + , T-MTT Aug 84* 844–854

Biomedical imaging, electromagnetic; cf. Tomography, electromagnetic

Biomedical radiation applications, electromagnetic

capacitor-plate electrodes energized by HF voltage for hyperthermia cancer therapy; theoretical analysis. *Hessary, Manochehr Kamyab, + , T-MTT Jun 84* 569–576

focused electromagnetic heating of muscle tissue. *Raskmark, Povl, + , T-MTT Aug 84* 887–888

heating pattern in multilayered material exposed to microwaves. *Nachman, M., + , T-MTT May 84* 547–552

history of biological effects and medical applications of microwave energy. *Guy, Arthur W., T-MTT Sep 84* 1182–1200

hyperthermia and inhomogeneous tissue effects using annular phased array. *Turner, Paul F., T-MTT Aug 84* 874–882

lung-water content variation measurement using 1-GHz radiometry. *Iskander, Magdy F., + , T-MTT May 84* 554–556

microwave hyperthermic distributions in layered living body with nonlinear thermoregulatory properties. *Caorsi, S., T-MTT Oct 84* 1406–1411

microwave-induced post-exposure hyperthermia; involvement of endogenous opioids and serotonin. *Lai, Henry, + , T-MTT Aug 84* 882–887

multifrequency water-filled waveguide applicator. *Lovisolo, Giorgio A., + , T-MTT Aug 84* 893–896

phased-dipole applicators for torso heating in electromagnetic hyperthermia. *Gu, Yong-Gang, + , T-MTT Jun 84* 645–647

propagation on sheath helix in coaxially layered lossy dielectric medium; application to hyperthermia for cancer. *Hagmann, Mark J., T-MTT Jan 84* 122–126

water-immersed planar microwave antenna array for medical imaging and therapy; analysis of local field pattern. *Guo, Theodore C., + , T-MTT Aug 84* 844–854

Biomedical radiation effects, electromagnetic

average SAR and SAR distributions in man exposed to 450-MHz radiofrequency radiation. *Guy, Arthur W., + , T-MTT Aug 84* 752–763

† Check author entry for subsequent corrections/comments

- cell membrane nonlinear response to applied electromagnetic field. *Franceschetti, Giorgio*, +, *T-MTT Jul 84* 653-658
- changes in liposome permeability induced by Gramicidin D after microwave irradiation. *Yova, D.*, +, *T-MTT Aug 84* 891-893
- effect of separation from ground on human whole-body RF absorption rates. *Hill, Douglas A.*, *T-MTT Aug 84* 772-778
- effects of transient fields on excitable membranes; nonlinear analysis. *Bernardi, Paolo*, +, *T-MTT Jul 84* 670-679
- effects of 2450-MHz microwave energy on blood - brain barrier. *Williams, Wesley M.*, +, *T-MTT Aug 84* 808-818
- electromagnetic-wave interactions with biological systems (special issue). *T-MTT Aug 84* 729-896
- fruit flies irradiated by 40-GHz EM energy; no effect on fertility observed. *Aichmann, H.*, +, *T-MTT Aug 84* 888-891
- giant algal cells exposed to CW and pulse-modulated X-band bursts; no significant short-term effects observed. *Gokhale, Ashok V.*, +, *T-MTT Aug 84* 795-797
- history of biological effects and medical applications of microwave energy. *Guy, Arthur W.*, *T-MTT Sep 84* 1182-1200
- human body impedance for electromagnetic hazard analysis in VLF to MF band. *Kanai, Hiroshi*, +, *T-MTT Aug 84* 763-772
- interaction of near-zone fields of slot on conducting sphere with spherical model of man; simulation of leaking microwave oven. *Zhu, Shi-Guo*, +, *T-MTT Aug 84* 784-795
- lossy spheres and cylinders for simulating biological objects exposed to EM radiation; measurements compared with theory. *Wong, Gary H.*, +, *T-MTT Aug 84* 824-828
- measuring RF power absorbed by biological sample in TEM cell; high-power automatic network analyzer. *Juroshek, John R.*, +, *T-MTT Aug 84* 818-824
- microwave-induced thermoacoustic effect in dielectrics and its coupling to external medium; thermodynamical formulation. *Guo, Theodore C.*, +, *T-MTT Aug 84* 835-843
- resistance of mountain pine beetle and darkling beetle to low-level EM radiation at 10, 35, and 74 GHz. *Whitney, H. Stuart*, +, *T-MTT Aug 84* 798-803
- results of exposure of human mononuclear leukocytes to microwave energy pulse modulated at 16 or 60 Hz. *Roberts, Norbert J., Jr.*, +, *T-MTT Aug 84* 803-807
- review of numerical models for predicting energy deposition and resultant thermal response of humans exposed to electromagnetic fields. *Spiegel, Ronald J.*, *T-MTT Aug 84* 730-746
- SAR distributions calculation using cubical block model of man; improving spatial resolution. *Massoudi, Habib*, +, *T-MTT Aug 84* 746-752
- specific-absorption-rate distribution in full-scale model of man at 350 MHz. *Kraszewski, Andrzej*, +, *T-MTT Aug 84* 779-783
- specific absorption rate distributions in finely discretized nonhomogeneous models of biological bodies; FFT calculation method. *Borup, David T.*, +, *T-MTT Apr 84* 355-360
- Biomedical ultrasonics; cf. Biomedical acoustics**
- Bipolar transistor oscillators; cf. Microwave bipolar transistor oscillators**
- Blood**
- effects of 2450-MHz microwave energy on blood - brain barrier. *Williams, Wesley M.*, +, *T-MTT Aug 84* 808-818
- Blood cells**
- results of exposure of human mononuclear leukocytes to microwave energy pulse modulated at 16 or 60 Hz. *Roberts, Norbert J., Jr.*, +, *T-MTT Aug 84* 803-807
- Boundary integral equations**
- boundary-element method for 2-D EM field problems; combination of boundary integral equation method and discretization method. *Kagami, Shin*, +, *T-MTT Apr 84* 455-461
- Bragg scattering**
- ferrite slab periodically loaded with metal strips; Bragg interactions at millimeter-wave frequencies. *Surawatpunya, Charray*, +, *T-MTT Jul 84* 689-695
- Brain**
- effects of 2450-MHz microwave energy on blood - brain barrier. *Williams, Wesley M.*, +, *T-MTT Aug 84* 808-818
- Bulk waves; cf. Magnetostatic volume waves**
- C
- Cables; cf. Coaxial cables**
- Cancer**
- propagation on sheath helix in coaxially layered lossy dielectric medium; application to hyperthermia for cancer. *Hagmann, Mark J.*, *T-MTT Jan 84* 122-126
- Cancer; cf. Tumors**
- Capacitance calculations**
- rectangular inhomogeneous coaxial line having anisotropic dielectrics; analytic method for capacitance calculation. *Koul, Shiban Kishen*, *T-MTT Aug 84* 937-941
- Capacitors**
- capacitively coupled traveling-wave amplifier with improved power-handling capability. *Ayasli, Yalçin*, +, *T-MTT Dec 84* 1704-1709
- Cavity-resonator filters**
- circular irises in coupled-resonator waveguide filters; design formulas, extension of Levy's large aperture formulas. *Jennings, A.*, +, *T-MTT Nov 84* 1489-1493
- true elliptic-function filter using triple-mode degenerate cavities. *Tang, Wai-Cheung*, +, *T-MTT Nov 84* 1449-1454
- Cavity-resonator filters; cf. Waveguide filters**
- Cavity resonators**
- RF spectrum of thermal noise and frequency stability of microwave cavity-oscillator. *Villeneuve, Bernard*, +, *T-MTT Dec 84* 1565-1572
- toroidal resonators filled with radially inhomogeneous dielectric medium; analytical solution of Maxwell's equations. *Cap, Ferdinand F.*, *T-MTT Oct 84* 1336-1341
- 6-GHz 80-W GaAs FET amplifier with TM-mode cavity power combiner. *Tokumitsu, Yasuyuki*, +, *T-MTT Mar 84* 301-308
- Cavity resonators; cf. Accelerator cavities; Resonators**
- Chebyshev filters**
- design of waveguide circulators with Chebyshev characteristics using partial-height ferrite resonators. *Helszajn, Joseph*, *T-MTT Aug 84* 908-917
- Chemistry; cf. Biochemistry**
- Circuit boards; cf. Printed circuits**
- Circuit noise; cf. Amplifier noise; Oscillator noise**
- Circuit tolerance analysis; cf. Tolerance analysis/assignment**
- Circuits; cf. Impedance matching; Microwave circuits; Multiport circuits; Negative-resistance circuits; Nonlinear circuits; Phase shifters**
- Circular arrays**
- hyperthermia and inhomogeneous tissue effects using annular phased array. *Turner, Paul F.*, *T-MTT Aug 84* 874-882
- Circular waveguides**
- circular hollow guides with uniform bend; propagation and attenuation constants. *Miyagi, Mitsunobi*, +, *T-MTT May 84* 513-521
- identifying modes in oversize waveguide by mapping EM field on liquid crystal inserted into waveguide. *Carmel, Y.*, +, *T-MTT Nov 84* 1493-1495
- modes of rectangular or circular waveguides strongly perturbed by conducting objects; numerical method based on integral equation. *Conciauro, Giuseppe*, +, *T-MTT Nov 84* 1495-1504
- Circulators; cf. Ferrite circulators; Millimeter-wave circulators**
- Coaxial cables**
- coaxial transmission lines, related two-conductor transmission lines, connectors and components; US historical perspective. *Bryant, John H.*, *T-MTT Sep 84* 970-983. †
- Coaxial waveguides**
- rectangular coaxial lines; correction to equation appearing in 1964 paper. *Dileo, Robert*, +, *T-MTT Feb 84* 219
- rectangular inhomogeneous coaxial line having anisotropic dielectrics; analytic method for capacitance calculation. *Koul, Shiban Kishen*, *T-MTT Aug 84* 937-941
- rectangular transmission line; characteristic impedance determination using step current density approximation. *Ivanov, Stephan A.*, +, *T-MTT Apr 84* 450-452
- waveguide - coaxial-line junction; admittance calculation. *Bialkowski, Marek E.*, +, *T-MTT Apr 84* 465-467
- Composite media; cf. Nonhomogeneous media**
- Conducting bodies; cf. Specific topic**
- Conducting media; cf. Absorbing media**
- Connectors**
- coaxial transmission lines, related two-conductor transmission lines, connectors and components; US historical perspective. *Bryant, John H.*, *T-MTT Sep 84* 970-983. †
- Connectors; cf. Optical fiber connecting**
- Consumer products; cf. Home ...**
- Control systems; cf. Describing functions**
- Coplanar transmission lines**
- analysis of hybrid field problems by method of lines with nonequidistant discretization. *Diestel, Heinrich*, +, *T-MTT Jun 84* 633-638
- asymmetric coplanar waveguides; theoretical and experimental study. *Hanna, Victor Fouad*, +, *T-MTT Dec 84* 1649-1651
- asymmetrical coupled transmission lines; characteristics. *Sedair, S. S.*, *T-MTT Jan 84* 108-110
- coupling coefficient for offset parallel and coplanar strips arbitrarily located between two ground planes. *Das, B. N.*, +, *T-MTT Nov 84* 1427-1433
- inner conductor offset, effect on characteristic impedance and line loss. *Koshiji, Kohji*, +, *T-MTT Oct 84* 1387-1390
- MIS coplanar waveguide characteristics analysis using full-wave mode-matching technique. *Sorrentino, Roberto*, +, *T-MTT Apr 84* 410-416

+ Check author entry for coauthors

† Check author entry for subsequent corrections/comments

Corrugated waveguides

- calculation of TM_{0n} dispersion relations in corrugated cylindrical waveguide. *Bromborsky, Alan*, +, *T-MTT Jun 84* 600–605
- hyperbolic secant coupling in overmoded waveguide. *Doane, J. L.*, *T-MTT Oct 84* 1362–1371
- scattering at junction of two waveguides with different surface impedances. *Dragone, Corrado*, *T-MTT Oct 84* 1319–1328

Costs; cf. Economics**Counting circuits**

- Si monolithic microwave prescaler IC with toggle frequency of 3.9 GHz. *Watanabe, Satoru*, +, *T-MTT Dec 84* 1688–1692

Coupled-mode analysis

- anisotropic planar optical waveguides with bent optical axes; propagation analysis. *Geshiro, Masahiro*, +, *T-MTT Apr 84* 339–347
- coupled-mode theory of two nonparallel dielectric waveguides. *McHenry, Mark A.*, +, *T-MTT Nov 84* 1469–1475
- hyperbolic secant coupling in overmoded waveguide. *Doane, J. L.*, *T-MTT Oct 84* 1362–1371

Coupled transmission lines

- asymmetrical coupled transmission lines; characteristics. *Sedair, S. S.*, *T-MTT Jan 84* 108–110
- branch-line hybrids consisting of coupled lines with coupled or uncoupled connecting branches; analysis and design. *Tripathi, Vijai K.*, +, *T-MTT Apr 84* 427–432
- broadside-coupled slotline; odd- and even-mode field components. *Simons, Raineen Navin*, *T-MTT Jan 84* 116–120
- comments, with reply, on 'The design parameters of nonsymmetrical coupled microstrips' by N. A. El-Deeb, et al. *Tripathi, V. K.*, *T-MTT May 84* 561–563 (Original paper, Jul 83 592–596)
- coupled elliptic arc strips; even- and odd-mode impedances. *Das, B. N.*, +, *T-MTT Nov 84* 1475–1479
- coupled microstrips on double-anisotropic layers; characteristic parameters computation. *Horno, Manuel*, +, *T-MTT Apr 84* 467–470
- coupling coefficient for offset parallel and coplanar strips arbitrarily located between two ground planes. *Das, B. N.*, +, *T-MTT Nov 84* 1427–1433
- interdigitated three-strip couplers; design procedure. *Perlow, S. M.*, +, *T-MTT Oct 84* 1418–1422
- parallel coupled microstrip lines' frequency-dependent characteristics; accurate broadband closed-form expressions. *Kirschning, Manfred*, +, *T-MTT Jan 84* 83–90
- TEM structure formed by two rectangular bars coupled through p9d9ite-thickness slot. *Cloete, J. H.*, *T-MTT Jan 84* 39–46
- two-wire parabolic tapered coupled transmission lines; two-port equivalent circuits. *Endo, Akira*, +, *T-MTT Feb 84* 177–182

Coupled transmission lines; cf. Multiconductor transmission lines**Couplers**

- unequal power division using several couplers to split and recombine the input. *Choinski, Thomas C.*, *T-MTT Jun 84* 613–620

Couplers; cf. Directional couplers; Microstrip couplers; Stripline couplers**Crosstalk**

- analysis of crosstalk in very-high-speed LSI/VLSI using multiconductor MIS microstrip line model. *Seki, Shouhei*, +, *T-MTT Dec 84* 1721–1727

Cryogenic materials/devices

- cryogenic Schottky diode mixer receiver having average noise temperature of 75 K over 80–115-GHz band. *Predmore, C. Read*, +, *T-MTT May 84* 498–507

Crystal oscillators; cf. Piezoelectric-resonator oscillators**Current-mode logic**

- source-coupled GaAs FET logic circuits for Gb-rate digital signal processing. *Idda, Masao*, +, *T-MTT Jan 84* 5–10

Curved waveguides; cf. Waveguide bends**Cyclotron radiation; cf. Gyrotrons****Cylinders**

- lossy spheres and cylinders for simulating biological objects exposed to EM radiation; measurements compared with theory. *Wong, Gary H.*, +, *T-MTT Aug 84* 824–828

D**Delay distortion**

- analysis of interconnection delay on very-high-speed LSI/VLSI chips using MIS microstrip line model. *Hasegawa, Hideki*, +, *T-MTT Dec 84* 1715–1720

Delay filters; cf. Linear-phase filters**Demodulation; cf. Modulation/demodulation****Describing functions**

- reflection coefficient of nonlinear device defined using describing function concept. *Obregon, J.*, +, *T-MTT Apr 84* 452–455

Detection; cf. Modulation/demodulation**DFT; cf. Discrete Fourier transforms****Dielectric heating**

- heating pattern in multilayered material exposed to microwaves. *Nachman, M.*, +, *T-MTT May 84* 547–552
- high-temperature microwave characterization of dielectric rods. *Araneta, Jose C.*, +, *T-MTT Oct 84* 1328–1335
- history of microwave heating; consumer and industrial products. *Osepchuk, John M.*, *T-MTT Sep 84* 1200–1224

Dielectric heating; cf. Biomedical radiation effects, electromagnetic**Dielectric-loaded waveguides**

- finite-element analysis of waveguide filled with anisotropic medium; nonphysical spurious modes not in solution. *Hano, Mitsuo*, *T-MTT Oct 84* 1275–1279
- multisection impedance-matched dielectric-slab filled waveguide phase shifters. *Arndt, Fritz*, +, *T-MTT Jan 84* 34–39
- slotted dielectric-loaded ridge waveguide; calculation of propagation constant, characteristic impedance, and field distribution. *Villeneuve, Alfred T.*, *T-MTT Oct 84* 1302–1310

Dielectric materials/devices; cf. Capacitors**Dielectric measurements**

- photo-induced complex permittivity of Si, Ge, and Te at 9 GHz. *Ding, Li*, +, *T-MTT Feb 84* 151–157
- quasi-optical method for measuring complex permittivity of materials at millimeter-wave frequencies. *Shimabukuro, Fred I.*, +, *T-MTT Jul 84* 659–665
- resonator containing dielectric sample; one-root intervals of dispersion relation. *Bilik, Vladimir*, *T-MTT Feb 84* 197–198
- 60–600-GHz measurements. *Afsar, Mohammed Nurul*, *T-MTT Dec 84* 1598–1609

Dielectric-resonator filters

- nonradiative dielectric waveguide filters for millimeter wavelengths; design technique. *Yoneyama, Tsukasa*, +, *T-MTT Dec 84* 1659–1662

Dielectric resonators

- computed model field distributions for isolated dielectric resonators. *Kajfez, Darko*, +, *T-MTT Dec 84* 1609–1616
- field theory; advances in 1983. *Itoh, Tatsuo*, +, *T-MTT Oct 84* 1374–1377
- high-permittivity ring resonators; asymptotic-theory for permittivity of order of 40. *De Smedt, Ronald*, *T-MTT Oct 84* 1288–1293
- incremental frequency rule for computing Q-factor of shielded TE_{0mp} dielectric resonator. *Kajfez, Darko*, *T-MTT Aug 84* 941–943
- pillbox resonator resonant modes analyzed by expanding field in terms of solutions to Helmholtz equation in spherical coordinates. *Tsuji, Mikio*, +, *T-MTT Jun 84* 628–633
- single-resonator GaAs FET oscillator in frequency-locked loop with FM noise degeneration. *Galani, Zvi*, +, *T-MTT Dec 84* 1556–1565

Dielectric waveguides

- analysis of low-loss broadside-coupled dielectric image guide using mode-matching technique. *Bhat, Bharathi*, +, *T-MTT Jul 84* 711–717
- circular hollow guides with uniform bend; propagation and attenuation constants. *Miyagi, Mitsunobu*, +, *T-MTT May 84* 513–521
- correction to 'Scattering of guided modes caused by an arbitrarily shaped broken end in a dielectric slab waveguide' (Nov 83 923–930). *Nagayoshi, Morita*, *T-MTT Feb 84* 219
- coupled-mode theory of two nonparallel dielectric waveguides. *McHenry, Mark A.*, +, *T-MTT Nov 84* 1469–1475
- dielectric waveguide corner and power divider using metallic reflector. *Ogusu, Kazuhiko*, *T-MTT Jan 84* 113–116
- directly connected image guide 3-dB couplers with very flat couplings suitable for millimeter-wave IC. *Kim, Dong Il*, +, *T-MTT Jun 84* 621–627
- field theory; advances in 1983. *Itoh, Tatsuo*, +, *T-MTT Oct 84* 1374–1377
- finite-difference method for computing propagation characteristics. *Schweig, Edgard*, +, *T-MTT May 84* 531–541
- integrated tunable cavity Gunn oscillator for 60-GHz operation in image line waveguide. *Horn, Robert E.*, +, *T-MTT Feb 84* 171–176
- loss measurements of nonradiative dielectric waveguide at 50 GHz. *Yoneyama, Tsukasa*, +, *T-MTT Aug 84* 943–946
- transverse discontinuities in symmetrical three-layer waveguides; surface-wave scattering analysis using Wiener – Hopf theory. *Uchida, Kazunori*, +, *T-MTT Jan 84* 11–19
- vector finite-element method with infinite elements for solving dielectric waveguide problems. *Rahman, B. M. Azizur*, +, *T-MTT Jan 84* 20–28
- W-band dielectric guide Y-branch interferometer; experimental study. *Axelrod, Alexander*, +, *T-MTT Jan 84* 46–50

Dielectric waveguides; cf. Optical waveguides**Difference methods; cf. Finite-difference methods****Differential equations; cf. Partial differential equations****Digital communication; cf. Subscriber networks****Digital integrated circuits; cf. Current-mode logic; FET integrated circuits; Very high-speed integrated circuits**

Digital modulation/demodulation; cf. Frequency-shift keying; Phase-shift keying

Diode phase shifters
history of high-power diode switching. *White, Joseph F., T-MTT Sep 84* 1105-1117

Dipole antennas
sensitivity of dipole probes; limitations due to size reduction. *Smith, Glenn S., T-MTT Jun 84* 594-600

Directional couplers
history of development. *Cohn, Seymour B., +, T-MTT Sep 84* 1046-1054

Directional couplers; cf. Millimeter-wave directional couplers

Discontinuities; cf. Transmission-line discontinuities; Waveguide discontinuities

Discrete Fourier transforms
specific absorption rate distributions in finely discretized nonhomogeneous models of biological bodies; FFT calculation method. *Borup, David T., +, T-MTT Apr 84* 355-360

Discrete transforms; cf. Discrete Fourier transforms

Dispersive media; cf. Electromagnetic propagation, dispersive media; Optical fiber dispersion

Dissipative media; cf. Absorbing media

Distance measurement; cf. Radar distance measurement

Distortion; cf. Amplifier distortion; Crosstalk; Delay distortion; Intermodulation distortion

Distributed amplifiers
GaAs FET traveling-wave power amplifier for 2-20 GHz range. *Ayasli, Yalcin, +, T-MTT Mar 84* 290-295
GaAs traveling-wave amplifiers with flat response in 2-20-GHz range; microstrip lines loaded periodically by GaAs FETs. *Ayasli, Yalcin, +, T-MTT Jan 84* 71-77
MESFET distributed amplifiers; design guidelines. *Beyer, James B., +, T-MTT Mar 84* 268-275
multistage single-ended GaAs MESFET amplifiers for 2-18 GHz band; comparison of five circuits. *Niclas, Karl B., T-MTT Aug 84* 896-908
2-18-GHz monolithic distributed amplifier using dual-gate GaAs FETs. *Kennan, Wayne, +, T-MTT Dec 84* 1693-1697

Distributed-parameter circuits
microstrip with sinusoidally varying width; propagation analysis. *Nair, N. V., +, T-MTT Feb 84* 200-204
two-wire parabolic tapered coupled transmission lines; two-port equivalent circuits. *Endo, Akira, +, T-MTT Feb 84* 177-182

Distributed-parameter circuits; cf. Coupled transmission lines

Distributed-parameter circuits, active
electronically tunable n-GaAs distributed oscillator. *Aishima, Asuo, +, T-MTT Feb 84* 157-167

Distributed-parameter circuits, active; cf. Distributed amplifiers

Distributed-parameter filters; cf. Microwave filters; Millimeter-wave filters

Doping; cf. Semiconductor device doping

Dosimetry; cf. Biomedical radiation effects

E

Economics

industrial competitiveness among nations; competing in high-technology markets (symposium keynote address). *Young, John A., T-MTT Dec 84* 1541-1544

Eigenvalues/eigenvectors

further comments, with reply, on 'Variational methods for nonstandard eigenvalue problems' by I. V. Lindell. *Gabriel, G. J., T-MTT Apr 84* 474-476
modes of rectangular or circular waveguides strongly perturbed by conducting objects; numerical method based on integral equation. *Conciauro, Giuseppe, +, T-MTT Nov 84* 1495-1504

Electric variables measurement; cf. Impedance measurement; Semiconductor device measurements; Semiconductor materials measurements

Electromagnetic coupling

interaction of near-zone fields of slot on conducting sphere with spherical model of man; simulation of leaking microwave oven. *Zhu, Shi-Guo, +, T-MTT Aug 84* 784-795

Electromagnetic coupling; cf. Coupled transmission lines

Electromagnetic heating; cf. Dielectric heating; Electromagnetic radiation effects

Electromagnetic measurements; cf. Electromagnetic radiation effects; Microwave measurements; Millimeter-wave measurements; Probe antennas; Submillimeter-wave measurements; VLF measurements

Electromagnetic propagation; cf. Electromagnetic transient propagation; Waveguides

Electromagnetic propagation, absorbing media

losses on multiconductor transmission lines in multilayered dielectric media. *Harrington, Roger F., +, T-MTT Jul 84* 705-710

Electromagnetic propagation, absorbing media; cf. Biomedical radiation effects, electromagnetic; Underground electromagnetic propagation

Electromagnetic propagation, anisotropic media

anisotropic rectangular channel waveguides; modes calculated using perturbation approach. *Kumar, Arun, +, T-MTT Oct 84* 1415-1418

biaxial materials in rectangular waveguide; constitutive parameters determination, theory and measurements. *Damaskos, Nickander J., +, T-MTT Apr 84* 400-405

coupled microstrips on double-anisotropic layers; characteristic parameters computation. *Horno, Manuel, +, T-MTT Apr 84* 467-470

finite-element analysis of waveguide filled with anisotropic medium; nonphysical spurious modes not in solution. *Hano, Mitsuo, T-MTT Oct 84* 1275-1279

planar structure with conductor lines in complex anisotropic layered media; Fourier transformed matrix method for finding propagation characteristics. *Krowne, Clifford M., T-MTT Dec 84* 1617-1625

rectangular inhomogeneous coaxial line having anisotropic dielectrics; analytic method for capacitance calculation. *Koul, Shiban Kishen, T-MTT Aug 84* 937-941

vector finite-element method with infinite elements for solving dielectric waveguide problems. *Rahman, B. M. Azizur, +, T-MTT Jan 84* 20-28

Electromagnetic propagation, anisotropic media; cf. Optical propagation, anisotropic media

Electromagnetic propagation, dispersive media

dispersion in microstrip at high frequency; unified analysis technique. *Bhartia, Prakash, +, T-MTT Oct 84* 1379-1384

optimal dispersion slow-wave structure consisting of dielectric-supported helix in metal shell with vanes; for TWT broadbanding. *Basu, B. N., +, T-MTT Apr 84* 461-463

Electromagnetic propagation, dispersive media; cf. Waveguide ...

Electromagnetic propagation, nonhomogeneous media

accurate hybrid-mode analysis of various finline configurations including multilayered dielectrics, finite metallization thickness, and substrate holding grooves. *Vahldieck, Rüdiger, T-MTT Nov 84* 1454-1460

comments, with reply, on 'The design parameters of nonsymmetrical coupled microstrips' by N. A. El-Deeb, et al. *Tripathi, V. K., T-MTT May 84* 561-563 (Original paper, *Jul 83* 592-596)

finite-length strip conductor embedded in multilayer isotropic dielectric without sidewalls; lumped capacitance, open-circuit end effects, edge capacitance. *Bhat, Bharathi, +, T-MTT Apr 84* 433-439

generalized planar guiding structures; space-domain decoupling of LSE and LSM fields. *Omar, Abbas Sayed, +, T-MTT Dec 84* 1626-1632

heating pattern in multilayered material exposed to microwaves. *Nachman, M., +, T-MTT May 84* 547-552

losses on multiconductor transmission lines in multilayered dielectric media. *Harrington, Roger F., +, T-MTT Jul 84* 705-710

microstrip with two different dielectrics; capacitance and effective dielectric constant calculation. *Callarotti, Roberto C., +, T-MTT Apr 84* 333-339

microwave hyperthermic distributions in layered living body with nonlinear thermoregulatory properties. *Caorsi, S., T-MTT Oct 84* 1406-1411

multiconductor transmission lines in multilayered dielectric media; capacitance matrix and inductance matrix computation. *Wei, Cao, +, T-MTT Apr 84* 439-450

planar structure with conductor lines in complex anisotropic layered media; Fourier transformed matrix method for finding propagation characteristics. *Krowne, Clifford M., T-MTT Dec 84* 1617-1625

plasma-dielectric sandwich structure used as tunable bandpass microwave filter. *Tai, Gwo-Chung, +, T-MTT Jan 84* 111-113

propagation on sheath helix in coaxially layered lossy dielectric medium; application to hyperthermia for cancer. *Hagmann, Mark J., T-MTT Jan 84* 122-126

rectangular inhomogeneous coaxial line having anisotropic dielectrics; analytic method for capacitance calculation. *Koul, Shiban Kishen, T-MTT Aug 84* 937-941

specific absorption rate distributions in finely discretized nonhomogeneous models of biological bodies; FFT calculation method. *Borup, David T., +, T-MTT Apr 84* 355-360

toroidal resonators filled with radially inhomogeneous dielectric medium; analytical solution of Maxwell's equations. *Cap, Ferdinand F., T-MTT Oct 84* 1336-1341

Electromagnetic propagation, nonlinear media

cell membrane nonlinear response to applied electromagnetic field. *Franceschetti, Giorgio, +, T-MTT Jul 84* 653-658

effects of transient fields on excitable membranes; nonlinear analysis. *Bernardi, Paolo, +, T-MTT Jul 84* 670-679

Electromagnetic propagation, plasma media

plasma-dielectric sandwich structure used as tunable bandpass microwave filter. *Tai, Gwo-Chung, +, T-MTT Jan 84* 111-113

- toroidal resonators filled with radially inhomogeneous dielectric medium; analytical solution of Maxwell's equations. *Cap, Ferdinand F., T-MTT Oct 84 1336-1341*
- Electromagnetic radiation effects;** cf. Biomedical radiation effects, electromagnetic; Dielectric heating
- Electromagnetic scattering**
boundary-element method for 2-D EM field problems; combination of boundary integral equation method and discretization method. *Kagami, Shin, +, T-MTT Apr 84 455-461*
- Electromagnetic scattering;** cf. Waveguide discontinuities
- Electromagnetic scattering, absorbing media;** cf. Biomedical radiation effects, electromagnetic
- Electromagnetic surface-wave waveguides;** cf. Dielectric waveguides
- Electromagnetic tomography;** cf. Tomography, electromagnetic
- Electromagnetic transient analysis**
transient analysis of stripline having corner in three-dimensional space. *Yoshida, Norinobu, +, T-MTT May 84 491-498*
- Electromagnetic transient propagation**
effects of transient fields on excitable membranes; nonlinear analysis. *Bernardi, Paolo, +, T-MTT Jul 84 670-679*
- Electron beams;** cf. Gyrotrons
- Electrooptic materials/devices;** cf. Liquid-crystal materials/devices
- Electrostatic analysis**
multiconductor system in multidielectric region; electrostatic field and capacitance matrix computation. *Rao, Sadasiva M., +, T-MTT Nov 84 1441-1448*
- Elliptic filters**
true elliptic-function filter using triple-mode degenerate cavities. *Tang, Wai-Cheung, +, T-MTT Nov 84 1449-1454*
- Equiripple filters;** cf. Chebyshev filters; Elliptic filters
- Extraterrestrial radio sources;** cf. Radio astronomy
- F
- Fast Fourier transforms;** cf. Discrete Fourier transforms
- Feedback amplifiers**
GaAs monolithic low-power amplifiers with RC parallel feedback for UHF band. *Tajima, Jun, +, T-MTT May 84 542-544*
monolithic two-stage direct-coupled feedback amplifier with 10+1 dB gain across 0.1 – 12-GHz band. *Moghe, Sanjay B., +, T-MTT Dec 84 1698-1704*
multistage single-ended GaAs MESFET amplifiers for 2 – 18 GHz band; comparison of five circuits. *Niclas, Karl B., T-MTT Aug 84 896-908*
stability of GaAs FET amplifiers in 2 – 18 GHz range. *Maclean, Douglas J. H., T-MTT Mar 84 237-242*
- Ferrite circulators**
design of waveguide circulators with Chebyshev characteristics using partial-height ferrite resonators. *Helszajn, Joseph, T-MTT Aug 84 908-917*
94-GHz 4-port E-plane junction circulator. *Solbach, Klaus, T-MTT Jul 84 722-724*
- Ferrite materials/devices**
history of microwave ferrite device R&D from 1949 to 1959. *Button, Kenneth J., T-MTT Sep 84 1088-1096*
- Ferrite waveguides**
ferrite slab periodically loaded with metal strips; Bragg interactions at millimeter-wave frequencies. *Surawatpunya, Charray, +, T-MTT Jul 84 689-695*
- FET amplifiers;** cf. Microwave FET amplifiers; UHF FET amplifiers
- FET integrated circuits**
history of GaAs FET digital IC technology. *Greiling, Paul, T-MTT Sep 84 1144-1156*
source-coupled GaAs FET logic circuits for Gb-rate digital signal processing. *Idda, Masao, +, T-MTT Jan 84 5-10*
- FET integrated circuits, analog;** cf. Microwave FET integrated circuits
- FET oscillators;** cf. Microwave FET oscillators
- FETs;** cf. FET integrated circuits; Microwave FETs
- FFT (fast Fourier transform);** cf. Discrete Fourier transforms
- Filters;** cf. Bandpass filters; Bandstop filters; Chebyshev filters; Impedance matching; Linear-phase filters; Low-pass filters; Microwave filters; Millimeter-wave filters; Resonator filters; Tunable filters
- Finite-difference methods**
dielectric waveguide propagation characteristics computation. *Schweig, Edgar, +, T-MTT May 84 531-541*
- Finite-element methods**
approximate scalar finite-element analysis of anisotropic optical waveguides with off-diagonal elements in permittivity tensor. *Koshiba, Masanori, +, T-MTT Jun 84 587-593*
vector finite-element method with infinite elements for solving dielectric waveguide problems. *Rahman, B. M. Azizur, +, T-MTT Jan 84 20-28*
waveguide problems; reducing spurious solutions using penalty function method. *Azizur, Rahman, B. M., +, T-MTT Aug 84 922-928*
- waveguides filled with anisotropic medium; nonphysical spurious modes not in solution. *Hano, Mitsuo, T-MTT Oct 84 1275-1279*
- Finline**
accurate hybrid-mode analysis of various finline configurations including multilayered dielectrics, finite metallization thickness, and substrate holding grooves. *Vahldieck, Rüdiger, T-MTT Nov 84 1454-1460*
arbitrarily shaped planar microwave structures; hybrid-mode analysis using method of lines. *Worm, Stephen B., +, T-MTT Feb 84 191-196*
finite metallization thickness finline analyzed using hybrid-mode formulation. *Kitazawa, Toshihide, +, T-MTT Nov 84 1484-1487*
stripline and finline loaded with periodic stubs; dispersion characteristics of passband and stopband. *Kitazawa, Toshihide, +, T-MTT Jul 84 684-688*
- Finline discontinuities**
transverse resonance analysis to compute equivalent circuit parameters. *Sorrentino, Roberto, +, T-MTT Dec 84 1633-1638*
- Finline transitions**
optimum taper design for arbitrary slot widths and locations. *Schieblich, Christian, +, T-MTT Dec 84 1638-1645*
quarter-wave matching of waveguide-to-finline transitions. *Verver, Cornelius J., +, T-MTT Dec 84 1645-1648*
- FM noise**
single-resonator GaAs FET oscillator in frequency-locked loop with FM noise degeneration. *Galani, Zvi, +, T-MTT Dec 84 1556-1565*
- Fourier spectroscopy**
dielectric measurements in 60 – 600-GHz range. *Afsar, Mohammed Nurul, T-MTT Dec 84 1598-1609*
- Fourier transforms**
planar structure with conductor lines in complex anisotropic layered media; Fourier transformed matrix method for finding propagation characteristics. *Krowne, Clifford M., T-MTT Dec 84 1617-1625*
- Fourier transforms;** cf. Discrete Fourier transforms
- Frequency conversion;** cf. Microwave frequency conversion; Millimeter-wave frequency conversion; Submillimeter-wave frequency conversion
- Frequency division;** cf. Frequency conversion
- Frequency measurement**
passive frequency standard for 10 – 100 GHz range using helical waveguide absorption cell. *Mollier, Jean-Claude, +, T-MTT Jul 84 721-722*
- Frequency multiplication;** cf. Frequency conversion
- Frequency-shift keying**
26-GHz high-performance MIC transmitter – receiver for digital radio subscriber systems. *Ogawa, Hiroyo, +, T-MTT Dec 84 1551-1556*
- Frequency stability;** cf. Oscillator stability
- FSK;** cf. Frequency-shift keying
- G
- Galerkin's method;** cf. Moment methods
- Gallium materials/devices;** cf. *Specific topic*
- Germanium materials/devices;** cf. *Specific topic*
- Green's function**
two-dimensional microwave circuit analysis using desegmentation method. *Sharma, P. C., +, T-MTT Jan 84 1-4*
- Gunn device oscillators**
integrated tunable cavity Gunn oscillator for 60-GHz operation in image line waveguide. *Horn, Robert E., +, T-MTT Feb 84 171-176*
60-GHz integrate rated-circuit high data-rate QSK (quadruphase shift keying) exciter and modulator. *Grote, Albert, +, T-MTT Dec 84 1663-1667*
- Gyrotrons**
compact low-field high-frequency gyrotrons; theory and numerical modeling. *Vitello, Peter, +, T-MTT Apr 84 373-386*
cyclotron maser and peniotron-like instabilities in whispering-gallery mode gyrotron. *Vitello, Peter, T-MTT Aug 84 917-921*
injection system for compact high-harmonic gyrotron; TE₁₁₁ gyroresonant accelerator cavity. *Miner, William H., Jr., +, T-MTT Oct 84 1293-1301*
multimode oscillation and mode competition in pulsed 100-kW, 140-GHz gyrotron. *Kreischer, Kenneth E., +, T-MTT May 84 481-490*
quasi-optical gyrotron operating at harmonics of cyclotron frequency; several kilowatts generation at wavelengths from 3mm to 130μm. *Levush, Baruch, +, T-MTT Oct 84 1398-1401*
125 – 260-GHz gyrotron; measurement results compared with theory. *Brand, G. Fergus, +, T-MTT Jan 84 58-64*

H

Harmonic generation; cf. Frequency conversion

Heating; cf. Electromagnetic heating; Plasma heating

Helical waveguides

passive frequency standard for 10 – 100 GHz range using helical waveguide absorption cell. *Mollier, Jean-Claude, +, T-MTT Jul 84 721–722*

propagation on sheath helix in coaxially layered lossy dielectric medium; application to hyperthermia for cancer. *Hagmann, Mark J., T-MTT Jan 84 122–126*

twisted rectangular waveguide dispersion characteristics. *Yabe, Hatsuo, +, T-MTT Jan 84 91–96*

twisted rectangular waveguide; hybrid-mode fields. *Yabe, Hatsuo, +, T-MTT Jan 84 65–71*

Helices

optimal dispersion slow-wave structure consisting of dielectric-supported helix in metal shell with vanes; for TWT broadbanding. *Basu, B. N., +, T-MTT Apr 84 461–463*

History

biological effects and medical applications of microwave energy. *Guy, Arthur W., T-MTT Sep 84 1182–1200*

coaxial transmission lines, related two-conductor transmission lines, connectors and components; US historical perspective. *Bryant, John H., T-MTT Sep 84 970–983. †*

GaAs FET digital IC technology. *Greiling, Paul, T-MTT Sep 84 1144–1156*

high-power diode switching. *White, Joseph F., T-MTT Sep 84 1105–1117*

historical perspectives of microwave technology (special centennial issue). *T-MTT Sep 84 955*

IEEE Microwave Theory and Techniques Society. *Saad, Theodore S., T-MTT Sep 84 956–960*

klystron invention by Russell and Sigurd Varian and application to radar. *Varian, Dorothy, T-MTT Sep 84 1248–1263*

low-noise concepts and techniques. *Okwit, S., T-MTT Sep 84 1068–1082*

microwave acoustics. *Collins, Jeffrey H., T-MTT Sep 84 1127–1140*

microwave detection, frequency conversion, parametric amplification, and harmonic generation. *Hines, Marion E., T-MTT Sep 84 1097–1104*

microwave directional couplers. *Cohn, Seymour B., +, T-MTT Sep 84 1046–1054*

microwave ferrite devices; R&D from 1949 to 1959. *Button, Kenneth J., T-MTT Sep 84 1088–1096*

microwave field theory. *Oliner, A. A., T-MTT Sep 84 1022–1045*

microwave filter research, design, and development. *Levy, Ralph, +, T-MTT Sep 84 1055–1067*

microwave instrumentation. *Adam, Stephen F., T-MTT Sep 84 1157–1161*

microwave integrated circuits; history. *Howe, Harlan, Jr., T-MTT Sep 84 991–996*

microwave power transmission. *Brown, William C., T-MTT Sep 84 1230–1242*

microwave printed circuits; history. *Barrett, Robert M., T-MTT Sep 84 983–990*

microwave radio communication. *Sobol, Harold, T-MTT Sep 84 1170–1181*

millimeter-wave and submillimeter-wave technology. *Wiltse, James C., T-MTT Sep 84 1118–1127*

monolithic microwave integrated circuits. *McQuiddy, David N., Jr., +, T-MTT Sep 84 997–1008*

optical fiber technology. *Chang, William S. C., T-MTT Sep 84 1140–1143*

radar. *Barton, David K., T-MTT Sep 84 1161–1170*

radio astronomy. *Mezger, Peter G., T-MTT Sep 84 1224–1229*

reflection charts relating to impedance matching; Smith chart and logarithmic reflection chart; history. *Wheeler, Harold A., T-MTT Sep 84 1008–1021*

solid-state plasma microwave sources and millimeter-wave IMPATT amplifier developments; author's experience. *Kuno, H. J., T-MTT Sep 84 1083–1087*

waveguides. *Packard, Karle S., T-MTT Sep 84 961–969*

waveguides, from hollow tubes to optical fibers; conversation between Harold Barlow and Alec Cullen. *Cullen, Alec, T-MTT Sep 84 1243–1248*

Home appliances

microwave heating; history. *Osepechuk, John M., T-MTT Sep 84 1200–1224*

Horn antennas

dual-mode horn for submillimeter wavelengths. *Pickett, Herbert M., +, T-MTT Aug 84 936–937*

Hybrid integrated-circuit thermal factors

cryogenically cooled low-noise GaAs FET amplifier in 22 – 24-GHz range. *Cappello, Anthony, +, T-MTT Mar 84 226–230*

+ Check author entry for coauthors

Hybrid integrated circuits; cf. Microwave integrated circuits

Hybrid junctions

branch-line hybrids consisting of coupled lines with coupled or uncoupled connecting branches; analysis and design. *Tripathi, Vijai K., +, T-MTT Apr 84 427–432*

I

IEEE Microwave Theory and Techniques Society

awards presentations for 1984. *Parker, Don, T-MTT Dec 84 1535–1541*

history of Society. *Saad, Theodore S., T-MTT Sep 84 956–960*

Image resolution

resolution enhancement for Dicke-type radiometers by spending more time measuring earth brightness temperature and less time measuring stable reference signal. *Thomsen, Flemming, T-MTT Feb 84 145–150*

Imaging/mapping; cf. Biomedical imaging; Microwave imaging/mapping; Millimeter-wave imaging/mapping; Synthetic-aperture imaging

IMPATT diode amplifiers

millimeter-wave amplifier developments in 1960s and 1970s; author's experience. *Kuno, H. J., T-MTT Sep 84 1083–1087*

reflection-type IMPATT amplifiers; intermodulation distortion theoretical analysis. *El-Gabaly, Moustafa A., +, T-MTT Apr 84 394–399*

IMPATT diode oscillators

pulsed IMPATT oscillators; dynamic behavior simulation. *Mains, Richard K., +, T-MTT Feb 84 208–212*

stability of multifrequency negative-resistance oscillators. *Bates, Bevan D., +, T-MTT Oct 84 1310–1318*

90 – 140-GHz frequency and power characteristics; theoretically derived results compared with experimental results. *Bates, Bevan D., T-MTT Oct 84 1394–1398*

IMPATT diodes

effect of doping profile on GaAs double-drift IMPATT diodes at 33 and 44 GHz; simulation using energy-momentum transport model. *El-Gabaly, Moustafa A., +, T-MTT Oct 84 1353–1361*

effect of doping profile variation on GaAs hybrid and double-read IMPATT diode performance at 60 and 94 GHz. *El-Gabaly, Moustafa A., +, T-MTT Oct 84 1342–1352*

Impedance matching

computer-optimized multisection transformers between rectangular waveguides of adjacent frequency bands. *Arndt, Fritz, +, T-MTT Nov 84 1479–1484*

conducting sphere on broad wall of rectangular waveguide; reflection coefficient formula. *Cashman, John D., +, T-MTT Jun 84 582–586*

lumped lossy matching networks for monolithic microwave integrated circuits; computer-aided synthesis. *Liu, Louis C. T., +, T-MTT Mar 84 282–290*

microstrip radial stubs; planar circuit analysis. *Giannini, Franco, +, T-MTT Dec 84 1652–1655*

mismatched symmetrical five-port circuit properties; broadband design of symmetrical five-port microstrip circuit. *Kim, Dong Il, +, T-MTT Jan 84 51–57*

multisection impedance-matched dielectric-slab filled waveguide phase shifters. *Arndt, Fritz, +, T-MTT Jan 84 34–39*

multistage single-ended GaAs MESFET amplifiers for 2 – 18 GHz band; comparison of five circuits. *Niclas, Karl B., T-MTT Aug 84 896–908*

reflection charts relating to impedance matching; Smith chart and logarithmic reflection chart; history. *Wheeler, Harold A., T-MTT Sep 84 1008–1021*

Impedance matching; cf. Transitions

Impedance matrix

two-dimensional microwave circuit analysis using desegmentation method. *Sharma, P. C., +, T-MTT Jan 84 1–4*

Impedance measurement

correction to 'Microwave automatic impedance measuring schemes using three fixed probes' (Sep 84 756–762). *Hu, Chia-Lun J., T-MTT Feb 84 219*

Impedance measurement; cf. Scattering parameters measurement

Impedance transformers; cf. Impedance matching

Infrared generation

quasi-optical gyrotron operating at harmonics of cyclotron frequency; several kilowatts generation at wavelengths from 3mm to 130µm. *Levush, Baruch, +, T-MTT Oct 84 1398–1401*

Infrared propagation, dispersive media; cf. Optical fiber dispersion

Inhomogeneous ...; cf. Nonhomogeneous ...

Insects; cf. Animals

Instrumentation; cf. Measurement

Integral equations

modes of rectangular or circular waveguides strongly perturbed by conducting objects; numerical method based on integral equation. *Conciauro, Giuseppe, +, T-MTT Nov 84 1495–1504*

† Check author entry for subsequent corrections/comments

Integral equations; cf. Moment methods

Integrated-circuit interconnections

analysis of crosstalk in very-high-speed LSI/VLSI using multiconductor MIS microstrip line model. *Seki, Shouhei, +, T-MTT Dec 84 1721-1727*

analysis of interconnection delay on very-high-speed LSI/VLSI chips using MIS microstrip line model. *Hasegawa, Hideki, +, T-MTT Dec 84 1715-1720*

signal lines between pair of mesh reference planes in homogeneous dielectric; propagation characteristics. *Rubin, Barry J., T-MTT May 84 522-531*

Integrated-circuit thermal factors

temperature characteristics for GaAs monolithic broadband amplifier having resistive loads. *Honjo, Kazuhiko, T-MTT May 84 552-553*

Integrated circuits; cf. FET integrated circuits; Microwave integrated circuits; Millimeter-wave integrated circuits; Very high-speed integrated circuits

Integration (math.); cf. Numerical integration

Interchannel interference; cf. Crosstalk

Interconnections, integrated circuits; cf. Integrated-circuit interconnections

Interference; cf. Noise

Intermodulation distortion

reflection-type IMPATT amplifiers; intermodulation distortion theoretical analysis. *El-Gabaly, Moustafa A., +, T-MTT Apr 84 394-399*

Iris; cf. Waveguide discontinuities

Irradiation; cf. Radiation effects

J

Junctions; cf. Multiport circuits; Waveguide junctions

K

Klystrons

history of invention of klystron by Russell and Sigurd Varian and application to radar. *Varian, Dorothy, T-MTT Sep 84 1248-1263*

L

Layered media; cf. Nonhomogeneous media

Linear-phase filters

TEM structure formed by two rectangular bars coupled through pD9ite-thickness slot. *Cloete, J. H., T-MTT Jan 84 39-46*

Liquid-crystal materials/devices

identifying modes in oversize waveguide by mapping EM field on liquid crystal inserted into waveguide. *Carmel, Y., +, T-MTT Nov 84 1493-1495*

Loaded waveguides

biaxial materials in rectangular waveguide; constitutive parameters determination, theory and measurements. *Damaskos, Nickander J., +, T-MTT Apr 84 400-405*

design of waveguide E-plane filters with all-metal inserts. *Shih, Yi-Chi, T-MTT Jul 84 695-704*

ferrite slab periodically loaded with metal strips; Bragg interactions at millimeter-wave frequencies. *Surawatpunya, Charay, +, T-MTT Jul 84 689-695*

stripline and finline loaded with periodic stubs; dispersion characteristics of passband and stopband. *Kitazawa, Toshihide, +, T-MTT Jul 84 684-688*

Loaded waveguides; cf. Dielectric-loaded waveguides; Waveguide discontinuities

Logic circuits; cf. Current-mode logic; FET integrated circuits

Lossy media; cf. Absorbing media

Low-pass filters

200 - 290-GHz frequency tripler using low-pass filter implemented in suspended substrate stripline structure. *Archer, John W., T-MTT Apr 84 416-420*

Lungs; cf. Respiratory system

M

Magnetic materials/devices; cf. Microwave magnetic materials/devices

Magnetostatic volume waves

magnetostatic forward volume wave propagation for YIG layer of finite width; radiation reactance and insertion loss calculation. *Weinberg, I. J., +, T-MTT Apr 84 463-464*

Magnetostatic waves

YIG-tuned oscillators using planar resonators; comparison with YIG sphere resonators. *Carter, Ronald L., +, T-MTT Dec 84 1671-1674*

Masers

cyclotron maser and peniotron-like instabilities in whispering-gallery mode gyrotron. *Vitello, Peter, T-MTT Aug 84 917-921*

Matching; cf. Impedance matching

Matrices; cf. Eigenvalues/eigenvectors; Impedance matrix; Moment methods

Measurement; cf. Electromagnetic measurements; Frequency measurement; Semiconductor device measurements; Semiconductor materials measurements

Measurement standards; cf. Frequency measurement

Mechanical variables transducers; cf. Strain transducers

MESFETs; cf. Microwave FETs; UHF FETs

MF radio propagation

human body impedance for electromagnetic hazard analysis in VLF to MF band. *Kanai, Hiroshi, +, T-MTT Aug 84 763-772*

Microstrip

analysis of crosstalk in very-high-speed LSI/VLSI using multiconductor MIS microstrip line model. *Seki, Shouhei, +, T-MTT Dec 84 1721-1727*

analysis of interconnection delay on very-high-speed LSI/VLSI chips using MIS microstrip line model. *Hasegawa, Hideki, +, T-MTT Dec 84 1715-1720*

arbitrarily shaped planar microwave structures; hybrid-mode analysis using method of lines. *Worm, Stephen B., +, T-MTT Feb 84 191-196*

asymmetrical coupled transmission lines; characteristics. *Sedair, S. S., T-MTT Jan 84 108-110*

closed-form approximations to infinite sum $\sum x^m \ln(m+1/m)$; function appearing in microstrip analysis. *Kuester, Edward F., T-MTT Jan 84 131-133*

comments, with reply, on 'The design parameters of nonsymmetrical coupled microstrips' by N. A. El-Deeb, et al. *Tripaihi, V. K., T-MTT May 84 561-563* (Original paper, Jul 83 592-596)

dispersion in microstrip at high frequency; unified analysis technique. *Bhartia, Prakash, +, T-MTT Oct 84 1379-1384*

finite-length strip conductor embedded in multilayer isotropic dielectric without sidewalls; lumped capacitance, open-circuit end effects, edge capacitance. *Bhat, Bharathi, +, T-MTT Apr 84 433-439*

microstrip with two different dielectrics; capacitance and effective dielectric constant calculation. *Callarotti, Roberto C., +, T-MTT Apr 84 333-339*

multiconductor transmission lines in multilayered dielectric media; capacitance matrix and inductance matrix computation. *Wei, Cao, +, T-MTT Apr 84 439-450*

parallel coupled microstrip lines' frequency-dependent characteristics; accurate broadband closed-form expressions. *Kirschning, Manfred, +, T-MTT Jan 84 83-90*

sinusoidally varying width; propagation analysis. *Nair, N. V., +, T-MTT Feb 84 200-204*

tolerance analysis of shielded microstrip lines with variable shield height. *Bedair, S. S., +, T-MTT May 84 544-547*

Microstrip antennas

field theory; advances in 1983. *Itoh, Tatsuo, +, T-MTT Oct 84 1374-1377*

Microstrip circuits

electronically tunable n-GaAs distributed oscillator. *Aishima, Asuo, +, T-MTT Feb 84 157-167*

GaAs traveling-wave amplifiers with flat response in 2 - 20-GHz range; microstrip lines loaded periodically by GaAs FETs. *Ayashi, Yalcin, +, T-MTT Jan 84 71-77*

mismatched symmetrical five-port circuit properties; broadband design of symmetrical five-port microstrip circuit. *Kim, Dong Il, +, T-MTT Jan 84 51-57*

Microstrip components

radial stubs; planar circuit analysis. *Giannini, Franco, +, T-MTT Dec 84 1652-1655*

Microstrip couplers

coupled microstrips on double-anisotropic layers; characteristic parameters computation. *Horno, Manuel, +, T-MTT Apr 84 467-470*

interdigitated three-strip couplers; design procedure. *Perlow, S. M., +, T-MTT Oct 84 1418-1422*

normal-mode parameters of microstrip coupled lines of unequal width. *Kal, S., +, T-MTT Feb 84 198-200*

Microstrip resonators

elliptic ring resonator; spectral domain analysis. *Sharma, Arvind K., T-MTT Feb 84 212-218*

open-ring and closed-ring microstrip resonators' resonant-frequencies and field distributions; closed-form expressions derived using perturbation analysis. *Tripaihi, Vijai K., +, T-MTT Apr 84 405-410*

open-ring resonator analyzed using 2-D magnetic wall model. *Wolff, Ingo, +, T-MTT Jan 84 102-107. †*

Microstrips

microwave integrated circuits; history. *Howe, Harlan, Jr., T-MTT Sep 84 991-996*

Microwave (3 – 30 GHz); cf. Millimeter-wave (30 – 300 GHz); UHF (300 – 3000 MHz)

Microwave amplifiers

amplification by interdigital excitation of space-charge waves in semiconductors. *Baudrand, Henri*, + , *T-MTT Nov 84* 1434–1441

Microwave amplifiers; cf. IMPATT diode amplifiers; Klystrons; Microwave FET amplifiers; Parametric amplifiers; Traveling-wave amplifiers

Microwave amplifiers, power; cf. Microwave FET amplifiers, power; Traveling-wave amplifiers; Traveling-wave tubes

Microwave and Millimeter-Wave Monolithic Circuits Symposium, IEEE 1984

selected, expanded papers; joint special section with *IEEE Transactions on Electron Devices*, Dec. 1984. *T-MTT Dec 84* 1686–1727

Microwave antennas; cf. *Specific topic*

Microwave bipolar integrated circuits

injection laser modulation at 2-Gb/s by monolithic silicon multiplexer. *Langmann, Ulrich*, + , *T-MTT Dec 84* 1675–1677

Si monolithic microwave prescaler IC with toggle frequency of 3.9 GHz. *Watanabe, Satoru*, + , *T-MTT Dec 84* 1688–1692

Microwave bipolar transistor oscillators

large-signal design technique for microwave oscillators using three-terminal active devices. *Ehlers, Eric R.*, *T-MTT May 84* 556–559

maximum power output design method based on measurements on optimized power amplifier. *Kotzebue, K. L.*, *T-MTT Jul 84* 719–721

Microwave circuits

history of microwave field theory and its network formulation. *Oliner, A. A.*, *T-MTT Sep 84* 1022–1045

Microwave circuits; cf. *Specific topic*

Microwave communication

advances in 1983. *Horton, J. B.*, *T-MTT Oct 84* 1377–1378

Microwave communication; cf. Microwave radio communication

Microwave detectors; cf. Microwave modulation/demodulation

Microwave devices

solid-state devices; advances in 1983. *Cohn, M.*, *T-MTT Oct 84* 1373–1374

solid-state plasma sources; developments in 1960s and 1970s; author's experience. *Kuno, H. J.*, *T-MTT Sep 84* 1083–1087

Microwave devices; cf. *Specific topic*

Microwave diodes

microwave point contact diode responsivity improvement through surface effects in vacuum. *Kopeika, N. S.*, + , *T-MTT Oct 84* 1384–1387

Microwave diodes; cf. p-i-n diodes

Microwave FET amplifiers

characterization of GaAs FETs in terms of noise, gain, and scattering parameters through noise parameter test set. *Calandra, Enrico F.*, + , *T-MTT Mar 84* 231–237

cryogenically cooled low-noise GaAs FET amplifier in 22 – 24-GHz range. *Cappello, Anthony*, + , *T-MTT Mar 84* 226–230

GaAs traveling-wave amplifiers with flat response in 2 – 20-GHz range; microstrip lines loaded periodically by GaAs FETs. *Ayasli, Yalcin*, + , *T-MTT Jan 84* 71–77

MESFET distributed amplifiers; design guidelines. *Beyer, James B.*, + , *T-MTT Mar 84* 268–275

monolithic two-stage direct-coupled feedback amplifier with 10±1 dB gain across 0.1 – 12-GHz band. *Moghe, Sanjay B.*, + , *T-MTT Dec 84* 1698–1704

multistage single-ended GaAs MESFET amplifiers for 2 – 18 GHz band; comparison of five circuits. *Niclas, Karl B.*, *T-MTT Aug 84* 896–908

power and low-noise GaAs FET circuits and applications. *T-MTT Mar 84* 225–324

quadrature phase shifters for 2 – 4 GHz using single- and dual-gate GaAs MESFETs; dependence of MESFET transmission phase on bias. *Mondal, Jyoti P.*, + , *T-MTT Oct 84* 1280–1288

self-consistent GaAs FET models for amplifier design and device diagnostics. *Curtice, Walter R.*, + , *T-MTT Dec 84* 1573–1578

stability of GaAs FET amplifiers in 2 – 18 GHz range. *Maclean, Douglas J. H.*, *T-MTT Mar 84* 237–242

temperature characteristics for GaAs monolithic broadband amplifier having resistive loads. *Honjo, Kazuhiko*, *T-MTT May 84* 552–553

waveguides filled with anisotropic medium; nonphysical spurious modes not in solution. *Hano, Mitsuo*, *T-MTT Oct 84* 1275–1279

2 – 18-GHz monolithic distributed amplifier using dual-gate GaAs FETs. *Kennan, Wayne*, + , *T-MTT Dec 84* 1693–1697

Microwave FET amplifiers, power

broadband design of GaAs amplifiers; drain – gate breakdown model. *Tajima, Yusuke*, + , *T-MTT Mar 84* 261–267

GaAs dual-gate FET for operation up to K-band. *Kim, Bumman*, + , *T-MTT Mar 84* 256–261

GaAs FET model for large-signal applications. *Peterson, Darrell L.*, + , *T-MTT Mar 84* 276–281

GaAs FET traveling-wave power amplifier for 2 – 20 GHz range. *Ayasli, Yalcin*, + , *T-MTT Mar 84* 290–295

GaAs MESFET with new via-hole plated heat sink structure; 1-W output at 20 GHz. *Hirachi, Yasutake*, + , *T-MTT Mar 84* 309–316

K-band GaAs FET amplifier with 8.2-W output power using radial combiner for 16 devices. *Goel, Jitendra*, *T-MTT Mar 84* 317–324

power and low-noise GaAs FET circuits and applications. *T-MTT Mar 84* 225–324

6-GHz 80-W GaAs FET amplifier with TM-mode cavity power combiner. *Tokumitsu, Yasuyuki*, + , *T-MTT Mar 84* 301–308

Microwave FET integrated circuits

capacitively coupled traveling-wave amplifier with improved power-handling capability. *Ayasli, Yalcin*, + , *T-MTT Dec 84* 1704–1709

history of GaAs FET digital IC technology. *Greiling, Paul*, *T-MTT Sep 84* 1144–1156

lumped lossy matching networks for monolithic microwave integrated circuits; computer-aided synthesis. *Liu, Louis C. T.*, + , *T-MTT Mar 84* 282–290

S-band and X-band GaAs FET mixers with thin-film lumped elements. *Ohnishi, Hiroshi*, + , *T-MTT Jan 84* 135–138

source-coupled GaAs FET logic circuits for Gb-rate digital signal processing. *Idda, Masao*, + , *T-MTT Jan 84* 5–10

wideband monolithic phase shifter operating in 2 – 8-GHz frequency range. *Ayasli, Yalcin*, + , *T-MTT Dec 84* 1710–1714

Microwave FET integrated circuits; cf. Microwave FET amplifiers

Microwave FET oscillators

large-signal design technique for microwave oscillators using three-terminal active devices. *Ehlers, Eric R.*, *T-MTT May 84* 556–559

single-resonator GaAs FET oscillator in frequency-locked loop with FM noise degeneration. *Galani, Zvi*, + , *T-MTT Dec 84* 1556–1565

Microwave FETs

dual-gate MESFET mixers. *Tsironis, Christos*, + , *T-MTT Mar 84* 248–255

GaAs dual-gate MESFETs; simplified model for 2 – 11 GHz range. *Scott, James R.*, + , *T-MTT Mar 84* 243–248

GaAs FET model for large-signal applications. *Peterson, Darrell L.*, + , *T-MTT Mar 84* 276–281

GaAs MESFET computer model for SPICE program. *Sussman-Fort, Stephen E.*, + , *T-MTT Apr 84* 471–473

GaAs MESFET mixers; theory and analysis. *Maas, Stephen A.*, *T-MTT Oct 84* 1402–1406

K-band balanced FET up-converter. *Hirota, Tetsuo*, + , *T-MTT Jul 84* 679–683

power and low-noise GaAs FET circuits and applications. *T-MTT Mar 84* 225–324

regenerative frequency division with GaAs FET. *Rauscher, Christen*, *T-MTT Nov 84* 1461–1468

Microwave FETs, power

large-signal load-pull characterization of power FETs; vector error-correction techniques. *Tucker, Rodney S.*, + , *T-MTT Mar 84* 296–300

Microwave filters

history of microwave filter research, design, and development. *Levy, Ralph*, + , *T-MTT Sep 84* 1055–1067

plasma-dielectric sandwich structure used as tunable bandpass microwave filter. *Tai, Gwo-Chung*, + , *T-MTT Jan 84* 111–113

Microwave filters; cf. Cavity-resonator filters; Waveguide filters

Microwave frequency conversion

frequency-halving circuits; pumped input and output impedances measurement using two-frequency synthetic loading technique. *Harrison, Robert G.*, + , *T-MTT Dec 84* 1591–1597

history of techniques and devices. *Hines, Marion E.*, *T-MTT Sep 84* 1097–1104

K-band balanced FET up-converter. *Hirota, Tetsuo*, + , *T-MTT Jul 84* 679–683

regenerative frequency division with GaAs FET. *Rauscher, Christen*, *T-MTT Nov 84* 1461–1468

Microwave frequency conversion; cf. Microwave mixers

Microwave generation; cf. Microwave oscillators

Microwave heating; cf. Dielectric heating

Microwave imaging/mapping

diffraction tomography for cross-sectional imaging of biological systems; domains of applicability of the Born and Rytov approximations. *Slaney, Malcolm*, + , *T-MTT Aug 84* 860–874

microwave-induced thermoelastic tissue imaging system. *Lin, James C.*, + , *T-MTT Aug 84* 854–860

water-immersed planar microwave antenna array for medical imaging and therapy; analysis of local field pattern. *Guo, Theodore C.*, + , *T-MTT Aug 84* 844–854

Microwave integrated circuits

analysis of hybrid field problems by method of lines with nonequidistant discretization. *Diestel, Heinrich*, + , *T-MTT Jun 84* 633–638

history. *Howe, Harlan, Jr.*, *T-MTT Sep 84* 991–996

history of monolithic MIC. *McQuiddy, David N., Jr.*, + , *T-MTT Sep 84* 997–1008

- hybrid MICs, advances during 1983. *Bilohoubek, E. F., T-MTT Oct 84* 1372–1373
- selected, expanded papers from IEEE 1984 Microwave Millimeter-Wave Monolithic Circuits Symposium; joint special section with *IEEE Transactions on Electron Devices*, Dec. 1984. *T-MTT Dec 84* 1686–1727
- two-dimensional microwave circuit analysis using desegmentation method. *Sharma, P. C., +, T-MTT Jan 84* 1–4
- 26-GHz high-performance MIC transmitter – receiver for digital radio subscriber systems. *Ogawa, Hiroyo, +, T-MTT Dec 84* 1551–1556
- Microwave integrated circuits; cf.** Finline ...; Microstrip ...; Microwave FET integrated circuits; Slotline ...; Strip transmission lines; Stripline ...
- Microwave magnetic materials/devices**
history of microwave ferrite device R&D from 1949 to 1959. *Button, Kenneth J., T-MTT Sep 84* 1088–1096
- Microwave measurements**
biaxial materials in rectangular waveguide; constitutive parameters determination, theory and measurements. *Damaskos, Nickander J., +, T-MTT Apr 84* 400–405
- characterization of GaAs FETs in terms of noise, gain, and scattering parameters through noise parameter test set. *Calandra, Enrico F., +, T-MTT Mar 84* 231–237
- comments on 'The measurement of noise in microwave transmitters' by J. R. Ashley, et al. *Freude, Wolfgang, T-MTT May 84* 559–561 (Original paper, Apr 77 294–318)
- correction to 'Microwave automatic impedance measuring schemes using three fixed probes' (Sep 84 756–762). *Hu, Chia-Lun J., T-MTT Feb 84* 219
- history of microwave instrumentation. *Adam, Stephen F., T-MTT Sep 84* 1157–1161
- large-signal load-pull characterization of power FETs; vector error-correction techniques. *Tucker, Rodney S., +, T-MTT Mar 84* 296–300
- passive frequency standard for 10 – 100 GHz range using helical waveguide absorption cell. *Mollier, Jean-Claude, +, T-MTT Jul 84* 721–722
- photo-induced complex permittivity of Si, Ge, and Te at 9 GHz. *Ding, Li, +, T-MTT Feb 84* 151–157
- resonator containing dielectric sample; one-root intervals of dispersion relation. *Bilik, Vladimir, T-MTT Feb 84* 197–198
- Microwave measurements; cf.** Microwave radiometry; Scattering parameters measurement
- Microwave mixers**
dual-gate MESFET mixers. *Tsironis, Christos, +, T-MTT Mar 84* 248–255
- GaAs FET model for large-signal applications. *Peterson, Darrell L., +, T-MTT Mar 84* 276–281
- GaAs MESFET mixers; theory and analysis. *Maas, Stephen A., T-MTT Oct 84* 1402–1406
- planar quasi-optical subharmonically pumped mixer characterized by isotropic conversion loss. *Stephan, Karl D., +, T-MTT Jan 84* 97–102. †
- S-band and X-band GaAs FET mixers with thin-film lumped elements. *Ohnishi, Hiroshi, +, T-MTT Jan 84* 135–138
- Microwave modulation/demodulation**
history of techniques and devices. *Hines, Marion E., T-MTT Sep 84* 1097–1104
- single-resonator GaAs FET oscillator in frequency-locked loop with FM noise degeneration. *Galani, Zvi, +, T-MTT Dec 84* 1556–1565
- 26-GHz high-performance MIC transmitter – receiver for digital radio subscriber systems. *Ogawa, Hiroyo, +, T-MTT Dec 84* 1551–1556
- Microwave modulation/demodulation; cf.** Microwave mixers
- Microwave oscillators**
electronically tunable n-GaAs distributed oscillator. *Aishima, Asuo, +, T-MTT Feb 84* 157–167
- RF spectrum of thermal noise and frequency stability of microwave cavity-oscillator. *Villeneuve, Bernard, +, T-MTT Dec 84* 1565–1572
- Microwave oscillators; cf.** Gyrotrons; IMPATT diode oscillators; Klystrons; Masers; Microwave bipolar transistor oscillators; Microwave FET oscillators; YIG-tuned oscillators
- Microwave phase shifters; cf.** Phase shifters
- Microwave power dividers/combiners**
dielectric waveguide corner and power divider using metallic reflector. *Ogusu, Kazuhiko, T-MTT Jan 84* 113–116
- K-band GaAs FET amplifier with 8.2-W output power using radial combiner for 16 devices. *Goel, Jitendra, T-MTT Mar 84* 317–324
- matched symmetrical six-port junction properties; application to stripline power divider. *Riblet, Gordon P., +, T-MTT Feb 84* 164–171
- 6-GHz 80-W GaAs FET amplifier with TM-mode cavity power combiner. *Tokumitsu, Yasuyuki, +, T-MTT Mar 84* 301–308
- Microwave power transmission**
history. *Brown, William C., T-MTT Sep 84* 1230–1242
- Microwave propagation; cf.** Waveguides
- Microwave radiation effects; cf.** Biomedical radiation effects, electromagnetic; Electromagnetic radiation effects
- Microwave radio communication**
history. *Sobol, Harold, T-MTT Sep 84* 1170–1181
- Microwave radio communication; cf.** Microwave transmitters
- Microwave radiometry**
resolution enhancement for Dicke-type radiometers by spending more time measuring earth brightness temperature and less time measuring stable reference signal. *Thomsen, Flemming, T-MTT Feb 84* 145–150
- Microwave radiometry; cf.** Radio astronomy
- Microwave receivers; cf.** Microwave mixers; Microwave modulation/demodulation
- Microwave resonators; cf.** Resonators
- Microwave switches; cf.** Phase shifters
- Microwave Symposium, 1984 IEEE MTT-S International**
report. *Adam, Stephen F., T-MTT Dec 84* 1527–1534
- selected, expanded papers. *T-MTT Dec 84* 1525–1686
- Microwave technology**
advances during 1983. *Spielman, B. E., T-MTT Oct 84* 1372–1378
- historical perspectives of microwave technology (special centennial issue). *T-MTT Sep 84* 955
- Microwave technology; cf.** Specific topic
- Microwave Theory and Techniques Society; cf.** IEEE Microwave Theory and Techniques Society
- Microwave transmitters**
comments on 'The measurement of noise in microwave transmitters' by J. R. Ashley, et al. *Freude, Wolfgang, T-MTT May 84* 559–561 (Original paper, Apr 77 294–318)
- Microwave transmitters; cf.** Microwave modulation/demodulation
- Microwave waveguides; cf.** Waveguide ...
- Millimeter-wave (30 – 300 GHz); cf.** Microwave (3 – 30 GHz); Submillimeter-wave (300 – 3000 GHz)
- Millimeter-wave amplifiers; cf.** IMPATT diode amplifiers
- Millimeter-wave antennas**
integrated-circuit antenna array for imaging polarization and intensity at near-millimeter wavelengths. *Tong, Peter P., +, T-MTT May 84* 507–512
- semiconductor antennas for millimeter and submillimeter wavelengths; monolithic IC implementation. *Jain, F. C., +, T-MTT Feb 84* 204–208
- Millimeter-wave circulators**
94-GHz 4-port E-plane junction circulator. *Solbach, Klaus, T-MTT Jul 84* 722–724
- Millimeter-wave devices**
solid-state devices; advances in 1983. *Cohn, M., T-MTT Oct 84* 1373–1374
- Millimeter-wave devices; cf.** Specific topic
- Millimeter-wave diodes; cf.** IMPATT diodes
- Millimeter-wave directional couplers**
directly connected image guide 3-dB couplers with very flat couplings suitable for millimeter-wave IC. *Kim, Dong Il, +, T-MTT Jun 84* 621–627
- W-band dielectric guide Y-branch interferometer; experimental study. *Axelrod, Alexander, +, T-MTT Jan 84* 46–50
- Millimeter-wave filters**
broadband millimeter-wave E-plane bandpass filters; computer-aided design. *Bui, L. Q., +, T-MTT Dec 84* 1655–1658
- E-plane integrated circuit filters with improved stopband attenuation for K_a -band. *Arndt, Fritz, +, T-MTT Oct 84* 1391–1394
- evanescent-mode waveguide bandpass filter at Q band. *Akers, N. P., +, T-MTT Nov 84* 1487–1489
- nonradiative dielectric waveguide filters for millimeter wavelengths; design technique. *Yoneyama, Tsukasa, +, T-MTT Dec 84* 1659–1662
- quasi-optical frequency multiplier for millimeter and submillimeter wavelengths. *Archer, John W., T-MTT Apr 84* 421–427
- W-band low-insertion-loss E-plane filter; design data for waveguide filter with metal inserts. *Vahldieck, Rüdiger, +, T-MTT Jan 84* 133–135
- 200 – 290-GHz frequency tripler using low-pass filter implemented in suspended substrate stripline structure. *Archer, John W., T-MTT Apr 84* 416–420
- Millimeter-wave frequency conversion**
quasi-optical frequency multiplier for millimeter and submillimeter wavelengths. *Archer, John W., T-MTT Apr 84* 421–427
- 200 – 290-GHz frequency tripler using low-pass filter implemented in suspended substrate stripline structure. *Archer, John W., T-MTT Apr 84* 416–420
- Millimeter-wave frequency conversion; cf.** Millimeter-wave mixers

Millimeter-wave imaging/mapping

integrated-circuit antenna array for imaging polarization and intensity at near-millimeter wavelengths. *Tong, Peter P.*, + , *T-MTT May 84* 507-512

Millimeter-wave integrated circuits

analysis of low-loss broadside-coupled dielectric image guide using mode-matching technique. *Bhat, Bharathi*, + , *T-MTT Jul 84* 711-717

directly connected image guide 3-dB couplers with very flat couplings suitable for millimeter-wave IC. *Kim, Dong Il*, + , *T-MTT Jun 84* 621-627

E-plane integrated circuit filters with improved stopband attenuation for K_a -band. *Arndt, Fritz*, + , *T-MTT Oct 84* 1391-1394

integrated tunable cavity Gunn oscillator for 60-GHz operation in image line waveguide. *Horn, Robert E.*, + , *T-MTT Feb 84* 171-176

selected, expanded papers from IEEE 1984 Microwave Millimeter-Wave Monolithic Circuits Symposium; joint special section with *IEEE Transactions on Electron Devices*, Dec. 1984. *T-MTT Dec 84* 1686-1727

semiconductor antennas for millimeter and submillimeter wavelengths; monolithic IC implementation. *Jain, F. C.*, + , *T-MTT Feb 84* 204-208

60-GHz integrate rated-circuit high data-rate QSK (quadruphase shift keying) exciter and modulator. *Grote, Albert*, + , *T-MTT Dec 84* 1663-1667

Millimeter-wave integrated circuits; cf. Finline ...; Microstrip ...; Stripline ...**Millimeter-wave measurements**

dielectric measurements in 60 - 600-GHz range. *Afsar, Mohammed Nurul*, *T-MTT Dec 84* 1598-1609

integrated-circuit antenna array for imaging polarization and intensity at near-millimeter wavelengths. *Tong, Peter P.*, + , *T-MTT May 84* 507-512

millimeter-wave scalar network analyzer; scattering analysis. *Knorr, Jeffery B.*, *T-MTT Feb 84* 183-190

passive frequency standard for 10 - 100 GHz range using helical waveguide absorption cell. *Mollier, Jean-Claude*, + , *T-MTT Jul 84* 721-722

quasi-optical method for measuring complex permittivity of materials at millimeter-wave frequencies. *Shimabukuro, Fred I.*, + , *T-MTT Jul 84* 659-665

Millimeter-wave mixers

planar quasi-optical subharmonically pumped mixer characterized by isotropic conversion loss. *Stephan, Karl D.*, + , *T-MTT Jan 84* 97-102. †

Millimeter-wave mixers; cf. Schottky-barrier diode mixers**Millimeter-wave modulation/demodulation**

60-GHz integrate rated-circuit high data-rate QSK (quadruphase shift keying) exciter and modulator. *Grote, Albert*, + , *T-MTT Dec 84* 1663-1667

Millimeter-wave modulation/demodulation; cf. Millimeter-wave mixers**Millimeter-wave oscillators; cf. Gunn device oscillators; Gyrotrons; IMPATT diode oscillators****Millimeter-wave power dividers/combiners**

dielectric waveguide corner and power divider using metallic reflector. *Ogusu, Kazuhiko*, *T-MTT Jan 84* 113-116

Millimeter-wave propagation; cf. Millimeter-wave waveguides**Millimeter-wave radiation effects; cf. Electromagnetic radiation effects****Millimeter-wave receivers**

cryogenic Schottky diode mixer receiver having average noise temperature of 75 K over 80 - 115-GHz band. *Predmore, C. Read*, + , *T-MTT May 84* 498-507

Millimeter-wave switches

W-band dielectric guide Y-branch interferometer; experimental study. *Axelrod, Alexander*, + , *T-MTT Jan 84* 46-50

Millimeter-wave technology

history of millimeter and submillimeter waves. *Wiltse, James C.*, *T-MTT Sep 84* 1118-1127

Millimeter-wave technology; cf. Specific topic**Millimeter-wave waveguides**

ferrite slab periodically loaded with metal strips; Bragg interactions at millimeter-wave frequencies. *Surawatpunya, Charray*, + , *T-MTT Jul 84* 689-695

loss measurements of nonradiative dielectric waveguide at 50 GHz. *Yoneyama, Tsukasa*, + , *T-MTT Aug 84* 943-946

MIS devices

MIS coplanar waveguide characteristics analysis using full-wave mode-matching technique. *Sorrentino, Roberto*, + , *T-MTT Apr 84* 410-416

Mixers; cf. Microwave mixers; Millimeter-wave mixers; Schottky-barrier diode mixers**Mode coupling; cf. Coupled-mode analysis****Mode-matching methods**

MIS coplanar waveguide characteristics analysis using full-wave mode-matching technique. *Sorrentino, Roberto*, + , *T-MTT Apr 84* 410-416

Modulation/demodulation; cf. Microwave modulation/demodulation; Millimeter-wave modulation/demodulation; Pulse modulation**Moment methods**

computed model field distributions for isolated dielectric resonators. *Kajfez, Darko*, + , *T-MTT Dec 84* 1609-1616

EM specific-absorption-rate distributions calculation using cubical block model of man; improving spatial resolution. *Massoudi, Habib*, + , *T-MTT Aug 84* 746-752

induced current of post in rectangular waveguide calculated using moment method. *Leviatan, Yehuda*, + , *T-MTT Oct 84* 1411-1415

inductive posts and diaphragms of arbitrary shape and number in rectangular waveguide; calculating effect on dominant mode using moment method. *Auda, Hesham*, + , *T-MTT Jun 84* 606-613

multiple-post inductive obstacles in rectangular waveguide; moment method solution. *Li, Ping Guan*, + , *T-MTT Apr 84* 365-373

Multiconductor transmission lines

in multilayered dielectric media; capacitance matrix and inductance matrix computation. *Wei, Cao*, + , *T-MTT Apr 84* 439-450

losses on multiconductor transmission lines in multilayered dielectric media. *Harrington, Roger F.*, + , *T-MTT Jul 84* 705-710

multiconductor system in multidielectric region; electrostatic field and capacitance matrix computation. *Rao, Sadasiva M.*, + , *T-MTT Nov 84* 1441-1448

Multiconductor transmission lines; cf. Coupled transmission lines**Multimode waveguides**

identifying modes in oversize waveguide by mapping EM field on liquid crystal inserted into waveguide. *Carmel, Y.*, + , *T-MTT Nov 84* 1493-1495

Multimode waveguides; cf. Optical fiber ...**Multiplexing; cf. Time-division multiplexing****Multipoint circuits**

branch-line hybrids consisting of coupled lines with coupled or uncoupled connecting branches; analysis and design. *Tripathi, Vijai K.*, + , *T-MTT Apr 84* 427-432

dual six-port network analyzer using diode detectors. *Juroshek, John R.*, + , *T-MTT Jan 84* 78-82

matched symmetrical six-port junction properties; application to stripline power divider. *Riblet, Gordon P.*, + , *T-MTT Feb 84* 164-171

mismatched symmetrical five-port circuit properties; broadband design of symmetrical five-port microstrip circuit. *Kim, Dong Il*, + , *T-MTT Jan 84* 51-57

Muscles

focused electromagnetic heating of muscle tissue. *Raskmark, Povel*, + , *T-MTT Aug 84* 887-888

N

N-port circuits; cf. Multipoint circuits**Negative-resistance circuits**

stability of multifrequency negative-resistance oscillators. *Bates, Bevan D.*, + , *T-MTT Oct 84* 1310-1318

Noise

historical view of evolution of low-noise concepts and techniques. *Okwit, S.*, *T-MTT Sep 84* 1068-1082

Noise; cf. Amplifier noise; FM noise; Oscillator noise; Semiconductor device noise**Noise measurement**

characterization of GaAs FETs in terms of noise, gain, and scattering parameters through noise parameter test set. *Calandra, Enrico F.*, + , *T-MTT Mar 84* 231-237

comments on 'The measurement of noise in microwave transmitters' by J. R. Ashley, et al. *Freude, Wolfgang*, *T-MTT May 84* 559-561 (Original paper, Apr 77 294-318)

Nonhomogeneous media

multiconductor system in multidielectric region; electrostatic field and capacitance matrix computation. *Rao, Sadasiva M.*, + , *T-MTT Nov 84* 1441-1448

Nonhomogeneous media; cf. Electromagnetic propagation, nonhomogeneous media**Nonlinear circuits**

GaAs FET model for large-signal applications. *Peterson, Darrell L.*, + , *T-MTT Mar 84* 276-281

large-signal load-pull characterization of power FETs; vector error-correction techniques. *Tucker, Rodney S.*, + , *T-MTT Mar 84* 296-300

reflection coefficient of nonlinear device defined using describing function concept. *Obregon, J.*, + , *T-MTT Apr 84* 452-455

Nonlinear circuits; cf. Mixers; Nonlinear oscillators**Nonlinear distortion; cf. Amplifier distortion; Intermodulation distortion****Nonlinear equations**

compact low-field high-frequency gyrotrons; theory and numerical modeling. *Vitello, Peter*, + , *T-MTT Apr 84* 373-386

Nonlinear oscillators

large-signal design technique for microwave oscillators using three-terminal active devices. *Ehlers, Eric R., T-MTT May 84* 556–559

Nonlinear systems

microwave hyperthermic distributions in layered living body with nonlinear thermoregulatory properties. *Caorsi, S., T-MTT Oct 84* 1406–1411

Nonlinear wave propagation; cf. Electromagnetic propagation, nonlinear media

Nonuniform transmission lines; cf. Distributed-parameter circuits ...

Numerical integration

boundary-element method for 2-D EM field problems; combination of boundary integral equation method and discretization method. *Kagami, Shin, +, T-MTT Apr 84* 455–461

Numerical integration; cf. Integral equations; Moment methods

Numerical methods; cf. Approximation methods; Finite-difference methods; Finite-element methods; Matrices; Partial differential equations; Rayleigh – Ritz methods; Variational methods

O

Optical detectors; cf. Photodetectors

Optical fiber applications; cf. Optical fiber transducers

Optical fiber connecting

cascaded multimode fiber links; time dispersion properties. *Cancellieri, Giovanni, +, T-MTT Aug 84* 929–935

Optical fiber dispersion

cascaded multimode fiber links; time dispersion properties. *Cancellieri, Giovanni, +, T-MTT Aug 84* 929–935

Optical fiber measurement applications; cf. Optical fiber transducers

Optical fiber mechanical factors

correction to 'Scattering of guided modes caused by an arbitrarily shaped broken end in a dielectric slab waveguide' (Nov 83 923–930). *Nagayoshi, Morita, T-MTT Feb 84* 219

Optical fiber transducers

correction to 'Comments on the dynamical behavior of a single-mode optical fiber strain gate' (Apr 83 364–366). *Laura, Patricio A. A., +, T-MTT Mar 84* 324

Optical fibers

history of optical fiber technology. *Chang, William S. C., T-MTT Sep 84* 1140–1143

history of waveguides, from hollow tubes to optical fibers; conversation between Harold Barlow and Alec Cullen. *Cullen, Alec, T-MTT Sep 84* 1243–1248

Optical materials/devices; cf. Acoustooptic materials/devices

Optical modulation/demodulation

injection laser modulation at 2-Gb/s by monolithic silicon multiplexer. *Langmann, Ulrich, +, T-MTT Dec 84* 1675–1677

Optical oscillators

quasi-optical gyrotron operating at harmonics of cyclotron frequency; several kilowatts generation at wavelengths from 3mm to 130 μ m. *Levush, Baruch, +, T-MTT Oct 84* 1398–1401

Optical planar waveguides

anisotropic planar optical waveguides with bent optical axes; propagation analysis. *Geshiro, Masahiro, +, T-MTT Apr 84* 339–347

vector finite-element method with infinite elements for solving dielectric waveguide problems. *Rahman, B. M. Azizur, +, T-MTT Jan 84* 20–28

Optical propagation; cf. Optical waveguides

Optical propagation, anisotropic media

anisotropic planar optical waveguides with bent optical axes; propagation analysis. *Geshiro, Masahiro, +, T-MTT Apr 84* 339–347

approximate scalar finite-element analysis of anisotropic optical waveguides with off-diagonal elements in permittivity tensor. *Koshiba, Masanori, +, T-MTT Jun 84* 587–593

Optical propagation, dispersive media; cf. Optical waveguides

Optical propagation, nonhomogeneous media; cf. Optical waveguides

Optical resonators

open resonators; field patterns and resonant frequencies of high-order modes investigated using perturbation theory. *Yu, Ping Kong, +, T-MTT Jun 84* 641–645

Optical transducers; cf. Optical fiber transducers

Optical waveguides

anisotropic rectangular channel waveguides; modes calculated using perturbation approach. *Kumar, Arun, +, T-MTT Oct 84* 1415–1418

approximate scalar finite-element analysis of anisotropic optical waveguides with off-diagonal elements in permittivity tensor. *Koshiba, Masanori, +, T-MTT Jun 84* 587–593

finite-element solutions; reducing spurious solutions using penalty function method. *Azizur, Rahman, B. M., +, T-MTT Aug 84* 922–928

Optical waveguides; cf. Optical planar waveguides

Optimization methods; cf. Approximation methods

Oscillator noise

RF spectrum of thermal noise and frequency stability of microwave cavity-oscillator. *Villeneuve, Bernard, +, T-MTT Dec 84* 1565–1572

Oscillator stability

RF spectrum of thermal noise and frequency stability of microwave cavity-oscillator. *Villeneuve, Bernard, +, T-MTT Dec 84* 1565–1572

stability of multifrequency negative-resistance oscillators. *Bates, Bevan D., +, T-MTT Oct 84* 1310–1318

Oscillators; cf. Gunn device oscillators; IMPATT diode oscillators; Microwave oscillators; Nonlinear oscillators; Optical oscillators; Piezoelectric-resonator oscillators; VHF oscillators

P

p-i-n diodes

history of high-power diode switching. *White, Joseph F., T-MTT Sep 84* 1105–1117

Packaging; cf. Semiconductor device packaging

Parallel-plate waveguides

TEM structure formed by two rectangular bars coupled through pD9ite-thickness slot. *Cloete, J. H., T-MTT Jan 84* 39–46

Parametric amplifiers

history of techniques and devices. *Hines, Marion E., T-MTT Sep 84* 1097–1104

Partial differential equations

eccentric annular cross-section waveguides and lunar waveguides; cutoff frequencies calculation using intermediate problems method. *Kuttler, James R., T-MTT Apr 84* 348–354

Partial differential equations; cf. Finite-element methods

Particle-beam injection

injection system for compact high-harmonic gyrotron; TE₁₁₁ gyroresonant accelerator cavity. *Miner, William H., Jr., +, T-MTT Oct 84* 1293–1301

PCM; cf. Pulse-code modulation

Periodic structures

microstrip with sinusoidally varying width; propagation analysis. *Nair, N. V., +, T-MTT Feb 84* 200–204

Periodic surfaces; cf. Corrugated surfaces

Perturbation methods

anisotropic rectangular channel waveguides; modes calculated using perturbation approach. *Kumar, Arun, +, T-MTT Oct 84* 1415–1418

loss calculations for strip conductors using perturbation method; avoiding edge current divergence. *Lewin, Leonard, T-MTT Jul 84* 717–719

open resonators; field patterns and resonant frequencies of high-order modes investigated using perturbation theory. *Yu, Ping Kong, +, T-MTT Jun 84* 641–645

open-ring and closed-ring microstrip resonators' resonant-frequencies and field distributions; closed-form expressions derived using perturbation analysis. *Tripathi, Vijai K., +, T-MTT Apr 84* 405–410

Phase distortion; cf. Delay distortion

Phase-shift keying

60-GHz integrate rated-circuit high data-rate QSK (quadruphase shift keying) exciter and modulator. *Grote, Albert, +, T-MTT Dec 84* 1663–1667

Phase shifters

multisection impedance-matched dielectric-slab filled waveguide phase shifters. *Arndt, Fritz, +, T-MTT Jan 84* 34–39

wideband monolithic phase shifter operating in 2 – 8-GHz frequency range. *Ayasli, Yalcin, +, T-MTT Dec 84* 1710–1714

Phase shifters; cf. Diode phase shifters

Phased arrays

hyperthermia and inhomogeneous tissue effects using annular phased array. *Turner, Paul F., T-MTT Aug 84* 874–882

Photodetectors

photo-induced complex permittivity of Si, Ge, and Te at 9 GHz. *Ding, Li, +, T-MTT Feb 84* 151–157

Piezoelectric-resonator oscillators

fundamental-mode Pierce oscillators utilizing bulk-acoustic-wave resonators in 250 – 300 MHz range. *Burns, Stanley G., +, T-MTT Dec 84* 1668–1671

Planar arrays

water-immersed planar microwave antenna array for medical imaging and therapy; analysis of local field pattern. *Guo, Theodore C., +, T-MTT Aug 84* 844–854

Planar arrays; cf. Circular arrays

Planar waveguides; cf. Optical planar waveguides

Plasma devices; cf. Semiconductor plasma devices

Plasma heating

toroidal resonators filled with radially inhomogeneous dielectric medium; analytical solution of Maxwell's equations. *Cap, Ferdinand F., T-MTT Oct 84 1336-1341*

Plasmas; cf. Electromagnetic propagation, plasma media

Point-contact diodes

microwave point contact diode responsivity improvement through surface effects in vacuum. *Kopeika, N. S., +, T-MTT Oct 84 1384-1387*

Polarimetry

integrated-circuit antenna array for imaging polarization and intensity at near-millimeter wavelengths. *Tong, Peter P., +, T-MTT May 84 507-512*

Power amplifiers; cf. Traveling-wave amplifiers; Traveling-wave tubes

Power dividers/combiners

unequal power division using several couplers to split and recombine the input. *Choinski, Thomas C., T-MTT Jun 84 613-620*

Power dividers/combiners; cf. Microwave power dividers/combiners; Millimeter-wave power dividers/combiners

Power FET amplifiers; cf. Microwave FET amplifiers, power

Power FETs; cf. Microwave FETs, power

Power semiconductor diode switches

history of high-power diode switching. *White, Joseph F., T-MTT Sep 84 1105-1117*

Power transmission; cf. Microwave power transmission

Printed circuits

microwave printed circuits; history. *Barrett, Robert M., T-MTT Sep 84 983-990*

multiwire circuit board with single wire; characteristic impedance and phase velocity calculation. *Shibata, Hisashi, +, T-MTT Apr 84 360-364*

Probe antennas

sensitivity of dipole probes; limitations due to size reduction. *Smith, Glenn S., T-MTT Jun 84 594-600*

Process heating; cf. Dielectric heating

Productivity

industrial competitiveness among nations; competing in high-technology markets (symposium keynote address). *Young, John A., T-MTT Dec 84 1541-1544*

Propulsion; cf. Aircraft propulsion

Protection/safety; cf. Radiation effects

PSK; cf. Phase-shift keying

Pulse-code modulation

injection laser modulation at 2-Gb/s by monolithic silicon multiplexer. *Langmann, Ulrich, +, T-MTT Dec 84 1675-1677*

Pulse modulation

pulsed IMPATT oscillators; dynamic behavior simulation. *Mains, Richard K., +, T-MTT Feb 84 208-212*

Pulse modulation; cf. Pulse-code modulation

Q

Q measurement

Q-factor measurement with network analyzer. *Kajfez, Darko, +, T-MTT Jul 84 666-670*

R

Radar

advances in 1983. *Horton, J. B., T-MTT Oct 84 1377-1378*

history. *Barton, David K., T-MTT Sep 84 1161-1170*

Radar distance measurement

radar-echo location of conducting spheres in waveguide. *Somlo, P. I., T-MTT Jan 84 120-122*

Radar position measurement; cf. Radar distance measurement

Radar transmitters

history of invention of klystron by Russell and Sigurd Varian and application to radar. *Varian, Dorothy, T-MTT Sep 84 1248-1263*

Radiation detectors; cf. Photodetectors

Radiation effects; cf. Biomedical radiation effects

Radio astronomy

history. *Mezger, Peter G., T-MTT Sep 84 1224-1229*

Radio communication; cf. Microwave radio communication

Radio propagation; cf. MF radio propagation; Underground electromagnetic propagation

Radio tomography; cf. Tomography, electromagnetic

Radio transmitters; cf. Microwave transmitters

Radiometry; cf. Microwave radiometry; UHF radiometry

Rayleigh - Ritz methods

eccentric annular cross-section waveguides and lunar waveguides; cutoff frequencies calculation using intermediate problems method. *Kuttler, James R., T-MTT Apr 84 348-354*

+ Check author entry for coauthors

Read diodes

effect of doping profile variation on GaAs hybrid and double-read IMPATT diode performance at 60 and 94 GHz. *El-Gabaly, Moustafa A., +, T-MTT Oct 84 1342-1352*

Reflection

reflection charts relating to impedance matching; Smith chart and logarithmic reflection chart; history. *Wheeler, Harold A., T-MTT Sep 84 1008-1021*

Reflection coefficient measurement; cf. Scattering parameters measurement

Relativistic effects; cf. Gyrotrons

Resonator filters

E-plane integrated circuit filters with improved stopband attenuation for K_a -band. *Arndt, Fritz, +, T-MTT Oct 84 1391-1394*

Resonator filters; cf. Cavity-resonator filters; Dielectric-resonator filters

Resonators

correction to 'Loop-gas resonator: A lumped mode microwave resonant structure' (Dec 83 1059-1064). *Mehdizadeh, M., +, T-MTT Feb 84 219*

resonator containing dielectric sample; one-root intervals of dispersion relation. *Billik, Vladimir, T-MTT Feb 84 197-198*

Resonators; cf. Accelerator cavities; Acoustic bulk-wave resonators; Cavity resonators; Dielectric resonators; Microstrip resonators; Optical resonators; UHF resonators

Respiratory system

lung-water content variation measurement using 1-GHz radiometry. *Iskander, Magdy F., +, T-MTT May 84 554-556*

Ridge waveguides

slotted dielectric-loaded ridge waveguide; calculation of propagation constant, characteristic impedance, and field distribution. *Villeneuve, Alfred T., T-MTT Oct 84 1302-1310*

Ring arrays; cf. Circular arrays

S

Safety; cf. Protection/safety

Satellite applications; cf. Solar power satellites

Scaling circuits; cf. Counting circuits

Scattering; cf. Bragg scattering; Reflection

Scattering parameters

reflection coefficient of nonlinear device defined using describing function concept. *Obregon, J., +, T-MTT Apr 84 452-455*

Scattering parameters measurement

displaced junction in rectangular guide; equivalent circuit parameters; use as adjustable reference reflection. *Hunter, John D., T-MTT Apr 84 387-394*

dual six-port automatic network analyzer. *Chung, Nak Sam, +, T-MTT Dec 84 1683-1686*

dual six-port network analyzer using diode detectors. *Juroshek, John R., +, T-MTT Jan 84 78-82*

frequency-halving circuits; pumped input and output impedances measurement using two-frequency synthetic loading technique. *Harrison, Robert G., +, T-MTT Dec 84 1591-1597*

history of microwave instrumentation. *Adam, Stephen F., T-MTT Sep 84 1157-1161*

millimeter-wave scalar network analyzer; scattering analysis. *Knorr, Jeffery B., T-MTT Feb 84 183-190*

six-port swept-frequency automatic network analysis using computer displays of amplitude and phase charts. *Kaliouby, Leopoldine, +, T-MTT Dec 84 1678-1682*

Schottky-barrier diode mixers

cryogenic Schottky diode mixer receiver having average noise temperature of 75 K over 80 - 115-GHz band. *Predmore, C. Read, +, T-MTT May 84 498-507*

140 - 220-GHz mixer performance measured and theoretical. *Siegel, Peter H., +, T-MTT Dec 84 1579-1590*

Schottky-barrier diodes

electronically tunable n-GaAs distributed oscillator. *Aishima, Asuo, +, T-MTT Feb 84 157-167*

Semiconductor device doping

effect of doping profile on GaAs double-drift IMPATT diodes at 33 and 44 GHz; simulation using energy-momentum transport model. *El-Gabaly, Moustafa A., +, T-MTT Oct 84 1353-1361*

effect of doping profile variation on GaAs hybrid and double-read IMPATT diode performance at 60 and 94 GHz. *El-Gabaly, Moustafa A., +, T-MTT Oct 84 1342-1352*

Semiconductor device fabrication; cf. Semiconductor device doping; Semiconductor device packaging

Semiconductor device measurements

characterization of GaAs FETs in terms of noise, gain, and scattering parameters through noise parameter test set. *Calandra, Enrico F., +, T-MTT Mar 84 231-237*

Semiconductor device noise

cryogenic Schottky diode mixer receiver having average noise temperature of 75 K over 80 - 115-GHz band. *Predmore, C. Read, +, T-MTT May 84 498-507*

† Check author entry for subsequent corrections/comments

Semiconductor device packaging

microwave point contact diode responsivity improvement through surface effects in vacuum. *Kopeika, N. S.*, + , *T-MTT Oct 84* 1384-1387

Semiconductor device thermal factors

GaAs MESFET with new via-hole plated heat sink structure; 1-W output at 20 GHz. *Hirachi, Yasutake*, + , *T-MTT Mar 84* 309-316

Semiconductor device thermal factors; cf. Integrated-circuit thermal factors
Semiconductor diode switches; cf. Diode phase shifters; Power semiconductor diode switches

Semiconductor diodes; cf. p-i-n diodes; Point-contact diodes; Varactors

Semiconductor logic circuits; cf. Current-mode logic

Semiconductor materials measurements

photo-induced complex permittivity of Si, Ge, and Te at 9 GHz. *Ding, Li*, + , *T-MTT Feb 84* 151-157

Semiconductor noise; cf. Semiconductor device noise

Semiconductor plasma devices

microwave sources; developments in 1960s and 1970s; author's experience. *Kuno, H. J.*, *T-MTT Sep 84* 1083-1087

Semiconductor switches; cf. p-i-n diodes; Power semiconductor diode switches

Sensitivity analysis/optimization

sensitivity of dipole probes; limitations due to size reduction. *Smith, Glenn S.*, *T-MTT Jun 84* 594-600

Sensitivity analysis/optimization; cf. Tolerance analysis/assignment

Silicon materials/devices; cf. Specific topic

Slot antennas

interaction of near-zone fields of slot on conducting sphere with spherical model of man; simulation of leaking microwave oven. *Zhu, Shi-Guo*, + , *T-MTT Aug 84* 784-795

Slotline

arbitrarily shaped planar microwave structures; hybrid-mode analysis using method of lines. *Worm, Stephen B.*, + , *T-MTT Feb 84* 191-196

broadside-coupled slotline; odd- and even-mode field components. *Simons, Rainee Navin*, *T-MTT Jan 84* 116-120

Slow-wave structures

calculation of TM_{0n} dispersion relations in corrugated cylindrical waveguide. *Bromborsky, Alan*, + , *T-MTT Jun 84* 600-605

MIS coplanar waveguide characteristics analysis using full-wave mode-matching technique. *Sorrentino, Roberto*, + , *T-MTT Apr 84* 410-416

optimal dispersion slow-wave structure consisting of dielectric-supported helix in metal shell with vanes; for TWT broadbanding. *Basu, B. N.*, + , *T-MTT Apr 84* 461-463

Social economics; cf. Technology social factors

Solar power satellites

history of microwave power transmission. *Brown, William C.*, *T-MTT Sep 84* 1230-1242

Space-charge waves

amplification by interdigital excitation of space-charge waves in semiconductors. *Baudrand, Henri*, + , *T-MTT Nov 84* 1434-1441

Space-vehicle electronics

microwave point contact diode responsivity improvement through surface effects in vacuum. *Kopeika, N. S.*, + , *T-MTT Oct 84* 1384-1387

Special issues/sections

electromagnetic-wave interactions with biological systems. *T-MTT Aug 84* 729-896

historical perspectives of microwave technology (special centennial issue). *T-MTT Sep 84* 955

power and low-noise GaAs FET circuits and applications. *T-MTT Mar 84* 225-324

selected, expanded papers from IEEE 1984 Microwave Millimeter-Wave Monolithic Circuits Symposium; joint special section with *IEEE Transactions on Electron Devices*, Dec. 1984. *T-MTT Dec 84* 1686-1727

selected, expanded papers from 1984 IEEE MTT-S International Microwave Symposium. *T-MTT Dec 84* 1525-1686

Spectroscopy; cf. Fourier spectroscopy

Spheres

conducting sphere on broad wall of rectangular waveguide; reflection coefficient formula. *Cashman, John D.*, + , *T-MTT Jun 84* 582-586

interaction of near-zone fields of slot on conducting sphere with spherical model of man; simulation of leaking microwave oven. *Zhu, Shi-Guo*, + , *T-MTT Aug 84* 784-795

lossy spheres and cylinders for simulating biological objects exposed to EM radiation; measurements compared with theory. *Wong, Gary H.*, + , *T-MTT Aug 84* 824-828

radar-echo location of conducting spheres in waveguide. *Somlo, P. I.*, *T-MTT Jan 84* 120-122

Stability

GaAs FET amplifiers in 2 - 18 GHz range. *Maclean, Douglas J. H.*, *T-MTT Mar 84* 237-242

Stability; cf. Oscillator stability

Strain transducers

correction to 'Comments on the dynamical behavior of a single-mode optical fiber strain gate' (Apr 83 364-366). *Laura, Patricio A.*, + , *T-MTT Mar 84* 324

Stratified media; cf. Nonhomogeneous media

Strip conductors

loss calculations for strip conductors using perturbation method; avoiding edge current divergence. *Lewin, Leonard*, *T-MTT Jul 84* 717-719

Strip transmission lines

analysis of hybrid field problems by method of lines with nonequidistant discretization. *Diestel, Heinrich*, + , *T-MTT Jun 84* 633-638

coupled elliptic arc strips; even- and odd-mode impedances. *Das, B. N.*, + , *T-MTT Nov 84* 1475-1479

coupling coefficient for offset parallel and coplanar strips arbitrarily located between two ground planes. *Das, B. N.*, + , *T-MTT Nov 84* 1427-1433

field theory; advances in 1983. *Itoh, Tatsuo*, + , *T-MTT Oct 84* 1374-1377

finite-length strip conductor embedded in multilayer isotropic dielectric without sidewalls; lumped capacitance, open-circuit end effects, edge capacitance. *Bhat, Bharathi*, + , *T-MTT Apr 84* 433-439

generalized planar guiding structures; space-domain decoupling of LSE and LSM fields. *Omar, Abbas Sayed*, + , *T-MTT Dec 84* 1626-1632

microwave integrated circuits; history. *Howe, Harlan, Jr.*, *T-MTT Sep 84* 991-996

microwave printed circuits; history. *Barrett, Robert M.*, *T-MTT Sep 84* 983-990

multiconductor transmission lines in multilayered dielectric media; capacitance matrix and inductance matrix computation. *Wei, Cao*, + , *T-MTT Apr 84* 439-450

multiwire circuit board with single wire; characteristic impedance and phase velocity calculation. *Shibata, Hisashi*, + , *T-MTT Apr 84* 360-364

planar structure with conductor lines in complex anisotropic layered media; Fourier transformed matrix method for finding propagation characteristics. *Krowne, Clifford M.*, *T-MTT Dec 84* 1617-1625

Strip transmission lines; cf. Finline ...; Microstrip ...; Stripline ...

Stripline

asymmetrical coupled transmission lines; characteristics. *Sedair, S. S.*, *T-MTT Jan 84* 108-110

high-order mode cutoff in rectangular striplines. *Weil, Clause M.*, + , *T-MTT Jun 84* 638-641

stripline and finline loaded with periodic stubs; dispersion characteristics of passband and stopband. *Kitazawa, Toshihide*, + , *T-MTT Jul 84* 684-688

transient analysis of stripline having corner in three-dimensional space. *Yoshida, Norinobu*, + , *T-MTT May 84* 491-498

twisted stripline; hybrid-mode fields. *Yabe, Hatsuo*, + , *T-MTT Jan 84* 65-71

Stripline; cf. Coplanar transmission lines

Stripline circuits

matched symmetrical six-port junction properties; application to stripline power divider. *Riblet, Gordon P.*, + , *T-MTT Feb 84* 164-171

Stripline couplers

branch-line hybrids consisting of coupled lines with coupled or uncoupled connecting branches; analysis and design. *Tripathi, Vijai K.*, + , *T-MTT Apr 84* 427-432

interdigitated three-strip couplers; design procedure. *Perlow, S. M.*, + , *T-MTT Oct 84* 1418-1422

Stripline filters

200 - 290-GHz frequency tripler using low-pass filter implemented in suspended substrate stripline structure. *Archer, John W.*, *T-MTT Apr 84* 416-420

Submillimeter-wave (300 - 3000 GHz); cf. Millimeter-wave (30 - 300 GHz)

Submillimeter-wave antennas

dual-mode horn for submillimeter wavelengths. *Pickett, Herbert M.*, + , *T-MTT Aug 84* 936-937

semiconductor antennas for millimeter and submillimeter wavelengths; monolithic IC implementation. *Jain, F. C.*, + , *T-MTT Feb 84* 204-208

Submillimeter-wave devices

history of millimeter and submillimeter waves. *Wiltse, James C.*, *T-MTT Sep 84* 1118-1127

Submillimeter-wave filters

quasi-optical frequency multiplier for millimeter and submillimeter wavelengths. *Archer, John W.*, *T-MTT Apr 84* 421-427

Submillimeter-wave frequency conversion

quasi-optical frequency multiplier for millimeter and submillimeter wavelengths. *Archer, John W.*, *T-MTT Apr 84* 421-427

Submillimeter-wave measurements

dielectric measurements in 60 - 600-GHz range. *Afsar, Mohammed Nurul*, *T-MTT Dec 84* 1598-1609

Subscriber networks

26-GHz high-performance MIC transmitter – receiver for digital radio subscriber systems. *Ogawa, Hiroyo, +*, *T-MTT Dec 84* 1551–1556

Synthetic-aperture imaging

measuring temperatures inside human body using UHF radiometry and aperture synthesis. *Haslam, Nicola C., +*, *T-MTT Aug 84* 829–835

T**Technology social factors**

industrial competitiveness among nations; competing in high-technology markets (symposium keynote address). *Young, John A., T-MTT Dec 84* 1541–1544

Temperature measurement; cf. Radiometry

Thermal factors; cf. Integrated-circuit thermal factors; Semiconductor device thermal factors

Thermoelasticity

microwave-induced thermoacoustic effect in dielectrics and its coupling to external medium; thermodynamical formulation. *Guo, Theodore C., +*, *T-MTT Aug 84* 835–843

microwave-induced thermoelastic tissue imaging system. *Lin, James C., +*, *T-MTT Aug 84* 854–860

Thin-film waveguides; cf. Optical planar waveguides**Time-division multiplexing**

injection laser modulation at 2-Gb/s by monolithic silicon multiplexer. *Langmann, Ulrich, +*, *T-MTT Dec 84* 1675–1677

Tolerance analysis/assignment

tolerance analysis of shielded microstrip lines with variable shield height. *Bedair, S. S., +*, *T-MTT May 84* 544–547

Tolerance analysis/assignment; cf. Antenna tolerance analysis**Tomography, electromagnetic**

comments on 'Microwave diffraction tomography for biomedical applications' by J. H. Bolomey, et al.. *Guo, Theodore C., +*, *T-MTT Apr 84* 473–474 (Original paper, Nov 82 1998–2000)

diffraction tomography for cross-sectional imaging of biological systems; domains of applicability of the Born and Rytov approximations. *Slaney, Malcolm, +*, *T-MTT Aug 84* 860–874

Transforms; cf. Discrete Fourier transforms; Fourier transforms**Transient analysis; cf. Electromagnetic transient analysis****Transient propagation; cf. Electromagnetic transient propagation****Transistors; cf. Microwave FETs****Transitions; cf. Waveguide transitions****Transmission coefficient measurement; cf. Scattering parameters measurement****Transmission-line discontinuities; cf. Finline discontinuities; Waveguide discontinuities****Transmission lines**

coaxial transmission lines, related two-conductor transmission lines, connectors and components; US historical perspective. *Bryant, John H., T-MTT Sep 84* 970–983, †

Transmission lines; cf. Coplanar transmission lines; Coupled transmission lines; Distributed-parameter circuits; Multiconductor transmission lines; Parallel-plate waveguides; Strip transmission lines**Traveling-wave amplifiers**

amplification by interdigital excitation of space-charge waves in semiconductors. *Baudrand, Henri, +*, *T-MTT Nov 84* 1434–1441

capacitively coupled traveling-wave amplifier with improved power-handling capability. *Ayasli, Yalçin, +*, *T-MTT Dec 84* 1704–1709

GaAs traveling-wave amplifiers with flat response in 2–20-GHz range; microstrip lines loaded periodically by GaAs FETs. *Ayasli, Yalçin, +*, *T-MTT Jan 84* 71–77

Traveling-wave amplifiers; cf. Distributed amplifiers; Traveling-wave tubes**Traveling-wave tubes**

optimal dispersion slow-wave structure consisting of dielectric-supported helix in metal shell with vanes; for TWT broadbanding. *Basu, B. N., +*, *T-MTT Apr 84* 461–463

Tumors

capacitor-plate electrodes energized by HF voltage for hyperthermia cancer therapy; theoretical analysis. *Hessary, Manochehr Kamyab, +*, *T-MTT Jun 84* 569–576

focused electromagnetic heating of muscle tissue. *Raskmark, Povl, +*, *T-MTT Aug 84* 887–888

history of biological effects and medical applications of microwave energy. *Guy, Arthur W., T-MTT Sep 84* 1182–1200

hyperthermia and inhomogeneous tissue effects using annular phased array. *Turner, Paul F., T-MTT Aug 84* 874–882

measuring temperatures inside human body using UHF radiometry and aperture synthesis. *Haslam, Nicola C., +*, *T-MTT Aug 84* 829–835

microwave hyperthermic distributions in layered living body with nonlinear thermoregulatory properties. *Caorsi, S., T-MTT Oct 84* 1406–1411

phased-dipole applicators for torso heating in electromagnetic hyperthermia. *Gu, Yong-Gang, +*, *T-MTT Jun 84* 645–647

Tunable filters

plasma-dielectric sandwich structure used as tunable bandpass microwave filter. *Tai, Gwo-Chung, +*, *T-MTT Jan 84* 111–113

Tunnels; cf. Underground electromagnetic propagation**TWT; cf. Traveling-wave tubes****U****UHF (300–3000 MHz); cf. Microwave (3–30 GHz)****UHF FET amplifiers**

GaAs monolithic low-power amplifiers with RC parallel feedback for UHF band. *Tajima, Jun, +*, *T-MTT May 84* 542–544

UHF phase shifters; cf. Phase shifters**UHF radiation effects; cf. Electromagnetic radiation effects****UHF radiometry**

lung-water content variation measurement using 1-GHz radiometry.

Iskander, Magdy F., +, *T-MTT May 84* 554–556

measuring temperatures inside human body using UHF radiometry and aperture synthesis. *Haslam, Nicola C., +*, *T-MTT Aug 84* 829–835

UHF resonators

correction to 'Loop-gas resonator: A lumped mode microwave resonant structure' (Dec 83 1059–1064). *Mehdizadeh, M., +*, *T-MTT Feb 84* 219

Underground electromagnetic propagation

microwave modeling of rectangular tunnels. *Jacard, Benjamin, +*, *T-MTT Jun 84* 576–581

V**Varactors**

frequency-halving circuits; pumped input and output impedances measurement using two-frequency synthetic loading technique. *Harrison, Robert G., +*, *T-MTT Dec 84* 1591–1597

Variational methods

eccentric annular cross-section waveguides and lunar waveguides; cutoff frequencies calculation using intermediate problems method.

Kuttler, James R., T-MTT Apr 84 348–354

further comments, with reply, on 'Variational methods for nonstandard eigenvalue problems' by I. V. Lindell. *Gabriel, G. J., T-MTT Apr 84* 474–476

Vegetation

giant algal cells exposed to CW and pulse-modulated X-band bursts; no significant short-term effects observed. *Gokhale, Ashok V., +*, *T-MTT Aug 84* 795–797

Very high-speed integrated circuits

analysis of crosstalk in very-high-speed LSI/VLSI using multiconductor MIS microstrip line model. *Seki, Shouhei, +*, *T-MTT Dec 84* 1721–1727

analysis of interconnection delay on very-high-speed LSI/VLSI chips using MIS microstrip line model. *Hasegawa, Hideki, +*, *T-MTT Dec 84* 1715–1720

VHF oscillators

fundamental-mode Pierce oscillators utilizing bulk-acoustic-wave resonators in 250–300 MHz range. *Burns, Stanley G., +*, *T-MTT Dec 84* 1668–1671

VHF resonators; cf. Acoustic bulk-wave resonators**VHSIC; cf. Very high-speed integrated circuits****VLF measurements**

human body impedance for electromagnetic hazard analysis in VLF to MF band. *Kanai, Hiroshi, +*, *T-MTT Aug 84* 763–772

Volterra series

cell membrane nonlinear response to applied electromagnetic field. *Franceschetti, Giorgio, +*, *T-MTT Jul 84* 653–658

Volume waves; cf. Magnetostatic volume waves**W****Waveguide bends**

anisotropic planar optical waveguides with bent optical axes; propagation analysis. *Geshiro, Masahiro, +*, *T-MTT Apr 84* 339–347

circular hollow guides with uniform bend; propagation and attenuation constants. *Miyagi, Mitsunobi, +*, *T-MTT May 84* 513–521

dielectric waveguide corner and power divider using metallic reflector. *Ogusu, Kazuhiko, T-MTT Jan 84* 113–116

hyperbolic secant coupling in overmoded waveguide. *Doane, J. L., T-MTT Oct 84* 1362–1371

twisted rectangular waveguide dispersion characteristics. *Yabe, Hatsuho, +*, *T-MTT Jan 84* 91–96

- twisted rectangular waveguide; hybrid-mode fields. *Yabe, Hatsuo*, + , *T-MTT Jan 84* 65–71
- Waveguide components; cf. Specific topic**
- Waveguide discontinuities**
- boundary-element method for 2-D EM field problems; combination of boundary integral equation method and discretization method. *Kagami, Shin*, + , *T-MTT Apr 84* 455–461
 - circular irises in coupled-resonator waveguide filters; design formulas, extension of Levy's large aperture formulas. *Jennings, A.*, + , *T-MTT Nov 84* 1489–1493
 - conducting sphere on broad wall of rectangular waveguide; reflection coefficient formula. *Cashman, John D.*, + , *T-MTT Jun 84* 582–586
 - correction to 'Scattering of guided modes caused by an arbitrarily shaped broken end in a dielectric slab waveguide' (Nov 83 923–930). *Nagayoshi, Morita*, *T-MTT Feb 84* 219
 - finite-element solutions; reducing spurious solutions using penalty function method. *Azizur, Rahman, B. M.*, + , *T-MTT Aug 84* 922–928
 - induced current of post in rectangular waveguide calculated using moment method. *Leviatan, Yehuda*, + , *T-MTT Oct 84* 1411–1415
 - inductive posts and diaphragms of arbitrary shape and number in rectangular waveguide; calculating effect on dominant mode using moment method. *Auda, Hesham*, + , *T-MTT Jun 84* 606–613
 - modes of rectangular or circular waveguides strongly perturbed by conducting objects; numerical method based on integral equation. *Conciauro, Giuseppe*, + , *T-MTT Nov 84* 1495–1504
 - multiple-post inductive obstacles in rectangular waveguide; moment method solution. *Li, Ping Guan*, + , *T-MTT Apr 84* 365–373
 - radar-echo location of conducting spheres in waveguide. *Somlo, P. I.*, *T-MTT Jan 84* 120–122
 - transverse discontinuities in symmetrical three-layer waveguides; surface-wave scattering analysis using Wiener – Hopf theory. *Uchida, Kazunori*, + , *T-MTT Jan 84* 11–19
 - two inductive strips and one capacitance strip in transverse plane of rectangular guide; impedance calculation. *Chang, Kai*, *T-MTT Jan 84* 126–130
 - two short conducting posts in wide wall of rectangular guide; electric field distribution. *Lopuch, Stanislaw L.*, + , *T-MTT Jan 84* 29–33
 - W-band low-insertion-loss E-plane filter; design data for waveguide filter with metal inserts. *Vahldieck, Rüdiger*, + , *T-MTT Jan 84* 133–135
- Waveguide discontinuities; cf. Loaded waveguides; Transmission-line discontinuities; Waveguide bends; Waveguide junctions; Waveguide transitions**
- Waveguide filters**
- broadband millimeter-wave E-plane bandpass filters; computer-aided design. *Bui, L. Q.*, + , *T-MTT Dec 84* 1655–1658
 - correction to 'New narrow-band dual-mode bandstop waveguide filters' (Dec 83 1045–1050). *Qian, Jing-Ren*, + , *T-MTT Mar 84* 324
 - design of waveguide E-plane filters with all-metal inserts. *Shih, Yi-Chi*, *T-MTT Jul 84* 695–704
 - E-plane integrated circuit filters with improved stopband attenuation for K_a -band. *Arndt, Fritz*, + , *T-MTT Oct 84* 1391–1394
 - evanescent-mode waveguide bandpass filter at Q band. *Akers, N. P.*, + , *T-MTT Nov 84* 1487–1489
 - nonradiative dielectric waveguide filters for millimeter wavelengths; design technique. *Yoneyama, Tsukasa*, + , *T-MTT Dec 84* 1659–1662
 - W-band low-insertion-loss E-plane filter; design data for waveguide filter with metal inserts. *Vahldieck, Rüdiger*, + , *T-MTT Jan 84* 133–135
- Waveguide filters; cf. Cavity-resonator filters; Microwave filters**
- Waveguide junctions**
- displaced junction in rectangular guide; equivalent circuit parameters; use as adjustable reference reflection. *Hunter, John D.*, *T-MTT Apr 84* 387–394
 - dual six-port network analyzer using diode detectors. *Juroshek, John R.*, + , *T-MTT Jan 84* 78–82
 - matched symmetrical six-port junction properties; application to stripline power divider. *Riblet, Gordon P.*, + , *T-MTT Feb 84* 164–171
 - mismatched symmetrical five-port circuit properties; broadband design of symmetrical five-port microstrip circuit. *Kim, Dong Il*, + , *T-MTT Jan 84* 51–57
 - scattering at junction of two waveguides with different surface impedances. *Dragone, Corrado*, *T-MTT Oct 84* 1319–1328
 - W-band dielectric guide Y-branch interferometer; experimental study. *Axelrod, Alexander*, + , *T-MTT Jan 84* 46–50
 - waveguide – coaxial-line junction; admittance calculation. *Bialkowski, Marek E.*, + , *T-MTT Apr 84* 465–467
- Waveguide junctions; cf. Waveguide transitions**
- Waveguide obstacles; cf. Waveguide discontinuities**
- Waveguide transitions**
- computer-optimized multisection transformers between rectangular waveguides of adjacent frequency bands. *Arndt, Fritz*, + , *T-MTT Nov 84* 1479–1484
 - hyperbolic secant coupling in overmoded waveguide. *Doane, J. L.*, *T-MTT Oct 84* 1362–1371
 - quarter-wave matching of waveguide-to-finline transitions. *Verver, Cornelius J.*, + , *T-MTT Dec 84* 1645–1648
- Waveguides**
- eccentric annular cross-section waveguides and lunar waveguides; cutoff frequencies calculation using intermediate problems method. *Kuttler, James R.*, *T-MTT Apr 84* 348–354
 - finite-element solutions; reducing spurious solutions using penalty function method. *Azizur, Rahman, B. M.*, + , *T-MTT Aug 84* 922–928
 - history of hollow tube waveguides. *Packard, Karle S.*, *T-MTT Sep 84* 961–969
 - history of microwave field theory and its network formulation. *Oliner, A. A.*, *T-MTT Sep 84* 1022–1045
 - history of waveguides, from hollow tubes to optical fibers; conversation between Harold Barlow and Alec Cullen. *Cullen, Alec*, *T-MTT Sep 84* 1243–1248
 - microwave modeling of rectangular tunnels. *Jacard, Benjamin*, + , *T-MTT Jun 84* 576–581
- Waveguides; cf. Circular waveguides; Coaxial waveguides; Corrugated waveguides; Dielectric-loaded waveguides; Dielectric waveguides; Ferrite waveguides; Helical waveguides; Loaded waveguides; Millimeter-wave waveguides; Multimode waveguides; Optical waveguides; Parallel-plate waveguides; Ridge waveguides**
- Wiener – Hopf theory**
- transverse discontinuities in symmetrical three-layer waveguides; surface-wave scattering analysis using Wiener – Hopf theory. *Uchida, Kazunori*, + , *T-MTT Jan 84* 11–19
- Wiring; cf. Integrated-circuit interconnections; Printed circuits**

Y

YIG materials/devices

- magnetostatic forward volume wave propagation for YIG layer of finite width; radiation reactance and insertion loss calculation. *Weinberg, I. J.*, + , *T-MTT Apr 84* 463–464

YIG-tuned oscillators

- comparisons of sphere and planar resonators. *Carter, Ronald L.*, + , *T-MTT Dec 84* 1671–1674