

Editor-in-Chief

Tatsuo Itoh
Dept. of Electrical Engineering
University of California, Los Angeles
66-147A Engineering IV
405 Hilgard Avenue
Los Angeles, CA 90024-1594
Tel: (213) 206-4820
FAX: (213) 206-4819

Editorial Board Members

S. F. Adam
N. G. Alexopoulos
F. Ali
E. Belohoubek
N. R. Dietrich
H. R. Fetterman
M. A. Frerking
J. Goel

P. R. Herczfeld
J. B. Horton
A. R. Kerr
H. Ling
D. Masse
B. R. McAvoy
J. W. Mink

J. M. Owens
A. Rosen
H. Schumacher
Y.-C. Shih
R. V. Snyder
R. G. Swartz
J. J. Whelehan
A. E. Williams

INFORMATION FOR AUTHORS

IEEE-MICROWAVE AND GUIDED WAVE LETTERS is published monthly with the purpose of providing fast publication of original and significant contributions relevant to all aspects of microwave/millimeter-wave technology, with emphasis on devices, components, circuits, guided wave structures, systems and applications covering the frequency spectrum from microwave and beyond, including submillimeter-waves and infrared. Publication time will be two months from the end of the month in which it was received provided the author responds immediately to all communications. Galley proofs will be sent, but in the interest of fast publication, there may not be time to wait for their return. Errata will be published in the next issue if sent promptly. Lengths of the letters are expected to be no longer than two printed pages.

Manuscripts: An original and three copies of the manuscript must be submitted, each complete with all illustrations, to the Editor (see inside back cover). The manuscript must include an abstract limited to about 100 words. The abstract should cover four points: statement of problem, assumptions and methods of solution, results, and conclusion or discussion of the importance of the results. The two printed page limit permits about 1800 words of text in addition to the title, abstract, and references. The amount of text will be reduced by allowance for equations, tables, and figures. An average one-column figure with its caption will displace about 200 words of text. In some cases lengths of between two and two and one-half pages may be justified. A submission containing the equivalent of more than two and one-half pages will be returned for shortening immediately and not be given an official received date. The manuscript should be double spaced on only one side of each 22×28 cm ($8\frac{1}{2} \times 11$ in) sheet. Good office machine copies are acceptable. Computer notation, such as Fortran notation for formulas, powers of ten, etc. (e.g., x^{**2} , 1.E-10), is not acceptable and will result in automatic rejection of the manuscript. The style for references, abbreviations, etc., should follow the standard IEEE format. A pamphlet, "Information for IEEE Authors," is available on request from the IEEE Publications Department, 345 East 47th St., New York, NY 10017. Prospective authors are urged to read this and follow its recommendations on the organization of their paper.

It is the intention of the Editors that the contents of this journal shall be intelligible and interesting to nonspecialists as well as to experts in the field of the particular contribution. Accordingly, authors are earnestly requested to submit their work to the scrutiny of a colleague who is not familiar with the details of the work beforehand. Criticisms may well indicate areas in which other readers will have difficulty in understanding the author's intentions.

References should be started on a separate sheet of paper, and must be double-spaced. **Figure Captions** should be started on a separate sheet of paper, and must be double-spaced. Do not include captions on the illustrations themselves, since captions are set in type separately. Figure captions should be sufficiently clear so that figures can be understood without detailed reference to the accompanying text. Axes of graphs should have self-explanatory labels, not just symbols (e.g., Electric Field rather than E).

Illustrations: Original illustrations should be submitted along with three sets of copies for the reviewers. The originals will be returned. All line drawings (graphs, charts, diagrams, etc.) should be prepared on white drafting cloth or white drawing paper in black India ink. Charts should show only the axes and perhaps major co-

ordinate lines. Photostatic copies of drawings are acceptable only when they are exceptionally clear and have high contrast.

Lettering should be large enough to be readily legible when the drawing is reduced to two- or one-column width—as much as 4:1 reduction from the original. In the original size, this lettering may appear too large, but the reader will benefit. Lettering on figures is preferably done by template.

Authors are warned specifically about difficulties with figures prepared using simple dot matrix printers. In particular, they are warned that the use of computer notation as Fortran notation for powers of ten (e.g., 1E-10) or for labels on axes (e.g., [Hertz]**1/2) is not acceptable. In addition, figures produced by dot matrix printers are susceptible to line widths that are too small, labeling that is too small for reproduction, and pips on scales that are too small for reproduction.

Photographs should be used sparingly. A good line drawing for apparatus is usually more informative than a photograph. Photographs of oscilloscope traces should be of high contrast, without spurious marks due to halation or unblanked traces. All photographs must be glossy prints.

All materials, including drawings and photographs, should be no larger than 22×28 cm ($8\frac{1}{2} \times 11$ in).

Page Numbers: Number all pages, including illustrations (which should be grouped at the end), in a single series, with no omitted numbers. This helps avoid losses. Figures should be identified with the figure number and author's name on the back; use a soft pencil when identifying photographs, and preferably keep the information in the back of the margin of the print, off the body.

Please submit manuscripts directly to the editor. Submission of a manuscript amounts to assurance that it has received proper clearance from the author's company or institution, that it has not been copyrighted, published, or accepted for publication elsewhere, that it is not currently being considered for publication elsewhere, and that it will not be submitted elsewhere while under consideration by the LETTERS, unless the author states otherwise. All materials not accepted will be returned.

Voluntary Page Charges: After a manuscript has been accepted for publication, the author's company or institution will be requested to pay a voluntary charge of \$110 per printed page to cover part of the cost of publication. Page charges for this LETTERS, like those for journals of other professional societies, are not obligatory; nor is their payment a prerequisite for publication. The author will receive 100 free reprints without covers if the charge is honored. Detailed instructions will accompany the request.

Copyright: It is the policy of the IEEE to own the copyright to the technical contribution it publishes on behalf of the interests of the IEEE, its authors, and their employers, and to facilitate the appropriate reuse of this material by others. To comply with the U.S. Copyright Law, authors are required to sign an IEEE copyright transfer form before publication. This form returns to authors and their employers full rights to reuse their material for their own purposes. Authors must submit a signed copy of this form with their manuscript.

Author Check List: Please complete and send to the Editor at the same time of the first and subsequent submissions. You may use a photo copy of the check list.