

Table of Contents

Technical Program

MONDAY, JUNE 1, 1992

Ballroom A

SESSION I: OPENING SESSION

Chairman: Ho Huang, COMSAT Laboratories

Co-Chairman: Roger Sudbury, MIT Lincoln Labs.

8:00	“Welcome and General Remarks” MMWMC General Chairman—A. Chu MMT-MMWMC TPC Chairman—R. Sudbury MMWMC TPC Chairman—H. Huang	
8:30	MMIC Consumer Application and Production , B. F. Cambou, <i>Motorola, Inc., Tempe, AZ</i>	1
9:00	Technical Transfer of High-Frequency Devices for Consumer Electronics: Concerns and Expectations , S. Watanabe, <i>Sony Corporation, Yokohama, Japan</i>	5

MONDAY, JUNE 1, 1992

Ballroom A

SESSION II: LOW-NOISE AND LOW-POWER AMPLIFIERS

Chairman: E. Rezek, TRW

Co-Chairman: D. Hornbuckel, Hewlett-Packard

10:00	Monolithic L-Band Amplifiers Operating at Milliwatt and Sub-Milliwatt DC Power Consumptions , K. R. Cioffi, <i>Rockwell International Corporation, Anaheim, CA</i>	9
10:20	A Novel MMIC PHEMT Low Noise Amplifier for GPS Applications , H. Morkner, M. Frank and R. Kishimura, <i>Avantek, Santa Clara, CA</i>	13
10:40	Ultra-Flat Low-Power Process Insensitive Ku-Band HEMT Feedback MMIC , D. R. Helms and M. J. Fithian, <i>GE Electronics Laboratory, Syracuse, NY</i>	17
11:00	A 2.5 dB Low Noise 6 to 18 GHz HEMT MMIC Amplifier , J. Panelli, N. Chiang, W. Ou, R. Chan, C. Shih, Y. C. Pao and J. Archer, <i>Litton Solid State Division, Santa Clara, CA</i>	21
11:20	Broadband 0.25 Micron Ion-Implant MMIC Low Noise Amplifiers on GaAs , J. Sanctuary, C. E. Woodin* and J. Manning, <i>Lockheed Sanders, Nashua, NH</i> , *ATN Microwave Inc., Billerica, MA	25
11:40	Design and Characterization of High Performance 60 GHz Pseudomorphic MODFET LNAs in CPW-Technology Based on Accurate S-Parameter and Noise Models , M. Schlechtweg, W. Reinert, P. J. Tasker, R. Bosch, J. Braunstein, A. Hülsmann and K. Köhler, <i>Fraunhofer-Institut für Angewandte Festkörperphysik, Freiburg, Germany</i>	29

Ballroom A

MONDAY, JUNE 1, 1992
Ballroom A

SESSION III: MMIC POWER AMPLIFIERS

Chairman: E. D. Cohen, DARPA

Co-Chairman: I. J. Bahl, ITT

- | | | |
|-------------|--|----|
| 1:30 | A UHF Band 1.3W Monolithic Amplifier with Efficiency of 63%, T. Takagi, Y. Ikeda, K. Seino, G. Toyoshima, A. Inoue, N. Kasai and M. Takada, <i>Mitsubishi Electric Corporation, Kanagawa, Japan</i> | 35 |
| 1:50 | A New Power Amplifier Topology with Series Biasing and Power Combining of Transistors, M. Shifrin, Y. Ayasli and P. Katzin, <i>Hittite Microwave Corporation, Woburn, MA</i> | 39 |
| 2:10 | High Efficiency Broadband Power Amplifier MMIC, K. Johnson, A. Lum, S. Nelson, E. Reese and K. Salzman, <i>Raytheon/Texas Instruments, Dallas, TX</i> | 43 |
| 2:30 | 12W Monolithic X-Band HBT Power Amplifier, M. A. Khatibzadeh, B. Bayraktaroglu* and T. Kim, <i>Texas Instruments Inc., Dallas, TX, *North Carolina State University, Raleigh, NC</i> | 47 |
| 2:50 | High-Efficiency Broadband Monolithic Pseudomorphic HEMT Amplifiers at Ka-Band, H. Q. Tserng, P. Saunier and Y.-C. Kao, <i>Texas Instruments Inc., Dallas, TX</i> | 51 |

MONDAY, JUNE 1, 1992
Ballroom A

SESSION IV: MILLIMETER-WAVE MONOLITHIC INTEGRATED CIRCUITS

Chairman: H.-L. A. Hung, COMSAT, Labs.

Co-Chairman: M. Cohn, Westinghouse ESG

- | | | |
|-------------|--|----|
| 3:30 | Highly Producing Monolithic Q-Band MESFET VCO, S. Martin, S. Meyer, E. Reese and K. Salzman, <i>Texas Instruments Inc., Dallas, TX</i> | 57 |
| 3:50 | A 5.9-16.3 GHz Agile Tuning Source Using Wideband Millimeter Wave MMIC Circuits, G. Dietz, S. Moghe, H. Fudem, R. Haubenstricker and R. Becker, <i>Northrop Electronic Systems Division, Rolling Meadows, IL</i> | 61 |
| 4:10 | Monolithic Circuits for 60 GHz Communication Systems Using Pseudomorphic HEMT Process, P. Gamand, P. Suchet, M. Iost, M. Pertus, A. Collet, J. Bellaiche, P. A. Rolland* and N. Haeze,* <i>Laboratoires d'Electronique Philips/Philips Microwave Limeil, Cedex, France, *Université de Lille, Cedex, France</i> | 65 |
| 4:30 | A 94 GHz Monolithic Downconverter in a MESFET Technology, J.-M. Dieudonné, R. Rittmeyer, B. Adelseck and A. Colquhoun,* <i>Telefunken System Technik, Ulm, FRG, *Telefunken Electronic, Heibronn, FRG (now with Daimler Benz Research Center, Ulm, FRG)</i> | 69 |
| 4:50 | A Millimeter-Wave Monolithic Matrix Distributed Amplifier, K. M. Simon, S. L. G. Chu, R. Wolthert, M. J. Schindler and J. B. Cole, <i>Raytheon Company, Lexington, MA</i> | 73 |

MONDAY, JUNE 1, 1992

Ballroom B

SESSION V: NOVEL MMIC CIRCUITS AND TECHNIQUES

Chairman: R. Gold, Pacific Monolithics

Co-Chairman: W. C. Niehans, AT&T Bell Labs.

- 1:30 Multilayer MMIC Branch-Line Coupler and Broad-Side Coupler**, I. Toyoda, T. Hirota, T. Hiraoka and T. Tokumitsu, *NTT Radio Communication Systems Laboratories, Kanagawa, Japan* 79
- 1:50 A 1 to 18 GHz Out of Phase Combiner**, M. Jouanneau-Douard, H. Brouzes, S. Bionaz and D. Levy, *Thomson-CSF, Malakoff, France* 83
- 2:10 A GaAs IC Broadband Variable Ring Oscillator and Arbitrary Integer Divider**, A. Teetzel and R. Walker,* *Hewlett-Packard, Santa Rosa, CA*, **Hewlett-Packard, Palo Alto, CA* 87
- 2:30 Lifetesting GaAs MMICs Under RF Stimulus**, W. J. Roesch, T. Rubalcava and C. Hanson,* *TriQuint Semiconductor, Inc., Beaverton, OR*, **Motorola Government Electronics Group, Chandler, AZ* 91

MONDAY, JUNE 1, 1992

Ballroom B

SESSION VI: SUBSYSTEMS I

Chairman: S. B. Moghe, Northrop Inc.

Co-Chairman: V. Peterson, Hewlett-Packard

- 3:30 Extremely Low Power Transmitter/Receiver GaAs MMIC Circuits at L Band**, A. Platzker, J. B. Cole, S. Davis, M. Goldfarb, K. Tabatabaie-Alavi and J. Wendler, *Raytheon Company, Lexington, MA* 97
- 3:50 A Miniature Low Current GaAs MMIC Downconverter for Ku-Band Broadcast Satellite Applications**, K. Sakuno, T. Yoshimasu, N. Matsumoto, T. Tsukao, Y. Nakagawa, E. Suematsu and T. Tomita, *SHARP Corporation, Nara, Japan* 101
- 4:10 Millimeter-Wave Slot Ring Mixer Array Receiver Technology**, R. L. Gingras, C. Drubin, B. Cole,* W. Stacey,* R. Pavio, J. Wolverson,[†] K. S. Yngvesson,[‡] and A. Cardiamenos,[§] *Raytheon Company, Tewksbury, MA*, **Raytheon Company, Lexington, MA*, [†]*Air Force Armament Laboratories, Eglin Air Force Base, FL*, [‡]*University of Massachusetts, Amherst, MA*, [§]*ESSCO, Concord, MA* 105
- 4:30 A Monolithic Monopulse Comparator**, J. B. Cole, R. Pavio,* Y. Tajima, C. Drubin,* R. Gingras,* D. Masse and J. Wolverson[†], *Raytheon Co., Lexington, MA*, **Raytheon Co., Tewksbury, MA*, [†]*U.S. Air Force, Eglin, FL* 109
- 4:40 High Performance HEMT MMICs for Low Cost EHF SATCOM Terminals**, J. A. Lester, W. L. Jones, P. Huang, D. Garske and P. D. Chow, *TRW Electronic Systems Group, Redondo Beach, CA* 113

TUESDAY, JUNE 2, 1992

Kiva Auditorium

SESSION VII: SUBSYSTEMS II

(Joint with IMS)

Chairman: J. G. Oakes, Raytheon ADC

Co-Chairman: T. A. Midford, Hughes GaAs Operations

- 8:00** **Advanced MMIC T/R Module for 6 to 18 GHz Multifunction Arrays**, J. Bugeau, W. Coughlin III, M. Priolo and G. St. Onge, *Lockheed Sanders, Nashua, NH* 119
- 8:20** **An Enhanced GaAs Monolithic Transimpedance Amplifier for Low Noise and High Speed Optical Communications**, J. A. Casao, P. Dorta, J. L. Cáceres, M. Salazar-Palma and J. Pérez, *Universidad Politécnica de Madrid, Madrid, Spain* 123
- 8:40** **An Ultra Broadband GaAs MESFET Preamplifier IC for a 10Gb/s Optical Communication System**, M. Miyashita, K. Maemura, K. Yamamoto, T. Shimura, M. Nogami,* K. Motoshima,* T. Kitayama* and Y. Mitsui, *Mitsubishi Electric Corporation, Hyogo, Japan, *Kanagawa, Japan* 127
- 9:00** **GaAs Monolithic Image Rejection Down-Converter for Point-To-Multipoint Communication Systems**, G. L. Bonato and A. Bóveda, *Telettra España S.A., Madrid, Spain* 131

TUESDAY, JUNE 2, 1992

Kiva Auditorium

SESSION VIII: PHASE SHIFTER AND LOGARITHMIC AMPLIFIER CIRCUITS

(Joint with IMS)

Chairman: R. Gold, Pacific Monolithics

Co-Chairman: W. C. Niebaus, AT&T Bell Labs.

- 1:30** **A Single Chip X-Band Phase Shifter with 6 Bit Uncorrected Phase Resolution and More than 8 Bit Corrected Phase Resolution**, T. C. B. Tieman, A. P. de Hek, F. L. M. van den Bogaart and W. M. A. van Hoek,* *TNO Physics and Electronics Laboratory, Hague, The Netherlands, *Hollandse Signaalapparaten B.V., Hengelo, The Netherlands* 137
- 1:50** **A Novel Design for a MMIC 180 Degree Phase Shifter**, M. E. Goldfarb, *Raytheon Company, Lexington, MA* 141
- 2:10** **A GaAs MMIC For A 2-7 GHz Successive Detection Logarithmic Amplifier**, L. W. Chua, *Racal Research Ltd., Surrey, United Kingdom* 145
- 2:30** **A GaAs MMIC Based Successive Detection Logarithmic Amplifier**, D. J. Nelly and D. S. Parsons, *IBM, Owego, NY* 149

TUESDAY, JUNE 2, 1992

Kiva Auditorium

SESSION IX: FREQUENCY CONVERTERS AND MIXERS

(Joint with IMS)

Chairman: L. C. T. Liu, TRW ESG

Co-Chairman: V. Sokolov, Honeywell SRC

- 3:30 Ultra Small Sized Low Noise Block Downconverter Module**, T. Sekiguchi, N. Shiga, S. Nakajima, K. Otobe, N. Kuwata, K.-I. Matsuzaki and H. Hayashi, *Sumitomo Electric Industries, Ltd., Yokohama, Japan* 155
- 3:50 A Ku Band Converter IC**, T. Kaneko, T. Miya,* and S. Yoshida,* *NEC Corporation, Kanagawa, Japan, *NEC Corporation, Tokyo, Japan* 159
- 4:10 A Broadband Upconverter IC**, D. Neilson, B. Allen, M. Kintis, M. Hoppe and S. A. Maas,* *TRW, Redondo Beach, CA, *UCLA, Los Angeles, CA* 163
- 4:30 A Double Balanced 3-18 GHz Resistive HEMT Monolithic Mixer**, T. H. Chen, K. W. Chang, S. B. T. Bui, L. C. T. Liu and S. Pak, *TRW, Redondo Beach, CA* 167
- 4:50 A New Phase Noise Reduction Technique for MMIC Oscillators**, A. M. Darwish, A. K. Ezzeddine, H.-L. A. Hung and F. R. Phelleps, *COMSAT Laboratories, Clarksburg, MD* 171

WEDNESDAY, JUNE 3, 1992

Northwest Exhibit Hall

SESSION X: OPEN FORUM II—GAAS MONOLITHICS

(Joint with IMS)

Chairman: N. Camilleri, Motorola

Co-Chairman: J. A. Windyka, General Electric

2:30 p.m.—5:00 p.m.

- Circuit Techniques for Efficient Linearised GaAs MMIC's**, D. G. Haigh, *University College, London, England* 177
- Versatility and Manufacturability Considerations for a New 3-Watt X-Band Power MMIC**, D. Raicu, B. M. Kraemer, D. S. Day, J. R. Basset, J. Wei, C. Hua, Y. Chung and C. S. Chang, *AVANTEK Inc., Santa Clara, CA* 181
- Monolithic, lumped Element, Single Sideband Modulator**, The Mitre Corporation, Bedford, MA 185
- Novel Monolithic Ultra-Wideband Unilateral 4-Port Junction using Distributed Amplification Techniques**, I. D. Robertson and A. H. Aghvami, *University of London, London, England* 189
- GaAs ICs for 5 GHz Microwave Landing System Front-End**, J. L. De Gouy, P. H. Boutigny, P. Jean and A. Grancher, *Thomson-CSF-CNI, Boulogne-Billancourt, France* 193
- A Monolithic V-Band Upconverter Using 0.2 μm InGaAs/GaAs Pseudomorphic HEMT Technology**, H. Wang, B. Nelson, L. Shaw, R. Kasody, Y. Hwang, W. Jones, D. Brunone, M. Sholly, J. Maguire and T. Best, *TRW, Redondo Beach, CA* 197
- 23-40 GHz InP HEMT MMIC Distributed Mixer**, R. Majidi-Ahy, C. Nishimoto, J. Russell,* W. Ou,* S. Bandy and G. Zdasiuk, *Varian Research Center, Palo Alto, CA, *Litton Solid-State, Santa Clara, CA* 201
- Broad-Band Electromagnetic Radiation Damage in GaAs MESFETs**, J. H. McAdoo, W. M. Bollen, W. Catoe and R. Kaul,* *Mission Research Corporation, Newington, VA, *Harry Diamond Laboratories, Adelphi, MD* 205
- 3.3V GPS Receiver MMIC Implemented on a Mixed-Signal, Silicon Bipolar Array**, K. J. Negus, R. A. Koupal, D. Millicker and C. P. Snapp, *Hewlett-Packard Company, Newark, CA* 209