

Table of Contents

Technical Program

MONDAY, MAY 15, 1995

8:30 am–10:40 am
Room CC-A2

Session I: CHALLENGES FOR RF AND MICROWAVE MONOLITHICS

Chairman: M. Kumar, *Unisys Corp.*

Co-Chairman: E. Strid, *Cascade Microtech Inc.*

I-1 8:30 am	Welcome and General Remarks , MMWMCS General Chairman, Eric Strid, MMWMCS Technical Program Chairman, M. Kumar	
I-2 8:40 am	(Invited) Intelligent Transportation Systems , W.G. Fink, <i>ITS America</i> , <i>Washington, D.C.</i>	3
I-3 9:10 am	(Invited) GaAs MMIC Technology: Past, Present and Future , R.W. Bierig, <i>B & B</i> <i>Technology, Hopkinton, MA</i>	5
I-4 9:40 am	(Invited) Low-Cost High-Volume RF Products: Dream, Anticipation, or Reality? A.M. Pavio, <i>Motorola, Phoenix, AZ.</i>	7
I-5 10:10 am	(Invited) Lightwave Communication ICs Beyond 10 Gb/s—Design and Measurement Challenges , T. Otsuji, Y. Imai and E. Sano, <i>NTT LSI Laboratories, Kanagawa, Japan</i>	11

MONDAY, MAY 15, 1995

11:00 am–12:00 Noon
Room CC-A2

Session II: MMIC POWER AMPLIFIERS

Chairman: H.C. Huang, *COMSAT Laboratories*

Co-Chairman: I. Bahl, *ITT, GTC*

II-1 11:00 am	5 Watt High Efficiency Wideband 7 to 11 GHz HBT MMIC Power Amplifier , J.J. Komiak and L.W. Yang, <i>Martin Marietta Laboratories-Syracuse, Syracuse, NY.</i>	17
II-2 11:20 am	The IRIDIUM® K-Band MMIC Chip Set , B.T. Agar Jr., D.S. Bowser, K.V. Buer, D.W. Corman and C.D. Grondahl, <i>Motorola, Chandler, AZ.</i>	21
II-3 11:40 am	W-Band 0.3W PHEMT MMIC Power Amplifier Module , S. Weinreb, E. Fischer, B. Kane, N. Byer and M. Zimmerman, <i>Martin Marietta Laboratories, Baltimore, MD.</i>	25

MONDAY, MAY 15, 1995

11:00 am–12:00 Noon

Room CC-A1

Session III: TRANSCEIVER TECHNOLOGY

Chairman: T. Kemerley, *USAF—Wright Laboratory*

Co-Chairman: G. Jerinic, *Raytheon Co.*

III-1 11:00 am	GaAs Monolithic Single-Chip Transceiver , A. Bóveda and F. Ortigoso, <i>Alcatel Standard Eléctria S.A., Madrid, Spain.</i>	31
III-2 11:20 am	Low Cost Miniaturized EHF Satcom Transceiver Featuring HEMT MMICs and LTCC Multilayer Packaging , J.A. Lester, M. Ahmadi, S. Peratoner, J. Hathaway, D. Garske and P.D. Chow, <i>TRW, Redondo Beach, CA.</i>	35
III-3 11:40 am	A Novel Monolithic HEMT Harmonic Mixer at Q-Band , R. Katz, S. Maas*, A. Sharma and D. Smith, <i>TRW, Redondo Beach, CA, *Nonlinear Technologies Inc., Long Beach, CA.</i>	39

MONDAY, MAY 15, 1995

1:30 pm–3:10 pm

Room CC-A2

Session IV: MILLIMETER-WAVE ICs

Chairman: H.A. Hung, *TRW*

Co-Chairman: J.M. Schellenberg, *Schellenberg Associates*

IV-1 1:30 pm	A High Performance Transceiver Chipset for Millimeter-Wave Commercial Digital Communication Systems , A.K. Sharma, D.M. Smith, M.V. Aust, R.H. Katz, J. Yonaki, R.B. Womack and M.D. Biedenbender, <i>TRW, Redondo Beach, CA.</i>	45
IV-2 1:50 pm	Millimetre Wave Phase Locked Oscillator for Mobile Communication Systems , I. Telliez, M. Camiade, P. Savary, P. Bourne-Yaonaba, <i>Thomson-CSF Semiconducteurs Spécifiques, Orsay, France.</i>	49
IV-3 2:10 pm	Ka-Band MMIC-Based Transceiver For Battlefield Combat Identification System , G. Nesbit, T. Dere, D. English, V. Purdy and B. Parrish, <i>TRW, Redondo Beach, CA.</i>	53
IV-4 2:30 pm	High-Sensitivity W-Band MMIC Radiometer Modules , B. Kane, S. Weinreb, E. Fischer and N. Byer, <i>Martin Marietta Laboratories, Baltimore, MD.</i>	59
IV-5 2:50 pm	A Fully Passivated Ultra Low Noise W-Band Monolithic InGaAs/InAlAs/InP HEMT Amplifier , G.I. Ng, R. Lai, Y. Hwang, H. Wang, D.C.W. Lo, T. Block, K. Tan, D.C. Streit, R.M. Dia, A. Freudenthal, P.D. Chow and J. Berenz, <i>TRW, Redondo Beach, CA.</i>	63

MONDAY, MAY 15, 1995

1:30 pm–3:10 pm

Room CC-A1

Session V: WIRELESS APPLICATIONS

Chairman: C. Kermarrec, *Analog Devices*

Co-Chairman: D. Lovelace, *Motorola*

V-1 1:30 pm	Production DC Screening for RF Performance of a 900 MHz Monolithic Low Noise Amplifier , S.-G. Lee and R.D. Schultz*, <i>Harris Corporation, Melbourne, FL</i> , * <i>Integrated RF Solutions, Inc., Palm Bay, FL.</i>	69
V-2 1:50 pm	Ultra-low dc Power GaAs HBT S-band Low Noise Amplifiers , K.W. Kobayashi, A.K. Oki, L.T. Tran and D.C. Streit, <i>TRW, Redondo Beach, CA.</i>	73
V-3 2:10 pm	A GaAs Single Balanced Mixer MMIC with Built-in Active Balun for Personal Communication Systems , H. Koizumi, S. Nagata, K. Tateoka, K. Kanazawa and D. Ueda, <i>Matsushita Electronics Corporation, Osaka, Japan.</i>	77
V-4 2:30 pm	Ultra Low Power HFET Down Converter for Wireless Communication Applications , V. Nair, S. Tehrani, R. Vaitkus and D. Scheitlin, <i>Phoenix Corporate Research Laboratories, Tempe, AZ.</i>	81
V-5 2:50 pm	A Highly Miniaturized Receiver Front-End Hybrid IC Using On-Chip High-Dielectric Constant Capacitors for Mobile Communication Equipment , T. Nakatsuka, J. Itoh, S. Yamamoto, T. Yoshida, M. Nishitsuji, T. Uda, K. Nishii and O. Ishikawa, <i>Semiconductor Research Center, Osaka, Japan.</i>	85

MONDAY, MAY 15, 1995

3:30 pm–5:10 pm

Room CC-A2

Session VI: SIGNAL CONTROL AND PROCESSING CIRCUITS

Chairman: M. Cohn, *Marvin Cohn Consulting, Inc.*

Co-Chairman: V. Peterson, *Hewlett-Packard*

VI-1 3:30 pm	C-Band Analog Monolithic Vector Modulator , G. Burnsed, D. Kalcik and J. Sherman, <i>E-Systems, St. Petersburg, FL.</i>	91
VI-2 3:50 pm	CFET—A New High Quality MMIC Control Device , D.J. Seymour, R.P. Coats, R.E. Lehmann and J. Helvey, <i>Texas Instruments Incorporated, Dallas, TX.</i>	95
VI-3 4:10 pm	X-Band MMIC Switch with 70 db Isolation and 0.5 dB Insertion Loss , D.A. Blackwell, D.E. Dawson and D.C. Buck, <i>Westinghouse Electric Corporation, Baltimore, MD.</i>	97
VI-4 4:30 pm	Monolithic VCO and Mixer for Q-Band Transceiver Using InP-Based HBT Process , L. Tran, J. Cowles, T. Block, H. Wang, J. Yonaki, D. Lo, S. Dow, B. Allen, D. Steit, A. Oki and S. Loughran*, <i>TRW, Redondo Beach, CA</i> , * <i>Alliant Techsystems Inc., Hopkins, MN.</i>	101
VI-5 4:50 pm	Microwave Tunable Active Filter Design in MMIC Technology Using Recursive Concepts , M. Delmond, L. Billonnet, B. Jarry and P. Guillon, <i>I.R.C.O.M., Université de Limoges, France.</i>	105

MONDAY, MAY 15, 1995

3:30 pm–5:10 pm
Room CC-A1

Session VII: RELIABILITY AND DIAGNOSTICS

Chairman: Z. Bardai, *Hughes Aircraft*

Co-Chairman: N. Camilleri, *Motorola*

VII-1 3:30 pm	Reliability of InP-Based HBT IC Technology for High-Speed, Low-Power Applications, M. Hafizi, W.E. Stanchina, F. Williams Jr. and J.F. Jensen, <i>Hughes Research Laboratories, Malibu, CA.</i>	111
VII-2 3:50 pm	Hot-Electron-Induced Degradation of Pseudomorphic High-Electron Mobility Transistors, Y.A. Tkachenko, C.J. Wei, J.C.M. Hwang, T.D. Harris*, R.D. Grober*, D.M. Hwang [†] , L. Aucoin [‡] and S. Shanfield [‡] , <i>Lehigh University, Bethlehem, PA</i> , *AT&T Bell Laboratories, Murray Hill, NJ, [†] Motorola, Austin, TX, [‡] Raytheon Research, Lexington, MA.	115
VII-3 4:10 pm	Hydrogen Degradation of GaAs MMICs and Hydrogen Evolution in the Hermetic Package, Y. Saito, R. Griesse, J. Kessler, R. Kono and J. Fang, <i>TRW, Redondo Beach, CA.</i>	119
VII-4 4:30 pm	Coplanar Waveguide Based, Dielectric Coated Flip Chip Monolithic Microwave Integrated Circuit, A Paradigm Shift in MMIC Technology, C.P. Wen, W.D. Wong, C.K. Pao, J.L. Snopkowski and D.L. Ingram, <i>GM Hughes Electronics Co., Torrance, CA.</i>	123
VII-5 4:50 pm	Internal-Node Waveform Probing of MMIC Power Amplifiers, C.J. Wei, Y.A. Tkachenko, J.C.M. Hwang, K.E. Smith* and A.H. Peake [†] , <i>Lehigh University, Bethlehem, PA</i> , *Cascade Microtech, Inc., Beaverton, OR, [†] ITT Gallium Arsenide Technology Center, Roanoke, VA.	127

TUESDAY, MAY 16, 1995

8:30 am–10:00 am

Room CC-A1

Session VIII: SYSTEMS APPLICATIONS

(Joint with MTT-S—Session TU1A)

Chairman: A. Gupta, *Westinghouse ESC*

Co-Chairman: S. Bharj, *Princeton Microwave Technology Inc.*

VIII-1 8:30 am	A Family of Low Cost High Performance HEMT MMICs for Commercial DBS Applications, K. Hubbard, K. MacGowan, C. Kau, D. Smith and S. Maas*, <i>TRW, Redondo Beach, CA, *NonLinear Technologies, Inc., Long Beach, CA.</i>	133
VIII-2 8:50 am	K-Band T/R-Converter Modules for the IRIDIUM® Satellite Program, D.W. Corman, B.T. Agar, K.V. Buer, D.L. Cook, <i>Motorola, Chandler, AZ.</i>	137
VIII-3 9:10 am	Performance of a 6 to 18 GHz Frequency Translator Utilizing GaAs MMIC 5-Bit Digital Phase Shifter, S.R. Mazumder and C.M. Isham*, <i>Raytheon Company, Andover, MA, *Missile Systems Division, Tewksbury, MA.</i>	141
VIII-4 9:30 am	A 1.9 GHz-Band Ultra Low Power Consumption Amplifier Chip Set for Personal Communications, M. Muraguchi, M. Nakatsugawa, H. Hayashi and M. Aikawa, <i>NTT Wireless Systems Laboratories, Kanagawa, Japan.</i>	145
VIII-5 9:50 am	Miniature GPS Translator Module, J. Smuk, P. Katzin, V. Aparin and M. Shifrin, <i>Hittite Microwave Corporation, Woburn, MA.</i>	149

TUESDAY, MAY 16, 1995

1:30 pm–3:00 pm

Room CC-A1

Session IX: MIXERS AND RELATED COMPONENTS

(Joint with MTT-S—Session TU3A)

Chairman: A. Chu, *MITRE Corp.*

Co-Chairman: L. Liu, *TRW Inc.*

IX-1 1:30 pm	A Monolithic Broadband Doubly Balanced EHF HBT Star Mixer with Novel Microstrip Baluns , Y.I. Ryu, K.W. Kobayashi and A.K. Oki, <i>TRW, Redondo Beach, CA.</i>	155
IX-2 1:50 pm	A PMHFET Based MMIC Gate Mixer for Ka-Band Applications , M. Matthes, J.-M. Dieudonné*, W. Stiebler, L. Klapproth, <i>Technical University of Berlin, *Daimler-Benz Aerospace AG, Ulm, Germany.</i>	159
IX-3 2:00 pm	A K-Band Monolithic CPW Upconverter Utilizing a Source Mixing Concept , M. Madihian, L. Desclos, K. Maruhashi*, K. Onda* and M. Kuzuhara*, <i>C&C Labs, NEC Corporation, Kawasaki, Japan, *Kansai Electronics Res. Lab., NEC Corporation, Shiga, Japan.</i>	163
IX-4 2:10 pm	Monolithic Mixers with MESFETs Technology to Up and Down Convert Between C and V Band , J.P. Torres* [†] , F. Fortes*, M.J. Rosário*, J.M. Dieudonné [†] and J. Costa Freire*, <i>*Instituto de Telecomunicações, Instituto Superior Técnico, Lisboa, Portugal, [†]Escola Náutica Infante D. Henrique, Lisboa, Portugal, [‡]Daimler Benz Aerospace, Ulm, Germany.</i>	167
IX-5 2:20 pm	MMIC Active Bandpass Filter Using Negative Resistance Elements , U. Karacaoglu and I.D. Robertson, <i>MMIC Research Team, Strand, London, UK.</i>	171
IX-6 2:40 pm	Capacitive-Division Traveling-Wave Amplifier with 340 GHz Gain-Bandwidth Product , J. Pusi* [†] , B. Agarwal*, R. Pullela*, L.D. Nguyen [‡] , M.V. Le [‡] , M.J.W. Rodwell*, L. Larson [‡] , J.F. Jensen [‡] , R.Y. Yu ^{‡§} and M.G. Case* [‡] , <i>*University of California, Santa Barbara, CA, [†]Now with Hughes Space and Communications Company, Los Angeles, CA, [‡]Hughes Aircraft Company, Malibu, CA, [§]Now with Rockwell International Corporation, Thousand Oaks, CA.</i>	175

TUESDAY, MAY 16, 1995

3:30 pm–5:00 pm

Room CC-A1

Session X: MONOLITHIC RECEIVER COMPONENTS

(Joint with MTT-S—Session TU4A)

Chairman: V. Nair, *Motorola-PCRL*

Co-Chairman: S. Moghe, *Northrop-Gruman*

X-1 3:30 pm	A Novel Baseband-1.5 GHz Monolithic HBT Variable Gain Amplifier with PIN Diode Gain Control, K.W. Kobayashi, A.K. Oki, L. Tran and D.C. Streit, <i>TRW, Redondo Beach, CA.</i>	181
X-2 3:50 pm	A 9-16 GHz Monolithic HEMT Low Noise Amplifier with Embedded Limiters, P. Huang, W.L. Jones, A. Oki, D. Streit, W. Yamasaki, P. Liu, S. Bui and B. Nelson*, <i>TRW, Redondo Beach, CA, *Pacific Monolithics, ???, CA.</i>	185
X-3 4:00 pm	A W-Band Monolithic Low Noise AlGaAs/InGaAs Pseudomorphic HEMT Amplifier Mounted on a Small Hermetically-Sealed Package with Waveguide Interface, Y. Itoh, M. Nakayama, K. Nakahara, T. Takagi, T. Sakura, N. Yoshida, T. Katoh, T. Kashiwa and Y. Ito*, <i>Mitsubishi Electric Corporation, Kanagawa, Japan, *National Space Development Agency of Japan, Tokyo, Japan.</i>	187
X-4 4:10 pm	A Monolithic Integrated HEMT Frontend in CPW Technology from 10-50 GHz for Measurement Systems or Broadband Receivers, R. Heilig, D. Hollmann, G. Baumann, <i>Alcatel SEL AG, Pforzheim, Germany.</i>	191
X-5 4:20 pm	A 2-32 GHz Coplanar Waveguide InAlAs/InGaAs-InP HBT Cascode Distributed Amplifier, K.W. Kobayashi, J. Cowles, L. Tran, T. Block, A.K. Oki and D.C. Streit, <i>TRW, Redondo Beach, CA.</i>	195
X-6 4:40 pm	A Distributed Optical Receiver Preamplifier with Unequal Gate/Drain Impedances, I. Darwazeh, P. Moreira*, A. Borjak [†] and J. O'Reilly [†] , <i>UMIST, Manchester, UK, *CERN, Geneva, Switzerland, [†]UCL, London, UK.</i>	199

WEDNESDAY, MAY 17, 1995

2:30 pm–5:00 pm

Room CC-A5

Session: OPEN FORUM

(Joint with IMS)

WE3F-D2	Novel Architecture and MMICs for an Integrated Front End of a Spectrum Analyzer, T. Takenaka, A. Miyazaki and H. Matsuura, <i>TERATEC Corporation, Tokyo, Japan.</i>	205
WE3F-D3	A New Technique for Obtaining High Isolations in Microwave Mixers Based on the Concepts of Distributed Mixing and Transversal Filtering, A.H. Baree and I.D. Robertson, <i>MMIC Research Team, London, UK.</i>	209
WE3F-D4	Broadband and Tunable Negative Monolithic Circuits for Microwave Active Filters Compensation, A. Brucher, Ph. Meunier, C. Cenac, B. Jarry and P. Guillon, <i>I.R.C.O.M., Université de Limoges, France.</i>	213
WE3F-L4	Analysis and Design of Multi-Octave MMIC Active Baluns Using a Distributed Amplifier Gate Line Termination Technique, A.H. Baree and I.D. Robertson, <i>MMIC Research Team, London, UK.</i>	217
WE3F-M1	MMIC SSB Frequency Translators with Image-Rejection for Satellite Transponder Applications, A.H. Baree, I.D. Robertson and J.S. Bharj*, <i>MMIC Research Team, London, UK, *Matra Marconi Space, Herts, UK.</i>	221
WE3F-M2	A Single-Chip W-Band Transceiver with Front-End Switching Receiver for FMCW Radar Applications, D.C.W. Lo, K.W. Chang, R. Lin, E.W. Lin, H. Wang, M. Biedenbender, G.S. Dow and B.R. Allen, <i>TRW, Redondo Beach, CA.</i>	225
WE3F-M3	New Types of MMIC Circulators, D. Köther, B. Hopf, Th. Sporkmann, I. Wolff and St. Koßlowski*, <i>IMST, Kamp-Lintfort, FRG, *Daimler Benz Forschungszentrum Ulm, Ulm, FRG.</i>	229