

1997 Combined Index

IEEE Transactions on Microwave Theory and Techniques, Vol. 45, and IEEE MTT-S Sponsored Conferences

The indexed papers are identified by the acronyms:

RFIC 97	1997 IEEE Radio Frequency Integrated Circuits (RFIC) Symposium
MWSYM 97	1997 IEEE MTT-S International Microwave Symposium Digest
T-MTT	IEEE Transactions on Microwave Theory and Techniques

This index covers all technical items - papers, correspondence, reviews, etc. - that appeared in this periodical during 1997, and items from previous years that were commented upon or corrected in 1997.

The Author Index contains the primary entry for each item, listed under the first author's name, and cross-references from all coauthors. The Subject Index contains several entries for each item under appropriate subject headings, and subject cross-references.

It is always necessary to refer to the primary entry in the Author Index for the exact title, coauthors, and comments/corrections.

AUTHOR INDEX

A

Abegaonkar, M., see Joshi, K.K., *MWSYM 97 1679-1682 vol.3*

Abey, W., T. Kawai, I. Okamoto, M. Suzuki, C. Khandavalli, W. Kennan, Y. Tateno, M. Nagahara, and M. Takikawa. An E-mode GaAs FET power amplifier MMIC for GSM phones; *MWSYM 97 1315-1318 vol.3*

Abiri, H., see Huber, C., *T-MTT Apr 97 477-484*

Abiri, H., see Huber, C., *T-MTT Nov 97 2049-2057*

Abou-Elnour, O., D. Liebig, and K. Schunemann. Efficient modeling of microscopic and macroscopic noise behavior of submicron-highly-doped semiconductor devices at millimeter-wave frequencies; *MWSYM 97 1289-1292 vol.3*

Abramowicz, A., see Krupka, J., *MWSYM 97 1347-1350 vol.3*

Abrokwah, J., see Glass, E., *MWSYM 97 1399-1402 vol.3*

AbuShaaban, M., T.J. Brazil, and J.O. Scanlan. Recursive causal convolution [passive distributed circuits]; *MWSYM 97 631-634 vol.2*

Accatino, L., G. Bertin, and M. Mongiardo. Elliptical cavity resonators for dual-mode narrowband filters; *MWSYM 97 1083-1086 vol.2*

Accatino, L., G. Bertin, and M. Mongiardo. Elliptical cavity resonators for dual-mode narrow-band filters; *T-MTT Dec 97 2393-2401*

Achar, R., M.A. Kolbehdari, and M. Nakhla. A unified approach for mixed EM and circuit simulation using model-reduction techniques; *MWSYM 97 1017-1020 vol.2*

Ackerman, E., C. Cox, III, G. Betts, H. Roussell, K. Ray, and F. O'Donnell. Input impedance conditions for minimizing the noise figure of an analog optical link; *MWSYM 97 237-240 vol.1*

Ackerman, E., see Cox, C., III., *T-MTT Aug 97 1375-1383*

Ackerman, E.I., and A.S. Daryoush. Broad-band external modulation fiber-optic links for antenna-remoting applications; *T-MTT Aug 97 1436-1442*

Adachi, K., see Sugawara, S., *MWSYM 97 959-962 vol.2*

Adams, A.R., R.D. Pollard, and C.M. Snowden. A method-of-moments study of strip dipole antennas in rectangular waveguide; *T-MTT Oct 97 1756-1766*

Addison, R., see Seabury, C.W., *MWSYM 97 181-184 vol.1*

Adler, E., see Phuong Phu, *MWSYM 97 1135-1138 vol.3*

Adve, R.S., T.K. Sarkar, S.M. Rao, E.K. Miller, and D.R. Pflug. Application of the Cauchy method for extrapolating/interpolating narrowband system responses; *T-MTT May 97 837-845*

Afsar, M.N., I. Tkachov, and T.B. Wells. Measurement of transmittance and scattering of radome membranes from 30 to 1000 GHz; *MWSYM 97 1355-1358 vol.3*

Afsar, M.N., I.I. Tkachov, and T.B. Wells. Measurement of transmittance and scattering of radome membranes from 30 to 1000 GHz; *T-MTT Dec 97 2454-2460*

Agethen, M., see Reuter, R., *T-MTT Jun 97 977-983*

Ahlonso, L., D. Picard, and J.C. Bolomey. Visualisation of portable phone-user interactions via near field mapping on mannequins and volunteers; *MWSYM 97 1825-1828 vol.3*

Ahmari, D.A., see Heins, M.S., *MWSYM 97 255-258 vol.1*

Ahmari, D.A., see Heins, M.S., *RFIC 97 215-218*

Ahmed, Z., see Smith, G.H., *T-MTT Aug 97 1410-1415*

Ahmed, Z., D. Novak, R.B. Waterhouse, and Hai-Fen Liu. 37-GHz fiber-wireless system for distribution of broad-band signals; *T-MTT Aug 97 1431-1435*

Ahn, H.-R., I. Wolff, and I.-S. Chang. Arbitrary termination impedances, arbitrary power division, and small-sized ring hybrids; *T-MTT Dec 97 2241-2247*

Ahn Hee Ran, see Hee Ran Ahn, *MWSYM 97 285-288 vol.1*

Ahn Kyu Hwan, see Jin-Ho Shin, *MWSYM 97 133-136 vol.1*

Ahn Kyu Hwan, see Jin-Ho Shin, *RFIC 97 185-188*

Aikawa, M., see Toyoda, I., *RFIC 97 113-116*

Aikawa, M., see Kamogawa, K., *T-MTT Sep 97 1578-1584*

Aikawa, M., see Toyoda, I., *T-MTT Dec 97 2524-2530*

Aina, O., see Shen-Whan Chen, *T-MTT May 97 700-703*

Ainspan, H., see Soyuer, M., *RFIC 97 19-22*

Aitchison, C.S., see Xavier, B.A., *RFIC 97 135-138*

Aiyer, R.C., see Joshi, K.K., *MWSYM 97 1679-1682 vol.3*

Akiba, Y., see Mizoe, J., *MWSYM 97 247-250 vol.1*

Akiba, Y., see Mizoe, J., *RFIC 97 207-210*

Aksun, M.I., see Kmayman, N., *T-MTT May 97 593-603*

Alam, M.S., M. Koshiba, K. Hirayama, and Y. Hayashi. Hybrid-mode analysis of multilayered and multiconductor transmission lines; *T-MTT Feb 97 205-211*

Alameh, K.E., see Minasian, R.A., *T-MTT Aug 97 1513-1518*

Albasha, L., and C.M. Snowden. Electromagnetic analysis of planar circuitry and the dimensionality argument; *MWSYM 97 321-324 vol.1*

Alcom, T.S., see Allen, S.T., *MWSYM 97 57-60 vol.1*

Alessandri, F., M. Dionigi, R. Sorrentino, and L. Tarricone. Rigorous and efficient fabrication-oriented CAD and optimization of complex waveguide networks; *MWSYM 97 1013-1016 vol.2*

Alessandri, F., M. Dionigi, R. Sorrentino, and L. Tarricone. Rigorous and efficient fabrication-oriented CAD and optimization of complex waveguide networks; *T-MTT Dec 97 2366-2374*

Alexanian, A., and R.A. York. Broadband waveguide-based spatial combiners; *MWSYM 97 1139-1142 vol.3*

Alexopoulos, N.G., see Ming-Ju Tsai, *T-MTT Mar 97 330-337*

Alexopoulos, N.G., see De Flaviis, F., *T-MTT Jun 97 963-969*

Alhargan, F.A., see Kin-Lung Chan, *T-MTT Feb 97 307-310*

Ali, F., see Booton, R.C., Jr., *T-MTT Dec 97 2164-2166*

Alimenti, F., P. Mezzanotte, and L. Roselli. Full-wave investigation on the curved bonding wire interconnection by using a suitable FDTD code; *MWSYM 97 1737-1740 vol.3*

Allen, B., see Ingram, D.L., *MWSYM 97 1183-1186 vol.3*

Allen, B., see Wang, H., *MWSYM 97 1275-1278 vol.3*

Allen, S.J., see Moussessian, A., *MWSYM 97 683-686 vol.2*

Allen, S.T., R.A. Sadler, T.S. Alcom, J.W. Palmour, and C.H. Carter, Jr. Silicon carbide MESFETs for high-power S-band applications; *MWSYM 97 57-60 vol.1*

Allenson, M.B., see Barnes, A.R., *MWSYM 97 1429-1432 vol.3*

Alley, G.D., and Y.L. Kuo. Optimal control of intermodulation distortion in hybrid fiber-coaxial CATV systems; *T-MTT Dec 97 2183-2196*

Alonso-Juaristi, P.I., J. Esteban, and J.M. Rebollar. Design of compact waveguide twists; *T-MTT May 97 636-639*

Alos, J.T., and M. Guglielmi. Simple and effective EM-based optimization procedure for microwave filters; *T-MTT May 97 856-858*

Alvarez, J., see Jun Ma, *MWSYM 97 123-127 vol.1*

Alvarez, J., see Jun Ma, *RFIC 97 175-179*

Amalric, J.-L., see Proust, I., *T-MTT Oct 97 1662-1671*

Amann, M.-C., see Wasige, E., *MWSYM 97 925-928 vol.2*

Amari, S., see Lenadan, T., *MWSYM 97 207-210 vol.1*

Amari, S., A. Motamedi, J. Bornemann, and R. Vahldieck. Global edge-conditioned basis functions from local solutions of Maxwell's equations; *MWSYM 97 1373-1376 vol.3*

Amari, S., J. Bornemann, and R. Vahldieck. Fast and accurate analysis of waveguide filters by the coupled-integral-equations technique; *T-MTT Sep 97 1611-1618*

- Amari, S.**, and J. Bornemann. A pole-free modal field-matching technique for eigenvalue problems in electromagnetics; *T-MTT Sep 97* 1649-1653
- Amari, S.**, and J. Bornemann. Optimum termination networks for tightly coupled microstrip lines under random and deterministic excitations; *T-MTT Oct 97* 1785-1789
- Anastassiou, H.T.**, see Lakhtakia, A., *T-MTT Feb 97* 313-314
- Angeloni, A.**, see Morini, A., *MWSYM 97* 199-202 vol.1
- Angelov, I.**, M. Garcia, and H. Zirath. On the performance of different HEMT cryogenic mixers; *MWSYM 97* 853-856 vol.2
- Anholt, R.**, see Jenkins, T., *MWSYM 97* 949-952 vol.2
- Annino, G.**, M. Cassettari, I. Longo, and M. Martinelli. Whispering gallery modes in a dielectric resonator: Characterization at millimeter wavelength; *T-MTT Nov 97* 2025-2034
- An Ping Zhao, J.** Juntunen, and A.V. Raisanen. Relationship between the compact complex and real variable 2-D FDTD methods in arbitrary anisotropic dielectric waveguides; *MWSYM 97* 83-87 vol.1
- Anzill, W.**, and T. Melander. Radio architecture of a wideband DS-CDMA testbed for future cellular systems; *MWSYM 97* 1387-1390 vol.3
- Aoki, S.**, H. Someta, S. Yokokawa, K. Ono, T. Hirose, and Y. Ohashi. A flip chip bonding technology using gold pillars for millimeter-wave applications; *MWSYM 97* 731-734 vol.2
- Aparin, V.**, see Pollman, M.D., *RFIC 97* 33-36
- Apollonio, F.**, G. d'Inzeo, and L. Tarricone. Theoretical analysis of voltage-gated membrane channels under GSM and DECT exposure; *MWSYM 97* 103-106 vol.1
- Arai, Y.**, M. Sato, H.T. Yamada, T. Hamada, K. Nagai, and H.I. Fujishiro. 60 GHz flip-chip assembled MIC design considering chip-substrate effect; *MWSYM 97* 447-450 vol.2
- Arai, Y.**, M. Sato, H.T. Yamada, T. Hamada, K. Nagai, and H.I. Fujishiro. 60-GHz flip-chip assembled MIC design considering chip-substrate effect; *T-MTT Dec 97* 2261-2266
- Arcioni, P.**, M. Bressan, G. Conciauro, and L. Perregrini. Generalized Y-matrix of arbitrary H-plane waveguide junctions by the BI-RME method; *MWSYM 97* 211-214 vol.1
- Arcioni, P.**, see Boria, V., *MWSYM 97* 1575-1578 vol.3
- Arcioni, P.**, M. Bressan, and L. Perregrini. On the evaluation of the double surface integrals arising in the application of the boundary integral method to 3-D problems; *T-MTT Mar 97* 436-439
- Armendariz, M.G.**, see Hietala, V.M., *MWSYM 97* 355-358 vol.1
- Armstrong, B.M.**, see Bu, Z.R., *MWSYM 97* 735-738 vol.2
- Arndt, F.**, see Ritter, J., *MWSYM 97* 1563-1566 vol.3
- Arndt, F.**, see Beyer, R., *MWSYM 97* 1235-1238 vol.3
- Arndt, F.**, see Sieverding, T., *MWSYM 97* 1559-1562 vol.3
- Arndt, F.**, see Matras, P., *T-MTT Mar 97* 453-458
- Arndt, F.**, R. Beyer, J.M. Reiter, T. Sieverding, and T. Wolf. Automated design of waveguide components using hybrid mode-matching/numerical EM building-blocks in optimization-oriented CAD frameworks-state of the art and recent advances; *T-MTT May 97* 747-760
- Arndt, F.**, see Sieverding, T., *T-MTT Jul 97* 1034-1040
- Arndt, F.**, see Bunger, R., *T-MTT Aug 97* 1141-1153
- Asai, K.**, see Hikita, M., *MWSYM 97* 173-176 vol.1
- Asano, K.**, see Morikawa, J., *MWSYM 97* 1413-1416 vol.3
- Asano, K.**, see Takenaka, I., *MWSYM 97* 1417-1420 vol.3
- Atia, A.E.**, see Chi Wang, *MWSYM 97* 1103-1107 vol.2
- Atia, A.E.**, see Chi Wang, *MWSYM 97* 1079-1082 vol.2
- Atia, A.E.**, see Hui-Wen Yao, *MWSYM 97* 1099-1102 vol.2
- Atia, A.E.**, see Chi Wang, *T-MTT Aug 97* 1240-1246
- Atia, A.E.**, see Wang, C., *T-MTT Dec 97* 2387-2392
- Atkins, H.N.**, see Kazior, T.E., *MWSYM 97* 723-726 vol.2
- Atkinson, S.**, see Strang, J., *RFIC 97* 131-134
- Atsuki, K.**, see Keren Li, *T-MTT Jan 97* 2-8
- Aubert, H.**, see Storer, B., *MWSYM 97* 203-206 vol.1
- Aubert, H.**, see Bouzidi, F., *T-MTT Jun 97* 869-876
- Aubourg, M.**, see Baillargeat, D., *MWSYM 97* 1021-1024 vol.2
- Auer, U.**, see Reuter, R., *T-MTT Jun 97* 977-983
- Auxemery, P.**, see Frayssé, J.P., *MWSYM 97* 379-382 vol.2
- Auxemery, Ph.**, see Peyretailade, T., *MWSYM 97* 1515-1518 vol.3
- Avalrez, J.**, see Spears, E., *MWSYM 97* 1-4 vol.1
- Avalrez, J.**, see Spears, E., *RFIC 97* 153-156
- Avitabile, G.F.**, A. Cidronali, C. Salvador, and M. Speciale. A compact MMIC 90° coupler for ISM applications; *MWSYM 97* 281-284 vol.1
- Awai, I.**, see Wada, K., *MWSYM 97* 717-720 vol.2
- Awai, I.**, and T. Yamashita. Theory on rotated excitation of a circular dual-mode resonator and filter; *MWSYM 97* 781-784 vol.2
- Axness, T.A.**, see Kopp, B.A., *MWSYM 97* 583-586 vol.2
- Baccarelli, P.**, C. Di Nallo, F. Frezza, A. Galli, and P. Lampariello. The role of complex waves of proper type in radiative effects of nonreciprocal structures; *MWSYM 97* 491-494 vol.2
- Bachem, K.H.**, see Gobert, Y., *T-MTT Jan 97* 149-153
- Bachtold, W.**, see Morf, T., *MWSYM 97* 145-148 vol.1
- Bachtold, W.**, see Schefer, M., *MWSYM 97* 1043-1046 vol.2
- Bachtold, W.**, see Morf, T., *RFIC 97* 197-200
- Badawy, El.**, see Yildirim, B.S., *MWSYM 97* 1113-1116 vol.2
- Bader, B.**, see Lindenmeier, S., *MWSYM 97* 1365-1368 vol.3
- Baechtold, W.**, see Schmatz, M.L., *MWSYM 97* 1443-1446 vol.3
- Baets, R.G.F.**, see Van Vliet, F.E., *MWSYM 97* 701-704 vol.2
- Bailey, A.**, W. Foley, M. Hageman, C. Murray, A. Piloto, K. Sparks, and K. Zaki. Miniature LTCC filters for digital receivers; *MWSYM 97* 999-1002 vol.2
- Bailey, J.**, see Betts, G.E., *T-MTT Aug 97* 1280-1287
- Baillargeat, D.**, E. Larique, S. Verdeyme, M. Aubourg, R. Sommet, and P. Guillon. Coupled localized and distributed elements analysis applying an electromagnetic software in the frequency domain; *MWSYM 97* 1021-1024 vol.2
- Bajon, D.**, see Bouzidi, F., *T-MTT Jun 97* 869-876
- Balaji, U.**, and R. Vahldieck. Field theory analysis of conically shaped coupling elements in dual mode filters and polarizers; *MWSYM 97* 1247-1250 vol.3
- Balanis, C.A.**, see Seong-Ook Park, *T-MTT Mar 97* 458-460
- Balanis, C.A.**, see Polycarpou, A.C., *T-MTT Oct 97* 1868-1874
- Balbastre, J.V.**, see Nuno, L., *T-MTT Mar 97* 446-449
- Balm, B.N.**, see van Rijs, F., *RFIC 97* 15-18
- Banba, S.**, see Imaoka, T., *T-MTT Jan 97* 95-101
- Bandler, J.W.**, R.M. Biernacki, S.H. Chen, and D. Omeragic. Space mapping optimization of waveguide filters using finite element and mode-matching electromagnetic simulators; *MWSYM 97* 635-638 vol.2
- Bandler, J.W.** Guest editorial: [intro. to the special issue on automated circuit design using electromagnetic simulators]; *T-MTT May 97* 709-711
- Bandler, J.W.**, R.M. Biernacki, Shao Hua Chen, and Ya Fei Huang. Design optimization of interdigital filters using aggressive space mapping and decomposition; *T-MTT May 97* 761-769
- Bandler, J.W.**, R.M. Biernacki, Shao Hua Chen, L.W. Hendrick, and D. Omeragic. Electromagnetic optimization of 3-D structures; *T-MTT May 97* 770-779
- Bangert, A.**, see Verwey, L., *MWSYM 97* 243-246 vol.1
- Bangert, A.**, see Verwey, L., *RFIC 97* 203-206
- Banwell, T.C.**, see Hacker, J.B., *MWSYM 97* 473-476 vol.2
- Bao, J.W.**, C.J. Wei, J.C.M. Hwang, R.F. Wang, and C.P. Wen. Pulsed internal-mode waveform study of flip-chip MMIC power amplifiers; *MWSYM 97* 905-908 vol.2
- Bao Jian-Zhong.** see Jian-Zhong Bao, *T-MTT Oct 97* 1730-1741
- Baranowski, J.**, see Opalska, K., *MWSYM 97* 1503-1506 vol.3
- Barataud, D.**, A. Mallet, J.P. Frayssé, F. Blache, M. Campovecchio, J.M. Nebus, J.P. Villoite, and J. Verspecht. A novel time domain characterization technique of intermodulation in microwave transistors: application to the visualization of the distortion of high efficiency power amplifiers; *MWSYM 97* 1687-1690 vol.3
- Barée, A.H.**, and I.D. Robertson. Monolithic MESFET distributed baluns based on the distributed amplifier gate-line termination technique; *T-MTT Feb 97* 188-195
- Barker, N.S.**, and G.M. Rebeiz. An octave bandwidth monopulse processor; *MWSYM 97* 405-407 vol.2
- Barlage, D.W.**, see Heins, M.S., *MWSYM 97* 255-258 vol.1
- Barlage, D.W.**, see Heins, M.S., *RFIC 97* 215-218
- Barnes, A.R.**, M.T. Moore, and M.B. Allenson. A 6-18 GHz broadband high power MMIC for EW applications; *MWSYM 97* 1429-1432 vol.3
- Barron, R.R.**, see Morse, A.W., *MWSYM 97* 53-56 vol.1
- Barter, M.**, see Putnam, J., *MWSYM 97* 653-656 vol.2
- Barter, M.**, see Putnam, J., *MWSYM 97* 753-756 vol.2
- Barter, M.**, see Putnam, J., *RFIC 97* 225-228
- Bartlett, M.**, see Phuong Phu, *MWSYM 97* 1135-1138 vol.3
- Basset, R.**, see Sarkissian, G., *MWSYM 97* 1409-1412 vol.3
- Basu, A.**, and T. Itoh. A new field-probing technique for millimeter-wave components; *MWSYM 97* 1667-1670 vol.3
- Basu, B.N.**, see Rao, S.J., *T-MTT Sep 97* 1585-1593
- Basu, S.**, and R. Gleason. A membrane quadrant probe for R&D applications; *MWSYM 97* 1671-1673 vol.3
- Basu, S.**, R. Finke, and E. Strid. Known good die testing of wide S/C band power MMICs; *MWSYM 97* 1675-1677 vol.3
- Basu, S.**, and L. Hayden. An SOLR calibration for accurate measurement of orthogonal on-wafer DUTs; *MWSYM 97* 1335-1338 vol.3
- Basu, S.**, see Pham, A., *MWSYM 97* 1659-1662 vol.3
- Baudrand, H.**, see Storer, B., *MWSYM 97* 203-206 vol.1
- Baudrand, H.**, see Bouzidi, F., *T-MTT Jun 97* 869-876
- Baudrand, H.**, see Proust, I., *T-MTT Oct 97* 1662-1671
- Bauer, T.**, J. Freyer, and M. Claassen. A resonant-cap power combiner for two-terminal millimeter-wave devices; *T-MTT Jan 97* 146-148

B

Baca, R.J., see Goldsmith, C.L., *T-MTT Aug 97* 1342-1350

- Bayer, F.**, see Bos, T.A., *MWSYM* 97 1395-1398 vol.3
- Bayraktaroglu, B.**, see Salib, M., *MWSYM* 97 897-900 vol.2
- Beam, E., III**, see Chun, C., *MWSYM* 97 513-516 vol.2
- Beanregard, F.**, see Hajji, R., *T-MTT Jul* 97 1093-1099
- Bechteler, T.**, B. Mayer, and R. Weigel. A new high-temperature superconducting double-hybrid coupler with wide bandwidth; *MWSYM* 97 311-314 vol.1
- Becker, W.D.**, see Deutsch, A., *T-MTT Oct* 97 1836-1846
- Beilenhoff, K.**, and W. Heinrich. Excitation of the parasitic parallel-plate line mode at coplanar discontinuities; *MWSYM* 97 1789-1792 vol.3
- Beisswanger, F.**, see Rheinfelder, C., *MWSYM* 97 877-880 vol.2
- Beisswanger, F.J.**, see Rheinfelder, C., *T-MTT Dec* 97 2503-2508
- Beker, B.**, see Bica, D.M., *T-MTT Jun* 97 905-910
- Belhadj-Tahar, N.**, O. Meyer, and A. Fourrier-Lamer. Broad-band microwave characterization of bilayered materials using a coaxial discontinuity with applications for thin conductive films for microelectronics and material in air-tight cell; *T-MTT Feb* 97 260-267
- Belkebir, K.**, R.E. Kleinman, and C. Pichot. Microwave imaging-Location and shape reconstruction from multifrequency scattering data; *T-MTT Apr* 97 469-476
- Bemman Kim**, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255
- Benbrahim, J.**, H. Kobeissi, and K. Wu. CAD and electrical performance of new compact power divider suitable for use in M(H)MICs; *MWSYM* 97 1595-1598 vol.3
- Benedickter, H.**, see Schefer, M., *MWSYM* 97 1043-1046 vol.2
- Bennion, I.**, see Molony, A., *T-MTT Aug* 97 1527-1530
- Benson, J.**, see Sturdivant, R., *MWSYM* 97 501-504 vol.2
- Benson, J.**, see Sturdivant, R., *MWSYM* 97 505-507 vol.2
- Beom Kyu Ko**, and Kwiro Lee. A new simultaneous noise and input power matching technique for monolithic LNA's using cascode feedback; *T-MTT Sep* 97 1627-1629
- Berceli, T.** A new approach for optical millimeter wave generation utilizing locking techniques; *MWSYM* 97 1721-1724 vol.3
- Berceli, T.**, see Maury, G., *T-MTT Aug* 97 1481-1485
- Bergeault, E.**, see Gasmi, A., *T-MTT Mar* 97 338-344
- Bergeault, E.**, see Gasmi, A., *T-MTT Sep* 97 1572-1577
- Bernal, J.**, F. Medina, and M. Horno. Quick quasi-TEM analysis of multiconductor transmission lines with rectangular cross section; *T-MTT Sep* 97 1619-1626
- Bernhardt, B.**, see Glass, E., *MWSYM* 97 1399-1402 vol.3
- Berthou-Pichavant, K.**, F. Liorzou, and P. Gelin. Wave propagation in heterogeneous anisotropic magnetic materials; *T-MTT May* 97 687-690
- Bertin, G.**, see Accatino, L., *MWSYM* 97 1083-1086 vol.2
- Bertin, G.**, see Accatino, L., *T-MTT Dec* 97 2393-2401
- Betser, Y.**, see Liu, C.P., *MWSYM* 97 359-362 vol.1
- Betts, G.**, see Ackerman, E., *MWSYM* 97 237-240 vol.1
- Betts, G.E.**, J.P. Donnelly, J.N. Walpole, S.H. Groves, F.J. O'Donnell, L.J. Missaggia, J. Bailey, and A. Nagoleone. Semiconductor laser sources for externally modulated microwave analog links; *T-MTT Aug* 97 1280-1287
- Betts, G.E.**, see Cox, C., III., *T-MTT Aug* 97 1375-1383
- Beyene, W.T.**, see Yinchao Chen, *T-MTT Oct* 97 1911-1918
- Beyene, W.T.**, and J. Schutt-Aine. Accurate frequency-domain modeling and efficient circuit simulation of high-speed packaging interconnects; *T-MTT Oct* 97 1941-1947
- Beyer, A.T.**, see Walter, M., *MWSYM* 97 1231-1234 vol.3
- Beyer, R.**, F. Arndt, and W. Hauth. Modal block-LU-decomposition technique for the efficient CAD of ridged waveguide filters; *MWSYM* 97 1235-1238 vol.3
- Beyer, R.**, see Arndt, F., *T-MTT May* 97 747-760
- Beyer, S.**, see Heinen, S., *RFIC* 97 127-130
- Beyne, E.**, see Mahmoud, S.F., *T-MTT Jun* 97 918-923
- Bhalla, J.**, see Spears, E., *RFIC* 97 153-156
- Bhalla, J.**, see Spears, E., *MWSYM* 97 1-4 vol.1
- Biber, C.**, see Morf, T., *MWSYM* 97 145-148 vol.1
- Biber, C.**, see Morf, T., *RFIC* 97 197-200
- Biber, C.E.**, M.L. Schmatz, and T. Morf. Improvements on a MOSFET model for non-linear RF simulations; *MWSYM* 97 865-868 vol.2
- Bica, D.M.**, and B. Beker. Enhanced spatial network method for the analysis of open microstrip discontinuities; *T-MTT Jun* 97 905-910
- Biebl, E.M.**, see Rasshofer, R.H., *MWSYM* 97 971-974 vol.2
- Biebl, E.M.**, see Friedsam, G.L., *MWSYM* 97 1351-1354 vol.3
- Biebl, E.M.**, see Singer, M., *MWSYM* 97 1265-1268 vol.3
- Biebl, E.M.**, see Rasshofer, R.H., *MWSYM* 97 1459-1462 vol.3
- Biebl, E.M.**, see Thieme, M.O., *MWSYM* 97 1009-1012 vol.2
- Biebl, E.M.**, see Thieme, M.O., *MWSYM* 97 1269-1272 vol.3
- Biedenbender, M.**, see Lester, J.A., *MWSYM* 97 539-542 vol.2
- Biedenbender, M.**, see Ingram, D.L., *MWSYM* 97 1183-1186 vol.3
- Biedenbender, M.**, see Huang, P., *MWSYM* 97 1175-1178 vol.3
- Biedenbender, M.**, see Huang, P.-P., *T-MTT Dec* 97 2418-2423
- Biedenbender, M.**, see Ingram, D.L., *T-MTT Dec* 97 2424-2430
- Biernacki, R.M.**, see Bandler, J.W., *MWSYM* 97 635-638 vol.2
- Biernacki, R.M.**, see Bandler, J.W., *T-MTT May* 97 761-769
- Biernacki, R.M.**, see Bandler, J.W., *T-MTT May* 97 770-779
- Bin Li**, and S. Prasad. Harmonic and two-tone intermodulation distortion analyses of the inverted InGa/InAlAs/InP HBT; *T-MTT Jul* 97 1135-1137
- Birkeland, J.**, R. Sherman, R. Potyka, M. Zou, and J. Carbacio. A GaAs MMIC MMDs downconverter; *RFIC* 97 29-32
- Birkeland, J.**, and R. Sherman. A silicon MOS MMIC upconverter for CATV applications; *RFIC* 97 23-26
- Bischof, W.**, see Werthen, M., *MWSYM* 97 1793-1796 vol.3
- Bishop, W.L.**, see Hesler, J.L., *MWSYM* 97 953-956 vol.2
- Bishop, W.L.**, see Jones, J.R., *T-MTT Apr* 97 512-518
- Blache, F.**, see Barataud, D., *MWSYM* 97 1687-1690 vol.3
- Bledowski, A.**, and W. Zakowicz. Radiation properties of a planar dielectric waveguide loaded with conducting-strip diffraction grating; *T-MTT Sep* 97 1637-1640
- Block, T.**, see Huang, P., *MWSYM* 97 1175-1178 vol.3
- Block, T.**, see Wang, H., *MWSYM* 97 1275-1278 vol.3
- Block, T.**, see Wang, H., *RFIC* 97 79-81
- Block, T.**, see Wang, H., *RFIC* 97 91-94
- Block, T.R.**, see Yamada, F.M., *MWSYM* 97 141-144 vol.1
- Block, T.R.**, see Kobayashi, K.W., *RFIC* 97 75-78
- Block, T.R.**, see Kobayashi, K.W., *RFIC* 97 83-86
- Block, T.R.**, see Yamada, F.M., *RFIC* 97 193-196
- Blondel, J.**, see Karpov, A., *MWSYM* 97 919-920 vol.2
- Blumenthal, D.J.**, see Han, S., *MWSYM* 97 979-982 vol.2
- Blumenthal, D.J.**, J. Laskar, R. Gaudino, Sangwoo Han, M.D. Shell, and M.D. Vaughn. Fiber-optic links supporting baseband data and subcarrier-multiplexed control channels and the impact of MMIC photonic/microwave interfaces; *T-MTT Aug* 97 1443-1452
- Blundell, R.**, see Tong, C.-Y. E., *T-MTT Jul* 97 1086-1092
- Bockelman, D.E.**, and W.R. Eisenstadt. Pure-mode network analyzer for on-wafer measurements of mixed-mode S-parameters of differential circuits; *T-MTT Jul* 97 1071-1077
- Boeck, G.**, see Klapproth, L., *MWSYM* 97 881-884 vol.2
- Bogione, L.**, R.D. Pollard, and V. Postoyalko. Analytical behavior of the noise resistance and the noise conductance for a network with parallel and series feedback; *T-MTT Feb* 97 301-304
- Bogione, L.**, R.D. Pollard, and V. Postoyalko. Optimum noise-source reflection-coefficient design with feedback amplifiers; *T-MTT Mar* 97 402-407
- Boian, J.**, see Putnam, J., *MWSYM* 97 653-656 vol.2
- Boles, T.**, see Phing Li, *MWSYM* 97 991-994 vol.2
- Boles, T.** A fully monolithic HMIC low noise amplifier; *RFIC* 97 109-112
- Boles, T.E.**, see Henderson, G.N., *MWSYM* 97 1299-1302 vol.3
- Bolomey, J.C.**, see Ahlonsou, L., *MWSYM* 97 1825-1828 vol.3
- Bonani, F.**, S.D. Guerrieri, F. Filicori, G. Ghione, and M. Pirola. Physics-based large-signal sensitivity analysis of microwave circuits using technological parametric sensitivity from multidimensional semiconductor device models; *T-MTT May* 97 846-855
- Bongsin Kwark**, and Moon Soo Park. AlGaAs/GaAs HBT limiting amplifier for 10 Gbps optical transmission system; *RFIC* 97 55-58
- Boonton, R.C., Jr.**, F. Ali, and R.B. Marks. Guest editors' overview [intro. to special issue on 1997 Symposium]; *T-MTT Dec* 97 2164-2166
- Boria, V.**, M. Guglielmi, and P. Arcioni. Accurate CAD for dual mode filters in circular waveguide including tuning elements; *MWSYM* 97 1575-1578 vol.3
- Boria, V.E.**, G. Goriui, and M. Guglielmi. An efficient inversion technique for banded linear systems; *MWSYM* 97 1567-1570 vol.3
- Boric-Lubecke, O.**, R.F. Denning, M.A. Janssen, and M.A. Frerking. Miniature low power submillimeter-wave spectrometer for detection of water in the Solar System; *MWSYM* 97 569-572 vol.2
- Borjak, A.**, see Geslin, S., *MWSYM* 97 1763-1766 vol.3
- Borjak, A.**, L. Moura, J.J. O'Reilly, and I. Darwazeh. Input noise current spectral density estimation for a distributed based optical receiver; *MWSYM* 97 1579-1582 vol.3
- Borjak, A.**, P.P. Monteiro, J.J. O'Reilly, and I. Darwazeh. High-speed generalized distributed-amplifier-based transversal-filter topology for optical communication systems; *T-MTT Aug* 97 1453-1457
- Bornemann, J.**, see Lenadan, T., *MWSYM* 97 207-210 vol.1
- Bornemann, J.**, see Amari, S., *MWSYM* 97 1373-1376 vol.3
- Bornemann, J.**, see Amari, S., *T-MTT Sep* 97 1611-1618
- Bornemann, J.**, see Amari, S., *T-MTT Sep* 97 1649-1653
- Bornemann, J.**, see Amari, S., *T-MTT Oct* 97 1785-1789
- Bos, T.A.**, F. Bayer, and U. Lott. A low cost 16.2 GHz phase locked oscillator for wireless LAN; *MWSYM* 97 1395-1398 vol.3
- Bosisio, R.G.**, see Yansheng Xu, *T-MTT Sep* 97 1594-1599
- Bouchoule, S.**, see Dueme, P., *MWSYM* 97 13-16 vol.1
- Bouchoule, S.**, see Dueme, Ph., *RFIC* 97 165-168
- Boudiaf, A.**, see Werling, T., *MWSYM* 97 1447-1450 vol.3
- Boudiaf, A.**, see Werling, T., *T-MTT Dec* 97 2461-2467
- Boughriet, A.-H.**, C. Legrand, and A. Chapoton. Noniterative stable transmission/reflection method for low-loss material complex permittivity determination; *T-MTT Jan* 97 52-57

Bourdel, E., see Werling, T., *MWSYM* 97 1447-1450 vol.3
Bourdel, E., see Werling, T., *T-MTT Dec* 97 2461-2467
Bouthinon, M., see Boyer, B., *T-MTT Aug* 97 1362-1367
Bouzidi, F., H. Aubert, B. Bajon, and H. Baudrand. Equivalent network representation of boundary conditions involving generalized trial quantities-application to lossy transmission lines with finite metallization thickness; *T-MTT Jun* 97 869-876
Bowen, E.D., see Milanovic, V., *T-MTT May* 97 630-635
Bowen, J.W., see Digby, J.W., *MWSYM* 97 561-564 vol.2
Bowen, J.W., see Collins, C.E., *MWSYM* 97 1439-1442 vol.3
Bowers, J.E., see Giboney, K.S., *T-MTT Aug* 97 1310-1319
Boyd, C.R., Jr. Microwave phase shift using ferrite-filled waveguide below cutoff; *MWSYM* 97 1121-1124 vol.2
Boyd, C.R., Jr. Microwave phase shift using ferrite-filled waveguide below cutoff; *T-MTT Dec* 97 2402-2407
Boyer, B., J. Haidar, A. Vilcot, and M. Bouthinon. Tunable microwave load based on biased photoinduced plasma in silicon; *T-MTT Aug* 97 1362-1367
Boyse, W.E., and K.D. Paulsen. A S/V potential method for Maxwell's equations near corners using nodal elements; *MWSYM* 97 1547-1550 vol.3
Bozada, C., see Jenkins, T., *MWSYM* 97 949-952 vol.2
Bradley, E., see Dixon, J., *T-MTT Jul* 97 1050-1057
Bradley, R.F., see Hesler, J.L., *MWSYM* 97 953-956 vol.2
Bradley, R.F., see Hesler, J.L., *T-MTT May* 97 653-658
Brandt, C.D., see Morse, A.W., *MWSYM* 97 53-56 vol.1
Brannon, B., see Gratzek, T., *RFIC* 97 143-146
Brauchler, F., J. Papapolymerou, J. East, and L. Katehi. W band monolithic multipliers; *MWSYM* 97 1225-1228 vol.3
Brauer, J.R., and G.C. Lizalek. Microwave filter analysis using a new 3-D finite-element modal frequency method; *T-MTT May* 97 810-818
Braun, R.-P., G. Grosskopf, R. Hentges, S. Loch, D. Rohde, and F. Schmidt. Fiberoptic microwave generation for bidirectional broadband mobile communications; *MWSYM* 97 225-228 vol.1
Brazil, T.J., see AbuShaaban, M., *MWSYM* 97 631-634 vol.2
Brazil, T.J., see Cojocar, V.I., *MWSYM* 97 387-390 vol.2
Brazil, T.J., see Cojocar, V.I., *MWSYM* 97 1599-1602 vol.3
Brazil, T.J., see Perry, P., *T-MTT Aug* 97 1214-1225
Brazil, T.J., see Cojocar, V.I., *T-MTT Dec* 97 2248-2255
Bressan, M., see Arcioni, P., *MWSYM* 97 211-214 vol.1
Bressan, M., see Arcioni, P., *T-MTT Mar* 97 436-439
Bringinghurst, S., M.F. Iskander, and M.J. White. Thin-sample measurements and error analysis of high-temperature coaxial dielectric probes; *T-MTT Dec* 97 2073-2083
Brockerhoff, W., see Reuter, R., *T-MTT Jun* 97 977-983
Bronner, W., see Haydl, W.H., *MWSYM* 97 1281-1284 vol.3
Brown, B.M., see Henderson, G.N., *MWSYM* 97 1299-1302 vol.3
Brown, D.A., see Digby, J.W., *MWSYM* 97 561-564 vol.2
Brown, E.R., see Verghese, S., *T-MTT Aug* 97 1301-1309
Brown, R.A., P. Ensaf, T. Marshall, M. Piket-May, B. Popvic, and Z. Popvic. Printed microwave couplers with thermal isolation; *MWSYM* 97 983-986 vol.2
Brown, T., see Kermarrec, C., *RFIC* 97 65-68
Brown, Y.K., see Yap, D., *RFIC* 97 59-62
Bruce Yeng, see Spears, E., *RFIC* 97 153-156
Brunel, A., see Smith, I.W., *T-MTT Jan* 97 15-22
Bu, Z.R., V.F. Fusco, J.A.C. Stewart, Y. Wu, H.S. Gamble, B.M. Armstrong, and N.B. Buchanan. Characteristics of trench coplanar waveguide for SiMMIC applications; *MWSYM* 97 735-738 vol.2
Buchanan, N.B., see Bu, Z.R., *MWSYM* 97 735-738 vol.2
Budimir, D., see Gokdemir, T., *MWSYM* 97 761-764 vol.2
Budimir, D., see Gokdemir, T., *RFIC* 97 233-236
Budimir, D. Optimized E-plane bandpass filters with improved stopband performance; *T-MTT Feb* 97 212-220
Budka, T.P., and R.A. Flynt. Alignment tolerant stripline directional couplers; *MWSYM* 97 773-776 vol.2
Buechler, J., see Wollitzer, M., *MWSYM* 97 1205-1208 vol.3
Bumman Kim, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
Bumman Kim, see Jin-Ho Shin, *RFIC* 97 185-188
Bunger, R., see Matras, P., *T-MTT Mar* 97 453-458
Bunger, R., and F. Arndt. Efficient MPIE approach for the analysis of three-dimensional microstrip structures in layered media; *T-MTT Aug* 97 1141-1153
Burger, W., see Ma, G., *MWSYM* 97 1303-1306 vol.3
Burghartz, J., see Soyuer, M., *RFIC* 97 19-22
Burghartz, J.N., D.C. Edelstein, K.A. Jenkiin, and Y.H. Kwark. Spiral inductors and transmission lines in silicon technology using copper-damascene interconnects and low-loss substrates; *T-MTT Oct* 97 1961-1968
Butler, C.M., see Mathis, A.W., *T-MTT Oct* 97 1875-1878

C

C. Tzuang Ching-Kuang, see Shih-Ping Liu, *T-MTT Sep* 97 1554-1562
Cabon, B., see Maury, G., *T-MTT Aug* 97 1481-1485
Cai, B., and A.J. Seeds. Optical frequency modulation links: Theory and experiments; *T-MTT Apr* 97 505-511
Cai, Q., J. Gerber, T. Daniel, and U.L. Rohde. Transistor parameter extraction using DC, S-parameter and noise data simultaneously; *MWSYM* 97 861-864 vol.2
Cai, Q., J. Gerber, U.L. Rohde, and T. Daniel. HBT high-frequency modeling and integrated parameter extraction; *T-MTT Dec* 97 2493-2502
Calcaterra, M.C., see Creech, G.L., *T-MTT May* 97 794-802
Calvez, L.C., see Le Roy, M., *MWSYM* 97 639-642 vol.2
Cameron, P., W. Pan, C. Hanz, R. Nicklaus, P. Chu, D. Wong, and T. Cisco. A flip-chip high efficiency X-band HPA; *MWSYM* 97 889-892 vol.2
Camp, J., see Gratzek, T., *RFIC* 97 143-146
Campbell, R.A., see Russell, M.E., *MWSYM* 97 1257-1260 vol.3
Campbell, R.A., see Russell, M.E., *T-MTT Dec* 97 2444-2453
Campos-Roca, Y., see Fernandez-Barciela, M., *MWSYM* 97 1499-1502 vol.3
Campovecchio, M., see Fraysse, J.P., *MWSYM* 97 379-382 vol.2
Campovecchio, M., see Barataud, D., *MWSYM* 97 1687-1690 vol.3
Cangellaris, A., see Goverdhanam, K., *MWSYM* 97 333-336 vol.1
Cangellaris, A., see Pinello, W., *MWSYM* 97 63-66 vol.1
Cangellaris, A., see Tentzeris, E.M., *MWSYM* 97 337-340 vol.1
Cangellaris, A.C., see Celik, M., *T-MTT Oct* 97 1857-1867
Cangellaris, A.C., see Pinello, W., *T-MTT Oct* 97 1889-1896
Cao, X., see Heng-Chia Chang, *MWSYM* 97 1061-1064 vol.2
Cao, X., see Chang, H.-C., *T-MTT Nov* 97 2035-2042
Caorsi, S., and M. Raffetto. Analyticity of electromagnetic fields in regions characterized by analytic dielectric parameters and analytic sources; *T-MTT Oct* 97 1805-1807
Cao Xudong, see Heng-Chia Chang, *T-MTT May* 97 604-615
Capmany, J., see Cusick, T.A., *T-MTT Aug* 97 1458-1462
Carbacio, J., see Birkeland, J., *RFIC* 97 29-32
Carter, C.H., Jr., see Allen, S.T., *MWSYM* 97 57-60 vol.1
Carter, R.L., see Ciubotaru, A.A., *MWSYM* 97 1477-1480 vol.3
Caruth, D., see Shimon, R., *MWSYM* 97 769-772 vol.2
Cascio, L., see Tardioli, G., *MWSYM* 97 317-320 vol.1
Cascio, L., G. Tardioli, and W.J.R. Hoefer. Modeling of nonlinear active and passive devices in three-dimensional TLM networks; *MWSYM* 97 383-386 vol.2
Cascio, L., see Righi, M., *T-MTT Oct* 97 1905-1910
Case, M., see Robertson, S.V., *MWSYM* 97 517-520 vol.2
Case, M., M. Matloubian, Hsiang-Chih Sun, D. Choudhury, and C. Ngo. High-performance W-band GaAs PIN diode single-pole triple-throw switch CPW MMIC; *MWSYM* 97 1047-1051 vol.2
Case, M. SiGe MMICs and flip-chip MICs for low-cost microwave systems; *RFIC* 97 117-120
Case, M.G., see Virk, R.S., *MWSYM* 97 435-438 vol.2
Cassettari, M., see Annino, G., *T-MTT Nov* 97 2025-2034
Castane, H., see Nuno, L., *T-MTT Mar* 97 446-449
Castro, A., Jr., see Gaiewski, W.R., *T-MTT Jun* 97 997-1000
Caswell, S., see Strack, D., *MWSYM* 97 579-582 vol.2
Cavenago, M., see Iatrou, C.T., *T-MTT Feb* 97 165-172
Celik, M., A.C. Cangellaris, and A. Yaghmour. An all-purpose transmission-line model for interconnect simulation in SPICE; *T-MTT Oct* 97 1857-1867
Cerny, C., see Jenkins, T., *MWSYM* 97 949-952 vol.2
Chamberlain, J.M., see Digby, J.W., *MWSYM* 97 561-564 vol.2
Chamberlain, J.M., see Collins, C.E., *MWSYM* 97 1439-1442 vol.3
Chan, C.W., see Chung, Y.H., *MWSYM* 97 841-844 vol.2
Chan, E.K., E.C. Kan, R.W. Dutton, and P.M. Pinsky. Nonlinear dynamic modeling of micromachined microwave switches; *MWSYM* 97 1511-1514 vol.3
Chandrasekhar, S., see Rios, J.M.M., *T-MTT Jan* 97 39-45
Chang, C.S., and H.F. Chiu. A novel 3.5-GHz microwave counter using an opto-electronic harmonic heterodyne technique; *T-MTT Jul* 97 1014-1017
Chang, H.-C., X. Cao, M.J. Vaughan, U.K. Mishra, and R.A. York. Phase noise in externally injection-locked oscillator arrays; *T-MTT Nov* 97 2035-2042
Chang, I.-S., see Ahn, H.-R., *T-MTT Dec* 97 2241-2247
Chang, K., see Yu, C.-C., *T-MTT Nov* 97 2018-2024
Chang, K., see Heimer, B., *T-MTT Dec* 97 2234-2240
Chang Chao-Ren, see Gerber, J., *MWSYM* 97 1587-1590 vol.3
Chang Fung-Yuel, see Qing-Xin Chu, *MWSYM* 97 1785-1788 vol.3
Chang Heng-Chia, see Heng-Chia Chang, *MWSYM* 97 1061-1064 vol.2
Chang Heng-Chia, see Heng-Chia Chang, *T-MTT May* 97 604-615
Chang Heng-Chia, see Heng-Chia Chang, *T-MTT Aug* 97 1232-1239
Changhong Liang, see Jun Chen, *T-MTT Jan* 97 132-135
Chang Hoon Kang, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
Chang Ik-Soo, see Hee Ran Ahn, *MWSYM* 97 285-288 vol.1
Chang Ik-Soo, see Hee-Yong Hwang, *MWSYM* 97 805-808 vol.2

- Chang Kai**, see Lu Fan, *MWSYM* 97 273-276 vol.1
- Chang Kai**, see McSpadden, J.O., *MWSYM* 97 547-550 vol.2
- Chang Shih-Shun**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Chan Kin-Lung**, see Kin-Lung Chan, *T-MTT Feb* 97 307-310
- Chan Kin-Lung**, see Kin-Lung Chan, *T-MTT Aug* 97 1255-1262
- Chao, P.C.**, see Weinreb, S., *MWSYM* 97 1279-1280 vol.3
- Chao Lu**, see Lu Chao, *T-MTT Aug* 97 1478-1480
- Chao-Ren Chang**, see Gerber, J., *MWSYM* 97 1587-1590 vol.3
- Chapoton, A.**, see Boughriet, A.-H., *T-MTT Jan* 97 52-57
- Chau, H.-F.**, see Chun, C., *MWSYM* 97 513-516 vol.2
- Chaubet, M.**, see Gendraud, S., *MWSYM* 97 1091-1094 vol.2
- Chau Hin-Fai**, see Hin-Fai Chau, *MWSYM* 97 259-262 vol.1
- Chau Hin-Fai**, see Hin-Fai Chau, *RFIC* 97 219-223
- Chazelas, J.**, see Dolfi, D., *T-MTT Aug* 97 1467-1472
- Cheldavi, A.**, and M. Kamarei. Time-domain (transient) analysis of capacitive Jaumann absorbers; *MWSYM* 97 1555-1558 vol.3
- Chen, C.-I.H.**, see Pok, D.S.K., *T-MTT Dec* 97 2283-2295
- Chen, L.**, see Tong, C.-Y. E., *T-MTT Jul* 97 1086-1092
- Chen, L.S.**, see Morse, A.W., *MWSYM* 97 53-56 vol.1
- Chen, S.H.**, see Bandler, J.W., *MWSYM* 97 635-638 vol.2
- Chen, Y.**, see Kazior, T.E., *MWSYM* 97 723-726 vol.2
- Chen, Y.C.**, see Wang, H., *MWSYM* 97 1275-1278 vol.3
- Chen, Y.C.**, see Hwang, Y., *MWSYM* 97 1179-1182 vol.3
- Chen, Y.C.**, see Wang, H., *RFIC* 97 79-81
- Chenakin, A.V.**, A.E. Martynyuk, and V.I. Skachko. A new hybrid technology for millimeter-wave integrated circuits; *MWSYM* 97 921-924 vol.2
- Chen Erli**, see Erli Chen, *T-MTT Jun* 97 939-945
- Cheng, K.-K.M.** Characteristics of asymmetrical coupled lines of a conductor-backed coplanar type; *T-MTT Mar* 97 460-463
- Cheng, K.-K.M.** Effect of conductor backing on the line-to-line coupling between parallel coplanar lines; *T-MTT Jul* 97 1132-1134
- Cheng Sunny**, see Jun Ma, *MWSYM* 97 123-127 vol.1
- Cheng Sunny**, see Spears, E., *MWSYM* 97 1-4 vol.1
- Cheng Sunny**, see Jun Ma, *RFIC* 97 175-179
- Cheng Sunny**, see Spears, E., *RFIC* 97 153-156
- Chen Jun**, see Jun Chen, *T-MTT Jan* 97 132-135
- Chen Kangsheng**, see Jinjin Shen, *MWSYM* 97 1481-1484 vol.3
- Chen Kuo-Cheng**, see Kuo-Cheng Chen, *MWSYM* 97 495-498 vol.2
- Chen Min**, see Min Chen, *MWSYM* 97 67-70 vol.1
- Chen Qiang**, see Qiang Chen, *T-MTT Aug* 97 1267-1270
- Chen Shao Hua**, see Bandler, J.W., *T-MTT May* 97 761-769
- Chen Shao Hua**, see Bandler, J.W., *T-MTT May* 97 770-779
- Chen Shen-Whan**, see Shen-Whan Chen, *T-MTT May* 97 700-703
- Chen Wai-Kai**, see Wang, B.F., *T-MTT Jan* 97 126-129
- Chen Wenye**, see Lu Chao, *T-MTT Aug* 97 1478-1480
- Chen Yinchao**, see Yinchao Chen, *T-MTT Oct* 97 1911-1918
- Chen Young-Kai**, see Jenshan Lin, *RFIC* 97 121-125
- Chen-Yu Chi**, and G.M. Rebeiz. Design of Lange-couplers and single-sideband mixers using micromachining techniques; *T-MTT Feb* 97 291-294
- Chen Yung-Jinn**, see Yung-Jinn Chen, *MWSYM* 97 397-400 vol.2
- Chen Zhizhang**, see Jian Xu, *MWSYM* 97 329-332 vol.1
- Chen Zhizhang**, see Jian-Guo Ma, *MWSYM* 97 1381-1384 vol.3
- Chen Zhizhang**, see Jian-Guo Ma, *T-MTT Jun* 97 924-930
- Chen Zhizhang**, see Jian-Guo Ma, *T-MTT Jul* 97 1113-1117
- Chen Zhizhang**, see Jian Xu, *T-MTT Aug* 97 1263-1267
- Cheol Mun**, Chang Hoon Kang, Han Kyu Park, and Young Joong Yoon. The active phased array antennas coupled through slotlines; *MWSYM* 97 1069-1072 vol.2
- Cheon Soo Kim**, Hyun Kyu Yu, Hanjin Cho, Seonghearn Lee, and Kee Soo Nam. CMOS layout and bias optimization for RF IC design applications; *MWSYM* 97 945-948 vol.2
- Che Wenquan**, see Wen Junding, *T-MTT May* 97 698-700
- Chew Sion Teck**, see Min Chen, *MWSYM* 97 67-70 vol.1
- Chi, J.**, see Lester, J.A., *MWSYM* 97 539-542 vol.2
- Chiang, K.S.**, see Kwok-Wah Hui, *T-MTT Jan* 97 142-145
- Chiao Jung-Chih**, see Moussessian, A., *MWSYM* 97 683-686 vol.2
- Chi Chen-Yu**, see Chen-Yu Chi, *T-MTT Feb* 97 291-294
- Chien-Nan Kuo**, B. Houshmand, and T. Itoh. Full-wave analysis of packaged microwave circuits with active and nonlinear devices: an FDTD approach; *T-MTT May* 97 819-826
- Chien-Wen Chiu**, and Ruey-Beei Wu. Capacitance computation for CPW discontinuities with finite metallization thickness by hybrid finite-element method; *T-MTT Apr* 97 498-504
- Ching-Chuan Su**, see Jenn-Ming Guan, *T-MTT Mar* 97 439-442
- Ching-Chuan Su**, see Jenn-Ming Guan, *T-MTT Oct* 97 1767-1777
- Ching-Kuang C. Tzuang**, see Shih-Ping Liu, *T-MTT Sep* 97 1554-1562
- Ching-Long Tsai**, and Way-Seen Wang. An improved multigrid technique for quasi-TEM analysis of a microstrip embedded in an inhomogeneous anisotropic medium; *T-MTT May* 97 678-686
- Ching-Wen Hsue**, and Te-Wen Pan. Reconstruction of nonuniform transmission lines from time-domain reflectometry; *T-MTT Jan* 97 32-38
- Chiu, H.F.**, see Chang, C.S., *T-MTT Jul* 97 1014-1017
- Chiu Chien-Wen**, see Chien-Wen Chiu, *T-MTT Apr* 97 498-504
- Chi Wang**, Hui-Wen Yao, and K.A. Zaki. Modeling of conductor loaded resonators and filters in rectangular enclosures; *MWSYM* 97 797-800 vol.2
- Chi Wang**, K.A. Zaki, and A.E. Atia. Dual mode combined dielectric and conductor loaded cavity filters; *MWSYM* 97 1103-1107 vol.2
- Chi Wang**, see Xiaoying Zhang, *MWSYM* 97 1725-1728 vol.3
- Chi Wang**, K.A. Zaki, A.E. Atia, and T. Dolan. Conductor loaded resonator filters with wide spurious free stop band; *MWSYM* 97 1079-1082 vol.2
- Chi Wang**, K.A. Zaki, and A.E. Atia. Dual-mode conductor-loaded cavity filters; *T-MTT Aug* 97 1240-1246
- Cho, A.Y.**, see Lin, L.Y., *T-MTT Aug* 97 1320-1331
- Cho, C.**, and K.C. Gupta. Design methodology for multilayer coupled line filters; *MWSYM* 97 785-788 vol.2
- Cho, Y.**, T. Kasahara, and K. Fukuda. Microscopic observation of the temperature coefficient distribution of dielectric material for microwave application using scanning photothermal dielectric microscope; *MWSYM* 97 1647-1650 vol.3
- Cho Hanjin**, see Cheon Soo Kim, *MWSYM* 97 945-948 vol.2
- Choi, Y.M.**, see Kwok-Wah Hui, *T-MTT Jan* 97 142-145
- Chou, S.Y.**, see Erli Chen, *T-MTT Jun* 97 939-945
- Choudhury, D.**, see Case, M., *MWSYM* 97 1047-1051 vol.2
- Chow, P.D.**, see Lester, J.A., *MWSYM* 97 539-542 vol.2
- Cho Yong-Ho**, see Hee-Yong Hwang, *MWSYM* 97 805-808 vol.2
- Cho Yong-Ho**, see Yong-Ho Cho, *T-MTT Aug* 97 1208-1213
- Christange, H.**, see Massin, F., *MWSYM* 97 307-310 vol.1
- Christoffersen, C.E.**, see Nusseibeh, F., *MWSYM* 97 1073-1077 vol.2
- Chu, P.**, see Cameron, P., *MWSYM* 97 889-892 vol.2
- Chu, S.-L.G.**, see Smith, I.W., *T-MTT Jan* 97 15-22
- Chuang, H.-R.** Numerical computation of fat layer effects on microwave near-field radiation to the abdomen of a full-scale human body model; *T-MTT Jan* 97 118-125
- Chuang, J.**, S.M. El-Ghazaly, D.K. Schroder, Y.H. Zhang, G.N. Maracas, and A.C. Reyes. Air-gap transmission lines for OEICs and MMICs using glass substrates; *MWSYM* 97 265-268 vol.1
- Chuang Jimmy**, see Jian Xu, *T-MTT Aug* 97 1263-1267
- Chul Park Dong**, see Jeong-Soo Lim, *T-MTT Jun* 97 898-904
- Chun, C.**, see Pham, A., *MWSYM* 97 995-998 vol.2
- Chun, C.**, N. Evers, J. Laskar, N.M. Jokerst, H.-F. Chau, and E. Beam, III. InP HBT on Si substrates with integral passive components: a wafer scale package; *MWSYM* 97 513-516 vol.2
- Chun, C.**, A. Pham, J. Laskar, and B. Hutchison. Development of microwave package models utilizing on-wafer characterization techniques; *T-MTT Oct* 97 1948-1954
- Chung, P.S.**, see Zhu, N.H., *T-MTT Feb* 97 288-291
- Chung, Y.H.**, K.F. Sato, C.W. Chan, E.W. Lin, P.C. Grossman, L.T. Tran, J. Cowles, H. Wang, A.K. Oki, K. Najita, and M.P. DeLisio. 1/f noise modeling of InP HBT-based Schottky diodes for monolithic millimeter-wave mixers; *MWSYM* 97 841-844 vol.2
- Chung Ly**, see Sturdivant, R., *MWSYM* 97 501-504 vol.2
- Chung Ly**, see Sturdivant, R., *MWSYM* 97 505-507 vol.2
- Chung-Yi Su**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Chung Yujin**, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
- Chung Yujin**, see Jin-Ho Shin, *RFIC* 97 185-188
- Chu Qing-Xin**, see Qing-Xin Chu, *MWSYM* 97 1785-1788 vol.3
- Chye, P.**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Cidronali, A.**, see Avitabile, G.F., *MWSYM* 97 281-284 vol.1
- Ciminera, M.**, see Hogerheiden, J., *T-MTT Apr* 97 543-545
- Cisco, T.**, see Cameron, P., *MWSYM* 97 889-892 vol.2
- Citerne, J.**, see Gillard, R., *MWSYM* 97 71-74 vol.1
- Citerne, J.**, see Guillouard, K., *MWSYM* 97 1239-1242 vol.3
- Ciubotaru, A.A.**, and R.L. Carter. Capacitance topology for high frequency modeling of bipolar transistors; *MWSYM* 97 1477-1480 vol.3
- Claassen, M.**, see Bauer, T., *T-MTT Jan* 97 146-148
- Clark, C.J.**, see Moulthrop, A.A., *MWSYM* 97 1455-1458 vol.3
- Clark, J.**, see Phuong Phu, *MWSYM* 97 1135-1138 vol.3
- Clarke, R.C.**, see Morse, A.W., *MWSYM* 97 53-56 vol.1
- Coccioli, R.**, T. Itoh, and G. Pelosi. A finite element-generalized network analysis of finite thickness photonic crystals; *MWSYM* 97 195-198 vol.1
- Coello Vera, A.**, see Monfraix, P., *MWSYM* 97 1551-1554 vol.3
- Coetzee, J.C.**, see Minnaar, F.V., *T-MTT Aug* 97 1249-1252
- Cojocar, V.I.**, and T.J. Brazil. Scaleability of DC/AC non-linear dispersion models for microwave FETs; *MWSYM* 97 387-390 vol.2
- Cojocar, V.I.**, and T.J. Brazil. Parasitic resistance extraction errors with implications for FET model accuracy around $V_{ds}=0$; *MWSYM* 97 1599-1602 vol.3
- Cojocar, V.I.**, and T.J. Brazil. A scalable general-purpose model for microwave FET's including DC/AC dispersion effects; *T-MTT Dec* 97 2248-2255

- Cole, J.B.** A high-accuracy realization of the Yee algorithm using non-standard finite differences; *T-MTT Jun 97* 991-996
- Cole, M.J.**, see Corral, J.L., *T-MTT Aug 97* 1531-1536
- Collins, C.E.**, see Digby, J.W., *MWSYM 97* 561-564 vol.2
- Collins, C.E.**, J.W. Digby, R.D. Pollard, R.E. Miles, G.M. Parkhurst, J.M. Chamberlain, D.P. Steenson, N.J. Cronin, L.S. Karatzas, and J.W. Bowen. W-band measurements of 100 μm height micro-machined air-filled rectangular waveguides; *MWSYM 97* 1439-1442 vol.3
- Colomb, F.Y.**, see Kazior, T.E., *MWSYM 97* 723-726 vol.2
- Colussi, L.C.**, see van Rijs, F., *RFIC 97* 15-18
- Conciauro, G.**, see Arcioni, P., *MWSYM 97* 211-214 vol.1
- Consolazio, S.**, see Moghe, S., *MWSYM 97* 1391-1394 vol.3
- Contarino, V.M.**, see Vieira, A.J.C., *MWSYM 97* 229-232 vol.1
- Copp, W.**, see Weinreb, S., *MWSYM 97* 1279-1280 vol.3
- Coppinger, F.**, S. Yegnanarayanan, P.D. Trinh, and B. Jalali. All-optical RF filter using amplitude inversion in a semiconductor optical amplifier; *T-MTT Aug 97* 1473-1477
- Corey, S.D.**, and A.T. Yang. Automatic netlist extraction for measurement-based characterization of off-chip interconnect; *T-MTT Oct 97* 1934-1940
- Corral, J.L.**, J. Marti, S. Regidor, J.M. Foster, R. Laming, and M.J. Cole. Continuously variable true time-delay optical feeder for phased-array antenna employing chirped fiber grating; *T-MTT Aug 97* 1531-1536
- Costa da Silva, L.** Determination of the roots of the characteristic equation for corrugated and dielectric loaded circular waveguides; *T-MTT Feb 97* 298-301
- Coteus, P.W.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Cottis, P.G.**, see Tigelis, I.G., *T-MTT Feb 97* 236-244
- Courson, B.**, see Jun Ma, *MWSYM 97* 123-127 vol.1
- Courson, B.**, see Spears, E., *MWSYM 97* 1-4 vol.1
- Courson, B.**, see Jun Ma, *RFIC 97* 175-179
- Courson, B.**, see Spears, E., *RFIC 97* 153-156
- Cowles, J.**, see Chung, Y.H., *MWSYM 97* 841-844 vol.2
- Cowles, J.**, see Wang, H., *RFIC 97* 79-81
- Cowles, J.**, see Wang, H., *RFIC 97* 91-94
- Cox, A.E.**, see Hollung, S., *T-MTT Dec 97* 2352-2357
- Cox, C., III**, see Ackerman, E., *MWSYM 97* 237-240 vol.1
- Cox, C., III**, E. Ackerman, R. Helkey, and G.E. Betts. Direct-detection analog optical links; *T-MTT Aug 97* 1375-1383
- Crain, A.**, see Russell, M.E., *MWSYM 97* 1257-1260 vol.3
- Crain, A.**, see Russell, M.E., *T-MTT Dec 97* 2444-2453
- Cravey, R.**, see Deshpande, M.D., *T-MTT Mar 97* 359-366
- Creech, G.L.**, B.J. Paul, C.D. Lesniak, T.J. Jenkins, and M.C. Calcaterra. Artificial neural networks for fast and accurate EM-CAD of microwave circuits; *T-MTT May 97* 794-802
- Cronin, N.J.**, see Digby, J.W., *MWSYM 97* 561-564 vol.2
- Cronin, N.J.**, see Collins, C.E., *MWSYM 97* 1439-1442 vol.3
- Crowe, T.W.**, see Hesler, J.L., *MWSYM 97* 953-956 vol.2
- Crowe, T.W.**, see Moussessian, A., *MWSYM 97* 683-686 vol.2
- Crowe, T.W.**, see Hesler, J.L., *T-MTT May 97* 653-658
- Cryan, M.J.**, P.S. Hall, S.H. Tsang, and Jizhang Sha. Integrated active antenna with full duplex operation; *T-MTT Oct 97* 1742-1748
- Culbertson, R.**, see Ho, M.C., *MWSYM 97* 391-394 vol.2
- Curran, A.**, see Russell, M.E., *MWSYM 97* 1257-1260 vol.3
- Curran, A.**, see Russell, M.E., *T-MTT Dec 97* 2444-2453
- Curras-Francos, C.**, see Fernandez-Barciela, M., *MWSYM 97* 1499-1502 vol.3
- Curtice, W.R.**, see Teeter, D.A., *MWSYM 97* 375-378 vol.2
- Cusick, T.A.**, S. Iezekiel, R.E. Miles, S. Sales, and J. Capmany. Synthesis of all-optical microwave filters using Mach-Zehnder lattices; *T-MTT Aug 97* 1458-1462

D

- Dagenais, M.**, see Fan, F.Z., *T-MTT Aug 97* 1296-1300
- D'Agostino, S.**, see Paoloni, C., *T-MTT Jan 97* 135-139
- Daido, Y.**, see Shirakawa, K., *T-MTT Sep 97* 1630-1633
- Dan-Bin Liang**, see Jun Ma, *MWSYM 97* 123-127 vol.1
- Danestig, M.**, H. Johansson, A. Ouacha, and S. Rudner. Low-noise active recursive MMIC filters; *MWSYM 97* 705-708 vol.2
- Daniel, T.**, see Cai, Q., *MWSYM 97* 861-864 vol.2
- Daniel, T.** Bias and temperature dependent noise modeling of HBTs; *MWSYM 97* 1469-1472 vol.3
- Daniel, T.**, see Cai, Q., *T-MTT Dec 97* 2493-2502
- Darby, M.**, see Moura, L., *T-MTT Aug 97* 1398-1402
- Darwazeh, I.**, see Borjak, A., *MWSYM 97* 1579-1582 vol.3
- Darwazeh, I.**, see Borjak, A., *T-MTT Aug 97* 1453-1457
- Daryoush, A.S.**, see Thangavelu, A.V., *MWSYM 97* 661-664 vol.2
- Daryoush, A.S.**, K. Kamogawa, K. Horikawa, T. Tokumitsu, and H. Ogawa. MMIC based SOM in optically fed phased array antennas for Ka-band communication satellites; *MWSYM 97* 351-354 vol.1
- Daryoush, A.S.**, see Xue-Song Zhou, *T-MTT Feb 97* 196-204
- Daryoush, A.S.**, K. Sato, K. Horikawa, and H. Ogawa. Dynamic response of long optical-cavity laser diode for Ka-band communication satellites; *T-MTT Aug 97* 1288-1295
- Daryoush, A.S.**, see Ackerman, E.I., *T-MTT Aug 97* 1436-1442
- da S.S. Sobrinho, C.L.**, and A.J. Giarola. An FD-FD formulation for the analysis of the optical axis misalignment effect on propagation characteristics of anisotropic dielectric waveguides; *T-MTT Oct 97* 1789-1792
- Davidov, D.**, see Golosovsky, M., *MWSYM 97* 1333-1334 vol.3
- Davies, P.A.**, see Razavi, K.E., *MWSYM 97* 1707-1708 vol.3
- Davis, C.D.**, see Morse, A.W., *MWSYM 97* 53-56 vol.1
- Davis, L.H.**, see Zhou, L., *MWSYM 97* 1109-1112 vol.2
- Davis, S.E.**, see Smith, I.W., *T-MTT Jan 97* 15-22
- Dawe, G.**, see Kermerrec, C., *RFIC 97* 65-68
- Dawson, J.L.**, and Jenshan Lin. An adaptive antenna integrated with automatic gain control for receiver front end; *MWSYM 97* 1747-1750 vol.3
- Deaver, B.S., Jr**, see Hesler, J.L., *T-MTT May 97* 653-658
- de Barros, L.E.M., Jr.**, A. Paoletta, M.Y. Frankel, M.J. Romero, P.R. Herczfeld, and A. Madjar. Photoresponse of microwave transistors to high-frequency modulated lightwave carrier signal; *T-MTT Aug 97* 1368-1374
- Decoster, D.**, see Harari, J., *T-MTT Aug 97* 1332-1336
- De Flaviis, F.**, see Ming-Ju Tsai, *T-MTT Mar 97* 330-337
- De Flaviis, F.**, N.G. Alexopoulos, and O.M. Stafsudd. Planar microwave integrated phase-shifter design with high purity ferroelectric material; *T-MTT Jun 97* 963-969
- DeHaan, M.R.**, M. Jones, G. Wilcox, J. McLeod, and S.C. Miller. A 15-watt dual band HBT MMIC power amplifier; *MWSYM 97* 1425-1427 vol.3
- Dekker, R.**, see van Rijs, F., *RFIC 97* 15-18
- DeLisio, M.P.**, see Chung, Y.H., *MWSYM 97* 841-844 vol.2
- Delmotte, M.**, see Outifa, L., *T-MTT Aug 97* 1154-1161
- de Maagt, P.**, see Thornton, J., *MWSYM 97* 957-958 vol.2
- Demmler, M.**, see Fernandez-Barciela, M., *MWSYM 97* 1499-1502 vol.3
- Dennard, R.H.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Denning, R.F.**, see Boric-Lubecke, O., *MWSYM 97* 569-572 vol.2
- Der-Woei Wu**, see Henderson, G.N., *MWSYM 97* 1465-1468 vol.3
- Der-Woei Wu**, R. Parkhurst, Shyh-Liang Fu, J. Wei, Chung-Yi Su, Shih-Shun Chang, D. Moy, W. Fields, P. Chye, and R. Levitsky. A 2 W, 65% PAE single-supply enhancement-mode power PHEMT for 3 V PCS applications; *MWSYM 97* 1319-1322 vol.3
- Derzakowski, K.**, see Krupka, J., *MWSYM 97* 1347-1350 vol.3
- DeSalvo, G.**, see Jenkins, T., *MWSYM 97* 949-952 vol.2
- DeSalvo, R.**, see Gallo, J.T., *T-MTT Aug 97* 1501-1507
- Deshpande, M.D.**, C.J. Reddy, P.I. Tiemsin, and R. Cravey. A new approach to estimate complex permittivity of dielectric materials at microwave frequencies using waveguide measurements; *T-MTT Mar 97* 359-366
- Dettmer, R.**, see Jenkins, T., *MWSYM 97* 949-952 vol.2
- Deutsch, A.**, G.V. Kopcsay, P.J. Restle, H.H. Smith, G. Katopis, W.D. Becker, P.W. Coteus, C.W. Surovic, B.J. Rubin, R.P. Dunne, Jr., T. Gallo, K.A. Jenkins, L.M. Terman, R.H. Dennard, G.A. Sai-Halasz, B.L. Krauter, and D.R. Knebel. When are transmission-line effects important for on-chip interconnections?; *T-MTT Oct 97* 1836-1846
- Devaux, F.**, see Goloubkoff, M., *MWSYM 97* 31-34 vol.1
- de Zutter, D.**, see Ooms, S., *MWSYM 97* 1803-1806 vol.3
- Dib, N.I.**, see Omar, A.A., *T-MTT Jul 97* 1127-1132
- Digby, J.W.**, C.E. Collins, B.M. Towilson, L.S. Karatzas, G.M. Parkhurst, J.M. Chamberlain, J.W. Bowen, R.D. Pollard, R.E. Miles, D.P. Steenson, D.A. Brown, and N.J. Cronin. Integrated micro-machined antenna for 200 GHz operation; *MWSYM 97* 561-564 vol.2
- Digby, J.W.**, see Collins, C.E., *MWSYM 97* 1439-1442 vol.3
- Di Nallo, C.**, see Baccarelli, P., *MWSYM 97* 491-494 vol.2
- Di Nallo, C.**, F. Frezza, A. Galli, and P. Lampariello. Analysis of the propagation and leakage effects for various classes of traveling-wave sources in the presence of covering dielectric layers; *MWSYM 97* 605-608 vol.2
- d'Inzeo, G.**, see Apollonio, F., *MWSYM 97* 103-106 vol.1
- Dionigi, M.**, see Alessandri, F., *MWSYM 97* 1013-1016 vol.2
- Dionigi, M.**, see Alessandri, F., *T-MTT Dec 97* 2366-2374
- Dionne, G.F.**, see Oates, D.E., *MWSYM 97* 303-306 vol.1
- Dixit, R.**, and L. Rafaelli. Radar requirements and architecture trades for automotive applications; *MWSYM 97* 1253-1256 vol.3
- Dixon, J.**, E. Bradley, and Z.B. Popovic. Nonlinear time-domain analysis of injection-locked microwave MESFET oscillators; *T-MTT Jul 97* 1050-1057
- Djordjevic, A.R.** SPICE-compatible models for multiconductor transmission lines in Laplace-transform domain; *T-MTT May 97* 569-579
- Djordjevic, A.R.**, see Kolundzija, B.M., *T-MTT May 97* 864-866
- Dmitriyev, V.A.** Symmetry of microwave devices with gyrotropic media-complete solution and applications; *T-MTT Mar 97* 394-401

- Dohlus, M.**, A. Jostingmeier, A.S. Omar, and C. Rieckmann. Mode computation in long tapered multi-cell linear accelerator structures using the GSM method; *MWSYM* 97 1523-1526 vol.3
- Dolan, T.**, see Chi Wang, *MWSYM* 97 1079-1082 vol.2
- Dolan, T.**, see Hui-Wen Yao, *MWSYM* 97 1099-1102 vol.2
- Dolan, T.G.**, see Wang, C., *T-MTT Dec* 97 2387-2392
- Dolfi, D.**, J. Tabourel, O. Durand, V. Laude, J.-P. Huignard, and J. Chazelas. Optical architectures for programmable filtering and correlation of microwave signals; *T-MTT Aug* 97 1467-1472
- Dong Chul Park**, see Jeong-Soo Lim, *T-MTT Jun* 97 898-904
- Dongsoo Koh**, Hong-Bae Lee, and T. Itoh. A hybrid full-wave analysis of via hole grounds using finite difference and finite element time domain methods; *MWSYM* 97 89-92 vol.1
- Donig, G.**, see Weber, S., *RFIC* 97 139-142
- Donnelly, J.P.**, see Betts, G.E., *T-MTT Aug* 97 1280-1287
- Douglas, M.G.**, M. Okoniewski, and M.A. Stuchly. Performance of PCS handset antennas in mobile environments; *MWSYM* 97 1759-1762 vol.3
- Dow, G.S.**, see Huang, P.-P., *T-MTT Dec* 97 2418-2423
- Downey, A.N.**, see Ponchak, G.E., *RFIC* 97 101-104
- Drevon, C.**, see Monfraix, P., *MWSYM* 97 1551-1554 vol.3
- Droopad, R.**, see Glass, E., *MWSYM* 97 1399-1402 vol.3
- Drozd, J.M.**, and W.T. Joines. A capacitively loaded half-wavelength tapped-stub resonator; *T-MTT Jul* 97 1100-1104
- Drozd, J.M.**, and W.T. Joines. Maximally flat quarter-wavelength-coupled transmission-line filters using Q distribution; *T-MTT Dec* 97 2100-2113
- Drubin, C.A.**, see Russell, M.E., *MWSYM* 97 1257-1260 vol.3
- Drubin, C.A.**, see Russell, M.E., *T-MTT Dec* 97 2444-2453
- Dueme, P.**, M. Schaller, D. Mathoorasing, S. Bouchoule, C. Kazmierski, S. Maricot, and C. Rumelhard. MMIC GaAs transimpedance amplifiers for optoelectronic applications; *MWSYM* 97 13-16 vol.1
- Dueme, Ph.**, M. Schaller, D. Mathoorasing, S. Bouchoule, C. Kazmierski, S. Maricot, and Ch. Rumelhard. MMIC GaAs transimpedance amplifiers for optoelectronic applications; *RFIC* 97 165-168
- DuFault, M.**, see Yon-Lin Kok, *MWSYM* 97 1663-1666 vol.3
- Duhamel, F.**, I. Huynen, and A. Vander Vorst. Measurements of complex permittivity of biological and organic liquids up to 110 GHz; *MWSYM* 97 107-110 vol.1
- Dunleavy, L.**, see Winson, P.B., *T-MTT Jan* 97 46-51
- Dunleavy, L.P.**, M.C. Smith, S.M. Lardizabal, A. Fejzuli, and R.S. Roeder. Design and characterization of FET based cold/hot noise sources; *MWSYM* 97 1293-1296 vol.3
- Dunleavy, L.P.**, see Gaiewski, W.R., *T-MTT Jun* 97 997-1000
- Dunne, R.P., Jr.**, see Deutsch, A., *T-MTT Oct* 97 1836-1846
- Durand, O.**, see Dolfi, D., *T-MTT Aug* 97 1467-1472
- Durec, J.**, see Lovalace, D., *RFIC* 97 147-151
- Dutta, L.S.**, see Winkel, T.-M., *MWSYM* 97 1769-1772 vol.3
- Dutton, R.W.**, see Chan, E.K., *MWSYM* 97 1511-1514 vol.3
- Dyezij-Edlinger, R.**, see Polstyanko, S.V., *T-MTT Jul* 97 1118-1126

E

- East, J.**, see Brauchler, F., *MWSYM* 97 1225-1228 vol.3
- Ebel, J.**, see Jenkins, T., *MWSYM* 97 949-952 vol.2
- Economides, S.B.**, see Gokdemir, T., *MWSYM* 97 401-404 vol.2
- Economides, S.B.**, see Gokdemir, T., *MWSYM* 97 761-764 vol.2
- Economides, S.B.**, see Gokdemir, T., *RFIC* 97 233-236
- Eda, K.**, see Taguchi, Y., *MWSYM* 97 837-840 vol.2
- Edelstein, D.C.**, see Burghartz, J.N., *T-MTT Oct* 97 1961-1968
- Edge, C.**, see Molony, A., *T-MTT Aug* 97 1527-1530
- Ehnis, P.**, see Ho, M.C., *MWSYM* 97 391-394 vol.2
- Eibert, T.F.**, and V. Hansen. 3-D FEM/BEM-hybrid approach based on a general formulation of Huygens' principle for planar layered media; *T-MTT Jul* 97 1105-1112
- Eid, E.E.**, and F.M. Ghannouchi. Adaptive nulling loop control for 1.7-GHz feedforward linearization systems; *T-MTT Jan* 97 83-86
- Eisele, H.**, G.O. Munns, and G.I. Haddad. RF performance characteristics of InP millimeter-wave $n^+n^-n^+$ Gunn devices; *MWSYM* 97 451-454 vol.2
- Eisenbeiser, K.**, see Lan, E., *MWSYM* 97 1583-1586 vol.3
- Eisenstadt, W.R.**, see Bockelman, D.E., *T-MTT Jul* 97 1071-1077
- Elamaram, B.**, R.D. Pollard, and S. Iezekiel. Simulation and implementation of lightwave component characterization using a bilateral electro-optic network; *T-MTT Aug* 97 1493-1496
- El-Ghazaly, S.**, see Waldo, M.K., *MWSYM* 97 1339-1342 vol.3
- El-Ghazaly, S.M.**, see Chuang, J., *MWSYM* 97 265-268 vol.1
- El-Ghazaly, S.M.**, see Imtiaz, S.M.S., *MWSYM* 97 79-82 vol.1
- El-Ghazaly, S.M.**, see Megahed, M.A., *MWSYM* 97 609-612 vol.2
- El-Ghazaly, S.M.**, and T. Itoh. Electromagnetic interfacing of semiconductor devices and circuits; *MWSYM* 97 151-154 vol.1
- El-Ghazaly, S.M.**, see Lan, E., *MWSYM* 97 1583-1586 vol.3
- El-Ghazaly, S.M.**, see Imtiaz, S.M.S., *T-MTT Dec* 97 2208-2216
- Elhennawy, H.**, see Safwat, A.M.E., *T-MTT Aug* 97 1351-1357
- Elliott, J.**, see Ingram, D.L., *MWSYM* 97 1183-1186 vol.3
- Elliott, J.H.**, see Huang, P.-P., *T-MTT Dec* 97 2418-2423
- Elliott, J.H.**, see Ingram, D.L., *T-MTT Dec* 97 2424-2430
- Ellis, T.J.**, and G.M. Rebeiz. A planar circuit design for high order sub-harmonic mixers; *MWSYM* 97 1039-1042 vol.2
- El Nokali, M.A.**, see Kasemsuwan, V., *T-MTT Mar* 97 420-427
- El-Sharawy, E.B.**, see Yildirim, B.S., *MWSYM* 97 1751-1754 vol.3
- Emerson, D.T.** The work of Jagadis Chandra Bose: 100 years of mm-wave research; *MWSYM* 97 553-556 vol.2
- Emerson, D.T.** The work of Jagadis Chandra Bose: 100 years of millimeter-wave research; *T-MTT Dec* 97 2267-2273
- Enard, A.**, see Jasmin, S., *T-MTT Aug* 97 1337-1341
- Engels, R.**, see Jansen, R.H., *MWSYM* 97 277-280 vol.1
- Engen, G.F.** A review of the six-port measurement technique; *MWSYM* 97 1171-1172 vol.3
- Engen, G.F.** A (historical) review of six-port measurement technique; *T-MTT Dec* 97 2414-2417
- Enoki, T.**, see Umeda, Y., *MWSYM* 97 457-460 vol.2
- Enoki, T.**, see Yoneyama, M., *MWSYM* 97 461-464 vol.2
- Enoki, T.**, see Yoneyama, M., *T-MTT Dec* 97 2274-2282
- Ensaf, P.**, see Brown, R.A., *MWSYM* 97 983-986 vol.2
- Erasmé, D.**, see Muller, P.O., *MWSYM* 97 1329-1332 vol.3
- Erli Chen**, and S.Y. Chou. Characteristics of coplanar transmission lines on multilayer substrates: modeling and experiments; *T-MTT Jun* 97 939-945
- Ernst, C.**, and V. Postoyalko. Tapped-line interdigital filter equivalent circuits; *MWSYM* 97 801-804 vol.2
- Escher, J.S.** Wireless portable communications trends and challenges; *RFIC* 97 1-3
- Esker, P.M.**, see Morse, A.W., *MWSYM* 97 53-56 vol.1
- Esman, R.D.**, see Matthews, P.J., *MWSYM* 97 347-350 vol.1
- Esman, R.D.**, see Seeds, A.J., *T-MTT Aug* 97 1277-1278
- Esman, R.D.**, see Frankel, M.Y., *T-MTT Aug* 97 1522-1526
- Esteban, J.**, see Alonso-Juaristi, P.I., *T-MTT May* 97 636-639
- Estman, R.D.**, see Nichols, L.T., *T-MTT Aug* 97 1384-1389
- Evers, N.**, see Chun, C., *MWSYM* 97 513-516 vol.2
- Excell, P.S.**, see Zunfu Jiang, *T-MTT Jan* 97 139-142

F

- Faby, G.**, and K. Schunemann. Design of waveguide-to-orotron-resonator transition with modified Bethe theory; *T-MTT Nov* 97 2043-2048
- Falconer, M.**, and V. Tripathi. Modeling and characterization of interconnects and IC packages by FDTD 3D simulation; *MWSYM* 97 1733-1736 vol.3
- Falconer, M.**, and V. Tripathi. Second order nonuniform grid spacing in the FDTD technique; *MWSYM* 97 1539-1542 vol.3
- Fan, F.Z.**, and M. Dagenais. Optical generation of a megahertz-linewidth microwave signal using semiconductor lasers and a discriminator-aided phase-locked loop; *T-MTT Aug* 97 1296-1300
- Fan, J.C.**, C.L. Lu, and L.G. Kazovsky. Dynamic range requirements for microcellular personal communication systems using analog fiber-optic links; *T-MTT Aug* 97 1390-1397
- Fan, L.**, see Heimer, B., *T-MTT Dec* 97 2234-2240
- Fang-Lih Lin**, and Ruey-Beei Wu. Comparative performance of three different CPW bandpass filters; *MWSYM* 97 813-816 vol.2
- Fang-Lih Lin**, and Ruey-Beei Wu. Hybrid FEM analysis of thick CPW discontinuities with nonrectangular cross section; *MWSYM* 97 1527-1530 vol.3
- Fang Wang**, and Q.J. Zhang. Knowledge based neural models for microwave design; *MWSYM* 97 627-630 vol.2
- Fan Lu**, see Lu Fan, *MWSYM* 97 273-276 vol.1
- Fan Lu**, see McSpadden, J.O., *MWSYM* 97 547-550 vol.2
- Farina, M.**, and T. Rozzi. A theory of distributed amplifiers exploiting growing waves; *MWSYM* 97 913-918 vol.2
- Farina, M.**, see Rozzi, T., *T-MTT Mar* 97 345-353
- Fatemi, A.**, see Kazior, T.E., *MWSYM* 97 723-726 vol.2
- Faulkner, J.A., Jr.**, see Lee, M.J., *MWSYM* 97 543-546 vol.2
- Fazi, C.**, and P.G. Neudeck. Wide dynamic range RF mixers using wide-bandgap semiconductors; *MWSYM* 97 49-51 vol.1
- Fei Huang Ya**, see Bandler, J.W., *T-MTT May* 97 761-769
- Fejzuli, A.**, see Dunleavy, L.P., *MWSYM* 97 1293-1296 vol.3
- Fells, J.**, see Molony, A., *T-MTT Aug* 97 1527-1530
- Feng, M.**, see Heins, M.S., *MWSYM* 97 255-258 vol.1
- Feng, M.**, see Shimon, R., *MWSYM* 97 769-772 vol.2
- Feng, M.**, see Heins, M.S., *RFIC* 97 215-218
- Fenk, J.** Highly integrated RF-ICs for GSM and DECT; *RFIC* 97 69-72
- Fenk, J.**, see Heinen, S., *RFIC* 97 127-130
- Fenk, J.** Highly integrated RF-IC's for GSM and DECT systems - A status review; *T-MTT Dec* 97 2531-2539
- Fenzi, N.O.**, see Hey-Shipton, G.L., *MWSYM* 97 295-298 vol.1
- Fenzi, N.O.**, see Matthaei, G.L., *T-MTT Aug* 97 1226-1231

- Fernandes, P.**, see Saorsi, S., *T-MTT Sep 97* 1643-1644
- Fernandez-Barciela, M.**, P.J. Tasker, M. Demmler, Y. Campos-Roca, H. Messler, E. Sanchez, C. Curras-Francos, and M. Schlechtweg. Simplified nonquasi-static FET modelling approach experimentally validated up to 118.5 GHz; *MWSYM 97* 1499-1502 vol.3
- Ferrell, G.**, see Strack, D., *MWSYM 97* 579-582 vol.2
- Fields, W.**, see Der-Woei Wu, *MWSYM 97* 1319-1322 vol.3
- Filicori, F.**, see Bonani, F., *T-MTT May 97* 846-855
- Fink, T.**, see Verweyen, L., *MWSYM 97* 243-246 vol.1
- Fink, T.**, see Haydl, W.H., *MWSYM 97* 1281-1284 vol.3
- Fink, T.**, see Verweyen, L., *RFIC 97* 203-206
- Finke, R.**, see Basu, S., *MWSYM 97* 1675-1677 vol.3
- Fisher, J.**, see Strack, D., *MWSYM 97* 579-582 vol.2
- Fisher, J.**, see Phuong Phu, *MWSYM 97* 1135-1138 vol.3
- Floriot, D.**, see Fraysse, J.P., *MWSYM 97* 379-382 vol.2
- Flynt, R.A.**, see Budka, T.P., *MWSYM 97* 773-776 vol.2
- Foley, W.**, see Bailey, A., *MWSYM 97* 999-1002 vol.2
- Ford, J.**, see Jun Ma, *MWSYM 97* 123-127 vol.1
- Ford, J.**, see Spears, E., *MWSYM 97* 1-4 vol.1
- Ford, J.**, see Jun Ma, *RFIC 97* 175-179
- Ford, J.**, see Spears, E., *RFIC 97* 153-156
- Fordham, O.**, see Ming-Ju Tsai, *T-MTT Mar 97* 330-337
- Forse, R.J.**, see Matthaei, G.L., *T-MTT Aug 97* 1226-1231
- Foster, J.M.**, see Corral, J.L., *T-MTT Aug 97* 1531-1536
- Fouad Hanna, V.**, see Thevenon, F., *MWSYM 97* 1615-1618 vol.3
- Fourrier-Lamer, A.**, see Belhadj-Tahar, N., *T-MTT Feb 97* 260-267
- Frank, M.**, see Morkner, H., *MWSYM 97* 9-12 vol.1
- Frank, M.**, see Morkner, H., *RFIC 97* 161-164
- Frankel, M.Y.**, see Matthews, P.J., *MWSYM 97* 347-350 vol.1
- Frankel, M.Y.**, see de Barros, L.E.M., Jr., *T-MTT Aug 97* 1368-1374
- Frankel, M.Y.**, P.J. Matthews, and R.D. Esman. Fiber-optic true time steering of an ultrawide-band receive array; *T-MTT Aug 97* 1522-1526
- Frayse, J.P.**, D. Floriot, P. Auxemery, M. Campovecchio, R. Quere, and J. Obregon. A non-quasi-static model of GaInP/AlGaAs HBT for power applications; *MWSYM 97* 379-382 vol.2
- Frayse, J.P.**, see Barataud, D., *MWSYM 97* 1687-1690 vol.3
- Frerking, M.A.**, see Boric-Lubecke, O., *MWSYM 97* 569-572 vol.2
- Fresina, M.T.**, see Heins, M.S., *MWSYM 97* 255-258 vol.1
- Fresina, M.T.**, see Heins, M.S., *RFIC 97* 215-218
- Freyer, J.**, see Bauer, T., *T-MTT Jan 97* 146-148
- Frezza, F.**, see Baccarelli, P., *MWSYM 97* 491-494 vol.2
- Frezza, F.**, see Di Nallo, C., *MWSYM 97* 605-608 vol.2
- Friedsam, G.L.**, and E.M. Biebl. Precision free-space measurements of complex permittivity of polymers in the W-band; *MWSYM 97* 1351-1354 vol.3
- Fudem, H.**, see Stenger, E., *MWSYM 97* 431-434 vol.2
- Fudem, H.**, P. Stenger, E.C. Niehenke, M. Sarantos, and C. Schwerdt. A low cost miniature MMIC W-band transceiver with planar antenna; *MWSYM 97* 427-430 vol.2
- Fujii, S.**, see Higaki, K., *MWSYM 97* 829-832 vol.2
- Fujimoto, S.**, T. Katoh, T. Ishida, T. Oku, Y. Sasaki, T. Ishikawa, and Y. Mitsui. Ka-band ultra low noise MMIC amplifier using pseudomorphic HEMTs; *MWSYM 97* 17-20 vol.1
- Fujimoto, S.**, T. Katoh, T. Ishida, T. Oku, Y. Sasaki, T. Ishikawa, and Y. Mitsui. Ka-Band ultra low noise MMIC amplifier using pseudomorphic HEMTs; *RFIC 97* 169-173
- Fujishiro, H.I.**, see Arai, Y., *MWSYM 97* 447-450 vol.2
- Fujishiro, H.I.**, see Arai, Y., *T-MTT Dec 97* 2261-2266
- Fukuda, K.**, see Cho, Y., *MWSYM 97* 1647-1650 vol.3
- Fukusako, T.**, see Tsutsumi, M., *MWSYM 97* 1491-1494 vol.3
- Fukusako, T.**, and M. Tsutsumi. Superconducting microstrip resonator with yttrium iron garnet single crystals; *T-MTT Nov 97* 2013-2017
- Fung-Yuel Chang**, see Qing-Xin Chu, *MWSYM 97* 1785-1788 vol.3
- Fusco, V.F.**, see Bu, Z.R., *MWSYM 97* 735-738 vol.2
- Fusco, V.F.**, see Gupta, S., *MWSYM 97* 599-602 vol.2
- Fusco, V.F.**, see Qiang Chen, *T-MTT Aug 97* 1267-1270
- Fu Shyh-Liang**, see Der-Woei Wu, *MWSYM 97* 1319-1322 vol.3
- G**
- Gaiowski, W.R.**, L.P. Dunleavy, and A. Castro, Jr. Analysis and measurement of mode polarizers in square waveguide; *T-MTT Jun 97* 997-1000
- Gaitan, M.**, see Milanovic, V., *T-MTT May 97* 630-635
- Gallego, J.D.**, see Munoz, S., *T-MTT Apr 97* 527-533
- Galli, A.**, see Baccarelli, P., *MWSYM 97* 491-494 vol.2
- Galli, A.**, see Di Nallo, C., *MWSYM 97* 605-608 vol.2
- Gallo, J.T.**, and R. DeSalvo. Experimental demonstration of optical guided-wave Butler matrices; *T-MTT Aug 97* 1501-1507
- Gallo, T.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Gamble, H.S.**, see Bu, Z.R., *MWSYM 97* 735-738 vol.2
- Ganchev, S.I.**, see Huber, C., *T-MTT Apr 97* 477-484
- Ganchev, S.I.**, see Huber, C., *T-MTT Nov 97* 2049-2057
- Gao Yingjie**, see Yingjie Gao, *MWSYM 97* 1741-1744 vol.3
- Garb, K.**, and R. Kastner. Characteristic impedance of a rectangular double-ridged TEM line; *T-MTT Apr 97* 554-557
- Garcia, M.**, see Angelov, I., *MWSYM 97* 853-856 vol.2
- Gard, K.** FFT windows for intermodulation analysis of microwave circuits from transient simulation; *MWSYM 97* 1699-1702 vol.3
- Gardner, P.**, and D.K. Paul. Optimum noise measure configurations for transistor negative resistance amplifiers; *T-MTT May 97* 580-586
- Garner, P.J.**, M.J. Howes, and C.M. Snowden. Design procedures for millimetre wave MMIC voltage controlled oscillators [using pHEMTs]; *MWSYM 97* 885-888 vol.2
- Garske, D.**, see Lester, J.A., *MWSYM 97* 539-542 vol.2
- Gasmi, A.**, B. Huyart, E. Bergeault, and L.P. Jallet. A new calculation approach of transistor noise parameters as a function of gatewidth and bias current; *T-MTT Mar 97* 338-344
- Gasmi, A.**, B. Huyart, E. Bergeault, and L. Jallet. Noise and power optimization of a MMIC quasi-circulator; *T-MTT Sep 97* 1572-1577
- Gasquet, D.**, see Rouquette, P., *T-MTT May 97* 690-694
- Gaudino, R.**, see Han, S., *MWSYM 97* 979-982 vol.2
- Gaudino, R.**, see Blumenthal, D.J., *T-MTT Aug 97* 1443-1452
- Gearhart, S.S.**, see Willke, T.L., *T-MTT Oct 97* 1681-1688
- Geiger, C.**, see Huang, P., *MWSYM 97* 1175-1178 vol.3
- Geis, L.A.**, M.A. Wyatt, and D. Starratt. A novel RF to baseband monolithic microwave receiver with on-chip tuning; *MWSYM 97* 1151-1154 vol.3
- Gelin, P.**, see Berthou-Pichavant, K., *T-MTT May 97* 687-690
- Gelin, P.** New consistent model for ferrite permeability tensor with arbitrary magnetization state; *T-MTT Aug 97* 1185-1192
- Gendraud, S.**, S. Verdeyme, P. Guillon, M. Chaubet, J. Sombrin, S. Vigneron, and B. Theron. Design and realization of a four pole elliptic microwave filter using low dielectric loaded cavities; *MWSYM 97* 1091-1094 vol.2
- Gentili, G.G.**, see Macchiarella, G., *T-MTT Feb 97* 294-297
- George, S.**, see Monfraix, P., *MWSYM 97* 1551-1554 vol.3
- Georgieva, N.**, and E. Yamashita. Finite-difference vector potential time-domain approach to the analysis of planar structures; *MWSYM 97* 1361-1364 vol.3
- Georgieva, N.**, and E. Yamashita. Finite-difference approach to the solution of time-domain integral equations for layered structures; *T-MTT Jun 97* 984-990
- Georgiou, G.**, see Jenshan Lin, *RFIC 97* 121-125
- Geppert, W.**, see Heinen, S., *RFIC 97* 127-130
- Gerber, J.**, see Cai, Q., *MWSYM 97* 861-864 vol.2
- Gerber, J.**, and Chao-Ren Chang. Application of the harmonic-balance method to the stability analysis of oscillators; *MWSYM 97* 1587-1590 vol.3
- Gerber, J.**, see Cai, Q., *T-MTT Dec 97* 2493-2502
- Geshiro, M.**, see Ishizaki, T., *T-MTT Dec 97* 2089-2093
- Geske, S.**, see Moghe, S., *MWSYM 97* 1391-1394 vol.3
- Geslin, S.**, A. Borjak, L. Moura, and J.J. O'Reilly. The implication of nonlinear effect on DS/CDMA with imperfect power control in optical transmission; *MWSYM 97* 1763-1766 vol.3
- Geyer, R.G.**, see Krupka, J., *MWSYM 97* 1347-1350 vol.3
- Ghafouri-Shiraz, H.**, see Kykkotis, C., *MWSYM 97* 591-594 vol.2
- Ghanevati, M.**, see Thangavelu, A.V., *MWSYM 97* 661-664 vol.2
- Ghannouchi, F.M.**, see Hamade, A.H., *MWSYM 97* 1619-1622 vol.3
- Ghannouchi, F.M.**, see Eid, E.E., *T-MTT Jan 97* 83-86
- Ghannouchi, F.M.**, see Hajji, R., *T-MTT Jul 97* 1093-1099
- Ghionc, G.**, and M. Goano. A closed-form CAD-oriented model for the high-frequency conductor attenuation of symmetrical coupled coplanar waveguides; *T-MTT Jul 97* 1065-1070
- Ghione, G.**, see Bonani, F., *T-MTT May 97* 846-855
- Ghione, G.**, and M. Goano. The influence of ground-plane width on the ohmic losses of coplanar waveguides with finite lateral ground planes; *T-MTT Sep 97* 1640-1642
- Ghosh, S.**, see Rao, S.J., *T-MTT Sep 97* 1585-1593
- Giannini, F.**, E. Limiti, G. Orenco, and P. Sanzi. A monolithic active notch tunable filter based on the gyrator principle; *MWSYM 97* 809-812 vol.2
- Giarola, A.J.**, see da S.S. Sobrinho, C.L., *T-MTT Oct 97* 1789-1792
- Giboney, K.S.**, J.W. Rodwell, and J.E. Bowers. Traveling-wave photodetector theory; *T-MTT Aug 97* 1310-1319
- Gibson, J.**, see Ma, G., *MWSYM 97* 1303-1306 vol.3
- Gil, J.M.**, and J.P. Webb. A new edge element for the modeling of field singularities in transmission lines and waveguides; *T-MTT Dec 97* 2125-2130
- Gilbert, B.K.**, and Guang-Wen Pan. MCM packaging for present- and next-generation high clock-rate digital- and mixed-signal electronic systems: areas for development; *T-MTT Oct 97* 1819-1835
- Gilbert, B.K.**, see Voelker, R.H., *T-MTT Oct 97* 1955-1960
- Gillard, R.**, K. Moustadir, F. Le Bolzer, and J. Citerne. A magnetic current formulation for modelling discrete components using the FDTD method; *MWSYM 97* 71-74 vol.1

Gillespie, J., *see* Jenkins, T., *MWSYM* 97 949-952 vol.2

Jimeno, B., and M. Guglielmi. Full wave network representation for rectangular, circular, and elliptical to elliptical waveguide junctions; *T-MTT Mar* 97 376-384

Gipprich, J., *see* Strack, D., *MWSYM* 97 579-582 vol.2

Giraudet, L., *see* Miras, A., *MWSYM* 97 1709-1712 vol.3

Gismero, J., *see* Grajal, J., *T-MTT Oct* 97 1705-1714

Glass, E., J.-H. Huang, J. Abrokwhah, B. Bernhardt, M. Majerus, E. Spears, R. Droopad, and B. Ooms. A true enhancement mode single supply power HFET for portable applications; *MWSYM* 97 1399-1402 vol.3

Gleason, R., *see* Basu, S., *MWSYM* 97 1671-1673 vol.3

Goano, M., *see* Ghionc, G., *T-MTT Jul* 97 1065-1070

Goano, M., *see* Ghione, G., *T-MTT Sep* 97 1640-1642

Gobert, Y., P.J. Tasker, and K.H. Bachem. A physical, yet simple, small-signal equivalent circuit for the heterojunction bipolar transistor; *T-MTT Jan* 97 149-153

Gokdemir, T., S.B. Economides, A. Khalid, A.A. Rezazadeh, and I.D. Robertson. Design and performance of GaAs MMIC CPW baluns using overlaid and spiral couplers; *MWSYM* 97 401-404 vol.2

Gokdemir, T., U. Karacaoglu, D. Budimir, S.B. Economides, A. Khalid, A.A. Rezazadeh, and I.D. Robertson. Multilayer passive components for uniplanar Si/SiGe MMICs; *MWSYM* 97 761-764 vol.2

Gokdemir, T., U. Karacaoglu, D. Budimir, S.B. Economides, A. Khalid, A.A. Rezazadeh, and J.D. Robertson. Multilayer passive components for uniplanar Si/SiGe MMICs; *RFIC* 97 233-236

Goldsmith, C.L., G.A. Magel, and R.J. Baca. Principles and performance of traveling-wave photodetector arrays; *T-MTT Aug* 97 1342-1350

Golosovsky, M., and D. Davidov. MM-wave near-field scanning resistivity microscope; *MWSYM* 97 1333-1334 vol.3

Goloubkoff, M., E. Penard, D. Tanguy, P. Legaud, D. Mathoorasing, F. Devaux, and C. Minot. Outdoor and indoor applications for broadband local loop with fibre supported mm-wave radio systems; *MWSYM* 97 31-34 vol.1

Goodnick, S.M., *see* Remley, K.A., *MWSYM* 97 163-166 vol.1

Gopinath, A., *see* Lovseth, S.W., *MWSYM* 97 1717-1720 vol.3

Goriui, G., *see* Boria, V.E., *MWSYM* 97 1567-1570 vol.3

Gosling, I.G., and Pingyu Qu. Propagation characteristics of a Heaviside absorbing layer for TLM; *T-MTT Feb* 97 268-273

Goswami, J.C., and R. Mittra. An application of FDTD in studying the end effects of slotline and coplanar waveguide with anisotropic substrates; *T-MTT Sep* 97 1653-1657

Goto, N., *see* Hayama, N., *MWSYM* 97 1307-1310 vol.3

Gourary, M.M., S.G. Rusakov, S.L. Ulyanov, M.M. Zharov, K.K. Gullapalli, and B.J. Mulvaney. Iterative solution of linear systems in harmonic balance analysis; *MWSYM* 97 1507-1510 vol.3

Goverdhanam, K., L.P.B. Katehi, and A. Cangellaris. Applications of multiresolution based FDTD multigrid; *MWSYM* 97 333-336 vol.1

Goverdhanam, K., R.N. Simons, and L.P.B. Katehi. Coplanar stripline components for high-frequency applications; *T-MTT Oct* 97 1725-1729

Grabinski, H., *see* Winkel, T.-M., *MWSYM* 97 1769-1772 vol.3

Graffeul, J., *see* Monfraix, P., *MWSYM* 97 1551-1554 vol.3

Grajal, J., J. Gismero, M. Mahfoudi, and F.A. Petz. A 1.4-2.7-GHz analog MMIC vector modulator for a crossbar beamforming network; *T-MTT Oct* 97 1705-1714

Gratzek, T., B. Brannon, J. Camp, and F. Murden. A new paradigm for base station receivers: high IF sampling + digital filtering; *RFIC* 97 143-146

Green, J.J. C band ferrite microstrip limiter; *MWSYM* 97 1125-1126 vol.2

Green, K., *see* Ho, M.C., *MWSYM* 97 391-394 vol.2

Gronefeld, A., and B. Schiek. Network-analyzer self-calibration with four or five standards for the 15-term error-model; *MWSYM* 97 1655-1658 vol.3

Grosskopf, G., *see* Braun, R.-P., *MWSYM* 97 225-228 vol.1

Grosskopf, G., *see* von Helmolt, C.H., *T-MTT Aug* 97 1424-1430

Grossman, P.C., *see* Chung, Y.H., *MWSYM* 97 841-844 vol.2

Groves, S.H., *see* Betts, G.E., *T-MTT Aug* 97 1280-1287

Guang-Tsai Lei, *see* Voelker, R.H., *T-MTT Oct* 97 1955-1960

Guang-Wen Pan, *see* Gilbert, B.K., *T-MTT Oct* 97 1819-1835

Guang-Wen Pan, *see* Voelker, R.H., *T-MTT Oct* 97 1955-1960

Guan Jenn-Ming, *see* Jenn-Ming Guan, *T-MTT Mar* 97 439-442

Guan Jenn-Ming, *see* Jenn-Ming Guan, *T-MTT Oct* 97 1767-1777

Guerrieri, S.D., *see* Bonani, F., *T-MTT May* 97 846-855

Guglielmi, M., *see* Majumder, S., *MWSYM* 97 479-482 vol.2

Guglielmi, M., *see* Morini, A., *MWSYM* 97 199-202 vol.1

Guglielmi, M., *see* Boria, V., *MWSYM* 97 1575-1578 vol.3

Guglielmi, M., *see* Boria, V.E., *MWSYM* 97 1567-1570 vol.3

Guglielmi, M., *see* Jimeno, B., *T-MTT Mar* 97 376-384

Guglielmi, M., *see* Alos, J.T., *T-MTT May* 97 856-858

Guglielmi, M., *see* Majumder, S., *T-MTT Dec* 97 2296-2307

Guha, D., and P.K. Saha. Some characteristics of ridge-trough waveguide; *T-MTT Mar* 97 449-453

Guillaume, P., *see* Thevenon, F., *MWSYM* 97 1615-1618 vol.3

Guillon, P., *see* Serhan, H., *MWSYM* 97 697-700 vol.2

Guillon, P., *see* Baillargeat, D., *MWSYM* 97 1021-1024 vol.2

Guillon, P., *see* Gendraud, S., *MWSYM* 97 1091-1094 vol.2

Guillouard, K., M.F. Wong, V.F. Hanna, and J. Citerne. A new global time domain electromagnetic simulator of microwave circuits including lumped elements based on finite element method; *MWSYM* 97 1239-1242 vol.3

Gullapalli, K.K., *see* Gourary, M.M., *MWSYM* 97 1507-1510 vol.3

Gundlach, K.H., *see* Karpov, A., *MWSYM* 97 919-920 vol.2

Guofen Yu, *see* Wenxiang Wang, *T-MTT Oct* 97 1689-1695

Gupta, K.C., *see* Cho, C., *MWSYM* 97 785-788 vol.2

Gupta, K.C., *see* Watson, P.M., *MWSYM* 97 1603-1606 vol.3

Gupta, K.C., *see* Watson, P.M., *T-MTT Dec* 97 2515-2523

Gupta, S., and V.F. Fusco. Automatic beam steered active antenna receiver; *MWSYM* 97 599-602 vol.2

Gutierrez, R., *see* Thangavelu, A.V., *MWSYM* 97 661-664 vol.2

Gutmann, R.J., *see* Kucera, J.J., *T-MTT Oct* 97 1807-1810

Gwarek, W., *see* Miazga, P., *T-MTT May* 97 858-861

H

Habib, T., *see* Rosloniec, S., *T-MTT Sep* 97 1633-1637

Hacker, J.B., T.C. Banwell, and D.T. Kong. A 10 Gb/s package for digital ICs; *MWSYM* 97 473-476 vol.2

Haddad, G.I., *see* Eisele, H., *MWSYM* 97 451-454 vol.2

Hadjizada, K., *see* Heinen, S., *RFIC* 97 127-130

Hafizi, M., and J.F. Jensen. Ultra-fast, low-power integrated circuits in a scaled submicron HBT IC technology; *RFIC* 97 87-90

Hafizi, M. High-frequency low-power IC's in a scaled submicron HBT technology; *T-MTT Dec* 97 2549-2554

Hagelin, S., *see* Hyden, L., *MWSYM* 97 727-730 vol.2

Hageman, M., *see* Bailey, A., *MWSYM* 97 999-1002 vol.2

Haggis, D., *see* Ping Li, *MWSYM* 97 991-994 vol.2

Hagimoto, K., *see* Yoneyama, M., *MWSYM* 97 461-464 vol.2

Hagimoto, K., *see* Yoneyama, M., *T-MTT Dec* 97 2274-2282

Haidar, J., *see* Boyer, B., *T-MTT Aug* 97 1362-1367

Hai-Fen Liu, *see* Ahmed, Z., *T-MTT Aug* 97 1431-1435

Haiyin Wang, Ke-Li Wu, and J. Litva. The higher order modal characteristics of circular-rectangular coaxial waveguides; *T-MTT Mar* 97 414-419

Hajji, R., F. Beanregard, and F.M. Ghannouchi. Multitone power and intermodulation load-pull characterization of microwave transistors suitable for linear SSPA's design; *T-MTT Jul* 97 1093-1099

Hall, G., *see* Stenger, E., *MWSYM* 97 431-434 vol.2

Hall, P.S., *see* Kykkotis, C., *MWSYM* 97 591-594 vol.2

Hall, P.S., *see* Cryan, M.J., *T-MTT Oct* 97 1742-1748

Hall, W.R., *see* Hesler, J.L., *T-MTT May* 97 653-658

Hamada, T., *see* Arai, Y., *MWSYM* 97 447-450 vol.2

Hamada, T., *see* Arai, Y., *T-MTT Dec* 97 2261-2266

Hamade, A.H., A.B. Kouki, and F.M. Ghannouchi. Synthesis of impedance matching circuits using arbitrary nonuniform transmission lines; *MWSYM* 97 1619-1622 vol.3

Han, S., R. Gaudino, M. Shell, J. Laskar, and D.J. Blumenthal. Optimization of RF (MMIC)/optical subcarrier multiplexed communications system; *MWSYM* 97 979-982 vol.2

Han-Bin Liang, *see* Spears, E., *MWSYM* 97 1-4 vol.1

Han-Bin Liang, *see* Jun Ma, *RFIC* 97 175-179

Han-Bin Liang, *see* Spears, E., *RFIC* 97 153-156

Hanjin Cho, *see* Cheon Soo Kim, *MWSYM* 97 945-948 vol.2

Hanke, G. Experimental 20 Gbit/s modules for optical fiber links; *MWSYM* 97 233-236 vol.1

Han Kyu Park, *see* Cheol Mun, *MWSYM* 97 1069-1072 vol.2

Han Liang, *see* Ke Wu, *T-MTT Jun* 97 946-954

Hanna, V.F., *see* Guillouard, K., *MWSYM* 97 1239-1242 vol.3

Han Sangwoo, *see* Blumenthal, D.J., *T-MTT Aug* 97 1443-1452

Hansen, V., *see* Eibert, T.F., *T-MTT Jul* 97 1105-1112

Hanson, G.W., *see* Yakovlev, A.B., *T-MTT Jan* 97 87-94

Hanz, C., *see* Cameron, P., *MWSYM* 97 889-892 vol.2

Hao Ji, *see* Zhenhai Zhu, *T-MTT Aug* 97 1179-1184

Harari, J., G. Jin, J.P. Vilcot, and D. Decoster. Theoretical study of p-i-n photodetectors' power limitations from 2.5 to 60 GHz; *T-MTT Aug* 97 1332-1336

Harms, P., *see* Yinchao Chen, *T-MTT Oct* 97 1911-1918

Harris, F., *see* Strack, D., *MWSYM* 97 531-534 vol.2

Harshavardhan, K.S., *see* Xiaoying Zhang, *MWSYM* 97 1725-1728 vol.3

Hartmann, Q.J., *see* Heins, M.S., *MWSYM* 97 255-258 vol.1

Hartmann, Q.J., *see* Heins, M.S., *RFIC* 97 215-218

Harvey, J., *see* Nuteson, T.W., *T-MTT May* 97 666-672

Hasegawa, T., *see* Keren Li, *T-MTT Jan* 97 2-8

Hau, Y.K.G., V. Postoyalko, and J.R. Richardson. Sensitivity of distortion cancellation in feedforward amplifiers to loop imbalances; *MWSYM* 97 1695-1698 vol.3

Hauhe, M., *see* Sturdivant, R., *MWSYM* 97 501-504 vol.2

Hauth, W., *see* Beyer, R., *MWSYM* 97 1235-1238 vol.3

- Havasy, C.**, see Jenkins, T., *MWSYM* 97 949-952 vol.2
- Havens, D.P.**, see Seabury, C.W., *MWSYM* 97 181-184 vol.1
- Hawkins, J.J.**, see Morse, A.W., *MWSYM* 97 53-56 vol.1
- Hayama, N.**, C.-W. Kim, H. Takahashi, N. Goto, and K. Honjo. High-efficiency, small-chip AlGaAs/GaAs power HBTs for low-voltage digital cellular phones; *MWSYM* 97 1307-1310 vol.3
- Hayashi, K.**, see Kimishima, M., *MWSYM* 97 1311-1314 vol.3
- Hayashi, K.**, see Hirata, Y., *T-MTT Jan* 97 72-77
- Hayashi, T.**, see Miyakawa, M., *MWSYM* 97 115-118 vol.1
- Hayashi, Y.**, see Alam, M.S., *T-MTT Feb* 97 205-211
- Hayden, L.**, see Basu, S., *MWSYM* 97 1335-1338 vol.3
- Haydl, W.H.**, see Verwey, L., *MWSYM* 97 243-246 vol.1
- Haydl, W.H.**, L. Verwey, T. Jakobus, M. Neumann, A. Tessmann, T. Krems, M. Schlechtweg, W. Reinert, H. Massier, J. Rudiger, W. Bronner, A. Hulsmann, and T. Fink. Compact monolithic coplanar 94 GHz front ends; *MWSYM* 97 1281-1284 vol.3
- Haydl, W.H.**, see Krems, T., *MWSYM* 97 987-990 vol.2
- Haydl, W.H.**, see Verwey, L., *RFIC* 97 203-206
- Hee Ran Ahn**, I. Wolff, and Ik-Soo Chang. Arbitrary termination impedances, arbitrary power divisions and small-sized ring hybrids; *MWSYM* 97 285-288 vol.1
- Hee-Yong Hwang**, Nam-Sin park, Yong-Ho Cho, Sang-Won Yun, and Ik-Soo Chang. The design of band-pass filters made of both dielectric and coaxial resonators; *MWSYM* 97 805-808 vol.2
- Heffernan, D.**, see Strack, D., *MWSYM* 97 579-582 vol.2
- Hegmann, F.A.**, see Moussessian, A., *MWSYM* 97 683-686 vol.2
- Heide, P.**, see Nalezinski, M., *MWSYM* 97 185-188 vol.1
- Heiliger, H.-M.**, M. Nagel, H.G. Roskos, H. Kurz, F. Schnieder, and W. Heinrich. Thin-film microstrip lines for MM and sub-MM/wave on-chip interconnects; *MWSYM* 97 421-424 vol.2
- Heimer, B.**, see Lu Fan, *MWSYM* 97 273-276 vol.1
- Heimer, B.**, L. Fan, and K. Chang. Uniplanar hybrid couplers using asymmetrical coplanar striplines; *T-MTT Dec* 97 2234-2240
- Heinen, S.**, K. Hadjizada, U. Matter, W. Geppert, V. Thomas, S. Weber, S. Beyer, and J. Fenk. An integrated bipolar transmitter for DECT; *RFIC* 97 127-130
- Heinrich, W.**, see Heiliger, H.-M., *MWSYM* 97 421-424 vol.2
- Heinrich, W.**, see Rheinfelder, C., *MWSYM* 97 877-880 vol.2
- Heinrich, W.**, see Beilenhoff, K., *MWSYM* 97 1789-1792 vol.3
- Heinrich, W.**, see Rheinfelder, C., *T-MTT Dec* 97 2503-2508
- Heins, M.S.**, D.W. Barlage, M.T. Fresina, D.A. Ahmari, Q.J. Hartmann, G.E. Stillman, and M. Feng. Low phase noise Ka-band VCOs using InGaP/GaAs HBTs and coplanar waveguide; *MWSYM* 97 255-258 vol.1
- Heins, M.S.**, D.W. Barlage, M.T. Fresina, D.A. Ahmari, Q.J. Hartmann, G.E. Stillman, and M. Feng. Low phase noise Ka-band VCOs using InGaP/GaAs HBTs and coplanar waveguide; *RFIC* 97 215-218
- Hejazi, Z.M.**, see Zunfu Jiang, *T-MTT Jan* 97 139-142
- Helkey, R.**, see Cox, C., III., *T-MTT Aug* 97 1375-1383
- Henderson, G.N.**, and Der-Woei Wu. GaAs HBT profile optimization using the Taguchi method; *MWSYM* 97 1465-1468 vol.3
- Henderson, G.N.**, M.F. O'Keefe, T.E. Boles, P. Noonan, J.M. Sledziewski, and B.M. Brown. SiGe bipolar junction transistors for microwave power applications; *MWSYM* 97 1299-1302 vol.3
- Henderson, R.M.**, and L.P.B. Katehi. Silicon-based micromachined packages for discrete components; *MWSYM* 97 521-524 vol.2
- Hendrick, L.W.**, see Bandler, J.W., *T-MTT May* 97 770-779
- Henermann, H.**, and B. Schiek. Line network network (LNN): an alternative in-fixture calibration procedure; *T-MTT Mar* 97 408-413
- Heng-Chia Chang**, X. Cao, U.K. Mishra, and R.A. York. Phase noise in coupled oscillator arrays; *MWSYM* 97 1061-1064 vol.2
- Heng-Chia Chang**, Xudong Cao, U.K. Mishra, and R.A. York. Phase noise in coupled oscillators: theory and experiment; *T-MTT May* 97 604-615
- Heng-Chia Chang**, E.S. Shapiro, and R.A. York. Influence of the oscillator equivalent circuit on the stable modes of parallel-coupled oscillators; *T-MTT Aug* 97 1232-1239
- Hentges, R.**, see Braun, R.-P., *MWSYM* 97 225-228 vol.1
- Herczfeld, P.**, see Niehenke, E.C., *MWSYM* 97 35-38 vol.1
- Herczfeld, P.R.**, see Vieira, A.J.C., *MWSYM* 97 229-232 vol.1
- Herczfeld, P.R.**, see de Barros, L.E.M., Jr., *T-MTT Aug* 97 1368-1374
- Herrick, K.J.**, T. Schwarz, and L.P.B. Katehi. W-band micromachined finite ground coplanar (FGC) line circuit elements; *MWSYM* 97 269-272 vol.1
- Herrick, K.J.**, see Weller, T.M., *T-MTT Jun* 97 931-938
- Herring, J.L.**, M. Righi, and W.J.R. Hoefer. Modal boundary conditions for waveguides of arbitrary cross-section with SCN TLM; *MWSYM* 97 325-328 vol.1
- Herring, J.L.**, see Righi, M., *T-MTT Oct* 97 1715-1724
- He Sailing**, see Norgren, M., *T-MTT Feb* 97 314-316
- He Sailing**, see Sailing He, *T-MTT May* 97 695-698
- Hesler, J.L.**, T.W. Crowe, W.L. Bishop, R.M. Weikle, R.F. Bradley, and Shing-Kuo Pan. The development of planar Schottky diode waveguide mixers at submillimeter wavelengths; *MWSYM* 97 953-956 vol.2
- Hesler, J.L.**, W.R. Hall, T.W. Crowe, R.M. Weikle, II, B.S. Deaver, Jr, R.F. Bradley, and Shing-Kuo Pan. Fixed-tuned submillimeter wavelength waveguide mixers using planar Schottky-barrier diodes; *T-MTT May* 97 653-658
- Hey-Shipton, G.L.**, N.O. Fenzi, and K.F. Raihn. HTS diplexer and low noise amplifier rf module; *MWSYM* 97 295-298 vol.1
- Hietala, V.M.**, K.L. Lear, M.G. Armendariz, C.P. Tigges, H.Q. Hou, and J.C. Zolper. Electrical characterization and application of very high speed vertical cavity surface emitting lasers (VCSELs); *MWSYM* 97 355-358 vol.1
- Higaki, K.**, H. Nakahata, H. Kitabayashi, S. Fujii, K. Tanabe, Y. Seki, and S. Shikata. High frequency SAW filter on diamond; *MWSYM* 97 829-832 vol.2
- Higashisaka, N.**, see Miyashita, M., *T-MTT Jul* 97 1058-1064
- Hikita, M.**, N. Shibagaki, A. Isobe, K. Asai, and K. Sakiyama. Recent and future RF SAW technology for mobile communications; *MWSYM* 97 173-176 vol.1
- Hill, D.**, see Hin-Fai Chau, *MWSYM* 97 259-262 vol.1
- Hill, D.**, and Tae Kim. 28 V low thermal impedance HBT with 20 W CW output power; *MWSYM* 97 137-140 vol.1
- Hill, D.**, see Hin-Fai Chau, *RFIC* 97 219-223
- Hill, D.**, and Tae Kim. 28 V low thermal impedance HBT with 20 W CW output power; *RFIC* 97 189-192
- Hill, D.**, and T.S. Kim. 28-V low thermal-impedance HBT with 20-W CW output power; *T-MTT Dec* 97 2224-2228
- Hilt, A.**, see Maury, G., *T-MTT Aug* 97 1481-1485
- Hin-Fai Chau**, D. Hill, R. Yarborough, and Tae Kim. 1 Watt, 65% PAE K-band AlGaAs/GaAs heterojunction bipolar transistors using emitter air-bridge technology; *MWSYM* 97 259-262 vol.1
- Hin-Fai Chau**, D. Hill, R. Yarborough, and Tae Kim. 1 Watt, 65% PAE K-band AlGaAs/GaAs heterojunction bipolar transistors using emitter air-bridge technology; *RFIC* 97 219-223
- Hirano, M.**, see Kamogawa, K., *MWSYM* 97 1221-1224 vol.3
- Hirano, M.**, see Toyoda, I., *RFIC* 97 113-116
- Hirano, M.**, see Kamogawa, K., *T-MTT Dec* 97 2436-2443
- Hirano, M.**, see Toyoda, I., *T-MTT Dec* 97 2524-2530
- Hirata, Y.**, Y. Mitsunaka, K. Hayashi, and Y. Itoh. Wave-beam shaping using multiple phase-correction mirrors; *T-MTT Jan* 97 72-77
- Hirayama, K.**, see Alam, M.S., *T-MTT Feb* 97 205-211
- Hirose, H.**, see Ogura, S., *MWSYM* 97 1195-1198 vol.3
- Hirose, T.**, see Aoki, S., *MWSYM* 97 731-734 vol.2
- Hirota, T.**, see Kanda, A., *T-MTT May* 97 659-665
- Ho, C.H.**, P.K. Shumaker, K.B. Smith, D.W. Huang, J.W. Liao, and Y.H. Wang. Microstrip-fed cylindrical slot antennas for GPS avionics applications; *MWSYM* 97 1755-1758 vol.3
- Ho, M.C.**, K. Green, R. Culbertson, J.Y. Yang, D. Ladwig, and P. Ehnis. A physical large signal Si MOSFET model for RF circuit design; *MWSYM* 97 391-394 vol.2
- Ho, S.L.**, see Leong, M.S., *T-MTT May* 97 705
- Hoefer, W.J.R.**, see Cascio, L., *MWSYM* 97 383-386 vol.2
- Hoefer, W.J.R.**, see Herring, J.L., *MWSYM* 97 325-328 vol.1
- Hoefer, W.J.R.**, see Tardioli, G., *MWSYM* 97 317-320 vol.1
- Hoefer, W.J.R.**, see Righi, M., *T-MTT Oct* 97 1715-1724
- Hoefer, W.J.R.**, see Righi, M., *T-MTT Oct* 97 1905-1910
- Hogerheiden, J.**, M. Ciminera, and G. Jue. Improved planar spiral transformer theory applied to a miniature lumped element quadrature hybrid; *T-MTT Apr* 97 543-545
- Holden, T.**, see Rouquette, P., *T-MTT May* 97 690-694
- Hollung, S.**, J. Vian, and Z.B. Popovic. A bi-directional quasi-optical lens amplifier; *MWSYM* 97 675-678 vol.2
- Hollung, S.**, A.E. Cox, and Z.B. Popovic. A bi-directional quasi-optical lens amplifier; *T-MTT Dec* 97 2352-2357
- Hombach, V.**, see Meier, K., *T-MTT Nov* 97 2058-2062
- Hong, J.S.**, and M.J. Lancaster. Microstrip slow-wave open-loop resonator filters; *MWSYM* 97 713-716 vol.2
- Hong, J.-S.**, and M.J. Lancaster. Theory and experiment of novel microstrip slow-wave open-loop resonator filters; *T-MTT Dec* 97 2358-2365
- Hong-Bae Lee**, see Dongsoo Koh, *MWSYM* 97 89-92 vol.1
- Hong-Bae Lee**, and T. Itoh. A systematic optimum design of waveguide-to-microstrip transition; *T-MTT May* 97 803-809
- Hongfu Li**, see Shiwen Yang, *T-MTT Apr* 97 552-554
- Hong Song-Cheol**, see Kye-Ik Jeon, *MWSYM* 97 817-820 vol.2
- Hong Song-Cheol**, see Yong-Ho Cho, *T-MTT Aug* 97 1208-1213
- Hong Wei**, see Jun Chen, *T-MTT Jan* 97 132-135
- Hong Wei**, see Sun, W., *T-MTT May* 97 827-836
- Hong Wei**, see Zhenhai Zhu, *T-MTT Aug* 97 1179-1184
- Honjo, K.**, see Hayama, N., *MWSYM* 97 1307-1310 vol.3
- Hoon Kang Chang**, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
- Hoppe, M.**, see Yamada, F.M., *MWSYM* 97 141-144 vol.1
- Hoppe, M.M.**, see Yamada, F.M., *RFIC* 97 193-196
- Horii, Y.**, and M. Tsutsumi. Scattering parameters of interdigital microstrip gap under laser spot illumination; *MWSYM* 97 1635-1638 vol.3

- Horikawa, K.**, see Daryoush, A.S., *MWSYM* 97 351-354 vol.1
- Horikawa, K.**, see Daryoush, A.S., *T-MTT Aug* 97 1288-1295
- Horning Tzyy-Sheng**, see Tzyy-Sheng Horng, *MWSYM* 97 1815-1818 vol.3
- Horno, M.**, see Plaza, G., *T-MTT Apr* 97 519-526
- Horno, M.**, see Bernal, J., *T-MTT Sep* 97 1619-1626
- Ho See-Loke**, see Le-Wei Li, *T-MTT Mar* 97 321-329
- Hoshino, K.**, see Sasaki, K., *MWSYM* 97 937-940 vol.2
- Hoton How**, C. Vittoria, and R. Schmidt. Nonlinear intermodulation coupling in ferrite circulator junctions; *T-MTT Feb* 97 245-252
- Hou, H.Q.**, see Hietala, V.M., *MWSYM* 97 355-358 vol.1
- Houshmand, B.**, see Takagi, E., *MWSYM* 97 1531-1534 vol.3
- Houshmand, B.**, see Chien-Nan Kuo, *T-MTT May* 97 819-826
- Houshmand, B.**, see Kaneda, N., *T-MTT Sep* 97 1645-1649
- How, H.**, S.W. McKnight, and C. Vittoria. Effective-field theory for ferrite thin-film junction circulator; *MWSYM* 97 1127-1130 vol.2
- Howes, M.J.**, see Garner, P.J., *MWSYM* 97 885-888 vol.2
- Howes, M.J.**, see Plews, A.D., *MWSYM* 97 1729-1732 vol.3
- How Hoton**, see Hoton How, *T-MTT Feb* 97 245-252
- Hsia, H.**, see Shimon, R., *MWSYM* 97 769-772 vol.2
- Hsiang-Chih Sun**, see Case, M., *MWSYM* 97 1047-1051 vol.2
- Hsu, P.-C.**, C. Nguyen, and M. Kintis. Uniplanar broad-band push-pull FET amplifiers; *T-MTT Dec* 97 2150-2151
- Hsue Ching-Wen**, see Ching-Wen Hsue, *T-MTT Jan* 97 32-38
- Hua Chen Shao**, see Bandler, J.W., *T-MTT May* 97 761-769
- Hua Chen Shao**, see Bandler, J.W., *T-MTT May* 97 770-779
- Huang, D.W.**, see Ho, C.H., *MWSYM* 97 1755-1758 vol.3
- Huang, J.-H.**, see Glass, E., *MWSYM* 97 1399-1402 vol.3
- Huang, L.**, see Jong-Gwan Yook, *T-MTT Oct* 97 1847-1856
- Huang, P.**, E. Lin, R. Lai, M. Biedenbender, T.W. Huang, H. Wang, C. Geiger, T. Block, and P.H. Liu. A 94 GHz monolithic high output power amplifier; *MWSYM* 97 1175-1178 vol.3
- Huang, P.**, see Wang, H., *RFIC* 97 91-94
- Huang, P.-P.**, T.-W. Huang, H. Wang, E.W. Lin, Y. Shu, G.S. Dow, R. Lai, M. Biedenbender, and J.H. Elliott. A 94-GHz 0.35-W power amplifier module; *T-MTT Dec* 97 2418-2423
- Huang, T.W.**, see Ingram, D.L., *MWSYM* 97 1183-1186 vol.3
- Huang, T.W.**, see Huang, P., *MWSYM* 97 1175-1178 vol.3
- Huang, T.W.**, see Wang, H., *MWSYM* 97 1275-1278 vol.3
- Huang, T.-W.**, see Huang, P.-P., *T-MTT Dec* 97 2418-2423
- Huang Tian-Wei**, see Yon-Lin Kok, *MWSYM* 97 1663-1666 vol.3
- Huang Ya Fei**, see Bandler, J.W., *T-MTT May* 97 761-769
- Huan-Shang Tsai**, see Jenshan Lin, *RFIC* 97 121-125
- Huan-Sheng Hwang**, see Nuteson, T.W., *T-MTT May* 97 666-672
- Hua-Quen Tserng**, P. Saunier, A. Ketterson, L. Witkowski, and T. Jones. Embedded transmission line (ETL) MMIC for low-cost, high-density wireless communication applications; *RFIC* 97 41-44
- Huber, C.**, H. Abiri, S.I. Ganchev, and R. Zoughi. Analysis of the "Crack characteristic signal" using a generalized scattering matrix representation; *T-MTT Apr* 97 477-484
- Huber, C.**, H. Abiri, S.I. Ganchev, and R. Zoughi. Modeling of surface hairline-crack detection in metals under coatings using an open-ended rectangular waveguide; *T-MTT Nov* 97 2049-2057
- Huei Wang**, see Yon-Lin Kok, *MWSYM* 97 1663-1666 vol.3
- Hui, H.T.**, and E.K.N. Yung. Corrections to "The eigenfunction expansion of dyadic Green's functions for chirowaveguides" [Sep 96 1575-1583]; *T-MTT Apr* 97 561
- Huignard, J.-P.**, see Dolfi, D., *T-MTT Aug* 97 1467-1472
- Hui Kwok-Wah**, see Kwok-Wah Hui, *T-MTT Jan* 97 142-145
- Hui-Wen Yao**, see Chi Wang, *MWSYM* 97 797-800 vol.2
- Hui-Wen Yao**, K.A. Zaki, A.E. Atia, and T. Dolan. Improvement of spurious performance of combline filters; *MWSYM* 97 1099-1102 vol.2
- Hulsmann, A.**, see Haydl, W.H., *MWSYM* 97 1281-1284 vol.3
- Hung, H.A.**, see Villegas, F.J., *MWSYM* 97 739-742 vol.2
- Hunter, D.B.**, and R.A. Minasian. Photonic signal processing of microwave signals using an active-fiber Bragg-grating-pair structure; *T-MTT Aug* 97 1463-1466
- Hurt, W.D.**, see Jian-Zhong Bao, *T-MTT Oct* 97 1730-1741
- Hutchison, B.**, see Pham, A., *MWSYM* 97 995-998 vol.2
- Hutchison, B.**, see Chun, C., *T-MTT Oct* 97 1948-1954
- Huyart, B.**, see Muller, P.O., *MWSYM* 97 1329-1332 vol.3
- Huyart, B.**, see Gasmi, A., *T-MTT Mar* 97 338-344
- Huyart, B.**, see Gasmi, A., *T-MTT Sep* 97 1572-1577
- Huynen, I.**, see Duhamel, F., *MWSYM* 97 107-110 vol.1
- Hwan Ahn Kyu**, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
- Hwan Ahn Kyu**, see Jin-Ho Shin, *RFIC* 97 185-188
- Hwang, J.C.M.**, see Bao, J.W., *MWSYM* 97 905-908 vol.2
- Hwang, Y.**, J. Lester, G. Schreyer, G. Zell, S. Schrier, D. Yamauchi, G. Onak, B. Kasody, R. Kono, Y.C. Chen, and R. Lai. 60 GHz high-efficiency HEMT MMIC chip set development for high-power solid state power amplifier; *MWSYM* 97 1179-1182 vol.3
- Hwang Hee-Yong**, see Hee-Yong Hwang, *MWSYM* 97 805-808 vol.2
- Hwang Huan-Sheng**, see Nuteson, T.W., *T-MTT May* 97 666-672
- Hyden, L.**, S. Hagelin, P. Starski, and K. Yhland. Analysis and design of a vertical CPW transition between microstrip planes; *MWSYM* 97 727-730 vol.2
- Hyun Kyu Yu**, see Cheon Soo Kim, *MWSYM* 97 945-948 vol.2
- Hyun Kyu Yu**, see Min Park, *MWSYM* 97 129-132 vol.1
- Hyun Kyu Yu**, see Min Park, *RFIC* 97 181-184

I

- Iatrou, C.T.**, and M. Cavenago. Field analysis of rectangular waveguide open junction; *T-MTT Feb* 97 165-172
- Iezekiel, S.**, see Cusick, T.A., *T-MTT Aug* 97 1458-1462
- Iezekiel, S.**, see Elamaran, B., *T-MTT Aug* 97 1493-1496
- Iida, A.**, see Kawakami, K., *MWSYM* 97 657-660 vol.2
- Iijima, Y.**, see Takahashi, T., *MWSYM* 97 1683-1686 vol.3
- Ik-Soo Chang**, see Hee Ran Ahn, *MWSYM* 97 285-288 vol.1
- Ik-Soo Chang**, see Hee-Yong Hwang, *MWSYM* 97 805-808 vol.2
- Il-Kyoo Lee**, see Sang-Gee Kang, *MWSYM* 97 1519-1522 vol.3
- Imai, N.**, H. Kawamura, K. Inagaki, and Y. Karasawa. Wideband millimeter wave/optical network applications in Japan; *MWSYM* 97 27-30 vol.1
- Imai, N.**, see Minakawa, A., *T-MTT Jan* 97 78-82
- Imai, N.**, see Imaoka, T., *T-MTT Jan* 97 95-101
- Imai, N.**, H. Kawamura, K. Inagaki, and Y. Karasawa. Wide-band millimeter-wave/optical-network applications in Japan; *T-MTT Dec* 97 2197-2207
- Imai, Y.**, see Yoneyama, M., *MWSYM* 97 461-464 vol.2
- Imai, Y.**, see Tajima, K., *MWSYM* 97 1217-1220 vol.3
- Imai, Y.**, see Yoneyama, M., *T-MTT Dec* 97 2274-2282
- Imamura, Y.**, see Umeda, Y., *MWSYM* 97 457-460 vol.2
- Imaoka, T.**, see Minakawa, A., *T-MTT Jan* 97 78-82
- Imaoka, T.**, S. Banba, A. Minakawa, and N. Imai. Millimeter-wave wide-band amplifiers using multilayer MMIC technology; *T-MTT Jan* 97 95-101
- Imtiaz, S.M.S.**, and S.M. El-Ghazaly. Physical simulation of complete millimeter-wave amplifiers using full-wave FDTD technique; *MWSYM* 97 79-82 vol.1
- Imtiaz, S.M.S.**, and S.M. El-Ghazaly. Global modeling of millimeter-wave circuits: Electromagnetic simulation of amplifiers; *T-MTT Dec* 97 2208-2216
- Inagaki, K.**, see Imai, N., *MWSYM* 97 27-30 vol.1
- Inagaki, K.**, see Imai, N., *T-MTT Dec* 97 2197-2207
- Inatani, J.**, see Shi, S.C., *T-MTT Mar* 97 442-446
- Ingalls, M.**, see Kent, G., *T-MTT Feb* 97 311-313
- Ingram, D.L.**, D.I. Stones, T.W. Huang, M. Nishimoto, H. Wang, M. Siddiqui, D. Tamura, J. Elliott, R. Lai, M. Biedenbender, H.C. Yen, and B. Allen. A 6 watt Ka-band MMIC power module using MMIC power amplifiers; *MWSYM* 97 1183-1186 vol.3
- Ingram, D.L.**, D.I. Stones, J.H. Elliott, H. Wang, R. Lai, and M. Biedenbender. A 6-W Ka-band power module using MMIC power amplifiers; *T-MTT Dec* 97 2424-2430
- Inoue, A.**, see Kunii, T., *MWSYM* 97 1187-1190 vol.3
- Inoue, C.**, see Kobayashi, K., *MWSYM* 97 793-796 vol.2
- Inoue, T.**, see Mizoe, J., *MWSYM* 97 247-250 vol.1
- Inoue, T.**, see Mizoe, J., *RFIC* 97 207-210
- Isele, B.**, see Lindenmeier, S., *T-MTT Nov* 97 1998-2006
- Ishida, H.**, H. Koizumi, K. Miyatsuji, H. Takenaka, T. Tanaka, and D. Ueda. A low power GaAs front-end IC with current-reuse configuration using 0.15 μm gate MODFETs; *MWSYM* 97 669-672 vol.2
- Ishida, O.**, see Itoh, K., *MWSYM* 97 849-852 vol.2
- Ishida, O.**, see Suematsu, N., *MWSYM* 97 901-904 vol.2
- Ishida, O.**, see Suematsu, N., *T-MTT Dec* 97 2509-2514
- Ishida, T.**, see Fujimoto, S., *MWSYM* 97 17-20 vol.1
- Ishida, T.**, see Fujimoto, S., *RFIC* 97 169-173
- Ishii, Y.**, see Umeda, Y., *MWSYM* 97 457-460 vol.2
- Ishikawa, O.**, see Nishijima, M., *MWSYM* 97 1155-1158 vol.3
- Ishikawa, T.**, see Fujimoto, S., *MWSYM* 97 17-20 vol.1
- Ishikawa, T.**, see Kunii, T., *MWSYM* 97 1187-1190 vol.3
- Ishikawa, T.**, see Fujimoto, S., *RFIC* 97 169-173
- Ishikura, K.**, see Morikawa, J., *MWSYM* 97 1413-1416 vol.3
- Ishikura, K.**, see Takenaka, I., *MWSYM* 97 1417-1420 vol.3
- Ishizaki, T.**, see Miyake, H., *MWSYM* 97 789-792 vol.2
- Ishizaki, T.**, see Yamada, T., *MWSYM* 97 833-836 vol.2
- Ishizaki, T.**, T. Kitamura, M. Geshiro, and S. Sawa. Study of the influence of grounding for microstrip resonators; *T-MTT Dec* 97 2089-2093
- Iskander, M.F.**, see Bringhurst, S., *T-MTT Dec* 97 2073-2083
- Isobe, A.**, see Hikita, M., *MWSYM* 97 173-176 vol.1
- Ito, R.**, see Jackson, R.W., *T-MTT Oct* 97 1919-1925
- Itoh, J.**, see Nishijima, M., *MWSYM* 97 1155-1158 vol.3
- Itoh, K.**, see Kawakami, K., *MWSYM* 97 657-660 vol.2

- Itoh, K.**, K. Tajima, K. Kawakami, O. Ishida, and K. Mizuno. Fundamental limitations on output power and conversion loss of an even harmonic mixer in an up-conversion operation; *MWSYM* 97 849-852 vol.2
- Itoh, K.**, see Tajima, K., *MWSYM* 97 1217-1220 vol.3
- Itoh, T.**, see Coccioli, R., *MWSYM* 97 195-198 vol.1
- Itoh, T.**, see Dongsoo Koh, *MWSYM* 97 89-92 vol.1
- Itoh, T.**, see El-Ghazaly, S.M., *MWSYM* 97 151-154 vol.1
- Itoh, T.**, see Min Chen, *MWSYM* 97 67-70 vol.1
- Itoh, T.**, see Perkons, A.R., *MWSYM* 97 691-694 vol.2
- Itoh, T.**, see Radisic, V., *MWSYM* 97 687-690 vol.2
- Itoh, T.**, see Shibata, T., *MWSYM* 97 75-78 vol.1
- Itoh, T.**, see Takagi, E., *MWSYM* 97 1531-1534 vol.3
- Itoh, T.**, see Yongxi Qian, *MWSYM* 97 1623-1626 vol.3
- Itoh, T.**, see Basu, A., *MWSYM* 97 1667-1670 vol.3
- Itoh, T.**, see Kuang-Ping Ma, *MWSYM* 97 1627-1630 vol.3
- Itoh, T.**, see Jen-Tsai Kuo, *T-MTT Feb* 97 274-280
- Itoh, T.**, see Hong-Bae Lee, *T-MTT May* 97 803-809
- Itoh, T.**, see Chien-Nan Kuo, *T-MTT May* 97 819-826
- Itoh, T.**, see Lin, L.Y., *T-MTT Aug* 97 1320-1331
- Itoh, T.**, see Kaneda, N., *T-MTT Sep* 97 1645-1649
- Itoh, T.**, see Koh, D., *T-MTT Dec* 97 2217-2223
- Itoh, Y.**, see Hirata, Y., *T-MTT Jan* 97 72-77
- Ivanov, S.A.** Inherently matched Y-junction stripline circulator; *T-MTT May* 97 648-652
- Ivanov, T.**, see Ortiz, S., *MWSYM* 97 679-682 vol.2
- Iwai, T.**, see Ohara, S., *MWSYM* 97 909-912 vol.2
- Iwata, N.**, see Yamaguchi, K., *MWSYM* 97 1403-1406 vol.3
- Iwata, N.**, see Nishimura, T.B., *RFIC* 97 37-40
- Iyama, T.**, and J.-I. Takada. Propagation characteristics of a dielectric-coated coaxial helical waveguide in a lossy medium; *T-MTT Apr* 97 557-559
- Iyama, Y.**, see Shigematsu, T., *MWSYM* 97 527-530 vol.2
- Iyama, Y.**, see Suematsu, N., *MWSYM* 97 901-904 vol.2
- Iyama, Y.**, see Suematsu, N., *T-MTT Dec* 97 2509-2514

J

- Jachowski, D.R.** Alternative designs for dual-mode filters; *MWSYM* 97 1087-1090 vol.2
- Jackson, D.R.**, see Majumder, S., *MWSYM* 97 479-482 vol.2
- Jackson, D.R.**, see Majumder, S., *T-MTT Dec* 97 2296-2307
- Jackson, R.W.**, and Zhaoyang Wang. Circuit based model for coupling between MMICs in multi-chip assemblies; *MWSYM* 97 1377-1380 vol.3
- Jackson, R.W.**, and R. Ito. Modeling millimeter-wave IC behavior for flipped-chip mounting schemes; *T-MTT Oct* 97 1919-1925
- Jackson, R.W.**, and S. Rakshit. Microwave-circuit modeling of high lead-count plastic packages; *T-MTT Oct* 97 1926-1933
- Jaggard, D.L.**, see Xinzhang Wu, *T-MTT May* 97 640-647
- Jain, N.**, and P. Onno. Methods of using commercial electromagnetic simulators for microwave and millimeter-wave circuit design and optimization; *T-MTT May* 97 724-746
- Jain, P.K.**, see Rao, S.J., *T-MTT Sep* 97 1585-1593
- Jakobus, T.**, see Verwey, L., *MWSYM* 97 243-246 vol.1
- Jakobus, T.**, see Haydl, W.H., *MWSYM* 97 1281-1284 vol.3
- Jakobus, T.**, see Verwey, L., *RFIC* 97 203-206
- Jalali, B.**, see Coppinger, F., *T-MTT Aug* 97 1473-1477
- Jallet, L.**, see Gasmi, A., *T-MTT Sep* 97 1572-1577
- Jallet, L.P.**, see Gasmi, A., *T-MTT Mar* 97 338-344
- James, C.R.**, see Van Petegem, W.E.A., *T-MTT Mar* 97 367-375
- Janezic, M.D.**, and D.F. Williams. Permittivity characterization from transmission-line measurement; *MWSYM* 97 1343-1346 vol.3
- Jansen, R.H.**, J. Jotzo, and R. Engels. Improved compaction of multilayer MMIC/MCM baluns using lumped element compensation; *MWSYM* 97 277-280 vol.1
- Jansen, R.H.**, see Tadjiky, S., *MWSYM* 97 1029-1033 vol.2
- Janssen, M.A.**, see Boric-Lubecke, O., *MWSYM* 97 569-572 vol.2
- Jarem, J.M.** Rigorous coupled-wave-theory analysis of dipole scattering from a three-dimensional, inhomogeneous, spherical dielectric, and permeable system; *T-MTT Aug* 97 1193-1203
- Jarry, B.**, see Serhan, H., *MWSYM* 97 697-700 vol.2
- Jarry, P.**, see Kerherve, E., *MWSYM* 97 1611-1614 vol.3
- Jasmin, S.**, N. Vodjdani, J.-C. Renaud, and A. Enard. Diluted- and distributed-absorption microwave waveguide photodiodes for high efficiency and high power; *T-MTT Aug* 97 1337-1341
- Jean-Fu Kiang** Radiation properties of circumferential slots on a coaxial cable; *T-MTT Jan* 97 102-107
- Jean-Fu Kiang** Microstrip lines on substrates with segmented or continuous permittivity profiles; *T-MTT Feb* 97 229-235
- Jecko, B.**, see Torres, F., *T-MTT Jan* 97 108-117
- Jenkin, K.A.**, see Burghartz, J.N., *T-MTT Oct* 97 1961-1968
- Jenkins, K.A.**, see Deutsch, A., *T-MTT Oct* 97 1836-1846
- Jenkins, T.**, C. Bozada, C. Cerny, G. DeSalvo, R. Dettmer, J. Ebel, J. Gillespie, C. Havasy, L. Kehias, K. Nakano, C. Pettiford, T. Quach, J. Sewell, D. Via, and R. Anholt. Power performance of thermally-shunted heterojunction bipolar transistors; *MWSYM* 97 949-952 vol.2
- Jenkins, T.J.**, see Creech, G.L., *T-MTT May* 97 794-802
- Jenn-Ming Guan**, and Ching-Chuan Su. Precise computations of resonant frequencies and quality factors for dielectric resonators in MICs with tuning elements; *T-MTT Mar* 97 439-442
- Jenn-Ming Guan**, and Ching-Chuan Su. Resonant frequencies and field distributions for the shielded uniaxially anisotropic dielectric resonator by the FD-SIC method; *T-MTT Oct* 97 1767-1777
- Jensen, J.F.**, see Hafizi, M., *RFIC* 97 87-90
- Jenshan Lin**, see Dawson, J.L., *MWSYM* 97 1747-1750 vol.3
- Jenshan Lin**, J.S. Weiner, Huan-Shang Tsai, G. Georgiou, Young-Kai Chen, King L. Tai, M.L. Lau, and D.P. Kossives. Silicon low noise amplifier chips for multi-chip module integration on a silicon-based substrate; *RFIC* 97 121-125
- Jen-Tsai Kuo**, and T. Itoh. Hybrid-mode computation of propagation and attenuation characteristics of parallel coupled microstrips with finite metallization thickness; *T-MTT Feb* 97 274-280
- Jeong-Soo Lim**, and Dong Chul Park. A modified Chebyshev bandpass filter with attenuation poles in the stopband; *T-MTT Jun* 97 898-904
- Jeon Kye-Ik**, see Kye-Ik Jeon, *MWSYM* 97 817-820 vol.2
- Jian-Guo Ma**, Jian Xu, and Zhizhang Chen. Nonlinear PML for absorption of nonlinear electromagnetic waves; *MWSYM* 97 1381-1384 vol.3
- Jian-Guo Ma** Investigating nonlinear propagation in dielectric slab waveguides; *T-MTT Feb* 97 304-306
- Jian-Guo Ma**, and Zhizhang Chen. Nonlinear surface waves on the interface of two non-Kerr-like nonlinear media; *T-MTT Jun* 97 924-930
- Jian-Guo Ma**, and Zhizhang Chen. Numerically determining the dispersion relations of nonlinear TE slab-guided waves in non-Kerr-like media; *T-MTT Jul* 97 1113-1117
- Jiang Xiaohong**, see Xiaohong Jiang, *MWSYM* 97 617-620 vol.2
- Jiang Zunfu**, see Zunfu Jiang, *T-MTT Jan* 97 139-142
- Jian Xu**, and Zhizhang Chen. The TLM-equivalent FD-TD analysis of antenna radiation problems with the PML absorbing conditions; *MWSYM* 97 329-332 vol.1
- Jian Xu**, see Jian-Guo Ma, *MWSYM* 97 1381-1384 vol.3
- Jian Xu**, Zhizhang Chen, and Jimmy Chuang. Numerical implementations of PML boundary conditions in the TLM-based SCN FDTD grid; *T-MTT Aug* 97 1263-1267
- Jian-Zhong Bao**, Shin-Tsu Lu, and W.D. Hurt. Complex dielectric measurements and analysis of brain tissues in the radio and microwave frequencies; *T-MTT Oct* 97 1730-1741
- Ji Hao**, see Zhenhai Zhu, *T-MTT Aug* 97 1179-1184
- Jimenez, A.D.** Lumped- and distributed-element equivalent circuits for some symmetrical multiport signal-separation structures; *T-MTT Sep* 97 1537-1544
- Jimmy Chuang**, see Jian Xu, *T-MTT Aug* 97 1263-1267
- Jin, G.**, see Harari, J., *T-MTT Aug* 97 1332-1336
- Jin-Fa Lee**, see Polstyanko, S.V., *T-MTT Jul* 97 1118-1126
- Jin-Ho Shin**, Jiyoung Kim, Yujin Chung, Joonwoo Lee, Kyu Hwan Ahn, and Bumman Kim. Low-frequency noise characteristics of self-aligned AlGaAs/GaAs HBTs with a noise corner frequency below 3 kHz; *MWSYM* 97 133-136 vol.1
- Jin-Ho Shin**, Jiyoung Kim, Yujin Chung, Joonwoo Lee, Kyu Hwan Ahn, and Bumman Kim. Low-frequency noise characteristics of self-aligned AlGaAs/GaAs HBTs with a noise corner frequency below 3 kHz; *RFIC* 97 185-188
- Jinjin Shen**, Kangsheng Chen, and Zhikun Xie. Electrothermal simulation of HBT by TLM method with quasi two dimensional model; *MWSYM* 97 1481-1484 vol.3
- Jin-So Ko**, and Kwyro Lee. Low power, tunable active inductor and its applications to monolithic VCO and BPF; *MWSYM* 97 929-932 vol.2
- Jin-Su Ko**, and Kwyro Lee. Low power, monolithic tunable recursive filters having variable and uniform gain; *RFIC* 97 51-54
- Jin Zhao**, and Zheng-Fan Li. A time-domain full-wave extraction method of frequency-dependent equivalent circuit parameters of multiconductor interconnection lines; *T-MTT Jan* 97 23-31
- Jiyoung Kim**, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
- Jiyoung Kim**, see Jin-Ho Shin, *RFIC* 97 185-188
- Jizhang Sha**, see Cryan, M.J., *T-MTT Oct* 97 1742-1748
- Johansson, H.**, see Danestig, M., *MWSYM* 97 705-708 vol.2
- Johnson, R.G.**, C.M. Snowden, and R.D. Pollard. A physics-based electro-thermal model for microwave and millimetre wave HEMTs; *MWSYM* 97 1485-1488 vol.3
- Joines, W.T.**, see Drozd, J.M., *T-MTT Jul* 97 1100-1104
- Joines, W.T.**, see Drozd, J.M., *T-MTT Dec* 97 2100-2113
- Jokerst, N.M.**, see Chun, C., *MWSYM* 97 513-516 vol.2
- Jones, J.R.**, W.L. Bishop, S.H. Jones, and G.B. Tait. Planar multibarrier 80/240-GHz heterostructure barrier varactor triplers; *T-MTT Apr* 97 512-518

- Jones, M.**, see DeHaan, M.R., *MWSYM* 97 1425-1427 vol.3
Jones, S.H., see Jones, J.R., *T-MTT Apr* 97 512-518
Jones, T., see Hua-Quen Tserng, *RFIC* 97 41-44
Jones, T., see Tserng, H.-Q., *T-MTT Dec* 97 2540-2548
Jong-Gwan Yook, L.P.B. Katehi, K.A. Sakallah, R.S. Martin, L. Huang, and T.A. Schreyer. Application of system-level EM modeling to high-speed digital IC packages and PCBs; *T-MTT Oct* 97 1847-1856
Joong Yoon Young, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
Joonwoo Lee, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
Joonwoo Lee, see Jin-Ho Shin, *RFIC* 97 185-188
Joshi, K.K., M. Abegaonkar, R.N. Karekar, and R.C. Aiye. Microstrip ring resonator as a moisture sensor for wheat grains; *MWSYM* 97 1679-1682 vol.3
Joshin, K., see Ohara, S., *MWSYM* 97 909-912 vol.2
Jostingmeier, A., see Dohlus, M., *MWSYM* 97 1523-1526 vol.3
Jostingmeier, A., see Rieckmann, C., *MWSYM* 97 1369-1372 vol.3
Jotzo, J., see Jansen, R.H., *MWSYM* 97 277-280 vol.1
Joubert, J., see Minnaar, F.V., *T-MTT Aug* 97 1249-1252
Judah, S.R., see Kin-Lung Chan, *T-MTT Feb* 97 307-310
Judah, S.R., see Kin-Lung Chan, *T-MTT Aug* 97 1255-1262
Joe, G., see Hogerheiden, J., *T-MTT Apr* 97 543-545
Jullien, H., see Outifa, L., *T-MTT Aug* 97 1154-1161
Jun Chen, Wei Hong, and Changhong Liang. A new model of generalized inverter and its applications; *T-MTT Jan* 97 132-135
Junding Wen, see Wen Junding, *T-MTT May* 97 698-700
Jun-Chih Chiao, see Moussessian, A., *MWSYM* 97 683-686 vol.2
Jun Ma, see Spears, E., *MWSYM* 97 1-4 vol.1
Jun Ma, Dan-Bin Liang, D. Ngo, E. Spears, B. Yeung, B. Courson, D. Spooner, D. Lamey, J. Alvarez, T. Teraji, J. Ford, and Sunny Cheng. Silicon RF-GCMOS IC technology for RF mixed-mode wireless applications; *MWSYM* 97 123-127 vol.1
Jun Ma, see Spears, E., *RFIC* 97 153-156
Jun Ma, Han-Bin Liang, D. Ngo, E. Spears, B. Yeung, B. Courson, D. Spooner, D. Lamey, J. Alvarez, T. Teraji, J. Ford, and Sunny Cheng. Silicon RF-GCMOS IC technology for RF mixed-mode wireless applications; *RFIC* 97 175-179
Juntunen, J., see An Ping Zhao, *MWSYM* 97 83-87 vol.1
Jutzi, W., see Vogt, A., *T-MTT Apr* 97 492-497
Jyh-Wen Sheen, see Yu-De Lin, *T-MTT Oct* 97 1672-1680

K

- Kagoshima, K.**, see Seki, T., *MWSYM* 97 975-978 vol.2
Kai Chang, see Lu Fan, *MWSYM* 97 273-276 vol.1
Kai Chang, see McSpadden, J.O., *MWSYM* 97 547-550 vol.2
Kalabic, F., see Reindl, L., *MWSYM* 97 821-824 vol.2
Kalabic, F., see Weigel, R., *T-MTT Dec* 97 2486-2492
Kamarei, M., see Cheldavi, A., *MWSYM* 97 1555-1558 vol.3
Kameyama, A., see Nagaoka, M., *MWSYM* 97 1323-1326 vol.3
Kamikokura, A., see Ogura, S., *MWSYM* 97 1195-1198 vol.3
Kamitsuna, H., see Ohira, T., *MWSYM* 97 587-590 vol.2
Kamitsuna, H., see Ohira, T., *T-MTT Dec* 97 2324-2332
Kamogawa, K., see Daryoush, A.S., *MWSYM* 97 351-354 vol.1
Kamogawa, K., K. Nishikawa, C. Yamaguchi, M. Hirano, I. Toyoda, and T. Tokumitsu. A very wide-tuning range 5-GHz-band Si bipolar VCO using three-dimensional MMIC technology; *MWSYM* 97 1221-1224 vol.3
Kamogawa, K., see Toyoda, I., *RFIC* 97 113-116
Kamogawa, K., T. Tokumitsu, and M. Aikawa. Injection-locked oscillator chain: a possible solution to millimeter-wave MMIC synthesizers; *T-MTT Sep* 97 1578-1584
Kamogawa, K., K. Nishikawa, C. Yamaguchi, M. Hirano, I. Toyoda, and T. Tokumitsu. Wide-tuning range Si bipolar VCO's based on three-dimensional MMIC technology; *T-MTT Dec* 97 2436-2443
Kamogawa, K., see Toyoda, I., *T-MTT Dec* 97 2524-2530
Kamozaki, K., N. Kurita, T. Tanimoto, H. Ohta, T. Nakamura, and H. Kondoh. 50-100 GHz octave band MMIC mixers; *RFIC* 97 95-98
Kan, E.C., see Chan, E.K., *MWSYM* 97 1511-1514 vol.3
Kanagawa, Y., see Tajima, K., *MWSYM* 97 1217-1220 vol.3
Kanamori, M., see Okamoto, Y., *MWSYM* 97 1191-1194 vol.3
Kanamori, M., see Morikawa, J., *MWSYM* 97 1413-1416 vol.3
Kanamori, M., see Takenaka, I., *MWSYM* 97 1417-1420 vol.3
Kanda, A., see Nakatsugawa, M., *MWSYM* 97 509-512 vol.2
Kanda, A., see Yamane, Y., *MWSYM* 97 251-254 vol.1
Kanda, A., see Yamane, Y., *RFIC* 97 211-214
Kanda, A., T. Nakagawa, T. Hirota, H. Okazaki, and M. Nakamae. An MMIC V-band phase-locked oscillator using a GaAs MMIC sampling phase detector; *T-MTT May* 97 659-665
Kanda, A., see Yamane, Y., *T-MTT Dec* 97 2229-2233
Kanda, A., see Nakatsugawa, M., *T-MTT Dec* 97 2308-2315
Kaneda, N., B. Houshmand, and T. Itoh. FDTD analysis of dielectric resonators with curved surfaces; *T-MTT Sep* 97 1645-1649
Kaneshiro, D.H., see Tsui, J.B.Y., *MWSYM* 97 469-471 vol.2
Kang Chang Hoon, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
Kang Sang-Gee, see Sang-Gee Kang, *MWSYM* 97 1519-1522 vol.3
Kangsheng Chen, see Jinjin Shen, *MWSYM* 97 1481-1484 vol.3
Kao, T.-M., see Morkner, H., *RFIC* 97 161-164
Kao Tsong-Ming, see Morkner, H., *MWSYM* 97 9-12 vol.1
Kapoor, S. Sub-cellular technique for finite-difference time-domain method; *T-MTT May* 97 673-677
Karacaoglu, U., see Gokdemir, T., *MWSYM* 97 761-764 vol.2
Karacaoglu, U., see Gokdemir, T., *RFIC* 97 233-236
Karasawa, Y., see Imai, N., *MWSYM* 97 27-30 vol.1
Karasawa, Y., see Imai, N., *T-MTT Dec* 97 2197-2207
Karatzas, L.S., see Digby, J.W., *MWSYM* 97 561-564 vol.2
Karatzas, L.S., see Collins, C.E., *MWSYM* 97 1439-1442 vol.3
Karekar, R.N., see Joshi, K.K., *MWSYM* 97 1679-1682 vol.3
Karpov, A., J. Blondel, M. Voss, and K.H. Gundlach. Low noise direct detector at submillimeter wavelength using SIS junction [Nb/AlO_x/Nb]; *MWSYM* 97 919-920 vol.2
Kasahara, T., see Cho, Y., *MWSYM* 97 1647-1650 vol.3
Kasai, N., see Kawakami, K., *MWSYM* 97 657-660 vol.2
Kasashima, M., S. Tachi, and K. Tanaka. High dynamic range variable gain amplifier for CDMA applications; *MWSYM* 97 5-8 vol.1
Kasashima, M., S. Tachi, and K. Tanaka. High dynamic range variable gain amplifier for CDMA applications; *RFIC* 97 157-160
Kasemsuwan, V., and M.A. El Nokali. A microwave model for high electron mobility transistors; *T-MTT Mar* 97 420-427
Kasody, B., see Hwang, Y., *MWSYM* 97 1179-1182 vol.3
Kassing, R., see Wasige, E., *MWSYM* 97 925-928 vol.2
Kastle, R., see Meier, K., *T-MTT Nov* 97 2058-2062
Kastner, R., see Garb, K., *T-MTT Apr* 97 554-557
Katehi, L., see Brauchler, F., *MWSYM* 97 1225-1228 vol.3
Katehi, L.P.B., see Goverdhanam, K., *MWSYM* 97 333-336 vol.1
Katehi, L.P.B., see Henderson, R.M., *MWSYM* 97 521-524 vol.2
Katehi, L.P.B., see Herrick, K.J., *MWSYM* 97 269-272 vol.1
Katehi, L.P.B., see Robertson, S.V., *MWSYM* 97 517-520 vol.2
Katehi, L.P.B., see Tentzeris, E.M., *MWSYM* 97 337-340 vol.1
Katehi, L.P.B., see Ponchak, G.E., *MWSYM* 97 1003-1007 vol.2
Katehi, L.P.B., see Sabett, K.F., *MWSYM* 97 1799-1802 vol.3
Katehi, L.P.B., see Ponchak, G.E., *RFIC* 97 101-104
Katehi, L.P.B., see Krumpholz, M., *T-MTT Mar* 97 385-393
Katehi, L.P.B., see Weller, T.M., *T-MTT Jun* 97 931-938
Katehi, L.P.B., see Ponchak, G.E., *T-MTT Jun* 97 970-976
Katehi, L.P.B., see Goverdhanam, K., *T-MTT Oct* 97 1725-1729
Katehi, L.P.B., see Jong-Gwan Yook, *T-MTT Oct* 97 1847-1856
Katoh, T., see Fujimoto, S., *MWSYM* 97 17-20 vol.1
Katoh, T., see Fujimoto, S., *RFIC* 97 169-173
Katopis, G., see Deutsch, A., *T-MTT Oct* 97 1836-1846
Kaufman, I., see Waldo, M.K., *MWSYM* 97 1339-1342 vol.3
Kawai, T., M. Kishihara, Y. Kokubo, and T. Ohta. Cavity-type directional couplers with simple structure; *MWSYM* 97 413-416 vol.2
Kawai, T., see Abey, W., *MWSYM* 97 1315-1318 vol.3
Kawakami, K., see Itoh, K., *MWSYM* 97 849-852 vol.2
Kawakami, K., K. Tajima, M. Shimozaawa, K. Itoh, N. Kasai, and A. Iida. Fully monolithic integrated even harmonic quadrature ring mixer with an active matched 90 degree power divider for direct conversion receivers; *MWSYM* 97 657-660 vol.2
Kawakyu, K., see Nagaoka, M., *MWSYM* 97 1323-1326 vol.3
Kawamura, H., see Imai, N., *MWSYM* 97 27-30 vol.1
Kawamura, H., see Imai, N., *T-MTT Dec* 97 2197-2207
Kawasaki, O., see Taguchi, Y., *MWSYM* 97 837-840 vol.2
Kayano, H., S. Obayashi, T. Maeda, and Y. Suzuki. A power amplifier module with harmonics suppression for digital mobile communication; *MWSYM* 97 743-746 vol.2
Kazior, T.E., H.N. Atkins, A. Fatemi, Y. Chen, F.Y. Colomb, and J.P. Wendler. DBIT-direct backside interconnect technology: a manufacturable, bond wire free interconnect technology for microwave and millimeter wave MMICs; *MWSYM* 97 723-726 vol.2
Kazmierski, C., see Dueme, P., *MWSYM* 97 13-16 vol.1
Kazmierski, C., see Dueme, Ph., *RFIC* 97 165-168
Kazovsky, L.G., see Fan, J.C., *T-MTT Aug* 97 1390-1397
Kee Soo Nam, see Cheon Soo Kim, *MWSYM* 97 945-948 vol.2
Kee Soo Nam, see Min Park, *MWSYM* 97 129-132 vol.1
Kee Soo Nam, see Min Park, *RFIC* 97 181-184
Kehias, L., see Jenkins, T., *MWSYM* 97 949-952 vol.2
Ke-Li Wu, and R.H. MacPhie. A rigorous analysis of a cross waveguide to large circular waveguide junction and its application in waveguide filter design; *T-MTT Jan* 97 153-157
Ke-Li Wu, see Haiyin Wang, *T-MTT Mar* 97 414-419
Keller, R., see Werthen, M., *MWSYM* 97 1793-1796 vol.3
Kelly, M.J., J.A.C. Stewart, and A.D. Patterson. HBT active antenna as a self oscillating Doppler sensor; *MWSYM* 97 1065-1068 vol.2
Kelsey, A., see Smith, I.W., *T-MTT Jan* 97 15-22

- Ke Lu** An efficient method for analysis of arbitrary nonuniform transmission lines; *T-MTT Jan 97* 9-14
- Kennan, W.**, see Abey, W., *MWSYM 97* 1315-1318 vol.3
- Kennedy, J.**, see Strack, D., *MWSYM 97* 579-582 vol.2
- Kenney, J.S.**, see Leke, A., *MWSYM 97* 1147-1150 vol.3
- Kent, G.**, M. Ingalls, and F.J. Young. Comments on "High frequency performance of multilayer capacitors" [and reply]; *T-MTT Feb 97* 311-313
- Keren Li**, K. Atsuki, and T. Hasegawa. General analytical solutions of static Green's functions for shielded and open arbitrarily multilayered media; *T-MTT Jan 97* 2-8
- Kerherve, E.**, and P. Jarry. Efficient numerical method for the design of microwave active circuits; *MWSYM 97* 1611-1614 vol.3
- Kermarrec, C.**, G. Dawe, T. Tewksbury, and T. Brown. The future of RFIC transceiver technology; *RFIC 97* 65-68
- Ketterson, A.**, see Tutt, M.N., *MWSYM 97* 933-936 vol.2
- Ketterson, A.**, see Hua-Quen Tserng, *RFIC 97* 41-44
- Ketterson, A.**, see Tserng, H.-Q., *T-MTT Dec 97* 2540-2548
- Ke Wu**, see Lei Zhu, *MWSYM 97* 289-292 vol.1
- Ke Wu**, see Tongqing Wang, *MWSYM 97* 777-780 vol.2
- Ke Wu**, see Xiaohong Jiang, *MWSYM 97* 617-620 vol.2
- Ke Wu**, and Liang Han. Hybrid integration technology of planar circuits and NRD-guide for cost-effective microwave and millimeter-wave applications; *T-MTT Jun 97* 946-954
- Khalid, A.**, see Gokdemir, T., *MWSYM 97* 401-404 vol.2
- Khalid, A.**, see Gokdemir, T., *MWSYM 97* 761-764 vol.2
- Khalid, A.**, see Gokdemir, T., *RFIC 97* 233-236
- Khalil, D.A.M.**, see Safwat, A.M.E., *T-MTT Aug 97* 1351-1357
- Khalil, D.A.M.**, and A.M.E. Safwat. On the improvement of the performance of the optically controlled microwave switch; *T-MTT Aug 97* 1358-1361
- Khandavalli, C.**, see Abey, W., *MWSYM 97* 1315-1318 vol.3
- Khotiaintsev, S.N.**, see Martynyuk, A.E., *T-MTT Jun 97* 911-917
- Kiang Jean-Fu**, see Jean-Fu Kiang, *T-MTT Jan 97* 102-107
- Kiang Jean-Fu**, see Jean-Fu Kiang, *T-MTT Feb 97* 229-235
- Kim, B.**, see Lee, J., *T-MTT Dec 97* 2065-2072
- Kim, C.-W.**, see Hayama, N., *MWSYM 97* 1307-1310 vol.3
- Kim, T.S.**, see Hill, D., *T-MTT Dec 97* 2224-2228
- Kim, W.**, see Lee, J., *T-MTT Dec 97* 2065-2072
- Kim, Y.**, see Lee, J., *T-MTT Dec 97* 2065-2072
- Kim Bemman**, see Tae Moon Roh, *T-MTT Aug 97* 1252-1255
- Kim Bumman**, see Jin-Ho Shin, *MWSYM 97* 133-136 vol.1
- Kim Bumman**, see Jin-Ho Shin, *RFIC 97* 185-188
- Kim Cheon Soo**, see Cheon Soo Kim, *MWSYM 97* 945-948 vol.2
- Kimishima, M.**, K. Hayashi, and M. Takahashi. A 1.9 GHz variable gain linear power amplifier MMIC for PHS using novel cascaded MESFETs; *MWSYM 97* 1311-1314 vol.3
- Kim Jiyoung**, see Jin-Ho Shin, *MWSYM 97* 133-136 vol.1
- Kim Jiyoung**, see Jin-Ho Shin, *RFIC 97* 185-188
- Kim Tae**, see Hill, D., *MWSYM 97* 137-140 vol.1
- Kim Tae**, see Hin-Fai Chau, *MWSYM 97* 259-262 vol.1
- Kim Tae**, see Hill, D., *RFIC 97* 189-192
- Kim Tae**, see Hin-Fai Chau, *RFIC 97* 219-223
- Kim Youngsik**, see Tae Moon Roh, *T-MTT Aug 97* 1252-1255
- Kines, J.H.**, and D.C. Malocha. High frequency SAW devices; *MWSYM 97* 177-180 vol.1
- King L. Tai**, see Jenshan Lin, *RFIC 97* 121-125
- Kin-Lung Chan**, F.A. Alhargan, and S.R. Judah. A quadrature-hybrid design using a four-port elliptic patch; *T-MTT Feb 97* 307-310
- Kin-Lung Chan**, and S.R. Judah. Two-port scattering at an elliptic-waveguide junction; *T-MTT Aug 97* 1255-1262
- Kin-Lu Wong**, and Shan-Cheng Pan. Resonance in a cylindrical-triangular microstrip structure; *T-MTT Aug 97* 1270-1272
- Kintis, M.**, see Hsu, P.-C., *T-MTT Dec 97* 2150-2151
- Kishihara, M.**, see Kawai, T., *MWSYM 97* 413-416 vol.2
- Ki-Suk Yoo**, see Sang-Gee Kang, *MWSYM 97* 1519-1522 vol.3
- Kitabayashi, H.**, see Higaki, K., *MWSYM 97* 829-832 vol.2
- Kitamura, T.**, see Ishizaki, T., *T-MTT Dec 97* 2089-2093
- Kitano, T.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Kitano, T.**, see Miyashita, M., *T-MTT Jul 97* 1058-1064
- Kitaura, Y.**, see Nagaoka, M., *MWSYM 97* 1323-1326 vol.3
- Kitayama, K.**, see Kuri, T., *MWSYM 97* 221-224 vol.1
- Kitazawa, S.**, see Miyake, H., *MWSYM 97* 789-792 vol.2
- Klapproth, L.**, A. Schaefer, and G. Boeck. A bias dependent HEMT noise model; *MWSYM 97* 881-884 vol.2
- Kleinman, R.E.**, see Belkebir, K., *T-MTT Apr 97* 469-476
- Kmayman, N.**, and M.I. Aksun. Efficient use of closed-form Green's functions for the analysis of planar geometries with vertical connections; *T-MTT May 97* 593-603
- Knauer, U.**, J. Machui, and C.C.W. Ruppel. Design, fabrication, and application of GHz SAW devices; *MWSYM 97* 1821-1824 vol.3
- Knebel, D.R.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Knight, G.A.**, see Winnall, S.T., *T-MTT Jun 97* 1003-1006
- Knochel, R.**, see Massin, F., *MWSYM 97* 307-310 vol.1
- Knochel, R.**, see Weiss, M., *MWSYM 97* 1651-1654 vol.3
- Kobayashi, K.**, and C. Inoue. Bandpass and bandstop filters using dominant TM₀₁₈ mode dielectric rod resonators; *MWSYM 97* 793-796 vol.2
- Kobayashi, K.W.**, A.K. Oki, D.K. Umemoto, T.R. Block, and D.C. Streit. A novel monolithic HEMT-HBT Ka-band VCO-mixer design; *RFIC 97* 83-86
- Kobayashi, K.W.**, L.T. Tran, M. Lammert, T.R. Block, A.K. Oki, and D.C. Streit. A novel 12-24 GHz broadband HBT distributed active balanced mixer; *RFIC 97* 75-78
- Kobeissi, H.**, see Benbrahim, J., *MWSYM 97* 1595-1598 vol.3
- Ko Beom Kyu**, see Beom Kyu Ko, *T-MTT Sep 97* 1627-1629
- Kobrin, P.H.**, see Seabury, C.W., *MWSYM 97* 181-184 vol.1
- Koh, D.**, H. Lee, and T. Itoh. Hybrid full-wave analysis of via-hole grounds using finite-difference and finite-element time-domain methods; *T-MTT Dec 97* 2217-2223
- Koh Dongsoo**, see Dongsoo Koh, *MWSYM 97* 89-92 vol.1
- Koizumi, H.**, see Ishida, H., *MWSYM 97* 669-672 vol.2
- Kojima, Y.**, see Miyashita, M., *T-MTT Jul 97* 1058-1064
- Ko Jin-So**, see Jin-So Ko, *MWSYM 97* 929-932 vol.2
- Ko Jin-Su**, see Jin-Su Ko, *RFIC 97* 51-54
- Kok, Y.L.**, see Wang, H., *MWSYM 97* 1275-1278 vol.3
- Kokubo, Y.**, see Kawai, T., *MWSYM 97* 413-416 vol.2
- Kok Yon-Lin**, see Yon-Lin Kok, *MWSYM 97* 1663-1666 vol.3
- Kolbehdari, M.A.**, see Achar, R., *MWSYM 97* 1017-1020 vol.2
- Kolias, N.J.** A monopole-probe-based quasi-optical amplifier array; *T-MTT Aug 97* 1204-1207
- Kolundzija, B.M.**, and A.R. Djordjevic. Spiral super-quadric generatrix and bodies of two generatrices in automated parameterization of 3-D geometries; *T-MTT May 97* 864-866
- Komaru, M.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Komiak, J.J.**, S.C. Wang, and T.J. Rogers. High efficiency 11 watt octave S/C-band PHEMT MMIC power amplifier; *MWSYM 97* 1421-1424 vol.3
- Kompa, G.**, see Wasige, E., *MWSYM 97* 925-928 vol.2
- Kondoh, H.**, see Kamozaki, K., *RFIC 97* 95-98
- Kong, D.T.**, see Hacker, J.B., *MWSYM 97* 473-476 vol.2
- Konno, K.**, and S. Koshikawa. Millimeter-wave dual mode radar for headway control in IVHS; *MWSYM 97* 1261-1264 vol.3
- Kono, R.**, see Hwang, Y., *MWSYM 97* 1179-1182 vol.3
- Konstantinou, K.**, see Paul, D.K., *MWSYM 97* 941-944 vol.2
- Kooi, P.S.**, see Leong, M.S., *T-MTT May 97* 705
- Kooi, P.S.**, see Ooi, B.L., *T-MTT Oct 97* 1800-1805
- Kooi, P.-S.**, see Ooi, B.-L., *T-MTT Dec 97* 2084-2088
- Kooi Pang-Shyan**, see Le-Wei Li, *T-MTT Mar 97* 321-329
- Kopcsay, G.V.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Kopp, B.A.**, T.A. Axness, and C.R. Moore. Unaccelerated reliability testing for T/R modules: need, methodology and supporting data; *MWSYM 97* 583-586 vol.2
- Koshiba, M.**, see Alam, M.S., *T-MTT Feb 97* 205-211
- Koshikawa, S.**, see Konno, K., *MWSYM 97* 1261-1264 vol.3
- Kossives, D.P.**, see Jenshan Lin, *RFIC 97* 121-125
- Kouki, A.B.**, see Hamade, A.H., *MWSYM 97* 1619-1622 vol.3
- Kramer, J.**, see Xiangdong Zhang, *MWSYM 97* 845-848 vol.2
- Krauter, B.L.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Kremer, D.**, and R. Pregla. The method of lines for the hybrid analysis of multilayered cylindrical resonator structures; *T-MTT Dec 97* 2152-2154
- Krems, T.**, see Verwey, L., *MWSYM 97* 243-246 vol.1
- Krems, T.**, W.H. Haydl, H. Massler, and J. Rudiger. Advantages of flip chip technology in millimeter-wave packaging; *MWSYM 97* 987-990 vol.2
- Krems, T.**, see Haydl, W.H., *MWSYM 97* 1281-1284 vol.3
- Krems, T.**, see Verwey, L., *RFIC 97* 203-206
- Kreskovshy, J.**, see Nusseibeh, F., *MWSYM 97* 1073-1077 vol.2
- Krishnamurthy, V.**, B. Whitmore, and K. Paik. Integral microwave circulators for multi-chip module (MCM) applications; *MWSYM 97* 1829-1832 vol.3
- Kristensson, G.**, see Sihvola, A., *T-MTT Dec 97* 2155-2159
- Kruger, K.**, see von Helmlolt, C.H., *T-MTT Aug 97* 1424-1430
- Kruger, U.**, see von Helmlolt, C.H., *T-MTT Aug 97* 1424-1430
- Krumpholz, M.**, H.G. Winful, and L.P.B. Katehi. Nonlinear time-domain modeling by multiresolution time domain (MRTD); *T-MTT Mar 97* 385-393
- Krupka, J.**, K. Derzakowski, A. Abramowicz, M. Tobar, and R.G. Geyer. Complex permittivity measurements of extremely low loss dielectric materials using whispering gallery modes; *MWSYM 97* 1347-1350 vol.3
- Krupka, J.**, see Leong, K., *MWSYM 97* 1639-1642 vol.3
- Ku, W.H.**, see Sullivan, P.J., *T-MTT Oct 97* 1969-1976
- Kuang-Ping Ma**, and T. Itoh. A new broadband coplanar waveguide to slotline transition; *MWSYM 97* 1627-1630 vol.3
- Kucera, J.J.**, and R.J. Gutmann. Effect of finite metallization and inhomogeneous dopings on slow-wave-mode propagation; *T-MTT Oct 97* 1807-1810
- Kunihisa, T.**, see Nishijima, M., *MWSYM 97* 1155-1158 vol.3

- Kunii, T.**, N. Yoshida, S. Miyakuni, T. Shiga, T. Oku, T. Kitano, J. Udomoto, M. Komaru, A. Inoue, S. Tsuji, N. Tanino, T. Ishikawa, and Y. Mitsui. High gain and high efficiency K-band power HEMT with WSi/Au T-shaped gate; *MWSYM* 97 1187-1190 vol.3
- Kuo, Y.L.**, see Alley, G.D., *T-MTT Dec* 97 2183-2196
- Kuo-Cheng Chen**, and C.-K.C. Tzuang. Leaky-modes leakage from planar circuits; *MWSYM* 97 495-498 vol.2
- Kuo Chien-Nan**, see Chien-Nan Kuo, *T-MTT May* 97 819-826
- Kuo Jen-Tsai**, see Jen-Tsai Kuo, *T-MTT Feb* 97 274-280
- Kuri, T.**, and K. Kitayama. Stable and high-power laser diode module for millimeter-wave generation; *MWSYM* 97 221-224 vol.1
- Kurita, N.**, see Kamozaki, K., *RFIC* 97 95-98
- Kurz, H.**, see Heiliger, H.-M., *MWSYM* 97 421-424 vol.2
- Kuss, F.**, see Stenger, E., *MWSYM* 97 431-434 vol.2
- Kuster, N.**, see Meier, K., *T-MTT Nov* 97 2058-2062
- Kuzuhara, M.**, see Okamoto, Y., *MWSYM* 97 1191-1194 vol.3
- Kuzuhara, M.**, see Morikawa, J., *MWSYM* 97 1413-1416 vol.3
- Kuzuhara, M.**, see Yamaguchi, K., *MWSYM* 97 1403-1406 vol.3
- Kuzuhara, M.**, see Takenaka, I., *MWSYM* 97 1417-1420 vol.3
- Kuzuhara, M.**, see Nishimura, T.B., *RFIC* 97 37-40
- Kwark, Y.H.**, see Burghartz, J.N., *T-MTT Oct* 97 1961-1968
- Kwark Bongsin**, see Bongsin Kwark, *RFIC* 97 55-58
- Kwok-Wah Hui**, B.Y. Wu, Y.M. Choi, J.H. Peng, and K.S. Chiang. Design of modified phase reversal electrode in broad-band electrooptic modulators at 100 GHz; *T-MTT Jan* 97 142-145
- Kwon Young-Se**, see Kye-Ik Jeon, *MWSYM* 97 817-820 vol.2
- Kwon Young-Se**, see Yong-Ho Cho, *T-MTT Aug* 97 1208-1213
- Kwon Youngwoo**, see Moon-Que Lee, *MWSYM* 97 1495-1498 vol.3
- Kwyro Lee**, see Jin-So Ko, *MWSYM* 97 929-932 vol.2
- Kwyro Lee**, see Jin-Su Ko, *RFIC* 97 51-54
- Kwyro Lee**, see Beom Kyu Ko, *T-MTT Sep* 97 1627-1629
- Kye-Ik Jeon**, Young-Se Kwon, and Song-Cheol Hong. Input harmonics control using non-linear capacitor in GaAs FET power amplifier; *MWSYM* 97 817-820 vol.2
- Kykkotis, C.**, P.S. Hall, and H. Ghafouri-Shiraz. Active antenna oscillator arrays in communication systems; *MWSYM* 97 591-594 vol.2
- Kyriacou, G.A.**, and J.N. Sahalos. A Wiener-Hopf-type analysis of uniaxial substrate-superstrate microstrip structures; *T-MTT May* 97 616-629
- Kyu Hwan Ahn**, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
- Kyu Hwan Ahn**, see Jin-Ho Shin, *RFIC* 97 185-188
- Kyu Ko Beom**, see Beom Kyu Ko, *T-MTT Sep* 97 1627-1629
- Kyung-Whan Yeom**, see Moon-Que Lee, *MWSYM* 97 1495-1498 vol.3
- Kyu Park Han**, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
- Kyu Yu Hyun**, see Cheon Soo Kim, *MWSYM* 97 945-948 vol.2
- Kyu Yu Hyun**, see Min Park, *MWSYM* 97 129-132 vol.1
- Kyu Yu Hyun**, see Min Park, *RFIC* 97 181-184
- L**
- L. Tai King**, see Jianshan Lin, *RFIC* 97 121-125
- Ladwig, D.**, see Ho, M.C., *MWSYM* 97 391-394 vol.2
- Lai, R.**, see Lester, J.A., *MWSYM* 97 539-542 vol.2
- Lai, R.**, see Ingram, D.L., *MWSYM* 97 1183-1186 vol.3
- Lai, R.**, see Huang, P., *MWSYM* 97 1175-1178 vol.3
- Lai, R.**, see Wang, H., *MWSYM* 97 1275-1278 vol.3
- Lai, R.**, see Hwang, Y., *MWSYM* 97 1179-1182 vol.3
- Lai, R.**, see Wang, H., *RFIC* 97 79-81
- Lai, R.**, see Huang, P.-P., *T-MTT Dec* 97 2418-2423
- Lai, R.**, see Ingram, D.L., *T-MTT Dec* 97 2424-2430
- Lajugie, M.**, see Viaud, J.P., *MWSYM* 97 893-896 vol.2
- Lakatos, W.J.**, see Pospieszalski, M.W., *MWSYM* 97 1285-1288 vol.3
- Lakhtakia, A.**, H.T. Anastassiou, J.L. Volakis, and J.C. Monzon. Comments on "A new reciprocity theorem" [and reply]; *T-MTT Feb* 97 313-314
- Lalaurie, J.C.**, see Peyretailade, T., *MWSYM* 97 1515-1518 vol.3
- Laliew, C.**, see Lovseth, S.W., *MWSYM* 97 1717-1720 vol.3
- Lamey, D.**, see Jun Ma, *MWSYM* 97 123-127 vol.1
- Lamey, D.**, see Spears, E., *MWSYM* 97 1-4 vol.1
- Lamey, D.**, see Jun Ma, *RFIC* 97 175-179
- Lamey, D.**, see Spears, E., *RFIC* 97 153-156
- Laming, R.**, see Corral, J.L., *T-MTT Aug* 97 1531-1536
- Lammert, M.**, see Kobayashi, K.W., *RFIC* 97 75-78
- Lampariello, P.**, see Baccarelli, P., *MWSYM* 97 491-494 vol.2
- Lampariello, P.**, see Di Nallo, C., *MWSYM* 97 605-608 vol.2
- Lan, E.**, S.M. El-Ghazaly, E. Nair, K. Eisenbeiser, and B. Ooms. Wide band CAD model for coplanar waveguide using FDTD technique; *MWSYM* 97 1583-1586 vol.3
- Lancaster, M.J.**, see Hong, J.S., *MWSYM* 97 713-716 vol.2
- Lancaster, M.J.**, see Hong, J.-S., *T-MTT Dec* 97 2358-2365
- Lane, P.M.**, see Moura, L., *T-MTT Aug* 97 1398-1402
- Lane, P.M.**, see Sen Lin Zhang, *T-MTT Aug* 97 1403-1409
- Lardizabal, S.M.**, see Dunleavy, L.P., *MWSYM* 97 1293-1296 vol.3
- Lardizabal, S.M.**, see Winson, P.B., *T-MTT Jan* 97 46-51
- Larique, E.**, see Baillargeat, D., *MWSYM* 97 1021-1024 vol.2
- Laskar, J.**, see Chun, C., *MWSYM* 97 513-516 vol.2
- Laskar, J.**, see Han, S., *MWSYM* 97 979-982 vol.2
- Laskar, J.**, see Pham, A., *MWSYM* 97 995-998 vol.2
- Laskar, J.**, see Pham, A., *MWSYM* 97 1659-1662 vol.3
- Laskar, J.**, see Blumenthal, D.J., *T-MTT Aug* 97 1443-1452
- Laskar, J.**, see Chun, C., *T-MTT Oct* 97 1948-1954
- Lau, M.L.**, see Jianshan Lin, *RFIC* 97 121-125
- Laude, V.**, see Dolfi, D., *T-MTT Aug* 97 1467-1472
- Lear, K.L.**, see Hietala, V.M., *MWSYM* 97 355-358 vol.1
- LeBlanc, J.**, see Putnam, J., *MWSYM* 97 753-756 vol.2
- LeBlanc, J.**, see Putnam, J., *RFIC* 97 225-228
- Le Bolzer, F.**, see Gillard, R., *MWSYM* 97 71-74 vol.1
- Lee, H.**, see Koh, D., *T-MTT Dec* 97 2217-2223
- Lee, J.**, W. Kim, Y. Kim, T. Rho, and B. Kim. Intermodulation mechanism and linearization of AlGaAs/GaAs HBT's; *T-MTT Dec* 97 2065-2072
- Lee, M.J.**, and J.A. Faulkner, Jr. Power combining port impedance model; *MWSYM* 97 543-546 vol.2
- Lee, T.**, see Shen-Whan Chen, *T-MTT May* 97 700-703
- Lee, W.D.**, and D.B. Sullivan. Cesium beam frequency standards; *MWSYM* 97 1161-1163 vol.3
- Lee Hong-Bae**, see Dongsoo Koh, *MWSYM* 97 89-92 vol.1
- Lee Hong-Bae**, see Hong-Bae Lee, *T-MTT May* 97 803-809
- Lee Il-Kyoo**, see Sang-Gee Kang, *MWSYM* 97 1519-1522 vol.3
- Lee Jin-Fa**, see Polstyanko, S.V., *T-MTT Jul* 97 1118-1126
- Lee Joonwoo**, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
- Lee Joonwoo**, see Jin-Ho Shin, *RFIC* 97 185-188
- Lee Kwyro**, see Jin-So Ko, *MWSYM* 97 929-932 vol.2
- Lee Kwyro**, see Jin-Su Ko, *RFIC* 97 51-54
- Lee Kwyro**, see Beom Kyu Ko, *T-MTT Sep* 97 1627-1629
- Lee Moon-Que**, see Moon-Que Lee, *MWSYM* 97 1495-1498 vol.3
- Lee Seonghearn**, see Cheon Soo Kim, *MWSYM* 97 945-948 vol.2
- Lee Seonghearn**, see Min Park, *MWSYM* 97 129-132 vol.1
- Lee Seonghearn**, see Min Park, *RFIC* 97 181-184
- Legaud, P.**, see Goloubkoff, M., *MWSYM* 97 31-34 vol.1
- Legrand, C.**, see Boughriet, A.-H., *T-MTT Jan* 97 52-57
- Legros, E.**, see Miras, A., *MWSYM* 97 1709-1712 vol.3
- Legros, E.**, see Miras, A., *T-MTT Jul* 97 1018-1026
- Lei Guang-Tsai**, see Voelker, R.H., *T-MTT Oct* 97 1955-1960
- Lei Zhu**, and Ke Wu. Line-to-ring coupling circuit model and its parametric effects for optimized design of microstrip ring circuits and antennas; *MWSYM* 97 289-292 vol.1
- Leke, A.**, and J.S. Kenney. Channel loading effects on power limited wireless transmitters utilizing discrete multitone modulation; *MWSYM* 97 1147-1150 vol.3
- Le Minh**, see Virk, R.S., *MWSYM* 97 435-438 vol.2
- Le Minh**, see Pospieszalski, M.W., *MWSYM* 97 1285-1288 vol.3
- Lenadan, T.**, S. Amari, R. Vahldieck, and J. Bornemann. Scattering properties of asymmetric rectangular iris in a circular waveguide using edge-conditioned basis functions; *MWSYM* 97 207-210 vol.1
- Leong, K.**, J. Mazierska, and J. Krupka. Measurements of unloaded Q-factor of transmission mode dielectric resonators; *MWSYM* 97 1639-1642 vol.3
- Leong, M.S.**, L.W. Li, P.S. Kooi, T.S. Yeo, and S.L. Ho. Correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" [Jul 96 1161-1164]; *T-MTT May* 97 705
- Leong, M.S.**, see Ooi, B.L., *T-MTT Oct* 97 1800-1805
- Leong, M.-S.**, see Ooi, B.-L., *T-MTT Dec* 97 2084-2088
- Leong Mook-Seng**, see Le-Wei Li, *T-MTT Mar* 97 321-329
- Le Roy, M.**, A. Perennec, S. Toutain, and L.C. Calvez. A new design of microwave filters by using continuously varying transmission lines; *MWSYM* 97 639-642 vol.2
- Lesniak, C.D.**, see Creech, G.L., *T-MTT May* 97 794-802
- Lester, J.**, see Hwang, Y., *MWSYM* 97 1179-1182 vol.3
- Lester, J.A.**, J. Chi, R. Lai, M. Biedenbender, D. Garske, R. Rordan, and P.D. Chow. 3-watt Q-band waveguide PHEMT MMIC power amplifier module; *MWSYM* 97 539-542 vol.2
- Levitsky, R.**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Levy, R.** Correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" [Nov 95 2614-2620]; *T-MTT May* 97 704-705
- Levy, R.**, H.-W. Yao, and K.A. Zaki. Transitional combine/evanescent-mode microwave filters; *T-MTT Dec* 97 2094-2099
- Le-Wei Li**, Pang-Shyan Kooi, Mook-Seng Leong, Tat-Soon Yeo, and See-Loke Ho. Input impedance of a probe-excited semi-infinite rectangular waveguide with arbitrary multilayered loads: part II-a full-wave analysis; *T-MTT Mar* 97 321-329
- Li, K.** General full-wave Green's functions in spectral domain for arbitrarily multilayered dielectric media; *MWSYM* 97 1571-1574 vol.3
- Li, L.W.**, see Leong, M.S., *T-MTT May* 97 705
- Liang Changhong**, see Jun Chen, *T-MTT Jan* 97 132-135
- Liang Dan-Bin**, see Jun Ma, *MWSYM* 97 123-127 vol.1
- Liang Han**, see Ke Wu, *T-MTT Jun* 97 946-954

Liang Han-Bin, see Spears, E., *MWSYM* 97 1-4 vol.1
Liang Han-Bin, see Jun Ma, *RFIC* 97 175-179
Liang Han-Bin, see Spears, E., *RFIC* 97 153-156
Liao, G.Z., see Meng, C.C., *MWSYM* 97 963-966 vol.2
Liao, J.W., see Ho, C.H., *MWSYM* 97 1755-1758 vol.3
Li Bin, see Bin Li, *T-MTT Jul* 97 1135-1137
Liebig, D., see Abou-Elmour, O., *MWSYM* 97 1289-1292 vol.3
Li Hongfu, see Shiwen Yang, *T-MTT Apr* 97 552-554
Li Keren, see Keren Li, *T-MTT Jan* 97 2-8
Li Le-Wei, see Le-Wei Li, *T-MTT Mar* 97 321-329
Limiti, E., see Giannini, F., *MWSYM* 97 809-812 vol.2
Lim Jeong-Soo, see Jeong-Soo Lim, *T-MTT Jun* 97 898-904
Lin, E., see Huang, P., *MWSYM* 97 1175-1178 vol.3
Lin, E., see Wang, H., *RFIC* 97 79-81
Lin, E., see Wang, H., *RFIC* 97 91-94
Lin, E.W., see Chung, Y.H., *MWSYM* 97 841-844 vol.2
Lin, E.W., see Huang, P.-P., *T-MTT Dec* 97 2418-2423
Lin, F.-L., and R.-B. Wu. Analysis of coplanar-waveguide discontinuities with finite-metallization thickness and nonrectangular edge profile; *T-MTT Dec* 97 2131-2138
Lin, L.Y., M.C. Wu, T. Itoh, T.A. Vang, R.E. Muller, D.L. Sivco, and A.Y. Cho. High-power high-speed photodetectors-design, analysis, and experimental demonstration; *T-MTT Aug* 97 1320-1331
Lindell, I.V., and A.H. Sihvola. Duality transformation for nonreciprocal and nonsymmetric transmission lines; *T-MTT Jan* 97 129-131
Lindell, I.V., see Sihvola, A., *T-MTT Dec* 97 2155-2159
Lindenmeier, S., B. Bader, and P. Russer. Investigation of various H-shaped antennas with an ATLM field-solver; *MWSYM* 97 1365-1368 vol.3
Lindenmeier, S., and P. Russer. Design of planar circuit structures with an efficient magneto-static field solver; *MWSYM* 97 1807-1810 vol.3
Lindenmeier, S., B. Isele, R. Weigel, and P. Russer. A fast spatial-domain method for the suppression of excitation-induced spurious modes in SCN TLM; *T-MTT Nov* 97 1998-2006
Lindenmeier, S., and P. Russer. Design of planar circuit structures with an efficient magnetostatic-field solver; *T-MTT Dec* 97 2468-2473
Lindsay, A.C., see Winnall, S.T., *T-MTT Jun* 97 1003-1006
Lin Fang-Lih, see Fang-Lih Lin, *MWSYM* 97 813-816 vol.2
Lin Fang-Lih, see Fang-Lih Lin, *MWSYM* 97 1527-1530 vol.3
Lin Jenshan, see Dawson, J.L., *MWSYM* 97 1747-1750 vol.3
Lin Jenshan, see Jenshan Lin, *RFIC* 97 121-125
Lin Yu-De, see Yu-De Lin, *T-MTT Oct* 97 1672-1680
Lin Zhang, see Molony, A., *T-MTT Aug* 97 1527-1530
Lin Zhang Sen, see Sen Lin Zhang, *T-MTT Aug* 97 1403-1409
Lin Zhian, see Naishadham, K., *MWSYM* 97 1543-1546 vol.3
Liorzou, F., see Berthou-Pichavant, K., *T-MTT May* 97 687-690
Liou, L.L. Transmission line model of the distributed heterojunction bipolar transistor; *MWSYM* 97 1473-1476 vol.3
Li Phing, see Phing Li, *MWSYM* 97 991-994 vol.2
Lipparini, A., see Rizzoli, V., *MWSYM* 97 367-370 vol.2
Litva, J., see Haiyin Wang, *T-MTT Mar* 97 414-419
Liu, C.P., Y. Betser, A.J. Seeds, D. Ritter, and A. Madjar. Optoelectronic mixing in three-terminal InP/InGaAs heterojunction bipolar transistors; *MWSYM* 97 359-362 vol.1
Liu, P.H., see Huang, P., *MWSYM* 97 1175-1178 vol.3
Liu, P.H., see Wang, H., *MWSYM* 97 1275-1278 vol.3
Liu, P.H., see Wang, H., *RFIC* 97 79-81
Liu Hai-Fen, see Ahmed, Z., *T-MTT Aug* 97 1431-1435
Liu Shih-Ping, see Shih-Ping Liu, *T-MTT Sep* 97 1554-1562
Liu Takyiu, see Pospieszalski, M.W., *MWSYM* 97 1285-1288 vol.3
Liu Yau-Wu, see Prouty, M.D., *T-MTT Jun* 97 877-885
Li Weiqi, see Shen-Whan Chen, *T-MTT May* 97 700-703
Li Yongjun, see Moussessian, A., *MWSYM* 97 683-686 vol.2
Lizalek, G.C., see Brauer, J.R., *T-MTT May* 97 810-818
Li Zheng-Fan, see Jin Zhao, *T-MTT Jan* 97 23-31
Llopis, O., see Monfraix, P., *MWSYM* 97 1551-1554 vol.3
Lo, D.C.W., see Wang, H., *RFIC* 97 79-81
Lobina, A., see Macchiarella, G., *T-MTT Feb* 97 294-297
Loch, S., see Braun, R.-P., *MWSYM* 97 225-228 vol.1
Long, S.I., see Parssinen, A., *MWSYM* 97 665-668 vol.2
Long, S.I., see Parssinen, A., *T-MTT Dec* 97 2344-2351
Longo, I., see Annino, G., *T-MTT Nov* 97 2025-2034
Long Tran, see Virk, R.S., *MWSYM* 97 435-438 vol.2
Lott, U., see Schefer, M., *MWSYM* 97 1043-1046 vol.2
Lott, U., see Bos, T.A., *MWSYM* 97 1395-1398 vol.3
Lovalace, D., and J. Durec. A self calibrating quadrature generator with wide frequency range; *RFIC* 97 147-151
Lovseth, S.W., C. Laliew, and A. Gopinath. Synthesis of amplitude response of optical directional coupler modulators; *MWSYM* 97 1717-1720 vol.3
Lu, C.L., see Fan, J.C., *T-MTT Aug* 97 1390-1397
Lu Chao, Chen Wenye, and J.F. Shiang. Photonic mixers and image-rejection mixers for optical SCM systems; *T-MTT Aug* 97 1478-1480

Luck, C., see Phing Li, *MWSYM* 97 991-994 vol.2
Lu Fan, see McSpadden, J.O., *MWSYM* 97 547-550 vol.2
Lu Fan, B. Heimer, and Kai Chang. Uniplanar hybrid couplers using asymmetrical coplanar strip lines; *MWSYM* 97 273-276 vol.1
Lui, M., see Pospieszalski, M.W., *MWSYM* 97 1285-1288 vol.3
Lu Ke, see Ke Lu, *T-MTT Jan* 97 9-14
Lunardi, L.M., see Rios, J.M.M., *T-MTT Jan* 97 39-45
Lu Shin-Tsu, see Jian-Zhong Bao, *T-MTT Oct* 97 1730-1741
Luy, J.-F., see Singer, M., *MWSYM* 97 1265-1268 vol.3
Luy, J.-F., see Wollitzer, M., *MWSYM* 97 1205-1208 vol.3
Luy, J.-F., and P. Russer. SiGe SIMMWICs; *RFIC* 97 105-108
Ly Chung, see Sturdivant, R., *MWSYM* 97 501-504 vol.2
Ly Chung, see Sturdivant, R., *MWSYM* 97 505-507 vol.2

M

Ma, G., W. Burger, Xiaowei Ren, J. Gibson, and M. Shields. High efficiency submicron gate LDMOS power FET for low voltage wireless communications; *MWSYM* 97 1303-1306 vol.3
Macchiarella, G. An original approach to the design of bandpass cavity filters with multiple couplings; *T-MTT Feb* 97 179-187
Macchiarella, G., G.G. Gentili, and A. Lobina. A method for investigating a class of inhomogeneous stripline circulators; *T-MTT Feb* 97 294-297
Machac, J., see Zehentner, J., *MWSYM* 97 487-490 vol.2
Machui, J., see Knauer, U., *MWSYM* 97 1821-1824 vol.3
MacPhie, R.H., see Ke-Li Wu, *T-MTT Jan* 97 153-157
MacPhie, R.H., see Shen, Z.-X., *T-MTT Apr* 97 546-548
Madihian, M., see Maruhashi, K., *MWSYM* 97 443-446 vol.2
Madihian, M., see Maruhashi, K., *T-MTT Dec* 97 2256-2260
Madjar, A., see Liu, C.P., *MWSYM* 97 359-362 vol.1
Madjar, A., see de Barros, L.E.M., Jr., *T-MTT Aug* 97 1368-1374
Maeda, T., see Kayano, H., *MWSYM* 97 743-746 vol.2
Magel, G.A., see Goldsmith, C.L., *T-MTT Aug* 97 1342-1350
Magnee, P.H.C., see van Rijs, F., *RFIC* 97 15-18
Magoon, R., see Parssinen, A., *MWSYM* 97 665-668 vol.2
Magoon, R., see Parssinen, A., *T-MTT Dec* 97 2344-2351
Mahfoudi, M., see Grajal, J., *T-MTT Oct* 97 1705-1714
Mahmoud, S.F., and E. Beyne. Inductance and quality-factor evaluation of planar lumped inductors in a multilayer configuration; *T-MTT Jun* 97 918-923
Maita, Y., see Sugawara, S., *MWSYM* 97 959-962 vol.2
Majerus, M., see Glass, E., *MWSYM* 97 1399-1402 vol.3
Ma Jian-Guo, see Jian-Guo Ma, *MWSYM* 97 1381-1384 vol.3
Ma Jian-Guo, see Jian-Guo Ma, *T-MTT Feb* 97 304-306
Ma Jian-Guo, see Jian-Guo Ma, *T-MTT Jun* 97 924-930
Ma Jian-Guo, see Jian-Guo Ma, *T-MTT Jul* 97 1113-1117
Majumder, S., D.R. Jackson, and M. Guglielmi. The nature of the spectral gap for leaky waves on a periodic strip grating structure; *MWSYM* 97 479-482 vol.2
Majumder, S., D.R. Jackson, A.A. Oliner, and M. Guglielmi. The nature of the spectral gap for leaky waves on a periodic strip-grating structure; *T-MTT Dec* 97 2296-2307
Ma Jun, see Jun Ma, *MWSYM* 97 123-127 vol.1
Ma Jun, see Spears, E., *MWSYM* 97 1-4 vol.1
Ma Jun, see Jun Ma, *RFIC* 97 175-179
Ma Jun, see Spears, E., *RFIC* 97 153-156
Makimoto, M., see Sagawa, M., *T-MTT Jul* 97 1078-1085
Ma Kuang-Ping, see Kuang-Ping Ma, *MWSYM* 97 1627-1630 vol.3
Mallet, A., see Barataud, D., *MWSYM* 97 1687-1690 vol.3
Mallet-Guy, B., Z. Ouarch, M. Prigent, R. Quere, and J. Obregon. A distributed, measurement based, nonlinear model of FETs for high frequencies applications; *MWSYM* 97 869-872 vol.2
Malocha, D.C., see Kines, J.H., *MWSYM* 97 177-180 vol.1
Manasson, V.A., L.S. Sadovnik, V.A. Yepishin, and D. Marker. An optically controlled MMW beam-steering antenna based on a novel architecture; *T-MTT Aug* 97 1497-1500
Mann, C.M., see Thornton, J., *MWSYM* 97 957-958 vol.2
Mansour, R.R., see Romano, A., *MWSYM* 97 709-712 vol.2
Mansour, R.R., see Shen Ye, *MWSYM* 97 299-302 vol.1
Mansour, R.R., see Shen Ye, *T-MTT May* 97 780-786
Maracas, G.N., see Chuang, J., *MWSYM* 97 265-268 vol.1
Marcenac, D.D., see Wake, D., *MWSYM* 97 39-42 vol.1
Marcenac, D.D., see Noel, L., *T-MTT Aug* 97 1416-1423
Maricevic, Z.A., see Sarkar, T.K., *MWSYM* 97 613-616 vol.2
Maricot, S., see Dueme, P., *MWSYM* 97 13-16 vol.1
Maricot, S., see Dueme, Ph., *RFIC* 97 165-168
Marker, D., see Manasson, V.A., *T-MTT Aug* 97 1497-1500
Marks, R.B., see Booton, R.C., Jr., *T-MTT Dec* 97 2164-2166
Marshall, T., see Brown, R.A., *MWSYM* 97 983-986 vol.2
Marten, L., see Sercu, S., *T-MTT Oct* 97 1897-1904
Martens, L., see Sercu, S., *MWSYM* 97 1781-1784 vol.3

- Martens, L.**, see Van den Bosch, S., *T-MTT Aug 97* 1247-1249
- Martens, L.**, see Sercu, S., *T-MTT Oct 97* 1977-1981
- Marti, J.**, see Corral, J.L., *T-MTT Aug 97* 1531-1536
- Martin, R.S.**, see Jong-Gwan Yook, *T-MTT Oct 97* 1847-1856
- Martinelli, M.**, see Annino, G., *T-MTT Nov 97* 2025-2034
- Martynyuk, A.E.**, see Chenakin, A.V., *MWSYM 97* 921-924 vol.2
- Martynyuk, A.E.**, N.A. Martynyuk, S.N. Khotiantsev, and V.S. Vountesmeri. Millimeter-wave amplitude-phase modulator; *T-MTT Jun 97* 911-917
- Martynyuk, N.A.**, see Martynyuk, A.E., *T-MTT Jun 97* 911-917
- Maruhashi, K.**, K. Ohata, and M. Madhian. A single-bias diode-regulated 60 GHz monolithic LNA; *MWSYM 97* 443-446 vol.2
- Maruhashi, K.**, K. Ohata, and M. Madhian. A 60-GHz-band monolithic HJFET LNA incorporating a diode-regulated self-bias circuit; *T-MTT Dec 97* 2256-2260
- Masmoudi, M.**, see Thevenon, F., *MWSYM 97* 1615-1618 vol.3
- Massier, H.**, see Haydl, W.H., *MWSYM 97* 1281-1284 vol.3
- Massin, F.**, H. Christange, and R. Knochel. Novel phase noise reduction technique using HTSC-limiters; *MWSYM 97* 307-310 vol.1
- Massler, H.**, see Krebs, T., *MWSYM 97* 987-990 vol.2
- Massler, H.**, see Verwey, L., *MWSYM 97* 243-246 vol.1
- Massler, H.**, see Verwey, L., *RFIC 97* 203-206
- Masti, J.**, see Stenger, E., *MWSYM 97* 431-434 vol.2
- Mastri, F.**, see Rizzoli, V., *MWSYM 97* 367-370 vol.2
- Mathis, A.W.**, A.F. Peterson, and C.M. Butler. Rigorous and simplified models for the capacitance of a circularly symmetric via; *T-MTT Oct 97* 1875-1878
- Mathoorasing, D.**, see Dueme, P., *MWSYM 97* 13-16 vol.1
- Mathoorasing, D.**, see Goloubkoff, M., *MWSYM 97* 31-34 vol.1
- Mathoorasing, D.**, see Dueme, Ph., *RFIC 97* 165-168
- Matloubian, M.**, see Robertson, S.V., *MWSYM 97* 517-520 vol.2
- Matloubian, M.**, see Virk, R.S., *MWSYM 97* 435-438 vol.2
- Matloubian, M.**, see Case, M., *MWSYM 97* 1047-1051 vol.2
- Matloubian, M.**, see Preventza, P., *MWSYM 97* 1057-1060 vol.2
- Matras, P.**, R. Bunker, and F. Arndt. Modal scattering matrix of the general step discontinuity in elliptical waveguides; *T-MTT Mar 97* 453-458
- Matsuda, S.**, see Shimasaki, H., *MWSYM 97* 1703-1706 vol.3
- Matsugatani, K.**, see Sasaki, K., *MWSYM 97* 937-940 vol.2
- Matsumura, T.**, see Mizoe, J., *MWSYM 97* 247-250 vol.1
- Matsumura, T.**, see Mizoe, J., *RFIC 97* 207-210
- Matsunaga, K.**, see Okamoto, Y., *MWSYM 97* 1191-1194 vol.3
- Matter, U.**, see Heinen, S., *RFIC 97* 127-130
- Matthaei, G.L.**, N.O. Fenzi, R.J. Forse, and S.M. Rohfing. Hairpin-comb filters for HTS and other narrow-band applications; *T-MTT Aug 97* 1226-1231
- Matthews, P.J.**, M.Y. Frankel, and R.D. Esman. A wideband, fiber-optic, true time-steered array receiver; *MWSYM 97* 347-350 vol.1
- Matthews, P.J.**, see Frankel, M.Y., *T-MTT Aug 97* 1522-1526
- Maury, G.**, A. Hilt, T. Berceli, B. Cabon, and A. Vilcot. Microwave-frequency conversion methods by optical interferometer and photodiode; *T-MTT Aug 97* 1481-1485
- Mayer, B.**, see Bechteler, T., *MWSYM 97* 311-314 vol.1
- Ma Zhewang**, see Zhewang Ma, *MWSYM 97* 417-420 vol.2
- Ma Zhewang**, see Zhewang Ma, *MWSYM 97* 1631-1634 vol.3
- Mazierska, J.**, see Leong, K., *MWSYM 97* 1639-1642 vol.3
- McIntosh, K.A.**, see Verghese, S., *T-MTT Aug 97* 1301-1309
- McIntosh, P.M.**, and C.M. Snowden. The effect of a variation in tone spacing on the intermodulation performance of Class A and Class AB HBT power amplifiers; *MWSYM 97* 371-374 vol.2
- McKnight, S.W.**, see How, H., *MWSYM 97* 1127-1130 vol.2
- McLeod, J.**, see DeHaan, M.R., *MWSYM 97* 1425-1427 vol.3
- McQuiddy, D.N., Jr.** 1997 MTT-S Awards; *T-MTT Dec 97* 2175-2182
- McSpadden, J.O.**, Lu Fan, and Kai Chang. A high conversion efficiency 5.8 GHz rectenna; *MWSYM 97* 547-550 vol.2
- Medina, F.**, see Bernal, J., *T-MTT Sep 97* 1619-1626
- Megahed, M.A.**, and S.M. El-Ghazaly. Discontinuity effects on high frequency transistors; *MWSYM 97* 609-612 vol.2
- Mei, K.K.**, see Prouty, M.D., *T-MTT Jun 97* 877-885
- Meier, Hp.**, see Schefer, M., *MWSYM 97* 1043-1046 vol.2
- Meier, K.**, V. Hombach, R. Kastle, R.Y.-S. Tay, and N. Kuster. The dependence of electromagnetic energy absorption upon human-head modeling at 1800 MHz; *T-MTT Nov 97* 2058-2062
- Melander, T.**, see Anzill, W., *MWSYM 97* 1387-1390 vol.3
- Meng, C.C.**, and G.Z. Liao. Power generation of millimeter-wave SiC avalanche transit time oscillator at high temperature; *MWSYM 97* 963-966 vol.2
- Mesa, F.**, see Plaza, G., *T-MTT Apr 97* 519-526
- Messler, H.**, see Fernandez-Barciela, M., *MWSYM 97* 1499-1502 vol.3
- Meyer, O.**, see Belhadj-Tahar, N., *T-MTT Feb 97* 260-267
- Meyer, R.**, see Wasige, E., *MWSYM 97* 925-928 vol.2
- Mezzanotte, P.**, see Alimenti, F., *MWSYM 97* 1737-1740 vol.3
- Miazga, P.**, and W. Gwarek. Improved design of passive coaxial components using electromagnetic 2-D solver in an optimization loop; *T-MTT May 97* 858-861
- Miccioli, W.F.**, see Russell, M.E., *MWSYM 97* 1257-1260 vol.3
- Miccioli, W.F.**, see Russell, M.E., *T-MTT Dec 97* 2444-2453
- Michael, M.**, see Paul, D.K., *MWSYM 97* 941-944 vol.2
- Middleton, I.**, see Shimon, R., *MWSYM 97* 769-772 vol.2
- Migliozi, M.**, see Zehentner, J., *MWSYM 97* 487-490 vol.2
- Milanovic, V.**, M. Gaitan, E.D. Bowen, and M.E. Zaghloul. Micromachined microwave transmission lines in CMOS technology; *T-MTT May 97* 630-635
- Miles, R.E.**, see Digby, J.W., *MWSYM 97* 561-564 vol.2
- Miles, R.E.**, see Collins, C.E., *MWSYM 97* 1439-1442 vol.3
- Miles, R.E.**, see Cusick, T.A., *T-MTT Aug 97* 1458-1462
- Miller, E.K.**, see Adve, R.S., *T-MTT May 97* 837-845
- Miller, S.C.**, see DeHaan, M.R., *MWSYM 97* 1425-1427 vol.3
- Minakawa, A.**, T. Imaoka, and N. Imai. A millimeter-wave band MMIC dual-quadrature up-converter using multilayer directional couplers; *T-MTT Jan 97* 78-82
- Minakawa, A.**, see Imaoka, T., *T-MTT Jan 97* 95-101
- Minasian, R.A.**, see Hunter, D.B., *T-MTT Aug 97* 1463-1466
- Minasian, R.A.**, and K.E. Alameh. Optical-fiber grating-based beamforming network for microwave phased arrays; *T-MTT Aug 97* 1513-1518
- Min Chen**, Sion Teck Chew, and T. Itoh. Nonlinear analysis of a microwave diode mixer using the extended FDTD; *MWSYM 97* 67-70 vol.1
- Ming-Ju Tsai**, F. De Flaviis, O. Fordham, and N.G. Alexopoulos. Modeling planar arbitrarily shaped microstrip elements in multilayered media; *T-MTT Mar 97* 330-337
- Minh Le**, see Virk, R.S., *MWSYM 97* 435-438 vol.2
- Minh Le**, see Pospieszalski, M.W., *MWSYM 97* 1285-1288 vol.3
- Mink, J.W.**, see Nuteson, T.W., *T-MTT May 97* 666-672
- Minnaar, F.V.**, J.C. Coetzee, and J. Joubert. A novel ultrawideband microwave differential phase shifter; *T-MTT Aug 97* 1249-1252
- Minot, C.**, see Goloubkoff, M., *MWSYM 97* 31-34 vol.1
- Min Park**, Seonghearn Lee, Hyun Kyu Yu, and Kee Soo Nam. Optimization of high Q CMOS-compatible microwave inductors using silicon CMOS technology; *MWSYM 97* 129-132 vol.1
- Min Park**, Seonghearn Lee, Hyun Kyu Yu, and Kee Soo Nam. Optimization of high Q CMOS-compatible microwave inductors using silicon CMOS technology; *RFIC 97* 181-184
- Min Zhang**, and T. Weiland. Automated optimization of a waveguide-microstrip transition using an EM optimization driver; *T-MTT May 97* 861-864
- Miras, A.**, E. Legros, S. Vuye, G. Wanlin, and L. Giraudet. 40 GHz-narrow band photoreceiver for clock recovery in 40 Gbit/s optical transmission systems; *MWSYM 97* 1709-1712 vol.3
- Miras, A.**, and E. Legros. Very high-frequency small-signal equivalent circuit for short gate-length InP HEMTs; *T-MTT Jul 97* 1018-1026
- Mishra, U.K.**, see Heng-Chia Chang, *MWSYM 97* 1061-1064 vol.2
- Mishra, U.K.**, see Heng-Chia Chang, *T-MTT May 97* 604-615
- Mishra, U.K.**, see Chang, H.-C., *T-MTT Nov 97* 2035-2042
- Missaggia, L.J.**, see Betts, G.E., *T-MTT Aug 97* 1280-1287
- Mitsui, Y.**, see Fujimoto, S., *MWSYM 97* 17-20 vol.1
- Mitsui, Y.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Mitsui, Y.**, see Yamauchi, K., *MWSYM 97* 1199-1202 vol.3
- Mitsui, Y.**, see Fujimoto, S., *RFIC 97* 169-173
- Mitsui, Y.**, see Yamauchi, K., *T-MTT Dec 97* 2431-2435
- Mitsunaka, Y.**, see Hirata, Y., *T-MTT Jan 97* 72-77
- Mittra, R.**, see Goswami, J.C., *T-MTT Sep 97* 1653-1657
- Mittra, R.**, see Yinchao Chen, *T-MTT Oct 97* 1911-1918
- Miura, T.**, see Takahashi, T., *MWSYM 97* 1683-1686 vol.3
- Miyakawa, M.**, and T. Hayashi. An attempt of high-speed imaging of the chirp radar-type microwave computed tomography; *MWSYM 97* 115-118 vol.1
- Miyake, H.**, S. Kitazawa, T. Ishizaki, T. Yamada, and Y. Nagatomi. A miniaturized monolithic dual band filter using ceramic lamination technique for dual mode portable telephones; *MWSYM 97* 789-792 vol.2
- Miyakuni, S.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Miyamoto, Y.**, see Rios, J.M.M., *T-MTT Jan 97* 39-45
- Miyasaka, Y.**, see Yamaguchi, K., *MWSYM 97* 1403-1406 vol.3
- Miyasaka, Y.**, see Nishimura, T.B., *RFIC 97* 37-40
- Miyashita, M.**, N. Yoshida, Y. Kojima, T. Kitano, N. Higashisaka, J. Nakagawa, T. Takagi, and M. Otsubo. An AlGaAs/InGaAs pseudomorphic HEMT modulator driver IC with low power dissipation for 10-Gb/s optical transmission systems; *T-MTT Jul 97* 1058-1064
- Miyatsuji, K.**, see Ishida, H., *MWSYM 97* 669-672 vol.2
- Miyatsuji, K.**, see Nishijima, M., *MWSYM 97* 1155-1158 vol.3
- Miyazaki, M.**, see Oh-Hashi, H., *MWSYM 97* 409-412 vol.2
- Mizobuchi, A.**, see Shigematsu, T., *MWSYM 97* 527-530 vol.2
- Mizoe, J.**, T. Matsumura, K. Unosawa, Y. Akiba, K. Nagai, H. Sato, T. Saryo, and T. Inoue. A V-band GaAs MMIC chip set on a highly reliable WSi/Au refractory gate process; *MWSYM 97* 247-250 vol.1

Mizoe, J., T. Matsumura, K. Unosawa, Y. Akiba, K. Nagai, H. Sato, T. Saryo, and T. Inoue. A V-band GaAs MMIC chip set on a highly reliable WSi/Au refractory gate process; *RFIC* 97 207-210

Mizuhara, A., see Takeuchi, K., *MWSYM* 97 1643-1646 vol.3

Mizuno, K., see Itoh, K., *MWSYM* 97 849-852 vol.2

Mizuno, K., see Sugawara, S., *MWSYM* 97 959-962 vol.2

Mizutani, H., and Y. Takayama. A DC-60 GHz GaAs MMIC switch using novel distributed FET; *MWSYM* 97 439-442 vol.2

Moghe, S., J. Stone, S. Stratmoen, S. Consolazio, K. Rausch, S. Geske, and M. Patel. Mobitex PC card wireless modem; *MWSYM* 97 1391-1394 vol.3

Molony, A., Lin Zhang, J.A.R. Williams, I. Bennion, C. Edge, and J. Fells. Fiber Bragg-grating true time-delay systems: discrete-grating array 3-b delay lines and chirped-grating 6-b delay lines; *T-MTT Aug* 97 1527-1530

Monfraix, P., A. Coello Vera, O. Llopis, P. Ulian, S. George, C. Drevon, C. Tronche, and J. Graffeuil. New 3D low loss, wide band microwave interconnection; *MWSYM* 97 1551-1554 vol.3

Mongiardo, M., see Weissshaar, A., *MWSYM* 97 1591-1594 vol.3

Mongiardo, M., see Accatino, L., *MWSYM* 97 1083-1086 vol.2

Mongiardo, M., see Rozzi, T., *T-MTT Feb* 97 253-259

Mongiardo, M., and R. Ravanelli. Automated design of corrugated feeds by the adjoint network method; *T-MTT May* 97 787-793

Mongiardo, M., see Accatino, L., *T-MTT Dec* 97 2393-2401

Mons, S., see Peyretailade, T., *MWSYM* 97 1515-1518 vol.3

Monteiro, P.P., see Borjak, A., *T-MTT Aug* 97 1453-1457

Montgomery, C.T., see Pok, D.S.K., *T-MTT Dec* 97 2283-2295

Monzon, J.C., see Lakhtakia, A., *T-MTT Feb* 97 313-314

Moodie, D.G., see Wake, D., *MWSYM* 97 39-42 vol.1

Moodie, D.G., see Noel, L., *T-MTT Aug* 97 1416-1423

Mook-Seng Leong, see Le-Wei Li, *T-MTT Mar* 97 321-329

Moon-Que Lee, Sangwook Nam, Youngwoo Kwon, and Kyung-Whan Yeom. Analytic design of high efficiency harmonic loading oscillator using harmonic two signal method; *MWSYM* 97 1495-1498 vol.3

Moon Roh Tae, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255

Moon-Soo Park, see Tae-Whan Yoo, *MWSYM* 97 1713-1716 vol.3

Moon Soo Park, see Bongsin Kwark, *RFIC* 97 55-58

Moore, C.R., see Kopp, B.A., *MWSYM* 97 583-586 vol.2

Moore, M.T., see Barnes, A.R., *MWSYM* 97 1429-1432 vol.3

Morelli, M., see Morini, A., *MWSYM* 97 1025-1028 vol.2

Morf, T., see Biber, C.E., *MWSYM* 97 865-868 vol.2

Morf, T., C. Biber, and W. Bachtold. Systematic investigations on MESFETs and passive components transplanted by epitaxial lift off onto host materials with various resistivities; *MWSYM* 97 145-148 vol.1

Morf, T., C. Biber, and W. Bachtold. Systematic investigations on MESFETs and passive components transplanted by epitaxial lift off onto host materials with various resistivities; *RFIC* 97 197-200

Mori, K., see Sugawara, S., *MWSYM* 97 959-962 vol.2

Mori, K., see Yamauchi, K., *MWSYM* 97 1199-1202 vol.3

Mori, K., see Yamauchi, K., *T-MTT Dec* 97 2431-2435

Morikawa, J., K. Asano, K. Ishikura, H. Oikawa, M. Kanamori, and M. Kuzuhara. 60W L-band power AlGaAs/GaAs heterostructure FETs; *MWSYM* 97 1413-1416 vol.3

Morikawa, J., see Takenaka, I., *MWSYM* 97 1417-1420 vol.3

Morini, A., T. Rozzi, A. Angeloni, and M. Guglielmi. Accurate calculation of the modes of the circular multiridge waveguide; *MWSYM* 97 199-202 vol.1

Morini, A., T. Rozzi, M. Pistolesi, and F. Spinsanti. Variational analysis of arbitrarily oriented thick iris coupling a rectangular and an elliptical waveguide; *MWSYM* 97 1243-1246 vol.3

Morini, A., T. Rozzi, and M. Morelli. New formulae for the initial design in the optimization of T-junction manifold multiplexers; *MWSYM* 97 1025-1028 vol.2

Morini, A., and T. Rozzi. On the generalized scattering matrix of a lossless multiport; *MWSYM* 97 1607-1610 vol.3

Morini, A., see Rozzi, T., *T-MTT Feb* 97 253-259

Morini, A. Correction to "Constraints to the optimum performance and bandwidth limitations of diplexers employing three-port junctions" [Feb 96 242-248]; *T-MTT May* 97 704

Morkner, H., M. Frank, K. Negus, and Tsong-Ming Kao. A novel integrated microwave bias network for low cost multistage amplifiers; *MWSYM* 97 9-12 vol.1

Morkner, H., M. Frank, K. Negus, and T.-M. Kao. A novel integrated microwave bias network for low cost multistage amplifiers; *RFIC* 97 161-164

Morse, A.W., P.M. Esker, S. Sriram, J.J. Hawkins, L.S. Chen, J.A. Ostop, T.J. Smith, C.D. Davis, R.R. Barron, R.C. Clarke, R.R. Siergie, and C.D. Brandt. Recent application of silicon carbide to high power microwave; *MWSYM* 97 53-56 vol.1

Mortazawi, A., see Ortiz, S., *MWSYM* 97 679-682 vol.2

Motamedi, A., see Amari, S., *MWSYM* 97 1373-1376 vol.3

Motamedi, A.H., see Sieverding, T., *MWSYM* 97 1559-1562 vol.3

Moult, J., see Rouquette, P., *T-MTT May* 97 690-694

Moulthrop, A.A., C.J. Clark, C.P. Silva, and M.S. Muha. A dynamic AM/AM and AM/PM measurement technique; *MWSYM* 97 1455-1458 vol.3

Moura, L., see Geslin, S., *MWSYM* 97 1763-1766 vol.3

Moura, L., see Borjak, A., *MWSYM* 97 1579-1582 vol.3

Moura, L., M. Darby, P.M. Lane, and J.J. O'Reilly. Impact of interferometric noise on the remote delivery of optically generated millimeter-wave signals; *T-MTT Aug* 97 1398-1402

Moussessian, A., M.C. Wanke, Yongjun Li, Jung-Chih Chiao, F.A. Hegmann, S.J. Allen, T.W. Crowe, and D.B. Rutledge. A terahertz grid frequency doubler; *MWSYM* 97 683-686 vol.2

Moustadir, K., see Gillard, R., *MWSYM* 97 71-74 vol.1

Moy, D., see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3

Moyer, H.P., see Thangavelu, A.V., *MWSYM* 97 661-664 vol.2

Mrozowski, M., M. Okoniewski, E. Okoniewska, and M.A. Stuchly. Human organs dosimetry for transient electromagnetic fields; *MWSYM* 97 95-97 vol.1

Muha, M.S., see Moulthrop, A.A., *MWSYM* 97 1455-1458 vol.3

Muller, P.O., D. Erasme, and B. Huyart. Wavelength optimized electro-optic scanning of MMICs with Fabry-Perot enhancement; *MWSYM* 97 1329-1332 vol.3

Muller, R.E., see Lin, L.Y., *T-MTT Aug* 97 1320-1331

Muller, U., see Walter, M., *MWSYM* 97 1231-1234 vol.3

Mulvaney, B.J., see Gourary, M.M., *MWSYM* 97 1507-1510 vol.3

Mun Cheol, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2

Munns, G.O., see Eisele, H., *MWSYM* 97 451-454 vol.2

Munoz, S., J.L. Sebastian, and J.D. Gallego. Modeling the bias and temperature dependence of a C-class MESFET amplifier; *T-MTT Apr* 97 527-533

Muraguchi, M., see Nakatsugawa, M., *MWSYM* 97 509-512 vol.2

Muraguchi, M., see Nakatsugawa, M., *T-MTT Dec* 97 2308-2315

Murata, K., see Yoneyama, M., *MWSYM* 97 461-464 vol.2

Murata, K., T. Otsuji, M. Yoneyama, and M. Tokumitsu. A 40 Gbit/s super-dynamic decision IC using 0.15- μ m GaAs MESFETs; *MWSYM* 97 465-468 vol.2

Murata, K., see Yoneyama, M., *T-MTT Dec* 97 2274-2282

Murden, F., see Gratzek, T., *RFIC* 97 143-146

Murray, C., see Bailey, A., *MWSYM* 97 999-1002 vol.2

N

Nagahara, M., see Abey, W., *MWSYM* 97 1315-1318 vol.3

Nagai, K., see Arai, Y., *MWSYM* 97 447-450 vol.2

Nagai, K., see Mizoe, J., *MWSYM* 97 247-250 vol.1

Nagai, K., see Mizoe, J., *RFIC* 97 207-210

Nagai, K., see Arai, Y., *T-MTT Dec* 97 2261-2266

Nagaoka, M., H. Wakimoto, K. Kawakyu, K. Nishihori, Y. Kitaura, T. Sasaki, A. Kameyama, and N. Uchitomi. High efficiency, low adjacent channel leakage 2-V operation GaAs power MESFET amplifier for 1.9-GHz digital cordless phone system; *MWSYM* 97 1323-1326 vol.3

Nagatomi, Y., see Miyake, H., *MWSYM* 97 789-792 vol.2

Nagel, M., see Heiliger, H.-M., *MWSYM* 97 421-424 vol.2

Nagoleone, A., see Betts, G.E., *T-MTT Aug* 97 1280-1287

Nair, E., see Lan, E., *MWSYM* 97 1583-1586 vol.3

Naishadham, K., see Shaw, A.K., *MWSYM* 97 341-344 vol.1

Naishadham, K., and Zhian Lin. FDTD method with a conformal polygonal mesh and perfectly matched layer absorbing boundary condition; *MWSYM* 97 1543-1546 vol.3

Naishadham, K., see Nuteson, T.W., *T-MTT May* 97 666-672

Najita, K., see Chung, Y.H., *MWSYM* 97 841-844 vol.2

Nakagawa, J., see Miyashita, M., *T-MTT Jul* 97 1058-1064

Nakagawa, T., H. Okazaki, and Y. Yamaguchi. A low-power X-band frequency synthesizer module; *MWSYM* 97 1209-1212 vol.3

Nakagawa, T., see Kanda, A., *T-MTT May* 97 659-665

Nakahata, H., see Higaki, K., *MWSYM* 97 829-832 vol.2

Nakakita, H., F. Sugimoto, and N. Yazawa. 60-GHz-band ultracompact transmitter for HDTV; *MWSYM* 97 1143-1146 vol.3

Nakamae, M., see Kanda, A., *T-MTT May* 97 659-665

Nakamura, T., see Kamozaiki, K., *RFIC* 97 95-98

Nakano, K., see Jenkins, T., *MWSYM* 97 949-952 vol.2

Nakasha, Y., see Ohara, S., *MWSYM* 97 909-912 vol.2

Nakatsugawa, M., A. Kanda, H. Okazaki, K. Nishikawa, and M. Muraguchi. Line-loss and size-reduction techniques for millimeter-wave rf front-end boards by using a polyimide/alumina-ceramic multilayer configuration; *MWSYM* 97 509-512 vol.2

Nakatsugawa, M., A. Kanda, H. Okazaki, K. Nishikawa, and M. Muraguchi. Line-loss and size-reduction techniques for millimeter-wave RF front-end boards by using a polyimide/alumina-ceramic multilayer configuration; *T-MTT Dec* 97 2308-2315

Nakayama, M., see Yamauchi, K., *MWSYM* 97 1199-1202 vol.3

Nakayama, M., see Yamauchi, K., *T-MTT Dec* 97 2431-2435

Nakhla, M., see Achar, R., *MWSYM* 97 1017-1020 vol.2

- Nakhla, M.S.**, see Veluswami, A., *T-MTT May 97* 712-723
- Nakhla, M.S.**, see Zaabab, A.H., *T-MTT Oct 97* 1696-1704
- Nalezinski, M.**, M. Vossiek, and P. Heide. Novel 24 GHz FMCW front-end with 2.45 GHz SAW reference path for high-precision distance measurements; *MWSYM 97* 185-188 vol.1
- Nam Kee Soo**, see Cheon Soo Kim, *MWSYM 97* 945-948 vol.2
- Nam Kee Soo**, see Min Park, *MWSYM 97* 129-132 vol.1
- Nam Kee Soo**, see Min Park, *RFIC 97* 181-184
- Nam Sangwook**, see Moon-Que Lee, *MWSYM 97* 1495-1498 vol.3
- Nam-Sin park**, see Hee-Yong Hwang, *MWSYM 97* 805-808 vol.2
- Narhi, T.**, and M. Valtonen. Stability envelope-new tool for generalised stability analysis; *MWSYM 97* 623-626 vol.2
- Nebus, J.M.**, see Barataud, D., *MWSYM 97* 1687-1690 vol.3
- Negus, K.**, see Morkner, H., *MWSYM 97* 9-12 vol.1
- Negus, K.**, see Morkner, H., *RFIC 97* 161-164
- Neri, A.**, see Rizzoli, V., *MWSYM 97* 367-370 vol.2
- Neset, D.**, see Wake, D., *MWSYM 97* 39-42 vol.1
- Neset, D.**, see Noel, L., *T-MTT Aug 97* 1416-1423
- Neudeck, P.G.**, see Fazi, C., *MWSYM 97* 49-51 vol.1
- Neumann, M.**, see Verwey, L., *MWSYM 97* 243-246 vol.1
- Neumann, M.**, see Haydl, W.H., *MWSYM 97* 1281-1284 vol.3
- Neumann, M.**, see Verwey, L., *RFIC 97* 203-206
- Ney, M.M.**, see Pena, N., *T-MTT Oct 97* 1749-1755
- Ngo, C.**, see Virk, R.S., *MWSYM 97* 435-438 vol.2
- Ngo, C.**, see Case, M., *MWSYM 97* 1047-1051 vol.2
- Ngo, D.**, see Jun Ma, *MWSYM 97* 123-127 vol.1
- Ngo, D.**, see Spears, E., *MWSYM 97* 1-4 vol.1
- Ngo, D.**, see Jun Ma, *RFIC 97* 175-179
- Ngo, D.**, see Spears, E., *RFIC 97* 153-156
- Nguyen, C.**, see Hsu, P.-C., *T-MTT Dec 97* 2150-2151
- Nguyen, L.D.**, see Pospieszalski, M.W., *MWSYM 97* 1285-1288 vol.3
- Nichols, L.T.**, K.J. Williams, and R.D. Estman. Optimizing the ultrawide-band photonic link; *T-MTT Aug 97* 1384-1389
- Nicklaus, R.**, see Cameron, P., *MWSYM 97* 889-892 vol.2
- Niehenke, E.**, see Stenger, E., *MWSYM 97* 431-434 vol.2
- Niehenke, E.C.**, see Fudem, H., *MWSYM 97* 427-430 vol.2
- Niehenke, E.C.**, and P. Herczfeld. An optical link for W-band transmit/receive applications; *MWSYM 97* 35-38 vol.1
- Nikita, K.S.**, and N.K. Uzunoglu. Coupling parameters of a concentric multi-element waveguide array; *MWSYM 97* 111-114 vol.1
- Nishihori, K.**, see Nagaoka, M., *MWSYM 97* 1323-1326 vol.3
- Nishijima, M.**, J. Itoh, T. Kunihiya, T. Yokoyama, S. Yamamoto, K. Miyatsuji, M. Nishitsuji, and O. Ishikawa. A high performance transceiver hybrid IC for PHS hand-set operating with single positive voltage supply; *MWSYM 97* 1155-1158 vol.3
- Nishikawa, K.**, see Nakatsugawa, M., *MWSYM 97* 509-512 vol.2
- Nishikawa, K.**, see Kamogawa, K., *MWSYM 97* 1221-1224 vol.3
- Nishikawa, K.**, see Toyoda, I., *RFIC 97* 113-116
- Nishikawa, K.**, see Nakatsugawa, M., *T-MTT Dec 97* 2308-2315
- Nishikawa, K.**, see Kamogawa, K., *T-MTT Dec 97* 2436-2443
- Nishikawa, K.**, see Toyoda, I., *T-MTT Dec 97* 2524-2530
- Nishimoto, M.**, see Ingram, D.L., *MWSYM 97* 1183-1186 vol.3
- Nishimura, K.**, see Yamada, T., *MWSYM 97* 833-836 vol.2
- Nishimura, K.**, see Yamane, Y., *MWSYM 97* 251-254 vol.1
- Nishimura, K.**, see Yamane, Y., *RFIC 97* 211-214
- Nishimura, K.**, see Yamane, Y., *T-MTT Dec 97* 2229-2233
- Nishimura, T.B.**, see Yamaguchi, K., *MWSYM 97* 1403-1406 vol.3
- Nishimura, T.B.**, K. Yamaguchi, N. Iwata, M. Tomita, K. Takemura, M. Kuzuhara, and Y. Miyasaka. Single 2.2 V operation MMIC power amplifier utilizing SrTiO₃ capacitors for 2.4 GHz wireless communication systems; *RFIC 97* 37-40
- Nishitsuji, M.**, see Nishijima, M., *MWSYM 97* 1155-1158 vol.3
- Nittono, T.**, see Yamane, Y., *MWSYM 97* 251-254 vol.1
- Nittono, T.**, see Yamane, Y., *RFIC 97* 211-214
- Nittono, T.**, see Yamane, Y., *T-MTT Dec 97* 2229-2233
- Noel, L.**, see Wake, D., *MWSYM 97* 39-42 vol.1
- Noel, L.**, D. Wake, D.G. Moodie, D.D. Marcenac, L.D. Westbrook, and D. Neset. Novel techniques for high-capacity 60-GHz fiber-radio transmission systems; *T-MTT Aug 97* 1416-1423
- Noonan, P.**, see Phing Li, *MWSYM 97* 991-994 vol.2
- Noonan, P.**, see Henderson, G.N., *MWSYM 97* 1299-1302 vol.3
- Norgren, M.**, and Sailing He. Corrections to "Reconstruction of the constitutive parameters for an Ω material in a rectangular waveguide"; *T-MTT Feb 97* 314-316
- Nossek, J.A.**, see Pitschi, F.M., *MWSYM 97* 825-828 vol.2
- Novak, D.**, see Smith, G.H., *T-MTT Aug 97* 1410-1415
- Novak, D.**, see Ahmed, Z., *T-MTT Aug 97* 1431-1435
- Nuno, L.**, J.V. Balbastre, and H. Castane. Analysis of general lossy inhomogeneous and anisotropic waveguides by the finite-element method (FEM) using edge elements; *T-MTT Mar 97* 446-449
- Nusseibeh, F.**, T.W. Nuteson, J. Patwardhan, M.A. Summers, C.E. Christoffersen, J. Kreskovshy, and M.B. Steer. Computer aided engineering environment for spatial power combining systems; *MWSYM 97* 1073-1077 vol.2
- Nuteson, T.W.**, see Nusseibeh, F., *MWSYM 97* 1073-1077 vol.2
- Nuteson, T.W.**, Huan-Sheng Hwang, M.B. Steer, K. Naishadham, J. Harvey, and J.W. Mink. Analysis of finite grid structures with lenses in quasi-optical systems; *T-MTT May 97* 666-672

O

- Oates, D.E.**, and G.F. Dionne. Tunable superconducting resonators using ferrite substrates; *MWSYM 97* 303-306 vol.1
- Obayashi, S.**, see Kayano, H., *MWSYM 97* 743-746 vol.2
- Obregon, J.**, see Frayssé, J.P., *MWSYM 97* 379-382 vol.2
- Obregon, J.**, see Mallet-Guy, B., *MWSYM 97* 869-872 vol.2
- Obregon, J.**, see Viaud, J.P., *MWSYM 97* 893-896 vol.2
- O'Connell, M.**, see Smith, I.W., *T-MTT Jan 97* 15-22
- O'Donnell, F.**, see Ackerman, E., *MWSYM 97* 237-240 vol.1
- O'Donnell, F.J.**, see Betts, G.E., *T-MTT Aug 97* 1280-1287
- Ogawa, H.**, see Daryoush, A.S., *MWSYM 97* 351-354 vol.1
- Ogawa, H.**, see Ohira, T., *MWSYM 97* 587-590 vol.2
- Ogawa, H.**, see Daryoush, A.S., *T-MTT Aug 97* 1288-1295
- Ogawa, H.**, see Ohira, T., *T-MTT Dec 97* 2324-2332
- Ogawa, K.**, see Yamada, T., *MWSYM 97* 833-836 vol.2
- Ogura, S.**, K. Seino, A. Kamikokura, and H. Hirose. Development of a compact, broadband FET linearizer for satellite use; *MWSYM 97* 1195-1198 vol.3
- Ohara, S.**, Y. Nakasha, T. Iwai, and K. Joshin. Measurement of dynamic load lines of power heterojunction bipolar transistor; *MWSYM 97* 909-912 vol.2
- Ohashi, Y.**, see Aoki, S., *MWSYM 97* 731-734 vol.2
- Ohata, K.**, see Maruhashi, K., *MWSYM 97* 443-446 vol.2
- Ohata, K.**, see Maruhashi, K., *T-MTT Dec 97* 2256-2260
- Oh-Hashi, H.**, H. Yukawa, and M. Miyazaki. A compact Ku-band power combining network using rectangular coaxial line technology; *MWSYM 97* 409-412 vol.2
- Ohira, T.**, Y. Suzuki, H. Ogawa, and H. Kamitsuna. Megalithic microwave signal processing for phased-array beam forming and steering; *MWSYM 97* 587-590 vol.2
- Ohira, T.**, Y. Suzuki, H. Ogawa, and H. Kamitsuna. Megalithic microwave signal processing for phased-array beam forming and steering; *T-MTT Dec 97* 2324-2332
- Ohta, H.**, see Kamozaki, K., *RFIC 97* 95-98
- Ohta, T.**, see Kawai, T., *MWSYM 97* 413-416 vol.2
- Oikawa, H.**, see Morikawa, J., *MWSYM 97* 1413-1416 vol.3
- Okamoto, I.**, see Abey, W., *MWSYM 97* 1315-1318 vol.3
- Okamoto, Y.**, K. Matsunaga, M. Kuzuhara, and M. Kanamori. Novel InGaP/AlGaAs/InGaAs heterojunction FET for X-Ku band power applications; *MWSYM 97* 1191-1194 vol.3
- Okazaki, D.T.**, see Yamada, F.M., *MWSYM 97* 141-144 vol.1
- Okazaki, D.T.**, see Yamada, F.M., *RFIC 97* 193-196
- Okazaki, H.**, see Nakatsugawa, M., *MWSYM 97* 509-512 vol.2
- Okazaki, H.**, and Y. Yamaguchi. Wide-band SSB subharmonically pumped mixer MMIC; *MWSYM 97* 1035-1038 vol.2
- Okazaki, H.**, see Nakagawa, T., *MWSYM 97* 1209-1212 vol.3
- Okazaki, H.**, see Kanda, A., *T-MTT May 97* 659-665
- Okazaki, H.**, see Nakatsugawa, M., *T-MTT Dec 97* 2308-2315
- Okazaki, H.**, and Y. Yamaguchi. Wide-band SSB subharmonically pumped mixer MMIC; *T-MTT Dec 97* 2375-2379
- O'Keefe, M.F.**, see Henderson, G.N., *MWSYM 97* 1299-1302 vol.3
- Oki, A.**, see Wang, H., *RFIC 97* 91-94
- Oki, A.K.**, see Chung, Y.H., *MWSYM 97* 841-844 vol.2
- Oki, A.K.**, see Yamada, F.M., *MWSYM 97* 141-144 vol.1
- Oki, A.K.**, see Kobayashi, K.W., *RFIC 97* 75-78
- Oki, A.K.**, see Kobayashi, K.W., *RFIC 97* 83-86
- Oki, A.K.**, see Yamada, F.M., *RFIC 97* 193-196
- Okoniewska, E.**, see Mrozowski, M., *MWSYM 97* 95-97 vol.1
- Okoniewski, M.**, see Mrozowski, M., *MWSYM 97* 95-97 vol.1
- Okoniewski, M.**, M.A. Stuchly, and S.S. Stuchly. Modeling of interaction of electromagnetic fields from a cellular telephone with hearing aids; *MWSYM 97* 99-101 vol.1
- Okoniewski, M.**, see Douglas, M.G., *MWSYM 97* 1759-1762 vol.3
- Oku, T.**, see Fujimoto, S., *MWSYM 97* 17-20 vol.1
- Oku, T.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Oku, T.**, see Fujimoto, S., *RFIC 97* 169-173
- Okubo, N.**, see Shirakawa, K., *T-MTT Sep 97* 1630-1633
- Oliner, A.A.**, see Tsuji, M., *MWSYM 97* 483-486 vol.2
- Oliner, A.A.**, see Majumder, S., *T-MTT Dec 97* 2296-2307
- Omar, A.A.**, and N.I. Dib. Analysis of slot-coupled transitions from microstrip-to-microstrip and microstrip-to-waveguides; *T-MTT Jul 97* 1127-1132
- Omar, A.S.**, see Dohlus, M., *MWSYM 97* 1523-1526 vol.3

- Omar, A.S.**, see Rieckmann, C., *MWSYM* 97 1369-1372 vol.3
- Omeragic, D.**, see Bandler, J.W., *MWSYM* 97 635-638 vol.2
- Omeragic, D.**, see Bandler, J.W., *T-MTT May* 97 770-779
- Onak, G.**, see Hwang, Y., *MWSYM* 97 1179-1182 vol.3
- Onishi, K.**, see Taguchi, Y., *MWSYM* 97 837-840 vol.2
- Onno, P.**, see Jain, N., *T-MTT May* 97 724-746
- Ono, F.**, see Sarkissian, G., *MWSYM* 97 1409-1412 vol.3
- Ono, K.**, see Aoki, S., *MWSYM* 97 731-734 vol.2
- Onodera, K.**, see Yamane, Y., *MWSYM* 97 251-254 vol.1
- Onodera, K.**, see Yamane, Y., *RFIC* 97 211-214
- Onodera, K.**, see Yamane, Y., *T-MTT Dec* 97 2229-2233
- Ooi, B.L.**, M.S. Leong, P.S. Kooi, and T.S. Yeo. Enhancements of the spectral-domain approach for analysis of microstrip Y-junction; *T-MTT Oct* 97 1800-1805
- Ooi, B.-L.**, M.-S. Leong, and P.-S. Kooi. A novel approach for determining the GaAs MESFET small-signal equivalent-circuit elements; *T-MTT Dec* 97 2084-2088
- Ooms, B.**, see Lan, E., *MWSYM* 97 1583-1586 vol.3
- Ooms, B.**, see Glass, E., *MWSYM* 97 1399-1402 vol.3
- Ooms, S.**, and D. de Zutter. Diakoptics and the multilevel moments method for planar circuits; *MWSYM* 97 1803-1806 vol.3
- Opalska, K.**, and J. Baranowski. A charge model of step recovery diode for CAD; *MWSYM* 97 1503-1506 vol.3
- O'Reilly, J.J.**, see Geslin, S., *MWSYM* 97 1763-1766 vol.3
- O'Reilly, J.J.**, see Borjak, A., *MWSYM* 97 1579-1582 vol.3
- O'Reilly, J.J.**, see Moura, L., *T-MTT Aug* 97 1398-1402
- O'Reilly, J.J.**, see Sen Lin Zhang, *T-MTT Aug* 97 1403-1409
- O'Reilly, J.J.**, see Borjak, A., *T-MTT Aug* 97 1453-1457
- Orengo, G.**, see Giannini, F., *MWSYM* 97 809-812 vol.2
- Orta, R.**, see Tascone, R., *MWSYM* 97 643-646 vol.2
- Orta, R.**, see Savi, P., *T-MTT Feb* 97 221-228
- Ortiz, S.**, T. Ivanov, and A. Mortazawi. A transmit-receive spatial amplifier array; *MWSYM* 97 679-682 vol.2
- Osafune, K.**, see Umeda, Y., *MWSYM* 97 457-460 vol.2
- Osgood, K.**, and A. Parker. Novel method for determination of junction-FET access resistances; *MWSYM* 97 873-876 vol.2
- Osorio, R.**, see Verwey, L., *MWSYM* 97 243-246 vol.1
- Osorio, R.**, see Verwey, L., *RFIC* 97 203-206
- Ostermayer, G.**, see Reindl, L., *MWSYM* 97 821-824 vol.2
- Ostermayer, G.**, see Weigel, R., *T-MTT Dec* 97 2486-2492
- Ostop, J.A.**, see Morse, A.W., *MWSYM* 97 53-56 vol.1
- Otsubo, M.**, see Miyashita, M., *T-MTT Jul* 97 1058-1064
- Otsuji, T.**, see Murata, K., *MWSYM* 97 465-468 vol.2
- Otsuji, T.**, see Yoneyama, M., *MWSYM* 97 461-464 vol.2
- Otsuji, T.**, see Yoneyama, M., *T-MTT Dec* 97 2274-2282
- Ouacha, A.**, see Danestig, M., *MWSYM* 97 705-708 vol.2
- Quarch, Z.**, see Mallet-Guy, B., *MWSYM* 97 869-872 vol.2
- Outifa, L.**, M. Delmotte, and H. Jullien. Dielectric and geometric dependence of electric field and power distribution in a waveguide heterogeneously filled with lossy dielectrics; *T-MTT Aug* 97 1154-1161
- Ou Zifei**, see Tongqing Wang, *MWSYM* 97 777-780 vol.2

P

- Paik, K.**, see Krishnamurthy, V., *MWSYM* 97 1829-1832 vol.3
- Palmour, J.W.**, see Allen, S.T., *MWSYM* 97 57-60 vol.1
- Pan, W.**, see Cameron, P., *MWSYM* 97 889-892 vol.2
- Pang-Shyan Kooi**, see Le-Wei Li, *T-MTT Mar* 97 321-329
- Pan Guang-Wen**, see Gilbert, B.K., *T-MTT Oct* 97 1819-1835
- Pan Guang-Wen**, see Voelker, R.H., *T-MTT Oct* 97 1955-1960
- Pan Shan-Cheng**, see Kin-Lu Wong, *T-MTT Aug* 97 1270-1272
- Pan Shing-Kuo**, see Hesler, J.L., *MWSYM* 97 953-956 vol.2
- Pan Shing-Kuo**, see Hesler, J.L., *T-MTT May* 97 653-658
- Pan Te-Wen**, see Ching-Wen Hsue, *T-MTT Jan* 97 32-38
- Paoletta, A.**, see de Barros, L.E.M., Jr., *T-MTT Aug* 97 1368-1374
- Paoloni, C.**, and S. D'Agostino. A design procedure for monolithic matrix amplifier; *T-MTT Jan* 97 135-139
- Papagiannakis, A.G.** Application of a point-matching MoM reduced scheme to scattering from finite cylinders; *T-MTT Sep* 97 1545-1553
- Papapolymerou, J.**, see Brauchler, F., *MWSYM* 97 1225-1228 vol.3
- Papziner, U.**, see Sieverding, T., *T-MTT Jul* 97 1034-1040
- Park Dong Chul**, see Jeong-Soo Lim, *T-MTT Jun* 97 898-904
- Parker, A.**, see Osgood, K., *MWSYM* 97 873-876 vol.2
- Parker, A.E.**, and D.J. Skellern. A realistic large-signal MESFET model for SPICE; *T-MTT Sep* 97 1563-1571
- Park Han Kyu**, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
- Parkhurst, G.M.**, see Digby, J.W., *MWSYM* 97 561-564 vol.2
- Parkhurst, G.M.**, see Collins, C.E., *MWSYM* 97 1439-1442 vol.3
- Parkhurst, R.**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Park Min**, see Min Park, *MWSYM* 97 129-132 vol.1
- Park Min**, see Min Park, *RFIC* 97 181-184
- Park Moon-Soo**, see Tae-Whan Yoo, *MWSYM* 97 1713-1716 vol.3
- Park Moon Soo**, see Bongsin Kwark, *RFIC* 97 55-58
- park Nam-Sin**, see Hee-Yong Hwang, *MWSYM* 97 805-808 vol.2
- Park Seong-Ook**, see Seong-Ook Park, *T-MTT Mar* 97 458-460
- Park Wee Sang**, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255
- Parssinen, A.**, R. Magoon, and S.I. Long. A 2 GHz subharmonic sampler for signal downconversion; *MWSYM* 97 665-668 vol.2
- Parssinen, A.**, R. Magoon, S.I. Long, and V. Porra. A 2-GHz subharmonic sampler for signal downconversion; *T-MTT Dec* 97 2344-2351
- Pascher, W.**, see Vietzorreck, L., *MWSYM* 97 1811-1814 vol.3
- Pascher, W.**, see Vietzorreck, L., *T-MTT Dec* 97 2474-2478
- Pasquet, D.**, see Werling, T., *MWSYM* 97 1447-1450 vol.3
- Pasquet, D.**, see Werling, T., *T-MTT Dec* 97 2461-2467
- Passmann, C.**, G. Villino, and T. Wixforth. A polarization flexible phased array antenna for a mobile communication SDMA field trial; *MWSYM* 97 595-598 vol.2
- Patel, M.**, see Moghe, S., *MWSYM* 97 1391-1394 vol.3
- Patrick, W.**, see Schefer, M., *MWSYM* 97 1043-1046 vol.2
- Patterson, A.D.**, see Kelly, M.J., *MWSYM* 97 1065-1068 vol.2
- Patterson, H.** Analysis of ground bond wire arrays for RFICs; *MWSYM* 97 765-768 vol.2
- Patterson, H.** Analysis of ground bond wire arrays for RFICs; *RFIC* 97 237-240
- Patwardhan, J.**, see Nusseibeh, F., *MWSYM* 97 1073-1077 vol.2
- Paul, B.J.**, see Creech, G.L., *T-MTT May* 97 794-802
- Paul, D.K.**, M. Michael, and K. Konstantinou. MMIC tunable bandpass filter using a ring resonator with loss compensation; *MWSYM* 97 941-944 vol.2
- Paul, D.K.**, see Gardner, P., *T-MTT May* 97 580-586
- Paulsen, K.D.**, see Boyse, W.E., *MWSYM* 97 1547-1550 vol.3
- Pavlidis, D.**, see Samelis, A., *T-MTT Apr* 97 534-542
- Pavlidis, D.**, see Samelis, A., *T-MTT Jun* 97 886-897
- Pedro, J.C.** Evaluation of MESFET nonlinear intermodulation distortion reduction by channel-doping control; *T-MTT Nov* 97 1989-1997
- Pedrozzi, M.**, see Tigelis, I.G., *T-MTT Feb* 97 236-244
- Pelosi, G.**, see Coccioli, R., *MWSYM* 97 195-198 vol.1
- Pena, N.**, and M.M. Ney. Absorbing-boundary conditions using perfectly matched-layer (PML) technique for three-dimensional TLM simulations; *T-MTT Oct* 97 1749-1755
- Penard, E.**, see Goloubkoff, M., *MWSYM* 97 31-34 vol.1
- Pence, J.**, see Pham, A., *MWSYM* 97 1659-1662 vol.3
- Peng, J.H.**, see Kwok-Wah Hui, *T-MTT Jan* 97 142-145
- Peng, S.** A simplified method to predict the conversion loss of FET resistive mixers; *MWSYM* 97 857-860 vol.2
- Penuuri, D.** Recent progress in SAW filters at GHz frequencies; *MWSYM* 97 169-172 vol.1
- Pereira Filho, O.M.C.**, and T.P. Sarkar. MICs in a multilayer dielectric media in a rectangular waveguide; *MWSYM* 97 1535-1538 vol.3
- Perennec, A.**, see Le Roy, M., *MWSYM* 97 639-642 vol.2
- Perez, M.**, see Peyretailade, T., *MWSYM* 97 1515-1518 vol.3
- Perko, R.**, see Phing Li, *MWSYM* 97 991-994 vol.2
- Perkons, A.R.**, and T. Itoh. TE surface wave power combining by a planar 10-element active lens amplifier; *MWSYM* 97 691-694 vol.2
- Perlman, B.S.**, see Rhodes, D.L., *T-MTT May* 97 587-592
- Perregrini, L.**, see Arcioni, P., *MWSYM* 97 211-214 vol.1
- Perregrini, L.**, see Arcioni, P., *T-MTT Mar* 97 436-439
- Perry, P.**, and T.J. Brazil. Hilbert-transform-derived relative group delay; *T-MTT Aug* 97 1214-1225
- Peters, D.**, see Reuter, R., *T-MTT Jun* 97 977-983
- Petterson, A.F.**, see Mathis, A.W., *T-MTT Oct* 97 1875-1878
- Pettiford, C.**, see Jenkins, T., *MWSYM* 97 949-952 vol.2
- Petz, F.A.**, see Grajal, J., *T-MTT Oct* 97 1705-1714
- Peyretailade, T.**, M. Perez, S. Mons, R. Sommet, Ph. Auxemery, J.C. Lalaurie, and R. Quere. A pulsed-measurement based electrothermal model of HBT with thermal stability prediction capabilities; *MWSYM* 97 1515-1518 vol.3
- Pflug, D.R.**, see Adve, R.S., *T-MTT May* 97 837-845
- Pham, A.**, C. Chun, J. Laskar, and B. Hutchison. Surface mount microwave package characterization technique; *MWSYM* 97 995-998 vol.2
- Pham, A.**, J. Laskar, S. Basu, and J. Pence. Comparison of air coplanar microprobes for on-wafer measurements at W-band; *MWSYM* 97 1659-1662 vol.3
- Pham, A.**, see Chun, C., *T-MTT Oct* 97 1948-1954
- Phelps, L.**, see Shen-Whan Chen, *T-MTT May* 97 700-703
- Phing Li, C.** Luck, E. Soshea, R. Perko, T. Boles, P. Noonan, and D. Haggis. Microwave Si power transistor with monolithically fabricated impedance matching circuits; *MWSYM* 97 991-994 vol.2
- Phuong Phu, E.** Adler, J. Speulstra, J. Clark, M. Bartlett, and J. Fisher. An ultra-wideband exciter for ground-penetration radar systems; *MWSYM* 97 1135-1138 vol.3
- Phu Phuong**, see Phuong Phu, *MWSYM* 97 1135-1138 vol.3
- Picard, D.**, see Ahlonsou, L., *MWSYM* 97 1825-1828 vol.3
- Pichot, C.**, see Belkebir, K., *T-MTT Apr* 97 469-476

- Pierantoni, L.**, see Rozzi, T., *T-MTT Mar 97* 345-353
- Pierantoni, L.**, see Rozzi, T., *T-MTT Oct 97* 1778-1784
- Piket-May, M.**, see Brown, R.A., *MWSYM 97* 983-986 vol.2
- Pillai, E.R.** Coax via-A technique to reduce crosstalk and enhance impedance match at vias in high-frequency multilayer packages verified by FDTD and MoM modeling; *T-MTT Oct 97* 1981-1985
- Piloto, A.**, see Bailey, A., *MWSYM 97* 999-1002 vol.2
- Piloto, A.**, see Strack, D., *MWSYM 97* 579-582 vol.2
- Pinello, W.**, A. Cangellaris, and A. Ruehli. Transient electromagnetic analysis and model complexity reduction using the partial element equivalent circuit formulation; *MWSYM 97* 63-66 vol.1
- Pinello, W.**, A.C. Cangellaris, and A. Ruehli. Hybrid electromagnetic modeling of noise interactions in packaged electronics based on the partial-element equivalent-circuit formulation; *T-MTT Oct 97* 1889-1896
- Pingyu Qu**, see Gosling, I.G., *T-MTT Feb 97* 268-273
- Ping Zhao An**, see An Ping Zhao, *MWSYM 97* 83-87 vol.1
- Pinsky, P.M.**, see Chan, E.K., *MWSYM 97* 1511-1514 vol.3
- Pirola, M.**, see Bonani, F., *T-MTT May 97* 846-855
- Pistolesi, M.**, see Morini, A., *MWSYM 97* 1243-1246 vol.3
- Pitschi, F.M.**, and J.A. Nossek. Simulation of electromagnetic effects in SAW RF filters; *MWSYM 97* 825-828 vol.2
- Plaza, G.**, F. Mesa, and M. Horno. Computation of propagation characteristics of chiral layered waveguides; *T-MTT Apr 97* 519-526
- Plews, A.D.**, C.M. Snowden, and M.J. Howes. Large-signal design of MMIC Ka-band power amplifiers based on physical models; *MWSYM 97* 1729-1732 vol.3
- Plouchart, J.-O.**, see Soyuer, M., *RFIC 97* 19-22
- Plourde, J.K.** Wireless distribution via fiber-optic technology; *MWSYM 97* 217-220 vol.1
- Pohl, A.**, see Reindl, L., *MWSYM 97* 821-824 vol.2
- Pohl, A.**, see Weigel, R., *T-MTT Dec 97* 2486-2492
- Pok, D.S.K.**, C.-I.H. Chen, J.J. Schamus, C.T. Montgomery, and J.B.Y. Tsui. Chip design for monobit receiver; *T-MTT Dec 97* 2283-2295
- Pollard, R.D.**, see Digby, J.W., *MWSYM 97* 561-564 vol.2
- Pollard, R.D.**, see Johnson, R.G., *MWSYM 97* 1485-1488 vol.3
- Pollard, R.D.**, see Collins, C.E., *MWSYM 97* 1439-1442 vol.3
- Pollard, R.D.**, see Boglione, L., *T-MTT Feb 97* 301-304
- Pollard, R.D.**, see Boglione, L., *T-MTT Mar 97* 402-407
- Pollard, R.D.**, see Elamaram, B., *T-MTT Aug 97* 1493-1496
- Pollard, R.D.**, see Adams, A.R., *T-MTT Oct 97* 1756-1766
- Pollman, M.**, see Trantanella, C., *MWSYM 97* 535-538 vol.2
- Pollman, M.D.**, C. Trantanella, M. Shifrin, V. Aparin, and D. Upton. A low-cost packaged MMIC chip set for 5.8 GHz ISM band applications; *RFIC 97* 33-36
- Polstyanko, S.V.**, R. Dyezjz-Edlinger, and Jin-Fa Lee. Fast frequency sweep technique for the efficient analysis of dielectric waveguides; *T-MTT Jul 97* 1118-1126
- Polycarpou, A.C.**, P.A. Tirkas, and C.A. Balanis. The finite-element method for modeling circuits and interconnects for electronic packaging; *T-MTT Oct 97* 1868-1874
- Ponchak, G.E.**, and L.P.B. Katehi. Characteristics of finite ground coplanar waveguide lumped elements; *MWSYM 97* 1003-1007 vol.2
- Ponchak, G.E.**, A.N. Downey, and L.P.B. Katehi. High frequency interconnects on silicon substrates; *RFIC 97* 101-104
- Ponchak, G.E.**, and L.P.B. Katehi. Open- and short-circuit terminated series stubs in finite-width coplanar waveguide on silicon; *T-MTT Jun 97* 970-976
- Popovic, Z.**, see Shiroma, W.A., *T-MTT Dec 97* 2380-2386
- Popovic, Z.B.**, see Hollung, S., *MWSYM 97* 675-678 vol.2
- Popovic, Z.B.**, see Shiroma, W.A., *MWSYM 97* 1053-1056 vol.2
- Popovic, Z.B.**, see Dixon, J., *T-MTT Jul 97* 1050-1057
- Popovic, Z.B.**, see Hollung, S., *T-MTT Dec 97* 2352-2357
- Popvic, B.**, see Brown, R.A., *MWSYM 97* 983-986 vol.2
- Popvic, Z.**, see Brown, R.A., *MWSYM 97* 983-986 vol.2
- Porra, V.**, see Parssinen, A., *T-MTT Dec 97* 2344-2351
- Pospieszalski, M.W.**, W.J. Lakatos, E. Wollack, L.D. Nguyen, Minh Le, M. Lui, and Takyiu Liu. Millimeter-wave waveguide-bandwidth cryogenically-coolable InP HEMT amplifiers; *MWSYM 97* 1285-1288 vol.3
- Postoyalko, V.**, see Ernst, C., *MWSYM 97* 801-804 vol.2
- Postoyalko, V.**, see Hau, Y.K.G., *MWSYM 97* 1695-1698 vol.3
- Postoyalko, V.**, see Boglione, L., *T-MTT Feb 97* 301-304
- Postoyalko, V.**, see Boglione, L., *T-MTT Mar 97* 402-407
- Potyka, R.**, see Birkeland, J., *RFIC 97* 29-32
- Pous, R.**, see Prouty, M.D., *T-MTT Jun 97* 877-885
- Prasad, S.**, see Bin Li, *T-MTT Jul 97* 1135-1137
- Pregla, R.**, see Kremer, D., *T-MTT Dec 97* 2152-2154
- Prescott, D.T.** Reflection analysis of FDTD boundary conditions. I. Time-space absorbing boundaries; *T-MTT Aug 97* 1162-1170
- Prescott, D.T.** Reflection analysis of FDTD boundary conditions. II. Berenger's PML absorbing layers; *T-MTT Aug 97* 1171-1178
- Preventza, P.**, M. Matloubian, and D.B. Rutledge. A 43-GHz AlInAs/GaInAs/InP HEMT grid oscillator; *MWSYM 97* 1057-1060 vol.2
- Prigent, M.**, see Mallet-Guy, B., *MWSYM 97* 869-872 vol.2
- Prost, W.**, see Schroeder, W., *MWSYM 97* 159-162 vol.1
- Proust, I.**, B. Sauviac, J.-L. Amalric, and H. Baudrand. Systematic elaboration of trial function bases for the study of planar structures; *T-MTT Oct 97* 1662-1671
- Prouty, M.D.**, K.K. Mei, S.E. Schwarz, R. Pous, and Yau-Wu Liu. Solving microstrip discontinuities by the measured equation of invariance; *T-MTT Jun 97* 877-885
- Pun, E.Y.B.**, see Zhu, N.H., *T-MTT Feb 97* 288-291
- Putnam, J.**, M. Barter, K. Wood, and J. LeBlanc. A monolithic GaAs PIN switch network for a 77 GHz automotive collision warning radar; *MWSYM 97* 753-756 vol.2
- Putnam, J.**, M. Barter, and J. Boian. Monolithic silicon-glass double balanced mixers for wireless communications; *MWSYM 97* 653-656 vol.2
- Putnam, J.**, M. Barter, K. Wood, and J. LeBlanc. A monolithic GaAs PIN switch network for a 77 GHz automotive collision warning radar; *RFIC 97* 225-228

Q

- Qiang Chen**, and V.F. Fusco. Hybrid FDTD large-signal modeling of three-terminal active devices; *T-MTT Aug 97* 1267-1270
- Qian Yongxi**, see Radisic, V., *MWSYM 97* 687-690 vol.2
- Qian Yongxi**, see Shibata, T., *MWSYM 97* 75-78 vol.1
- Qian Yongxi**, see Yongxi Qian, *MWSYM 97* 1623-1626 vol.3
- Qi-Jun Zhang**, see Veluswami, A., *T-MTT May 97* 712-723
- Qi-Jun Zhang**, see Zaabab, A.H., *T-MTT Oct 97* 1696-1704
- Qiming Ren**, and I. Wolff. Improvement of digital mapping predistorters for linearising transmitters; *MWSYM 97* 1691-1694 vol.3
- Qing-Xin Chu**, and Fung-Yuel Chang. Waveform relaxation synthesis of time-domain characteristic model of coupled transmission lines from FDTD simulation; *MWSYM 97* 1785-1788 vol.3
- Qiu, W.**, see Zhu, N.H., *T-MTT Feb 97* 288-291
- Quach, T.**, see Jenkins, T., *MWSYM 97* 949-952 vol.2
- Quere, R.**, see Frayse, J.P., *MWSYM 97* 379-382 vol.2
- Quere, R.**, see Mallet-Guy, B., *MWSYM 97* 869-872 vol.2
- Quere, R.**, see Viaud, J.P., *MWSYM 97* 893-896 vol.2
- Quere, R.**, see Peyretailade, T., *MWSYM 97* 1515-1518 vol.3
- Qu Pingyu**, see Gosling, I.G., *T-MTT Feb 97* 268-273

R

- Raaf, F.H.** Class-F power amplifiers with maximally flat waveforms; *T-MTT Nov 97* 2007-2012
- Radisic, V.**, Yongxi Qian, and T. Itoh. Class F power amplifier integrated with circular sector microstrip antenna; *MWSYM 97* 687-690 vol.2
- Rafaelli, L.**, see Dixit, R., *MWSYM 97* 1253-1256 vol.3
- Raffetto, M.**, see Saorsi, S., *T-MTT Sep 97* 1643-1644
- Raffetto, M.**, see Caorsi, S., *T-MTT Oct 97* 1805-1807
- Ragaie, H.F.**, see Safwat, A.M.E., *T-MTT Aug 97* 1351-1357
- Ragusini, F.**, see Rozzi, T., *T-MTT Feb 97* 253-259
- Rahmat-Samii, Y.**, see Virga, K.L., *T-MTT Oct 97* 1879-1888
- Raihn, K.F.**, see Hey-Shipton, G.L., *MWSYM 97* 295-298 vol.1
- Raisanen, A.V.**, see An Ping Zhao, *MWSYM 97* 83-87 vol.1
- Rakshit, S.**, see Jackson, R.W., *T-MTT Oct 97* 1926-1933
- Raman, S.**, F. Rucky, and G.M. Rebeiz. A high-performance W-band uniplanar subharmonic mixer; *T-MTT Jun 97* 955-962
- Raman Sanjay**, see Sanjay Raman, *MWSYM 97* 565-568 vol.2
- Ran Ahn Hee**, see Hee Ran Ahn, *MWSYM 97* 285-288 vol.1
- Rangelow, I.W.**, see Wasige, E., *MWSYM 97* 925-928 vol.2
- Rao, S.J.**, S. Ghosh, P.K. Jain, and B.N. Basu. Nonresonant perturbation measurements on dispersion and interaction impedance characteristics of helical slow-wave structures; *T-MTT Sep 97* 1585-1593
- Rao, S.M.**, see Adve, R.S., *T-MTT May 97* 837-845
- Rao, S.M.**, see Uckun, S., *T-MTT Apr 97* 485-491
- Rasshofer, R.H.**, and E.M. Biebl. A low cost W-band multi-beam Doppler radar for automotive applications; *MWSYM 97* 971-974 vol.2
- Rasshofer, R.H.**, see Thieme, M.O., *MWSYM 97* 1269-1272 vol.3
- Rasshofer, R.H.**, A. Stiller, M.O. Thieme, H. Schulz, and E.M. Biebl. A broadband heterodyne measurement setup for active millimeter wave integrated antennas; *MWSYM 97* 1459-1462 vol.3
- Rausch, K.**, see Moghe, S., *MWSYM 97* 1391-1394 vol.3
- Ravanelli, R.**, see Mongiardo, M., *T-MTT May 97* 787-793
- Ray, K.**, see Ackerman, E., *MWSYM 97* 237-240 vol.1
- Razavi, K.E.**, and P.A. Davies. Millimetre wave generation by filtering the FM-IM spectra of a directly modulated DFB laser; *MWSYM 97* 1707-1708 vol.3
- Rebeiz, G.M.**, see Barker, N.S., *MWSYM 97* 405-407 vol.2

- Rebeiz, G.M.**, see Sanjay Raman, *MWSYM* 97 565-568 vol.2
- Rebeiz, G.M.**, see Ellis, T.J., *MWSYM* 97 1039-1042 vol.2
- Rebeiz, G.M.**, see Chen-Yu Chi, *T-MTT Feb* 97 291-294
- Rebeiz, G.M.**, see Raman, S., *T-MTT Jun* 97 955-962
- Rebollar, J.M.**, see Alonso-Juaristi, P.I., *T-MTT May* 97 636-639
- Reddy, C.J.**, see Deshpande, M.D., *T-MTT Mar* 97 359-366
- Regidor, S.**, see Corral, J.L., *T-MTT Aug* 97 1531-1536
- Reindl, L.**, F. Kalabic, G. Ostermayer, A. Pohl, F. Seifert, and R. Weigel. Design of SAW expander and compressor on LiTaO₃ for a TCDMA spread spectrum system; *MWSYM* 97 821-824 vol.2
- Reindl, L.**, see Weigel, R., *T-MTT Dec* 97 2486-2492
- Reinert, W.**, see Haydl, W.H., *MWSYM* 97 1281-1284 vol.3
- Reiter, J.**, see Sieverding, T., *MWSYM* 97 1559-1562 vol.3
- Reiter, J.M.**, see Arndt, F., *T-MTT May* 97 747-760
- Remis, R.F.**, and P.M. van den Berg. A modified Lanczos algorithm for the computation of transient electromagnetic wavefields; *T-MTT Dec* 97 2139-2149
- Remley, K.A.**, A. Weisshaar, S.M. Goodnick, and V.K. Tripathi. Far field radiation in sub-picosecond systems; *MWSYM* 97 163-166 vol.1
- Renaud, J.-C.**, see Jasmin, S., *T-MTT Aug* 97 1337-1341
- Ren Qiming**, see Qiming Ren, *MWSYM* 97 1691-1694 vol.3
- Ren Xiaowei**, see Ma, G., *MWSYM* 97 1303-1306 vol.3
- Restle, P.J.**, see Deutsch, A., *T-MTT Oct* 97 1836-1846
- Reuter, R.**, M. Agethen, U. Auer, S. van Waasen, D. Peters, W. Brockerhoff, and F.-J. Tegude. Investigation and modeling of impact ionization with regard to the RF and noise behavior of HFET; *T-MTT Jun* 97 977-983
- Reyes, A.C.**, see Chuang, J., *MWSYM* 97 265-268 vol.1
- Rezazadeh, A.A.**, see Gokdemir, T., *MWSYM* 97 401-404 vol.2
- Rezazadeh, A.A.**, see Gokdemir, T., *MWSYM* 97 761-764 vol.2
- Rezazadeh, A.A.**, see Gokdemir, T., *RFIC* 97 233-236
- Rezek, E.A.**, see Yamada, F.M., *MWSYM* 97 141-144 vol.1
- Rezek, E.A.**, see Yamada, F.M., *RFIC* 97 193-196
- Rheinfelder, C.**, M. Rudolph, F. Beisswanger, and W. Heinrich. Nonlinear modelling of SiGe HBTs up to 50 GHz; *MWSYM* 97 877-880 vol.2
- Rheinfelder, C.**, F.J. Beisswanger, and W. Heinrich. Nonlinear modeling of SiGe HBT's up to 50 GHz; *T-MTT Dec* 97 2503-2508
- Rho, T.**, see Lee, J., *T-MTT Dec* 97 2065-2072
- Rhodes, D.L.**, and B.S. Perlman. Parallel computation for microwave circuit simulation; *T-MTT May* 97 587-592
- Richardson, J.R.**, see Hau, Y.K.G., *MWSYM* 97 1695-1698 vol.3
- Rieckmann, C.**, see Dohlus, M., *MWSYM* 97 1523-1526 vol.3
- Rieckmann, C.**, A.S. Omar, and A. Jostingmeier. Unified analysis of quasi-TEM and higher order modes in planar transmission lines; *MWSYM* 97 1369-1372 vol.3
- Righi, M.**, see Herring, J.L., *MWSYM* 97 325-328 vol.1
- Righi, M.**, see Tardioli, G., *MWSYM* 97 317-320 vol.1
- Righi, M.**, J.L. Herring, and W.J.R. Hoefer. Efficient hybrid TLM/mode-matching analysis of packaged components; *T-MTT Oct* 97 1715-1724
- Righi, M.**, G. Tardioli, L. Cascio, and W.J.R. Hoefer. Time-domain characterization of packaging effects via segmentation technique; *T-MTT Oct* 97 1905-1910
- Rios, J.M.M.**, L.M. Lunardi, S. Chandrasekhar, and Y. Miyamoto. A self-consistent method for complete small-signal parameter extraction of InP-based heterojunction bipolar transistors (HBT's); *T-MTT Jan* 97 39-45
- Ritter, D.**, see Liu, C.P., *MWSYM* 97 359-362 vol.1
- Ritter, J.**, and F. Arndt. A generalized 3D subgrid technique for the finite-difference time domain method; *MWSYM* 97 1563-1566 vol.3
- Riza, N.A.** Analog vector modulation-based widely tunable frequency photonic beamformer for phased-array antennas; *T-MTT Aug* 97 1508-1512
- Rizzi, B.**, see Xiangdong Zhang, *MWSYM* 97 845-848 vol.2
- Rizzoli, V.**, F. Mastri, A. Neri, and A. Lipparini. Analysis of electrothermal transients and digital signal processing in electrically and thermally nonlinear microwave circuits; *MWSYM* 97 367-370 vol.2
- Robertson, J.D.**, see Gokdemir, T., *RFIC* 97 233-236
- Robertson, I.D.**, see Gokdemir, T., *MWSYM* 97 401-404 vol.2
- Robertson, I.D.**, see Gokdemir, T., *MWSYM* 97 761-764 vol.2
- Robertson, I.D.**, see Baree, A.H., *T-MTT Feb* 97 188-195
- Robertson, R.L.**, see Tentzeris, E.M., *MWSYM* 97 337-340 vol.1
- Robertson, S.V.**, M. Matloubian, M. Case, and L.P.B. Katehi. A Si micromachined conformal package for a K-band low noise HEMT amplifier; *MWSYM* 97 517-520 vol.2
- Robinson, A.M.**, see Van Petegem, W.E.A., *T-MTT Mar* 97 367-375
- Rochette, M.**, see Thevenon, F., *MWSYM* 97 1615-1618 vol.3
- Rodwell, J.W.**, see Giboney, K.S., *T-MTT Aug* 97 1310-1319
- Roeder, R.S.**, see Dunleavy, L.P., *MWSYM* 97 1293-1296 vol.3
- Rogers, T.J.**, see Komiak, J.J., *MWSYM* 97 1421-1424 vol.3
- Rohde, D.**, see Braun, R.-P., *MWSYM* 97 225-228 vol.1
- Rohde, U.L.**, see Cai, Q., *MWSYM* 97 861-864 vol.2
- Rohde, U.L.**, see Cai, Q., *T-MTT Dec* 97 2493-2502
- Rohfing, S.M.**, see Matthaei, G.L., *T-MTT Aug* 97 1226-1231
- Roh Tae Moon**, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255
- Rolain, Y.**, see Vandersteen, G., *T-MTT Jul* 97 1027-1033
- Romano, A.**, and R.R. Mansour. Enhanced-Q microstrip bandpass filter with coupled negative resistors; *MWSYM* 97 709-712 vol.2
- Romero, M.J.**, see de Barros, L.E.M., Jr., *T-MTT Aug* 97 1368-1374
- Ronzitti, M.**, see Rozzi, T., *T-MTT Oct* 97 1778-1784
- Rordan, R.**, see Lester, J.A., *MWSYM* 97 539-542 vol.2
- Roselli, L.**, see Alimenti, F., *MWSYM* 97 1737-1740 vol.3
- Roskos, H.G.**, see Heiliger, H.-M., *MWSYM* 97 421-424 vol.2
- Rosloniec, S.**, and T. Habib. Novel microstrip-line directional filters; *T-MTT Sep* 97 1633-1637
- Roumeliotis, J.A.**, see Savaidis, S.P., *T-MTT Oct* 97 1792-1800
- Rouquette, P.**, D. Gasquet, T. Holden, and J. Moul. HBT's RF noise parameter determination by means of an efficient method based on noise analysis of linear amplifier networks; *T-MTT May* 97 690-694
- Roussell, H.**, see Ackerman, E., *MWSYM* 97 237-240 vol.1
- Roy, L.** 30 GHz GaAs monolithic low noise amplifier-antennas; *MWSYM* 97 967-970 vol.2
- Rozzi, T.**, see Farina, M., *MWSYM* 97 913-918 vol.2
- Rozzi, T.**, see Morini, A., *MWSYM* 97 199-202 vol.1
- Rozzi, T.**, see Morini, A., *MWSYM* 97 1243-1246 vol.3
- Rozzi, T.**, see Morini, A., *MWSYM* 97 1025-1028 vol.2
- Rozzi, T.**, see Morini, A., *MWSYM* 97 1607-1610 vol.3
- Rozzi, T.**, A. Morini, F. Ragusini, and M. Mongiardo. Analytical solution and frequency extraction of iris problems in waveguide by separation of variables; *T-MTT Feb* 97 253-259
- Rozzi, T.**, L. Pierantoni, and M. Farina. Eigenvalue approach to the efficient determination of the hybrid and complex spectrum of inhomogeneous, closed waveguide; *T-MTT Mar* 97 345-353
- Rozzi, T.**, L. Pierantoni, and M. Ronzitti. Analysis of the suspended strip in elliptical cross section by separation of variables; *T-MTT Oct* 97 1778-1784
- Rubin, B.J.**, see Deutsch, A., *T-MTT Oct* 97 1836-1846
- Rucky, F.**, see Raman, S., *T-MTT Jun* 97 955-962
- Rudiger, J.**, see Krems, T., *MWSYM* 97 987-990 vol.2
- Rudiger, J.**, see Haydl, W.H., *MWSYM* 97 1281-1284 vol.3
- Rudner, S.**, see Danestig, M., *MWSYM* 97 705-708 vol.2
- Rudolph, M.**, see Rheinfelder, C., *MWSYM* 97 877-880 vol.2
- Ruehli, A.**, see Pinello, W., *MWSYM* 97 63-66 vol.1
- Ruehli, A.**, see Pinello, W., *T-MTT Oct* 97 1889-1896
- Ruey-Beei Wu**, see Fang-Lih Lin, *MWSYM* 97 813-816 vol.2
- Ruey-Beei Wu**, see Yung-Jinn Chen, *MWSYM* 97 397-400 vol.2
- Ruey-Beei Wu**, see Fang-Lih Lin, *MWSYM* 97 1527-1530 vol.3
- Ruey-Beei Wu**, see Chien-Wen Chiu, *T-MTT Apr* 97 498-504
- Ruiz, J.A.**, see Smith, I.W., *T-MTT Jan* 97 15-22
- Rumelhard, C.**, see Dueme, P., *MWSYM* 97 13-16 vol.1
- Rumelhard, Ch.**, see Dueme, Ph., *RFIC* 97 165-168
- Ruppel, C.C.W.**, see Knauer, U., *MWSYM* 97 1821-1824 vol.3
- Rusakov, S.G.**, see Gourary, M.M., *MWSYM* 97 1507-1510 vol.3
- Russell, D.H.** The waveguide below-cutoff attenuation standard; *MWSYM* 97 1165-1169 vol.3
- Russell, D.H.** The waveguide below-cutoff attenuation standard; *T-MTT Dec* 97 2408-2413
- Russell, M.E.**, A. Crain, A. Curran, R.A. Campbell, C.A. Drubin, and W.F. Miccioli. Millimeter wave radar sensor for automotive intelligent cruise control (ICC); *MWSYM* 97 1257-1260 vol.3
- Russell, M.E.**, A. Crain, A. Curran, R.A. Campbell, C.A. Drubin, and W.F. Miccioli. Millimeter-wave radar sensor for automotive intelligent cruise control (ICC); *T-MTT Dec* 97 2444-2453
- Russer, P.**, see Lindenmeier, S., *MWSYM* 97 1365-1368 vol.3
- Russer, P.**, see Lindenmeier, S., *MWSYM* 97 1807-1810 vol.3
- Russer, P.**, see Luy, J.-F., *RFIC* 97 105-108
- Russer, P.**, see Lindenmeier, S., *T-MTT Nov* 97 1998-2006
- Russer, P.**, see Lindenmeier, S., *T-MTT Dec* 97 2468-2473
- Ruth, R.D.**, see Tantawi, S.G., *T-MTT Aug* 97 1486-1492
- Rutledge, D.B.**, see Moussessian, A., *MWSYM* 97 683-686 vol.2
- Rutledge, D.B.**, see Preventza, P., *MWSYM* 97 1057-1060 vol.2

Sabett, K.F., L.P.B. Katehi, and K. Sarabandi. Wavelet-based CAD modeling of microstrip discontinuities using least square Prony's method; *MWSYM* 97 1799-1802 vol.3

Sadler, R.A., see Allen, S.T., *MWSYM* 97 57-60 vol.1

Sadovnik, L.S., see Manasson, V.A., *T-MTT Aug* 97 1497-1500

Safwat, A.M.E., D.A.M. Khalil, H. Elhennawy, and H.F. Ragaie. Quasi-static analysis of an optically illuminated directional coupler; *T-MTT Aug* 97 1351-1357

Safwat, A.M.E., see Khalil, D.A.M., *T-MTT Aug* 97 1358-1361

- Sagawa, M.**, M. Makimoto, and S. Yamashita. Geometrical structures and fundamental characteristics of microwave stepped-impedance resonators; *T-MTT Jul 97* 1078-1085
- Saha, P.K.**, see Guha, D., *T-MTT Mar 97* 449-453
- Sahalos, J.N.**, see Kyriacou, G.A., *T-MTT May 97* 616-629
- Sai-Halasz, G.A.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Sailing He**, see Norgren, M., *T-MTT Feb 97* 314-316
- Sailing He** Explicit expressions of the reflection and transmission for two coupled identical exponential lines; *T-MTT May 97* 695-698
- Sakallah, K.A.**, see Jong-Gwan Yook, *T-MTT Oct 97* 1847-1856
- Sakiyama, K.**, see Hikita, M., *MWSYM 97* 173-176 vol.1
- Salazar-Palma, M.**, see Sarkar, T.K., *MWSYM 97* 613-616 vol.2
- Salazar-Palma, M.**, see Uckun, S., *T-MTT Apr 97* 485-491
- Sales, S.**, see Cusick, T.A., *T-MTT Aug 97* 1458-1462
- Salib, M.**, and B. Bayraktaroglu. Robust cascode HBTs for efficient high power microwave applications; *MWSYM 97* 897-900 vol.2
- Salvador, C.**, see Avitabile, G.F., *MWSYM 97* 281-284 vol.1
- Samelis, A.**, and D. Pavlidis. Analysis of the large-signal characteristics of power heterojunction bipolar transistors exhibiting self-heating effects; *T-MTT Apr 97* 534-542
- Samelis, A.**, and D. Pavlidis. DC to high-frequency HBT-model parameter evaluation using impedance block conditioned optimization; *T-MTT Jun 97* 886-897
- Samoilova, T.B.**, see Vendik, O.G., *T-MTT Feb 97* 173-178
- Sanchez, E.**, see Fernandez-Barciela, M., *MWSYM 97* 1499-1502 vol.3
- Sang-Gee Kang**, Il-Kyoo Lee, and Ki-Suk Yoo. Analysis and design of feedforward power amplifier; *MWSYM 97* 1519-1522 vol.3
- Sang Park Wee**, see Tae Moon Roh, *T-MTT Aug 97* 1252-1255
- Sang-Won Yun**, see Hee-Yong Hwang, *MWSYM 97* 805-808 vol.2
- Sangwook Han**, see Blumenthal, D.J., *T-MTT Aug 97* 1443-1452
- Sangwook Nam**, see Moon-Que Lee, *MWSYM 97* 1495-1498 vol.3
- Sanjay Raman**, and G.M. Rebeiz. Single- and dual-polarized slot-ring subharmonic receivers; *MWSYM 97* 565-568 vol.2
- Sannomiya, H.**, see Tsuji, M., *MWSYM 97* 483-486 vol.2
- Sano, A.**, see Yoneyama, M., *MWSYM 97* 461-464 vol.2
- Sano, A.**, see Yoneyama, M., *T-MTT Dec 97* 2274-2282
- Sano, E.**, see Yoneyama, M., *MWSYM 97* 461-464 vol.2
- Sano, E.**, see Yoneyama, M., *T-MTT Dec 97* 2274-2282
- Sanzi, P.**, see Giannini, F., *MWSYM 97* 809-812 vol.2
- Saorsi, S.**, P. Fernandes, and M. Raffetto. Do covariant projection elements really satisfy the inclusion condition?; *T-MTT Sep 97* 1643-1644
- Sarabandi, K.**, see Sabett, K.F., *MWSYM 97* 1799-1802 vol.3
- Sarantos, M.**, see Fudem, H., *MWSYM 97* 427-430 vol.2
- Sarantos, M.**, see Stenger, E., *MWSYM 97* 431-434 vol.2
- Sarkar, T.K.**, Z.A. Maricevic, and M. Salazar-Palma. Characterization of power loss from discontinuities in guided structures; *MWSYM 97* 613-616 vol.2
- Sarkar, T.K.**, see Adve, R.S., *T-MTT May 97* 837-845
- Sarkar, T.K.**, see Uckun, S., *T-MTT Apr 97* 485-491
- Sarkar, T.P.**, see Pereira Filho, O.M.C., *MWSYM 97* 1535-1538 vol.3
- Sarkissian, G.**, R. Basset, Z. Shingu, and F. Ono. A S-band push-pull 60-watt GaAs MESFET for MMDS applications; *MWSYM 97* 1409-1412 vol.3
- Saryo, T.**, see Mizoe, J., *MWSYM 97* 247-250 vol.1
- Saryo, T.**, see Mizoe, J., *RFIC 97* 207-210
- Sasaki, K.**, J. Utsu, K. Matsugatani, K. Hoshino, T. Taguchi, and Y. Ueno. InP MMICs for V-band FMCW radar; *MWSYM 97* 937-940 vol.2
- Sasaki, T.**, see Nagaoka, M., *MWSYM 97* 1323-1326 vol.3
- Sasaki, Y.**, see Fujimoto, S., *MWSYM 97* 17-20 vol.1
- Sasaki, Y.**, see Fujimoto, S., *RFIC 97* 169-173
- Sato, H.**, see Mizoe, J., *MWSYM 97* 247-250 vol.1
- Sato, H.**, see Mizoe, J., *RFIC 97* 207-210
- Sato, K.**, see Daryoush, A.S., *T-MTT Aug 97* 1288-1295
- Sato, K.F.**, see Chung, Y.H., *MWSYM 97* 841-844 vol.2
- Sato, M.**, see Arai, Y., *MWSYM 97* 447-450 vol.2
- Sato, M.**, see Arai, Y., *T-MTT Dec 97* 2261-2266
- Saunier, P.**, see Hua-Quen Tserng, *RFIC 97* 41-44
- Saunier, P.**, see Tserng, H.-Q., *T-MTT Dec 97* 2540-2548
- Sauviac, B.**, see Proust, I., *T-MTT Oct 97* 1662-1671
- Savaidis, S.P.**, and J.A. Roumelliotis. Scattering by an infinite elliptic dielectric cylinder coating eccentrically a circular metallic or dielectric cylinder; *T-MTT Oct 97* 1792-1800
- Savi, P.**, see Tascone, R., *MWSYM 97* 643-646 vol.2
- Savi, P.**, D. Trinchero, R. Tascone, and R. Orta. A new approach to the design of dual-mode rectangular waveguide filters with distributed coupling; *T-MTT Feb 97* 221-228
- Sawa, S.**, see Ishizaki, T., *T-MTT Dec 97* 2089-2093
- Scanlan, J.O.**, see AbuShaaban, M., *MWSYM 97* 631-634 vol.2
- Schaefer, A.**, see Klapproth, L., *MWSYM 97* 881-884 vol.2
- Schaffer, C.** Influence of crosstalk in switchable optical time-delay networks for microwave array antennas; *T-MTT Aug 97* 1519-1521
- Schaller, M.**, see Dueme, P., *MWSYM 97* 13-16 vol.1
- Schaller, M.**, see Dueme, Ph., *RFIC 97* 165-168
- Schamus, J.J.**, see Tsui, J.B.Y., *MWSYM 97* 469-471 vol.2
- Schamus, J.J.**, see Pok, D.S.K., *T-MTT Dec 97* 2283-2295
- Schefer, M.**, U. Lott, H. Benedickter, Hp. Meier, W. Patrick, and W. Baechtold. Active, monolithically integrated coplanar V-band mixer; *MWSYM 97* 1043-1046 vol.2
- Scherrer, D.**, see Shimon, R., *MWSYM 97* 769-772 vol.2
- Schiek, B.**, see Gronefeld, A., *MWSYM 97* 1655-1658 vol.3
- Schiek, B.**, see Henermann, H., *T-MTT Mar 97* 408-413
- Schlechtweg, M.**, see Verwey, L., *MWSYM 97* 243-246 vol.1
- Schlechtweg, M.**, see Haydl, W.H., *MWSYM 97* 1281-1284 vol.3
- Schlechtweg, M.**, see Fernandez-Barciela, M., *MWSYM 97* 1499-1502 vol.3
- Schlechtweg, M.**, see Verwey, L., *RFIC 97* 203-206
- Schmatz, M.L.**, see Biber, C.E., *MWSYM 97* 865-868 vol.2
- Schmatz, M.L.**, and W. Baechtold. Broadband noise parameter and S-parameter measurement technique; *MWSYM 97* 1443-1446 vol.3
- Schmidt, F.**, see Braun, R.-P., *MWSYM 97* 225-228 vol.1
- Schmidt, R.**, see Hoton How, *T-MTT Feb 97* 245-252
- Schnieder, F.**, see Heiliger, H.-M., *MWSYM 97* 421-424 vol.2
- Scholz, W.**, see Wasige, E., *MWSYM 97* 925-928 vol.2
- Schoukens, J.**, see Vandersteen, G., *T-MTT Jul 97* 1027-1033
- Schreyer, G.**, see Hwang, Y., *MWSYM 97* 1179-1182 vol.3
- Schreyer, T.A.**, see Jong-Gwan Yook, *T-MTT Oct 97* 1847-1856
- Schrier, S.**, see Hwang, Y., *MWSYM 97* 1179-1182 vol.3
- Schroder, D.K.**, see Chuang, J., *MWSYM 97* 265-268 vol.1
- Schroeder, W.**, W. Prost, and I. Wolff. Full wave BIE analysis of travelling waves in unbiased/velocity saturated FET structures with linearly controlled current density; *MWSYM 97* 159-162 vol.1
- Schulz, H.**, see Raschofer, R.H., *MWSYM 97* 1459-1462 vol.3
- Schunemann, K.**, see Shahabadi, M., *MWSYM 97* 573-576 vol.2
- Schunemann, K.**, see Abou-Elmour, O., *MWSYM 97* 1289-1292 vol.3
- Schunemann, K.**, see Faby, G., *T-MTT Nov 97* 2043-2048
- Schunemann, K.**, see Shahabadi, M., *T-MTT Dec 97* 2316-2323
- Schutt-Aine, J.**, see Beyene, W.T., *T-MTT Oct 97* 1941-1947
- Schwarz, S.E.**, see Prouty, M.D., *T-MTT Jun 97* 877-885
- Schwarz, T.**, see Herrick, K.J., *MWSYM 97* 269-272 vol.1
- Schwerdt, C.**, see Fudem, H., *MWSYM 97* 427-430 vol.2
- Schwerdt, C.**, see Stenger, E., *MWSYM 97* 431-434 vol.2
- Seabury, C.W.**, P.H. Kobrin, R. Addison, and D.P. Havens. Thin film ZnO based bulk acoustic mode filters; *MWSYM 97* 181-184 vol.1
- Sebastian, J.L.**, see Munoz, S., *T-MTT Apr 97* 527-533
- Seeds, A.J.** Broadband wireless access using millimetre-wave over fibre systems; *MWSYM 97* 23-25 vol.1
- Seeds, A.J.**, see Liu, C.P., *MWSYM 97* 359-362 vol.1
- Seeds, A.J.**, see Cai, B., *T-MTT Apr 97* 505-511
- Seeds, A.J.**, and R.D. Esman. Introduction to the special issue on microwave and millimeter-wave photonics; *T-MTT Aug 97* 1277-1278
- See-Loke Ho**, see Le-Wei Li, *T-MTT Mar 97* 321-329
- Seifert, F.**, see Reindl, L., *MWSYM 97* 821-824 vol.2
- Seifert, F.**, see Weigel, R., *T-MTT Dec 97* 2486-2492
- Seino, K.**, see Ogura, S., *MWSYM 97* 1195-1198 vol.3
- Seki, S.**, see Taguchi, Y., *MWSYM 97* 837-840 vol.2
- Seki, T.**, K. Uehara, and K. Kagoshima. A three-dimensional active antenna for a high-speed wireless communication application; *MWSYM 97* 975-978 vol.2
- Seki, Y.**, see Higaki, K., *MWSYM 97* 829-832 vol.2
- Sen, A.K.**, Sir J.C. Bose and radio science; *MWSYM 97* 557-560 vol.2
- Sen Lin Zhang**, P.M. Lane, and J.J. O'Reilly. Assessment of the nonlinearity tolerance of different modulation schemes for millimeter-wave fiber-radio systems using MZ modulators; *T-MTT Aug 97* 1403-1409
- Seonghearn Lee**, see Cheon Soo Kim, *MWSYM 97* 945-948 vol.2
- Seonghearn Lee**, see Min Park, *MWSYM 97* 129-132 vol.1
- Seonghearn Lee**, see Min Park, *RFIC 97* 181-184
- Seong-Ook Park**, and C.A. Balanis. Dispersion characteristics of open microstrip lines using closed-form asymptotic extraction; *T-MTT Mar 97* 458-460
- Sercu, S.**, and L. Martens. Experimental circuit model generation of non-uniform coupled multi-conductor structures; *MWSYM 97* 1781-1784 vol.3
- Sercu, S.**, and L. Marten. High-frequency circuit modeling of large pin count packages; *T-MTT Oct 97* 1897-1904
- Sercu, S.**, and L. Martens. A new approach for the experimental circuit modeling of coupled interconnection structures based on causality; *T-MTT Oct 97* 1977-1981
- Serhan, H.**, B. Jarry, and P. Guillon. Automatic frequency control techniques for microwave active filters; *MWSYM 97* 697-700 vol.2
- Sewell, J.**, see Jenkins, T., *MWSYM 97* 949-952 vol.2
- Shahabadi, M.**, K. Schunemann, and H.-G. Unger. A high-efficiency millimeter-wave holographic power splitter/combiner; *MWSYM 97* 573-576 vol.2
- Shahabadi, M.**, and K. Schunemann. Millimeter-wave holographic power splitting/combining; *T-MTT Dec 97* 2316-2323
- Sha Jizhang**, see Cryan, M.J., *T-MTT Oct 97* 1742-1748

- Shan-Cheng Pan**, see Kin-Lu Wong, *T-MTT Aug 97* 1270-1272
- Shanjia Xu**, and Xinquing Sheng. Coupling of edge-element and mode-matching for multistep dielectric discontinuity in guiding structures; *T-MTT Feb 97* 284-287
- Shanjia Xu**, see Xin-Qing Sheng, *T-MTT Jul 97* 1009-1013
- Shao Hua Chen**, see Bandler, J.W., *T-MTT May 97* 761-769
- Shao Hua Chen**, see Bandler, J.W., *T-MTT May 97* 770-779
- Shapiro, E.S.**, see Heng-Chia Chang, *T-MTT Aug 97* 1232-1239
- Shapiro, M.A.**, and S.N. Vlasov. Study of a combined millimeter-wave resonator; *T-MTT Jun 97* 1000-1002
- Sharawy, E.L.**, see Yildirim, B.S., *MWSYM 97* 1113-1116 vol.2
- Sharp, R.C.**, see Smith, I.W., *T-MTT Jan 97* 15-22
- Shaw, A.K.**, and K. Naishadham. Efficient ARMA modeling of FDTD time sequences for microwave resonant structures; *MWSYM 97* 341-344 vol.1
- Sheen Jyh-Wen**, see Yu-De Lin, *T-MTT Oct 97* 1672-1680
- Shell, M.**, see Han, S., *MWSYM 97* 979-982 vol.2
- Shell, M.D.**, see Blumenthal, D.J., *T-MTT Aug 97* 1443-1452
- Shen, Z.-X.**, and R.H. MacPhie. A simple method for calculating the reflection coefficient of open-ended waveguides; *T-MTT Apr 97* 546-548
- Sheng Xin-Qing**, see Xin-Qing Sheng, *T-MTT Jul 97* 1009-1013
- Sheng Xinquing**, see Shanjia Xu, *T-MTT Feb 97* 284-287
- Shen Jinjin**, see Jinjin Shen, *MWSYM 97* 1481-1484 vol.3
- Shen-Wan Chen**, O. Aina, Weiqi Li, L. Phelps, and T. Lee. An accurately scaled small-signal model for interdigitated power P-HEMT up to 50 GHz; *T-MTT May 97* 700-703
- Shen Ye**, and R.R. Mansour. A novel split-resonator high power HTS planar filter; *MWSYM 97* 299-302 vol.1
- Shen Ye**, and R.R. Mansour. An innovative CAD technique for microstrip filter design; *T-MTT May 97* 780-786
- Sherman, R.**, see Birkeland, J., *RFIC 97* 23-26
- Sherman, R.**, see Birkeland, J., *RFIC 97* 29-32
- Shi, F.**, see Wasige, E., *MWSYM 97* 925-928 vol.2
- Shi, S.C.**, and J. Inatani. A waveguide-to-microstrip transition with a DC-IF return path and an offset probe; *T-MTT Mar 97* 442-446
- Shiang, J.F.**, see Lu Chao, *T-MTT Aug 97* 1478-1480
- Shibagaki, N.**, see Hikita, M., *MWSYM 97* 173-176 vol.1
- Shibata, T.**, Yongxi Qian, and T. Itoh. An FDTD impedance boundary condition and its application to waveguide discontinuity analyses; *MWSYM 97* 75-78 vol.1
- Shields, M.**, see Ma, G., *MWSYM 97* 1303-1306 vol.3
- Shifrin, M.**, see Trantanella, C., *MWSYM 97* 535-538 vol.2
- Shifrin, M.**, see Pollman, M.D., *RFIC 97* 33-36
- Shifrin, M.**, see Smuk, J., *RFIC 97* 47-50
- Shiga, T.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Shigematsu, T.**, see Suematsu, N., *MWSYM 97* 901-904 vol.2
- Shigematsu, T.**, N. Suematsu, N. Takeuchi, Y. Iyama, and A. Mizobuchi. A 6-18 GHz 20 W SPDT switch using shunt discrete PIN diodes; *MWSYM 97* 527-530 vol.2
- Shigesawa, H.**, see Tsuji, M., *MWSYM 97* 483-486 vol.2
- Shih-Ping Liu**, and Ching-Kuang C. Tzuang. Full-wave segmentation analysis of arbitrarily shaped planar circuit; *T-MTT Sep 97* 1554-1562
- Shih-Shun Chang**, see Der-Woei Wu, *MWSYM 97* 1319-1322 vol.3
- Shikata, S.**, see Higaki, K., *MWSYM 97* 829-832 vol.2
- Shimasaki, H.**, S. Matsuda, and M. Tsutsumi. Phase compensation in an optically controlled microwave attenuator; *MWSYM 97* 1703-1706 vol.3
- Shimiz, M.**, see Shirakawa, K., *T-MTT Sep 97* 1630-1633
- Shimon, R.**, D. Scherrer, D. Caruth, I. Middleton, H. Hsia, and M. Feng. Accurate passive component models in coplanar waveguide for 50 GHz MMICs; *MWSYM 97* 769-772 vol.2
- Shimozawa, M.**, see Kawakami, K., *MWSYM 97* 657-660 vol.2
- Shing-Kuo Pan**, see Hesler, J.L., *MWSYM 97* 953-956 vol.2
- Shing-Kuo Pan**, see Hesler, J.L., *T-MTT May 97* 653-658
- Shingu, Z.**, see Sarkissian, G., *MWSYM 97* 1409-1412 vol.3
- Shin Jin-Ho**, see Jin-Ho Shin, *MWSYM 97* 133-136 vol.1
- Shin Jin-Ho**, see Jin-Ho Shin, *RFIC 97* 185-188
- Shin-Tsu Lu**, see Jian-Zhong Bao, *T-MTT Oct 97* 1730-1741
- Shirakawa, K.**, M. Shimiz, N. Okubo, and Y. Daido. A large-signal characterization of an HEMT using a multilayered neural network; *T-MTT Sep 97* 1630-1633
- Shiroma, W.A.**, and Z.B. Popovic. Feedback optimization of grid oscillators; *MWSYM 97* 1053-1056 vol.2
- Shiroma, W.A.**, and Z. Popovic. Analysis and optimization of grid oscillators; *T-MTT Dec 97* 2380-2386
- Shiwen Yang**, and Hongfu Li. Optimization of novel high-power millimeter-wave TM₀₁-TE₁₁ mode converters; *T-MTT Apr 97* 552-554
- Shu, Y.**, see Huang, P.-P., *T-MTT Dec 97* 2418-2423
- Shumaker, P.K.**, see Ho, C.H., *MWSYM 97* 1755-1758 vol.3
- Shyh-Liang Fu**, see Der-Woei Wu, *MWSYM 97* 1319-1322 vol.3
- Siddiqui, M.**, see Ingram, D.L., *MWSYM 97* 1183-1186 vol.3
- Siegel, P.**, see Wang, H., *MWSYM 97* 1275-1278 vol.3
- Siergiej, R.R.**, see Morse, A.W., *MWSYM 97* 53-56 vol.1
- Sieverding, T.**, A.H. Motamedi, J. Reiter, and F. Arndt. Modal analysis of parallel and crossed rectangular waveguide broadwall couplers with apertures of arbitrary shape; *MWSYM 97* 1559-1562 vol.3
- Sieverding, T.**, see Arndt, F., *T-MTT May 97* 747-760
- Sieverding, T.**, U. Papziner, and F. Arndt. Mode-matching CAD of rectangular or circular multiaperture narrow-wall couplers; *T-MTT Jul 97* 1034-1040
- Sihvola, A.**, G. Kristensson, and I.V. Lindell. Nonradiating sources in time-domain transmission-line theory; *T-MTT Dec 97* 2155-2159
- Sihvola, A.H.**, see Lindell, I.V., *T-MTT Jan 97* 129-131
- Silva, C.P.**, see Moulthrop, A.A., *MWSYM 97* 1455-1458 vol.3
- Silvonen, K.** LMR 16-a self-calibration procedure for a leaky network analyzer; *T-MTT Jul 97* 1041-1049
- Simons, R.N.**, see Goverdhanam, K., *T-MTT Oct 97* 1725-1729
- Singer, M.**, K.M. Stroh, J.-F. Luy, and E.M. Biebl. Active SIMMWIC-antenna for automotive applications; *MWSYM 97* 1265-1268 vol.3
- Sinsky, J.H.**, and C.R. Westgate. Design of an electronically tunable microwave impedance transformer; *MWSYM 97* 647-650 vol.2
- Sion Teck Chew**, see Min Chen, *MWSYM 97* 67-70 vol.1
- Sivco, D.L.**, see Lin, L.Y., *T-MTT Aug 97* 1320-1331
- Skachko, V.I.**, see Chenakin, A.V., *MWSYM 97* 921-924 vol.2
- Skellern, D.J.**, see Parker, A.E., *T-MTT Sep 97* 1563-1571
- Sledziewski, J.M.**, see Henderson, G.N., *MWSYM 97* 1299-1302 vol.3
- Smith, G.H.**, D. Novak, and Z. Ahmed. Overcoming chromatic-dispersion effects in fiber-wireless systems incorporating external modulators; *T-MTT Aug 97* 1410-1415
- Smith, H.H.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Smith, I.W.**, R.C. Sharp, J.A. Ruiz, M. O'Connell, A. Kelsey, S.E. Davis, S.-L.G. Chu, A. Brunel, and K. Tabatabaie-Alavi. Demonstration of photonically controlled GaAs digital/MMIC for RF optical links; *T-MTT Jan 97* 15-22
- Smith, K.B.**, see Ho, C.H., *MWSYM 97* 1755-1758 vol.3
- Smith, M.C.**, see Dunleavy, L.P., *MWSYM 97* 1293-1296 vol.3
- Smith, T.J.**, see Morse, A.W., *MWSYM 97* 53-56 vol.1
- Smuk, J.**, and M. Shifrin. Monolithic GaAs multi-throw switches with integrated low-power decoder/driver logic; *RFIC 97* 47-50
- Snowden, C.M.** Characterization and modelling of microwave and millimeter-wave large-signal device-circuit interaction based on electro-thermal physical models; *MWSYM 97* 155-158 vol.1
- Snowden, C.M.**, see Albasha, L., *MWSYM 97* 321-324 vol.1
- Snowden, C.M.**, see Garner, P.J., *MWSYM 97* 885-888 vol.2
- Snowden, C.M.**, see McIntosh, P.M., *MWSYM 97* 371-374 vol.2
- Snowden, C.M.**, see Johnson, R.G., *MWSYM 97* 1485-1488 vol.3
- Snowden, C.M.**, see Plews, A.D., *MWSYM 97* 1729-1732 vol.3
- Snowden, C.M.** Large-signal microwave characterization of AlGaAs/GaAs HBT's based on a physics-based electrothermal model; *T-MTT Jan 97* 58-71
- Snowden, C.M.**, see Adams, A.R., *T-MTT Oct 97* 1756-1766
- Sombrin, J.**, see Gendraud, S., *MWSYM 97* 1091-1094 vol.2
- Someta, H.**, see Aoki, S., *MWSYM 97* 731-734 vol.2
- Sommet, R.**, see Baillargeat, D., *MWSYM 97* 1021-1024 vol.2
- Sommet, R.**, see Peyretailade, T., *MWSYM 97* 1515-1518 vol.3
- Song-Cheol Hong**, see Kye-Ik Jeon, *MWSYM 97* 817-820 vol.2
- Song-Cheol Hong**, see Yong-Ho Cho, *T-MTT Aug 97* 1208-1213
- Soo Kim Cheon**, see Cheon Soo Kim, *MWSYM 97* 945-948 vol.2
- Soo Nam Kee**, see Cheon Soo Kim, *MWSYM 97* 945-948 vol.2
- Soo Nam Kee**, see Min Park, *MWSYM 97* 129-132 vol.1
- Soo Nam Kee**, see Min Park, *RFIC 97* 181-184
- Soo Park Moon**, see Bongsin Kwark, *RFIC 97* 55-58
- Sorrentino, R.**, see Alessandri, F., *MWSYM 97* 1013-1016 vol.2
- Sorrentino, R.**, see Alessandri, F., *T-MTT Dec 97* 2366-2374
- Soshea, E.**, see Phing Li, *MWSYM 97* 991-994 vol.2
- Soyuer, M.**, J.-O. Plouchart, H. Ainspan, and J. Burghartz. A 5.8-GHz 1-V low-noise amplifier in SiGe bipolar technology; *RFIC 97* 19-22
- Sparks, K.**, see Bailey, A., *MWSYM 97* 999-1002 vol.2
- Spears, E.**, see Jun Ma, *MWSYM 97* 123-127 vol.1
- Spears, E.**, D. Ngo, Jun Ma, Han-Bin Liang, D. Spooner, J. Ford, Sunny Cheng, B. Courson, B. Yeung, J. Avalrez, J. Bhalla, and D. Lamey. Silicon RF GCMOS performance for portable communications applications; *MWSYM 97* 1-4 vol.1
- Spears, E.**, see Glass, E., *MWSYM 97* 1399-1402 vol.3
- Spears, E.**, see Jun Ma, *RFIC 97* 175-179
- Spears, E.**, D. Ngo, Jun Ma, Han-Bin Liang, D. Spooner, J. Ford, Sunny Cheng, B. Courson, Bruce Yeng, J. Avalrez, J. Bhalla, and D. Lamey. Silicon RF GCMOS performance for portable communications applications; *RFIC 97* 153-156
- Speciale, M.**, see Avitabile, G.F., *MWSYM 97* 281-284 vol.1
- Speulstra, J.**, see Phuong Phu, *MWSYM 97* 1135-1138 vol.3
- Spinsanti, F.**, see Morini, A., *MWSYM 97* 1243-1246 vol.3
- Spooner, D.**, see Jun Ma, *MWSYM 97* 123-127 vol.1
- Spooner, D.**, see Spears, E., *MWSYM 97* 1-4 vol.1

- Spooner, D.**, see Jun Ma, *RFIC* 97 175-179
- Spooner, D.**, see Spears, E., *RFIC* 97 153-156
- Sriram, S.**, see Morse, A.W., *MWSYM* 97 53-56 vol.1
- Stafsudd, O.M.**, see De Flaviis, F., *T-MTT Jun* 97 963-969
- Stamper, K.**, see Wang, H., *RFIC* 97 79-81
- Starratt, D.**, see Geis, L.A., *MWSYM* 97 1151-1154 vol.3
- Starski, P.**, see Hyden, L., *MWSYM* 97 727-730 vol.2
- Steenon, D.P.**, see Digby, J.W., *MWSYM* 97 561-564 vol.2
- Steenon, D.P.**, see Collins, C.E., *MWSYM* 97 1439-1442 vol.3
- Steer, M.B.**, see Nusseibeh, F., *MWSYM* 97 1073-1077 vol.2
- Steer, M.B.**, see Nuteson, T.W., *T-MTT May* 97 666-672
- Stenger, E.**, M. Sarantos, E. Niehenke, H. Fudem, C. Schwerdt, F. Kuss, D. Strack, G. Hall, and J. Masti. A miniature, MMIC one watt W-band solid-state transmitter; *MWSYM* 97 431-434 vol.2
- Stenger, P.**, see Fudem, H., *MWSYM* 97 427-430 vol.2
- Stewart, J.A.C.**, see Bu, Z.R., *MWSYM* 97 735-738 vol.2
- Stewart, J.A.C.**, see Kelly, M.J., *MWSYM* 97 1065-1068 vol.2
- Stiller, A.**, see Raschofer, R.H., *MWSYM* 97 1459-1462 vol.3
- Stiller, A.**, see Thieme, M.O., *MWSYM* 97 1269-1272 vol.3
- Stillman, G.E.**, see Heins, M.S., *MWSYM* 97 255-258 vol.1
- Stillman, G.E.**, see Heins, M.S., *RFIC* 97 215-218
- Stitzer, S.N.** Modeling a stripline ferrite phase shifter; *MWSYM* 97 1117-1120 vol.2
- Stone, J.**, see Moghe, S., *MWSYM* 97 1391-1394 vol.3
- Stones, D.I.**, see Villegas, F.J., *MWSYM* 97 739-742 vol.2
- Stones, D.I.**, see Ingram, D.L., *MWSYM* 97 1183-1186 vol.3
- Stones, D.I.**, see Ingram, D.L., *T-MTT Dec* 97 2424-2430
- Storer, B.**, H. Aubert, and H. Baudrand. A new modal approach for planar transmission line to waveguide three-port transition; *MWSYM* 97 203-206 vol.1
- Stracca, G.B.** A simple evaluation of losses in thin microstrips; *T-MTT Feb* 97 281-283
- Strack, D.**, see Stenger, E., *MWSYM* 97 431-434 vol.2
- Strack, D.**, G. Ferrell, A. Piloto, J. Gippich, J. Fisher, J. Kennedy, D. Heffernan, and S. Caswell. Low cost T/R modules for planar arrays; *MWSYM* 97 579-582 vol.2
- Strack, D.**, and F. Harris. Low cost microwave receiver protectors/AGC's using surface mount components; *MWSYM* 97 531-534 vol.2
- Strang, J.**, and S. Atkinson. A highly integrated radio transceiver chipset for DECT; *RFIC* 97 131-134
- Stratmoen, S.**, see Moghe, S., *MWSYM* 97 1391-1394 vol.3
- Streit, D.**, see Wang, H., *MWSYM* 97 1275-1278 vol.3
- Streit, D.**, see Wang, H., *RFIC* 97 91-94
- Streit, D.C.**, see Yamada, F.M., *MWSYM* 97 141-144 vol.1
- Streit, D.C.**, see Kobayashi, K.W., *RFIC* 97 75-78
- Streit, D.C.**, see Kobayashi, K.W., *RFIC* 97 83-86
- Streit, D.C.**, see Yamada, F.M., *RFIC* 97 193-196
- Strid, E.**, see Basu, S., *MWSYM* 97 1675-1677 vol.3
- Strohm, K.M.**, see Singer, M., *MWSYM* 97 1265-1268 vol.3
- Stuchly, M.A.**, see Mrozowski, M., *MWSYM* 97 95-97 vol.1
- Stuchly, M.A.**, see Okoniewski, M., *MWSYM* 97 99-101 vol.1
- Stuchly, M.A.**, see Douglas, M.G., *MWSYM* 97 1759-1762 vol.3
- Stuchly, S.S.**, see Okoniewski, M., *MWSYM* 97 99-101 vol.1
- Sturdivant, R.**, Chung Ly, J. Benson, and J. Wooldridge. Using MMIC flip chips and CVD diamond for improved thermal management of microwave modules; *MWSYM* 97 505-507 vol.2
- Sturdivant, R.**, Chung Ly, J. Benson, and M. Hauhe. Design and performance of a high density 3D microwave module; *MWSYM* 97 501-504 vol.2
- Sturdivant, R.**, see Tripathi V.K., *T-MTT Oct* 97 1817-1818
- Su Ching-Chuan**, see Jenn-Ming Guan, *T-MTT Mar* 97 439-442
- Su Ching-Chuan**, see Jenn-Ming Guan, *T-MTT Oct* 97 1767-1777
- Su Chung-Yi**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Suematsu, N.**, see Shigematsu, T., *MWSYM* 97 527-530 vol.2
- Suematsu, N.**, T. Shigematsu, Y. Iyama, and O. Ishida. Transfer characteristic of IM₃ relative phase for a GaAs FET amplifier; *MWSYM* 97 901-904 vol.2
- Suematsu, N.** On-chip matching Si-MMIC for mobile communication terminal application; *RFIC* 97 9-12
- Suematsu, N.**, Y. Iyama, and O. Ishida. Transfer characteristic of IM₃ relative phase for a GaAs FET amplifier; *T-MTT Dec* 97 2509-2514
- Sugawara, S.**, Y. Maita, K. Adachi, K. Mori, and K. Mizuno. A mm-wave tapered slot antenna with improved radiation pattern; *MWSYM* 97 959-962 vol.2
- Suginoshita, F.**, see Nakakita, H., *MWSYM* 97 1143-1146 vol.3
- Suh Youngsuk**, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255
- Sullivan, D.B.**, see Lee, W.D., *MWSYM* 97 1161-1163 vol.3
- Sullivan, P.J.**, B.A. Xavier, and W.H. Ku. An integrated CMOS distributed amplifier utilizing packaging inductance; *T-MTT Oct* 97 1969-1976
- Summers, M.A.**, see Nusseibeh, F., *MWSYM* 97 1073-1077 vol.2
- Sun, W.**, W. Wei-Ming Dai, and Wei Hong. Fast parameter extraction of general interconnects using geometry independent measured equation of invariance; *T-MTT May* 97 827-836
- Sun, Y.**, H.G. Van Veenendaal, and J.L. Tauritz. Temperature analysis and on-chip compensation for an UHF VCO; *MWSYM* 97 757-760 vol.2
- Sun, Y.**, H.G. van Veenendaal, and J.L. Tauritz. Temperature analysis and on-chip compensation for an UHF VCO; *RFIC* 97 229-232
- Sun Hsiang-Chih**, see Case, M., *MWSYM* 97 1047-1051 vol.2
- Sunny Cheng**, see Jun Ma, *MWSYM* 97 123-127 vol.1
- Sunny Cheng**, see Spears, E., *MWSYM* 97 1-4 vol.1
- Sunny Cheng**, see Jun Ma, *RFIC* 97 175-179
- Sunny Cheng**, see Spears, E., *RFIC* 97 153-156
- Surovic, C.W.**, see Deutsch, A., *T-MTT Oct* 97 1836-1846
- Suzuki, M.**, see Abey, W., *MWSYM* 97 1315-1318 vol.3
- Suzuki, Y.**, see Kayano, H., *MWSYM* 97 743-746 vol.2
- Suzuki, Y.**, see Ohira, T., *MWSYM* 97 587-590 vol.2
- Suzuki, Y.**, see Ohira, T., *T-MTT Dec* 97 2324-2332
- Synder, R.V.** Generalized cross-coupled filters using evanescent mode coupling elements; *MWSYM* 97 1095-1098 vol.2

T

- Tabatabaie-Alavi, K.**, see Smith, I.W., *T-MTT Jan* 97 15-22
- Tabourel, J.**, see Dolfi, D., *T-MTT Aug* 97 1467-1472
- Tachi, S.**, see Kasashima, M., *MWSYM* 97 5-8 vol.1
- Tachi, S.**, see Kasashima, M., *RFIC* 97 157-160
- Tadjiky, S.**, and R.H. Jansen. From layout to schematic using pattern recognition in microwave computer aided design; *MWSYM* 97 1029-1033 vol.2
- Tae Kim**, see Hill, D., *MWSYM* 97 137-140 vol.1
- Tae Kim**, see Hin-Fai Chau, *MWSYM* 97 259-262 vol.1
- Tae Kim**, see Hill, D., *RFIC* 97 189-192
- Tae Kim**, see Hin-Fai Chau, *RFIC* 97 219-223
- Tae Moon Roh**, Youngsik Kim, Youngsuk Suh, Wee Sang Park, and Bemman Kim. A simple and accurate MESFET channel-current model including bias-dependent dispersion and thermal phenomena; *T-MTT Aug* 97 1252-1255
- Tae-Whan Yoo**, and Moon-Soo Park. 10 Gb/s clock extraction and data regeneration circuit implemented with phase-locked loop; *MWSYM* 97 1713-1716 vol.3
- Taguchi, T.**, see Sasaki, K., *MWSYM* 97 937-940 vol.2
- Taguchi, Y.**, S. Seki, K. Onishi, O. Kawasaki, and K. Eda. A balanced-type SAW filter for PCN and PCS systems; *MWSYM* 97 837-840 vol.2
- Tai King L.**, see Janshan Lin, *RFIC* 97 121-125
- Tait, G.B.**, see Jones, J.R., *T-MTT Apr* 97 512-518
- Tajima, K.**, see Itoh, K., *MWSYM* 97 849-852 vol.2
- Tajima, K.**, see Kawakami, K., *MWSYM* 97 657-660 vol.2
- Tajima, K.**, Y. Imai, Y. Kanagawa, and K. Itoh. A 5 to 10 GHz low spurious triple tuned type PLL synthesizer driven by frequency converted DDS unit; *MWSYM* 97 1217-1220 vol.3
- Takada, J.-I.**, see Iyama, T., *T-MTT Apr* 97 557-559
- Takagi, E.**, B. Houshmand, and T. Itoh. Practical metal loss implementation for a microstrip line structure using SIBC in FDTD simulation; *MWSYM* 97 1531-1534 vol.3
- Takagi, T.**, see Yamauchi, K., *MWSYM* 97 1199-1202 vol.3
- Takagi, T.**, see Miyashita, M., *T-MTT Jul* 97 1058-1064
- Takagi, T.**, see Yamauchi, K., *T-MTT Dec* 97 2431-2435
- Takahashi, H.**, see Hayama, N., *MWSYM* 97 1307-1310 vol.3
- Takahashi, H.**, see Takenaka, I., *MWSYM* 97 1417-1420 vol.3
- Takahashi, M.**, see Kimishima, M., *MWSYM* 97 1311-1314 vol.3
- Takahashi, T.**, Y. Iijima, and T. Miura. Measurement of temperature dependence of relative permittivity by the cavity perturbation method; *MWSYM* 97 1683-1686 vol.3
- Takayama, Y.**, see Mizutani, H., *MWSYM* 97 439-442 vol.2
- Takemura, K.**, see Yamaguchi, K., *MWSYM* 97 1403-1406 vol.3
- Takemura, K.**, see Nishimura, T.B., *RFIC* 97 37-40
- Takenaka, H.**, see Ishida, H., *MWSYM* 97 669-672 vol.2
- Takenaka, I.**, H. Takahashi, K. Asano, J. Morikawa, K. Ishikura, M. Kanamori, M. Kuzuhara, and H. Tsutsui. High efficiency S-band 30 W power GaAs FETs; *MWSYM* 97 1417-1420 vol.3
- Takeuchi, K.**, and A. Mizuhara. Image observation of pico second electrical pulse by scanning force optoelectronic microscope; *MWSYM* 97 1643-1646 vol.3
- Takeuchi, N.**, see Shigematsu, T., *MWSYM* 97 527-530 vol.2
- Takikawa, M.**, see Abey, W., *MWSYM* 97 1315-1318 vol.3
- Takylu Liu**, see Pospieszalski, M.W., *MWSYM* 97 1285-1288 vol.3
- Tamura, D.**, see Ingram, D.L., *MWSYM* 97 1183-1186 vol.3
- Tanabe, K.**, see Higaki, K., *MWSYM* 97 829-832 vol.2
- Tanaka, K.**, see Kasashima, M., *MWSYM* 97 5-8 vol.1
- Tanaka, K.**, see Kasashima, M., *RFIC* 97 157-160
- Tanaka, T.**, see Ishida, H., *MWSYM* 97 669-672 vol.2
- Tanguy, D.**, see Goloubkoff, M., *MWSYM* 97 31-34 vol.1
- Tanimoto, T.**, see Kamoaki, K., *RFIC* 97 95-98
- Tanino, N.**, see Kunii, T., *MWSYM* 97 1187-1190 vol.3

- Tantawi, S.G.**, R.D. Ruth, A.E. Vlieks, and M. Zolotarev. Active high-power RF pulse compression using optically switched resonant delay lines; *T-MTT Aug 97* 1486-1492
- Tardioli, G.**, see Cascio, L., *MWSYM 97* 383-386 vol.2
- Tardioli, G.**, L. Cascio, M. Righi, and W.J.R. Hoefer. Special 3D-TLM corner nodes for singular field regions; *MWSYM 97* 317-320 vol.1
- Tardioli, G.**, see Righi, M., *T-MTT Oct 97* 1905-1910
- Tarricone, L.**, see Apollonio, F., *MWSYM 97* 103-106 vol.1
- Tarricone, L.**, see Alessandri, F., *MWSYM 97* 1013-1016 vol.2
- Tarricone, L.**, see Alessandri, F., *T-MTT Dec 97* 2366-2374
- Tascone, R.**, P. Savi, D. Trinchero, and R. Orta. A procedure for the design of microwave filters based on a distributed parameter model; *MWSYM 97* 643-646 vol.2
- Tascone, R.**, see Savi, P., *T-MTT Feb 97* 221-228
- Tasker, P.J.**, see Fernandez-Barciela, M., *MWSYM 97* 1499-1502 vol.3
- Tasker, P.J.**, see Gobert, Y., *T-MTT Jan 97* 149-153
- Tateno, Y.**, see Abey, W., *MWSYM 97* 1315-1318 vol.3
- Tat-Soon Yeo**, see Le-Wei Li, *T-MTT Mar 97* 321-329
- Tauritz, J.L.**, see Sun, Y., *MWSYM 97* 757-760 vol.2
- Tauritz, J.L.**, see Van Vliet, F.E., *MWSYM 97* 701-704 vol.2
- Tauritz, J.L.**, see Sun, Y., *RFIC 97* 229-232
- Tay, R.Y.-S.**, see Meier, K., *T-MTT Nov 97* 2058-2062
- Teck Chew Sion**, see Min Chen, *MWSYM 97* 67-70 vol.1
- Teeter, D.A.**, and W.R. Curtice. Comparison of hybrid pi and Tee HBT circuit topologies and their relationship to large signal modeling; *MWSYM 97* 375-378 vol.2
- Tegude, F.-J.**, see Reuter, R., *T-MTT Jun 97* 977-983
- Tentzeris, E.M.**, R.L. Robertson, L.P.B. Katehi, and A. Cangellaris. Space- and time-adaptive gridding using MRTD technique; *MWSYM 97* 337-340 vol.1
- Teraji, T.**, see Jun Ma, *MWSYM 97* 123-127 vol.1
- Teraji, T.**, see Jun Ma, *RFIC 97* 175-179
- Terman, L.M.**, see Deutsch, A., *T-MTT Oct 97* 1836-1846
- Tessmann, A.**, see Haydl, W.H., *MWSYM 97* 1281-1284 vol.3
- Te-Wen Pan**, see Ching-Wen Hsue, *T-MTT Jan 97* 32-38
- Tewksbury, T.**, see Kermarrec, C., *RFIC 97* 65-68
- Thangavelu, A.V.**, H.P. Moyer, M. Ghanevati, A.S. Daryoush, and R. Gutierrez. Push-pull frequency converter for mobile communication; *MWSYM 97* 661-664 vol.2
- Theron, B.**, see Gendraud, S., *MWSYM 97* 1091-1094 vol.2
- Thevenon, F.**, M.F. Wong, P. Guillaume, M. Masmoudi, M. Rochette, and V. Fouad Hanna. Analysis and design of microwave structures using broad frequency band and shape driven edge finite element models; *MWSYM 97* 1615-1618 vol.3
- Thieme, M.O.**, see Rasshofer, R.H., *MWSYM 97* 1459-1462 vol.3
- Thieme, M.O.**, R.H. Rasshofer, A. Stiller, and E.M. Biebl. A novel circularly polarized W-band direct detection receiver for six-port polarimetric radar systems; *MWSYM 97* 1269-1272 vol.3
- Thieme, M.O.**, and E.M. Biebl. A fast and rigorous synthesis procedure for (monolithic) millimeterwave integrated circuit layout; *MWSYM 97* 1009-1012 vol.2
- Thomas, V.**, see Heinen, S., *RFIC 97* 127-130
- Thornton, J.**, C.M. Mann, and P. de Maagt. A high power 270 GHz frequency tripler featuring a Schottky diode parallel pair; *MWSYM 97* 957-958 vol.2
- Tian-Wei Huang**, see Yon-Lin Kok, *MWSYM 97* 1663-1666 vol.3
- Tiemsin, P.I.**, see Deshpande, M.D., *T-MTT Mar 97* 359-366
- Tigels, I.G.**, M. Pedrozzi, P.G. Cottis, and J.L. Vomvoridis. Calculation of eigenmodes in a nonperiodic corrugated waveguide; *T-MTT Feb 97* 236-244
- Tigges, C.P.**, see Hietala, V.M., *MWSYM 97* 355-358 vol.1
- Tirkas, P.A.**, see Polycarpou, A.C., *T-MTT Oct 97* 1868-1874
- Tkachov, I.**, see Afsar, M.N., *MWSYM 97* 1355-1358 vol.3
- Tkachov, I.I.**, see Afsar, M.N., *T-MTT Dec 97* 2454-2460
- Tobar, M.**, see Krupka, J., *MWSYM 97* 1347-1350 vol.3
- Tokumitsu, M.**, see Murata, K., *MWSYM 97* 465-468 vol.2
- Tokumitsu, T.**, see Daryoush, A.S., *MWSYM 97* 351-354 vol.1
- Tokumitsu, T.**, see Kamogawa, K., *MWSYM 97* 1221-1224 vol.3
- Tokumitsu, T.**, see Toyoda, I., *RFIC 97* 113-116
- Tokumitsu, T.**, see Kamogawa, K., *T-MTT Sep 97* 1578-1584
- Tokumitsu, T.**, see Kamogawa, K., *T-MTT Dec 97* 2436-2443
- Tokumitsu, T.**, see Toyoda, I., *T-MTT Dec 97* 2524-2530
- Tomita, M.**, see Nishimura, T.B., *RFIC 97* 37-40
- Tomiyasu, K.** Four-port scattering matrix for dual-polarized wave transmission and reflection network; *T-MTT Mar 97* 354-358
- Tong, C.-Y. E.**, L. Chen, and R. Blundell. Theory of distributed mixing and amplification in a superconducting quasi-particle nonlinear transmission line; *T-MTT Jul 97* 1086-1092
- Tongqing Wang**, Zifei Ou, and Ke Wu. Experimental study of wideband uniplanar phase inverters for MICs; *MWSYM 97* 777-780 vol.2
- Torres, F.**, and B. Jecko. Complete FDTD analysis of microwave heating processes in frequency-dependent and temperature-dependent media; *T-MTT Jan 97* 108-117
- Toutain, S.**, see Le Roy, M., *MWSYM 97* 639-642 vol.2
- Towilson, B.M.**, see Digby, J.W., *MWSYM 97* 561-564 vol.2
- Toyoda, I.**, see Kamogawa, K., *MWSYM 97* 1221-1224 vol.3
- Toyoda, I.**, K. Nishikawa, T. Tokumitsu, K. Kamogawa, C. Yamaguchi, M. Hirano, and M. Aikawa. Three-dimensional masterslice MMIC on Si substrate; *RFIC 97* 113-116
- Toyoda, I.**, see Kamogawa, K., *T-MTT Dec 97* 2436-2443
- Toyoda, I.**, K. Nishikawa, T. Tokumitsu, K. Kamogawa, C. Yamaguchi, M. Hirano, and M. Aikawa. Three-dimensional masterslice MMIC on Si substrate; *T-MTT Dec 97* 2524-2530
- Toyoda, S.** Push-pull power amplifiers in the X band; *MWSYM 97* 1433-1436 vol.3
- Tran, L.**, see Wang, H., *RFIC 97* 79-81
- Tran, L.**, see Wang, H., *RFIC 97* 91-94
- Tran, L.T.**, see Chung, Y.H., *MWSYM 97* 841-844 vol.2
- Tran, L.T.**, see Yamada, F.M., *MWSYM 97* 141-144 vol.1
- Tran, L.T.**, see Kobayashi, K.W., *RFIC 97* 75-78
- Tran, L.T.**, see Yamada, F.M., *RFIC 97* 193-196
- Tran Long**, see Virk, R.S., *MWSYM 97* 435-438 vol.2
- Trantanella, C.**, M. Pollman, and M. Shifrin. An investigation of GaAs MMIC high power limiters for circuit protection; *MWSYM 97* 535-538 vol.2
- Trantanella, C.**, see Pollman, M.D., *RFIC 97* 33-36
- Trew, R.J.** The operation of microwave power amplifiers fabricated from wide bandgap semiconductors; *MWSYM 97* 45-48 vol.1
- Trinchero, D.**, see Tascone, R., *MWSYM 97* 643-646 vol.2
- Trinchero, D.**, see Savi, P., *T-MTT Feb 97* 221-228
- Trinh, P.D.**, see Coppinger, F., *T-MTT Aug 97* 1473-1477
- Tripathi, A.**, and V.K. Tripathi. Characterization of multiconductor coupled lines from multiport TDR measurements; *MWSYM 97* 1777-1780 vol.3
- Tripathi, V.**, see Falconer, M., *MWSYM 97* 1733-1736 vol.3
- Tripathi, V.**, see Falconer, M., *MWSYM 97* 1539-1542 vol.3
- Tripathi, V.K.**, see Remley, K.A., *MWSYM 97* 163-166 vol.1
- Tripathi, V.K.**, see Weisshaar, A., *MWSYM 97* 1591-1594 vol.3
- Tripathi, V.K.**, see Tripathi, A., *MWSYM 97* 1777-1780 vol.3
- Tripathi V.K.**, and R. Sturdivant. Guest editorial [intro. to the special issue on interconnects and packaging]; *T-MTT Oct 97* 1817-1818
- Tronche, C.**, see Monfraix, P., *MWSYM 97* 1551-1554 vol.3
- Tsai Ching-Long**, see Ching-Long Tsai, *T-MTT May 97* 678-686
- Tsai Huan-Shang**, see Jenshan Lin, *RFIC 97* 121-125
- Tsai Ming-Ju**, see Ming-Ju Tsai, *T-MTT Mar 97* 330-337
- Tsang, S.H.**, see Cryan, M.J., *T-MTT Oct 97* 1742-1748
- Tserng, H.Q.**, see Tutt, M.N., *MWSYM 97* 933-936 vol.2
- Tserng, H.-Q.**, P. Saunier, A. Ketterson, L.C. Witkowski, and T. Jones. Embedded transmission-line (ETL) MMIC for low-cost high-density wireless communication applications; *T-MTT Dec 97* 2540-2548
- Tserng Hua-Quen**, see Hua-Quen Tserng, *RFIC 97* 41-44
- Tsong-Ming Kao**, see Morkner, H., *MWSYM 97* 9-12 vol.1
- Tsui, J.B.Y.**, J.J. Schamus, and D.H. Kaneshiro. Monobit receiver; *MWSYM 97* 469-471 vol.2
- Tsui, J.B.Y.**, see Pok, D.S.K., *T-MTT Dec 97* 2283-2295
- Tsuji, M.**, H. Shigesawa, H. Sannomiya, and A.A. Oliner. The spectral gap when power leaks into more than one type of surface wave on printed-circuit lines; *MWSYM 97* 483-486 vol.2
- Tsuji, S.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Tsutsui, H.**, see Takenaka, I., *MWSYM 97* 1417-1420 vol.3
- Tsutsumi, M.**, and T. Fukusako. Magnetically tunable superconducting microstrip resonators using yttrium iron garnet single crystals; *MWSYM 97* 1491-1494 vol.3
- Tsutsumi, M.**, see Shimasaki, H., *MWSYM 97* 1703-1706 vol.3
- Tsutsumi, M.**, see Horii, Y., *MWSYM 97* 1635-1638 vol.3
- Tsutsumi, M.**, see Fukusako, T., *T-MTT Nov 97* 2013-2017
- Tutt, M.N.**, H.Q. Tserng, and A. Ketterson. A low loss, 5.5 GHz-20 GHz monolithic balun; *MWSYM 97* 933-936 vol.2
- Tuttle, J.R.** Traditional and emerging technologies and applications in the radio frequency identification (RFID) industry; *RFIC 97* 5-8
- Tzuang, C.-K.C.**, see Kuo-Cheng Chen, *MWSYM 97* 495-498 vol.2
- Tzuang Ching-Kuang C.**, see Shih-Ping Liu, *T-MTT Sep 97* 1554-1562
- Tzzy-Sheng Horng** A unified method for characterization of microstrip and waveguide discontinuities of irregular shape; *MWSYM 97* 1815-1818 vol.3

U

- Uchitomi, N.**, see Nagaoka, M., *MWSYM 97* 1323-1326 vol.3
- Uckun, S.**, T.K. Sarkar, S.M. Rao, and M. Salazar-Palma. A novel technique for analysis of electromagnetic scattering from microstrip antennas of arbitrary shape; *T-MTT Apr 97* 485-491
- Udomoto, J.**, see Kunii, T., *MWSYM 97* 1187-1190 vol.3
- Ueda, D.**, see Ishida, H., *MWSYM 97* 669-672 vol.2
- Uehara, K.**, see Seki, T., *MWSYM 97* 975-978 vol.2
- Ueno, Y.**, see Sasaki, K., *MWSYM 97* 937-940 vol.2

Ulian, P., see Monfraix, P., *MWSYM* 97 1551-1554 vol.3
Ulyanov, S.L., see Gourary, M.M., *MWSYM* 97 1507-1510 vol.3
Umeda, Y., K. Osafune, T. Enoki, H. Yokoyama, Y. Ishii, and Y. Imamura. Over-60-GHz operation of SCFL dynamic frequency divider using InP-based HEMTs; *MWSYM* 97 457-460 vol.2
Umemoto, D.K., see Yamada, F.M., *MWSYM* 97 141-144 vol.1
Umemoto, D.K., see Kobayashi, K.W., *RFIC* 97 83-86
Umemoto, D.K., see Yamada, F.M., *RFIC* 97 193-196
Unger, H.-G., see Shahabadi, M., *MWSYM* 97 573-576 vol.2
Unosawa, K., see Mizoe, J., *MWSYM* 97 247-250 vol.1
Unosawa, K., see Mizoe, J., *RFIC* 97 207-210
Upton, D., see Pollman, M.D., *RFIC* 97 33-36
Utsu, J., see Sasaki, K., *MWSYM* 97 937-940 vol.2
Uzunoglu, N.K., see Nikita, K.S., *MWSYM* 97 111-114 vol.1

V

v.d. Heijden, E., see van Rijs, F., *RFIC* 97 15-18
V.K. Tripathi, see Tripathi V.K., *T-MTT Oct* 97 1817-1818
Vahldieck, R., see Lenadan, T., *MWSYM* 97 207-210 vol.1
Vahldieck, R., see Amari, S., *MWSYM* 97 1373-1376 vol.3
Vahldieck, R., see Balaji, U., *MWSYM* 97 1247-1250 vol.3
Vahldieck, R., see Amari, S., *T-MTT Sep* 97 1611-1618
Vaillancourt, W.G., and S.E. Yates. High speed noise power ratio measurement techniques on rf power amplifiers; *MWSYM* 97 1451-1454 vol.3
Valtonen, M., see Narhi, T., *MWSYM* 97 623-626 vol.2
van den Berg, P.M., see Remis, R.F., *T-MTT Dec* 97 2139-2149
Van Den Bognaart, F.L.M., see Van Vliet, F.E., *MWSYM* 97 701-704 vol.2
Van den Bosch, S., and L. Martens. Fast and accurate extraction of capacitance parameters for the Statz MESFET model; *T-MTT Aug* 97 1247-1249
Vandersteen, G., Y. Rolain, J. Schoukens, and A. Verschuere. An improved sliding-load calibration procedure using a semiparametric circle-fitting procedure; *T-MTT Jul* 97 1027-1033
Vander Vorst, A., see Duhamel, F., *MWSYM* 97 107-110 vol.1
Vang, T.A., see Lin, L.Y., *T-MTT Aug* 97 1320-1331
Vanoppen, R., see van Rijs, F., *RFIC* 97 15-18
Van Petegem, W.E.A., C.R. James, F.E. Vermeulen, and A.M. Robinson. Numerical analysis of near-infrared wave propagation characteristics in dielectric-coated parallel planar microstructural waveguides; *T-MTT Mar* 97 367-375
van Raay, F., see Wasige, E., *MWSYM* 97 925-928 vol.2
van Rijs, F., R. Dekker, P.H.C. Magnee, R. Vanoppen, E. v.d. Heijden, B.N. Balm, and L.C. Colussi. High gain, high efficiency, low voltage, medium power Si-bipolar transistor suitable for integration; *RFIC* 97 15-18
Van Veenendaal, H.G., see Sun, Y., *MWSYM* 97 757-760 vol.2
van Veenendaal, H.G., see Sun, Y., *RFIC* 97 229-232
Van Vliet, F.E., J.L. Tauritz, F.L.M. Van Den Bognaart, and R.G.F. Baets. Narrow X-band tunable MMIC filters employing active resonators as local feedback; *MWSYM* 97 701-704 vol.2
van Waasen, S., see Reuter, R., *T-MTT Jun* 97 977-983
van Zyl, G.J.J. The effect of device modeling on a parameter switching continuation method used in waveform balance simulations; *T-MTT Apr* 97 549-551
Vaughan, M.J., see Chang, H.-C., *T-MTT Nov* 97 2035-2042
Vaughn, M.D., see Blumenthal, D.J., *T-MTT Aug* 97 1443-1452
Veluswami, A., M.S. Nakhla, and Qi-Jun Zhang. The application of neural networks to EM-based simulation and optimization of interconnects in high-speed VLSI circuits; *T-MTT May* 97 712-723
Vendik, I.B., see Vendik, O.G., *T-MTT Feb* 97 173-178
Vendik, O.G., I.B. Vendik, and T.B. Samoilova. Nonlinearity of superconducting transmission line and microstrip resonator; *T-MTT Feb* 97 173-178
Verdeyme, S., see Baillargeat, D., *MWSYM* 97 1021-1024 vol.2
Verdeyme, S., see Gendraud, S., *MWSYM* 97 1091-1094 vol.2
Verghese, S., K.A. McIntosh, and E.R. Brown. Highly tunable fiber-coupled photomixers with coherent terahertz output power; *T-MTT Aug* 97 1301-1309
Vermeulen, F.E., see Van Petegem, W.E.A., *T-MTT Mar* 97 367-375
Verschuere, A., see Vandersteen, G., *T-MTT Jul* 97 1027-1033
Verspecht, J., see Barataud, D., *MWSYM* 97 1687-1690 vol.3
Verwey, L., A. Bangert, H. Massler, T. Fink, M. Neumann, R. Osorio, T. Krems, T. Jakobus, W.H. Haydl, and M. Schlechtweg. Compact integrated coplanar T/R-modules for automotive applications; *MWSYM* 97 243-246 vol.1
Verwey, L., see Haydl, W.H., *MWSYM* 97 1281-1284 vol.3
Verwey, L., A. Bangert, H. Massler, T. Fink, M. Neumann, R. Osorio, T. Krems, T. Jakobus, W.H. Haydl, and M. Schlechtweg. Compact integrated coplanar T/R-modules for automotive applications; *RFIC* 97 203-206

Via, D., see Jenkins, T., *MWSYM* 97 949-952 vol.2
Vian, J., see Hollung, S., *MWSYM* 97 675-678 vol.2
Viaud, J.P., M. Lajugie, R. Quere, and J. Obregon. First demonstration of a 0.5 W, 2 to 8 GHz MMIC HBT distributed power amplifier based on a large signal design approach; *MWSYM* 97 893-896 vol.2
Vieira, A.J.C., P.R. Herczfeld, and V.M. Contarino. Nd:LiNbO₃ microchip laser with 20 GHz subcarrier; *MWSYM* 97 229-232 vol.1
Vietzorreck, L., and W. Pascher. Influence of conductor loss and thickness in coplanar circuit elements; *MWSYM* 97 1811-1814 vol.3
Vietzorreck, L., and W. Pascher. Modeling of conductor loss in coplanar circuit elements by the method of lines; *T-MTT Dec* 97 2474-2478
Vignerot, S., see Gendraud, S., *MWSYM* 97 1091-1094 vol.2
Vilcot, A., see Boyer, B., *T-MTT Aug* 97 1362-1367
Vilcot, A., see Maury, G., *T-MTT Aug* 97 1481-1485
Vilcot, J.P., see Harari, J., *T-MTT Aug* 97 1332-1336
Villegas, F.J., D.I. Stones, and H.A. Hung. A novel waveguide-to-microstrip transition for low-cost millimeter-wave and MMIC applications; *MWSYM* 97 739-742 vol.2
Villino, G., see Passmann, C., *MWSYM* 97 595-598 vol.2
Villoite, J.P., see Barataud, D., *MWSYM* 97 1687-1690 vol.3
Virga, K.L., and Y. Rahmat-Samii. Low-profile enhanced-bandwidth PIFA antennas for wireless communications packaging; *T-MTT Oct* 97 1879-1888
Virk, R.S., Long Tran, M. Matloubian, Minh Le, M.G. Case, and C. Ngo. A comparison of W-band MMIC mixers using InP HEMT technology; *MWSYM* 97 435-438 vol.2
Vittoria, C., see How, H., *MWSYM* 97 1127-1130 vol.2
Vittoria, C., see Hoton How, *T-MTT Feb* 97 245-252
Vivilecchia, J., see Yap, D., *RFIC* 97 59-62
Vlasov, S.N., see Shapiro, M.A., *T-MTT Jun* 97 1000-1002
Vlieks, A.E., see Tantawi, S.G., *T-MTT Aug* 97 1486-1492
Vodjdani, N., see Jasmin, S., *T-MTT Aug* 97 1337-1341
Voelker, R.H., Guang-Tsai Lei, Guang-Wen Pan, and B.K. Gilbert. Determination of complex permittivity of low-loss dielectrics; *T-MTT Oct* 97 1955-1960
Vogt, A., and W. Jutzi. An HTS narrow bandwidth coplanar shunt inductively coupled microwave bandpass filter on LaAlO₃; *T-MTT Apr* 97 492-497
Volakis, J.L., see Lakhtakia, A., *T-MTT Feb* 97 313-314
Vomvoridis, J.L., see Tigelis, I.G., *T-MTT Feb* 97 236-244
von Helmolt, C.H., U. Kruger, K. Kruger, and G. Grosskopf. A mobile broad-band communication system based on mode-locked lasers; *T-MTT Aug* 97 1424-1430
Voss, M., see Karpov, A., *MWSYM* 97 919-920 vol.2
Vossiek, M., see Nalezinski, M., *MWSYM* 97 185-188 vol.1
Vountesmeri, V.S., see Martynyuk, A.E., *T-MTT Jun* 97 911-917
Vuye, S., see Miras, A., *MWSYM* 97 1709-1712 vol.3

W

Wada, K., I. Awai, and Y. Yamashita. Characteristics of $\lambda/4$ CPW resonators with tap-excitation and their application to bandpass filters; *MWSYM* 97 717-720 vol.2
Wai-Kai Chen, see Wang, B.F., *T-MTT Jan* 97 126-129
Wake, D., L. Noel, D.G. Moodie, D.D. Marcenac, L.D. Westbrook, and D. Nessel. A 60 GHz 120 Mb/s QPSK fibre-radio transmission experiment incorporating an electroabsorption modulator transceiver for a full duplex optical data path; *MWSYM* 97 39-42 vol.1
Wake, D., see Noel, L., *T-MTT Aug* 97 1416-1423
Wakimoto, H., see Nagaoka, M., *MWSYM* 97 1323-1326 vol.3
Walden, R.H., see Yap, D., *RFIC* 97 59-62
Waldo, M.K., I. Kaufman, and S. El-Ghazaly. Coplanar waveguide technique for measurement of dielectric constant or thickness of dielectric films; *MWSYM* 97 1339-1342 vol.3
Walker, J.L.B. Improvements to the design of the 0-180° rat race coupler and its application to the design of balanced mixers with high LO to RF isolation; *MWSYM* 97 747-750 vol.2
Walpole, J.N., see Betts, G.E., *T-MTT Aug* 97 1280-1287
Walter, M., U. Muller, and A.T. Beyer. Application of the TLM-method for the analysis of longitudinally periodic structures; *MWSYM* 97 1231-1234 vol.3
Wang, B.F., W.J. Zhang, and Wai-Kai Chen. A systematic design method of multilayer composite-glass with thin metallic layer; *T-MTT Jan* 97 126-129
Wang, C., K.A. Zaki, A.E. Atia, and T.G. Dolan. Conductor loaded resonator filters with wide spurious-free stopbands; *T-MTT Dec* 97 2387-2392
Wang, C., H.-W. Yao, and K.A. Zaki. Modeling of conductor-loaded resonators and filters in rectangular enclosures; *T-MTT Dec* 97 2479-2485
Wang, F., and Q. Zhang. Knowledge based neural models for microwave design; *T-MTT Dec* 97 2333-2343
Wang, H., see Chung, Y.H., *MWSYM* 97 841-844 vol.2

- Wang, H.**, see Ingram, D.L., *MWSYM* 97 1183-1186 vol.3
- Wang, H.**, see Huang, P., *MWSYM* 97 1175-1178 vol.3
- Wang, H.**, R. Lai, Y.C. Chen, Y.L. Kok, T.W. Huang, T. Block, D. Streit, P.H. Liu, P. Siegel, and B. Allen. A 155-GHz monolithic InP-based HEMT amplifier; *MWSYM* 97 1275-1278 vol.3
- Wang, H.**, E. Lin, D.C.W. Lo, R. Lai, L. Tran, J. Cowles, Y.C. Chen, T. Block, P.H. Liu, H.C. Yen, and K. Stamper. A monolithic 24-GHz frequency source using InP-based HEMT-HBT integration technology; *RFIC* 97 79-81
- Wang, H.**, L. Tran, J. Cowles, E. Lin, P. Huang, T. Block, D. Streit, and A. Oki. Monolithic 77- and 94-GHz InP-based HBT MMIC VCOs; *RFIC* 97 91-94
- Wang, H.**, see Huang, P.-P., *T-MTT Dec* 97 2418-2423
- Wang, H.**, see Ingram, D.L., *T-MTT Dec* 97 2424-2430
- Wang, R.F.**, see Bao, J.W., *MWSYM* 97 905-908 vol.2
- Wang, S.C.**, see Komiak, J.J., *MWSYM* 97 1421-1424 vol.3
- Wang, Y.H.**, see Ho, C.H., *MWSYM* 97 1755-1758 vol.3
- Wang Chi**, see Chi Wang, *MWSYM* 97 797-800 vol.2
- Wang Chi**, see Chi Wang, *MWSYM* 97 1103-1107 vol.2
- Wang Chi**, see Xiaoying Zhang, *MWSYM* 97 1725-1728 vol.3
- Wang Chi**, see Chi Wang, *MWSYM* 97 1079-1082 vol.2
- Wang Chi**, see Chi Wang, *T-MTT Aug* 97 1240-1246
- Wang Fang**, see Fang Wang, *MWSYM* 97 627-630 vol.2
- Wang Haiyin**, see Haiyin Wang, *T-MTT Mar* 97 414-419
- Wang Huei**, see Yon-Lin Kok, *MWSYM* 97 1663-1666 vol.3
- Wang Tongqing**, see Tongqing Wang, *MWSYM* 97 777-780 vol.2
- Wang Way-Seen**, see Ching-Long Tsai, *T-MTT May* 97 678-686
- Wang Wenxiang**, see Wenxiang Wang, *T-MTT Oct* 97 1689-1695
- Wang Zhaoyang**, see Jackson, R.W., *MWSYM* 97 1377-1380 vol.3
- Wanke, M.C.**, see Mousseessian, A., *MWSYM* 97 683-686 vol.2
- Wanlin, G.**, see Miras, A., *MWSYM* 97 1709-1712 vol.3
- Wasige, E.**, G. Kompa, F. van Raay, I.W. Rangelow, W. Scholz, F. Shi, R. Kassing, R. Meyer, and M.-C. Amann. Air bridge based planar hybrid technology for microwave and millimeterwave applications; *MWSYM* 97 925-928 vol.2
- Waterhouse, R.B.**, see Ahmed, Z., *T-MTT Aug* 97 1431-1435
- Watson, P.M.**, and K.C. Gupta. EM-ANN modelling and optimal chamfering of 90° CPW bends with air-bridges; *MWSYM* 97 1603-1606 vol.3
- Watson, P.M.**, and K.C. Gupta. Design and optimization of CPW circuits using EM-ANN models for CPW components; *T-MTT Dec* 97 2515-2523
- Way-Seen Wang**, see Ching-Long Tsai, *T-MTT May* 97 678-686
- Webb, J.P.**, see Gil, J.M., *T-MTT Dec* 97 2125-2130
- Weber, S.**, see Heinen, S., *RFIC* 97 127-130
- Weber, S.**, and G. Donig. An integrated 2 GHz 500 mW bipolar amplifier; *RFIC* 97 139-142
- Wee Sang Park**, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255
- Wei, C.J.**, see Bao, J.W., *MWSYM* 97 905-908 vol.2
- Wei, J.**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Weigel, R.**, see Bechteler, T., *MWSYM* 97 311-314 vol.1
- Weigel, R.**, see Reindl, L., *MWSYM* 97 821-824 vol.2
- Weigel, R.**, see Lindenmeier, S., *T-MTT Nov* 97 1998-2006
- Weigel, R.**, F. Kalabic, G. Ostermayer, A. Pohl, F. Seifert, and L. Reindl. Design of SAW expander and compressor on LiTaO₃ for a TCDMA spread spectrum system; *T-MTT Dec* 97 2486-2492
- Wei Hong**, see Jun Chen, *T-MTT Jan* 97 132-135
- Wei Hong**, see Sun, W., *T-MTT May* 97 827-836
- Wei Hong**, see Zhenhai Zhu, *T-MTT Aug* 97 1179-1184
- Weikle, R.M.**, see Hesler, J.L., *MWSYM* 97 953-956 vol.2
- Weikle, R.M., II**, see Hesler, J.L., *T-MTT May* 97 653-658
- Weiland, T.**, see Min Zhang, *T-MTT May* 97 861-864
- Wei-Ming Dai, W.**, see Sun, W., *T-MTT May* 97 827-836
- Weiner, J.S.**, see Jenshan Lin, *RFIC* 97 121-125
- Weinreb, S.**, P.C. Chao, and W. Copp. Full-waveguide band, 90 to 140 GHz, MMIC amplifier module; *MWSYM* 97 1279-1280 vol.3
- Weiqli Li**, see Shen-Whan Chen, *T-MTT May* 97 700-703
- Weiss, M.**, and R. Knochel. Novel methods of measuring impurity levels in liquid tanks; *MWSYM* 97 1651-1654 vol.3
- Weisshaar, A.**, see Remley, K.A., *MWSYM* 97 163-166 vol.1
- Weisshaar, A.**, M. Mongiardo, and V.K. Tripathi. Accurate and efficient CAD-oriented modeling of circular waveguide bends; *MWSYM* 97 1591-1594 vol.3
- Wei Yanyu**, see Wenxiang Wang, *T-MTT Oct* 97 1689-1695
- Weller, T.M.**, K.J. Herrick, and L.P.B. Katehi. Quasi-static design technique for MM-wave micromachined filters with lumped elements and series stubs; *T-MTT Jun* 97 931-938
- Wells, T.**, see Afsar, M.N., *MWSYM* 97 1355-1358 vol.3
- Wells, T.B.**, see Afsar, M.N., *T-MTT Dec* 97 2454-2460
- Wen, C.P.**, see Bao, J.W., *MWSYM* 97 905-908 vol.2
- Wendler, J.P.**, see Kazior, T.E., *MWSYM* 97 723-726 vol.2
- Wen Junding**, Wenquan Che, Yongzhing Xiong, and Yongwu Wen. Operation of new type field displacement isolator in ridged waveguide; *T-MTT May* 97 698-700
- Wenquan Che**, see Wen Junding, *T-MTT May* 97 698-700
- Wenxiang Wang**, Guofen Yu, and Yanyu Wei. Study of the ridge-loaded helical-groove slow-wave structure; *T-MTT Oct* 97 1689-1695
- Wen Yongwu**, see Wen Junding, *T-MTT May* 97 698-700
- Wenyue Chen**, see Lu Chao, *T-MTT Aug* 97 1478-1480
- Werling, T.**, E. Bourdel, D. Pasquet, and A. Boudiaf. Determination of wave noise sources using spectral parametric modeling; *MWSYM* 97 1447-1450 vol.3
- Werling, T.**, E. Bourdel, D. Pasquet, and A. Boudiaf. Determination of wave noise sources using spectral parametric modeling; *T-MTT Dec* 97 2461-2467
- Werthen, M.**, I. Wolff, R. Keller, and W. Bischof. Investigation of MMIC inductor coupling effects; *MWSYM* 97 1793-1796 vol.3
- Westbrook, L.D.**, see Wake, D., *MWSYM* 97 39-42 vol.1
- Westbrook, L.D.**, see Noel, L., *T-MTT Aug* 97 1416-1423
- Westgate, C.R.**, see Sinsky, J.H., *MWSYM* 97 647-650 vol.2
- White, M.J.**, see Bringham, S., *T-MTT Dec* 97 2073-2083
- Whitmore, B.**, see Krishnamurthy, V., *MWSYM* 97 1829-1832 vol.3
- Wilcox, G.**, see DeHaan, M.R., *MWSYM* 97 1425-1427 vol.3
- Williams, D.F.** Embedded multiconductor transmission line characterization; *MWSYM* 97 1773-1776 vol.3
- Williams, D.F.**, see Janezic, M.D., *MWSYM* 97 1343-1346 vol.3
- Williams, J.A.R.**, see Molony, A., *T-MTT Aug* 97 1527-1530
- Williams, K.J.**, see Nichols, L.T., *T-MTT Aug* 97 1384-1389
- Willke, T.L.**, and S.S. Gearhart. LIGA micromachined planar transmission lines and filters; *T-MTT Oct* 97 1681-1688
- Winful, H.G.**, see Krumpolz, M., *T-MTT Mar* 97 385-393
- Winkel, T.-M.**, L.S. Dutta, and H. Grabinski. An accurate determination of the characteristic impedance matrix of coupled symmetrical lines on chips based on high frequency S-parameter measurements; *MWSYM* 97 1769-1772 vol.3
- Winnall, S.T.**, A.C. Lindsay, and G.A. Knight. A wide-band microwave photonic phase and frequency shifter; *T-MTT Jun* 97 1003-1006
- Winson, P.B.**, S.M. Lardizabal, and L. Dunleavy. A table-based bias and temperature-dependent small-signal and noise equivalent circuit model; *T-MTT Jan* 97 46-51
- Witkowski, L.**, see Hua-Quen Tserng, *RFIC* 97 41-44
- Witkowski, L.C.**, see Tserng, H.-Q., *T-MTT Dec* 97 2540-2548
- Wixforth, T.**, see Passmann, C., *MWSYM* 97 595-598 vol.2
- Wolf, T.**, see Arndt, F., *T-MTT May* 97 747-760
- Wolff, I.**, see Hee Ran Ahn, *MWSYM* 97 285-288 vol.1
- Wolff, I.**, see Schroeder, W., *MWSYM* 97 159-162 vol.1
- Wolff, I.**, see Qiming Ren, *MWSYM* 97 1691-1694 vol.3
- Wolff, I.**, see Yingjie Gao, *MWSYM* 97 1741-1744 vol.3
- Wolff, I.**, see Werthen, M., *MWSYM* 97 1793-1796 vol.3
- Wolff, I.**, see Ahn, H.-R., *T-MTT Dec* 97 2241-2247
- Wollack, E.**, see Pospieszalski, M.W., *MWSYM* 97 1285-1288 vol.3
- Wollitzer, M.**, J. Buechler, and J.-F. Luy. High efficiency planar oscillator with RF power of 100 mW near 140 GHz; *MWSYM* 97 1205-1208 vol.3
- Wong, D.**, see Cameron, P., *MWSYM* 97 889-892 vol.2
- Wong, M.F.**, see Thevenon, F., *MWSYM* 97 1615-1618 vol.3
- Wong, M.F.**, see Guillouard, K., *MWSYM* 97 1239-1242 vol.3
- Wong Kin-Lu**, see Kin-Lu Wong, *T-MTT Aug* 97 1270-1272
- Wood, K.**, see Putnam, J., *MWSYM* 97 753-756 vol.2
- Wood, K.**, see Putnam, J., *RFIC* 97 225-228
- Wooldridge, J.**, see Sturdivant, R., *MWSYM* 97 505-507 vol.2
- Wu, B.Y.**, see Kwok-Wah Hui, *T-MTT Jan* 97 142-145
- Wu, K.**, see Benbrahim, J., *MWSYM* 97 1595-1598 vol.3
- Wu, K.**, see Zhu, L., *T-MTT Dec* 97 2114-2124
- Wu, M.C.**, see Lin, L.Y., *T-MTT Aug* 97 1320-1331
- Wu, R.-B.**, see Lin, F.-L., *T-MTT Dec* 97 2131-2138
- Wu, Y.**, see Bu, Z.R., *MWSYM* 97 735-738 vol.2
- Wu Der-Woei**, see Henderson, G.N., *MWSYM* 97 1465-1468 vol.3
- Wu Der-Woei**, see Der-Woei Wu, *MWSYM* 97 1319-1322 vol.3
- Wu Ke**, see Lei Zhu, *MWSYM* 97 289-292 vol.1
- Wu Ke**, see Tongqing Wang, *MWSYM* 97 777-780 vol.2
- Wu Ke**, see Xiaohong Jiang, *MWSYM* 97 617-620 vol.2
- Wu Ke**, see Ke Wu, *T-MTT Jun* 97 946-954
- Wu Ke-Li**, see Ke-Li Wu, *T-MTT Jan* 97 153-157
- Wu Ke-Li**, see Haiyin Wang, *T-MTT Mar* 97 414-419
- Wu Ruey-Beei**, see Fang-Lih Lin, *MWSYM* 97 813-816 vol.2
- Wu Ruey-Beei**, see Yung-Jinn Chen, *MWSYM* 97 397-400 vol.2
- Wu Ruey-Beei**, see Fang-Lih Lin, *MWSYM* 97 1527-1530 vol.3
- Wu Ruey-Beei**, see Chien-Wen Chiu, *T-MTT Apr* 97 498-504
- Wu Xinzhang**, see Xinzhang Wu, *T-MTT May* 97 640-647
- Wyatt, M.A.**, see Geis, L.A., *MWSYM* 97 1151-1154 vol.3

Xavier, B.A., and C.S. Aitchison. The measured and predicted noise figure of a GaAs heterojunction bipolar transistor mixer; *RFIC* 97 135-138

- Xavier, B.A., see Sullivan, P.J., *T-MTT Oct 97* 1969-1976
- Xiangdong Zhang, J. Kramer, and B. Rizzi. A theoretical and experimental study on low-voltage bias voltage controlled oscillators; *MWSYM 97* 845-848 vol.2
- Xiangdong Zhang, and Yong-Hoon Yun. A DC to X-band frequency doubler using GaAs HBT MMIC; *MWSYM 97* 1213-1216 vol.3
- Xiangdong Zhang, see Xue-Song Zhou, *T-MTT Feb 97* 196-204
- Xiaohong Jiang, and Ke Wu. Analysis of unbounded and bounded circuits and antennas considering finite extent and inhomogeneous dielectric; *MWSYM 97* 617-620 vol.2
- XiaoWei Ren, see Ma, G., *MWSYM 97* 1303-1306 vol.3
- Xiaoying Zhang, Chi Wang, K.A. Zaki, and K.S. Harshavardhan. Dual mode patch superconductor cavity filters; *MWSYM 97* 1725-1728 vol.3
- Xie, Y.-M., see Yap, D., *RFIC 97* 59-62
- Xie Zhikun, see Jinjin Shen, *MWSYM 97* 1481-1484 vol.3
- Xin-Qing Sheng, and ShanJia Xu. An efficient high-order mixed-edge rectangular-element method for lossy anisotropic dielectric waveguides; *T-MTT Jul 97* 1009-1013
- Xinquing Sheng, see ShanJia Xu, *T-MTT Feb 97* 284-287
- Xinzhang Wu, and D.L. Jaggard. Discontinuities in planar chirowaveguides; *T-MTT May 97* 640-647
- Xiong Yongzhing, see Wen Junding, *T-MTT May 97* 698-700
- Xudong Cao, see Heng-Chia Chang, *T-MTT May 97* 604-615
- Xue-Song Zhou, Xiangdong Zhang, and A.S. Daryoush. A new approach for a phase controlled self-oscillating mixer; *T-MTT Feb 97* 196-204
- Xu Jian, see Jian Xu, *MWSYM 97* 329-332 vol.1
- Xu Jian, see Jian-Guo Ma, *MWSYM 97* 1381-1384 vol.3
- Xu Jian, see Jian Xu, *T-MTT Aug 97* 1263-1267
- Xu ShanJia, see ShanJia Xu, *T-MTT Feb 97* 284-287
- Xu ShanJia, see Xin-Qing Sheng, *T-MTT Jul 97* 1009-1013
- Xu Yansheng, see Yansheng Xu, *T-MTT Sep 97* 1594-1599
- Y
- Ya Fei Huang, see Bandler, J.W., *T-MTT May 97* 761-769
- Yaghnour, A., see Celik, M., *T-MTT Oct 97* 1857-1867
- Yakovlev, A.B., and G.W. Hanson. On the nature of critical points in leakage regimes of a conductor-backed coplanar strip line; *T-MTT Jan 97* 87-94
- Yamada, F.M., A.K. Oki, D.C. Streit, D.K. Umemoto, L.T. Tran, T.R. Block, D.T. Okazaki, M. Hoppe, and E.A. Rezek. High-reliability GaAs HBT monolithic microwave amplifier; *MWSYM 97* 141-144 vol.1
- Yamada, F.M., A.K. Oki, D.C. Streit, D.K. Umemoto, L.T. Tran, T.R. Block, D.T. Okazaki, M.M. Hoppe, and E.A. Rezek. High-reliability GaAs HBT monolithic microwave amplifier; *RFIC 97* 193-196
- Yamada, H.T., see Arai, Y., *MWSYM 97* 447-450 vol.2
- Yamada, H.T., see Arai, Y., *T-MTT Dec 97* 2261-2266
- Yamada, T., see Miyake, H., *MWSYM 97* 789-792 vol.2
- Yamada, T., K. Nishimura, T. Ishizaki, and K. Ogawa. A sophisticated design procedure for a triple mode SAW filter suppressing adjacent channel interferences in digital mobile telephones; *MWSYM 97* 833-836 vol.2
- Yamaguchi, C., see Kamogawa, K., *MWSYM 97* 1221-1224 vol.3
- Yamaguchi, C., see Toyoda, I., *RFIC 97* 113-116
- Yamaguchi, C., see Kamogawa, K., *T-MTT Dec 97* 2436-2443
- Yamaguchi, C., see Toyoda, I., *T-MTT Dec 97* 2524-2530
- Yamaguchi, K., T.B. Nishimura, N. Iwata, K. Takemura, M. Kuzuhara, and Y. Miyasaka. 3.4 V operation 1 W MMIC power amplifier with SrTiO₃ capacitors for digital cellular phones; *MWSYM 97* 1403-1406 vol.3
- Yamaguchi, K., see Nishimura, T.B., *RFIC 97* 37-40
- Yamaguchi, S., see Yoneyama, M., *MWSYM 97* 461-464 vol.2
- Yamaguchi, S., see Yoneyama, M., *T-MTT Dec 97* 2274-2282
- Yamaguchi, Y., see Okazaki, H., *MWSYM 97* 1035-1038 vol.2
- Yamaguchi, Y., see Nakagawa, T., *MWSYM 97* 1209-1212 vol.3
- Yamaguchi, Y., see Okazaki, H., *T-MTT Dec 97* 2375-2379
- Yamamoto, S., see Nishijima, M., *MWSYM 97* 1155-1158 vol.3
- Yamane, T., see Zhewang Ma, *MWSYM 97* 417-420 vol.2
- Yamane, Y., K. Onodera, T. Nittono, K. Nishimura, K. Yamasaki, and A. Kanda. A D-LDD (double lightly-doped drain) structure H-MESFET for MMIC applications; *MWSYM 97* 251-254 vol.1
- Yamane, Y., K. Onodera, T. Nittono, K. Nishimura, K. Yamasaki, and A. Kanda. A D-LDD (Double Lightly-Doped Drain) structure H-MESFET for MMIC applications; *RFIC 97* 211-214
- Yamane, Y., K. Onodera, T. Nittono, K. Nishimura, K. Yamasaki, and A. Kanda. A double lightly doped drain (D-LDD) structure H-MESFET for MMIC applications; *T-MTT Dec 97* 2229-2233
- Yamasaki, K., see Yamane, Y., *MWSYM 97* 251-254 vol.1
- Yamasaki, K., see Yamane, Y., *RFIC 97* 211-214
- Yamasaki, K., see Yamane, Y., *T-MTT Dec 97* 2229-2233
- Yamashita, E., see Zhewang Ma, *MWSYM 97* 417-420 vol.2
- Yamashita, E., see Georgieva, N., *MWSYM 97* 1361-1364 vol.3
- Yamashita, E., see Zhewang Ma, *MWSYM 97* 1631-1634 vol.3
- Yamashita, E., see Georgieva, N., *T-MTT Jun 97* 984-990
- Yamashita, S., see Sagawa, M., *T-MTT Jul 97* 1078-1085
- Yamashita, T., see Awai, I., *MWSYM 97* 781-784 vol.2
- Yamashita, Y., see Wada, K., *MWSYM 97* 717-720 vol.2
- Yamauchi, D., see Hwang, Y., *MWSYM 97* 1179-1182 vol.3
- Yamauchi, K., K. Mori, M. Nakayama, Y. Mitsui, and T. Takagi. A microwave miniaturized linearizer using a parallel diode; *MWSYM 97* 1199-1202 vol.3
- Yamauchi, K., K. Mori, M. Nakayama, Y. Mitsui, and T. Takagi. A microwave miniaturized linearizer using a parallel diode with a bias feed resistance; *T-MTT Dec 97* 2431-2435
- Yang, A.T., see Corey, S.D., *T-MTT Oct 97* 1934-1940
- Yang, H.Y.D. Double vector-integral-equation method for microstrip-lines on photonic band-gap substrates; *MWSYM 97* 191-194 vol.1
- Yang, H.Y.D. Characteristics of guided and leaky waves on multilayer thin-film structures with planar material gratings; *T-MTT Mar 97* 428-435
- Yang, J.Y., see Ho, M.C., *MWSYM 97* 391-394 vol.2
- Yang Shiwen, see Shiwen Yang, *T-MTT Apr 97* 552-554
- Yansheng Xu, and R.G. Bosio. A novel structure of tightly coupled lines for MMIC/MMIC couplers and phase shifters; *T-MTT Sep 97* 1594-1599
- Yanyu Wei, see Wenxiang Wang, *T-MTT Oct 97* 1689-1695
- Yao, H.-W., see Levy, R., *T-MTT Dec 97* 2094-2099
- Yao, H.-W., see Wang, C., *T-MTT Dec 97* 2479-2485
- Yao Hui-Wen, see Chi Wang, *MWSYM 97* 797-800 vol.2
- Yao Hui-Wen, see Hui-Wen Yao, *MWSYM 97* 1099-1102 vol.2
- Yap, D., R.H. Walden, Y.-M. Xie, Y.K. Brown, J. Vivilechia, and A.C. Yee. Analog RF-optoelectronic integrated circuit receivers; *RFIC 97* 59-62
- Yarborough, R., see Hin-Fai Chau, *MWSYM 97* 259-262 vol.1
- Yarborough, R., see Hin-Fai Chau, *RFIC 97* 219-223
- Yates, S.E., see Vaillancourt, W.G., *MWSYM 97* 1451-1454 vol.3
- Yau-Wu Liu, see Prouty, M.D., *T-MTT Jun 97* 877-885
- Yazawa, N., see Nakakita, H., *MWSYM 97* 1143-1146 vol.3
- Yee, A.C., see Yap, D., *RFIC 97* 59-62
- Yegnanarayanan, S., see Coppinger, F., *T-MTT Aug 97* 1473-1477
- Yen, H.C., see Ingram, D.L., *MWSYM 97* 1183-1186 vol.3
- Yen, H.C., see Wang, H., *RFIC 97* 79-81
- Yeng Bruce, see Spears, E., *RFIC 97* 153-156
- Yeo, T.S., see Leong, M.S., *T-MTT May 97* 705
- Yeo, T.S., see Ooi, B.L., *T-MTT Oct 97* 1800-1805
- Yeom Kyung-Whan, see Moon-Que Lee, *MWSYM 97* 1495-1498 vol.3
- Yeo Tat-Soon, see Le-Wei Li, *T-MTT Mar 97* 321-329
- Yepishin, V.A., see Manasson, V.A., *T-MTT Aug 97* 1497-1500
- Ye Shen, see Shen Ye, *MWSYM 97* 299-302 vol.1
- Ye Shen, see Shen Ye, *T-MTT May 97* 780-786
- Yeung, B., see Jun Ma, *MWSYM 97* 123-127 vol.1
- Yeung, B., see Spears, E., *MWSYM 97* 1-4 vol.1
- Yeung, B., see Jun Ma, *RFIC 97* 175-179
- Yhland, K., see Hyden, L., *MWSYM 97* 727-730 vol.2
- Yildirim, B.S., and E.B. El-Sharawy. Finite-difference time-domain analysis of a dual resonance and shielded cellular antenna; *MWSYM 97* 1751-1754 vol.3
- Yildirim, B.S., El. Badawy, and El. Sharawy. Finite-Difference Time-Domain analysis of microwave ferrite devices; *MWSYM 97* 1113-1116 vol.2
- Yinchao Chen, P. Harms, R. Mittra, and W.T. Beyene. An FDTD-Touchstone hybrid technique for equivalent circuit modeling of SOP electronic packages; *T-MTT Oct 97* 1911-1918
- Yingjie Gao, and I. Wolff. Measurements of field distributions and scattering parameters in multiconductor structures using an electric field probe; *MWSYM 97* 1741-1744 vol.3
- Yokokawa, S., see Aoki, S., *MWSYM 97* 731-734 vol.2
- Yokoyama, H., see Umeda, Y., *MWSYM 97* 457-460 vol.2
- Yokoyama, T., see Nishijima, M., *MWSYM 97* 1155-1158 vol.3
- Yoneyama, M., see Murata, K., *MWSYM 97* 465-468 vol.2
- Yoneyama, M., A. Sano, K. Hagimoto, T. Otsuji, K. Murata, Y. Imai, S. Yamaguchi, T. Enoki, and E. Sano. A 40-Gbit/s optical repeater circuits using InAlAs/InGaAs HEMT digital IC chip set; *MWSYM 97* 461-464 vol.2
- Yoneyama, M., A. Sano, K. Hagimoto, T. Otsuji, K. Murata, Y. Imai, T. Enoki, E. Sano, and S. Yamaguchi. Optical repeater circuit design based on InAlAs/InGaAs HEMT digital IC technology; *T-MTT Dec 97* 2274-2282
- Yong-Ho Cho, see Hee-Yong Hwang, *MWSYM 97* 805-808 vol.2
- Yong-Ho Cho, Song-Cheol Hong, and Young-Se Kwon. A novel active inductor and its application to inductance-controlled oscillator; *T-MTT Aug 97* 1208-1213
- Yong-Hoon Yun, see Xiangdong Zhang, *MWSYM 97* 1213-1216 vol.3
- Yongjun Li, see Moussessian, A., *MWSYM 97* 683-686 vol.2
- Yongxu Wen, see Wen Junding, *T-MTT May 97* 698-700
- Yongxi Qian, see Radisic, V., *MWSYM 97* 687-690 vol.2
- Yongxi Qian, see Shibata, T., *MWSYM 97* 75-78 vol.1

- Yongxi Qian**, and T. Itoh. Characterization and minimization of mutual coupling between NLC-FED slot antennas; *MWSYM* 97 1623-1626 vol.3
- Yongzhing Xiong**, see Wen Junding, *T-MTT May* 97 698-700
- Yon-Lin Kok**, M. DuFault, Tian-Wei Huang, and Huei Wang. A calibration procedure for W-band on-wafer testing; *MWSYM* 97 1663-1666 vol.3
- Yoo Ki-Suk**, see Sang-Gee Kang, *MWSYM* 97 1519-1522 vol.3
- Yook Jong-Gwan**, see Jong-Gwan Yook, *T-MTT Oct* 97 1847-1856
- Yoon Young Joong**, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
- Yoo Tae-Whan**, see Tae-Whan Yoo, *MWSYM* 97 1713-1716 vol.3
- York, R.A.**, see Heng-Chia Chang, *MWSYM* 97 1061-1064 vol.2
- York, R.A.**, see Alexanian, A., *MWSYM* 97 1139-1142 vol.3
- York, R.A.**, see Heng-Chia Chang, *T-MTT May* 97 604-615
- York, R.A.**, see Heng-Chia Chang, *T-MTT Aug* 97 1232-1239
- York, R.A.**, see Chang, H.-C., *T-MTT Nov* 97 2035-2042
- Yoshida, N.**, see Kunii, T., *MWSYM* 97 1187-1190 vol.3
- Yoshida, N.**, see Miyashita, M., *T-MTT Jul* 97 1058-1064
- Young, F.J.**, see Kent, G., *T-MTT Feb* 97 311-313
- Young Joong Yoon**, see Cheol Mun, *MWSYM* 97 1069-1072 vol.2
- Young-Kai Chen**, see Jenshan Lin, *RFIC* 97 121-125
- Young-Se Kwon**, see Kye-Ik Jeon, *MWSYM* 97 817-820 vol.2
- Young-Se Kwon**, see Yong-Ho Cho, *T-MTT Aug* 97 1208-1213
- Youngsik Kim**, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255
- Youngsuk Suh**, see Tae Moon Roh, *T-MTT Aug* 97 1252-1255
- Youngwoo Kwon**, see Moon-Que Lee, *MWSYM* 97 1495-1498 vol.3
- Yu, C.-C.**, and K. Chang. Transmission-line analysis of a capacitively coupled microstrip-ring resonator; *T-MTT Nov* 97 2018-2024
- Yu-De Lin**, and Jyh-Wen Sheen. Mode distinction and radiation-efficiency analysis of planar leaky-wave line source; *T-MTT Oct* 97 1672-1680
- Yu Guofen**, see Wenxiang Wang, *T-MTT Oct* 97 1689-1695
- Yu Hyun Kyu**, see Cheon Soo Kim, *MWSYM* 97 945-948 vol.2
- Yu Hyun Kyu**, see Min Park, *MWSYM* 97 129-132 vol.1
- Yu Hyun Kyu**, see Min Park, *RFIC* 97 181-184
- Yujin Chung**, see Jin-Ho Shin, *MWSYM* 97 133-136 vol.1
- Yujin Chung**, see Jin-Ho Shin, *RFIC* 97 185-188
- Yukawa, H.**, see Oh-Hashi, H., *MWSYM* 97 409-412 vol.2
- Yung, E.K.N.**, see Hui, H.T., *T-MTT Apr* 97 561
- Yung-Jinn Chen**, and Ruey-Beei Wu. A wide band multiport planar power divider design by radially combining matched sectorial components; *MWSYM* 97 397-400 vol.2
- Yun Sang-Won**, see Hee-Yong Hwang, *MWSYM* 97 805-808 vol.2
- Yun Yong-Hoon**, see Xiangdong Zhang, *MWSYM* 97 1213-1216 vol.3

Z

- Zaabab, A.H.**, Qi-Jun Zhang, and M.S. Nakhla. Device and circuit-level modeling using neural networks with faster training based on network sparsity; *T-MTT Oct* 97 1696-1704
- Zaghloul, M.E.**, see Milanovic, V., *T-MTT May* 97 630-635
- Zaki, K.**, see Bailey, A., *MWSYM* 97 999-1002 vol.2
- Zaki, K.A.**, see Chi Wang, *MWSYM* 97 797-800 vol.2
- Zaki, K.A.**, see Chi Wang, *MWSYM* 97 1103-1107 vol.2
- Zaki, K.A.**, see Xiaoying Zhang, *MWSYM* 97 1725-1728 vol.3
- Zaki, K.A.**, see Chi Wang, *MWSYM* 97 1079-1082 vol.2
- Zaki, K.A.**, see Hui-Wen Yao, *MWSYM* 97 1099-1102 vol.2
- Zaki, K.A.**, see Chi Wang, *T-MTT Aug* 97 1240-1246
- Zaki, K.A.**, see Levy, R., *T-MTT Dec* 97 2094-2099
- Zaki, K.A.**, see Wang, C., *T-MTT Dec* 97 2387-2392
- Zaki, K.A.**, see Wang, C., *T-MTT Dec* 97 2479-2485
- Zakowicz, W.**, see Bledowski, A., *T-MTT Sep* 97 1637-1640
- Zehentner, J.**, J. Machac, and M. Migliziozi. Upper cut-off frequency of the bound wave and new leaky wave on the slotline; *MWSYM* 97 487-490 vol.2
- Zell, G.**, see Hwang, Y., *MWSYM* 97 1179-1182 vol.3
- Zhang, Q.**, see Wang, F., *T-MTT Dec* 97 2333-2343
- Zhang, Q.J.**, see Fang Wang, *MWSYM* 97 627-630 vol.2
- Zhang, W.J.**, see Wang, B.F., *T-MTT Jan* 97 126-129
- Zhang, Y.H.**, see Chuang, J., *MWSYM* 97 265-268 vol.1
- Zhang Lin**, see Molony, A., *T-MTT Aug* 97 1527-1530
- Zhang Min**, see Min Zhang, *T-MTT May* 97 861-864
- Zhang Qi-Jun**, see Veluswami, A., *T-MTT May* 97 712-723
- Zhang Qi-Jun**, see Zaabab, A.H., *T-MTT Oct* 97 1696-1704
- Zhang Sen Lin**, see Sen Lin Zhang, *T-MTT Aug* 97 1403-1409
- Zhang Xiangdong**, see Xiangdong Zhang, *MWSYM* 97 845-848 vol.2
- Zhang Xiangdong**, see Xiangdong Zhang, *MWSYM* 97 1213-1216 vol.3
- Zhang Xiangdong**, see Xue-Song Zhou, *T-MTT Feb* 97 196-204
- Zhang Xiaoying**, see Xiaoying Zhang, *MWSYM* 97 1725-1728 vol.3
- Zhao An Ping**, see An Ping Zhao, *MWSYM* 97 83-87 vol.1
- Zhao Jin**, see Jin Zhao, *T-MTT Jan* 97 23-31
- Zhaoyang Wang**, see Jackson, R.W., *MWSYM* 97 1377-1380 vol.3
- Zharov, M.M.**, see Gourary, M.M., *MWSYM* 97 1507-1510 vol.3
- Zheng-Fan Li**, see Jin Zhao, *T-MTT Jan* 97 23-31

- Zhenhai Zhu**, Hao Ji, and Wei Hong. An efficient algorithm for the parameter extraction of 3-D interconnect structures in the VLSI circuits: domain-decomposition method; *T-MTT Aug* 97 1179-1184
- Zhewang Ma**, T. Yamane, and E. Yamashita. Analysis and design of H-plane waveguide bends with compact size, wide-band and low return loss characteristics; *MWSYM* 97 417-420 vol.2
- Zhewang Ma**, and E. Yamashita. FDTD investigation of higher order mode leakage from three dimensional microstrip line structures; *MWSYM* 97 1631-1634 vol.3
- Zhian Lin**, see Naishadham, K., *MWSYM* 97 1543-1546 vol.3
- Zhikun Xie**, see Jinjin Shen, *MWSYM* 97 1481-1484 vol.3
- Zhizhang Chen**, see Jian Xu, *MWSYM* 97 329-332 vol.1
- Zhizhang Chen**, see Jian-Guo Ma, *MWSYM* 97 1381-1384 vol.3
- Zhizhang Chen**, see Jian-Guo Ma, *T-MTT Jun* 97 924-930
- Zhizhang Chen**, see Jian-Guo Ma, *T-MTT Jul* 97 1113-1117
- Zhizhang Chen**, see Jian Xu, *T-MTT Aug* 97 1263-1267
- Zhou, L.**, and L.H. Davis. FEM analysis of nonreciprocity of a coplanar waveguide with a transversely magnetised ferrite layer; *MWSYM* 97 1109-1112 vol.2
- Zhou Xue-Song**, see Xue-Song Zhou, *T-MTT Feb* 97 196-204
- Zhu, L.**, and K. Wu. Characterization of unbounded multiport microstrip passive circuits using an explicit network-based method of moments; *T-MTT Dec* 97 2114-2124
- Zhu, N.H.**, W. Qiu, E.Y.B. Pun, and P.S. Chung. Quasi-static analysis of shielded microstrip transmission lines with thick electrodes; *T-MTT Feb* 97 288-291
- Zhu Lei**, see Lei Zhu, *MWSYM* 97 289-292 vol.1
- Zhu Zhenhai**, see Zhenhai Zhu, *T-MTT Aug* 97 1179-1184
- Zifei Ou**, see Tongqing Wang, *MWSYM* 97 777-780 vol.2
- Zimmerman, R.K., Jr.** Resonant disk turnstile; *T-MTT Sep* 97 1600-1610
- Zimmerman, R.K., Jr.** Corrections to "Resonant disk turnstile" [Sep 97 1600-1610]; *T-MTT Nov* 97 2063
- Zirath, H.**, see Angelov, I., *MWSYM* 97 853-856 vol.2
- Zolotarev, M.**, see Tantawi, S.G., *T-MTT Aug* 97 1486-1492
- Zolper, J.C.**, see Hietala, V.M., *MWSYM* 97 355-358 vol.1
- Zou, M.**, see Birkeland, J., *RFIC* 97 29-32
- Zoughi, R.**, see Huber, C., *T-MTT Apr* 97 477-484
- Zoughi, R.**, see Huber, C., *T-MTT Nov* 97 2049-2057
- Zunfu Jiang**, P.S. Excell, and Z.M. Hejazi. Calculation of distributed capacitances of spiral resonators; *T-MTT Jan* 97 139-142

SUBJECT INDEX

A

- Absorbing media**; cf. Electromagnetic propagation in absorbing media; Electromagnetic scattering by absorbing media
- Accelerators**; cf. Colliding beam devices; Linear accelerators
- Acoustic delay lines**; cf. Surface acoustic wave delay lines
- Acoustic device fabrication**; cf. Surface acoustic wave device fabrication
- Acoustic devices**; cf. Bulk acoustic wave devices; Surface acoustic wave devices
- Acoustic filters**; cf. Surface acoustic wave filters
- Acoustic resonator filters**; cf. Surface acoustic wave resonator filters
- Acoustic transducers**; cf. Surface acoustic wave transducers
- Active antennas**
 automobile, act. SIMMWIC antenna. *Singer, M.*, + , *MWSYM* 97 1265-1268 vol.3
 circ. sector microstrip antenna, class F power amp. *Radisic, V.*, + , *MWSYM* 97 687-690 vol.2
 GaAs MMIC LNA-antennas, 30 GHz. *Roy, L.*, *MWSYM* 97 967-970 vol.2
 GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM* 97 1065-1068 vol.2
 MM-wave act. antenna, broadband heterodyne meas. *Rasshofer, R.H.*, + , *MWSYM* 97 1459-1462 vol.3
 SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108
 W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM* 97 971-974 vol.2
- Active arrays**
 3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2
 anal. and optim. of grid oscillators. *Shiroma, W.A.*, + , *T-MTT Dec* 97 2380-2386
 automatic beam steered act. antenna receiver, design. *Gupta, S.*, + , *MWSYM* 97 599-602 vol.2
 HEMT monopole-probe-based quasi-opt. amp. array. *Kolias, N.J.*, *T-MTT Aug* 97 1204-1207

- integrated act. antenna, duplex operation. *Cryan, M.J.*, + , *T-MTT Oct 97* 1742-1748
- MMIC analog vector modulator, crossbar beamforming network. *Grajal, J.*, + , *T-MTT Oct 97* 1705-1714
- oscillator arrays in mm-wave commun. systs. *Kytkotis, C.*, + , *MWSYM 97* 591-594 vol.2
- phased array antennas coupled, slotlines. *Cheol Mun*, + , *MWSYM 97* 1069-1072 vol.2
- phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM 97* 587-590 vol.2
- phased array systs., integral microwave circulators, MCM appls. *Krishnamurthy, V.*, + , *MWSYM 97* 1829-1832 vol.3
- transmit-receive spatial power combining amp. array. *Ortiz, S.*, + , *MWSYM 97* 679-682 vol.2
- T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM 97* 583-586 vol.2
- X-band bi-directional quasi-opt. lens amp. array. *Hollung, S.*, + , *MWSYM 97* 675-678 vol.2
- Active circuits**
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, + , *MWSYM 97* 1043-1046 vol.2
- low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko*, + , *MWSYM 97* 929-932 vol.2
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May 97* 819-826
- two-port network with parallel and series feedback, noise params. *Boglione, L.*, + , *T-MTT Feb 97* 301-304
- Active circuits; cf.** Active filters; Gytrators; Immittance converters; Negative resistance circuits
- Active filters**
- microstrip bandpass filter, Q-enhancement tech., coupled neg. resistors. *Romano, A.*, + , *MWSYM 97* 709-712 vol.2
- microwave act. filter ccts., Marquardt-More optim. *Kerherve, E.*, + , *MWSYM 97* 1611-1614 vol.3
- microwave act. filters, AFC. *Serhan, H.*, + , *MWSYM 97* 697-700 vol.2
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, + , *MWSYM 97* 701-704 vol.2
- MMIC tunable act. recursive filters having variable and uniform gain. *Jin-Su Ko*, + , *RFIC 97* 51-54
- recursive MMIC filters, low-noise design. *Danestig, M.*, + , *MWSYM 97* 705-708 vol.2
- UHF monolithic act. notch tunable filter based on gyrator principle. *Giannini, F.*, + , *MWSYM 97* 809-812 vol.2
- Adaptive arrays**
- AGC integrat. for receiver front end. *Dawson, J.L.*, + , *MWSYM 97* 1747-1750 vol.3
- polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM 97* 595-598 vol.2
- Adaptive control**
- lin. transmitters, digital mapping predistorters. *Qiming Ren*, + , *MWSYM 97* 1691-1694 vol.3
- nulling loop control for 1.7-GHz feedforward lin. systs. *Eid, E.E.*, + , *T-MTT Jan 97* 83-86
- Adaptive estimation**
- dielec.-loaded parallel-plate waveguide, time/space-adaptive gridding, MRTD. *Tentzeris, E.M.*, + , *MWSYM 97* 337-340 vol.1
- Adaptive filters; cf.** Tracking filters
- Admittance matrix**
- cascaded uniform waveguides, banded lin. systs., inversion tech. *Boria, V.E.*, + , *MWSYM 97* 1567-1570 vol.3
- dual mode filters in circ. waveguide incl. tuning elements, CAD. *Boria, V.*, + , *MWSYM 97* 1575-1578 vol.3
- multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM 97* 1777-1780 vol.3
- planar transm. line, waveguide three-port transit. *Storer, B.*, + , *MWSYM 97* 203-206 vol.1
- symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep 97* 1537-1544
- transm.-line analysis of capacitively coupled microstrip-ring resonator. *Yu, C.-C.*, + , *T-MTT Nov 97* 2018-2024
- Agriculture**
- wheat grain, moisture sens., microstrip ring resonator. *Joshi, K.K.*, + , *MWSYM 97* 1679-1682 vol.3
- Aircraft antennas**
- cylindrical slot antennas, microstrip-fed, GPS avionics. *Ho, C.H.*, + , *MWSYM 97* 1755-1758 vol.3
- Aircraft electronics**
- cylindrical slot antennas, microstrip-fed, GPS avionics. *Ho, C.H.*, + , *MWSYM 97* 1755-1758 vol.3
- Air gaps**
- transm.-line analysis of capacitively coupled microstrip-ring resonator. *Yu, C.-C.*, + , *T-MTT Nov 97* 2018-2024
- transm. lines, OEICs/MMICs, glass substrs. *Chuang, J.*, + , *MWSYM 97* 265-268 vol.1
- Algebra; cf.** Group theory; Polynomials; Vectors
- Algorithms**
- Yee algm., non-std. finite differences. *Cole, J.B.*, *T-MTT Jun 97* 991-996
- Algorithms; cf.** Genetic algorithms
- Alloys; cf.** Germanium alloys; Silicon alloys
- Aluminum compounds**
- 28-V low thermal-impedance HBT with 20-W CW output power. *Hill, D.*, + , *T-MTT Dec 97* 2224-2228
- AlGaAs/GaAs 60W L-band power heterostr. FETs, SSPA appls. *Morikawa, J.*, + , *MWSYM 97* 1413-1416 vol.3
- AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, + , *RFIC 97* 55-58
- AlGaAs/GaAs HBT, low thermal impedance, CW output power. *Hill, D.*, + , *MWSYM 97* 137-140 vol.1
- AlGaAs/GaAs HBTs, K-band, 1 W, emitter air-bridge technol. *Hin-Fai Chau*, + , *RFIC 97* 219-223
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan 97* 58-71
- AlGaAs/GaAs HBTs, noise modeling. *Daniel, T.*, *MWSYM 97* 1469-1472 vol.3
- AlGaAs/GaAs K-band 1 W HBTs, emitter air-bridge technol. *Hin-Fai Chau*, + , *MWSYM 97* 259-262 vol.1
- AlGaAs/GaAs low thermal impedance HBT, microwave power devices. *Hill, D.*, + , *RFIC 97* 189-192
- AlGaAs/GaAs power HBT, large-sig. charact., self-heating. *Samelis, A.*, + , *T-MTT Apr 97* 534-542
- AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM 97* 1307-1310 vol.3
- AlGaAs/GaAs self-aligned HBT, LF noise. *Jin-Ho Shin*, + , *MWSYM 97* 133-136 vol.1
- AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC 97* 185-188
- AlGaAs/GaAs thermally-shunted HBTs, max. power dens., power-added efficiency. *Jenkins, T.*, + , *MWSYM 97* 949-952 vol.2
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, + , *MWSYM 97* 1281-1284 vol.3
- AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, + , *RFIC 97* 169-173
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, + , *MWSYM 97* 17-20 vol.1
- AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM 97* 1175-1178 vol.3
- AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, + , *T-MTT Jul 97* 1058-1064
- AllnAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, + , *MWSYM 97* 1057-1060 vol.2
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC 97* 193-196
- GaAs/Al_{0.7}Ga_{0.3}As heterostr. barrier varactor tripler. *Jones, J.R.*, + , *T-MTT Apr 97* 512-518
- GaInP/AlGaAs power HBT, non-quasi-static model. *Fraysse, J.P.*, + , *MWSYM 97* 379-382 vol.2
- HBT HF modeling and integrated param. extraction. *Cai, Q.*, + , *T-MTT Dec 97* 2493-2502
- InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM 97* 461-464 vol.2
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM 97* 457-460 vol.2
- InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun 97* 977-983
- InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM 97* 1183-1186 vol.3
- InGaAs/InAlAs HFET, full wave BIE anal. *Schroeder, W.*, + , *MWSYM 97* 159-162 vol.1
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC 97* 59-62
- InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul 97* 1135-1137
- InGaP/AlGaAs/InGaAs HJFET, X-Ku band power appls. *Okamoto, Y.*, + , *MWSYM 97* 1191-1194 vol.3
- intermodulation mechanism and linearization of AlGaAs/GaAs HBTs. *Lee, J.*, + , *T-MTT Dec 97* 2065-2072
- Nb/AlO_x/Nb SIS submillimeter wavelength detector, low noise. *Karpov, A.*, + , *MWSYM 97* 919-920 vol.2
- polyimide/alumina-ceramic multilayer, MM-wave RF front-end board. *Nakatsugawa, M.*, + , *MWSYM 97* 509-512 vol.2
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM 97* 539-542 vol.2
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, + , *RFIC 97* 37-40

Aluminum compounds; cf. Sapphire**Aluminum integrated circuit conductors**

Si MMIC, trench Al CPW. *Bu, Z.R.*, + , *MWSYM* 97 735-738 vol.2

Amorphous materials; cf. Glass**Amplifier distortion**

eval. of MESFET nonlin. intermodulation distortion reduction by

channel-doping control. *Pedro, J.C.*, *T-MTT Nov* 97 1989-1997

feedforward amps., distortion cancellation sensitivity, loop imbalances.

Hau, Y.K.G., + , *MWSYM* 97 1695-1698 vol.3

feedforward power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM* 97 1519-1522 vol.3

GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, + , *MWSYM* 97 817-820 vol.2

global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec* 97 2208-2216

HBT power amps., IMD, tone spacing effect. *McIntosh, P.M.*, + , *MWSYM* 97 371-374 vol.2

microwave miniaturized linearizer using parallel diode with bias feed resist. *Yamauchi, K.*, + , *T-MTT Dec* 97 2431-2435

microwave transistors, power amps., IMD meas. *Barataud, D.*, + , *MWSYM* 97 1687-1690 vol.3

power amp., dyn. AM/AM and AM/PM meas. *Moulthrop, A.A.*, + , *MWSYM* 97 1455-1458 vol.3

transfer charact. of IM₃ relative phase for GaAs FET amp. *Suematsu, N.*, + , *T-MTT Dec* 97 2509-2514

Amplifier noise

60-GHz-band monolithic HJFET LNA incorporating diode-regulated self-bias cct. *Maruhashi, K.*, + , *T-MTT Dec* 97 2256-2260

AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, + , *RFIC* 97 169-173

AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, + , *MWSYM* 97 17-20 vol.1

GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, + , *MWSYM* 97 443-446 vol.2

HTSC diplexer and LNA RF module. *Hey-Shipton, G.L.*, + , *MWSYM* 97 295-298 vol.1

InP MM-wave HEMT amps., cryogenic cooling. *Pospieszalski, M.W.*, + , *MWSYM* 97 1285-1288 vol.3

microwave feedback amps., optimum noise-source refl.-coeff. design. *Bogliione, L.*, + , *T-MTT Mar* 97 402-407

RF power amps., high speed noise power ratio meas. *Vaillancourt, W.G.*, + , *MWSYM* 97 1451-1454 vol.3

transistor neg. resist. amps., optimum noise measure. *Gardner, P.*, + , *T-MTT May* 97 580-586

Amplifiers; cf. Broadband amplifiers; Differential amplifiers; Distributed amplifiers; Feedback amplifiers; Feedforward amplifiers; Gunn device amplifiers; Microwave amplifiers; Millimeter wave amplifiers; MMIC amplifiers; Power amplifiers; Submillimeter wave amplifiers; Tunable amplifiers; UHF amplifiers

Amplitude modulation

MM-wave amplit.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun* 97 911-917

Amplitude shift keying; cf. Quadrature amplitude modulation**AM-PM conversion**

power amp., dyn. AM/AM and AM/PM meas. *Moulthrop, A.A.*, + , *MWSYM* 97 1455-1458 vol.3

Analog circuits; cf. Analog integrated circuits; Analog processing circuits**Analog-digital conversion**

chip design for monobit receiver. *Pok, D.S.K.*, + , *T-MTT Dec* 97 2283-2295

Analog integrated circuits

MMIC analog vector modulator, crossbar beamforming network. *Grajal, J.*, + , *T-MTT Oct* 97 1705-1714

Analog integrated circuits; cf. Bipolar analog integrated circuits; FET analog integrated circuits; Mixed analog-digital integrated circuits; MMIC amplifiers; MMIC oscillators

Analog processing circuits

phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM* 97 587-590 vol.2

Angle modulation; cf. Frequency modulation; Phase modulation**Anisotropic media**

microstrip embedded in inhomogen. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, + , *T-MTT May* 97 678-686

Anisotropic media; cf. Chiral media; Electromagnetic propagation in anisotropic media

Antenna accessories

fiber Bragg-grating true time-delay systs., beamforming control appl. *Molony, A.*, + , *T-MTT Aug* 97 1527-1530

Antenna accessories; cf. Radomes**Antenna array feeds**

3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2

MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug* 97 1497-1500

true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug* 97 1531-1536

ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug* 97 1522-1526

Antenna array mutual coupling

act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2

mm-wave holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, + , *MWSYM* 97 573-576 vol.2

nonleaky CPW fed slot antennas, mutual coupling, mm-wave imaging. *Yongxi Qian*, + , *MWSYM* 97 1623-1626 vol.3

Antenna arrays; cf. Dipole arrays; Endfire antennas; Loop antenna arrays; Microstrip arrays; Microwave antenna arrays; Millimeter wave antenna arrays; Monopole arrays; Slot arrays; Waveguide arrays

Antenna feeds

circ. corrugated feeds, adjoint network method, automated design. *Mongiardo, M.*, + , *T-MTT May* 97 787-793

cylindrical slot antennas, microstrip-fed, GPS avionics. *Ho, C.H.*, + , *MWSYM* 97 1755-1758 vol.3

shape driven edge finite element models, broad freq. band microwave structs. *Thevenon, F.*, + , *MWSYM* 97 1615-1618 vol.3

Antenna feeds; cf. Antenna array feeds**Antenna measurements**

MM-wave act. antenna, broadband heterodyne meas. *Rasshofer, R.H.*, + , *MWSYM* 97 1459-1462 vol.3

mm-wave tapered slot antenna, improved radiation pattern. *Sugawara, S.*, + , *MWSYM* 97 959-962 vol.2

Antenna radiation patterns

2D planar ccts., proximity-coupled/direct-fed, leaky-modes leakage. *Kuo-Cheng Chen*, + , *MWSYM* 97 495-498 vol.2

3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2

act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2

automatic beam steered act. antenna receiver, design. *Gupta, S.*, + , *MWSYM* 97 599-602 vol.2

dual-reson. shielded cellular antenna, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1751-1754 vol.3

FDTD anal., TLM algm. *Jian Xu*, + , *MWSYM* 97 329-332 vol.1

GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM* 97 561-564 vol.2

mm-wave tapered slot antenna, improved radiation pattern. *Sugawara, S.*, + , *MWSYM* 97 959-962 vol.2

W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM* 97 971-974 vol.2

Antennas; cf. Active antennas; Aircraft antennas; Aperture antennas; Conformal antennas; Cylindrical antennas; Dipole antennas; Loaded antennas; Microstrip antennas; Microwave antennas; Millimeter wave antennas; Mobile antennas; Multibeam antennas; Parasitic antennas; Radar antennas; Receiving antennas; Signal processing antennas; Spiral antennas; Submillimeter wave antennas; Traveling wave antennas; UHF antennas

Antenna theory

concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, + , *MWSYM* 97 111-114 vol.1

cylindrical-triangular microstrip struct., reson. *Kin-Lu Wong*, + , *T-MTT Aug* 97 1270-1272

dual-reson. shielded cellular antenna, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1751-1754 vol.3

FDTD anal., TLM algm. *Jian Xu*, + , *MWSYM* 97 329-332 vol.1

H-shaped planar antennas, alternating TLM field-solver. *Lindenmeier, S.*, + , *MWSYM* 97 1365-1368 vol.3

microstrip antennas, arbitrary shape, EM scatt. anal. *Uckun, S.*, + , *T-MTT Apr* 97 485-491

microstrip discontinuities, soln. by meas. eqn. of invariance. *Prouty, M.D.*, + , *T-MTT Jun* 97 877-885

nonreciprocal open waveguide, radiative effects, complex waves role. *Baccarelli, P.*, + , *MWSYM* 97 491-494 vol.2

PCS handset antennas, mobile environ. *Douglas, M.G.*, + , *MWSYM* 97 1759-1762 vol.3

periodic strip grating struct., spectral gap for leaky waves. *Majumder, S.*, + , *MWSYM* 97 479-482 vol.2

PIFA antennas, wireless commun. packaging. *Virga, K.L.*, + , *T-MTT Oct* 97 1879-1888

planar leaky-wave line source, radiation efficiency. *Yu-De Lin*, + , *T-MTT Oct* 97 1672-1680

planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct* 97 1662-1671

strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, + , *T-MTT Oct* 97 1756-1766

- TW sources in presence of covering dielec. layers, anal. *Di Nallo, C.*, + , *MWSYM* 97 605-608 vol.2
- unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM* 97 617-620 vol.2
- uniaxial substr.-superstrate microstrip, Wiener-Hopf anal. *Kyriacou, G.A.*, + , *T-MTT May* 97 616-629
- Aperture antennas**
- MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug* 97 1497-1500
- Aperture antennas; cf.** Horn antennas; Slot antennas; Waveguide antennas
- Apertures**
- rect./circ. multiaperture couplers, mode-matching CAD. *Sieverding, T.*, + , *T-MTT Jul* 97 1034-1040
- rect. waveguide broadwall couplers, modal anal. *Sieverding, T.*, + , *MWSYM* 97 1559-1562 vol.3
- rect. waveguide, iris discontinuity, separation of variables. *Rozzi, T.*, + , *T-MTT Feb* 97 253-259
- Application specific integrated circuits**
- chip design for monobit receiver. *Pok, D.S.K.*, + , *T-MTT Dec* 97 2283-2295
- Mobitex PC card wireless modem. *Moghe, S.*, + , *MWSYM* 97 1391-1394 vol.3
- Approximation methods**
- dielec. waveguide anal., fast freq. sweep tech. *Polstyanko, S.V.*, + , *T-MTT Jul* 97 1118-1126
- narrowband syst. responses, Cauchy method, interpolation/extrapolation. *Adve, R.S.*, + , *T-MTT May* 97 837-845
- Approximation methods; cf.** Chebyshev approximation; Extrapolation; Interpolation; Least squares methods; Linear approximation; Perturbation methods; Polynomial approximation; Rational approximation
- Arrays**
- RFICs, ground bond wire arrays. *Patterson, H.*, *RFIC* 97 237-240
- Arrays; cf.** Active arrays; Linear arrays; Optical arrays; Phased arrays; Planar arrays
- Array signal processing**
- fiber Bragg-grating true time-delay systs., beamforming control appl. *Molony, A.*, + , *T-MTT Aug* 97 1527-1530
- fiber-optic true time steering of ultrawide-band receive array. *Frankel, M.Y.*, + , *T-MTT Aug* 97 1522-1526
- megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec* 97 2324-2332
- microwave and millimeter-wave photonics (special issue). *T-MTT Aug* 97 1277-1536
- microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug* 97 1277-1278
- MMIC analog vector modulator, crossbar beamforming network. *Grajal, J.*, + , *T-MTT Oct* 97 1705-1714
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug* 97 1513-1518
- phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM* 97 587-590 vol.2
- switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug* 97 1519-1521
- true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug* 97 1531-1536
- true time-steered array fiber-opt. controlled receiver, spiral elements. *Matthews, P.J.*, + , *MWSYM* 97 347-350 vol.1
- vector modul. based tunable freq. photonic beamformer for phased-array antennas. *Riza, N.A.*, *T-MTT Aug* 97 1508-1512
- Artificial intelligence; cf.** Learning systems
- Assembly; cf.** Microassembly
- Astronomy; cf.** Radio astronomy
- Asynchronous transfer mode**
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, + , *MWSYM* 97 1395-1398 vol.3
- Atomic clocks**
- Cs beam freq. stds., hist. of develop. *Lee, W.D.*, + , *MWSYM* 97 1161-1163 vol.3
- Atomic force microscopy**
- elec. pulse, scanning force optoelectronic microscopy. *Takeuchi, K.*, + , *MWSYM* 97 1643-1646 vol.3
- Attenuation measurement**
- waveguide below-cutoff atten. std. *Russell, D.H.*, *MWSYM* 97 1165-1169 vol.3
- Attenuators**
- waveguide below-cutoff atten. standard. *Russell, D.H.*, *T-MTT Dec* 97 2408-2413
- Attenuators; cf.** Microwave attenuators; Millimeter wave attenuators; UHF attenuators; Waveguide attenuators
- Automated highways**
- IVHS, headway control, MM-wave dual mode radar. *Konno, K.*, + , *MWSYM* 97 1261-1264 vol.3
- Automatic test equipment**
- helical slow-wave structs., dispersion and interact. impedance characts. meas. *Rao, S.J.*, + , *T-MTT Sep* 97 1585-1593
- Automatic testing**
- helical slow-wave structs., dispersion and interact. impedance characts. meas. *Rao, S.J.*, + , *T-MTT Sep* 97 1585-1593
- Automation; cf.** Automatic testing; Design automation
- Autoregressive moving average processes**
- microwave reson. structs., ARMA modeling of FDTD time seqs., high-Q microstrip filter. *Shaw, A.K.*, + , *MWSYM* 97 341-344 vol.1
- Avalanche diodes; cf.** IMPATT diodes
- Awards**
- IEEE Microwave Theory and Techniques Society awards presented at 1997 International Microwave Symposium. *McQuiddy, D.N., Jr.*, *T-MTT Dec* 97 2175-2182

B

Baluns

- broadband HBT distrib. act. bal. Schottky mixer MMIC, 12-24 GHz. *Kobayashi, K.W.*, + , *RFIC* 97 75-78
- GaAs MMIC CPW baluns, overlaid and spiral couplers. *Gokdemir, T.*, + , *MWSYM* 97 401-404 vol.2
- GaAs S-band push-pull power MESFET, MMDS appl. *Sarkissian, G.*, + , *MWSYM* 97 1409-1412 vol.3
- MESFET MMIC distributed baluns, distributed amp. gate-line termination tech. *Baree, A.H.*, + , *T-MTT Feb* 97 188-195
- MMIC Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM* 97 933-936 vol.2
- multilayer MMIC/MCM baluns using lumped element compensation, wireless appls. *Jansen, R.H.*, + , *MWSYM* 97 277-280 vol.1
- single-bal. octave band PHEMT MMIC mixers, 50-100 GHz. *Kamozaki, K.*, + , *RFIC* 97 95-98
- wideband uniplanar phase inverters for hybrid MICs/MMICs. *Tongqing Wang*, + , *MWSYM* 97 777-780 vol.2

Bandpass filters

- act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug* 97 1463-1466
- capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Drozd, J.M.*, + , *T-MTT Jul* 97 1100-1104
- cavity resonator filters with multiple couplings, design. *Macchiarella, G.*, *T-MTT Feb* 97 179-187
- circ. dual-mode resonator and filter, rotated excitation theory. *Awai, I.*, + , *MWSYM* 97 781-784 vol.2
- combine filters, spurious perform. improvement. *Hui-Wen Yao*, + , *MWSYM* 97 1099-1102 vol.2
- conductor loaded resonator filters, wide spurious free stop band. *Chi Wang*, + , *MWSYM* 97 1079-1082 vol.2
- CPW bandpass filters, perform. comparison. *Fang-Lih Lin*, + , *MWSYM* 97 813-816 vol.2
- cross-coupled filters, evanescent mode coupling elements. *Synder, R.V.*, *MWSYM* 97 1095-1098 vol.2
- DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
- dominant TM₀₁₈ mode dielec. rod resonator based filters. *Kobayashi, K.*, + , *MWSYM* 97 793-796 vol.2
- dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang*, + , *MWSYM* 97 1103-1107 vol.2
- dual-mode filters, alternative designs. *Jachowski, D.R.*, *MWSYM* 97 1087-1090 vol.2
- ellipt. cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM* 97 1083-1086 vol.2
- E-plane bandpass filters, improved stopband perform., CAD. *Budimir, D.*, *T-MTT Feb* 97 212-220
- four pole ellipt. microwave filter, low dielec. loaded cavities. *Gendraud, S.*, + , *MWSYM* 97 1091-1094 vol.2
- gigahertz SAW devices, high perform. filters, ladder type bandpass filters. *Knauer, U.*, + , *MWSYM* 97 1821-1824 vol.3
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- lossless microwave phase shifter, ferrite-filled waveguide below cut-off. *Boyd, C.R., Jr.*, *MWSYM* 97 1121-1124 vol.2
- maximally flat quarter-wavelength-coupled trans.-line filters using Q distrib. *Drozd, J.M.*, + , *T-MTT Dec* 97 2100-2113
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938

- microstrip bandpass filter, Q-enhancement tech., coupled neg. resistors. *Romano, A.*, + , *MWSYM* 97 709-712 vol.2
- microwave act. filter ccts., Marquardt-More optim. *Kerherve, E.*, + , *MWSYM* 97 1611-1614 vol.3
- microwave band-pass filters made of both dielec. and coaxial resonators. *Hee-Yong Hwang*, + , *MWSYM* 97 805-808 vol.2
- miniature LTCC filters for digital radar receivers. *Bailey, A.*, + , *MWSYM* 97 999-1002 vol.2
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, + , *MWSYM* 97 701-704 vol.2
- MMIC tunable act. recursive filters having variable and uniform gain. *Jin-Su Ko*, + , *RFIC* 97 51-54
- MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, + , *MWSYM* 97 941-944 vol.2
- modified Chebyshev bandpass filter with atten. poles in stopband, design. *Jeong-Soo Lim*, + , *T-MTT Jun* 97 898-904
- multilayer coupled microstripline filters, design methodology. *Cho, C.*, + , *MWSYM* 97 785-788 vol.2
- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct* 97 1681-1688
- SAW filters, GHz freqs. *Penunuri, D.*, *MWSYM* 97 169-172 vol.1
- Si finite-width CPW open/short-circuited terminated series stubs. *Ponchak, G.E.*, + , *T-MTT Jun* 97 970-976
- $\lambda/4$ CPW resonator bandpass filters, tap-excitation realization. *Wada, K.*, + , *MWSYM* 97 717-720 vol.2
- tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM* 97 801-804 vol.2
- transitional combine/evanescent-mode microwave filters. *Levy, R.*, + , *T-MTT Dec* 97 2094-2099
- UHF SAW filters on diamond, structs./characts. *Higaki, K.*, + , *MWSYM* 97 829-832 vol.2
- W-band micromachined finite ground coplanar line cct. elements. *Herrick, K.J.*, + , *MWSYM* 97 269-272 vol.1
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- Bandpass filters; cf.** Tracking filters
- Bandstop filters**
- dominant TM₀₁₈ mode dielec. rod resonator based filters. *Kobayashi, K.*, + , *MWSYM* 97 793-796 vol.2
- microstrip slow-wave open-loop resonator microwave filters. *Hong, J.S.*, + , *MWSYM* 97 713-716 vol.2
- microwave filters, design, contin. varying transm. lines. *Le Roy, M.*, + , *MWSYM* 97 639-642 vol.2
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, + , *MWSYM* 97 701-704 vol.2
- Bandstop filters; cf.** Notch filters
- Barium compounds**
- Ba_{1-x}Sr_xTiO₃ planar microwave integrated phase-shifter, high purity ferroelec. *De Flaviis, F.*, + , *T-MTT Jun* 97 963-969
- tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1
- YBaCuO HTSC double-hybrid coupler. *Bechteler, T.*, + , *MWSYM* 97 311-314 vol.1
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3
- Beamforming; cf.** Array signal processing
- Beam-steering**
- megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec* 97 2324-2332
- MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug* 97 1497-1500
- phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM* 97 587-590 vol.2
- Bessel functions**
- 3D inhomog. spherical dielec., permeable syst., coupled-wave-theory anal. *Jarem, J.M.*, *T-MTT Aug* 97 1193-1203
- circ.-rect. coaxial waveguides, higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar* 97 414-419
- global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM* 97 1373-1376 vol.3
- BiCMOS analog integrated circuits**
- broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *MWSYM* 97 757-760 vol.2
- BiCMOS integrated circuits**
- Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12
- Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC* 97 121-125
- BiCMOS integrated circuits; cf.** BiCMOS analog integrated circuits
- Bifurcation**
- conductor-backed coplanar strip line, leakage regimes, crit. points. *Yakovlev, A.B.*, + , *T-MTT Jan* 97 87-94
- BIMOS integrated circuits; cf.** BiCMOS integrated circuits
- Bioelectric phenomena**
- brain tissues, RF/microwave complex dielec. meas. *Jian-Zhong Bao*, + , *T-MTT Oct* 97 1730-1741
- complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, + , *MWSYM* 97 107-110 vol.1
- human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM* 97 95-97 vol.1
- Biographies**
- Jagadis Chandra Bose, mm-wave research rel., radioastronomy. *Emerson, D.T.*, *MWSYM* 97 553-556 vol.2
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM* 97 557-560 vol.2
- Biological effects of electromagnetic radiation**
- depend. of EM energy absorption upon human-head modeling at 1800 MHz. *Meier, K.*, + , *T-MTT Nov* 97 2058-2062
- HBM, abdomen, microwave near-field radiation. *Chuang, H.-R.*, *T-MTT Jan* 97 118-125
- human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM* 97 95-97 vol.1
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- voltage-gated membrane channels, GSM/DECT exposure, EM field effects. *Apollonio, F.*, + , *MWSYM* 97 103-106 vol.1
- Biological effects of radiation; cf.** Biological effects of electromagnetic radiation
- Biological liquids**
- complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, + , *MWSYM* 97 107-110 vol.1
- Biological materials; cf.** Biological liquids; Biological tissues
- Biological organs**
- human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM* 97 95-97 vol.1
- Biological system modeling**
- HBM, abdomen, microwave near-field radiation. *Chuang, H.-R.*, *T-MTT Jan* 97 118-125
- Biological thermal factors; cf.** Hyperthermia
- Biological tissues**
- brain tissues, RF/microwave complex dielec. meas. *Jian-Zhong Bao*, + , *T-MTT Oct* 97 1730-1741
- human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM* 97 95-97 vol.1
- Biological tissues; cf.** Brain
- Biomedical applications of electromagnetic radiation**
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- Biomedical applications of electromagnetic radiation; cf.** Biomedical electromagnetic imaging
- Biomedical applications of radiation; cf.** Biomedical applications of electromagnetic radiation
- Biomedical electromagnetic imaging**
- chirp-radar type microwave computed tomography, high-speed biological imaging. *Miyakawa, M.*, + , *MWSYM* 97 115-118 vol.1
- Biomedical imaging; cf.** Biomedical electromagnetic imaging
- Biomedical measurements**
- brain tissues, RF/microwave complex dielec. meas. *Jian-Zhong Bao*, + , *T-MTT Oct* 97 1730-1741
- Biomembranes**
- voltage-gated membrane channels, GSM/DECT exposure, EM field effects. *Apollonio, F.*, + , *MWSYM* 97 103-106 vol.1
- Bipolar analog integrated circuits**
- low-power ultra-fast ICs in scaled submicron HBT IC technol. *Hafizi, M.*, + , *RFIC* 97 87-90
- quadrature generator, self-calib., freq. range. *Lovalace, D.*, + , *RFIC* 97 147-151
- Bipolar analog integrated circuits; cf.** BiCMOS analog integrated circuits
- Bipolar digital integrated circuits**
- GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, + , *MWSYM* 97 473-476 vol.2
- low-power ultra-fast ICs in scaled submicron HBT IC technol. *Hafizi, M.*, + , *RFIC* 97 87-90
- Bipolar integrated circuits**
- 3D masterslice MMIC on Si substr. *Toyoda, I.*, + , *T-MTT Dec* 97 2524-2530
- scaled submicron HBT IC technol. for ultra-fast low-power ccts. *Hafizi, M.*, + , *RFIC* 97 87-90

Bipolar integrated circuits; cf. BiCMOS integrated circuits; Bipolar analog integrated circuits; Bipolar digital integrated circuits

Bipolar transistor amplifiers; cf. Microwave bipolar transistor amplifiers

Bipolar transistor circuits
GaAs HBT UHF mixer, noise fig. prediction and meas. *Xavier, B.A.*, + , *RFIC* 97 135-138

Bipolar transistor circuits; cf. Bipolar integrated circuits

Bipolar transistor integrated circuits
HF low-power ICs in scaled submicron HBT technol. *Hafizi, M.*, *T-MTT* Dec 97 2549-2554

Bipolar transistor oscillators; cf. Microwave bipolar transistor oscillators; Millimeter wave bipolar transistor oscillators

Bipolar transistors; cf. Heterojunction bipolar transistors; Microwave bipolar transistors; Millimeter wave bipolar transistors; Power bipolar transistors; UHF bipolar transistors

Bismuth compounds
TiO₂-Bi₂TiO₁₁, scanning photothermal dielec. microscopy. *Cho, Y.*, + , *MWSYM* 97 1647-1650 vol.3

Blood
complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, + , *MWSYM* 97 107-110 vol.1

Bonding; cf. Integrated circuit bonding; Lead bonding; Semiconductor device bonding

Boundary element methods
lossy anisotropic dielec. waveguides, mixed-edge element method. *Xin-Qing Sheng*, + , *T-MTT* Jul 97 1009-1013
planar layered media, 3D FEM/BEM-hybrid approach. *Eibert, T.F.*, + , *T-MTT* Jul 97 1105-1112
planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT* Oct 97 1662-1671

Boundary integral equations
3D boundary integral method, double surface integrals. *Arcioni, P.*, + , *T-MTT* Mar 97 436-439
arbitrarily multilayered dielec. media, full-wave Green's fns. *Li, K.*, *MWSYM* 97 1571-1574 vol.3
broadband inhomogen. stripline circulators, anal. *Macchiarella, G.*, + , *T-MTT* Feb 97 294-297
circ. multiridge waveguide, modes calc. *Morini, A.*, + , *MWSYM* 97 199-202 vol.1
compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, + , *MWSYM* 97 1595-1598 vol.3
InGaAs/InAlAs HFET, full wave BIE anal. *Schroeder, W.*, + , *MWSYM* 97 159-162 vol.1
lossy transm. lines with finite metal. thickness, equiv. network represent. of boundary conditions. *Bouzidi, F.*, + , *T-MTT* Jun 97 869-876
waveguide components, hybrid mode-matching/num. EM design. *Arndt, F.*, + , *T-MTT* May 97 747-760

Boundary integral equations; cf. Boundary element methods

Boundary value problems
planar struct. anal., vector pot. FDTD method. *Georgieva, N.*, + , *MWSYM* 97 1361-1364 vol.3
S/V pot. method for Maxwell's eqns. near corners, nodal elements. *Boyse, W.E.*, + , *MWSYM* 97 1547-1550 vol.3

Braint
tissues, RF/microwave complex dielec. meas. *Jian-Zhong Bao*, + , *T-MTT* Oct 97 1730-1741

Bridge circuits
subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2

Broadband amplifiers
GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, + , *MWSYM* 97 465-468 vol.2
GaAs PHEMT MMIC power amp., EW appls. *Barnes, A.R.*, + , *MWSYM* 97 1429-1432 vol.3
HEMT MMIC chip set, mm-wave solid state power amp., 60-GHz. *Hwang, Y.*, + , *MWSYM* 97 1179-1182 vol.3
InP MM-wave HEMT amps., cryogenic cooling. *Pospieszalski, M.W.*, + , *MWSYM* 97 1285-1288 vol.3
mm-wave wideband amps., multilayer MMIC technol. *Imaoka, T.*, + , *T-MTT* Jan 97 95-101
monolithic matrix amp., design procedure. *Paoloni, C.*, + , *T-MTT* Jan 97 135-139
PHEMT MMIC power amp., octave S/C-band, high efficiency. *Komiak, J.J.*, + , *MWSYM* 97 1421-1424 vol.3
PHEMT X-band MMIC HPA, flip-chip technol., efficiency. *Cameron, P.*, + , *MWSYM* 97 889-892 vol.2
uniplanar broadband push-pull FET amps. *Hsu, P.-C.*, + , *T-MTT* Dec 97 2150-2151

Broadband communication
DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
fiber supported MM-wave radio systs., broadband local loop. *Goloubkoff, M.*, + , *MWSYM* 97 31-34 vol.1

Bulk acoustic wave devices

ZnO thin film based bulk acoustic mode ladder filters, power handling. *Seabury, C.W.*, + , *MWSYM* 97 181-184 vol.1

Business communication

wireless portable commun. trends and challenges. *Escher, J.S.*, *RFIC* 97 1-3

Butterworth filters

maximally flat quarter-wavelength-coupled transm.-line filters using Q distrib. *Drozd, J.M.*, + , *T-MTT* Dec 97 2100-2113

C

Cable TV

GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32

GaAs S-band push-pull power MESFET, MMDS appl. *Sarkissian, G.*, + , *MWSYM* 97 1409-1412 vol.3

Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC* 97 23-26

Cable TV interference

optimal control of intermodulation distortion in hybrid fiber-coaxial CATV systs. *Alley, G.D.*, + , *T-MTT* Dec 97 2183-2196

Calculus; cf.

Integration (mathematics)

Calibration

air coplanar microprobes, W-band on-wafer meas. *Pham, A.*, + , *MWSYM* 97 1659-1662 vol.3

bilateral electro-optic network for lightwave component charactn. *Elamran, B.*, + , *T-MTT* Aug 97 1493-1496

complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, + , *MWSYM* 97 107-110 vol.1

LMR 16, self-calib. procedure for leaky NWA. *Silvonen, K.*, *T-MTT* Jul 97 1041-1049

LNN, line network network, in-fixtured calib. procedure for NWA. *Heinermann, H.*, + , *T-MTT* Mar 97 408-413

microwave package models, on-wafer meas. *Chun, C.*, + , *T-MTT* Oct 97 1948-1954

noise param./S-param. meas. tech. *Schmatz, M.L.*, + , *MWSYM* 97 1443-1446 vol.3

NWA, self-calib., 15-term error-model. *Gronfeld, A.*, + , *MWSYM* 97 1655-1658 vol.3

orthogonal on-wafer DUTs, meas., SOLR calib. *Basu, S.*, + , *MWSYM* 97 1335-1338 vol.3

polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM* 97 595-598 vol.2

quadrature generator, self-calib., freq. range. *Lovalace, D.*, + , *RFIC* 97 147-151

sliding-load calib., circle-fitting procedure. *Vandersteen, G.*, + , *T-MTT* Jul 97 1027-1033

surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM* 97 995-998 vol.2

waveguide below-cutoff atten. standard. *Russell, D.H.*, *T-MTT* Dec 97 2408-2413

W-band MMIC on-wafer testing, microstrip SOLT calib. tech. *Yon-Lin Kok*, + , *MWSYM* 97 1663-1666 vol.3

Capacitance

asymmetrical coupled lines of conductor-backed coplanar type, characts. *Cheng, K.-K.M.*, *T-MTT* Mar 97 460-463

bipolar transistors, HF modeling, capacitance topol. *Ciubotaru, A.A.*, + , *MWSYM* 97 1477-1480 vol.3

circ. symmetric via, capacitance, model. *Mathis, A.W.*, + , *T-MTT* Oct 97 1875-1878

CPW discontinuities, capacit. calc. by hybrid FEM. *Chien-Wen Chiu*, + , *T-MTT* Apr 97 498-504

half-wavelength tapped-stub resonator, capacitively loaded. *Drozd, J.M.*, + , *T-MTT* Jul 97 1100-1104

HBT, small-sig. equiv. cct. *Gobert, Y.*, + , *T-MTT* Jan 97 149-153

large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT* Sep 97 1563-1571

microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT* Aug 97 1368-1374

microwave VLSI multilayered 3D interconnects, param. extraction, domain-decomp. method. *Zhenhai Zhu*, + , *T-MTT* Aug 97 1179-1184

MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, + , *T-MTT* May 97 827-836

parasitic resist. extraction errors, microwave FET model accuracy. *Cojocar, V.I.*, + , *MWSYM* 97 1599-1602 vol.3

quadrature hybrid, miniature lumped element, planar spiral transformer theory. *Hogerheiden, J.*, + , *T-MTT* Apr 97 543-545

Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM* 97 865-868 vol.2

- spiral resonators, distributed capacitance. *Zunfu Jiang*, + , *T-MTT Jan 97* 139-142
- Statz MESFET model, capacitance params. extraction. *Van den Bosch*, S., + , *T-MTT Aug 97* 1247-1249
- Capacitors**
- HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi*, K., + , *MWSYM 97* 1403-1406 vol.3
- multilayer capacitor, HF perform. study. *Kent*, G., + , *T-MTT Feb 97* 311-313
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir*, T., + , *MWSYM 97* 761-764 vol.2
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura*, T.B., + , *RFIC 97* 37-40
- Capacitors; cf.** Varactors
- Carbon; cf.** Diamond
- Carbon compounds; cf.** Organic compounds
- Cascade circuits**
- GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima*, M., + , *MWSYM 97* 1311-1314 vol.3
- MM-wave MMIC synthesizer soln., injection-locked oscillator chain. *Kamogawa*, K., + , *T-MTT Sep 97* 1578-1584
- Cascade systems**
- uniform waveguides, banded lin. systs., inversion tech. *Boria*, V.E., + , *MWSYM 97* 1567-1570 vol.3
- Causality**
- coupled interconnections, cct. modeling, causality. *Sercu*, S., + , *T-MTT Oct 97* 1977-1981
- Cavity perturbation methods**
- permitt. meas., cavity perturb. method. *Takahashi*, T., + , *MWSYM 97* 1683-1686 vol.3
- Cavity resonator filters**
- bandpass cavity filters with multiple couplings, design. *Macchiarella*, G., *T-MTT Feb 97* 179-187
- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM 97* 797-800 vol.2
- correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" (Nov 95 2614-2620). *Levy*, R., *T-MTT May 97* 704-705
- dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang*, + , *MWSYM 97* 1103-1107 vol.2
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug 97* 1240-1246
- dual-mode rect. waveguide filters, distributed coupling. *Savi*, P., + , *T-MTT Feb 97* 221-228
- ellipt. cavity resonators for dual-mode narrowband filters. *Accatino*, L., + , *MWSYM 97* 1083-1086 vol.2
- four pole ellipt. microwave filter, low dielec. loaded cavities. *Gendraud*, S., + , *MWSYM 97* 1091-1094 vol.2
- HTS dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, + , *MWSYM 97* 1725-1728 vol.3
- Cavity resonators**
- correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" (Jul 96 1161-1164). *Leong*, M.S., + , *T-MTT May 97* 705
- directional couplers, cavity-type, simple struct. *Kawai*, T., + , *MWSYM 97* 413-416 vol.2
- elliptical cavity resonators for dual-mode narrow-band filters. *Accatino*, L., + , *T-MTT Dec 97* 2393-2401
- MM-wave multielement open resonator. *Shapiro*, M.A., + , *T-MTT Jun 97* 1000-1002
- uniaxially anisotropic DR cavity, field distrib. for, hybrid modes. *Jenn-Ming Guan*, + , *T-MTT Oct 97* 1767-1777
- Cavity resonators; cf.** Coaxial resonators
- Ceramics**
- Ba_{1-x}Sr_xTiO₃ planar microwave integrated phase-shifter, high purity ferroelec. *De Flaviis*, F., + , *T-MTT Jun 97* 963-969
- line-loss and size-reduction techs. for millimeter-wave RF front-end boards by using polyimide/alumina-ceramic multilayer config. *Nakatsugawa*, M., + , *T-MTT Dec 97* 2308-2315
- low-temp. co-fired ceramic stripline ferrite phase shifter, model. *Stitzer*, S.N., *MWSYM 97* 1117-1120 vol.2
- miniature LTCC filters for digital radar receivers. *Bailey*, A., + , *MWSYM 97* 999-1002 vol.2
- polyimide/alumina-ceramic multilayer, MM-wave RF front-end board. *Nakatsugawa*, M., + , *MWSYM 97* 509-512 vol.2
- TiO₂-Bi₂Ti₄O₁₁, scanning photothermal dielec. microscopy. *Cho*, Y., + , *MWSYM 97* 1647-1650 vol.3
- UHF miniaturized monolithic dual band filter for portable telephones. *Miyake*, H., + , *MWSYM 97* 789-792 vol.2
- Chaos**
- injection-locked microwave MESFET oscillators, nonlin. time-domain anal. *Dixon*, J., + , *T-MTT Jul 97* 1050-1057
- Charge carrier lifetime**
- AlGaAs/GaAs self-aligned HBT, LF noise. *Jin-Ho Shin*, + , *MWSYM 97* 133-136 vol.1
- AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC 97* 185-188
- Charge carrier processes**
- microwave HBT, electrothermal simul., TLM method, quasi 2D model. *Jinjin Shen*, + , *MWSYM 97* 1481-1484 vol.3
- Charge carrier processes; cf.** Charge carrier lifetime
- Chebyshev approximation**
- interconnect simul., SPICE, transm. line model. *Celik*, M., + , *T-MTT Oct 97* 1857-1867
- Chebyshev filters**
- microwave filters, design based on distrib. param. model. *Tascone*, R., + , *MWSYM 97* 643-646 vol.2
- modified Chebyshev bandpass filter with atten. poles in stopband, design. *Jeong-Soo Lim*, + , *T-MTT Jun 97* 898-904
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt*, A., + , *T-MTT Apr 97* 492-497
- Chiral media**
- corrections to "The eigenfunction expansion of dyadic Green's functions for chirowaveguides" (Sep 96 1575-1583). *Hui*, H.T., + , *T-MTT Apr 97* 561
- Chirowaveguides**
- multilayered chiral waveguides, propag. charact. *Plaza*, G., + , *T-MTT Apr 97* 519-526
- open planar chirowaveguides, discontinuities, rigorous mode-matching. *Xinzhang Wu*, + , *T-MTT May 97* 640-647
- Chirp modulation**
- fiber-wireless systs. with external modulators, chromatic-dispersion reduction. *Smith*, G.H., + , *T-MTT Aug 97* 1410-1415
- Chirp radar**
- chirp-radar type microwave computed tomography, high-speed biological imaging. *Miyakawa*, M., + , *MWSYM 97* 115-118 vol.1
- Circuit analysis**
- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai*, Y., + , *T-MTT Dec 97* 2261-2266
- coupled localized/distributed elements anal., EM software. *Baillargeat*, D., + , *MWSYM 97* 1021-1024 vol.2
- coupled oscillator arrays, phase noise props. *Heng-Chia Chang*, + , *MWSYM 97* 1061-1064 vol.2
- HF cct. generalized stabil. anal. tool, stabil. envelope. *Narhi*, T., + , *MWSYM 97* 623-626 vol.2
- historical review of six-port meas. tech. *Engen*, G.F., *T-MTT Dec 97* 2414-2417
- MM-wave amps., phys. simul., full-wave FDTD tech. *Imtiaz*, S.M.S., + , *MWSYM 97* 79-82 vol.1
- NWA, self-calib., 15-term error-model. *Gronefeld*, A., + , *MWSYM 97* 1655-1658 vol.3
- photonic crysts., finite element-generalized network anal. *Coccioli*, R., + , *MWSYM 97* 195-198 vol.1
- SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong*, C.-Y. E., + , *T-MTT Jul 97* 1086-1092
- Circuit analysis; cf.** Circuit transient analysis
- Circuit modeling**
- generalized inverter, model. *Jun Chen*, + , *T-MTT Jan 97* 132-135
- MCM, MMIC coupling, cct.-based model for CAD. *Jackson*, R.W., + , *MWSYM 97* 1377-1380 vol.3
- nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu*, S., + , *MWSYM 97* 1781-1784 vol.3
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey*, S.D., + , *T-MTT Oct 97* 1934-1940
- packages, large pin count, HF cct. modeling. *Sercu*, S., + , *T-MTT Oct 97* 1897-1904
- Circuit modeling; cf.** Integrated circuit modeling
- Circuit noise**
- two-port network with parallel and series feedback, noise params. *Boglione*, L., + , *T-MTT Feb 97* 301-304
- Circuit noise; cf.** Amplifier noise; Integrated circuit noise; Interference suppression; Mixer noise; Oscillator noise
- Circuit optimization**
- arbitrary nonuniform transm. lines for impedance matching ccts. *Hamade*, A.H., + , *MWSYM 97* 1619-1622 vol.3
- automated circuit design using electromagnetic simulators (special issue). *T-MTT May 97* 709-866
- automated circuit design using electromagnetic simulators, special issue intro. *Bandler*, J.W., *T-MTT May 97* 709-711
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, + , *MWSYM 97* 945-948 vol.2
- design and optim. of CPW ccts. using EM-ANN models for CPW components. *Watson*, P.M., + , *T-MTT Dec 97* 2515-2523

- device/cct.-level modeling, neural network training. *Zaabab, A.H.*, + , *T-MTT Oct 97 1696-1704*
- E-plane bandpass filters, improved stopband perform., CAD. *Budimir, D.*, *T-MTT Feb 97 212-220*
- finite lateral ground plane width CPW, ohmic losses. *Ghione, G.*, + , *T-MTT Sep 97 1640-1642*
- grid oscillators, feedback optim. *Shiroma, W.A.*, + , *MWSYM 97 1053-1056 vol.2*
- interdigital filters, design optim., space mapping and decomp. *Bandler, J.W.*, + , *T-MTT May 97 761-769*
- knowledge based neural models for microwave design. *Wang ,F.*, + , *T-MTT Dec 97 2333-2343*
- microwave act. filter ccts., Marquardt-More optim. *Kerherve, E.*, + , *MWSYM 97 1611-1614 vol.3*
- microwave and MM wave ccts., design and optim., EM simulators. *Jain, N.*, + , *T-MTT May 97 724-746*
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan 97 46-51*
- microwave waveguide filters, EM-based CAD optim. procedure. *Alos, J.T.*, + , *T-MTT May 97 856-858*
- MIMIC and antenna layout, synthesis procedure. *Thieme, M.O.*, + , *MWSYM 97 1009-1012 vol.2*
- MMIC quasi-circulator, noise and power optim. *Gasmi, A.*, + , *T-MTT Sep 97 1572-1577*
- nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM 97 1781-1784 vol.3*
- Si CMOS technol., high Q microwave inductors. *Min Park*, + , *MWSYM 97 129-132 vol.1*
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, + , *T-MTT May 97 712-723*
- Circuit optimization; cf.** Circuit tuning
- Circuit reliability; cf.** Integrated circuit reliability
- Circuits; cf.** Active circuits; Bipolar transistor circuits; Bridge circuits; Coupling circuits; Distributed parameter circuits; Driver circuits; Equivalent circuits; Feedback circuits; Linear circuits; Lossless circuits; Lossy circuits; Microwave circuits; Millimeter wave circuits; Multiport circuits; Nonlinear circuits; Passive circuits; Printed circuits; Pulse circuits; Resistive circuits; TV receiver circuits; UHF circuits
- Circuit simulation**
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan 97 58-71*
- automated circuit design using electromagnetic simulators (special issue). *T-MTT May 97 709-866*
- automated circuit design using electromagnetic simulators, special issue intro. *Bandler, J.W.*, *T-MTT May 97 709-711*
- circ. waveguide bends, CAD-oriented modeling, extended local modes approach. *Weisshaar, A.*, + , *MWSYM 97 1591-1594 vol.3*
- device/cct.-level modeling, neural network training. *Zaabab, A.H.*, + , *T-MTT Oct 97 1696-1704*
- feedforward amps., distortion cancellation sensitivity, loop imbalances. *Hau, Y.K.G.*, + , *MWSYM 97 1695-1698 vol.3*
- global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec 97 2208-2216*
- HEMT, large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT Sep 97 1630-1633*
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC 97 109-112*
- high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook*, + , *T-MTT Oct 97 1847-1856*
- high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, + , *T-MTT Oct 97 1941-1947*
- HTS microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, + , *T-MTT May 97 780-786*
- knowledge based neural models for microwave design. *Wang ,F.*, + , *T-MTT Dec 97 2333-2343*
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM 97 155-158 vol.1*
- lin. systs., iter. soln., harmonic bal. anal. *Gourary, M.M.*, + , *MWSYM 97 1507-1510 vol.3*
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May 97 846-855*
- microwave and MM wave ccts., design and optim., EM simulators. *Jain, N.*, + , *T-MTT May 97 724-746*
- microwave cct. simul., conformal polygonal mesh, PML ABC. *Naishadham, K.*, + , *MWSYM 97 1543-1546 vol.3*
- microwave cct. simul., parallel computation. *Rhodes, D.L.*, + , *T-MTT May 97 587-592*
- microwave ccts., lumped elements, global time domain EM simulator. *Guillouard, K.*, + , *MWSYM 97 1239-1242 vol.3*
- microwave diode mixer, nonlin. anal., extended FDTD algm. *Min Chen*, + , *MWSYM 97 67-70 vol.1*
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan 97 46-51*
- microwave IC packages/interconnects, FDTD 3D simul., lossy coupling. *Falconer, M.*, + , *MWSYM 97 1733-1736 vol.3*
- microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM 97 1699-1702 vol.3*
- mixed EM/cct. simul., model-reduction techs. *Achar, R.*, + , *MWSYM 97 1017-1020 vol.2*
- MMIC design, mm-wave range, EM interfacing, FDTD anal. *El-Ghazaly, S.M.*, + , *MWSYM 97 151-154 vol.1*
- nonlin. EM field simul., time-domain integral eqn. techs. *Pinello, W.*, + , *MWSYM 97 63-66 vol.1*
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct 97 1934-1940*
- pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, + , *MWSYM 97 631-634 vol.2*
- planar ccts., EM anal. *Albasha, L.*, + , *MWSYM 97 321-324 vol.1*
- SiC mm-wave avalanche transit time oscillator at high temp., power generation. *Meng, C.C.*, + , *MWSYM 97 963-966 vol.2*
- Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM 97 391-394 vol.2*
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen*, + , *T-MTT Oct 97 1911-1918*
- spatial power combining systs., CAE environ. *Nusseibeh, F.*, + , *MWSYM 97 1073-1077 vol.2*
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, + , *T-MTT May 97 712-723*
- Circuit stability**
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, + , *MWSYM 97 17-20 vol.1*
- GaAs MESFET MMIC LNA, cascode feedback, noise/input power matching tech. *Beom Kyu Ko*, + , *T-MTT Sep 97 1627-1629*
- HF cct. generalized stabil. anal. tool, stabil. envelope. *Narhi, T.*, + , *MWSYM 97 623-626 vol.2*
- pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, + , *MWSYM 97 631-634 vol.2*
- S-band power amp., miniaturized lin., parallel diode. *Yamauchi, K.*, + , *MWSYM 97 1199-1202 vol.3*
- Circuit stability; cf.** Oscillator stability
- Circuit synthesis**
- automated circuit design using electromagnetic simulators (special issue). *T-MTT May 97 709-866*
- automated circuit design using electromagnetic simulators, special issue intro. *Bandler, J.W.*, *T-MTT May 97 709-711*
- dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT Feb 97 221-228*
- generalized inverter, model. *Jun Chen*, + , *T-MTT Jan 97 132-135*
- harmonic loading oscillator design, harmonic two sig. method. *Moon-Que Lee*, + , *MWSYM 97 1495-1498 vol.3*
- monolithic matrix amp., design procedure. *Paoloni, C.*, + , *T-MTT Jan 97 135-139*
- Circuit testing; cf.** Integrated circuit testing
- Circuit topology**
- HBT, large sig. model, hybrid pi and Tee cct. topologies. *Teeter, D.A.*, + , *MWSYM 97 375-378 vol.2*
- planar microwave ccts., diakoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM 97 1803-1806 vol.3*
- Circuit transient analysis**
- microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM 97 1699-1702 vol.3*
- microwave nonlin. ccts., electrothermal transients and DSP. *Rizzoli, V.*, + , *MWSYM 97 367-370 vol.2*
- pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, + , *MWSYM 97 631-634 vol.2*
- Circuit tuning**
- dielec. resonators in MICs, reson. freqs. and Q-factor calc. *Jenn-Ming Guan*, + , *T-MTT Mar 97 439-442*
- electronically tunable microwave impedance transformer. *Sinsky, J.H.*, + , *MWSYM 97 647-650 vol.2*
- SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC 97 105-108*
- Si L-band RF, baseband monolithic microwave receiver, on-chip tuning. *Geis, L.A.*, + , *MWSYM 97 1151-1154 vol.3*
- submillimeter wavelength planar Schottky diode waveguide mixers, fixed tuned cct. *Hesler, J.L.*, + , *MWSYM 97 953-956 vol.2*
- Circular arrays**
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97 1501-1507*
- Circular waveguides**
- act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug 97 1486-1492*

- asymmetric rect. iris in circ. waveguide, scatt. props. *Lenadan, T.*, + , *MWSYM* 97 207-210 vol.1
- bends, CAD-oriented modeling, extended local modes approach. *Weisshaar, A.*, + , *MWSYM* 97 1591-1594 vol.3
- bilayered material, microwave meas., coaxial discontinuity. *Belhadj-Tahar, N.*, + , *T-MTT Feb* 97 260-267
- coaxial waveguides, circ.-rect., higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar* 97 414-419
- compact waveguide twists, rect./circ. waveguide sects. *Alonso-Juaristi, P.I.*, + , *T-MTT May* 97 636-639
- corrections to "Resonant disk turnstile" (Sep 97 1600-1610). *Zimmerman, R.K., Jr.*, *T-MTT Nov* 97 2063
- corrections to "The eigenfunction expansion of dyadic Green's functions for chirowaveguides" (Sep 96 1575-1583). *Hui, H.T.*, + , *T-MTT Apr* 97 561
- correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" (Nov 95 2614-2620). *Levy, R.*, *T-MTT May* 97 704-705
- corrugated and dielec. loaded circ. waveguides, charact. eqn. roots. *Costa da Silva, L.*, *T-MTT Feb* 97 298-301
- corrugated feeds, adjoint network method, automated design. *Mongiardo, M.*, + , *T-MTT May* 97 787-793
- cross waveguide to large circ. waveguide jn., anal. and filter design appl. *Ke-Li Wu*, + , *T-MTT Jan* 97 153-157
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug* 97 1240-1246
- dual mode filters and polarizers, conically shaped coupling elements. *Balaji, U.*, + , *MWSYM* 97 1247-1250 vol.3
- dual mode filters in circ. waveguide incl. tuning elements, CAD. *Boria, V.*, + , *MWSYM* 97 1575-1578 vol.3
- ellipt.-waveguide jn., two-port scatt. *Kin-Lung Chan*, + , *T-MTT Aug* 97 1255-1262
- four-port network, dual-polarized scatt. matrix. *Tomiyasu, K.*, *T-MTT Mar* 97 354-358
- full wave network rect./circ./ellipt. waveguide jns. *Gimeno, B.*, + , *T-MTT Mar* 97 376-384
- high-power mm-wave TM_{01} -TE₁₁ mode converters, optim. *Shiwen Yang*, + , *T-MTT Apr* 97 552-554
- multiridge waveguide, modes calc. *Morini, A.*, + , *MWSYM* 97 199-202 vol.1
- reson. disk turnstile, theory and L-band prototype. *Zimmerman, R.K., Jr.*, *T-MTT Sep* 97 1600-1610
- Circulators; cf.** Ferrite circulators; Microwave circulators
- Clocks**
- 40 Gbit/s opt. fiber transm. systs., narrow band photoreceiver, clock recovery. *Miras, A.*, + , *MWSYM* 97 1709-1712 vol.3
- CEDAR, clock extraction and data regeneration hybrid IC, 10 Gb/s, PLL. *Tae-Whan Yoo*, + , *MWSYM* 97 1713-1716 vol.3
- CMOS analog integrated circuits**
- Si CMOS technol., high Q microwave inductors. *Min Park*, + , *MWSYM* 97 129-132 vol.1
- CMOS analog integrated circuits; cf.** BiCMOS analog integrated circuits; CMOSFET amplifiers
- CMOSFET amplifiers**
- distributed amp., packaging inductance. *Sullivan, P.J.*, + , *T-MTT Oct* 97 1969-1976
- CMOSFET circuits; cf.** CMOS integrated circuits
- CMOS integrated circuits**
- micromachined microwave transm. lines, CPW. *Milanovic, V.*, + , *T-MTT May* 97 630-635
- RF IC design appls., layout and bias optim. *Cheon Soo Kim*, + , *MWSYM* 97 945-948 vol.2
- Si CMOS technol. compatible high-Q microwave inductors. *Min Park*, + , *RFIC* 97 181-184
- CMOS integrated circuits; cf.** BiCMOS integrated circuits; CMOS analog integrated circuits
- Coatings**
- modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov* 97 2049-2057
- Coaxial components**
- correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" (Jul 96 1161-1164). *Leong, M.S.*, + , *T-MTT May* 97 705
- multiconductor struct., field distrib. and scatt. param. meas. *Yingjie Gao*, + , *MWSYM* 97 1741-1744 vol.3
- pass. coaxial components, design, EM 2D solver. *Miazga, P.*, + , *T-MTT May* 97 858-861
- thin-sample meas and error anal. of high-temp. coaxial dielec. probes. *Bringinghurst, S.*, + , *T-MTT Dec* 97 2073-2083
- transitional combine/evanescent-mode microwave filters. *Levy, R.*, + , *T-MTT Dec* 97 2094-2099
- Coaxial components; cf.** Coaxial resonators; Coaxial transmission lines
- Coaxial resonators**
- microwave band-pass filters made of both dielec. and coaxial resonators. *Hee-Yong Hwang*, + , *MWSYM* 97 805-808 vol.2
- Coaxial transmission lines**
- circumferential slots, radiation props. *Jean-Fu Kiang*, *T-MTT Jan* 97 102-107
- Ku-band power combining network, rect. coaxial line technol. *Oh-Hashi, H.*, + , *MWSYM* 97 409-412 vol.2
- optimal control of intermodulation distortion in hybrid fiber-coaxial CATV systs. *Alley, G.D.*, + , *T-MTT Dec* 97 2183-2196
- suspen. strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct* 97 1778-1784
- Coaxial transmission lines; cf.** Coaxial waveguides
- Coaxial waveguides**
- bilayered material, microwave meas., coaxial discontinuity. *Belhadj-Tahar, N.*, + , *T-MTT Feb* 97 260-267
- broadband waveguide-based spatial combiners, tapered slotlines in rect. waveguides. *Alexanian, A.*, + , *MWSYM* 97 1139-1142 vol.3
- circ.-rect. coaxial waveguides, higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar* 97 414-419
- dielec.-coated coaxial helical waveguide, lossy medium, propag. characts. *Iyama, T.*, + , *T-MTT Apr* 97 557-559
- low-loss material microwave complex permitt. determ., stable transm./refl. method. *Boughriet, A.-H.*, + , *T-MTT Jan* 97 52-57
- planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct* 97 1662-1671
- rect. double-ridged TEM coaxial line, charact. impedance. *Garb, K.*, + , *T-MTT Apr* 97 554-557
- Cochannel interference**
- feedforward power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM* 97 1519-1522 vol.3
- microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug* 97 1390-1397
- Codecs; cf.** Speech codecs
- Code division multiaccess**
- cellular phone systs., MMIC variable gain amp., high dyn. range. *Kasashima, M.*, + , *RFIC* 97 157-160
- design of SAW expander and compressor on LiTaO₃ for TCDMA spread spectrum syst. *Weigel, R.*, + , *T-MTT Dec* 97 2486-2492
- DS-CDMA, opt. transm., nonlin. effect. *Geslin, S.*, + , *MWSYM* 97 1763-1766 vol.3
- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM* 97 821-824 vol.2
- wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
- Colliding beam devices**
- LINAC, tapered multi-cell struct., GSM anal. *Dohlus, M.*, + , *MWSYM* 97 1523-1526 vol.3
- Comb filters**
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- $\lambda/4$ CPW resonator bandpass filters, tap-excitation realization. *Wada, K.*, + , *MWSYM* 97 717-720 vol.2
- spurious perform. improvement of combline filters. *Hui-Wen Yao*, + , *MWSYM* 97 1099-1102 vol.2
- Comblime filters; cf.** Distributed parameter filters
- Communication channels; cf.** Fading channels
- Communication equipment; cf.** Modems; Optical communication equipment; Radio communication equipment
- Communication equipment testing**
- wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
- Communication system control**
- adaptive nulling loop control for 1.7-GHz feedforward lin. systs. *Eid, E.E.*, + , *T-MTT Jan* 97 83-86
- Communication system nonlinearities**
- DS-CDMA, opt. transm., nonlin. effect. *Geslin, S.*, + , *MWSYM* 97 1763-1766 vol.3
- MM-wave fiber-radio systs. using Mach-Zehnder modulators, nonlin. tol. *Sen Lin Zhang*, + , *T-MTT Aug* 97 1403-1409
- Communication system performance**
- RF/opt. SCM commun. syst. optim. *Han, S.*, + , *MWSYM* 97 979-982 vol.2

- Communication systems; cf.** Broadband communication; Business communication; Data communication; Digital communication; Microwave communication; Millimeter wave communication; Mobile communication; Multiaccess communication; Multimedia communication; Optical communication
- Communication terminals; cf.** Telephone sets
- Comparators**
low-power ultra-fast ICs in scaled submicron HBT IC technol. *Hafizi, M.*, +, *RFIC* 97 87-90
- Compensation**
broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, +, *MWSYM* 97 757-760 vol.2
CDMA cellular phone systs., MMIC variable gain amp., high dyn. range. *Kasashima, M.*, +, *RFIC* 97 157-160
CEDAR, clock extraction and data regeneration hybrid IC, 10 Gb/s, PLL. *Tae-Whan Yoo*, +, *MWSYM* 97 1713-1716 vol.3
DECT integrated 2 GHz 500 mW bipolar amp., Siemens B6HF fr-technol. *Weber, S.*, +, *RFIC* 97 139-142
GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, +, *MWSYM* 97 817-820 vol.2
GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, +, *MWSYM* 97 5-8 vol.1
HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, +, *MWSYM* 97 1143-1146 vol.3
H-plane waveguide bends, low return loss, anal. and design. *Zhewang Ma*, +, *MWSYM* 97 417-420 vol.2
MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, +, *MWSYM* 97 941-944 vol.2
multilayer MMIC/MCM baluns using lumped element compensation, wireless appls. *Jansen, R.H.*, +, *MWSYM* 97 277-280 vol.1
opt. controlled microwave attenuator, ferrite phase shifter compensation. *Shimasaki, H.*, +, *MWSYM* 97 1703-1706 vol.3
UHF VCO, on-chip temp. compensation. *Sun, Y.*, +, *RFIC* 97 229-232
- Compensation; cf.** Error compensation
- Complementary circuits; cf.** CMOS integrated circuits
- Computer aided engineering**
spatial power combining systs., CAE environ. *Nusseibeh, F.*, +, *MWSYM* 97 1073-1077 vol.2
- Computer applications; cf.** Computer aided engineering; Design automation; Neural network applications
- Computer architecture; cf.** Neural network architecture
- Computer peripherals; cf.** Modems
- Conducting films**
multilayer composite glass, metallic layer, microwave material. *Wang, B.F.*, +, *T-MTT Jan* 97 126-129
- Conducting films; cf.** Superconducting films
- Conductivity**
HF interconnects on Si substs. for MMICs. *Ponchak, G.E.*, +, *RFIC* 97 101-104
microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang*, *T-MTT Feb* 97 229-235
MM-wave near-field scanning resist. microscope. *Golosovsky, M.*, +, *MWSYM* 97 1333-1334 vol.3
- Conductivity measurement**
MM-wave near-field scanning resist. microscope. *Golosovsky, M.*, +, *MWSYM* 97 1333-1334 vol.3
- Cones**
method of lines for hybrid anal. of multilayered cylindrical resonator structs. *Kremer, D.*, +, *T-MTT Dec* 97 2152-2154
- Conformal antennas**
PIFA antennas, wireless commun. packaging. *Virga, K.L.*, +, *T-MTT Oct* 97 1879-1888
- Connectors**
nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, +, *MWSYM* 97 1781-1784 vol.3
packages, large pin count, HF cct. modeling. *Sercu, S.*, +, *T-MTT Oct* 97 1897-1904
- Consumer electronics**
wireless portable commun. trends and challenges. *Escher, J.S.*, *RFIC* 97 1-3
- Consumer products; cf.** Consumer electronics
- Contact resistance**
distributed microwave HBT, transm. line model. *Liou, L.L.*, *MWSYM* 97 1473-1476 vol.3
- Control systems; cf.** Adaptive control; Communication system control; Intelligent control; Optical control; Optimal control; Road vehicle control
- Convergence of numerical methods**
H-plane waveguide bends, low return loss, anal. and design. *Zhewang Ma*, +, *MWSYM* 97 417-420 vol.2
microstrip embedded in inhomog. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, +, *T-MTT May* 97 678-686
microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, +, *T-MTT Sep* 97 1554-1562
nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, +, *T-MTT Feb* 97 236-244
waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, +, *T-MTT Sep* 97 1611-1618
- Converters; cf.** Frequency conversion; Immittance converters
- Convolution**
coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, +, *MWSYM* 97 1785-1788 vol.3
pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, +, *MWSYM* 97 631-634 vol.2
- Cooling**
hybrid technol. mm-wave ICs, perforated plate substr. *Chenakin, A.V.*, +, *MWSYM* 97 921-924 vol.2
- Coplanar transmission lines**
coplanar stripline components, HF appls. *Goverdhanam, K.*, +, *T-MTT Oct* 97 1725-1729
embedded transm. line MMIC for wireless commun. appls. *Hua-Quen Tserng*, +, *RFIC* 97 41-44
microwave interconnection, 3D low-loss wide-band struct. *Monfraix, P.*, +, *MWSYM* 97 1551-1554 vol.3
MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, +, *MWSYM* 97 1793-1796 vol.3
MSM photodiodes, vel.-matched distributed photodetector, microwave photonic links. *Lin, L.Y.*, +, *T-MTT Aug* 97 1320-1331
multilayer substs., coplanar transm. line characts., modelling and expts. *Erli Chen*, +, *T-MTT Jun* 97 939-945
PC transm. lines, spectral gap for leakage, 1 surface waves. *Tsuji, M.*, +, *MWSYM* 97 483-486 vol.2
uniplanar hybrid couplers using asymmetrical coplanar strip lines, MIC/MMIC appls. *Lu Fan*, +, *MWSYM* 97 273-276 vol.1
- Coplanar transmission lines; cf.** Coplanar waveguides
- Coplanar waveguides**
air coplanar microprobes, W-band on-wafer meas. *Pham, A.*, +, *MWSYM* 97 1659-1662 vol.3
air-gap transm. lines, OEICs and MMICs, glass substs. *Chuang, J.*, +, *MWSYM* 97 265-268 vol.1
anal. of coplanar-waveguide discontinuities with finite-metallization thickness and nonrectangular edge profile. *Lin, F.-L.*, +, *T-MTT Dec* 97 2131-2138
anisotropic substr. slotline/CPW, end effects, FDTD. *Goswami, J.C.*, +, *T-MTT Sep* 97 1653-1657
asymmetrical coupled lines, conductor-backed coplanar type, characts. *Cheng, K.-K.M.*, *T-MTT Mar* 97 460-463
bandpass filters, perform. comparison. *Fang-Lih Lin*, +, *MWSYM* 97 813-816 vol.2
broadband CPW, slotline transit. *Kuang-Ping Ma*, +, *MWSYM* 97 1627-1630 vol.3
cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, +, *MWSYM* 97 1811-1814 vol.3
CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, +, *T-MTT May* 97 630-635
conductor-backed coplanar strip line, leakage regimes, crit. points. *Yakovlev, A.B.*, +, *T-MTT Jan* 97 87-94
design and optim. of CPW ccts. using EM-ANN models for CPW components. *Watson, P.M.*, +, *T-MTT Dec* 97 2515-2523
dielec.-coated parallel planar microstructural waveguides, near-IR wave propag. characts. *Van Petegem, W.E.A.*, +, *T-MTT Mar* 97 367-375
dielec. films, dielec. const. and thickness, CPW meas. *Waldo, M.K.*, +, *MWSYM* 97 1339-1342 vol.3
discontinuities, capacit. calc. by hybrid FEM. *Chien-Wen Chiu*, +, *T-MTT Apr* 97 498-504
discontinuities, nonrectangular cross sect., hybrid FEM anal. *Fang-Lih Lin*, +, *MWSYM* 97 1527-1530 vol.3
embedded transm.-line MMIC for low-cost high-density wireless commun. appls. *Tserng, H.-Q.*, +, *T-MTT Dec* 97 2540-2548
finite ground CPW lumped elements, characts. *Ponchak, G.E.*, +, *MWSYM* 97 1003-1007 vol.2
finite lateral ground plane width CPW, ohmic losses. *Ghione, G.*, +, *T-MTT Sep* 97 1640-1642
flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, +, *MWSYM* 97 987-990 vol.2
GaAs MMIC CPW baluns, overlaid and spiral couplers. *Gokdemir, T.*, +, *MWSYM* 97 401-404 vol.2
GaAs PIN diode W-band SP3T switch CPW MMIC. *Case, M.*, +, *MWSYM* 97 1047-1051 vol.2
GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, +, *T-MTT Aug* 97 1301-1309
HF interconnects on Si substs. for MMICs. *Ponchak, G.E.*, +, *RFIC* 97 101-104

- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, + , *MWSYM* 97 1043-1046 vol.2
- Ku-band micromachined Lange-couplers and SSB mixers. *Chen-Yu Chi*, + , *T-MTT Feb* 97 291-294
- lossy CPW, equiv. network represent. of boundary conditions. *Bouzidi, F.*, + , *T-MTT Jun* 97 869-876
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938
- microstrip planes, vert. CPW transit. *Hyden, L.*, + , *MWSYM* 97 727-730 vol.2
- MIS waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, + , *T-MTT Oct* 97 1807-1810
- MMICs, 90° CPW bends, air-bridges, EM-ANN modelling, optimal chamfering. *Watson, P.M.*, + , *MWSYM* 97 1603-1606 vol.3
- mm-wave CPW ccts., wide band CAD model, FDTD tech. *Lan, E.*, + , *MWSYM* 97 1583-1586 vol.3
- MM-wave IC behavior modelling for flip-chip mounting schemes. *Jackson, R.W.*, + , *T-MTT Oct* 97 1919-1925
- modeling of conductor loss in coplanar cct. elements by method of lines. *Vietzorreck, L.*, + , *T-MTT Dec* 97 2474-2478
- multilayer substs., coplanar transm. line characts. *Erli Chen*, + , *T-MTT Jun* 97 939-945
- nonleaky CPW fed slot antennas, mutual coupling, mm-wave imaging. *Yongxi Qian*, + , *MWSYM* 97 1623-1626 vol.3
- orthogonal on-wafer DUTs, meas., SOLR calib. *Basu, S.*, + , *MWSYM* 97 1335-1338 vol.3
- parallel CPW lines, conductor backing effect on line-to-line coupling. *Cheng, K.-K.M.*, *T-MTT Jul* 97 1132-1134
- parasitic parallel-plate line mode excitation, coplanar discontinuities. *Beilenhoff, K.*, + , *MWSYM* 97 1789-1792 vol.3
- pass. component models in CPW for 50 GHz MMICs. *Shimon, R.*, + , *MWSYM* 97 769-772 vol.2
- permitt., transm. line meas. *Janezic, M.D.*, + , *MWSYM* 97 1343-1346 vol.3
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verweyen, L.*, + , *RFIC* 97 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, + , *MWSYM* 97 243-246 vol.1
- printed microwave couplers, thermal isolation. *Brown, R.A.*, + , *MWSYM* 97 983-986 vol.2
- quasi-TEM/higher order modes, unified anal. *Rieckmann, C.*, + , *MWSYM* 97 1369-1372 vol.3
- Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12
- Si finite-width CPW open/short-circuited terminated series stubs. *Ponchak, G.E.*, + , *T-MTT Jun* 97 970-976
- Si MMIC, trenched Al CPW. *Bu, Z.R.*, + , *MWSYM* 97 735-738 vol.2
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM* 97 761-764 vol.2
- slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, + , *MWSYM* 97 565-568 vol.2
- $\lambda/4$ CPW resonator bandpass filters, tap-excitation realization. *Wada, K.*, + , *MWSYM* 97 717-720 vol.2
- surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM* 97 995-998 vol.2
- symm. coupled CPWs, CAD-oriented model for HF atten. *Ghionc, G.*, + , *T-MTT Jul* 97 1065-1070
- tightly coupled lines struct. for MMIC/MHMIC couplers/phase shifters. *Yansheng Xu*, + , *T-MTT Sep* 97 1594-1599
- transversely magnetized ferrite layer, nonreciprocity, FEM anal. *Zhou, L.*, + , *MWSYM* 97 1109-1112 vol.2
- uniplanar broadband push-pull FET amps. *Hsu, P.-C.*, + , *T-MTT Dec* 97 2150-2151
- uniplanar hybrid couplers using asymmetrical coplanar striplines. *Heimer, B.*, + , *T-MTT Dec* 97 2234-2240
- W-band micromachined finite ground coplanar line cct. elements. *Herrick, K.J.*, + , *MWSYM* 97 269-272 vol.1
- W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, + , *T-MTT Jun* 97 955-962
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- Copper**
- MMIC spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, + , *T-MTT Oct* 97 1961-1968
- Cordless telephone systems**
- DECT exposure of voltage-gated membrane channels, EM field effects. *Apollonio, F.*, + , *MWSYM* 97 103-106 vol.1
- DECT integrated 2 GHz 500 mW bipolar amp., Siemens B6HF fr-technol. *Weber, S.*, + , *RFIC* 97 139-142
- DECT, open loop archit., bipolar transmitter IC. *Heinen, S.*, + , *RFIC* 97 127-130
- DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
- GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M.*, + , *MWSYM* 97 1311-1314 vol.3
- GaAs power MESFET amp., digital cordless phone syst. *Nagaoka, M.*, + , *MWSYM* 97 1323-1326 vol.3
- highly integrated RF-ICs for GSM and DECT systs., status review. *Fenk, J.*, *T-MTT Dec* 97 2531-2539
- RF ICs for GSM and DECT TDMA based digital systs. *Fenk, J.*, *RFIC* 97 69-72
- UHF miniaturized monolithic dual band filter for portable telephones. *Miyake, H.*, + , *MWSYM* 97 789-792 vol.2
- Correlation**
- determ. of wave noise sources using spectral parametric modeling. *Werling, T.*, + , *T-MTT Dec* 97 2461-2467
- microwave bias depend. HEMT noise model, applied gate/drain voltages. *Klapproth, L.*, + , *MWSYM* 97 881-884 vol.2
- wave noise sources, spectral parametric modeling. *Werling, T.*, + , *MWSYM* 97 1447-1450 vol.3
- Correlators; cf. Optical correlators**
- Corrugated waveguides**
- circ. corrugated feeds, adjoint network method, automated design. *Mongiardo, M.*, + , *T-MTT May* 97 787-793
- circ. waveguides, charact. eqn. roots determ. *Costa da Silva, L.*, *T-MTT Feb* 97 298-301
- gyrotron wave-beam shaping, multiple phase-correction mirrors. *Hirata, Y.*, + , *T-MTT Jan* 97 72-77
- MM-wave multielement open resonator. *Shapiro, M.A.*, + , *T-MTT Jun* 97 1000-1002
- nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb* 97 236-244
- Coupled mode analysis**
- 3D inhomog. spherical dielec., permeable syst., coupled-wave-theory anal. *Jarem, J.M.*, *T-MTT Aug* 97 1193-1203
- high-power mm-wave TM₀₁-TE₁₁ mode converters, optim. *Shiwen Yang*, + , *T-MTT Apr* 97 552-554
- parasitic parallel-plate line mode excitation, coplanar discontinuities. *Beilenhoff, K.*, + , *MWSYM* 97 1789-1792 vol.3
- Coupled transmission lines**
- asymmetrical coupled lines of conductor-backed coplanar type, characts. *Cheng, K.-K.M.*, *T-MTT Mar* 97 460-463
- bandpass cavity filters with multiple couplings, design. *Macchiarella, G.*, *T-MTT Feb* 97 179-187
- coupled exponential lines, refl. and transm. *Sailing He*, *T-MTT May* 97 695-698
- coupled symm. lines, impedance matrix, S-param. meas. *Winkel, T.-M.*, + , *MWSYM* 97 1769-1772 vol.3
- coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, + , *MWSYM* 97 1785-1788 vol.3
- embedded multiconductor transm. line meas. *Williams, D.F.*, *MWSYM* 97 1773-1776 vol.3
- Ku-band power combining network, rect. coaxial line technol. *Oh-Hashi, H.*, + , *MWSYM* 97 409-412 vol.2
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938
- MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM* 97 1793-1796 vol.3
- multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3
- multilayer coupled microstripline filters, design methodology. *Cho, C.*, + , *MWSYM* 97 785-788 vol.2
- multilayered/multiconductor transm. lines, hybrid-mode anal. *Alam, M.S.*, + , *T-MTT Feb* 97 205-211
- nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM* 97 1781-1784 vol.3
- parallel coupled microstrips, finite metal. thickness, characts. calc. *Jen-Tsai Kuo*, + , *T-MTT Feb* 97 274-280
- planar transm. lines, quasi-TEM/higher order modes, unified anal. *Rieckmann, C.*, + , *MWSYM* 97 1369-1372 vol.3
- quadrature hybrid, miniature lumped element, planar spiral transformer theory. *Hogerheiden, J.*, + , *T-MTT Apr* 97 543-545
- rat race coupler design, appl., bal. mixers, high LO, RF isolation. *Walker, J.L.B.*, *MWSYM* 97 747-750 vol.2
- tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM* 97 801-804 vol.2
- tightly coupled lines struct. for MMIC/MHMIC couplers/phase shifters. *Yansheng Xu*, + , *T-MTT Sep* 97 1594-1599

D

- tightly coupled microstrip lines, optimum termination networks. *Amari, S.*, +, *T-MTT Oct 97 1785-1789*
- Couplers; cf.** Directional couplers; Microstrip couplers; Millimeter wave couplers; Stripline couplers; Waveguide couplers
- Coupling circuits**
GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang*, +, *T-MTT May 97 604-615*
oscillator arrays, phase noise props. *Heng-Chia Chang*, +, *MWSYM 97 1061-1064 vol.2*
parallel-coupled oscillators, equiv. cct. influ. on stable modes. *Heng-Chia Chang*, +, *T-MTT Aug 97 1232-1239*
YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, +, *T-MTT Apr 97 492-497*
- Crack detection**
microwave crack charact. sig. anal., generalized scatt. matrix representation. *Huber, C.*, +, *T-MTT Apr 97 477-484*
- Crosstalk**
GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, +, *MWSYM 97 473-476 vol.2*
MMIC packaging, time-domain segmentation anal. *Righi, M.*, +, *T-MTT Oct 97 1905-1910*
off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, +, *T-MTT Oct 97 1934-1940*
on-chip interconnections, transm.-line effects. *Deutsch, A.*, +, *T-MTT Oct 97 1836-1846*
parallel CPW lines, conductor backing effect on line-to-line coupling. *Cheng, K.-K.M.*, *T-MTT Jul 97 1132-1134*
vias, HF multilayer packages, FDTD/MoM models. *Pillai, E.R.*, *T-MTT Oct 97 1981-1985*
- Crosstalk; cf.** Optical crosstalk
- Cryogenic electronics**
HEMT mixers, cryogenic operation. *Angelov, I.*, +, *MWSYM 97 853-856 vol.2*
InP MM-wave HEMT amps., cryogenic cooling. *Pospieszalski, M.W.*, +, *MWSYM 97 1285-1288 vol.3*
- Crystals; cf.** Diamond; Sapphire
- Current density**
microstrip antennas, arbitrary shape, EM scatt. anal. *Uckun, S.*, +, *T-MTT Apr 97 485-491*
microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzyy-Sheng Horng*, *MWSYM 97 1815-1818 vol.3*
planar layered media, 3D FEM/BEM-hybrid approach. *Eibert, T.F.*, +, *T-MTT Jul 97 1105-1112*
strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, +, *T-MTT Oct 97 1756-1766*
- CVD**
MMIC flip chips, CVD diamond substr., thermal mgt. *Sturdivant, R.*, +, *MWSYM 97 505-507 vol.2*
- CW radar**
automotive intell. cruise control, MM-wave radar sens. *Russell, M.E.*, +, *MWSYM 97 1257-1260 vol.3*
FMCW radar, dist. meas., SAW ref. path. *Nalezinski, M.*, +, *MWSYM 97 185-188 vol.1*
GaAs MMIC high power limiters for cct. protection. *Trantanella, C.*, +, *MWSYM 97 535-538 vol.2*
InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, +, *MWSYM 97 937-940 vol.2*
liq. tanks, impurity level meas., FSCW radar. *Weiss, M.*, +, *MWSYM 97 1651-1654 vol.3*
PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verwey, L.*, +, *MWSYM 97 243-246 vol.1*
- CW radar; cf.** FM radar
- Cylinders**
concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, +, *MWSYM 97 111-114 vol.1*
finite cylinders, 3D scatt. problem, point-matching MoM reduced scheme. *Papagiannakis, A.G.*, *T-MTT Sep 97 1545-1553*
infinite ellipt. dielec. cylinder coating circ. metallic or dielec. cylinder, scatt. *Savaidis, S.P.*, +, *T-MTT Oct 97 1792-1800*
method of lines for hybrid anal. of multilayered cylindrical resonator structs. *Kremer, D.*, +, *T-MTT Dec 97 2152-2154*
microwave imaging, location and shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, +, *T-MTT Apr 97 469-476*
portable phone-user interacts. via near field mapping on mannequins/volunteers. *Ahlonso, L.*, +, *MWSYM 97 1825-1828 vol.3*
shielded uniaxially anisotropic DR, reson. freqs. and field distrib. *Jenn-Ming Guan*, +, *T-MTT Oct 97 1767-1777*
- Cylindrical antennas**
cylindrical slot antennas, microstrip-fed, GPS avionics. *Ho, C.H.*, +, *MWSYM 97 1755-1758 vol.3*
cylindrical-triangular microstrip struct., reson. *Kin-Lu Wong*, +, *T-MTT Aug 97 1270-1272*
- Data acquisition**
chirp-radar type microwave computed tomography, high-speed biological imaging. *Miyakawa, M.*, +, *MWSYM 97 115-118 vol.1*
RFID, RF ident., automatic data collection. *Tuttle, J.R.*, *RFIC 97 5-8*
- Data communication**
MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, +, *MWSYM 97 1707-1708 vol.3*
QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, +, *MWSYM 97 39-42 vol.1*
- Data communication; cf.** Land mobile radio data communication
- Data conversion; cf.** Analog-digital conversion
- Data handling; cf.** Measurement system data handling
- Decoding**
GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, +, *RFIC 97 47-50*
- Deconvolution**
coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, +, *MWSYM 97 1785-1788 vol.3*
multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, +, *MWSYM 97 1777-1780 vol.3*
- Delay effects**
Hilbert-transform-derived relative group delay for microwave ccts. *Perry, P.*, +, *T-MTT Aug 97 1214-1225*
on-chip interconnections, transm.-line effects. *Deutsch, A.*, +, *T-MTT Oct 97 1836-1846*
sliding-load calib., circle-fitting procedure. *Vandersteen, G.*, +, *T-MTT Jul 97 1027-1033*
true time-steered array fiber-opt. controlled receiver, spiral elements. *Matthews, P.J.*, +, *MWSYM 97 347-350 vol.1*
- Delay estimation**
off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, +, *T-MTT Oct 97 1934-1940*
- Delay lines**
act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, +, *T-MTT Aug 97 1486-1492*
- Delay lines; cf.** Optical delay lines
- Demodulation**
direct-detect. analog opt. links, review. *Cox, C., III.*, +, *T-MTT Aug 97 1375-1383*
- Demultiplexing**
GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, +, *MWSYM 97 473-476 vol.2*
InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, +, *MWSYM 97 461-464 vol.2*
- Design automation**
3D struct., EM optim. *Bandler, J.W.*, +, *T-MTT May 97 770-779*
AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan 97 58-71*
asymmetrical coupled lines of conductor-backed coplanar type, characts. *Cheng, K.-K.M.*, *T-MTT Mar 97 460-463*
automated circuit design using electromagnetic simulators (special issue). *T-MTT May 97 709-866*
automated circuit design using electromagnetic simulators, special issue intro. *Bandler, J.W.*, *T-MTT May 97 709-711*
circ. waveguide bends, CAD-oriented modeling, extended local modes approach. *Weisshaar, A.*, +, *MWSYM 97 1591-1594 vol.3*
CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, +, *T-MTT May 97 630-635*
compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, +, *MWSYM 97 1595-1598 vol.3*
design and optim. of CPW ccts. using EM-ANN models for CPW components. *Watson, P.M.*, +, *T-MTT Dec 97 2515-2523*
design of planar cct. structs. with efficient magnetostatic-field solver. *Lindenmeier, S.*, +, *T-MTT Dec 97 2468-2473*
dual mode filters in circ. waveguide incl. tuning elements, CAD. *Boria, V.*, +, *MWSYM 97 1575-1578 vol.3*
E-plane bandpass filters, improved stopband perform., CAD. *Budimir, D.*, *T-MTT Feb 97 212-220*
feedforward amps., distortion cancellation sensitivity, loop imbalances. *Hau, Y.K.G.*, +, *MWSYM 97 1695-1698 vol.3*
finite lateral ground plane width CPW, ohmic losses. *Ghione, G.*, +, *T-MTT Sep 97 1640-1642*
GaAs MESFET, channel-current model incl. thermal effects. *Tae Moon Roh*, +, *T-MTT Aug 97 1252-1255*
HBT, electrothermal model, pulsed meas. *Peyretilade, T.*, +, *MWSYM 97 1515-1518 vol.3*
HEMTs, microwave and millimeter wave devices, phys.-based electro-thermal model. *Johnson, R.G.*, +, *MWSYM 97 1485-1488 vol.3*
HTS microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, +, *T-MTT May 97 780-786*

- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM-97* 3 vol. (liv+xxii+xx+1862)
- knowledge based neural models for microwave design. *Wang ,F., + , T-MTT Dec 97* 2333-2343
- MCM, MMIC coupling, cct.-based model for CAD. *Jackson, R.W., + , MWSYM 97* 1377-1380 vol.3
- microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F., + , MWSYM 97* 1799-1802 vol.3
- microwave act. filter ccts., Marquardt-More optim. *Kerherve, E., + , MWSYM 97* 1611-1614 vol.3
- microwave CAD, layout, schematic, pattern recogn. *Tadjiky, S., + , MWSYM 97* 1029-1033 vol.2
- microwave design, knowledge based neural models. *Fang Wang, + , MWSYM 97* 627-630 vol.2
- microwave VLSI multilayered 3D interconnects, param. extraction, domain-decomp. method. *Zhenhai Zhu, + , T-MTT Aug 97* 1179-1184
- microwave waveguide filters, EM-based CAD optim. procedure. *Alos, J.T., + , T-MTT May 97* 856-858
- MIMIC and antenna layout, synthesis procedure. *Thieme, M.O., + , MWSYM 97* 1009-1012 vol.2
- MMIC pass. elements, EM-CAD, multilayer perceptron neural network apps. *Creech, G.L., + , T-MTT May 97* 794-802
- MMICs, 90° CPW bends, air-bridges, EM-ANN modelling, optimal chamfering. *Watson, P.M., + , MWSYM 97* 1603-1606 vol.3
- MM-wave antenna layouts, synthesis procedure. *Thieme, M.O., + , MWSYM 97* 1009-1012 vol.2
- mm-wave CPW ccts., wide band CAD model, FDTD tech. *Lan, E., + , MWSYM 97* 1583-1586 vol.3
- multilayer dielec. media MICs in rect. waveguide. *Pereira Filho, O.M.C., + , MWSYM 97* 1535-1538 vol.3
- rect./circ. multiaperture couplers, mode-matching CAD. *Sieverding, T., + , T-MTT Jul 97* 1034-1040
- ridged waveguide filters, CAD, modal block-LU-decomp. *Beyer, R., + , MWSYM 97* 1235-1238 vol.3
- rigorous and efficient fab.-oriented CAD and optim. of complex waveguide networks. *Alessandri, F., + , T-MTT Dec 97* 2366-2374
- Si CMOS technol. compatible high-Q microwave inductors. *Min Park, + , RFIC 97* 181-184
- Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C., + , MWSYM 97* 391-394 vol.2
- spatial power combining systs., CAE environ. *Nusseibeh, F., + , MWSYM 97* 1073-1077 vol.2
- step recovery diode, charge model, CAD. *Opalska, K., + , MWSYM 97* 1503-1506 vol.3
- symm. coupled CPWs, CAD-oriented model for HF atten. *Ghionc, G., + , T-MTT Jul 97* 1065-1070
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A., + , T-MTT May 97* 712-723
- waveguide components, hybrid mode-matching/num. EM design. *Arndt, F., + , T-MTT May 97* 747-760
- waveguide networks, CAD and optim. *Alessandri, F., + , MWSYM 97* 1013-1016 vol.2
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A., + , T-MTT Apr 97* 492-497
- Design automation; cf.** Intelligent design assistants
- Design automation software; cf.** SPICE
- Design methodology**
- T-jn. manifold multiplexer optim., design formulas. *Morini, A., + , MWSYM 97* 1025-1028 vol.2
- Design methodology; cf.** Design automation
- Detectors**
- wheat grain, moisture sens., microstrip ring resonator. *Joshi, K.K., + , MWSYM 97* 1679-1682 vol.3
- Diamond**
- MMIC flip chips, CVD diamond substr., thermal mgt. *Sturdivant, R., + , MWSYM 97* 505-507 vol.2
- UHF SAW filters on diamond, structs./characts. *Higaki, K., + , MWSYM 97* 829-832 vol.2
- Dielectric bodies**
- infinite ellipt. dielec. cylinder coating circ. metallic or dielec. cylinder, scatt. *Savaidis, S.P., + , T-MTT Oct 97* 1792-1800
- Dielectric devices; cf.** Capacitors; Dielectric loaded waveguides; Dielectric resonator filters; Dielectric resonators; Dielectric waveguides; Ferroelectric devices
- Dielectric films**
- dielec. const. and thickness, CPW meas. *Waldo, M.K., + , MWSYM 97* 1339-1342 vol.3
- MMIC Marchand balun, polyimide inter-metal dielec., amp. apps. *Tutt, M.N., + , MWSYM 97* 933-936 vol.2
- multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D., T-MTT Mar 97* 428-435
- Dielectric hysteresis**
- microwave heating procs. in freq./temp.-depend. media, FDTD anal. *Torres, F., + , T-MTT Jan 97* 108-117
- Dielectric liquids**
- complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F., + , MWSYM 97* 107-110 vol.1
- Dielectric loaded waveguides**
- circ. waveguides, charact. eqn. roots determ. *Costa da Silva, L., T-MTT Feb 97* 298-301
- dielec. materials, complex permitt., waveguide meas. *Deshpande, M.D., + , T-MTT Mar 97* 359-366
- low-loss material microwave complex permitt. determ., stable transm./refl. method. *Boughriet, A.-H., + , T-MTT Jan 97* 52-57
- multilayer-filled waveguides, lossy heterog. filling, elec. field. *Outifa, L., + , T-MTT Aug 97* 1154-1161
- multistep dielec. discontinuity in guiding structs., anal. *Shanjia Xu, + , T-MTT Feb 97* 284-287
- parallel-plate waveguide, time/space-adaptive gridding, MRTD. *Tentzeris, E.M., + , MWSYM 97* 337-340 vol.1
- rect. waveguide, multilayered load, probe input impedance. *Le-Wei Li, + , T-MTT Mar 97* 321-329
- rect. waveguide open jn., field theory, infinite parallel-plane lines. *Iatrou, C.T., + , T-MTT Feb 97* 165-172
- strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R., + , T-MTT Oct 97* 1756-1766
- Dielectric losses**
- Ba_{1-x}Sr_xTiO₃ planar microwave integrated phase-shifter, high purity ferroelec. *De Flaviis, F., + , T-MTT Jun 97* 963-969
- ferrite thin-film Y-jn. circulator, effective-field theory. *How, H., + , MWSYM 97* 1127-1130 vol.2
- microwave heating procs. in freq./temp.-depend. media, FDTD anal. *Torres, F., + , T-MTT Jan 97* 108-117
- open-ended waveguides, refl. coeff. calc. *Shen, Z.-X., + , T-MTT Apr 97* 546-548
- Dielectric materials**
- complex permitt., waveguide meas. *Deshpande, M.D., + , T-MTT Mar 97* 359-366
- permitt. meas., whispering gallery modes. *Krupka, J., + , MWSYM 97* 1347-1350 vol.3
- Dielectric materials; cf.** Chiral media; Dielectric bodies; Dielectric films; Dielectric liquids; Plastics
- Dielectric measurements**
- brain tissues, RF/microwave complex dielec. meas. *Jian-Zhong Bao, + , T-MTT Oct 97* 1730-1741
- polymers, complex permitt., W-band free-space meas. *Friedsam, G.L., + , MWSYM 97* 1351-1354 vol.3
- resonators, transm. mode, Q-factor meas. *Leong, K., + , MWSYM 97* 1639-1642 vol.3
- thin-sample meas and error anal. of high-temp. coaxial dielec. probes. *Bringinghurst, S., + , T-MTT Dec 97* 2073-2083
- Dielectric measurements; cf.** Permittivity measurement
- Dielectric resonator filters**
- cct. simul., conformal polygonal mesh, PML ABC. *Naishadham, K., + , MWSYM 97* 1543-1546 vol.3
- dominant TM₀₁₈ mode dielec. rod resonator based filters. *Kobayashi, K., + , MWSYM 97* 793-796 vol.2
- dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang, + , MWSYM 97* 1103-1107 vol.2
- dual-mode filters, alternative designs. *Jachowski, D.R., MWSYM 97* 1087-1090 vol.2
- microwave band-pass filters made of both dielec. and coaxial resonators. *Hee-Yong Hwang, + , MWSYM 97* 805-808 vol.2
- Dielectric resonators**
- curved surface dielec. resonators, FDTD anal. *Kaneda, N., + , T-MTT Sep 97* 1645-1649
- dielec. materials, permitt. meas., whispering gallery modes. *Krupka, J., + , MWSYM 97* 1347-1350 vol.3
- method of lines for hybrid anal. of multilayered cylindrical resonator structs. *Kremer, D., + , T-MTT Dec 97* 2152-2154
- push-pull power amps., X-band operation. *Toyoda, S., MWSYM 97* 1433-1436 vol.3
- Q-factor and reson. freqs. calc. for DRs in MICs. *Jenn-Ming Guan, + , T-MTT Mar 97* 439-442
- shielded uniaxially anisotropic DR, reson. freqs. and field distrib. *Jenn-Ming Guan, + , T-MTT Oct 97* 1767-1777
- transm. mode, Q-factor meas. *Leong, K., + , MWSYM 97* 1639-1642 vol.3
- whispering gallery modes in dielec. resonator, charactn. at millimeter wavelength. *Annino, G., + , T-MTT Nov 97* 2025-2034
- Dielectric thermal factors**
- microwave heating procs. in freq./temp.-depend. media, FDTD anal. *Torres, F., + , T-MTT Jan 97* 108-117

- TiO₂-Bi₂Ti₄O₁₁, scanning photothermal dielec. microscopy. *Cho, Y.*, + , *MWSYM* 97 1647-1650 vol.3
- Dielectric waveguides**
 anisotropic dielec. waveguide anal., FDTD methods rels. *An Ping Zhao*, + , *MWSYM* 97 83-87 vol.1
 anisotropic dielec. waveguide propag. characts., opt. axis misalign. effect. *da S.S. Sobrinho, C.L.*, + , *T-MTT Oct* 97 1789-1792
 conducting-strip diffr. grating planar dielec. waveguide, mm-wave antenna. *Bledowski, A.*, + , *T-MTT Sep* 97 1637-1640
 fast freq. sweep tech. for dielec. waveguide anal. *Polstyanko, S.V.*, + , *T-MTT Jul* 97 1118-1126
 field-probing tech. for MM-wave components. *Basu, A.*, + , *MWSYM* 97 1667-1670 vol.3
 lossy anisotropic dielec. waveguides, mixed-edge element method. *Xin-Qing Sheng*, + , *T-MTT Jul* 97 1009-1013
 MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug* 97 1497-1500
 slab waveguides, nonlin. propag. *Jian-Guo Ma*, *T-MTT Feb* 97 304-306
- Dielectric waveguides; cf.** Nonradiative dielectric waveguides
- Differential amplifiers**
 AlGaAs/GaAs 60W L-band power heterostruct. FETs, SSPA appls. *Morikawa, J.*, + , *MWSYM* 97 1413-1416 vol.3
 AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, + , *RFIC* 97 55-58
 DECT integrated 2 GHz 500 mW bipolar amp., Siemens B6HF f_T-technol. *Weber, S.*, + , *RFIC* 97 139-142
 GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC* 97 193-196
 mm-wave wideband amps., multilayer MMIC technol. *Imaoka, T.*, + , *T-MTT Jan* 97 95-101
 push-pull power amps., X-band operation. *Toyoda, S.*, *MWSYM* 97 1433-1436 vol.3
- Differential equations; cf.** Partial differential equations
- Differential phase shift keying**
 MM-wave amplit.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun* 97 911-917
- Diffraction; cf.** Electromagnetic diffraction
- Digital communication**
 20 Gbit/s transmit and receive modules for opt. fiber links. *Hanke, G.*, *MWSYM* 97 233-236 vol.1
 DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
 fiber-wireless systs. with external modulators, chromatic-dispersion reduction. *Smith, G.H.*, + , *T-MTT Aug* 97 1410-1415
 GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan* 97 15-22
 Japan, wideband MM wave/opt. network appls. *Imai, N.*, + , *MWSYM* 97 27-30 vol.1
 QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM* 97 39-42 vol.1
 RFIC transceiver technol., syst. archit., mobile commun. *Kermarrec, C.*, + , *RFIC* 97 65-68
 wide-band millimeter-wave/optical-network appls. in Japan. *Imai, N.*, + , *T-MTT Dec* 97 2197-2207
- Digital communication; cf.** Digital radio
- Digital filters**
 3D subgrid tech., FDTD method. *Ritter, J.*, + , *MWSYM* 97 1563-1566 vol.3
 dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC* 97 143-146
 human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM* 97 95-97 vol.1
- Digital filters; cf.** FIR digital filters; IIR digital filters; Recursive digital filters
- Digital integrated circuits**
 high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook*, + , *T-MTT Oct* 97 1847-1856
 interconnects and packaging (special issue). *T-MTT Oct* 97 1817-1985
 interconnects and packaging, special issue intro. *Tripathi V.K.*, + , *T-MTT Oct* 97 1817-1818
 MCM packaging, digital- and mixed-sig. electronic systs. *Gilbert, B.K.*, + , *T-MTT Oct* 97 1819-1835
 MIS waveguiding struct., slow-wave-mode propag. anal. *Kucera, J.J.*, + , *T-MTT Oct* 97 1807-1810
- Digital integrated circuits; cf.** Bipolar digital integrated circuits; FET digital integrated circuits; Mixed analog-digital integrated circuits
- Digital modulation; cf.** Phase shift keying
- Digital radio**
 AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM* 97 1307-1310 vol.3
 bidirectional broadband mobile commun., fiberoptic microwave gen. *Braun, R.-P.*, + , *MWSYM* 97 225-228 vol.1
 dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC* 97 143-146
 GaAs power MESFET amp., digital cordless phone syst. *Nagaoka, M.*, + , *MWSYM* 97 1323-1326 vol.3
 high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug* 97 1416-1423
 highly integrated RF-ICs for GSM and DECT systs., status review. *Fenk, J.*, *T-MTT Dec* 97 2531-2539
 HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM* 97 1403-1406 vol.3
 MMIC power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H.*, + , *MWSYM* 97 743-746 vol.2
 MM-wave fiber-radio systs., interferometric noise. *Moura, L.*, + , *T-MTT Aug* 97 1398-1402
 mobile telephones, interf. suppression, SAW filter. *Yamada, T.*, + , *MWSYM* 97 833-836 vol.2
 RF ICs for GSM and DECT TDMA based digital systs. *Fenk, J.*, *RFIC* 97 69-72
- Digital radio; cf.** Spread spectrum communication
- Diodes; cf.** Microwave diodes; Millimeter wave diodes; Submillimeter wave diodes
- Diplexers**
 correction to "Constraints to the optimum performance and bandwidth limitations of diplexers employing three-port junctions" (Feb 96 242-248). *Morini, A.*, *T-MTT May* 97 704
 HTSC diplexer and LNA RF module. *Hey-Shipton, G.L.*, + , *MWSYM* 97 295-298 vol.1
 T-jn. manifold multiplexer optim., design formulas. *Morini, A.*, + , *MWSYM* 97 1025-1028 vol.2
- Dipole antennas**
 GaAs tunable fiber-coupled photomixers, coherent THz output power. *Vergheze, S.*, + , *T-MTT Aug* 97 1301-1309
 high conversion efficiency 5.8 GHz rectenna, design. *McSpadden, J.O.*, + , *MWSYM* 97 547-550 vol.2
- Dipole arrays**
 strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, + , *T-MTT Oct* 97 1756-1766
- Directional couplers**
 cavity-type directional couplers, simple struct. *Kawai, T.*, + , *MWSYM* 97 413-416 vol.2
 GaAs MMIC 90° quadrature hybrid coupler for ISM appls. *Avitabile, G.F.*, + , *MWSYM* 97 281-284 vol.1
 opt. illum. directional coupler, quasi-static anal. tech. *Safwat, A.M.E.*, + , *T-MTT Aug* 97 1351-1357
 symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep* 97 1537-1544
- Directional couplers; cf.** Millimeter wave directional couplers; Optical directional couplers; UHF directional couplers
- Direction of arrival estimation**
 Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug* 97 1501-1507
- Directive antennas; cf.** Horn antennas
- Discontinuities**
 absorbing-boundary conditions, PML tech. for 3D TLM simul. *Pena, N.*, + , *T-MTT Oct* 97 1749-1755
 GaAs MESFET, discontinuity effects on HF perform. *Megahed, M.A.*, + , *MWSYM* 97 609-612 vol.2
 microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep* 97 1554-1562
- Discontinuities; cf.** Transmission line discontinuities
- Discrete Fourier transforms**
 chip design for monobit receiver. *Pok, D.S.K.*, + , *T-MTT Dec* 97 2283-2295
 microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM* 97 1699-1702 vol.3
 monobit receiver able, proc. 2 simultaneous sigs. *Tsui, J.B.Y.*, + , *MWSYM* 97 469-471 vol.2
- Dispersive media; cf.** Electromagnetic propagation in dispersive media
- Distance measurement; cf.** Radar distance measurement
- Distortion**
 large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep* 97 1563-1571
 lin. transmitters, digital mapping predistorters. *Qiming Ren*, + , *MWSYM* 97 1691-1694 vol.3
- Distortion; cf.** Jitter; Noise
- Distributed amplifiers**
 CMOS distributed amp., packaging inductance. *Sullivan, P.J.*, + , *T-MTT Oct* 97 1969-1976
 GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM* 97 13-16 vol.1
 GaAs MMIC transimpedance amps., optoelectronic appls. *Dueme, Ph.*, + , *RFIC* 97 165-168

MESFET MMIC distributed baluns, distributed amp. gate-line termination tech. *Baree, A.H.*, + , *T-MTT Feb 97* 188-195

microwave FET distributed amps. exploiting growing waves. *Farina, M.*, + , *MWSYM 97* 913-918 vol.2

MMIC distributed-amp.-based transversal filter topol., opt. commun. *Borjak, A.*, + , *T-MTT Aug 97* 1453-1457

MMIC HBT distributed power amp., large sig. design approach. *Viaud, J.P.*, + , *MWSYM 97* 893-896 vol.2

opt. receiver, input noise current spectral dens. *Borjak, A.*, + , *MWSYM 97* 1579-1582 vol.3

SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul 97* 1086-1092

TW photodetector arrays, microwave appls., Ku-band. *Goldsmith, C.L.*, + , *T-MTT Aug 97* 1342-1350

Distributed amplifiers; cf. Traveling wave amplifiers

Distributed Bragg reflector lasers

mm-wave fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, + , *T-MTT Aug 97* 1431-1435

Distributed detection

MSM photodiodes, vel.-matched distributed photodetector, microwave photonic links. *Lin, L.Y.*, + , *T-MTT Aug 97* 1320-1331

Distributed feedback devices; cf. Distributed feedback lasers; Distributed feedback oscillators

Distributed feedback lasers

high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug 97* 1416-1423

MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, + , *MWSYM 97* 1707-1708 vol.3

Distributed feedback oscillators

grid oscillators, feedback optim. *Shiroma, W.A.*, + , *MWSYM 97* 1053-1056 vol.2

HTSC limiters, phase noise reduction. *Massin, F.*, + , *MWSYM 97* 307-310 vol.1

inductance-controlled FET MMIC oscillator, 1.7 GHz, act. inductor. *Yong-Ho Cho*, + , *T-MTT Aug 97* 1208-1213

Distributed parameter circuits

broadband HBT distrib. act. bal. Schottky mixer MMIC, 12-24 GHz. *Kobayashi, K.W.*, + , *RFIC 97* 75-78

coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM 97* 1021-1024 vol.2

microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep 97* 1554-1562

pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, + , *MWSYM 97* 631-634 vol.2

symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep 97* 1537-1544

Distributed parameter circuits; cf. Distributed amplifiers; Distributed parameter filters; Microstrip circuits

Distributed parameter filters

dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT Feb 97* 221-228

maximally flat quarter-wavelength-coupled transm.-line filters using Q distrib. *Drozdz, J.M.*, + , *T-MTT Dec 97* 2100-2113

microwave filters, design based on distrib. param. model. *Tascone, R.*, + , *MWSYM 97* 643-646 vol.2

transitional combine/evanescent-mode microwave filters. *Levy, R.*, + , *T-MTT Dec 97* 2094-2099

Distributed parameter filters; cf. Microstrip filters; Stripline filters

Diversity methods

microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug 97* 1390-1397

Diversity methods; cf. Land mobile radio diversity systems

Doping; cf. Integrated circuit doping; Semiconductor device doping

Doppler measurements; cf. Doppler radar

Doppler radar

GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM 97* 1065-1068 vol.2

W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM 97* 971-974 vol.2

Doppler radar; cf. Pulse Doppler radar

Dosimetry

human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM 97* 95-97 vol.1

Driver circuits

AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, + , *T-MTT Jul 97* 1058-1064

GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM 97* 13-16 vol.1

InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM 97* 1183-1186 vol.3

Duality

nonreciprocal and nonsymmetric transm. lines, duality transform. *Lindell, I.V.*, + , *T-MTT Jan 97* 129-131

Dynamic response; cf. Transient response

Dynamics; cf. Electrodynamics

E

Eigenvalues and eigenfunctions

3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug 97* 1141-1153

3D subgrid tech., FDTD method. *Ritter, J.*, + , *MWSYM 97* 1563-1566 vol.3

circ. multiridge waveguide, modes calc. *Morini, A.*, + , *MWSYM 97* 199-202 vol.1

circ.-rect. coaxial waveguides, higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar 97* 414-419

corrections to "The eigenfunction expansion of dyadic Green's functions for chirowaveguides" (Sep 96 1575-1583). *Hui, H.T.*, + , *T-MTT Apr 97* 561

EM eigenvalue problems, finite-element solns., covariant projection elements. *Saorsi, S.*, + , *T-MTT Sep 97* 1643-1644

inhomog. closed waveguide, hybrid and complex spectrum. *Rozzi, T.*, + , *T-MTT Mar 97* 345-353

microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang*, *T-MTT Feb 97* 229-235

microwave FET distributed amps. exploiting growing waves. *Farina, M.*, + , *MWSYM 97* 913-918 vol.2

microwave resonator filter anal., 3D finite-element modal freq. method. *Brauer, J.R.*, + , *T-MTT May 97* 810-818

multistep dielec. discontinuity in guiding structs., anal. *Shanjia Xu*, + , *T-MTT Feb 97* 284-287

nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb 97* 236-244

planar transm. lines, quasi-TEM/higher order modes, unified anal. *Rieckmann, C.*, + , *MWSYM 97* 1369-1372 vol.3

pole-free modal field-matching, eigenvalue problems in EM. *Amari, S.*, + , *T-MTT Sep 97* 1649-1653

ridge-trough waveguide, characts. *Guha, D.*, + , *T-MTT Mar 97* 449-453

waveguide-to-microstrip transit., systematic optimum design methods. *Hong-Bae Lee*, + , *T-MTT May 97* 803-809

Electric breakdown; cf. Semiconductor device breakdown

Electric field measurement

multiconductor struct., field distrib. and scatt. param. meas. *Yingjie Gao*, + , *MWSYM 97* 1741-1744 vol.3

Electric fields

concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, + , *MWSYM 97* 111-114 vol.1

multilayer-filled waveguides, lossy heterog. filling, elec. field. *Outifa, L.*, + , *T-MTT Aug 97* 1154-1161

Electric variables; cf. Capacitance; Conductivity; Impedance; Inductance; Permittivity; Q factor; Voltage

Electric variables control; cf. Gain control; Power control

Electric variables measurement; cf. Attenuation measurement; Conductivity measurement; Dielectric measurements; Electric field measurement; Impedance measurement; Q measurement; Transmission line measurements; Voltage measurement

Electroabsorption

high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug 97* 1416-1423

QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM 97* 39-42 vol.1

Electrodes

electrooptic modulator, phase reversal electrode design. *Kwok-Wah Hui*, + , *T-MTT Jan 97* 142-145

Electrodynamics

reciprocity theorem. *Lakhtakia, A.*, + , *T-MTT Feb 97* 313-314

Electromagnetic analysis

3D boundary integral method, double surface integrals. *Arcioni, P.*, + , *T-MTT Mar 97* 436-439

3D geometries, automated parameterization, spiral super-quadratic generatrix. *Kolundzija, B.M.*, + , *T-MTT May 97* 864-866

3D struct., EM optim. *Bandler, J.W.*, + , *T-MTT May 97* 770-779

3D-TLM corner nodes, field sing. *Tardioli, G.*, + , *MWSYM 97* 317-320 vol.1

60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *MWSYM 97* 447-450 vol.2

automated circuit design using electromagnetic simulators (special issue). *T-MTT May 97* 709-866

automated circuit design using electromagnetic simulators, special issue intro. *Bandler, J.W.*, *T-MTT May 97* 709-711

- circ. corrugated feeds, adjoint network method, automated design. *Mongiardo, M.*, + , *T-MTT May 97 787-793*
- coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM 97 1021-1024 vol.2*
- EM eigenvalue problems, finite-element solns., covariant projection elements. *Saorsi, S.*, + , *T-MTT Sep 97 1643-1644*
- high conversion efficiency 5.8 GHz rectenna, design. *McSpadden, J.O.*, + , *MWSYM 97 547-550 vol.2*
- high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook*, + , *T-MTT Oct 97 1847-1856*
- HTS microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, + , *T-MTT May 97 780-786*
- interdigital filters, design optim., space mapping and decomp. *Bandler, J.W.*, + , *T-MTT May 97 761-769*
- MCM, MMIC coupling, cct.-based model for CAD. *Jackson, R.W.*, + , *MWSYM 97 1377-1380 vol.3*
- microstrip antennas, arbitrary shape, EM scatt. anal. *Uckun, S.*, + , *T-MTT Apr 97 485-491*
- microwave and MM wave ccts., design and optim., EM simulators. *Jain, N.*, + , *T-MTT May 97 724-746*
- microwave ccts., lumped elements, global time domain EM simulator. *Guillouard, K.*, + , *MWSYM 97 1239-1242 vol.3*
- microwave heating procs. in freq./-temp.-depend. media, FDTD anal. *Torres, F.*, + , *T-MTT Jan 97 108-117*
- microwave waveguide filters, EM-based CAD optim. procedure. *Alos, J.T.*, + , *T-MTT May 97 856-858*
- MIMIC and antenna layout, synthesis procedure. *Thieme, M.O.*, + , *MWSYM 97 1009-1012 vol.2*
- mixed EM/cct. simul., model-reduction techs. *Achar, R.*, + , *MWSYM 97 1017-1020 vol.2*
- MMIC pass. elements, EM-CAD, multilayer perceptron neural network appls. *Creech, G.L.*, + , *T-MTT May 97 794-802*
- MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, + , *T-MTT May 97 827-836*
- MM-wave amps., phys. simul., full-wave FDTD tech. *Imtiaz, S.M.S.*, + , *MWSYM 97 79-82 vol.1*
- packaged electronics, noise interacts., hybrid EM model. *Pinello, W.*, + , *T-MTT Oct 97 1889-1896*
- pass. coaxial components, design, EM 2D solver. *Miazga, P.*, + , *T-MTT May 97 858-861*
- photonic crystals., finite element-generalized network anal. *Coccioli, R.*, + , *MWSYM 97 195-198 vol.1*
- planar ccts., EM anal. *Albasha, L.*, + , *MWSYM 97 321-324 vol.1*
- pole-free modal field-matching, eigenvalue problems in EM. *Amari, S.*, + , *T-MTT Sep 97 1649-1653*
- SAW RF filters, EM effects simul. *Pitschi, F.M.*, + , *MWSYM 97 825-828 vol.2*
- sq. waveguide, mode polarizers. *Gaiowski, W.R.*, + , *T-MTT Jun 97 997-1000*
- time-harmonic EM fields, analyticity. *Caorsi, S.*, + , *T-MTT Oct 97 1805-1807*
- waveguide filters, space mapping optim., EM simul. *Bandler, J.W.*, + , *MWSYM 97 635-638 vol.2*
- waveguide-microstrip transit., EM optim. driver. *Min Zhang*, + , *T-MTT May 97 861-864*
- W-band MMIC on-wafer testing, microstrip SOLT calib. tech. *Yon-Lin Kok*, + , *MWSYM 97 1663-1666 vol.3*
- Electromagnetic compatibility**
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May 97 819-826*
- Electromagnetic coupling**
- conductor loaded resonator filters with wide spurious-free stopbands. *Wang, C.*, + , *T-MTT Dec 97 2387-2392*
- correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" (Nov 95 2614-2620). *Levy, R.*, *T-MTT May 97 704-705*
- design of waveguide-to-orotron-resonator transit. with modified Bethe theory. *Faby, G.*, + , *T-MTT Nov 97 2043-2048*
- ellipt. cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM 97 1083-1086 vol.2*
- ferrite circulator jns., nonlin. intermodulation coupling. *Hoton How*, + , *T-MTT Feb 97 245-252*
- MCM, MMIC coupling, cct.-based model for CAD. *Jackson, R.W.*, + , *MWSYM 97 1377-1380 vol.3*
- MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM 97 1793-1796 vol.3*
- modeling of conductor-loaded resonators and filters in rect. enclosures. *Wang, C.*, + , *T-MTT Dec 97 2479-2485*
- parallel CPW lines, conductor backing effect on line-to-line coupling. *Cheng, K.-K.M.*, *T-MTT Jul 97 1132-1134*
- transm.-line analysis of capacitively coupled microstrip-ring resonator. *Yu, C.-C.*, + , *T-MTT Nov 97 2018-2024*
- unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM 97 617-620 vol.2*
- whispering gallery modes in dielec. resonator, charactn. at millimeter wavelength. *Annino, G.*, + , *T-MTT Nov 97 2025-2034*
- Electromagnetic diffraction**
- photonic crystals., finite element-generalized network anal. *Coccioli, R.*, + , *MWSYM 97 195-198 vol.1*
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM 97 557-560 vol.2*
- Electromagnetic fields**
- 3D-TLM corner nodes, field sing. *Tardioli, G.*, + , *MWSYM 97 317-320 vol.1*
- FDTD boundary conditions, refl. anal., Berenger's PML absorbing layers. *Prescott, D.T.*, *T-MTT Aug 97 1171-1178*
- gyrotropic media, complete soln. for microwave device symm. *Dmitriyev, V.A.*, *T-MTT Mar 97 394-401*
- layered struct., EM fields, time-domain integral eqns. *Georgieva, N.*, + , *T-MTT Jun 97 984-990*
- modified Lanczos algm. for computation of transient EM wavefields. *Remis, R.F.*, + , *T-MTT Dec 97 2139-2149*
- nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb 97 236-244*
- reciprocity theorem. *Lakhtakia, A.*, + , *T-MTT Feb 97 313-314*
- rect. waveguide open jn., field theory, infinite parallel-plane lines. *Iatrou, C.T.*, + , *T-MTT Feb 97 165-172*
- shielded uniaxially anisotropic DR, reson. freqs. and field distrib. *Jenn-Ming Guan*, + , *T-MTT Oct 97 1767-1777*
- sub-cellular tech. for FDTD method. *Kapoor, S.*, *T-MTT May 97 673-677*
- time-harmonic EM fields, analyticity. *Caorsi, S.*, + , *T-MTT Oct 97 1805-1807*
- Electromagnetic heating**
- freq./-temp.-depend. media, FDTD anal. *Torres, F.*, + , *T-MTT Jan 97 108-117*
- HBM, abdomen, microwave near-field radiation. *Chuang, H.-R.*, *T-MTT Jan 97 118-125*
- Electromagnetic interference**
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May 97 819-826*
- Electromagnetic interference; cf.** Optical fiber interference
- Electromagnetic measurements; cf.** Microwave measurements; Millimeter wave measurements; Submillimeter wave measurements; UHF measurements
- Electromagnetic propagation**
- HEMTs, microwave model, distributed effects, wave eqns. *Kasemsuwan, V.*, + , *T-MTT Mar 97 420-427*
- meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec 97 2454-2460*
- MMIC design, mm-wave range, EM interfacing, FDTD anal. *El-Ghazaly, S.M.*, + , *MWSYM 97 151-154 vol.1*
- planar struct. anal., vector pot. FDTD method. *Georgieva, N.*, + , *MWSYM 97 1361-1364 vol.3*
- Electromagnetic propagation; cf.** Electromagnetic propagation in absorbing media; Electromagnetic propagation in anisotropic media; Electromagnetic propagation in dispersive media; Electromagnetic propagation in nonhomogeneous media; Electromagnetic propagation in nonlinear media; Electromagnetic surface waves; Microwave propagation; Millimeter wave propagation; Submillimeter wave propagation
- Electromagnetic propagation in absorbing media**
- capacitive Jaumann absorber, time-domain transient anal. *Cheldavi, A.*, + , *MWSYM 97 1555-1558 vol.3*
- depend. of EM energy absorption upon human-head modeling at 1800 MHz. *Meier, K.*, + , *T-MTT Nov 97 2058-2062*
- fast spatial-domain method for suppression of excitation-induced spurious modes in SCN TLM. *Lindenmeier, S.*, + , *T-MTT Nov 97 1998-2006*
- FDTD boundary conditions, refl. anal., Berenger's PML absorbing layers. *Prescott, D.T.*, *T-MTT Aug 97 1171-1178*
- FDTD boundary conditions, refl. anal., time-space absorbing boundaries. *Prescott, D.T.*, *T-MTT Aug 97 1162-1170*
- nonlin. EM wave absorpt., nonlin. perfectly matched layer. *Jian-Guo Ma*, + , *MWSYM 97 1381-1384 vol.3*
- PML boundary conditions in TLM-based SCN FDTD grid, num. implements. *Jian Xu*, + , *T-MTT Aug 97 1263-1267*
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM 97 557-560 vol.2*
- Electromagnetic propagation in anisotropic media**
- fast spatial-domain method for suppression of excitation-induced spurious modes in SCN TLM. *Lindenmeier, S.*, + , *T-MTT Nov 97 1998-2006*
- heterog. anisotropic mag. materials, guided wave propag. *Berthou-Pichavant, K.*, + , *T-MTT May 97 687-690*
- lossy anisotropic dielec. waveguides, mixed-edge element method. *Xin-Qing Sheng*, + , *T-MTT Jul 97 1009-1013*
- lossy inhomogen. and anisotropic waveguides, FEM anal., edge elements. *Nuno, L.*, + , *T-MTT Mar 97 446-449*

- multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar 97* 428-435
- Electromagnetic propagation in anisotropic media; cf.** Optical propagation in anisotropic media
- Electromagnetic propagation in dispersive media**
anisotropic substr. slotline/CPW, end effects, FDTD. *Goswami, J.C.*, + , *T-MTT Sep 97* 1653-1657
- CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, + , *T-MTT May 97* 630-635
- conductor-backed coplanar strip line, leakage regimes, crit. points. *Yakovlev, A.B.*, + , *T-MTT Jan 97* 87-94
- fast spatial-domain method for suppression of excitation-induced spurious modes in SCN TLM. *Lindenmeier, S.*, + , *T-MTT Nov 97* 1998-2006
- FDTD boundary conditions, refl. anal., Berenger's PML absorbing layers. *Prescott, D.T.*, *T-MTT Aug 97* 1171-1178
- FDTD boundary conditions, refl. anal., time-space absorbing boundaries. *Prescott, D.T.*, *T-MTT Aug 97* 1162-1170
- helical slow-wave structs., dispersion and interact. impedance characts. meas. *Rao, S.J.*, + , *T-MTT Sep 97* 1585-1593
- line-to-ring coupling cct. model, parametric effects, microstrip ring ccts. and antennas. *Lei Zhu*, + , *MWSYM 97* 289-292 vol.1
- nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb 97* 236-244
- open microstrip lines, dispersion characts. calc. *Seong-Ook Park*, + , *T-MTT Mar 97* 458-460
- scalable general-purpose model for microwave FETs including DC/AC dispersion effects. *Cojocar, V.I.*, + , *T-MTT Dec 97* 2248-2255
- slotline, bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM 97* 487-490 vol.2
- TLM, Heaviside absorbing layer. *Gosling, I.G.*, + , *T-MTT Feb 97* 268-273
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM 97* 1491-1494 vol.3
- Electromagnetic propagation in dispersive media; cf.** Optical propagation in dispersive media
- Electromagnetic propagation in nonhomogeneous media**
dielec.-coated parallel planar microstructural waveguides, near-IR wave propag. characts. *Van Petegem, W.E.A.*, + , *T-MTT Mar 97* 367-375
- microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang*, *T-MTT Feb 97* 229-235
- multilayered media, planar microstrip elements, modeling. *Ming-Ju Tsai*, + , *T-MTT Mar 97* 330-337
- multilayered/multiconductor transm. lines, hybrid-mode anal. *Alam, M.S.*, + , *T-MTT Feb 97* 205-211
- multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar 97* 428-435
- planar layered media, 3D FEM/BEM-hybrid approach. *Eibert, T.F.*, + , *T-MTT Jul 97* 1105-1112
- Electromagnetic propagation in nonhomogeneous media; cf.** Optical propagation in nonhomogeneous media
- Electromagnetic propagation in nonlinear media**
dielec. slab waveguides, nonlin. propag. *Jian-Guo Ma*, *T-MTT Feb 97* 304-306
- multiresolution time domain for nonlin. time-domain modeling, pulse propag. *Krumpholz, M.*, + , *T-MTT Mar 97* 385-393
- nonlin. EM wave absorpt., nonlin. perfectly matched layer. *Jian-Guo Ma*, + , *MWSYM 97* 1381-1384 vol.3
- nonlin. phenom. in supercond. transm. line and microstrip resonator. *Vendik, O.G.*, + , *T-MTT Feb 97* 173-178
- Electromagnetic propagation in nonlinear media; cf.** Optical propagation in nonlinear media
- Electromagnetic radiation; cf.** Antenna radiation patterns
- Electromagnetic radiation effects; cf.** Biological effects of electromagnetic radiation; Electromagnetic heating
- Electromagnetic radiative interference; cf.** Cochannel interference; Interchannel interference; Land mobile radio interference; Radar interference
- Electromagnetic reflection**
coupled exponential lines, refl. and transm. *Sailing He*, *T-MTT May 97* 695-698
- FDTD boundary conditions, refl. anal., Berenger's PML absorbing layers. *Prescott, D.T.*, *T-MTT Aug 97* 1171-1178
- FDTD boundary conditions, refl. anal., time-space absorbing boundaries. *Prescott, D.T.*, *T-MTT Aug 97* 1162-1170
- four-port network, dual-polarized scatt. matrix. *Tomiyasu, K.*, *T-MTT Mar 97* 354-358
- modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov 97* 2049-2057
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM 97* 557-560 vol.2
- Electromagnetic reflection; cf.** Microwave reflectometry; Optical reflection
- Electromagnetic refraction**
Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM 97* 557-560 vol.2
- Electromagnetic scattering**
asymmetric rect. iris in circ. waveguide, scatt. props. *Lenadan, T.*, + , *MWSYM 97* 207-210 vol.1
- finite cylinders, 3D scatt. problem, point-matching MoM reduced scheme. *Papagiannakis, A.G.*, *T-MTT Sep 97* 1545-1553
- meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec 97* 2454-2460
- microstrip antennas, arbitrary shape, EM scatt. anal. *Uckun, S.*, + , *T-MTT Apr 97* 485-491
- planar struct. anal., vector pot. FDTD method. *Georgieva, N.*, + , *MWSYM 97* 1361-1364 vol.3
- radome membranes, transmittance and scatt. meas. *Afsar, M.N.*, + , *MWSYM 97* 1355-1358 vol.3
- Electromagnetic scattering; cf.** Electromagnetic scattering by absorbing media; Electromagnetic scattering by nonhomogeneous media; Electromagnetic scattering inverse problems
- Electromagnetic scattering by absorbing media**
absorbing-boundary conditions, PML tech. for 3D TLM simul. *Pena, N.*, + , *T-MTT Oct 97* 1749-1755
- Electromagnetic scattering by nonhomogeneous media**
3D inhomog. spherical dielec., permeable syst., coupled-wave-theory anal. *Jarem, J.M.*, *T-MTT Aug 97* 1193-1203
- ellipt.-waveguide jn., two-port scatt. *Kin-Lung Chan*, + , *T-MTT Aug 97* 1255-1262
- infinite ellipt. dielec. cylinder coating circ. metallic or dielec. cylinder, scatt. *Savaidis, S.P.*, + , *T-MTT Oct 97* 1792-1800
- Electromagnetic scattering inverse problems**
microwave imaging, location and shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, + , *T-MTT Apr 97* 469-476
- Electromagnetic shielding**
dual-reson. shielded cellular antenna, FDTD anal. *Yildirim, B.S.*, + , *MWSYM 97* 1751-1754 vol.3
- uniaxially anisotropic DR, reson. freqs. and field distribs. *Jenn-Ming Guan*, + , *T-MTT Oct 97* 1767-1777
- Electromagnetic surface waves**
multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar 97* 428-435
- PC transm. lines, spectral gap for leakage, 1 surface waves. *Tsuji, M.*, + , *MWSYM 97* 483-486 vol.2
- TE surface wave power combining, planar act. lens amp. *Perkons, A.R.*, + , *MWSYM 97* 691-694 vol.2
- Electromagnetic surface waves; cf.** Optical surface waves
- Electromagnetic tomography**
chirp-radar type microwave computed tomography, high-speed biological imaging. *Miyakawa, M.*, + , *MWSYM 97* 115-118 vol.1
- Electromagnetic transient analysis**
capacitive Jaumann absorber, time-domain transient anal. *Cheldavi, A.*, + , *MWSYM 97* 1555-1558 vol.3
- human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM 97* 95-97 vol.1
- layered struct., EM fields, time-domain integral eqns. *Georgieva, N.*, + , *T-MTT Jun 97* 984-990
- modified Lanczos algm. for computation of transient EM wavefields. *Remis, R.F.*, + , *T-MTT Dec 97* 2139-2149
- nonlin. EM field simul., time-domain integral eqn. techs. *Pinello, W.*, + , *MWSYM 97* 63-66 vol.1
- spatial power combining sys., CAE environ. *Nusseibeh, F.*, + , *MWSYM 97* 1073-1077 vol.2
- Electron beams**
gyrotron wave-beam shaping, multiple phase-correction mirrors. *Hirata, Y.*, + , *T-MTT Jan 97* 72-77
- Electronic equipment testing; cf.** Communication equipment testing
- Electronic mail**
Mobitex PC card wireless modem. *Moghe, S.*, + , *MWSYM 97* 1391-1394 vol.3
- Electronics; cf.** Aircraft electronics; Consumer electronics; High-speed electronics; Road vehicle electronics
- Electronic warfare**
chip design for monobit receiver. *Pok, D.S.K.*, + , *T-MTT Dec 97* 2283-2295
- GaAs PHEMT MMIC power amp., EW appls. *Barnes, A.R.*, + , *MWSYM 97* 1429-1432 vol.3
- Electron optics**
gyrotron wave-beam shaping, multiple phase-correction mirrors. *Hirata, Y.*, + , *T-MTT Jan 97* 72-77
- Electron tubes; cf.** Millimeter wave tubes
- Electrooptic devices; cf.** Electrooptic filters; Electrooptic modulation
- Electrooptic effects; cf.** Electroabsorption
- Electrooptic filters**
microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug 97* 1467-1472

Electrooptic measurements

- coplanar transm. lines on multilayer substrs., characts. *Erli Chen*, + , *T-MTT Jun 97* 939-945
- MMICs, electro-optic scanning, Fabry-Perot enhancement. *Muller, P.O.*, + , *MWSYM 97* 1329-1332 vol.3
- thin-film microstrip lines for MM and sub-MM/wave on-chip interconnects. *Heiliger, H.-M.*, + , *MWSYM 97* 421-424 vol.2

Electrooptic modulation

- broadband electrooptic modulator, phase reversal electrode design. *Kwok-Wah Hui*, + , *T-MTT Jan 97* 142-145
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
- direct-detect. analog opt. links, review. *Cox, C., III.*, + , *T-MTT Aug 97* 1375-1383
- high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug 97* 1416-1423
- Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, + , *T-MTT Aug 97* 1288-1295
- QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM 97* 39-42 vol.1

Electrothermal effects

- HBT, electrothermal model, pulsed meas. *Peyretailade, T.*, + , *MWSYM 97* 1515-1518 vol.3
- microwave nonlin. ccts., electrothermal transients and DSP. *Rizzoli, V.*, + , *MWSYM 97* 367-370 vol.2

Ellipsoids

- infinite ellipt. dielec. cylinder coating circ. metallic or dielec. cylinder, scatt. *Savaidis, S.P.*, + , *T-MTT Oct 97* 1792-1800

Elliptical waveguides

- full wave network rect./circ./ellipt. waveguide jns. *Gimeno, B.*, + , *T-MTT Mar 97* 376-384
- rect./ellipt. waveguide, coupling iris, variational anal. *Morini, A.*, + , *MWSYM 97* 1243-1246 vol.3
- step discontinuity, modal scatt. matrix. *Matras, P.*, + , *T-MTT Mar 97* 453-458
- suspen. strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct 97* 1778-1784
- two-port scatt., ellipt.-waveguide jn. *Kin-Lung Chan*, + , *T-MTT Aug 97* 1255-1262

Elliptic filters

- cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM 97* 1083-1086 vol.2
- conductor loaded resonator filters, wide spurious free stop band. *Chi Wang*, + , *MWSYM 97* 1079-1082 vol.2
- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM 97* 797-800 vol.2
- dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang*, + , *MWSYM 97* 1103-1107 vol.2
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug 97* 1240-1246
- dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT Feb 97* 221-228
- elliptical cavity resonators for dual-mode narrow-band filters. *Accatino, L.*, + , *T-MTT Dec 97* 2393-2401
- four pole ellipt. microwave filter, low dielec. loaded cavities. *Gendraud, S.*, + , *MWSYM 97* 1091-1094 vol.2
- HTS dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, + , *MWSYM 97* 1725-1728 vol.3
- microstrip slow-wave open-loop resonator microwave filters. *Hong, J.S.*, + , *MWSYM 97* 713-716 vol.2

Endfire antennas

- nature of spectral gap for leaky waves on periodic strip-grating struct. *Majumder, S.*, + , *T-MTT Dec 97* 2296-2307
- periodic strip grating struct., spectral gap for leaky waves. *Majumder, S.*, + , *MWSYM 97* 479-482 vol.2

Epitaxial layers; cf. Semiconductor epitaxial layers**Equations; cf. Integral equations****Equiripple filters**

- E-plane bandpass filters, improved stopband perform., CAD. *Budimir, D.*, *T-MTT Feb 97* 212-220

Equiripple filters; cf. Chebyshev filters; Elliptic filters**Equivalent circuits**

- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *MWSYM 97* 447-450 vol.2
- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *T-MTT Dec 97* 2261-2266
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan 97* 58-71
- analog opt. link, input imped. conditions for noise fig. minimization. *Ackerman, E.*, + , *MWSYM 97* 237-240 vol.1
- cascaded uniform waveguides, banded lin. systs., inversion tech. *Boria, V.E.*, + , *MWSYM 97* 1567-1570 vol.3

- circ. dual-mode resonator and filter, rotated excitation theory. *Awai, I.*, + , *MWSYM 97* 781-784 vol.2
- circ. waveguide bends, CAD-oriented modeling, extended local modes approach. *Weisshaar, A.*, + , *MWSYM 97* 1591-1594 vol.3
- coplanar stripline components, HF appls. *Goverdhanam, K.*, + , *T-MTT Oct 97* 1725-1729
- DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun 97* 886-897
- design of waveguide-to-orotron-resonator transit. with modified Bethe theory. *Faby, G.*, + , *T-MTT Nov 97* 2043-2048
- determining GaAs MESFET small-sig. equiv.-cct. elements. *Ooi, B.-L.*, + , *T-MTT Dec 97* 2084-2088
- FDTD impedance boundary condition, waveguide discontinuity anal. appl. *Shibata, T.*, + , *MWSYM 97* 75-78 vol.1
- finite ground CPW lumped elements, characts. *Ponchak, G.E.*, + , *MWSYM 97* 1003-1007 vol.2
- GaAs HBT profile optim., Taguchi method. *Henderson, G.N.*, + , *MWSYM 97* 1465-1468 vol.3
- GaAs IMPATT diode, reson.-cap MM-wave power combiner. *Bauer, T.*, + , *T-MTT Jan 97* 146-148
- GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, + , *MWSYM 97* 439-442 vol.2
- GaN-P-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM 97* 1065-1068 vol.2
- grid oscillators, feedback optim. *Shiroma, W.A.*, + , *MWSYM 97* 1053-1056 vol.2
- HBT RF noise param. determ. method. *Rouquette, P.*, + , *T-MTT May 97* 690-694
- HBT, small-sig. equiv. cct. *Gobert, Y.*, + , *T-MTT Jan 97* 149-153
- HEMT, large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT Sep 97* 1630-1633
- high lead-count plastic packages, microwave cct. modelling. *Jackson, R.W.*, + , *T-MTT Oct 97* 1926-1933
- hybrid FDTD large-sig. modeling of three-terminal act. devices. *Qiang Chen*, + , *T-MTT Aug 97* 1267-1270
- InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun 97* 977-983
- influence of grounding for microstrip resonators. *Ishizaki, T.*, + , *T-MTT Dec 97* 2089-2093
- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan 97* 39-45
- InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul 97* 1135-1137
- InP HEMTs, VHF small-sig. equiv. cct. *Miras, A.*, + , *T-MTT Jul 97* 1018-1026
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep 97* 1563-1571
- lossy transm. lines with finite metal. thickness, equiv. network represent. of boundary conditions. *Bouzidi, F.*, + , *T-MTT Jun 97* 869-876
- MESFET C-class amp., bias and temp. depend. *Munoz, S.*, + , *T-MTT Apr 97* 527-533
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun 97* 931-938
- microwave and MM wave ccts., design and optim., EM simulators. *Jain, N.*, + , *T-MTT May 97* 724-746
- microwave diode mixer, nonlin. anal., extended FDTD algm. *Min Chen*, + , *MWSYM 97* 67-70 vol.1
- microwave discrete components, modelling, FDTD method. *Gillard, R.*, + , *MWSYM 97* 71-74 vol.1
- microwave FET distributed amps. exploiting growing waves. *Farina, M.*, + , *MWSYM 97* 913-918 vol.2
- microwave FETs, DC/AC nonlin. dispersion models, scaleability. *Cojocar, V.I.*, + , *MWSYM 97* 387-390 vol.2
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan 97* 46-51
- microwave phase shift using ferrite-filled waveguide below cutoff. *Boyd, C.R., Jr.*, *T-MTT Dec 97* 2402-2407
- MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM 97* 1793-1796 vol.3
- MM-wave amplif.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun 97* 911-917
- MM-wave IC behavior modelling for flip-chip mounting schemes. *Jackson, R.W.*, + , *T-MTT Oct 97* 1919-1925
- modified Chebyshev bandpass filter with atten. poles in stopband, design. *Jeong-Soo Lim*, + , *T-MTT Jun 97* 898-904
- monolithic matrix amp., design procedure. *Paoloni, C.*, + , *T-MTT Jan 97* 135-139
- multiconductor interconnect lines, equiv. cct. params. extraction. *Jin Zhao*, + , *T-MTT Jan 97* 23-31
- multiconductor transm. lines, SPICE-compatible models. *Djordjevic, A.R.*, *T-MTT May 97* 569-579

- nonlin. EM field simul., time-domain integral eqn. techs. *Pinello, W.*, + , *MWSYM* 97 63-66 vol.1
- open planar chirowaveguides, discontinuities, rigorous mode-matching. *Xinzhong Wu*, + , *T-MTT May* 97 640-647
- opt. controlled microwave switch, perform. improvement. *Khalil, D.A.M.*, + , *T-MTT Aug* 97 1358-1361
- packaged electronics, noise interacts., hybrid EM model. *Pinello, W.*, + , *T-MTT Oct* 97 1889-1896
- packages, large pin count, HF cct. modeling. *Sercu, S.*, + , *T-MTT Oct* 97 1897-1904
- parallel-coupled oscillators, equiv. cct. influ. on stable modes. *Heng-Chia Chang*, + , *T-MTT Aug* 97 1232-1239
- parasitic resist. extraction errors, microwave FET model accuracy. *Cojocar, V.I.*, + , *MWSYM* 97 1599-1602 vol.3
- pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, + , *MWSYM* 97 1729-1732 vol.3
- rect. waveguide, iris discontinuity, separation of variables. *Rozzi, T.*, + , *T-MTT Feb* 97 253-259
- SAW RF filters, EM effects simul. *Pitschi, F.M.*, + , *MWSYM* 97 825-828 vol.2
- scalable general-purpose model for microwave FETs including DC/AC dispersion effects. *Cojocar, V.I.*, + , *T-MTT Dec* 97 2248-2255
- Si finite-width CPW open/short-circuited terminated series stubs. *Ponchak, G.E.*, + , *T-MTT Jun* 97 970-976
- Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM* 97 391-394 vol.2
- SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul* 97 1086-1092
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen*, + , *T-MTT Oct* 97 1911-1918
- $\lambda/4$ CPW resonator bandpass filters, tap-excitation realization. *Wada, K.*, + , *MWSYM* 97 717-720 vol.2
- Statz MESFET model, capacitance params. extraction. *Van den Bosch, S.*, + , *T-MTT Aug* 97 1247-1249
- stepped-impedance microwave resonators, structs./characts. *Sagawa, M.*, + , *T-MTT Jul* 97 1078-1085
- symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep* 97 1537-1544
- tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM* 97 801-804 vol.2
- thin microstrips, losses eval. *Stracca, G.B.*, *T-MTT Feb* 97 281-283
- transistor noise params., gatewidth and bias current depend. *Gasmi, A.*, + , *T-MTT Mar* 97 338-344
- transm.-line analysis of capacitively coupled microstrip-ring resonator. *Yu, C.-C.*, + , *T-MTT Nov* 97 2018-2024
- TW photodetectors, theory, bandwidth-efficiency limitations. *Giboney, K.S.*, + , *T-MTT Aug* 97 1310-1319
- Error analysis**
- fiber-wireless systs. with external modulators, chromatic-dispersion reduction. *Smith, G.H.*, + , *T-MTT Aug* 97 1410-1415
- GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan* 97 15-22
- MM-wave fiber-radio systs., interferometric noise. *Moura, L.*, + , *T-MTT Aug* 97 1398-1402
- thin-sample meas and error anal. of high-temp. coaxial dielec. probes. *Bringhurst, S.*, + , *T-MTT Dec* 97 2073-2083
- Error compensation**
- FMCW radar, dist. meas., SAW ref. path. *Nalezinski, M.*, + , *MWSYM* 97 185-188 vol.1
- Error correction**
- LNN, line network network, in-fixture calib. procedure for NWA. *Henermann, H.*, + , *T-MTT Mar* 97 408-413
- Estimation; cf.** Adaptive estimation; Delay estimation; Direction of arrival estimation; Least squares methods; Life estimation; Parameter estimation; Yield estimation
- Etching**
- CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, + , *T-MTT May* 97 630-635
- InGaP/AlGaAs/InGaAs HJFET, X-Ku band power appls. *Okamoto, Y.*, + , *MWSYM* 97 1191-1194 vol.3
- pHEMT MMIC power amp., octave S/C-band, high efficiency. *Komiak, J.J.*, + , *MWSYM* 97 1421-1424 vol.3
- WSi/Au T-shaped gate K-band power HEMT. *Kunii, T.*, + , *MWSYM* 97 1187-1190 vol.3
- Etching; cf.** Sputter etching
- Expert systems; cf.** Intelligent design assistants
- Extrapolation**
- HEMT, large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT Sep* 97 1630-1633
- narrowband syst. responses, Cauchy method, interpolation/extrapolation. *Adve, R.S.*, + , *T-MTT May* 97 837-845
- open-ended waveguides, refl. coeff. calc. *Shen, Z.-X.*, + , *T-MTT Apr* 97 546-548
- shape driven edge finite element models, broad freq. band microwave structs. *Thevenon, F.*, + , *MWSYM* 97 1615-1618 vol.3

F

- Fabrication; cf.** Integrated circuit fabrication; Semiconductor device fabrication
- Fabry-Perot resonators**
- MMICs, electro-optic scanning, Fabry-Perot enhancement. *Muller, P.O.*, + , *MWSYM* 97 1329-1332 vol.3
- Fading channels**
- adaptive antenna integrated, AGC for receiver front end. *Dawson, J.L.*, + , *MWSYM* 97 1747-1750 vol.3
- microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug* 97 1390-1397
- power limited wireless transmitters, channel loading effects, discrete multitone modulation. *Leke, A.*, + , *MWSYM* 97 1147-1150 vol.3
- Failure analysis**
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC* 97 193-196
- T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM* 97 583-586 vol.2
- Farming; cf.** Agriculture
- Fault currents; cf.** Leakage currents
- FDTD methods**
- 3D subgrid tech., FDTD method. *Ritter, J.*, + , *MWSYM* 97 1563-1566 vol.3
- absorbing-boundary conditions, PML tech. for 3D TLM simul. *Pena, N.*, + , *T-MTT Oct* 97 1749-1755
- anisotropic dielec. waveguide anal., FDTD methods rels. *An Ping Zhao*, + , *MWSYM* 97 83-87 vol.1
- anisotropic substr. slotline/CPW, end effects, FDTD. *Goswami, J.C.*, + , *T-MTT Sep* 97 1653-1657
- antenna radiation, FDTD anal., TLM algm. *Jian Xu*, + , *MWSYM* 97 329-332 vol.1
- antiparallel magnetis. ferrite layers partially filled waveguide, FDTD method. *Berthou-Pichavant, K.*, + , *T-MTT May* 97 687-690
- boundary conditions, refl. anal., Berenger's PML absorbing layers. *Prescott, D.T.*, *T-MTT Aug* 97 1171-1178
- boundary conditions, refl. anal., time-space absorbing boundaries. *Prescott, D.T.*, *T-MTT Aug* 97 1162-1170
- broadband CPW, slotline transit. *Kuang-Ping Ma*, + , *MWSYM* 97 1627-1630 vol.3
- coplanar stripline components, HF appls. *Goverdhanam, K.*, + , *T-MTT Oct* 97 1725-1729
- coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, + , *MWSYM* 97 1785-1788 vol.3
- curved surface dielec. resonators, FDTD anal. *Kaneda, N.*, + , *T-MTT Sep* 97 1645-1649
- dual-reson. shielded cellular antenna, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1751-1754 vol.3
- enclosed stripline, second order nonuniform grid spacing, FDTD tech. *Falconer, M.*, + , *MWSYM* 97 1539-1542 vol.3
- ferrite device permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug* 97 1185-1192
- ferrite thin film isolator, gyromagnetic media, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1113-1116 vol.2
- global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec* 97 2208-2216
- hearing aids, EMI, cellular telephone. *Okoniewski, M.*, + , *MWSYM* 97 99-101 vol.1
- human organs dosimetry, transient EM fields. *Mrozowski, M.*, + , *MWSYM* 97 95-97 vol.1
- hybrid FDTD large-sig. modeling of three-terminal act. devices. *Qiang Chen*, + , *T-MTT Aug* 97 1267-1270
- hybrid full-wave anal. of via-hole grounds using finite-difference and finite-element time-domain methods. *Koh, D.*, + , *T-MTT Dec* 97 2217-2223
- impedance boundary condition, waveguide discontinuity anal. appl. *Shibata, T.*, + , *MWSYM* 97 75-78 vol.1
- influence of grounding for microstrip resonators. *Ishizaki, T.*, + , *T-MTT Dec* 97 2089-2093
- microstrip line, higher order mode leakage, FDTD anal. *Zhewang Ma*, + , *MWSYM* 97 1631-1634 vol.3
- microstrip line struct., metal loss, SIBC in FDTD simul. *Takagi, E.*, + , *MWSYM* 97 1531-1534 vol.3
- microwave cct. simul., conformal polygonal mesh, PML ABC. *Naishadham, K.*, + , *MWSYM* 97 1543-1546 vol.3

- microwave diode mixer, nonlin. anal., extended FDTD algm. *Min Chen*, + , *MWSYM* 97 67-70 vol.1
- microwave discrete components, modelling, FDTD method. *Gillard, R.*, + , *MWSYM* 97 71-74 vol.1
- microwave heating procs. in freq./temp.-depend. media, FDTD anal. *Torres, F.*, + , *T-MTT Jan* 97 108-117
- microwave hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, + , *MWSYM* 97 1737-1740 vol.3
- microwave IC packages/interconnects, FDTD 3D simul., lossy coupling. *Falconer, M.*, + , *MWSYM* 97 1733-1736 vol.3
- microwave reson. structs., ARMA modeling of FDTD time seqs., high-Q microstrip filter. *Shaw, A.K.*, + , *MWSYM* 97 341-344 vol.1
- MMIC design, mm-wave range, EM interfacing, FDTD anal. *El-Ghazaly, S.M.*, + , *MWSYM* 97 151-154 vol.1
- MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM* 97 1793-1796 vol.3
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May* 97 819-826
- MM-wave amps., phys. simul., full-wave FDTD tech. *Imtiaz, S.M.S.*, + , *MWSYM* 97 79-82 vol.1
- mm-wave CPW ccts., wide band CAD model, FDTD tech. *Lan, E.*, + , *MWSYM* 97 1583-1586 vol.3
- multiconductor interconnect lines, equiv. cct. params. extraction. *Jin Zhao*, + , *T-MTT Jan* 97 23-31
- multiresolution based multigrid. *Goverdhanam, K.*, + , *MWSYM* 97 333-336 vol.1
- nonlin. EM wave absorpt., nonlin. perfectly matched layer. *Jian-Guo Ma*, + , *MWSYM* 97 1381-1384 vol.3
- pass. coaxial components, design, EM 2D solver. *Miazga, P.*, + , *T-MTT May* 97 858-861
- PCS handset antennas, mobile environ. *Douglas, M.G.*, + , *MWSYM* 97 1759-1762 vol.3
- PIFA antennas, wireless commun. packaging. *Virga, K.L.*, + , *T-MTT Oct* 97 1879-1888
- planar struct. anal., vector pot. FDTD method. *Georgieva, N.*, + , *MWSYM* 97 1361-1364 vol.3
- PML boundary conditions in TLM-based SCN FDTD grid, num. implements. *Jian Xu*, + , *T-MTT Aug* 97 1263-1267
- slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, + , *T-MTT Jul* 97 1127-1132
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen*, + , *T-MTT Oct* 97 1911-1918
- sub-cellular tech. for FDTD method. *Kapoor, S.*, *T-MTT May* 97 673-677
- sub-picosecond sys., far field THz radiation. *Remley, K.A.*, + , *MWSYM* 97 163-166 vol.1
- thin-sample meas and error anal. of high-temp. coaxial dielec. probes. *Brighurst, S.*, + , *T-MTT Dec* 97 2073-2083
- TLM, Heaviside absorbing layer. *Gosling, I.G.*, + , *T-MTT Feb* 97 268-273
- via hole grounded microstrips, hybrid full-wave anal. *Dongsoo Koh*, + , *MWSYM* 97 89-92 vol.1
- vias, HF multilayer packages, FDTD/MoM models. *Pillai, E.R.*, *T-MTT Oct* 97 1981-1985
- Yee algm., non-std. finite differences. *Cole, J.B.*, *T-MTT Jun* 97 991-996
- Feedback**
- adaptive antenna integrated, AGC for receiver front end. *Dawson, J.L.*, + , *MWSYM* 97 1747-1750 vol.3
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug* 97 1501-1507
- Feedback amplifiers**
- GaAs MESFET MMIC LNA, cascode feedback, noise/input power matching tech. *Beom Kyu Ko*, + , *T-MTT Sep* 97 1627-1629
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC* 97 109-112
- microwave feedback amps., optimum noise-source refl.-coeff. design. *Boglione, L.*, + , *T-MTT Mar* 97 402-407
- microwave FET distributed amps. exploiting growing waves. *Farina, M.*, + , *MWSYM* 97 913-918 vol.2
- Feedback circuits**
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, + , *MWSYM* 97 701-704 vol.2
- two-port network with parallel and series feedback, noise params. *Boglione, L.*, + , *T-MTT Feb* 97 301-304
- Feedback circuits; cf.** Distributed feedback oscillators; Feedback amplifiers
- Feedback lasers; cf.** Distributed feedback lasers
- Feedforward amplifiers**
- distortion cancellation sensitivity, loop imbalances. *Hau, Y.K.G.*, + , *MWSYM* 97 1695-1698 vol.3
- power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM* 97 1519-1522 vol.3
- Feedforward neural networks; cf.** Multilayer perceptrons
- Feedforward systems**
- adaptive nulling loop control for 1.7-GHz feedforward lin. sys. *Eid, E.E.*, + , *T-MTT Jan* 97 83-86
- Feeds; cf.** Antenna feeds
- Ferrimagnetic films; cf.** Ferrite films
- Ferrimagnetic materials; cf.** Ferrites; Garnets
- Ferrite circulators**
- broadband inhomogen. stripline circulators, anal. *Macchiarella, G.*, + , *T-MTT Feb* 97 294-297
- jns., nonlin. intermodulation coupling. *Hoton How*, + , *T-MTT Feb* 97 245-252
- permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug* 97 1185-1192
- thin-film Y-jn. circulator, effective-field theory. *How, H.*, + , *MWSYM* 97 1127-1130 vol.2
- Y-jn. perp. magnetized ferrite stripline circulator. *Ivanov, S.A.*, *T-MTT May* 97 648-652
- Ferrite devices**
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- YIG ferrite microstrip limiter, C band, power limiting. *Green, J.J.*, *MWSYM* 97 1125-1126 vol.2
- Ferrite devices; cf.** Ferrite circulators; Ferrite isolators; Ferrite loaded waveguides; Ferrite phase shifters; Ferrite waveguides
- Ferrite films**
- ferrite thin film isolator, gyromagnetic media, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1113-1116 vol.2
- ferrite thin-film Y-jn. circulator, effective-field theory. *How, H.*, + , *MWSYM* 97 1127-1130 vol.2
- Ferrite isolators**
- permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug* 97 1185-1192
- thin film isolator, gyromagnetic media, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1113-1116 vol.2
- Ferrite loaded waveguides**
- antiparallel magnetis. ferrite layers partially filled waveguide, FDTD method. *Berthou-Pichavant, K.*, + , *T-MTT May* 97 687-690
- microwave phase shift using ferrite-filled waveguide below cutoff. *Boyd, C.R., Jr.*, *T-MTT Dec* 97 2402-2407
- Ferrite phase shifters**
- lossless microwave phase shifter, ferrite-filled waveguide below cut-off. *Boyd, C.R., Jr.*, *MWSYM* 97 1121-1124 vol.2
- low-temp. co-fired ceramic stripline ferrite phase shifter, model. *Stitzer, S.N.*, *MWSYM* 97 1117-1120 vol.2
- opt. controlled microwave attenuator, ferrite phase shifter compensation. *Shimasaki, H.*, + , *MWSYM* 97 1703-1706 vol.3
- permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug* 97 1185-1192
- Ferrites**
- superconducting microstrip resonator with yttrium iron garnet single crystals. *Fukusako, T.*, + , *T-MTT Nov* 97 2013-2017
- Ferrites; cf.** Ferrite films
- Ferrite waveguides**
- CPW, transversely magnetized ferrite layer, nonreciprocity, FEM anal. *Zhou, L.*, + , *MWSYM* 97 1109-1112 vol.2
- gyrotropic media, complete soln. for microwave device symm. *Dmitriyev, V.A.*, *T-MTT Mar* 97 394-401
- lossless microwave phase shifter, ferrite-filled waveguide below cut-off. *Boyd, C.R., Jr.*, *MWSYM* 97 1121-1124 vol.2
- nonreciprocal open waveguide, radiative effects, complex waves role. *Baccarelli, P.*, + , *MWSYM* 97 491-494 vol.2
- Ferroelectric devices**
- Ba_{1-x}Sr_xTiO₃ planar microwave integrated phase-shifter, high purity ferroelec. *De Flaviis, F.*, + , *T-MTT Jun* 97 963-969
- FET amplifiers; cf.** JFET amplifiers; MESFET amplifiers; Microwave FET amplifiers; Millimeter wave FET amplifiers; MODFET amplifiers; UHF FET amplifiers
- FET analog integrated circuits**
- UHF monolithic act. notch tunable filter based on gyrator principle. *Giannini, F.*, + , *MWSYM* 97 809-812 vol.2
- FET analog integrated circuits; cf.** JFET analog integrated circuits
- FET circuits; cf.** JFET circuits; MESFET circuits; MODFET circuits
- FET digital integrated circuits**
- GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, + , *MWSYM* 97 465-468 vol.2
- InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM* 97 461-464 vol.2
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM* 97 457-460 vol.2
- opt. repeater cct. design based on InAlAs/InGaAs HEMT digital IC technol. *Yoneyama, M.*, + , *T-MTT Dec* 97 2274-2282

FET integrated circuits; cf. FET analog integrated circuits; FET digital integrated circuits; JFET integrated circuits; MESFET integrated circuits; MODFET integrated circuits; MOS integrated circuits

FET oscillators; cf. MESFET oscillators; Microwave FET oscillators; Millimeter wave FET oscillators; MODFET oscillators; UHF FET oscillators

FETs
InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, +, *T-MTT Jun 97 977-983*

FETs; cf. JFETs; MESFETs; Microwave FETs; Millimeter wave FETs; MODFETs; UHF FETs

FET switches
GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, +, *RFIC 97 47-50*

FET switches; cf. JFET switches

Films; cf. Conducting films; Dielectric films

Filters; cf. Active filters; Bandpass filters; Bandstop filters; Comb filters; Digital filters; Distributed parameter filters; Equiripple filters; Ladder filters; Lattice filters; Low-pass filters; Maximally flat magnitude filters; Microwave filters; Millimeter wave filters; Passive filters; Power filters; Programmable filters; Resonator filters; Spatial filters; Superconducting filters; Transversal filters; Tunable filters; UHF filters; Waveguide filters

Finite difference methods
anisotropic dielec. waveguide propag. characts., opt. axis misalign. effect. *da S.S. Sobrinho, C.L.*, +, *T-MTT Oct 97 1789-1792*
design of planar cct. structs. with efficient magnetostatic-field solver. *Lindenmeier, S.*, +, *T-MTT Dec 97 2468-2473*
layered struct., EM fields, time-domain integral eqns. *Georgieva, N.*, +, *T-MTT Jun 97 984-990*
lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, +, *MWSYM 97 1807-1810 vol.3*
microstrip discontinuities, soln. by meas. eqn. of invariance. *Prouty, M.D.*, +, *T-MTT Jun 97 877-885*
microstrip embedded in inhomogen. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, +, *T-MTT May 97 678-686*
MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, +, *T-MTT May 97 827-836*
modeling of conductor loss in coplanar cct. elements by method of lines. *Vietzorreck, L.*, +, *T-MTT Dec 97 2474-2478*
opt. controlled microwave switch, perform. improvement. *Khalil, D.A.M.*, +, *T-MTT Aug 97 1358-1361*
parasitic parallel-plate line mode excitation, coplanar discontinuities. *Beilenhoff, K.*, +, *MWSYM 97 1789-1792 vol.3*
shielded uniaxially anisotropic DR, reson. freqs. and field distrib. *Jenn-Ming Guan*, +, *T-MTT Oct 97 1767-1777*

Finite element methods
3D masterslice MMIC on Si substr. *Toyoda, I.*, +, *T-MTT Dec 97 2524-2530*
3D struct., EM optim. *Bandler, J.W.*, +, *T-MTT May 97 770-779*
anal. of coplanar-waveguide discontinuities with finite-metallization thickness and nonrectangular edge profile. *Lin, F.-L.*, +, *T-MTT Dec 97 2131-2138*
coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, +, *MWSYM 97 1021-1024 vol.2*
CPW discontinuities, capacit. calc. by hybrid FEM. *Chien-Wen Chiu*, +, *T-MTT Apr 97 498-504*
CPW discontinuities, nonrectangular cross sect., hybrid FEM anal. *Fang-Lih Lin*, +, *MWSYM 97 1527-1530 vol.3*
CPW, transversely magnetized ferrite layer, nonreciprocity, FEM anal. *Zhou, L.*, +, *MWSYM 97 1109-1112 vol.2*
dielec. materials, complex permitt., waveguide meas. *Deshpande, M.D.*, +, *T-MTT Mar 97 359-366*
dielec. waveguide anal., fast freq. sweep tech. *Polstyanko, S.V.*, +, *T-MTT Jul 97 1118-1126*
edge element for modeling field singularities in transm. lines and waveguides. *Gil, J.M.*, +, *T-MTT Dec 97 2125-2130*
EM eigenvalue problems, finite-element solns., covariant projection elements. *Saorsi, S.*, +, *T-MTT Sep 97 1643-1644*
ferrite device permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug 97 1185-1192*
fixed-tuned sub-mm wavelength waveguide mixers, planar Schottky-barrier diodes. *Hesler, J.L.*, +, *T-MTT May 97 653-658*
GaAs IMPATT diode, reson.-cap MM-wave power combiner. *Bauer, T.*, +, *T-MTT Jan 97 146-148*
high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook*, +, *T-MTT Oct 97 1847-1856*
hybrid full-wave anal. of via-hole grounds using finite-difference and finite-element time-domain methods. *Koh, D.*, +, *T-MTT Dec 97 2217-2223*
lossy inhomogen. and anisotropic waveguides, FEM anal., edge elements. *Nuno, L.*, +, *T-MTT Mar 97 446-449*

microstrip discontinuities, soln. by meas. eqn. of invariance. *Prouty, M.D.*, +, *T-MTT Jun 97 877-885*
microwave ccts., lumped elements, global time domain EM simulator. *Guillouard, K.*, +, *MWSYM 97 1239-1242 vol.3*
microwave resonator filter anal., 3D finite-element modal freq. method. *Brauer, J.R.*, +, *T-MTT May 97 810-818*
MIS waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, +, *T-MTT Oct 97 1807-1810*
mixed EM/cct. simul., model-reduction techs. *Achar, R.*, +, *MWSYM 97 1017-1020 vol.2*
multilayered/multiconductor transm. lines, hybrid-mode anal. *Alam, M.S.*, +, *T-MTT Feb 97 205-211*
packaged electronics, noise interacts., hybrid EM model. *Pinello, W.*, +, *T-MTT Oct 97 1889-1896*
packaging, ccts. and interconnects, finite-element modeling. *Polycarpou, A.C.*, +, *T-MTT Oct 97 1868-1874*
photonic crysts., finite element-generalized network anal. *Coccioli, R.*, +, *MWSYM 97 195-198 vol.1*
planar layered media, 3D FEM/BEM-hybrid approach. *Eibert, T.F.*, +, *T-MTT Jul 97 1105-1112*
ridged waveguide filters, CAD, modal block-LU-decomp. *Beyer, R.*, +, *MWSYM 97 1235-1238 vol.3*
shape driven edge finite element models, broad freq. band microwave structs. *Thevenon, F.*, +, *MWSYM 97 1615-1618 vol.3*
via hole grounded microstrips, hybrid full-wave anal. *Dongsoo Koh*, +, *MWSYM 97 89-92 vol.1*
waveguide components, hybrid mode-matching/num. EM design. *Arndt, F.*, +, *T-MTT May 97 747-760*
waveguide filters, space mapping optim., EM simul. *Bandler, J.W.*, +, *MWSYM 97 635-638 vol.2*
waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, +, *T-MTT Mar 97 442-446*
waveguide-to-microstrip transit., systematic optimum design methods. *Hong-Bae Lee*, +, *T-MTT May 97 803-809*

Finline discontinuities

inhomog. closed waveguide, hybrid and complex spectrum. *Rozzi, T.*, +, *T-MTT Mar 97 345-353*

FIR digital filters

Mach-Zehnder lattice all-opt. microwave filters, coupling ratios. *Cusick, T.A.*, +, *T-MTT Aug 97 1458-1462*
pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, +, *MWSYM 97 631-634 vol.2*

Flaw detection

modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, +, *T-MTT Nov 97 2049-2057*

Flip-chip devices

28-V low thermal-impedance HBT with 20-W CW output power. *Hill, D.*, +, *T-MTT Dec 97 2224-2228*
60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *MWSYM 97 447-450 vol.2*
60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *T-MTT Dec 97 2261-2266*
AlGaAs/GaAs HBT, low thermal impedance, CW output power. *Hill, D.*, +, *MWSYM 97 137-140 vol.1*
AlGaAs/GaAs low thermal impedance HBT, microwave power devices. *Hill, D.*, +, *RFIC 97 189-192*
InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, +, *MWSYM 97 517-520 vol.2*
microwave Si power transistor fab., monolithic impedance matching ccts. *Phing Li*, +, *MWSYM 97 991-994 vol.2*
MIMIC, flip chip bonding, Au pillars. *Aoki, S.*, +, *MWSYM 97 731-734 vol.2*
MMIC flip chips, CVD diamond substr., thermal mgt. *Sturdivant, R.*, +, *MWSYM 97 505-507 vol.2*
MMIC power amps., pulsed internal-node waveform anal. *Bao, J.W.*, +, *MWSYM 97 905-908 vol.2*
MM-wave IC behavior modelling for flip-chip mounting schemes. *Jackson, R.W.*, +, *T-MTT Oct 97 1919-1925*
mm-wave packaging, surface wave leakage reduction. *Krems, T.*, +, *MWSYM 97 987-990 vol.2*
PHEMT X-band MMIC HPA, flip-chip technol., efficiency. *Cameron, P.*, +, *MWSYM 97 889-892 vol.2*
SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC 97 117-120*
Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, +, *RFIC 97 121-125*
Si W-band direct detect. receiver for six-port polarimetric radar systs. *Thieme, M.O.*, +, *MWSYM 97 1269-1272 vol.3*

Flip-flops

GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, +, *MWSYM 97 465-468 vol.2*

FM radar

- automotive intell. cruise control, MM-wave radar sens. *Russell, M.E.*, + , *MWSYM* 97 1257-1260 vol.3
- FMCW radar, dist. meas., SAW ref. path. *Nalezinski, M.*, + , *MWSYM* 97 185-188 vol.1
- GaAs MMIC high power limiters for cct. protection. *Trantanella, C.*, + , *MWSYM* 97 535-538 vol.2
- InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, + , *MWSYM* 97 937-940 vol.2
- liq. tanks, impurity level meas., FSCW radar. *Weiss, M.*, + , *MWSYM* 97 1651-1654 vol.3
- millimeter-wave radar sensor for automotive intell. cruise control. *Russell, M.E.*, + , *T-MTT Dec* 97 2444-2453
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, + , *MWSYM* 97 243-246 vol.1

FM radar; cf. Chirp radar**Fourier series**

- circ.-rect. coaxial waveguides, higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar* 97 414-419
- shielded and open arbitrarily multilayered media, static Green's fns. solns. *Keren Li*, + , *T-MTT Jan* 97 2-8

Fourier spectroscopy

- meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec* 97 2454-2460
- radome membranes, transmittance and scatt. meas. *Afsar, M.N.*, + , *MWSYM* 97 1355-1358 vol.3

Fourier transforms

- FET resistive mixers, conversion loss. *Peng, S.*, *MWSYM* 97 857-860 vol.2
- uniaxial substr.-superstrate microstrip, Wiener-Hopf anal. *Kyriacou, G.A.*, + , *T-MTT May* 97 616-629
- wave noise sources, spectral parametric modeling. *Werling, T.*, + , *MWSYM* 97 1447-1450 vol.3

Fourier transforms; cf. Discrete Fourier transforms**Frequency control**

- microwave act. filters, AFC. *Serhan, H.*, + , *MWSYM* 97 697-700 vol.2

Frequency conversion

- 2-GHz subharmonic sampler for sig. downconversion. *Parssinen, A.*, + , *T-MTT Dec* 97 2344-2351
- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *MWSYM* 97 447-450 vol.2
- GaAs/Al_{0.7}Ga_{0.3}As heterostruct. barrier varactor tripler. *Jones, J.R.*, + , *T-MTT Apr* 97 512-518
- GaAs HBT MMIC, DC, X-band freq. doubler. *Xiangdong Zhang*, + , *MWSYM* 97 1213-1216 vol.3
- InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM* 97 461-464 vol.2
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM* 97 457-460 vol.2
- PLL synthesizer, triple tuned, freq. converted DDS unit. *Tajima, K.*, + , *MWSYM* 97 1217-1220 vol.3
- SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120
- terahertz grid freq. doubler, Schottky diodes. *Moussessian, A.*, + , *MWSYM* 97 683-686 vol.2
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May* 97 659-665
- W-band monolithic multipliers. *Brauchler, F.*, + , *MWSYM* 97 1225-1228 vol.3
- X-band freq. synthesizer module, low-power. *Nakagawa, T.*, + , *MWSYM* 97 1209-1212 vol.3

Frequency conversion; cf. Microwave frequency conversion; Millimeter wave frequency conversion; MMIC frequency converters; Schottky diode frequency converters; Submillimeter wave frequency conversion; UHF frequency conversion**Frequency domain analysis**

- anisotropic dielec. waveguide propag. characts., opt. axis misalign. effect. *da S.S. Sobrinho, C.L.*, + , *T-MTT Oct* 97 1789-1792
- coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM* 97 1021-1024 vol.2
- high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, + , *T-MTT Oct* 97 1941-1947
- narrowband syst. responses, Cauchy method, interpolation/extrapolation. *Adve, R.S.*, + , *T-MTT May* 97 837-845
- parasitic parallel-plate line mode excitation, coplanar discontinuities. *Beilenhoff, K.*, + , *MWSYM* 97 1789-1792 vol.3
- Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM* 97 391-394 vol.2
- thin-film microstrip lines for MM and sub-MM/wave on-chip interconnects. *Heiliger, H.-M.*, + , *MWSYM* 97 421-424 vol.2

Frequency domain analysis; cf. Time-frequency analysis**Frequency measurement**

- Cs beam freq. stds., hist. of develop. *Lee, W.D.*, + , *MWSYM* 97 1161-1163 vol.3

Frequency modulation

- ground-penetration radar systs., ultra-wideband exciter. *Phuong Phu*, + , *MWSYM* 97 1135-1138 vol.3
- opt. FM links. *Cai, B.*, + , *T-MTT Apr* 97 505-511

Frequency response

- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM* 97 797-800 vol.2
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug* 97 1240-1246
- microwave band-pass filters made of both dielec. and coaxial resonators. *Hee-Yong Hwang*, + , *MWSYM* 97 805-808 vol.2
- microwave filters, design based on distrib. param. model. *Tascone, R.*, + , *MWSYM* 97 643-646 vol.2
- microwave resonator filter anal., 3D finite-element modal freq. method. *Brauer, J.R.*, + , *T-MTT May* 97 810-818
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen*, + , *T-MTT Oct* 97 1911-1918
- TW photodetectors, theory, bandwidth-efficiency limitations. *Giboney, K.S.*, + , *T-MTT Aug* 97 1310-1319
- VCSEL, small-sig. charactn., appls. *Hietala, V.M.*, + , *MWSYM* 97 355-358 vol.1
- waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, + , *T-MTT Sep* 97 1611-1618
- wideband uniplanar phase inverters for hybrid MICs/MMICs. *Tongqing Wang*, + , *MWSYM* 97 777-780 vol.2

Frequency shift keying; cf. Minimum shift keying**Frequency stability**

- broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *MWSYM* 97 757-760 vol.2

Frequency synthesizers

- ground-penetration radar systs., ultra-wideband exciter. *Phuong Phu*, + , *MWSYM* 97 1135-1138 vol.3
- MM-wave MMIC synthesizer soln., injection-locked oscillator chain. *Kamogawa, K.*, + , *T-MTT Sep* 97 1578-1584
- PLL synthesizer, triple tuned, freq. converted DDS unit. *Tajima, K.*, + , *MWSYM* 97 1217-1220 vol.3
- X-band freq. synthesizer module, low-power. *Nakagawa, T.*, + , *MWSYM* 97 1209-1212 vol.3

Functional analysis

- global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM* 97 1373-1376 vol.3

Functions; cf. Bessel functions; Green function; Orthogonal functions; Spline functions; Transfer functions; Wave functions**G****Gain control**

- adaptive antenna integrated, AGC for receiver front end. *Dawson, J.L.*, + , *MWSYM* 97 1747-1750 vol.3
- CDMA cellular phone systs., MMIC variable gain amp., high dyn. range. *Kasashima, M.*, + , *RFIC* 97 157-160
- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug* 97 1390-1397
- microwave receiver protectors/AGCs, low cost techs., SMDs. *Strack, D.*, + , *MWSYM* 97 531-534 vol.2

Galerkin method

- circ.-rect. coaxial waveguides, higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar* 97 414-419
- coaxial cable, circumferential slots, radiation props. *Jean-Fu Kiang*, *T-MTT Jan* 97 102-107
- concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, + , *MWSYM* 97 111-114 vol.1
- lossy inhomogen. and anisotropic waveguides, FEM anal., edge elements. *Nuno, L.*, + , *T-MTT Mar* 97 446-449
- microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang*, *T-MTT Feb* 97 229-235
- microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep* 97 1554-1562
- multiconductor transm. lines, rect. cross sect., quasi-TEM anal. *Bernal, J.*, + , *T-MTT Sep* 97 1619-1626
- planar layered media, 3D FEM/BEM-hybrid approach. *Eibert, T.F.*, + , *T-MTT Jul* 97 1105-1112
- rect. double-ridged TEM coaxial line, charact. impedance. *Garb, K.*, + , *T-MTT Apr* 97 554-557

- slotline, bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM* 97 487-490 vol.2
- strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, + , *T-MTT Oct* 97 1756-1766
- Gallium compounds**
- 28-V low thermal-impedance HBT with 20-W CW output power. *Hill, D.*, + , *T-MTT Dec* 97 2224-2228
- AlGaAs/GaAs 60W L-band power heterostruct. FETs, SSPA appls. *Morikawa, J.*, + , *MWSYM* 97 1413-1416 vol.3
- AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, + , *RFIC* 97 55-58
- AlGaAs/GaAs HBT, low thermal impedance, CW output power. *Hill, D.*, + , *MWSYM* 97 137-140 vol.1
- AlGaAs/GaAs HBTs, K-band, 1 W, emitter air-bridge technol. *Hin-Fai Chau*, + , *RFIC* 97 219-223
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan* 97 58-71
- AlGaAs/GaAs HBTs, noise modeling. *Daniel, T.*, *MWSYM* 97 1469-1472 vol.3
- AlGaAs/GaAs K-band 1 W HBTs, emitter air-bridge technol. *Hin-Fai Chau*, + , *MWSYM* 97 259-262 vol.1
- AlGaAs/GaAs low thermal impedance HBT, microwave power devices. *Hill, D.*, + , *RFIC* 97 189-192
- AlGaAs/GaAs power HBT, large-sig. charact., self-heating. *Samelis, A.*, + , *T-MTT Apr* 97 534-542
- AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM* 97 1307-1310 vol.3
- AlGaAs/GaAs self-aligned HBT, LF noise. *Jin-Ho Shin*, + , *MWSYM* 97 133-136 vol.1
- AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC* 97 185-188
- AlGaAs/GaAs thermally-shunted HBTs, max. power dens., power-added efficiency. *Jenkins, T.*, + , *MWSYM* 97 949-952 vol.2
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, + , *MWSYM* 97 1281-1284 vol.3
- AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, + , *RFIC* 97 169-173
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, + , *MWSYM* 97 17-20 vol.1
- AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM* 97 1175-1178 vol.3
- AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, + , *T-MTT Jul* 97 1058-1064
- AllInAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, + , *MWSYM* 97 1057-1060 vol.2
- CDMA cellular phone systs., MMIC variable gain amp., high dyn. range. *Kasashima, M.*, + , *RFIC* 97 157-160
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC* 97 193-196
- GaAs/Al_{0.7}Ga_{0.3}As heterostruct. barrier varactor tripler. *Jones, J.R.*, + , *T-MTT Apr* 97 512-518
- GaAs E-mode FET power amp. MMIC, GSM phone. *Abey, W.*, + , *MWSYM* 97 1315-1318 vol.3
- GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2
- GaAs FET high power UHF amps., IM₃ relative phase, transfer charact. *Suematsu, N.*, + , *MWSYM* 97 901-904 vol.2
- GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, + , *MWSYM* 97 817-820 vol.2
- GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, + , *MWSYM* 97 473-476 vol.2
- GaAs HBT MMIC, DC, X-band freq. doubler. *Xiangdong Zhang*, + , *MWSYM* 97 1213-1216 vol.3
- GaAs HBT monolithic microwave amp., reliab. *Yamada, F.M.*, + , *MWSYM* 97 141-144 vol.1
- GaAs HBT profile optim., Taguchi method. *Henderson, G.N.*, + , *MWSYM* 97 1465-1468 vol.3
- GaAs HBT UHF mixer, noise fig. prediction and meas. *Xavier, B.A.*, + , *RFIC* 97 135-138
- GaAs IMPATT diode, reson.-cap MM-wave power combiner. *Bauer, T.*, + , *T-MTT Jan* 97 146-148
- GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, + , *MWSYM* 97 465-468 vol.2
- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- GaAs MESFET, channel-current model incl. thermal effects. *Tae Moon Roh*, + , *T-MTT Aug* 97 1252-1255
- GaAs MESFET, discontinuity effects on HF perform. *Megahed, M.A.*, + , *MWSYM* 97 609-612 vol.2
- GaAs MESFET MMIC LNA, cascode feedback, noise/input power matching tech. *Beom Kyu Ko*, + , *T-MTT Sep* 97 1627-1629
- GaAs MESFETs and pass. components, epitaxial lift off. *Morf, T.*, + , *MWSYM* 97 145-148 vol.1
- GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang*, + , *T-MTT May* 97 604-615
- GaAs MMIC 90° quadrature hybrid coupler for ISM appls. *Avitabile, G.F.*, + , *MWSYM* 97 281-284 vol.1
- GaAs MMIC CPW baluns, overlaid and spiral couplers. *Gokdemir, T.*, + , *MWSYM* 97 401-404 vol.2
- GaAs MMIC high power limiters for cct. protection. *Trantarella, C.*, + , *MWSYM* 97 535-538 vol.2
- GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, + , *MWSYM* 97 443-446 vol.2
- GaAs MMIC LNA-antennas, 30 GHz. *Roy, L.*, *MWSYM* 97 967-970 vol.2
- GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32
- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC* 97 225-228
- GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, + , *MWSYM* 97 439-442 vol.2
- GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM* 97 13-16 vol.1
- GaAs MMIC transimpedance amps., optoelectronic appls. *Dueme, Ph.*, + , *RFIC* 97 165-168
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC* 97 207-210
- GaAs MODFET low power front-end IC, current-reuse config. *Ishida, H.*, + , *MWSYM* 97 669-672 vol.2
- GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, + , *RFIC* 97 83-86
- GaAs monolithic PIN switch network for automotive collision warning radar. *Putnam, J.*, + , *MWSYM* 97 753-756 vol.2
- GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, + , *RFIC* 97 47-50
- GaAs PHEMT MMIC power amp., EW appls. *Barnes, A.R.*, + , *MWSYM* 97 1429-1432 vol.3
- GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan* 97 15-22
- GaAs PIN diode W-band SP3T switch CPW MMIC. *Case, M.*, + , *MWSYM* 97 1047-1051 vol.2
- GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M.*, + , *MWSYM* 97 1311-1314 vol.3
- GaAs power MESFET amp., digital cordless phone syst. *Nagaoka, M.*, + , *MWSYM* 97 1323-1326 vol.3
- GaAs power MESFETs, S-band, second-harmonic terminating tech., mobile satcom appls. *Takenaka, I.*, + , *MWSYM* 97 1417-1420 vol.3
- GaAs S-band push-pull power MESFET, MMDS appl. *Sarkissian, G.*, + , *MWSYM* 97 1409-1412 vol.3
- GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM* 97 561-564 vol.2
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM* 97 247-250 vol.1
- GaInP/AlGaAs power HBT, non-quasi-static model. *Frayssé, J.P.*, + , *MWSYM* 97 379-382 vol.2
- GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM* 97 1065-1068 vol.2
- HBT HF modeling and integrated param. extraction. *Cai, Q.*, + , *T-MTT Dec* 97 2493-2502
- InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM* 97 461-464 vol.2
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM* 97 457-460 vol.2
- InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun* 97 977-983
- InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM* 97 1183-1186 vol.3
- InGaAs/InAlAs HFET, full wave BIE anal. *Schroeder, W.*, + , *MWSYM* 97 159-162 vol.1
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC* 97 59-62
- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan* 97 39-45
- InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul* 97 1135-1137
- InGaP/AlGaAs/InGaAs HJFET, X-Ku band power appls. *Okamoto, Y.*, + , *MWSYM* 97 1191-1194 vol.3
- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC* 97 211-214

- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM* 97 251-254 vol.1
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug* 97 1332-1336
- InP/InGaAs HBT, optoelectronic mixer. *Liu, C.P.*, + , *MWSYM* 97 359-362 vol.1
- intermodulation mechanism and linearization of AlGaAs/GaAs HBTs . *Lee, J.*, + , *T-MTT Dec* 97 2065-2072
- opt. repeater cct. design based on InAlAs/InGaAs HEMT digital IC technol. *Yoneyama, M.*, + , *T-MTT Dec* 97 2274-2282
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM* 97 539-542 vol.2
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, + , *RFIC* 97 37-40
- transfer charact. of IM₃ relative phase for GaAs FET amp. *Suematsu, N.*, + , *T-MTT Dec* 97 2509-2514
- tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May* 97 659-665
- Garnets**
- superconducting microstrip resonator with yttrium iron garnet single crystals. *Fukusako, T.*, + , *T-MTT Nov* 97 2013-2017
- YIG ferrite microstrip limiter, C band, power limiting. *Green, J.J.*, *MWSYM* 97 1125-1126 vol.2
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3
- Gauss-Seidel method**
- planar microwave ccts., diakoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM* 97 1803-1806 vol.3
- Genetic algorithms**
- capacitive Jaumann absorber, time-domain transient anal. *Cheldavi, A.*, + , *MWSYM* 97 1555-1558 vol.3
- Geometric modeling**
- 3D geometries, automated parameterization, spiral super-quadric generatrix. *Kolundzija, B.M.*, + , *T-MTT May* 97 864-866
- Germanium alloys**
- MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108
- nonlin. modeling of SiGe HBTs up to 50 GHz. *Rheinfelder, C.*, + , *T-MTT Dec* 97 2503-2508
- SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, + , *RFIC* 97 19-22
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM* 97 877-880 vol.2
- SiGe microwave power BJTs. *Henderson, G.N.*, + , *MWSYM* 97 1299-1302 vol.3
- SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM* 97 761-764 vol.2
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *RFIC* 97 233-236
- Glass**
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC* 97 109-112
- heterolithic Si-glass based double bal. mixers for cellular appls. *Putnam, J.*, + , *MWSYM* 97 653-656 vol.2
- multilayer composite glass, metallic layer, microwave material. *Wang, B.F.*, + , *T-MTT Jan* 97 126-129
- Global Positioning System**
- cylindrical slot antennas, microstrip-fed, GPS avionics. *Ho, C.H.*, + , *MWSYM* 97 1755-1758 vol.3
- Gold**
- MIMIC, flip chip bonding, Au pillars. *Aoki, S.*, + , *MWSYM* 97 731-734 vol.2
- WSi/Au T-shaped gate K-band power HEMT. *Kunii, T.*, + , *MWSYM* 97 1187-1190 vol.3
- Gradient methods**
- 3D struct., EM optim. *Bandler, J.W.*, + , *T-MTT May* 97 770-779
- Gratings**
- conducting-strip diffr. grating planar dielec. waveguide, mm-wave antenna. *Bledowski, A.*, + , *T-MTT Sep* 97 1637-1640
- fiber Bragg-grating true time-delay systs., beamforming control appl. *Molony, A.*, + , *T-MTT Aug* 97 1527-1530
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug* 97 1513-1518
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM* 97 557-560 vol.2
- true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug* 97 1531-1536
- Green function**
- 3D boundary integral method, double surface integrals. *Arcioni, P.*, + , *T-MTT Mar* 97 436-439
- arbitrarily multilayered dielec. media, full-wave Green's fns. *Li, K.*, *MWSYM* 97 1571-1574 vol.3
- correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" (Jul 96 1161-1164). *Leong, M.S.*, + , *T-MTT May* 97 705
- ferrite circulator jns., nonlin. intermodulation coupling. *Hoton How, +*, *T-MTT Feb* 97 245-252
- microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang, T-MTT Feb* 97 229-235
- microstrip lines, PBG substrs., double vector integral eqn. *Yang, H.Y.D.*, *MWSYM* 97 191-194 vol.1
- microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzzy-Sheng Horng, MWSYM* 97 1815-1818 vol.3
- multiconductor transm. lines, rect. cross sect., quasi-TEM anal. *Bernal, J.*, + , *T-MTT Sep* 97 1619-1626
- multilayered media, planar microstrip elements, modeling. *Ming-Ju Tsai, +*, *T-MTT Mar* 97 330-337
- open microstrip lines, dispersion characts. calc. *Seong-Ook Park, +*, *T-MTT Mar* 97 458-460
- planar geometries, vert. connections, Green's fns. *Kmayman, N.*, + , *T-MTT May* 97 593-603
- planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct* 97 1662-1671
- quadrature-hybrid design, four-port ellipt. patch. *Kin-Lung Chan, +*, *T-MTT Feb* 97 307-310
- quasi-opt. systs., anal. of finite grid structs., lenses. *Nuteson, T.W.*, + , *T-MTT May* 97 666-672
- rect. double-ridged TEM coaxial line, charact. impedance. *Garb, K.*, + , *T-MTT Apr* 97 554-557
- rect./ellipt. waveguide, coupling iris, variational anal. *Morini, A.*, + , *MWSYM* 97 1243-1246 vol.3
- rect. waveguide, multilayered load, probe input impedance. *Le-Wei Li, +*, *T-MTT Mar* 97 321-329
- shielded and open arbitrarily multilayered media, static Green's fns. solns. *Keren Li, +*, *T-MTT Jan* 97 2-8
- slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, + , *T-MTT Jul* 97 1127-1132
- strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, + , *T-MTT Oct* 97 1756-1766
- Grounding**
- hybrid full-wave anal. of via-hole grounds using finite-difference and finite-element time-domain methods. *Koh, D.*, + , *T-MTT Dec* 97 2217-2223
- influence of grounding for microstrip resonators. *Ishizaki, T.*, + , *T-MTT Dec* 97 2089-2093
- MMIC packaging, time-domain segmentation anal. *Righi, M.*, + , *T-MTT Oct* 97 1905-1910
- Group theory**
- gyrotropic media, complete soln. for microwave device symm. *Dmitriyev, V.A.*, *T-MTT Mar* 97 394-401
- Gunn device amplifiers**
- coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM* 97 1021-1024 vol.2
- Gunn devices**
- InP MM-wave n⁺-n⁻-n⁺ Gunn devices, RF perform. characts. *Eisele, H.*, + , *MWSYM* 97 451-454 vol.2
- Gyrators**
- UHF monolithic act. notch tunable filter based on gyrator principle. *Giannini, F.*, + , *MWSYM* 97 809-812 vol.2
- Gyromagnetism**
- ferrite thin film isolator, gyromagnetic media, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1113-1116 vol.2
- Gyrotrons**
- nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb* 97 236-244
- wave-beam shaping, multiple phase-correction mirrors. *Hirata, Y.*, + , *T-MTT Jan* 97 72-77
- Gyrotropism**
- gyrotropic media, complete soln. for microwave device symm. *Dmitriyev, V.A.*, *T-MTT Mar* 97 394-401
- nonreciprocal open waveguide, radiative effects, complex waves role. *Baccarelli, P.*, + , *MWSYM* 97 491-494 vol.2

H

Haar transforms

FDTD, multiresolution based multigrid. *Goverdhanam, K.*, + , *MWSYM* 97 333-336 vol.1

Harmonic analysis

class-F power amps. with maximally flat waveforms. *Raab, F.H.*, *T-MTT Nov* 97 2007-2012

- GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, + , *MWSYM* 97 817-820 vol.2
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM* 97 155-158 vol.1
- lin. systs., iter. soln., harmonic bal. anal. *Gourary, M.M.*, + , *MWSYM* 97 1507-1510 vol.3
- microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM* 97 1699-1702 vol.3
- microwave oscillators, stabil. anal., harmonic-bal. method. *Gerber, J.*, + , *MWSYM* 97 1587-1590 vol.3
- MMIC power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H.*, + , *MWSYM* 97 743-746 vol.2
- nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb* 97 236-244
- periodic strip grating struct., spectral gap for leaky waves. *Majumder, S.*, + , *MWSYM* 97 479-482 vol.2
- subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, + , *MWSYM* 97 1039-1042 vol.2
- subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2
- S/V pot. method for Maxwell's eqns. near corners, nodal elements. *Boyse, W.E.*, + , *MWSYM* 97 1547-1550 vol.3
- W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, + , *T-MTT Jun* 97 955-962
- Harmonic distortion**
global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec* 97 2208-2216
- InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul* 97 1135-1137
- HDTV**
HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, + , *MWSYM* 97 1143-1146 vol.3
- Head**
depend. of EM energy absorption upon human-head modeling at 1800 MHz. *Meier, K.*, + , *T-MTT Nov* 97 2058-2062
- Hearing aids**
EMI, cellular telephone. *Okoniewski, M.*, + , *MWSYM* 97 99-101 vol.1
- Heating; cf.** Electromagnetic heating
- Helical waveguides**
dielec.-coated coaxial helical waveguide, lossy medium, propag. characts. *Iyama, T.*, + , *T-MTT Apr* 97 557-559
- ridge-loaded helical-groove slow-wave struct. *Wenxiang Wang*, + , *T-MTT Oct* 97 1689-1695
- Helmholtz equations**
ferrite circulator jns., nonlin. intermodulation coupling. *Hoton How*, + , *T-MTT Feb* 97 245-252
- rect. waveguide, iris discontinuity, separation of variables. *Rozzi, T.*, + , *T-MTT Feb* 97 253-259
- HEMT; cf.** MODFETs
- Heterodyning**
AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, + , *MWSYM* 97 1281-1284 vol.3
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug* 97 1501-1507
- GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
- microwave counter, opto-electronic harmonic heterodyne tech. *Chang, C.S.*, + , *T-MTT Jul* 97 1014-1017
- MM-wave act. antenna, broadband heterodyne meas. *Rasshofer, R.H.*, + , *MWSYM* 97 1459-1462 vol.3
- Schottky diode parallel pair mm-wave freq. tripler, varactors. *Thornton, J.*, + , *MWSYM* 97 957-958 vol.2
- submillimeter-wave spectrometer for detect. of water in Solar System. *Boric-Lubecke, O.*, + , *MWSYM* 97 569-572 vol.2
- Heterojunction bipolar transistors**
28-V low thermal-impedance HBT with 20-W CW output power. *Hill, D.*, + , *T-MTT Dec* 97 2224-2228
- AlGaAs/GaAs HBT, low thermal impedance, CW output power. *Hill, D.*, + , *MWSYM* 97 137-140 vol.1
- AlGaAs/GaAs HBTs, K-band, 1 W, emitter air-bridge technol. *Hin-Fai Chau*, + , *RFIC* 97 219-223
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan* 97 58-71
- AlGaAs/GaAs HBTs, noise modeling. *Daniel, T.*, *MWSYM* 97 1469-1472 vol.3
- AlGaAs/GaAs K-band 1 W HBTs, emitter air-bridge technol. *Hin-Fai Chau*, + , *MWSYM* 97 259-262 vol.1
- AlGaAs/GaAs low thermal impedance HBT, microwave power devices. *Hill, D.*, + , *RFIC* 97 189-192
- AlGaAs/GaAs power HBT, large-sig. charact., self-heating. *Samelis, A.*, + , *T-MTT Apr* 97 534-542
- AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM* 97 1307-1310 vol.3
- AlGaAs/GaAs self-aligned HBT, LF noise. *Jin-Ho Shin*, + , *MWSYM* 97 133-136 vol.1
- AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC* 97 185-188
- AlGaAs/GaAs thermally-shunted HBTs, max. power dens., power-added efficiency. *Jenkins, T.*, + , *MWSYM* 97 949-952 vol.2
- broadband HBT distrib. act. bal. Schottky mixer MMIC, 12-24 GHz. *Kobayashi, K.W.*, + , *RFIC* 97 75-78
- cascode HBTs for efficient high power microwave appls., thermal instabil. *Salib, M.*, + , *MWSYM* 97 897-900 vol.2
- DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun* 97 886-897
- distributed microwave HBT, transm. line model. *Liou, L.L.*, *MWSYM* 97 1473-1476 vol.3
- electrothermal model, pulsed meas. *Peyrettaillade, T.*, + , *MWSYM* 97 1515-1518 vol.3
- GaAs HBT MMIC, DC, X-band freq. doubler. *Xiangdong Zhang*, + , *MWSYM* 97 1213-1216 vol.3
- GaAs HBT monolithic microwave amp., reliab. *Yamada, F.M.*, + , *MWSYM* 97 141-144 vol.1
- GaAs HBT profile optim., Taguchi method. *Henderson, G.N.*, + , *MWSYM* 97 1465-1468 vol.3
- GaAs HBT UHF mixer, noise fig. prediction and meas. *Xavier, B.A.*, + , *RFIC* 97 135-138
- GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, + , *RFIC* 97 83-86
- GaInP/AlGaAs power HBT, non-quasi-static model. *Fraysse, J.P.*, + , *MWSYM* 97 379-382 vol.2
- GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM* 97 1065-1068 vol.2
- HBT HF modeling and integrated param. extraction. *Cai, Q.*, + , *T-MTT Dec* 97 2493-2502
- HF low-power ICs in scaled submicron HBT technol. *Hafizi, M.*, *T-MTT Dec* 97 2549-2554
- HF modeling, capacitance topol. *Ciubotaru, A.A.*, + , *MWSYM* 97 1477-1480 vol.3
- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan* 97 39-45
- InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul* 97 1135-1137
- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- InGaP/GaAs UHF power HBT, dyn. load lines meas. *Ohara, S.*, + , *MWSYM* 97 909-912 vol.2
- InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, + , *RFIC* 97 91-94
- InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, + , *RFIC* 97 79-81
- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM* 97 841-844 vol.2
- InP HBT, Si substr., wafer scale package. *Chun, C.*, + , *MWSYM* 97 513-516 vol.2
- InP/InGaAs HBT, optoelectronic mixer. *Liu, C.P.*, + , *MWSYM* 97 359-362 vol.1
- intermodulation mechanism and linearization of AlGaAs/GaAs HBTs. *Lee, J.*, + , *T-MTT Dec* 97 2065-2072
- large sig. model, hybrid pi and Tee cct. topologies. *Teeter, D.A.*, + , *MWSYM* 97 375-378 vol.2
- microwave HBT, electrothermal simul., TLM method, quasi 2D model. *Jinjin Shen*, + , *MWSYM* 97 1481-1484 vol.3
- microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug* 97 1368-1374
- MMIC HBT distributed power amp., large sig. design approach. *Viaud, J.P.*, + , *MWSYM* 97 893-896 vol.2
- MMIC Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM* 97 933-936 vol.2
- MMIC power amp., dual band operation. *DeHaan, M.R.*, + , *MWSYM* 97 1425-1427 vol.3
- nonlin. modeling of SiGe HBTs up to 50 GHz. *Rheinfelder, C.*, + , *T-MTT Dec* 97 2503-2508
- param. extraction, DC, S-param. and noise data. *Cai, Q.*, + , *MWSYM* 97 861-864 vol.2
- power amps., IMD, tone spacing effect. *McIntosh, P.M.*, + , *MWSYM* 97 371-374 vol.2
- RF noise param. determ. method. *Rouquette, P.*, + , *T-MTT May* 97 690-694
- scaled submicron HBT IC technol. for ultra-fast low-power ccts. *Hafizi, M.*, + , *RFIC* 97 87-90

- SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, + , *RFIC* 97 19-22
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM* 97 877-880 vol.2
- small-sig. equiv. cct. *Gobert, Y.*, + , *T-MTT Jan* 97 149-153
- High-speed electronics**
- 3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2
- MMIC distributed-amp.-based transversal filter topol., opt. commun. *Borjak, A.*, + , *T-MTT Aug* 97 1453-1457
- RF power amps., high speed noise power ratio meas. *Vaillancourt, W.G.*, + , *MWSYM* 97 1451-1454 vol.3
- TW photodetectors, theory, bandwidth-efficiency limitations. *Giboney, K.S.*, + , *T-MTT Aug* 97 1310-1319
- High-speed electronics; cf.** High-speed integrated circuits; Ultrafast electronics
- High-speed integrated circuits**
- AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, + , *T-MTT Jul* 97 1058-1064
- GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, + , *MWSYM* 97 473-476 vol.2
- GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, + , *MWSYM* 97 465-468 vol.2
- high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook*, + , *T-MTT Oct* 97 1847-1856
- high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, + , *T-MTT Oct* 97 1941-1947
- InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM* 97 461-464 vol.2
- interconnects and packaging (special issue). *T-MTT Oct* 97 1817-1985
- interconnects and packaging, special issue intro. *Tripathi V.K.*, + , *T-MTT Oct* 97 1817-1818
- MCM packaging, digital- and mixed-sig. electronic systs. *Gilbert, B.K.*, + , *T-MTT Oct* 97 1819-1835
- multiconductor interconnect lines, equiv. cct. params. extraction. *Jin Zhao*, + , *T-MTT Jan* 97 23-31
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, + , *T-MTT May* 97 712-723
- High-speed integrated circuits; cf.** Ultra-high-speed integrated circuits
- High-temperature superconductors**
- diplexer and LNA RF module. *Hey-Shipton, G.L.*, + , *MWSYM* 97 295-298 vol.1
- dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, + , *MWSYM* 97 1725-1728 vol.3
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- limiters, phase noise reduction. *Massin, F.*, + , *MWSYM* 97 307-310 vol.1
- microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, + , *T-MTT May* 97 780-786
- nonlin. phenom. in supercond. transm. line and microstrip resonator. *Vendik, O.G.*, + , *T-MTT Feb* 97 173-178
- split-resonator high power planar filter. *Shen Ye*, + , *MWSYM* 97 299-302 vol.1
- YBaCuO HTSC double-hybrid coupler. *Bechteler, T.*, + , *MWSYM* 97 311-314 vol.1
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- YBaCuO tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3
- Hilbert transforms**
- microwave ccts., Hilbert-transform-derived relative group delay. *Perry, P.*, + , *T-MTT Aug* 97 1214-1225
- History**
- Cs beam freq. stds., hist. of develop. *Lee, W.D.*, + , *MWSYM* 97 1161-1163 vol.3
- historical review of six-port meas. tech. *Engen, G.F.*, *T-MTT Dec* 97 2414-2417
- Jagadis Chandra Bose, mm-wave research rel., radioastronomy. *Emerson, D.T.*, *MWSYM* 97 553-556 vol.2
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM* 97 557-560 vol.2
- waveguide below-cutoff atten. std. *Russell, D.H.*, *MWSYM* 97 1165-1169 vol.3
- work of Jagadis Chandra Bose, 100 years of millimeter-wave research. *Emerson, D.T.*, *T-MTT Dec* 97 2267-2273
- Holography**
- millimeter-wave holographic power splitting/combining. *Shahabadi, M.*, + , *T-MTT Dec* 97 2316-2323
- Holography; cf.** Microwave holography
- Horn antennas**
- GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM* 97 561-564 vol.2
- mm-wave holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, + , *MWSYM* 97 573-576 vol.2
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM* 97 557-560 vol.2
- Hybrid integrated circuit bonding**
- microwave hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, + , *MWSYM* 97 1737-1740 vol.3
- Hybrid integrated circuit fabrication; cf.** Hybrid integrated circuit bonding
- Hybrid integrated circuit interconnections**
- microwave hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, + , *MWSYM* 97 1737-1740 vol.3
- Hybrid integrated circuits**
- 20 Gbit/s transmit and receive modules for opt. fiber links. *Hanke, G.*, *MWSYM* 97 233-236 vol.1
- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *MWSYM* 97 447-450 vol.2
- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *T-MTT Dec* 97 2261-2266
- air bridge based planar hybrid technol. for microwave/mm-wave appls. *Wasige, E.*, + , *MWSYM* 97 925-928 vol.2
- AllnAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, + , *MWSYM* 97 1057-1060 vol.2
- CEDAR, clock extraction and data regeneration hybrid IC, 10 Gb/s, PLL. *Tae-Whan Yoo*, + , *MWSYM* 97 1713-1716 vol.3
- compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, + , *MWSYM* 97 1595-1598 vol.3
- electronically tunable microwave impedance transformer. *Sinsky, J.H.*, + , *MWSYM* 97 647-650 vol.2
- mm-wave ICs, perforated plate substr. *Chenakin, A.V.*, + , *MWSYM* 97 921-924 vol.2
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM* 97 539-542 vol.2
- tightly coupled lines for MHMIC couplers and phase shifters. *Yansheng Xu*, + , *T-MTT Sep* 97 1594-1599
- wideband uniplanar phase inverters for hybrid MICs/MMICs. *Tongqing Wang*, + , *MWSYM* 97 777-780 vol.2
- Hybrid junctions**
- GaAs MMIC 90° quadrature hybrid coupler for ISM appls. *Avitabile, G.F.*, + , *MWSYM* 97 281-284 vol.1
- Ku-band power combining network, rect. coaxial line technol. *Oh-Hashi, H.*, + , *MWSYM* 97 409-412 vol.2
- quadrature-hybrid design, four-port ellipt. patch. *Kin-Lung Chan*, + , *T-MTT Feb* 97 307-310
- quadrature hybrid, miniature lumped element, planar spiral transformer theory. *Hogerheiden, J.*, + , *T-MTT Apr* 97 543-545
- small-sized ring hybrids, arbitrary termination impedances and power divisions. *Hee Ran Ahn*, + , *MWSYM* 97 285-288 vol.1
- uniplanar hybrid couplers using asymmetrical coplanar strip lines, MIC/MMIC appls. *Lu Fan*, + , *MWSYM* 97 273-276 vol.1
- Hyperthermia**
- HBM, abdomen, microwave near-field radiation. *Chuang, H.-R.*, *T-MTT Jan* 97 118-125
- Hysteresis; cf.** Dielectric hysteresis

I

Identification; cf. Parameter estimation; Road vehicle identification
IEEE Microwave Theory and Techniques Society; cf. Awards

IF systems

octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM* 97 405-407 vol.2

SAW filters on diamond, structs./characts. *Higaki, K.*, + , *MWSYM* 97 829-832 vol.2

IIR digital filters

pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, + , *MWSYM* 97 631-634 vol.2

Image processing; cf. Image recognition; Image reconstruction; Image segmentation

Image recognition

microwave CAD, layout, schematic, pattern recogn. *Tadjiky, S.*, + , *MWSYM* 97 1029-1033 vol.2

Image reconstruction

microwave imaging, location and shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, + , *T-MTT Apr* 97 469-476

mm-wave holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, + , *MWSYM* 97 573-576 vol.2

Image segmentation

microwave CAD, layout, schematic, pattern recogn. *Tadjiky, S.*, + , *MWSYM* 97 1029-1033 vol.2

Imaging; cf. Holography; Microscopy; Microwave imaging; Millimeter wave imaging**Immittance converters**

coplanar cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, + , *MWSYM* 97 1811-1814 vol.3
electronically tunable microwave impedance transformer. *Sinsky, J.H.*, + , *MWSYM* 97 647-650 vol.2

Impact ionization

InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun* 97 977-983

IMPATT diode oscillators

D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, + , *MWSYM* 97 1205-1208 vol.3
GaAs IMPATT diode, reson.-cap MM-wave power combiner. *Bauer, T.*, + , *T-MTT Jan* 97 146-148
SiC mm-wave avalanche transit time oscillator at high temp., power generation. *Meng, C.C.*, + , *MWSYM* 97 963-966 vol.2
SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108

IMPATT diodes

SiC mm-wave avalanche transit time oscillator at high temp., power generation. *Meng, C.C.*, + , *MWSYM* 97 963-966 vol.2

Impedance

28-V low thermal-impedance HBT with 20-W CW output power. *Hill, D.*, + , *T-MTT Dec* 97 2224-2228
arbitrary termination impedances, arbitrary power division, and small-sized ring hybrids. *Ahn, H.-R.*, + , *T-MTT Dec* 97 2241-2247
class-F power amps. with maximally flat waveforms. *Raab, F.H.*, *T-MTT Nov* 97 2007-2012
correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" (Jul 96 1161-1164). *Leong, M.S.*, + , *T-MTT May* 97 705
Ku-band power combining network, rect. coaxial line technol. *Oh-Hashi, H.*, + , *MWSYM* 97 409-412 vol.2
microstrip line struct., metal loss, SIBC in FDTD simul. *Takagi, E.*, + , *MWSYM* 97 1531-1534 vol.3
microwave jn.-FET access resist., impedance data set. *Osgood, K.*, + , *MWSYM* 97 873-876 vol.2
nonuniform trans. lines, anal. method. *Ke Lu*, *T-MTT Jan* 97 9-14
power combining port impedance model. *Lee, M.J.*, + , *MWSYM* 97 543-546 vol.2
ridge-trough waveguide, characts. *Guha, D.*, + , *T-MTT Mar* 97 449-453
shielded microstrip trans. lines with thick electrodes, anal. *Zhu, N.H.*, + , *T-MTT Feb* 97 288-291
stepped-impedance microwave resonators, structs./characts. *Sagawa, M.*, + , *T-MTT Jul* 97 1078-1085
suspension strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct* 97 1778-1784
transm.-line analysis of capacitively coupled microstrip-ring resonator. *Yu, C.-C.*, + , *T-MTT Nov* 97 2018-2024

Impedance matching

analog opt. link, input imped. conditions for noise fig. minimization. *Ackerman, E.*, + , *MWSYM* 97 237-240 vol.1
arbitrary nonuniform trans. lines for impedance matching ccts. *Hamade, A.H.*, + , *MWSYM* 97 1619-1622 vol.3
GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2
GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM* 97 13-16 vol.1
GaAs MMIC transimpedance amps., optoelectronic appls. *Dueme, Ph.*, + , *RFIC* 97 165-168
GaAs power MESFETs, S-band, second-harmonic terminating tech., mobile satcom appls. *Takenaka, I.*, + , *MWSYM* 97 1417-1420 vol.3
heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC* 97 109-112
hybrid technol. mm-wave ICs, perforated plate substr. *Chenakin, A.V.*, + , *MWSYM* 97 921-924 vol.2
membrane quadrant probe for R&D appls., on-wafer known good die testing. *Basu, S.*, + , *MWSYM* 97 1671-1673 vol.3
microwave act. filter ccts., Marquardt-More optim. *Kerherve, E.*, + , *MWSYM* 97 1611-1614 vol.3
microwave Si power transistor fab., monolithic impedance matching ccts. *Phing Li*, + , *MWSYM* 97 991-994 vol.2
MM-wave amps., phys. simul., full-wave FDTD tech. *Imtiaz, S.M.S.*, + , *MWSYM* 97 79-82 vol.1
nonreciprocal and nonsymmetric trans. lines, duality transform. *Lindell, I.V.*, + , *T-MTT Jan* 97 129-131
opt. illum. directional coupler, quasi-static anal. tech. *Safwat, A.M.E.*, + , *T-MTT Aug* 97 1351-1357

quadrature-hybrid design, four-port ellipt. patch. *Kin-Lung Chan*, + , *T-MTT Feb* 97 307-310

Schottky diode parallel pair mm-wave freq. tripler, varactors. *Thornton, J.*, + , *MWSYM* 97 957-958 vol.2

Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12

Si finite-width CPW open/short-circuited terminated series stubs. *Ponchak, G.E.*, + , *T-MTT Jun* 97 970-976

Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC* 97 121-125

subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, + , *MWSYM* 97 1039-1042 vol.2

symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep* 97 1537-1544

tightly coupled microstrip lines, optimum termination networks. *Amari, S.*, + , *T-MTT Oct* 97 1785-1789

UHF miniaturized monolithic dual band filter for portable telephones. *Miyake, H.*, + , *MWSYM* 97 789-792 vol.2

ultrawide-band photonic link using Mach-Zehnder modulators, optim. *Nichols, L.T.*, + , *T-MTT Aug* 97 1384-1389

vias, HF multilayer packages, FDTD/MoM models. *Pillai, E.R.*, *T-MTT Oct* 97 1981-1985

wideband multiport planar power divider design. *Yung-Jinn Chen*, + , *MWSYM* 97 397-400 vol.2

Impedance matching; cf. Baluns**Impedance matrix**

broadband inhomogen. stripline circulators, anal. *Macchiarella, G.*, + , *T-MTT Feb* 97 294-297

coupled symm. lines, impedance matrix, S-param. meas. *Winkel, T.-M.*, + , *MWSYM* 97 1769-1772 vol.3

coupled trans. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, + , *MWSYM* 97 1785-1788 vol.3

open microstrip lines, dispersion characts. calc. *Seong-Ook Park*, + , *T-MTT Mar* 97 458-460

photonic crystals, finite element-generalized network anal. *Coccioli, R.*, + , *MWSYM* 97 195-198 vol.1

quadrature-hybrid design, four-port ellipt. patch. *Kin-Lung Chan*, + , *T-MTT Feb* 97 307-310

Impedance measurement

coupled symm. lines, impedance matrix, S-param. meas. *Winkel, T.-M.*, + , *MWSYM* 97 1769-1772 vol.3

Impurities

liq. tanks, impurity level meas., FSCW radar. *Weiss, M.*, + , *MWSYM* 97 1651-1654 vol.3

Indium compounds

AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, + , *MWSYM* 97 1281-1284 vol.3

AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, + , *RFIC* 97 169-173

AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, + , *MWSYM* 97 17-20 vol.1

AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM* 97 1175-1178 vol.3

AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, + , *T-MTT Jul* 97 1058-1064

AllnAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, + , *MWSYM* 97 1057-1060 vol.2

GaInP/AlGaAs power HBT, non-quasi-static model. *Fraysse, J.P.*, + , *MWSYM* 97 379-382 vol.2

GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM* 97 1065-1068 vol.2

HF low-power ICs in scaled submicron HBT technol. *Hafizi, M.*, *T-MTT Dec* 97 2549-2554

InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM* 97 461-464 vol.2

InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM* 97 457-460 vol.2

InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun* 97 977-983

InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM* 97 1183-1186 vol.3

InGaAs/InAlAs HFET, full wave BIE anal. *Schroeder, W.*, + , *MWSYM* 97 159-162 vol.1

InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC* 97 59-62

InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan* 97 39-45

InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul* 97 1135-1137

InGaP/AlGaAs/InGaAs HJFET, X-Ku band power appls. *Okamoto, Y.*, + , *MWSYM* 97 1191-1194 vol.3

- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC* 97 211-214
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM* 97 251-254 vol.1
- InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, + , *RFIC* 97 91-94
- InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, + , *RFIC* 97 79-81
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug* 97 1332-1336
- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM* 97 841-844 vol.2
- InP HBT, Si substr., wafer scale package. *Chun, C.*, + , *MWSYM* 97 513-516 vol.2
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, + , *MWSYM* 97 1043-1046 vol.2
- InP HEMT cold/hot noise sources. *Dunleavy, L.P.*, + , *MWSYM* 97 1293-1296 vol.3
- InP HEMTs, VHF small-sig. equiv. cct. *Miras, A.*, + , *T-MTT Jul* 97 1018-1026
- InP/InGaAs HBT, optoelectronic mixer. *Liu, C.P.*, + , *MWSYM* 97 359-362 vol.1
- InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, + , *MWSYM* 97 517-520 vol.2
- InP MMIC amp. module, full-waveguide band mount, 90-140 GHz. *Weinreb, S.*, + , *MWSYM* 97 1279-1280 vol.3
- InP MM-wave HEMT amps., cryogenic cooling. *Pospieszalski, M.W.*, + , *MWSYM* 97 1285-1288 vol.3
- InP MM-wave $n^+n^-n^+$ Gunn devices, RF perform. characts. *Eisele, H.*, + , *MWSYM* 97 451-454 vol.2
- opt. repeater cct. design based on InAlAs/InGaAs HEMT digital IC technol. *Yoneyama, M.*, + , *T-MTT Dec* 97 2274-2282
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, + , *RFIC* 97 37-40
- W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, + , *MWSYM* 97 435-438 vol.2
- Indoor radio communication**
- 3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2
- fiber supported MM-wave radio systs., broadband local loop. *Goloubkoff, M.*, + , *MWSYM* 97 31-34 vol.1
- Inductance**
- AlGaAs/GaAs HBTs, K-band, 1 W, emitter air-bridge technol. *Hin-Fai Chau*, + , *RFIC* 97 219-223
- CMOS distributed amp., packaging inductance. *Sullivan, P.J.*, + , *T-MTT Oct* 97 1969-1976
- DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, + , *MWSYM* 97 723-726 vol.2
- ground bond wire arrays for RFICs, inductance computation. *Patterson, H.*, *MWSYM* 97 765-768 vol.2
- planar lumped inductors in multilayer config., induct. and Q-factor eval. *Mahmoud, S.F.*, + , *T-MTT Jun* 97 918-923
- RFICs, ground bond wire arrays. *Patterson, H.*, *RFIC* 97 237-240
- thin microstrips, losses eval. *Stracca, G.B.*, *T-MTT Feb* 97 281-283
- Inductors**
- 3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug* 97 1141-1153
- act. inductor, monolithic inductance-controlled FET oscillator appl. *Yong-Ho Cho*, + , *T-MTT Aug* 97 1208-1213
- GaAs MESFETs and pass. components, epitaxial lift off. *Morf, T.*, + , *MWSYM* 97 145-148 vol.1
- GaAs MMIC 90° quadrature hybrid coupler for ISM appls. *Avitabile, G.F.*, + , *MWSYM* 97 281-284 vol.1
- lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM* 97 1807-1810 vol.3
- low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko*, + , *MWSYM* 97 929-932 vol.2
- MESFETs/spiral inductors, epitaxial lift off technol., RF meas. *Morf, T.*, + , *RFIC* 97 197-200
- MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM* 97 1793-1796 vol.3
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, + , *MWSYM* 97 701-704 vol.2
- MMIC spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, + , *T-MTT Oct* 97 1961-1968
- planar lumped inductors in multilayer config., induct. and Q-factor eval. *Mahmoud, S.F.*, + , *T-MTT Jun* 97 918-923
- Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12
- Si CMOS technol. compatible high-Q microwave inductors. *Min Park*, + , *RFIC* 97 181-184
- Si CMOS technol., high Q microwave inductors. *Min Park*, + , *MWSYM* 97 129-132 vol.1
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM* 97 761-764 vol.2
- Information theory; cf. Decoding**
- Injection locked oscillators**
- act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2
- coupled oscillator arrays, phase noise props. *Heng-Chia Chang*, + , *MWSYM* 97 1061-1064 vol.2
- GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang*, + , *T-MTT May* 97 604-615
- microwave MESFET oscillators, nonlin. time-domain anal. *Dixon, J.*, + , *T-MTT Jul* 97 1050-1057
- MM-wave MMIC synthesizer soln., injection-locked oscillator chain. *Kamogawa, K.*, + , *T-MTT Sep* 97 1578-1584
- mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204
- opt. mm-wave generation utilizing locking techs. *Berceli, T.*, *MWSYM* 97 1721-1724 vol.3
- phase noise in externally injection-locked oscillator arrays. *Chang, H.-C.*, + , *T-MTT Nov* 97 2035-2042
- Inspection**
- modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov* 97 2049-2057
- Integral equations**
- 3D geometries, automated parameterization, spiral super-quadric generatrix. *Kolundzija, B.M.*, + , *T-MTT May* 97 864-866
- 3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug* 97 1141-1153
- asymmetric rect. iris in circ. waveguide, scatt. props. *Lenadan, T.*, + , *MWSYM* 97 207-210 vol.1
- circ. symmetric via, capacitance, model. *Mathis, A.W.*, + , *T-MTT Oct* 97 1875-1878
- concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, + , *MWSYM* 97 111-114 vol.1
- conductor-backed coplanar strip line, leakage regimes, crit. points. *Yakovlev, A.B.*, + , *T-MTT Jan* 97 87-94
- curved surface dielec. resonators, FDTD anal. *Kaneda, N.*, + , *T-MTT Sep* 97 1645-1649
- ellipt. waveguide jn., two-port scatt. *Kin-Lung Chan*, + , *T-MTT Aug* 97 1255-1262
- finite cylinders, 3D scatt. problem, point-matching MoM reduced scheme. *Papagiannakis, A.G.*, *T-MTT Sep* 97 1545-1553
- HBM, abdomen, microwave near-field radiation. *Chuang, H.-R.*, *T-MTT Jan* 97 118-125
- layered struct., EM fields, time-domain integral eqns. *Georgieva, N.*, + , *T-MTT Jun* 97 984-990
- microstrip antennas, arbitrary shape, EM scatt. anal. *Uckun, S.*, + , *T-MTT Apr* 97 485-491
- microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM* 97 1799-1802 vol.3
- microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang*, *T-MTT Feb* 97 229-235
- microstrip lines, PBG substrs., double vector integral eqn. *Yang, H.Y.D.*, *MWSYM* 97 191-194 vol.1
- microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzyy-Sheng Horng*, *MWSYM* 97 1815-1818 vol.3
- microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep* 97 1554-1562
- multiconductor transm. lines, rect. cross sect., quasi-TEM anal. *Bernal, J.*, + , *T-MTT Sep* 97 1619-1626
- multilayered media, planar microstrip elements, modeling. *Ming-Ju Tsai*, + , *T-MTT Mar* 97 330-337
- multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar* 97 428-435
- nonlin. EM field simul., time-domain integral eqn. techs. *Pinello, W.*, + , *MWSYM* 97 63-66 vol.1
- packaged electronics, noise interacts., hybrid EM model. *Pinello, W.*, + , *T-MTT Oct* 97 1889-1896
- planar layered media, 3D FEM/BEM-hybrid approach. *Eibert, T.F.*, + , *T-MTT Jul* 97 1105-1112
- planar lumped inductors in multilayer config., induct. and Q-factor eval. *Mahmoud, S.F.*, + , *T-MTT Jun* 97 918-923
- planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct* 97 1662-1671
- rect. double-ridged TEM coaxial line, charact. impedance. *Garb, K.*, + , *T-MTT Apr* 97 554-557

- shielded and open arbitrarily multilayered media, static Green's fns. solns. *Keren Li*, +, *T-MTT Jan 97* 2-8
- slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, +, *T-MTT Jul 97* 1127-1132
- strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, +, *T-MTT Oct 97* 1756-1766
- waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, +, *T-MTT Sep 97* 1611-1618
- Integral equations; cf.** Boundary integral equations
- Integrated circuit bonding**
- air-gap transm. lines, OEICs and MMICs, glass substrs. *Chuang, J.*, +, *MWSYM 97* 265-268 vol.1
- MIMIC, flip chip bonding, Au pillars. *Aoki, S.*, +, *MWSYM 97* 731-734 vol.2
- RFICs, ground bond wire arrays. *Patterson, H.*, *RFIC 97* 237-240
- Integrated circuit bonding; cf.** Hybrid integrated circuit bonding
- Integrated circuit design**
- act. recursive MMIC filters, low-noise MESFET-based design. *Danestig, M.*, +, *MWSYM 97* 705-708 vol.2
- AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, +, *MWSYM 97* 1175-1178 vol.3
- automated circuit design using electromagnetic simulators (special issue). *T-MTT May 97* 709-866
- automated circuit design using electromagnetic simulators, special issue intro. *Bandler, J.W.*, *T-MTT May 97* 709-711
- broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, +, *MWSYM 97* 757-760 vol.2
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, +, *MWSYM 97* 945-948 vol.2
- compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, +, *MWSYM 97* 1595-1598 vol.3
- embedded transm. line MMIC for wireless commun. appls. *Hua-Quen Tserng*, +, *RFIC 97* 41-44
- GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, +, *MWSYM 97* 465-468 vol.2
- GaAs MESFET MMIC LNA, cascode feedback, noise/input power matching tech. *Beom Kyu Ko*, +, *T-MTT Sep 97* 1627-1629
- GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, +, *RFIC 97* 29-32
- GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, +, *MWSYM 97* 439-442 vol.2
- GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, +, *RFIC 97* 83-86
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC 97* 109-112
- InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, +, *MWSYM 97* 461-464 vol.2
- InAlAs/InGaAs/InP HEMT IC LNA, three-stage design, 155 GHz. *Wang, H.*, +, *MWSYM 97* 1275-1278 vol.3
- InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, +, *MWSYM 97* 1183-1186 vol.3
- InP MMIC amp. module, full-waveguide band mount, 90-140 GHz. *Weinreb, S.*, +, *MWSYM 97* 1279-1280 vol.3
- Lange-coupler and SSB mixer design, micromachining techs. *Chen-Yu Chi*, +, *T-MTT Feb 97* 291-294
- line-to-ring coupling cct. model, parametric effects, microstrip ring ccts. and antennas. *Lei Zhu*, +, *MWSYM 97* 289-292 vol.1
- microwave VLSI multilayered 3D interconnects, param. extraction, domain-decomp. method. *Zhenhai Zhu*, +, *T-MTT Aug 97* 1179-1184
- MMIC bias network for low cost multistage amps. *Morkner, H.*, +, *RFIC 97* 161-164
- MMIC design, mm-wave range, EM interfacing, FDTD anal. *El-Ghazaly, S.M.*, +, *MWSYM 97* 151-154 vol.1
- MMIC HBT distributed power amp., large sig. design approach. *Viaud, J.P.*, +, *MWSYM 97* 893-896 vol.2
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, +, *T-MTT May 97* 819-826
- MMICs, 90° CPW bends, air-bridges, EM-ANN modelling, optimal chamfering. *Watson, P.M.*, +, *MWSYM 97* 1603-1606 vol.3
- mm-wave CPW ccts., wide band CAD model, FDTD tech. *Lan, E.*, +, *MWSYM 97* 1583-1586 vol.3
- monobit receiver able, proc. 2 simultaneous sigs. *Tsui, J.B.Y.*, +, *MWSYM 97* 469-471 vol.2
- monolithic matrix amp., design procedure. *Paoloni, C.*, +, *T-MTT Jan 97* 135-139
- multilayer dielec. media MICs in rect. waveguide. *Pereira Filho, O.M.C.*, +, *MWSYM 97* 1535-1538 vol.3
- PHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, +, *MWSYM 97* 1729-1732 vol.3
- PHEMT mm-wave MMIC VCO, design procedures. *Garner, P.J.*, +, *MWSYM 97* 885-888 vol.2
- PHEMT X-band MMIC HPA, flip-chip technol., efficiency. *Cameron, P.*, +, *MWSYM 97* 889-892 vol.2
- RFIC transistor technol., syst. archit., mobile commun. *Kerमारrec, C.*, +, *RFIC 97* 65-68
- Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, +, *RFIC 97* 113-116
- SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, +, *RFIC 97* 19-22
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, +, *RFIC 97* 37-40
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, +, *T-MTT May 97* 712-723
- Integrated circuit design; cf.** Integrated circuit layout
- Integrated circuit doping**
- MIS waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, +, *T-MTT Oct 97* 1807-1810
- Integrated circuit doping; cf.** Integrated circuit ion implantation
- Integrated circuit economics**
- Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, +, *RFIC 97* 113-116
- Integrated circuit fabrication**
- InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, +, *RFIC 97* 79-81
- micromachining techs. for Lange-coupler and SSB mixer design. *Chen-Yu Chi*, +, *T-MTT Feb 97* 291-294
- planar cct./NRD-guide, hybrid integrat. technol. *Ke Wu*, +, *T-MTT Jun 97* 946-954
- RFIC transceiver technol., syst. archit., mobile commun. *Kerमारrec, C.*, +, *RFIC 97* 65-68
- scaled submicron HBT IC technol. for ultra-fast low-power ccts. *Hafizi, M.*, +, *RFIC 97* 87-90
- Si RF-GCMOS IC technol., RF mixed-mode wireless appls. *Jun Ma*, +, *RFIC 97* 175-179
- Si RF-GCMOS IC technol., RF mixed-mode wireless commun. *Jun Ma*, +, *MWSYM 97* 123-127 vol.1
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, +, *RFIC 97* 233-236
- Integrated circuit fabrication; cf.** Integrated circuit bonding; Integrated circuit doping; Integrated circuit metallization; Thin film circuit fabrication
- Integrated circuit interconnections**
- air bridge based planar hybrid technol. for microwave/mm-wave appls. *Wasige, E.*, +, *MWSYM 97* 925-928 vol.2
- air-gap transm. lines, OEICs and MMICs, glass substrs. *Chuang, J.*, +, *MWSYM 97* 265-268 vol.1
- circ. symmetric via, capacitance, model. *Mathis, A.W.*, +, *T-MTT Oct 97* 1875-1878
- coupled interconnections, cct. modeling, causality. *Sercu, S.*, +, *T-MTT Oct 97* 1977-1981
- DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, +, *MWSYM 97* 723-726 vol.2
- flipped-chip mounting schemes, MM-wave IC behavior modelling. *Jackson, R.W.*, +, *T-MTT Oct 97* 1919-1925
- HF interconnects on Si substrs. for MMICs. *Ponchak, G.E.*, +, *RFIC 97* 101-104
- high lead-count plastic packages, microwave cct. modelling. *Jackson, R.W.*, +, *T-MTT Oct 97* 1926-1933
- high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, +, *T-MTT Oct 97* 1941-1947
- interconnects and packaging (special issue). *T-MTT Oct 97* 1817-1985
- interconnects and packaging, special issue intro. *Tripathi V.K.*, +, *T-MTT Oct 97* 1817-1818
- microwave IC packages/interconnects, FDTD 3D simul., lossy coupling. *Falconer, M.*, +, *MWSYM 97* 1733-1736 vol.3
- microwave interconnection, 3D low-loss wide-band struct. *Monfraix, P.*, +, *MWSYM 97* 1551-1554 vol.3
- microwave packaging, high dens. 3D module. *Sturdivant, R.*, +, *MWSYM 97* 501-504 vol.2
- microwave VLSI multilayered 3D interconnects, param. extraction, domain-decomp. method. *Zhenhai Zhu*, +, *T-MTT Aug 97* 1179-1184
- MMIC spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, +, *T-MTT Oct 97* 1961-1968
- MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, +, *T-MTT May 97* 827-836
- multiconductor interconnect lines, equiv. cct. params. extraction. *Jin Zhao*, +, *T-MTT Jan 97* 23-31
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, +, *T-MTT Oct 97* 1934-1940
- on-chip interconnections, transm.-line effects. *Deutsch, A.*, +, *T-MTT Oct 97* 1836-1846
- packaging, ccts. and interconnects, finite-element modeling. *Polycarpou, A.C.*, +, *T-MTT Oct 97* 1868-1874

- simul., SPICE, transm. line model. *Celik, M.*, +, *T-MTT Oct 97* 1857-1867
- thin-film microstrip lines for MM and sub-MM/wave on-chip interconnects. *Heiliger, H.-M.*, +, *MWSYM 97* 421-424 vol.2
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, +, *T-MTT May 97* 712-723
- Integrated circuit interconnections; cf.** Aluminum integrated circuit conductors; Hybrid integrated circuit interconnections
- Integrated circuit ion implantation**
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, +, *T-MTT May 97* 846-855
- Integrated circuit layout**
- CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, +, *T-MTT May 97* 630-635
- microwave CAD, layout, schematic, pattern recogn. *Tadjiky, S.*, +, *MWSYM 97* 1029-1033 vol.2
- MIMIC and antenna layout, synthesis procedure. *Thieme, M.O.*, +, *MWSYM 97* 1009-1012 vol.2
- MMIC quasi-circulator, noise and power optim. *Gasmi, A.*, +, *T-MTT Sep 97* 1572-1577
- Si CMOS technol., high Q microwave inductors. *Min Park, +*, *MWSYM 97* 129-132 vol.1
- Integrated circuit measurements**
- broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, +, *MWSYM 97* 757-760 vol.2
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim, +*, *MWSYM 97* 945-948 vol.2
- D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, +, *MWSYM 97* 1205-1208 vol.3
- DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, +, *MWSYM 97* 723-726 vol.2
- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, +, *MWSYM 97* 1399-1402 vol.3
- flip-chip MMIC power amps., pulsed internal-node waveform anal. *Bao, J.W.*, +, *MWSYM 97* 905-908 vol.2
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, +, *MWSYM 97* 987-990 vol.2
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, +, *RFIC 97* 193-196
- GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, +, *MWSYM 97* 465-468 vol.2
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, +, *MWSYM 97* 1043-1046 vol.2
- low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko, +*, *MWSYM 97* 929-932 vol.2
- membrane quadrant probe for R&D appls., on-wafer known good die testing. *Basu, S.*, +, *MWSYM 97* 1671-1673 vol.3
- microwave hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, +, *MWSYM 97* 1737-1740 vol.3
- MMICs, electro-optic scanning, Fabry-Perot enhancement. *Muller, P.O.*, +, *MWSYM 97* 1329-1332 vol.3
- mm-wave wideband amps., multilayer MMIC technol. *Imaoka, T.*, +, *T-MTT Jan 97* 95-101
- pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, +, *MWSYM 97* 1729-1732 vol.3
- SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, +, *RFIC 97* 19-22
- Integrated circuit metallization**
- coplanar cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, +, *MWSYM 97* 1811-1814 vol.3
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, +, *RFIC 97* 207-210
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, +, *MWSYM 97* 247-250 vol.1
- HF low-power ICs in scaled submicron HBT technol. *Hafizi, M.*, *T-MTT Dec 97* 2549-2554
- MIS waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, +, *T-MTT Oct 97* 1807-1810
- Integrated circuit metallization; cf.** Aluminum integrated circuit conductors
- Integrated circuit modeling**
- broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, +, *MWSYM 97* 757-760 vol.2
- circ. symmetric via, capacitance, model. *Mathis, A.W.*, +, *T-MTT Oct 97* 1875-1878
- coupled interconnections, cct. modeling, causality. *Sercu, S.*, +, *T-MTT Oct 97* 1977-1981
- device/cct.-level modeling, neural network training. *Zaabab, A.H.*, +, *T-MTT Oct 97* 1696-1704
- high lead-count plastic packages, microwave cct. modelling. *Jackson, R.W.*, +, *T-MTT Oct 97* 1926-1933
- high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook, +*, *T-MTT Oct 97* 1847-1856
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM 97* 155-158 vol.1
- line-to-ring coupling cct. model, parametric effects, microstrip ring ccts. and antennas. *Lei Zhu, +*, *MWSYM 97* 289-292 vol.1
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, +, *T-MTT Jan 97* 46-51
- microwave hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, +, *MWSYM 97* 1737-1740 vol.3
- microwave IC packages/interconnects, FDTD 3D simul., lossy coupling. *Falconer, M.*, +, *MWSYM 97* 1733-1736 vol.3
- MMIC design, mm-wave range, EM interfacing, FDTD anal. *El-Ghazaly, S.M.*, +, *MWSYM 97* 151-154 vol.1
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo, +*, *T-MTT May 97* 819-826
- MMICs, 90° CPW bends, air-bridges, EM-ANN modelling, optimal chamfering. *Watson, P.M.*, +, *MWSYM 97* 1603-1606 vol.3
- MM-wave IC behavior modelling for flip-chip mounting schemes. *Jackson, R.W.*, +, *T-MTT Oct 97* 1919-1925
- packaged electronics, noise interacts., hybrid EM model. *Pinello, W.*, +, *T-MTT Oct 97* 1889-1896
- packaging, ccts. and interconnects, finite-element modeling. *Polycarpou, A.C.*, +, *T-MTT Oct 97* 1868-1874
- pass. component models in CPW for 50 GHz MMICs. *Shimon, R.*, +, *MWSYM 97* 769-772 vol.2
- pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, +, *MWSYM 97* 1729-1732 vol.3
- pHEMT mm-wave MMIC VCO, design procedures. *Garner, P.J.*, +, *MWSYM 97* 885-888 vol.2
- quadrature hybrid, miniature lumped element, planar spiral transformer theory. *Hogerheiden, J.*, +, *T-MTT Apr 97* 543-545
- RFICs, ground bond wire arrays. *Patterson, H.*, *RFIC 97* 237-240
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen, +*, *T-MTT Oct 97* 1911-1918
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, +, *T-MTT May 97* 712-723
- Integrated circuit noise**
- act. recursive MMIC filters, low-noise MESFET-based design. *Danestig, M.*, +, *MWSYM 97* 705-708 vol.2
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, +, *MWSYM 97* 1281-1284 vol.3
- AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, +, *RFIC 97* 169-173
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, +, *MWSYM 97* 17-20 vol.1
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim, +*, *MWSYM 97* 945-948 vol.2
- GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, +, *MWSYM 97* 473-476 vol.2
- GaAs MESFET MMIC LNA, cascode feedback, noise/input power matching tech. *Beom Kyu Ko, +*, *T-MTT Sep 97* 1627-1629
- GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, +, *MWSYM 97* 443-446 vol.2
- high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook, +*, *T-MTT Oct 97* 1847-1856
- InAlAs/InGaAs/InP HEMT IC LNA, three-stage design, 155 GHz. *Wang, H.*, +, *MWSYM 97* 1275-1278 vol.3
- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, +, *RFIC 97* 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, +, *MWSYM 97* 255-258 vol.1
- InP MMIC amp. module, full-waveguide band mount, 90-140 GHz. *Weinreb, S.*, +, *MWSYM 97* 1279-1280 vol.3
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, +, *T-MTT Jan 97* 46-51
- MMIC quasi-circulator, noise and power optim. *Gasmi, A.*, +, *T-MTT Sep 97* 1572-1577
- packaged electronics, noise interacts., hybrid EM model. *Pinello, W.*, +, *T-MTT Oct 97* 1889-1896
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, +, *MWSYM 97* 1395-1398 vol.3
- W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, +, *MWSYM 97* 435-438 vol.2
- Integrated circuit packaging**
- air bridge based planar hybrid technol. for microwave/mm-wave appls. *Wasige, E.*, +, *MWSYM 97* 925-928 vol.2
- ccts. and interconnects, finite-element modeling. *Polycarpou, A.C.*, +, *T-MTT Oct 97* 1868-1874
- CDMA cellular phone syssts., MMIC variable gain amp., high dyn. range. *Kasashima, M.*, +, *RFIC 97* 157-160
- CMOS distributed amp., packaging inductance. *Sullivan, P.J.*, +, *T-MTT Oct 97* 1969-1976

- DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, + , *MWSYM* 97 723-726 vol.2
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, + , *MWSYM* 97 987-990 vol.2
- GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, + , *MWSYM* 97 473-476 vol.2
- ground bond wire arrays for RFICs, inductance computation. *Patterson, H.*, *MWSYM* 97 765-768 vol.2
- high lead-count plastic packages, microwave cct. modelling. *Jackson, R.W.*, + , *T-MTT Oct* 97 1926-1933
- high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook*, + , *T-MTT Oct* 97 1847-1856
- high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, + , *T-MTT Oct* 97 1941-1947
- hybrid technol. mm-wave ICs, perforated plate substr. *Chenakin, A.V.*, + , *MWSYM* 97 921-924 vol.2
- InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, + , *MWSYM* 97 517-520 vol.2
- interconnects and packaging (special issue). *T-MTT Oct* 97 1817-1985
- interconnects and packaging, special issue intro. *Tripathi V.K.*, + , *T-MTT Oct* 97 1817-1818
- line-loss and size-reduction techs. for millimeter-wave RF front-end boards by using polyimide/alumina-ceramic multilayer config. *Nakatsugawa, M.*, + , *T-MTT Dec* 97 2308-2315
- MCM packaging, digital- and mixed-sig. electronic systs. *Gilbert, B.K.*, + , *T-MTT Oct* 97 1819-1835
- microwave IC packages/interconnects, FDTD 3D simul., lossy coupling. *Falconer, M.*, + , *MWSYM* 97 1733-1736 vol.3
- microwave package models, on-wafer meas. *Chun, C.*, + , *T-MTT Oct* 97 1948-1954
- microwave packaging, high dens. 3D module. *Sturdivant, R.*, + , *MWSYM* 97 501-504 vol.2
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May* 97 819-826
- MMIC packaging, time-domain segmentation anal. *Righi, M.*, + , *T-MTT Oct* 97 1905-1910
- MM-wave IC behavior modelling for flip-chip mounting schemes. *Jackson, R.W.*, + , *T-MTT Oct* 97 1919-1925
- Mobitex PC card wireless modem. *Moghe, S.*, + , *MWSYM* 97 1391-1394 vol.3
- noise interacts., hybrid EM model. *Pinello, W.*, + , *T-MTT Oct* 97 1889-1896
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct* 97 1934-1940
- Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC* 97 121-125
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen*, + , *T-MTT Oct* 97 1911-1918
- surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM* 97 995-998 vol.2
- T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM* 97 583-586 vol.2
- vias, HF multilayer packages, FDTD/MoM models. *Pillai, E.R.*, *T-MTT Oct* 97 1981-1985
- Integrated circuit packaging; cf.** Multichip modules
- Integrated circuit reliability**
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC* 97 193-196
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC* 97 207-210
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM* 97 247-250 vol.1
- T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM* 97 583-586 vol.2
- Integrated circuits; cf.** Analog integrated circuits; Application specific integrated circuits; Bipolar integrated circuits; Digital integrated circuits; High-speed integrated circuits; Hybrid integrated circuits; Microwave integrated circuits; Millimeter wave integrated circuits; Power integrated circuits; Submillimeter wave integrated circuits; Thin film circuits; UHF integrated circuits
- Integrated circuit testing**
- flip-chip MMIC power amps., pulsed internal-node waveform anal. *Bao, J.W.*, + , *MWSYM* 97 905-908 vol.2
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC* 97 193-196
- membrane quadrant probe for R&D appls., on-wafer known good die testing. *Basu, S.*, + , *MWSYM* 97 1671-1673 vol.3
- power MMICs, known good die testing. *Basu, S.*, + , *MWSYM* 97 1675-1677 vol.3
- pure-mode VNA for on-wafer meas. of mixed-mode S-params. of differential ccts. *Bockelman, D.E.*, + , *T-MTT Jul* 97 1071-1077
- T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM* 97 583-586 vol.2
- W-band MMIC on-wafer testing, microstrip SOLT calib. tech. *Yon-Lin Kok*, + , *MWSYM* 97 1663-1666 vol.3
- Integrated circuit thermal factors**
- AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM* 97 1175-1178 vol.3
- broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *MWSYM* 97 757-760 vol.2
- GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, + , *MWSYM* 97 473-476 vol.2
- microwave packaging, high dens. 3D module. *Sturdivant, R.*, + , *MWSYM* 97 501-504 vol.2
- MMIC flip chips, CVD diamond substr., thermal mgt. *Sturdivant, R.*, + , *MWSYM* 97 505-507 vol.2
- UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *RFIC* 97 229-232
- Integrated optics**
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug* 97 1501-1507
- electrooptic modulator, phase reversal electrode design. *Kwok-Wah Hui*, + , *T-MTT Jan* 97 142-145
- switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug* 97 1519-1521
- Integrated optoelectronics**
- air-gap transm. lines, OEICs and MMICs, glass substrs. *Chuang, J.*, + , *MWSYM* 97 265-268 vol.1
- GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan* 97 15-22
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC* 97 59-62
- microwave photonic phase and freq. shifter. *Winnall, S.T.*, + , *T-MTT Jun* 97 1003-1006
- Integration (mathematics)**
- 3D boundary integral method, double surface integrals. *Arcioni, P.*, + , *T-MTT Mar* 97 436-439
- global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM* 97 1373-1376 vol.3
- microstrip Y-jn. anal., spectral-domain approach. *Ooi, B.L.*, + , *T-MTT Oct* 97 1800-1805
- Intelligent control**
- automotive intell. cruise control, MM-wave radar sens. *Russell, M.E.*, + , *MWSYM* 97 1257-1260 vol.3
- Intelligent design assistants**
- microwave CAD, layout, schematic, pattern recogn. *Tadjiky, S.*, + , *MWSYM* 97 1029-1033 vol.2
- Intelligent systems; cf.** Intelligent control
- Interchannel interference**
- digital mobile telephones, interf. suppression, SAW filter. *Yamada, T.*, + , *MWSYM* 97 833-836 vol.2
- feedforward power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM* 97 1519-1522 vol.3
- microwave miniaturized linearizer using parallel diode with bias feed resist. *Yamauchi, K.*, + , *T-MTT Dec* 97 2431-2435
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- Interconnected circuits; cf.** Cascade circuits
- Interconnected systems; cf.** Cascade systems
- Interconnections**
- nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM* 97 1781-1784 vol.3
- Interconnections; cf.** Integrated circuit interconnections; Optical interconnections
- Interdigital transducers**
- LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM* 97 821-824 vol.2
- Interface phenomena; cf.** Schottky barriers
- Interference; cf.** Electromagnetic interference
- Interference suppression**
- digital mobile telephones, interf. suppression, SAW filter. *Yamada, T.*, + , *MWSYM* 97 833-836 vol.2
- feedforward power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM* 97 1519-1522 vol.3
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug* 97 1513-1518
- Interferometry; cf.** Optical interferometry
- Intermodulation distortion**
- DS-CDMA, opt. transm., nonlin. effect. *Geslin, S.*, + , *MWSYM* 97 1763-1766 vol.3
- eval. of MESFET nonlin. intermodulation distortion reduction by channel-doping control. *Pedro, J.C.*, *T-MTT Nov* 97 1989-1997
- feedforward power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM* 97 1519-1522 vol.3

- ferrite circulator jns., nonlin. intermodulation coupling. *Hoton How*, + , *T-MTT Feb 97* 245-252
- GaAs FET high power UHF amps., IM₃ relative phase, transfer charact. *Suematsu, N.*, + , *MWSYM 97* 901-904 vol.2
- HBT power amps., IMD, tone spacing effect. *McIntosh, P.M.*, + , *MWSYM 97* 371-374 vol.2
- InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul 97* 1135-1137
- InGaP/AlGaAs/InGaAs HJFET, X-Ku band power appls. *Okamoto, Y.*, + , *MWSYM 97* 1191-1194 vol.3
- intermodulation mechanism and linearization of AlGaAs/GaAs HBTs . *Lee, J.*, + , *T-MTT Dec 97* 2065-2072
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep 97* 1563-1571
- microwave FETs, distributed meas.-based nonlin. model. *Mallet-Guy, B.*, + , *MWSYM 97* 869-872 vol.2
- microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM 97* 1699-1702 vol.3
- microwave miniaturized linearizer using parallel diode with bias feed resist. *Yamauchi, K.*, + , *T-MTT Dec 97* 2431-2435
- microwave transistors, multitone power and IM load-pull charactn. *Hajji, R.*, + , *T-MTT Jul 97* 1093-1099
- microwave transistors, power amps., IMD meas. *Barataud, D.*, + , *MWSYM 97* 1687-1690 vol.3
- MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May 97* 819-826
- optimal control of intermodulation distortion in hybrid fiber-coaxial CATV systs. *Alley, G.D.*, + , *T-MTT Dec 97* 2183-2196
- pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, + , *MWSYM 97* 1729-1732 vol.3
- power limited wireless transmitters, channel loading effects, discrete multitone modulation. *Leke, A.*, + , *MWSYM 97* 1147-1150 vol.3
- transfer charact. of IM₃ relative phase for GaAs FET amp. *Suematsu, N.*, + , *T-MTT Dec 97* 2509-2514
- ultrawide-band photonic link using Mach-Zehnder modulators, optim. *Nichols, L.T.*, + , *T-MTT Aug 97* 1384-1389
- W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, + , *MWSYM 97* 435-438 vol.2
- wide dyn. range RF mixers, wide-bandgap semiconds. *Fazi, C.*, + , *MWSYM 97* 49-51 vol.1
- Interpolation**
- 3D struct., EM optim. *Bandler, J.W.*, + , *T-MTT May 97* 770-779
- dielec. waveguide anal., fast freq. sweep tech. *Polstyanko, S.V.*, + , *T-MTT Jul 97* 1118-1126
- global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM 97* 1373-1376 vol.3
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan 97* 46-51
- microwave filters, design, contin. varying transm. lines. *Le Roy, M.*, + , *MWSYM 97* 639-642 vol.2
- microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM 97* 1699-1702 vol.3
- narrowband syst. responses, Cauchy method, interpolation/extrapolation. *Adve, R.S.*, + , *T-MTT May 97* 837-845
- Interpolation; cf.** Spline functions
- Inverse problems**
- opt. directional coupler modulators, amplit. response. *Lovseth, S.W.*, + , *MWSYM 97* 1717-1720 vol.3
- rect. waveguide, Ω material, constitutive params. *Norgren, M.*, + , *T-MTT Feb 97* 314-316
- Inverse problems; cf.** Deconvolution; Electromagnetic scattering inverse problems; Image reconstruction; Integration (mathematics)
- Inverters**
- generalized inverter, model. *Jun Chen*, + , *T-MTT Jan 97* 132-135
- Inverters; cf.** Pulse inverters
- Ion implantation; cf.** Integrated circuit ion implantation
- Ionization; cf.** Impact ionization
- Iron compounds; cf.** Ferrites
- ISDN; cf.** SONET
- Isolators; cf.** Ferrite isolators; Microwave isolators
- Iterative methods**
- cascaded uniform waveguides, banded lin. systs., inversion tech. *Boria, V.E.*, + , *MWSYM 97* 1567-1570 vol.3
- coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, + , *MWSYM 97* 1785-1788 vol.3
- dielec. waveguide anal., fast freq. sweep tech. *Polstyanko, S.V.*, + , *T-MTT Jul 97* 1118-1126
- interdigital filters, design optim., space mapping and decomp. *Bandler, J.W.*, + , *T-MTT May 97* 761-769
- lin. systs., iter. soln., harmonic bal. anal. *Gourary, M.M.*, + , *MWSYM 97* 1507-1510 vol.3
- microstrip embedded in inhomogen. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, + , *T-MTT May 97* 678-686
- microwave imaging, location and shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, + , *T-MTT Apr 97* 469-476
- shielded uniaxially anisotropic DR, reson. freqs. and field distribs. *Jenn-Ming Guan*, + , *T-MTT Oct 97* 1767-1777
- S/V pot. method for Maxwell's eqns. near corners, nodal elements. *Boyse, W.E.*, + , *MWSYM 97* 1547-1550 vol.3
- VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, + , *T-MTT May 97* 712-723
- J**
- JFET amplifiers**
- 60-GHz-band monolithic HJFET LNA incorporating diode-regulated self-bias cct. *Maruhashi, K.*, + , *T-MTT Dec 97* 2256-2260
- GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, + , *MWSYM 97* 443-446 vol.2
- JFET analog integrated circuits**
- HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM 97* 1403-1406 vol.3
- JFET analog integrated circuits; cf.** JFET amplifiers
- JFET circuits**
- HFET resistive mixers, conversion loss. *Peng, S.*, *MWSYM 97* 857-860 vol.2
- JFET circuits; cf.** JFET integrated circuits
- JFET integrated circuits**
- GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, + , *MWSYM 97* 443-446 vol.2
- GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, + , *MWSYM 97* 439-442 vol.2
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC 97* 207-210
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM 97* 247-250 vol.1
- JFET integrated circuits; cf.** JFET analog integrated circuits
- JFETs**
- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM 97* 1399-1402 vol.3
- InGaAs/InAlAs HFET, full wave BIE anal. *Schroeder, W.*, + , *MWSYM 97* 159-162 vol.1
- InGaP/AlGaAs/InGaAs HJFET, X-Ku band power appls. *Okamoto, Y.*, + , *MWSYM 97* 1191-1194 vol.3
- microwave jn.-FET access resist., impedance data set. *Osgood, K.*, + , *MWSYM 97* 873-876 vol.2
- JFET switches**
- GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, + , *MWSYM 97* 439-442 vol.2
- Jitter**
- dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC 97* 143-146
- Jitter; cf.** Timing jitter
- K**
- Knowledge engineering**
- microwave design, knowledge based neural models. *Fang Wang*, + , *MWSYM 97* 627-630 vol.2
- L**
- Ladder filters**
- gigahertz SAW devices, high perform. filters, ladder type bandpass filters. *Knauer, U.*, + , *MWSYM 97* 1821-1824 vol.3
- ZnO thin film based bulk acoustic mode ladder filters, power handling. *Seabury, C.W.*, + , *MWSYM 97* 181-184 vol.1
- Land mobile radio**
- highly integrated RF-ICs for GSM and DECT systs., status review. *Fenk, J.*, *T-MTT Dec 97* 2531-2539
- Land mobile radio; cf.** Land mobile radio cellular systems; Land mobile radio diversity systems
- Land mobile radio cellular systems**
- AlGaAs/GaAs 60W L-band power heterostruct. FETs, SSPA appls. *Morikawa, J.*, + , *MWSYM 97* 1413-1416 vol.3
- AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM 97* 1307-1310 vol.3
- broadband commun. syst. based on mode-locked lasers. *von Helmolt, C.H.*, + , *T-MTT Aug 97* 1424-1430

- CDMA cellular phone systs., MMIC variable gain amp., high dyn. range. *Kasashima, M.*, + , *RFIC* 97 157-160
- dual-reson. shielded cellular antenna, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1751-1754 vol.3
- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- GSM exposure of voltage-gated membrane channels, EM field effects. *Apollonio, F.*, + , *MWSYM* 97 103-106 vol.1
- hearing aids, EMI, cellular telephone. *Okoniewski, M.*, + , *MWSYM* 97 99-101 vol.1
- heterolithic Si-glass based double bal. mixers for cellular appls. *Putnam, J.*, + , *MWSYM* 97 653-656 vol.2
- HF SAW devices, wireless appls., 1-6 GHz. *Kines, J.H.*, + , *MWSYM* 97 177-180 vol.1
- HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM* 97 1403-1406 vol.3
- microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug* 97 1390-1397
- polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM* 97 595-598 vol.2
- portable phone-user interacts. via near field mapping on mannequins/volunteers. *Ahlonou, L.*, + , *MWSYM* 97 1825-1828 vol.3
- RF ICs for GSM and DECT TDMA based digital systs. *Fenk, J.*, *RFIC* 97 69-72
- SAW RF technol. *Hikita, M.*, + , *MWSYM* 97 173-176 vol.1
- UHF miniaturized monolithic dual band filter for portable telephones. *Miyake, H.*, + , *MWSYM* 97 789-792 vol.2
- wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
- wireless portable commun. trends and challenges. *Escher, J.S.*, *RFIC* 97 1-3
- Land mobile radio data communication**
- high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug* 97 1416-1423
- wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
- Land mobile radio diversity systems**
- dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC* 97 143-146
- Land mobile radio equipment**
- AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM* 97 1307-1310 vol.3
- depend. of EM energy absorption upon human-head modeling at 1800 MHz. *Meier, K.*, + , *T-MTT Nov* 97 2058-2062
- digital mobile telephones, interf. suppression, SAW filter. *Yamada, T.*, + , *MWSYM* 97 833-836 vol.2
- GaAs E-mode FET power amp. MMIC, GSM phone. *Abey, W.*, + , *MWSYM* 97 1315-1318 vol.3
- GaAs MODFET low power front-end IC, current-reuse config. *Ishida, H.*, + , *MWSYM* 97 669-672 vol.2
- highly integrated RF-ICs for GSM and DECT systs., status review. *Fenk, J.*, *T-MTT Dec* 97 2531-2539
- HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM* 97 1403-1406 vol.3
- LDMOS power FET, LV wireless commun. *Ma, G.*, + , *MWSYM* 97 1303-1306 vol.3
- line-loss and size-reduction techs. for millimeter-wave RF front-end boards by using polyimide/alumina-ceramic multilayer config. *Nakatsugawa, M.*, + , *T-MTT Dec* 97 2308-2315
- MMIC power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H.*, + , *MWSYM* 97 743-746 vol.2
- PCS handset antennas, mobile environ. *Douglas, M.G.*, + , *MWSYM* 97 1759-1762 vol.3
- PHEMT, enhancement-mode power amp., PCS appl. *Der-Woei Wu*, + , *MWSYM* 97 1319-1322 vol.3
- push-pull freq. converter for mobile commun. *Thangavelu, A.V.*, + , *MWSYM* 97 661-664 vol.2
- SAW filter, bal.-type, PCN and PCS systs. *Taguchi, Y.*, + , *MWSYM* 97 837-840 vol.2
- SAW filters, GHz freqs. *Penunuri, D.*, *MWSYM* 97 169-172 vol.1
- SAW RF technol. *Hikita, M.*, + , *MWSYM* 97 173-176 vol.1
- subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2
- wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
- Land mobile radio interference**
- hearing aids, EMI, cellular telephone. *Okoniewski, M.*, + , *MWSYM* 97 99-101 vol.1
- Land vehicles; cf.** Road vehicles
- Lanthanum compounds**
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- Laplace transforms**
- multiconductor transm. lines, SPICE-compatible models. *Djordjevic, A.R.*, *T-MTT May* 97 569-579
- Large-scale integration; cf.** Very-large-scale integration
- Laser accessories**
- GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM* 97 13-16 vol.1
- Laser amplifiers; cf.** Semiconductor optical amplifiers
- Laser applications**
- direct-detect. analog opt. links, review. *Cox, C., III.*, + , *T-MTT Aug* 97 1375-1383
- high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug* 97 1416-1423
- high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, + , *MWSYM* 97 221-224 vol.1
- interdigital microstrip gap, laser spot illum., S-params. *Horii, Y.*, + , *MWSYM* 97 1635-1638 vol.3
- microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug* 97 1390-1397
- MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, + , *MWSYM* 97 1707-1708 vol.3
- Nd:LiNbO₃ microchip laser, 1.084 μ m, 20 GHz subcarrier. *Vieira, A.J.C.*, + , *MWSYM* 97 229-232 vol.1
- QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM* 97 39-42 vol.1
- true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug* 97 1531-1536
- Laser applications; cf.** Laser measurement applications
- Laser measurement applications**
- bilateral electro-optic network for lightwave component charactn. *Elamran, B.*, + , *T-MTT Aug* 97 1493-1496
- Laser measurement applications; cf.** Laser radar
- Laser noise**
- externally modulated microwave analog links, semicond. laser sources. *Betts, G.E.*, + , *T-MTT Aug* 97 1280-1287
- Laser radar**
- fiber delay-line RF filter, semicond. opt. amp. appl. *Coppinger, F.*, + , *T-MTT Aug* 97 1473-1477
- Lasers; cf.** Distributed Bragg reflector lasers; Millimeter wave lasers; Submillimeter wave lasers
- Laser stability**
- high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, + , *MWSYM* 97 221-224 vol.1
- Laser tuning**
- megahertz-linewidth microwave sig., opt. generation, discriminator-aided PLL. *Fan, F.Z.*, + , *T-MTT Aug* 97 1296-1300
- true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug* 97 1531-1536
- Lattice filters**
- Mach-Zehnder lattice all-opt. microwave filters, coupling ratios. *Cusick, T.A.*, + , *T-MTT Aug* 97 1458-1462
- Layered media; cf.** Nonhomogeneous media
- Layout; cf.** Integrated circuit layout; Printed circuit layout
- Lead bonding**
- ground bond wire arrays for RFICs, inductance computation. *Patterson, H.*, *MWSYM* 97 765-768 vol.2
- RFICs, ground bond wire arrays. *Patterson, H.*, *RFIC* 97 237-240
- Leakage currents**
- InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun* 97 977-983
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM* 97 877-880 vol.2
- Leaky wave antennas**
- conducting-strip diffr. grating planar dielec. waveguide, mm-wave antenna. *Bledowski, A.*, + , *T-MTT Sep* 97 1637-1640
- nature of spectral gap for leaky waves on periodic strip-grating struct. *Majumder, S.*, + , *T-MTT Dec* 97 2296-2307
- periodic strip grating struct., spectral gap for leaky waves. *Majumder, S.*, + , *MWSYM* 97 479-482 vol.2
- planar leaky-wave line source, radiation efficiency. *Yu-De Lin*, + , *T-MTT Oct* 97 1672-1680
- TW sources in presence of covering dielec. layers, anal. *Di Nallo, C.*, + , *MWSYM* 97 605-608 vol.2
- Leaky waves**
- 2D planar ccts., proximity-coupled/direct-fed, leaky-modes leakage. *Kuo-Cheng Chen*, + , *MWSYM* 97 495-498 vol.2
- conductor-backed coplanar strip line, leakage regimes, crit. points. *Yakovlev, A.B.*, + , *T-MTT Jan* 97 87-94
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, + , *MWSYM* 97 987-990 vol.2
- multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar* 97 428-435

- nature of spectral gap for leaky waves on periodic strip-grating struct. *Majumder, S.*, + , *T-MTT Dec 97* 2296-2307
- nonreciprocal open waveguide, radiative effects, complex waves role. *Baccarelli, P.*, + , *MWSYM 97* 491-494 vol.2
- PC transm. lines, spectral gap for leakage, 1 surface waves. *Tsuji, M.*, + , *MWSYM 97* 483-486 vol.2
- slotline, bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM 97* 487-490 vol.2
- Learning systems**
- device/cct.-level modeling, neural network training. *Zaabab, A.H.*, + , *T-MTT Oct 97* 1696-1704
- Least squares methods**
- brain tissues, RF/microwave complex dielec. meas. *Jian-Zhong Bao*, + , *T-MTT Oct 97* 1730-1741
- InP HEMTs, VHF small-sig. equiv. cct. *Miras, A.*, + , *T-MTT Jul 97* 1018-1026
- microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM 97* 1799-1802 vol.3
- narrowband syst. responses, Cauchy method, interpolation/extrapolation. *Adve, R.S.*, + , *T-MTT May 97* 837-845
- permitt. meas., cavity perturb. method. *Takahashi, T.*, + , *MWSYM 97* 1683-1686 vol.3
- Lenses**
- bi-directional quasi-optical lens amp. *Hollung, S.*, + , *T-MTT Dec 97* 2352-2357
- quasi-opt. systs., anal. of finite grid structs., lenses. *Nuteson, T.W.*, + , *T-MTT May 97* 666-672
- TE surface wave power combining, planar act. lens amp. *Perkons, A.R.*, + , *MWSYM 97* 691-694 vol.2
- Level measurement**
- liq. tanks, impurity level meas., FSCW radar. *Weiss, M.*, + , *MWSYM 97* 1651-1654 vol.3
- Life estimation**
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC 97* 193-196
- Light triggered switches**
- act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug 97* 1486-1492
- microwave switch, opt. controlled, perform. improvement. *Khalil, D.A.M.*, + , *T-MTT Aug 97* 1358-1361
- Limiting; cf.** Microwave limiters
- Linear accelerators**
- tapered multi-cell struct., GSM anal. *Dohlus, M.*, + , *MWSYM 97* 1523-1526 vol.3
- Linear algebra; cf.** Eigenvalues and eigenfunctions; Matrices
- Linear approximation**
- feedforward power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM 97* 1519-1522 vol.3
- FET lin., satellite appls. *Ogura, S.*, + , *MWSYM 97* 1195-1198 vol.3
- GaAs FET high power UHF amps., IM₃ relative phase, transfer charact. *Suematsu, N.*, + , *MWSYM 97* 901-904 vol.2
- S-band power amp., miniaturized lin., parallel diode. *Yamauchi, K.*, + , *MWSYM 97* 1199-1202 vol.3
- transmitters, digital mapping predistorters. *Qiming Ren*, + , *MWSYM 97* 1691-1694 vol.3
- Linear approximation; cf.** Piecewise linear approximation
- Linear arrays**
- TW sources in presence of covering dielec. layers, anal. *Di Nallo, C.*, + , *MWSYM 97* 605-608 vol.2
- ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- Linear circuits**
- 3D TLM networks, nonlin. act. and pass. device modeling. *Cascio, L.*, + , *MWSYM 97* 383-386 vol.2
- coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM 97* 1021-1024 vol.2
- HBT RF noise param. determ. method. *Rouquette, P.*, + , *T-MTT May 97* 690-694
- iter. soln., harmonic bal. anal. *Gourary, M.M.*, + , *MWSYM 97* 1507-1510 vol.3
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun 97* 931-938
- microwave filters, design based on distrib. param. model. *Tascone, R.*, + , *MWSYM 97* 643-646 vol.2
- microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep 97* 1554-1562
- modified Chebyshev bandpass filter with atten. poles in stopband, design. *Jeong-Soo Lim*, + , *T-MTT Jun 97* 898-904
- multilayer coupled microstripline filters, design methodology. *Cho, C.*, + , *MWSYM 97* 785-788 vol.2
- planar microwave ccts., diatoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM 97* 1803-1806 vol.3
- subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, + , *MWSYM 97* 1039-1042 vol.2
- symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep 97* 1537-1544
- two-port network with parallel and series feedback, noise params. *Boglione, L.*, + , *T-MTT Feb 97* 301-304
- Linear systems**
- cascaded uniform waveguides, banded lin. systs., inversion tech. *Boria, V.E.*, + , *MWSYM 97* 1567-1570 vol.3
- Liquid crystal devices**
- microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug 97* 1467-1472
- Liquids; cf.** Biological liquids; Dielectric liquids
- Lithium compounds**
- LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM 97* 821-824 vol.2
- Nd:LiNbO₃ microchip laser, 1.084 μ m, 20 GHz subcarrier. *Vieira, A.J.C.*, + , *MWSYM 97* 229-232 vol.1
- Lithography; cf.** X-ray lithography
- Loaded antennas**
- periodic strip grating struct., spectral gap for leaky waves. *Majumder, S.*, + , *MWSYM 97* 479-482 vol.2
- Loaded waveguides**
- planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct 97* 1662-1671
- rect. waveguide, Ω material, constitutive params. *Norgren, M.*, + , *T-MTT Feb 97* 314-316
- ridge-loaded helical-groove slow-wave struct. *Wenxiang Wang*, + , *T-MTT Oct 97* 1689-1695
- Loaded waveguides; cf.** Dielectric loaded waveguides; Nonhomogeneously loaded waveguides
- Local area networks; cf.** Wireless LAN
- Locked oscillators; cf.** Injection locked oscillators; Phase locked oscillators
- Log spiral antennas**
- GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug 97* 1301-1309
- Loop antenna arrays**
- concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, + , *MWSYM 97* 111-114 vol.1
- Losses**
- circ. corrugated feeds, adjoint network method, automated design. *Mongiardo, M.*, + , *T-MTT May 97* 787-793
- CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, + , *T-MTT May 97* 630-635
- coplanar cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, + , *MWSYM 97* 1811-1814 vol.3
- CPW bandpass filters, perform. comparison. *Fang-Lih Lin*, + , *MWSYM 97* 813-816 vol.2
- discontinuities in guided structs., power loss charactn. *Sarkar, T.K.*, + , *MWSYM 97* 613-616 vol.2
- even harmonic mixer, output power and conversion loss. *Itoh, K.*, + , *MWSYM 97* 849-852 vol.2
- GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, + , *RFIC 97* 47-50
- H-plane waveguide bends, low return loss, anal. and design. *Zhwang Ma*, + , *MWSYM 97* 417-420 vol.2
- microstrip line, higher order mode leakage, FDTD anal. *Zhwang Ma*, + , *MWSYM 97* 1631-1634 vol.3
- microstrip line struct., metal loss, SIBC in FDTD simul. *Takagi, E.*, + , *MWSYM 97* 1531-1534 vol.3
- modeling of conductor loss in coplanar cct. elements by method of lines. *Vietzorreck, L.*, + , *T-MTT Dec 97* 2474-2478
- parallel coupled microstrips, finite metal. thickness, characts. calc. *Jen-Tsai Kuo*, + , *T-MTT Feb 97* 274-280
- planar lumped inductors in multilayer config., induct. and Q-factor eval. *Mahmoud, S.F.*, + , *T-MTT Jun 97* 918-923
- single-bal. octave band PHEMT MMIC mixers, 50-100 GHz. *Kamozaki, K.*, + , *RFIC 97* 95-98
- slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, + , *MWSYM 97* 565-568 vol.2
- tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM 97* 801-804 vol.2
- thin microstrips, losses eval. *Stracca, G.B.*, *T-MTT Feb 97* 281-283
- tightly coupled microstrip lines, optimum termination networks. *Amari, S.*, + , *T-MTT Oct 97* 1785-1789
- unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM 97* 617-620 vol.2
- uniplanar hybrid couplers using asymmetrical coplanar strip lines, MIC/MMIC appls. *Lu Fan*, + , *MWSYM 97* 273-276 vol.1
- waveguide-to-microstrip transit., systematic optimum design methods. *Hong-Bae Lee*, + , *T-MTT May 97* 803-809

Losses; cf. Dielectric losses; Magnetic losses

Lossless circuits

- lossless multiport, generalized scatt. matrix, discontinuities. *Morini, A.*, + , *MWSYM* 97 1607-1610 vol.3
- lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM* 97 1807-1810 vol.3

Loss measurement

- polymers, complex permitt., W-band free-space meas. *Friedsam, G.L.*, + , *MWSYM* 97 1351-1354 vol.3

Lossy circuits

- FET resistive mixers, conversion loss. *Peng, S.*, *MWSYM* 97 857-860 vol.2
- microwave IC packages/interconnects, FDTD 3D simul., lossy coupling. *Falconer, M.*, + , *MWSYM* 97 1733-1736 vol.3
- MMIC Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM* 97 933-936 vol.2
- mm-wave MMIC dual-quadrature up-converter, multilayer directional couplers. *Minakawa, A.*, + , *T-MTT Jan* 97 78-82
- multilayer-filled waveguides, lossy heterog. filling, elec. field. *Outifa, L.*, + , *T-MTT Aug* 97 1154-1161
- W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, + , *T-MTT Jun* 97 955-962

Lossy systems

- concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, + , *MWSYM* 97 111-114 vol.1
- dielec.-coated coaxial helical waveguide, lossy medium, propag. characts. *Iyama, T.*, + , *T-MTT Apr* 97 557-559
- finite lateral ground plane width CPW, ohmic losses. *Ghione, G.*, + , *T-MTT Sep* 97 1640-1642
- lossy anisotropic dielec. waveguides, mixed-edge element method. *Xin-Qing Sheng*, + , *T-MTT Jul* 97 1009-1013
- multiconductor transm. lines, rect. cross sect., quasi-TEM anal. *Bernal, J.*, + , *T-MTT Sep* 97 1619-1626
- transm. lines with finite metal. thickness, equiv. network represent. of boundary conditions. *Bouzidi, F.*, + , *T-MTT Jun* 97 869-876

Low-pass filters

- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938
- planar microwave ccts., diakoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM* 97 1803-1806 vol.3
- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct* 97 1681-1688

Lumped element microwave circuits

- design of planar cct. structs. with efficient magnetostatic-field solver. *Lindenmeier, S.*, + , *T-MTT Dec* 97 2468-2473
- GaAs MMIC 90° quadrature hybrid coupler for ISM appls. *Avitabile, G.F.*, + , *MWSYM* 97 281-284 vol.1
- lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM* 97 1807-1810 vol.3
- microwave ccts., lumped elements, global time domain EM simulator. *Guillouard, K.*, + , *MWSYM* 97 1239-1242 vol.3
- MMIC spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, + , *T-MTT Oct* 97 1961-1968
- multilayer MMIC/MCM baluns using lumped element compensation, wireless appls. *Jansen, R.H.*, + , *MWSYM* 97 277-280 vol.1
- nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM* 97 1781-1784 vol.3
- quadrature hybrid, miniature lumped element, planar spiral transformer theory. *Hogerheiden, J.*, + , *T-MTT Apr* 97 543-545
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM* 97 761-764 vol.2

M

Machining; cf. Micromachining

Magnesium compounds

- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3

Magnetic devices; cf. Ferrite devices; Magnetic microwave devices

Magnetic field measurement

- multiconductor struct., field distrib. and scatt. param. meas. *Yingjie Gao*, + , *MWSYM* 97 1741-1744 vol.3

Magnetic fields

- design of planar cct. structs. with efficient magnetostatic-field solver. *Lindenmeier, S.*, + , *T-MTT Dec* 97 2468-2473
- dielec.-coated coaxial helical waveguide, lossy medium, propag. characts. *Iyama, T.*, + , *T-MTT Apr* 97 557-559
- lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM* 97 1807-1810 vol.3

Magnetic films; cf. Magnetic layered films

Magnetic layered films

- antiparallel magnetis. ferrite layers partially filled waveguide, FDTD method. *Berthou-Pichavant, K.*, + , *T-MTT May* 97 687-690

Magnetic losses

- ferrite thin-film Y-jn. circulator, effective-field theory. *How, H.*, + , *MWSYM* 97 1127-1130 vol.2

Magnetic material loaded waveguides; cf. Ferrite loaded waveguides

Magnetic microwave devices

- ferrite thin film isolator, gyromagnetic media, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1113-1116 vol.2
- ferrite thin-film Y-jn. circulator, effective-field theory. *How, H.*, + , *MWSYM* 97 1127-1130 vol.2
- gyrotropic media, complete soln. for microwave device symm. *Dmitriyev, V.A.*, *T-MTT Mar* 97 394-401
- lossless microwave phase shifter, ferrite-filled waveguide below cut-off. *Boyd, C.R., Jr.*, *MWSYM* 97 1121-1124 vol.2
- low-temp. co-fired ceramic stripline ferrite phase shifter, model. *Stitzer, S.N.*, *MWSYM* 97 1117-1120 vol.2
- microwave phase shift using ferrite-filled waveguide below cutoff. *Boyd, C.R., Jr.*, *T-MTT Dec* 97 2402-2407
- YIG ferrite microstrip limiter, C band, power limiting. *Green, J.J.*, *MWSYM* 97 1125-1126 vol.2
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3

Magnetic variables measurement; cf. Magnetic field measurement

Magnetization processes

- ferrite circulator jns., nonlin. intermodulation coupling. *Hoton How*, + , *T-MTT Feb* 97 245-252
- ferrite device permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug* 97 1185-1192
- ferrite thin film isolator, gyromagnetic media, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1113-1116 vol.2
- low-temp. co-fired ceramic stripline ferrite phase shifter, model. *Stitzer, S.N.*, *MWSYM* 97 1117-1120 vol.2

Magnetostatics

- design of planar cct. structs. with efficient magnetostatic-field solver. *Lindenmeier, S.*, + , *T-MTT Dec* 97 2468-2473

Manufacturing; cf. Semiconductor device manufacture

Manufacturing testing

- field-probing tech. for MM-wave components. *Basu, A.*, + , *MWSYM* 97 1667-1670 vol.3
- membrane quadrant probe for R&D appls., on-wafer known good die testing. *Basu, S.*, + , *MWSYM* 97 1671-1673 vol.3

Materials processing; cf. Etching

Mathematics; cf. Functional analysis; Numerical analysis; Optimization methods; Series (mathematics)

Matrices

- coupled oscillator arrays, phase noise props. *Heng-Chia Chang*, + , *MWSYM* 97 1061-1064 vol.2
 - discontinuities in guided structs., power loss charactn. *Sarkar, T.K.*, + , *MWSYM* 97 613-616 vol.2
 - dual-mode filters, alternative designs. *Jachowski, D.R.*, *MWSYM* 97 1087-1090 vol.2
 - gyrotropic media, complete soln. for microwave device symm. *Dmitriyev, V.A.*, *T-MTT Mar* 97 394-401
 - HBT RF noise param. determ. method. *Rouquette, P.*, + , *T-MTT May* 97 690-694
 - HF cct. generalized stabil. anal. tool, stabil. envelope. *Narhi, T.*, + , *MWSYM* 97 623-626 vol.2
 - H-plane waveguide jns., generalized Y-matrix by BI-RME method. *Arcioni, P.*, + , *MWSYM* 97 211-214 vol.1
 - LMR 16, self-calib. procedure for leaky NWA. *Silvonen, K.*, *T-MTT Jul* 97 1041-1049
 - lossy transm. lines with finite metal. thickness, equiv. network represent. of boundary conditions. *Bouzidi, F.*, + , *T-MTT Jun* 97 869-876
 - multiconductor interconnect lines, equiv. cct. params. extraction. *Jin Zhao*, + , *T-MTT Jan* 97 23-31
 - non-Kerr-like media, dispersion rels. of nonlin. TE slab-guided waves. *Jian-Guo Ma*, + , *T-MTT Jul* 97 1113-1117
 - nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM* 97 1781-1784 vol.3
 - nonuniform transm. lines, anal. method. *Ke Lu*, *T-MTT Jan* 97 9-14
 - planar microwave ccts., diakoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM* 97 1803-1806 vol.3
 - unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM* 97 617-620 vol.2
- Matrices; cf.** Admittance matrix; Impedance matrix; Sparse matrices; Transfer function matrices
- Matrix decomposition**
- ridged waveguide filters, CAD, modal block-LU-decomp. *Beyer, R.*, + , *MWSYM* 97 1235-1238 vol.3

Matrix decomposition; cf. Singular value decomposition

Maximally flat magnitude filters

maximally flat quarter-wavelength-coupled transm.-line filters using Q distrib. *Drozdz, J.M., + , T-MTT Dec 97 2100-2113*

Maximally flat magnitude filters; cf. Butterworth filters

Maxwell equations

3D inhomog. spherical dielec., permeable syst., coupled-wave-theory anal. *Jarem, J.M., T-MTT Aug 97 1193-1203*

3D subgrid tech., FDTD method. *Ritter, J., + , MWSYM 97 1563-1566 vol.3*

ferrite thin film isolator, gyromagnetic media, FDTD anal. *Yildirim, B.S., + , MWSYM 97 1113-1116 vol.2*

global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S., + , MWSYM 97 1373-1376 vol.3*

MMIC design, mm-wave range, EM interfacing, FDTD anal. *El-Ghazaly, S.M., + , MWSYM 97 151-154 vol.1*

reciprocity theorem. *Lakhtakia, A., + , T-MTT Feb 97 313-314*

sub-picosecond systs., far field THz radiation. *Remley, K.A., + , MWSYM 97 163-166 vol.1*

S/V pot. method for Maxwell's eqns. near corners, nodal elements. *Boyse, W.E., + , MWSYM 97 1547-1550 vol.3*

Yee algm., non-std. finite differences. *Cole, J.B., T-MTT Jun 97 991-996*

Measurement; cf. Antenna measurements; Biomedical measurements; Dosimetry; Frequency measurement; Integrated circuit measurements; Laser measurement applications; Loss measurement; Noise measurement; Optical variables measurement; Pulse measurements; Radar measurements; Scattering parameters measurement; Semiconductor device measurements; Time domain measurements

Measurement errors

Hilbert-transform-derived relative group delay for microwave ccts. *Perry, P., + , T-MTT Aug 97 1214-1225*

LMR 16, self-calib. procedure for leaky NWA. *Silvonen, K., T-MTT Jul 97 1041-1049*

LNN, line network network, in-fixture calib. procedure for NWA. *Heinermann, H., + , T-MTT Mar 97 408-413*

NWA, self-calib., 15-term error-model. *Gronefeld, A., + , MWSYM 97 1655-1658 vol.3*

sliding-load calib., circle-fitting procedure. *Vandersteen, G., + , T-MTT Jul 97 1027-1033*

Measurement standards

Cs beam freq. stds., hist. of develop. *Lee, W.D., + , MWSYM 97 1161-1163 vol.3*

LMR 16, self-calib. procedure for leaky NWA. *Silvonen, K., T-MTT Jul 97 1041-1049*

NWA, self-calib., 15-term error-model. *Gronefeld, A., + , MWSYM 97 1655-1658 vol.3*

six-port meas. tech., microwave metrology, national stds. labs. *Engen, G.F., MWSYM 97 1171-1172 vol.3*

surface mount microwave package charactn. tech. *Pham, A., + , MWSYM 97 995-998 vol.2*

waveguide below-cutoff atten. std. *Russell, D.H., MWSYM 97 1165-1169 vol.3*

Measurement system data handling

permitt. meas., cavity perturb. method. *Takahashi, T., + , MWSYM 97 1683-1686 vol.3*

Mechanical variables measurement; cf. Level measurement; Thickness measurement

Medical treatment; cf. Hyperthermia

Membranes

Ku-band micromachined Lange-couplers and SSB mixers. *Chen-Yu Chi, + , T-MTT Feb 97 291-294*

micromachined MM-wave/microwave filters, design tech. *Weller, T.M., + , T-MTT Jun 97 931-938*

radome membranes, transmittance and scatt. meas. *Afsar, M.N., + , MWSYM 97 1355-1358 vol.3*

Membranes; cf. Biomembranes

MESFET amplifiers

double lightly doped drain struct. H-MESFET for MMIC appls. *Yamane, Y., + , T-MTT Dec 97 2229-2233*

eval. of MESFET nonlin. intermodulation distortion reduction by channel-doping control. *Pedro, J.C., T-MTT Nov 97 1989-1997*

GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K., + , MWSYM 97 465-468 vol.2*

GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M., + , MWSYM 97 5-8 vol.1*

global modeling of millimeter-wave amps. *Imtiaz, S.M.S., + , T-MTT Dec 97 2208-2216*

InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y., + , RFIC 97 211-214*

MESFET C-class amp., bias and temp. depend. *Munoz, S., + , T-MTT Apr 97 527-533*

microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K., MWSYM 97 1699-1702 vol.3*

MM-wave amps., phys. simul., full-wave FDTD tech. *Imtiaz, S.M.S., + , MWSYM 97 79-82 vol.1*

transfer charact. of IM₃ relative phase for GaAs FET amp. *Suematsu, N., + , T-MTT Dec 97 2509-2514*

uniplanar broadband push-pull FET amps. *Hsu, P.-C., + , T-MTT Dec 97 2150-2151*

MESFET amplifiers; cf. MESFET power amplifiers

MESFET circuits

resistive mixers, conversion loss. *Peng, S., MWSYM 97 857-860 vol.2*

MESFET circuits; cf. MESFET integrated circuits

MESFET integrated circuits

2-GHz subharmonic sampler for sig. downconversion. *Parssinen, A., + , T-MTT Dec 97 2344-2351*

act. recursive MMIC filters, low-noise MESFET-based design. *Danestig, M., + , MWSYM 97 705-708 vol.2*

CDMA cellular phone systs., MMIC variable gain amp., high dyn. range. *Kasashima, M., + , RFIC 97 157-160*

GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K., + , MWSYM 97 465-468 vol.2*

GaAs MESFET MMIC LNA, cascode feedback, noise/input power matching tech. *Beom Kyu Ko, + , T-MTT Sep 97 1627-1629*

GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W., + , T-MTT Jan 97 15-22*

GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M., + , MWSYM 97 1311-1314 vol.3*

InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y., + , RFIC 97 211-214*

InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y., + , MWSYM 97 251-254 vol.1*

injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K., + , T-MTT Sep 97 1578-1584*

large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M., MWSYM 97 155-158 vol.1*

MMIC distributed baluns, distributed amp. gate-line termination tech. *Baree, A.H., + , T-MTT Feb 97 188-195*

MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F., + , T-MTT May 97 846-855*

MMIC power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H., + , MWSYM 97 743-746 vol.2*

MMIC quasi-circulator, noise and power optim. *Gasmi, A., + , T-MTT Sep 97 1572-1577*

subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A., + , MWSYM 97 665-668 vol.2*

UHF monolithic act. notch tunable filter based on gyrator principle. *Giannini, F., + , MWSYM 97 809-812 vol.2*

V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A., + , T-MTT May 97 659-665*

wideband SSB subharmonically pumped mixer MMIC. *Okazaki, H., + , MWSYM 97 1035-1038 vol.2*

MESFET integrated circuits; cf. MESFET amplifiers; MESFET oscillators

MESFET oscillators

GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang, + , T-MTT May 97 604-615*

injection-locked microwave MESFET oscillators, nonlin. time-domain anal. *Dixon, J., + , T-MTT Jul 97 1050-1057*

injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K., + , T-MTT Sep 97 1578-1584*

large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M., MWSYM 97 155-158 vol.1*

mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou, + , T-MTT Feb 97 196-204*

phase noise in externally injection-locked oscillator arrays. *Chang, H.-C., + , T-MTT Nov 97 2035-2042*

V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A., + , T-MTT May 97 659-665*

MESFET power amplifiers

GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M., + , MWSYM 97 1311-1314 vol.3*

GaAs power MESFET amp., digital cordless phone syst. *Nagaoka, M., + , MWSYM 97 1323-1326 vol.3*

microwave power amps. fabricated from wide bandgap semiconds. *Trew, R.J., MWSYM 97 45-48 vol.1*

MMIC power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H., + , MWSYM 97 743-746 vol.2*

X-band bi-directional quasi-opt. lens amp. array. *Hollung, S., + , MWSYM 97 675-678 vol.2*

MESFETS

determining GaAs MESFET small-sig. equiv.-cct. elements. *Ooi, B.-L., + , T-MTT Dec 97 2084-2088*

- epitaxial lift off technol., MESFETs/spiral inductors, RF meas. *Morf, T.*, + , *RFIC* 97 197-200
- GaAs MESFET, channel-current model incl. thermal effects. *Tae Moon Roh*, + , *T-MTT Aug* 97 1252-1255
- GaAs MESFET, discontinuity effects on HF perform. *Megahed, M.A.*, + , *MWSYM* 97 609-612 vol.2
- GaAs MESFETs and pass. components, epitaxial lift off. *Morf, T.*, + , *MWSYM* 97 145-148 vol.1
- InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC* 97 211-214
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM* 97 251-254 vol.1
- knowledge based neural models for microwave design. *Fang Wang*, + , *MWSYM* 97 627-630 vol.2
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep* 97 1563-1571
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May* 97 846-855
- microwave FETs, DC/AC nonlin. dispersion models, scaleability. *Cojocar, V.I.*, + , *MWSYM* 97 387-390 vol.2
- microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug* 97 1368-1374
- noise params., gatewidth and bias current depend. *Gasmi, A.*, + , *T-MTT Mar* 97 338-344
- parasitic resist. extraction errors, microwave FET model accuracy. *Cojocar, V.I.*, + , *MWSYM* 97 1599-1602 vol.3
- scalable general-purpose model for microwave FETs including DC/AC dispersion effects. *Cojocar, V.I.*, + , *T-MTT Dec* 97 2248-2255
- Statz MESFET model, capacitance params. extraction. *Van den Bosch, S.*, + , *T-MTT Aug* 97 1247-1249
- MESFETs; cf.** Power MESFETs
- Mesh generation**
- 3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug* 97 1141-1153
- 3D subgrid tech., FDTD method. *Ritter, J.*, + , *MWSYM* 97 1563-1566 vol.3
- FDTD boundary conditions, refl. anal., Berenger's PML absorbing layers. *Prescott, D.T.*, *T-MTT Aug* 97 1171-1178
- FDTD boundary conditions, refl. anal., time-space absorbing boundaries. *Prescott, D.T.*, *T-MTT Aug* 97 1162-1170
- FDTD, multiresolution based multigrid. *Goverdhanam, K.*, + , *MWSYM* 97 333-336 vol.1
- microwave cct. simul., conformal polygonal mesh, PML ABC. *Naishadham, K.*, + , *MWSYM* 97 1543-1546 vol.3
- MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, + , *T-MTT May* 97 827-836
- Message systems; cf.** Electronic mail
- Metallization**
- CPW discontinuities, capacit. calc. by hybrid FEM. *Chien-Wen Chiu*, + , *T-MTT Apr* 97 498-504
- lossy transm. lines with finite metal. thickness, equiv. network represent. of boundary conditions. *Bouzidi, F.*, + , *T-MTT Jun* 97 869-876
- parallel coupled microstrips, finite metal. thickness, characts. calc. *Jen-Tsai Kuo*, + , *T-MTT Feb* 97 274-280
- parallel CPW lines, conductor backing effect on line-to-line coupling. *Cheng, K.-K.M.*, *T-MTT Jul* 97 1132-1134
- planar geometries, vert. connections, Green's fns. *Kmayman, N.*, + , *T-MTT May* 97 593-603
- sq. waveguide, mode polarizers. *Gaiowski, W.R.*, + , *T-MTT Jun* 97 997-1000
- Metallization; cf.** Integrated circuit metallization
- Metals**
- modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov* 97 2049-2057
- Metals; cf.** Silicon
- Microassembly**
- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *MWSYM* 97 447-450 vol.2
- Microassembly; cf.** Lead bonding
- Microelectromechanical devices; cf.** Microsensors
- Micromachining**
- CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, + , *T-MTT May* 97 630-635
- D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, + , *MWSYM* 97 1205-1208 vol.3
- GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM* 97 561-564 vol.2
- InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, + , *MWSYM* 97 517-520 vol.2
- Ku-band micromachined Lange-couplers and SSB mixers. *Chen-Yu Chi*, + , *T-MTT Feb* 97 291-294
- microwave phase shifter, Si micromachined package. *Henderson, R.M.*, + , *MWSYM* 97 521-524 vol.2
- microwave switches, micromachined, nonlin. dyn. modeling. *Chan, E.K.*, + , *MWSYM* 97 1511-1514 vol.3
- MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938
- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct* 97 1681-1688
- rect. waveguides, micromachined air-filled, W-band meas. *Collins, C.E.*, + , *MWSYM* 97 1439-1442 vol.3
- W-band micromachined finite ground coplanar line cct. elements. *Herrick, K.J.*, + , *MWSYM* 97 269-272 vol.1
- Microscopy**
- elec. pulse, scanning force optoelectronic microscopy. *Takeuchi, K.*, + , *MWSYM* 97 1643-1646 vol.3
- MM-wave near-field scanning resist. microscope. *Golosovsky, M.*, + , *MWSYM* 97 1333-1334 vol.3
- TiO₂-Bi₂Ti₄O₁₁, scanning photothermal dielec. microscopy. *Cho, Y.*, + , *MWSYM* 97 1647-1650 vol.3
- Microscopy; cf.** Atomic force microscopy
- Microsensors**
- dielec.-coated parallel planar microstructural waveguides, near-IR wave propag. characts. *Van Petegem, W.E.A.*, + , *T-MTT Mar* 97 367-375
- Microstrip**
- 2D planar ccts., proximity-coupled/direct-fed, leaky-modes leakage. *Kuo-Cheng Chen*, + , *MWSYM* 97 495-498 vol.2
- 3D microstrip line, higher order mode leakage, FDTD anal. *Zhewang Ma*, + , *MWSYM* 97 1631-1634 vol.3
- air-gap transm. lines, OEICs and MMICs, glass substs. *Chuang, J.*, + , *MWSYM* 97 265-268 vol.1
- coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, + , *MWSYM* 97 1785-1788 vol.3
- embedded in inhomogen. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, + , *T-MTT May* 97 678-686
- embedded multiconductor transm. line meas. *Williams, D.F.*, *MWSYM* 97 1773-1776 vol.3
- HF interconnects on Si substs. for MMICs. *Ponchak, G.E.*, + , *RFIC* 97 101-104
- hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, + , *MWSYM* 97 1737-1740 vol.3
- inhomog. substr., propag. props. *Jean-Fu Kiang*, *T-MTT Feb* 97 229-235
- metal loss, SIBC in FDTD simul. *Takagi, E.*, + , *MWSYM* 97 1531-1534 vol.3
- multilayered media, planar microstrip elements, modeling. *Ming-Ju Tsai*, + , *T-MTT Mar* 97 330-337
- multilayered/multiconductor transm. lines, hybrid-mode anal. *Alam, M.S.*, + , *T-MTT Feb* 97 205-211
- open microstrip lines, dispersion characts. calc. *Seong-Ook Park*, + , *T-MTT Mar* 97 458-460
- opt. illum. directional coupler, quasi-static anal. tech. *Safwat, A.M.E.*, + , *T-MTT Aug* 97 1351-1357
- packaged components, hybrid TLM/mode-matching anal. *Righi, M.*, + , *T-MTT Oct* 97 1715-1724
- parallel coupled microstrips, finite metal. thickness, characts. calc. *Jen-Tsai Kuo*, + , *T-MTT Feb* 97 274-280
- PBG substs., double vector integral eqn. *Yang, H.Y.D.*, *MWSYM* 97 191-194 vol.1
- PC transm. lines, spectral gap for leakage, 1 surface waves. *Tsuji, M.*, + , *MWSYM* 97 483-486 vol.2
- planar struct. anal., vector pot. FDTD method. *Georgieva, N.*, + , *MWSYM* 97 1361-1364 vol.3
- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct* 97 1681-1688
- shielded microstrip transm. lines with thick electrodes, anal. *Zhu, N.H.*, + , *T-MTT Feb* 97 288-291
- SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120
- Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC* 97 121-125
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM* 97 761-764 vol.2
- slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, + , *T-MTT Jul* 97 1127-1132
- thin-film microstrip lines for MM and sub-MM/wave on-chip interconnects. *Heiliger, H.-M.*, + , *MWSYM* 97 421-424 vol.2
- thin microstrips, losses eval. *Stracca, G.B.*, *T-MTT Feb* 97 281-283
- tightly coupled microstrip lines, optimum termination networks. *Amari, S.*, + , *T-MTT Oct* 97 1785-1789
- uniaxial substr.-superstrate microstrip, Wiener-Hopf anal. *Kyriacou, G.A.*, + , *T-MTT May* 97 616-629
- via hole grounded microstrips, hybrid full-wave anal. *Dongsoo Koh*, + , *MWSYM* 97 89-92 vol.1

waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, + , *T-MTT Mar 97* 442-446

W-band MMIC on-wafer testing, microstrip SOLT calib. tech. *Yon-Lin Kok*, + , *MWSYM 97* 1663-1666 vol.3

YIG ferrite microstrip limiter, C band, power limiting. *Green, J.J.*, *MWSYM 97* 1125-1126 vol.2

Microstrip antennas

2D planar ccts., proximity-coupled/direct-fed, leaky-modes leakage. *Kuo-Cheng Chen*, + , *MWSYM 97* 495-498 vol.2

arbitrary shape, EM scatt. anal. *Uckun, S.*, + , *T-MTT Apr 97* 485-491

circ. sector microstrip antenna, class F power amp. *Radisic, V.*, + , *MWSYM 97* 687-690 vol.2

cylindrical slot antennas, microstrip-fed, GPS avionics. *Ho, C.H.*, + , *MWSYM 97* 1755-1758 vol.3

cylindrical-triangular microstrip struct., reson. *Kin-Lu Wong*, + , *T-MTT Aug 97* 1270-1272

discontinuities, soln. by meas. eqn. of invariance. *Prouty, M.D.*, + , *T-MTT Jun 97* 877-885

GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM 97* 1065-1068 vol.2

HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, + , *MWSYM 97* 1143-1146 vol.3

H-shaped planar antennas, alternating TLM field-solver. *Lindenmeier, S.*, + , *MWSYM 97* 1365-1368 vol.3

line-to-ring coupling cct. model, parametric effects, microstrip ring ccts. and antennas. *Lei Zhu*, + , *MWSYM 97* 289-292 vol.1

MM-wave act. antenna, broadband heterodyne meas. *Rasshofer, R.H.*, + , *MWSYM 97* 1459-1462 vol.3

planar leaky-wave line source, radiation efficiency. *Yu-De Lin*, + , *T-MTT Oct 97* 1672-1680

planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct 97* 1662-1671

printed microwave couplers, thermal isolation. *Brown, R.A.*, + , *MWSYM 97* 983-986 vol.2

Si W-band direct detect. receiver for six-port polarimetric radar systs. *Thieme, M.O.*, + , *MWSYM 97* 1269-1272 vol.3

unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM 97* 617-620 vol.2

uniaxial substr.-superstrate microstrip, Wiener-Hopf anal. *Kyriacou, G.A.*, + , *T-MTT May 97* 616-629

W-band low cost miniature MMIC transceiver, planar antenna. *Fudem, H.*, + , *MWSYM 97* 427-430 vol.2

Microstrip arrays

3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM 97* 975-978 vol.2

act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM 97* 591-594 vol.2

act. phased array antennas coupled, slotlines. *Cheol Mun*, + , *MWSYM 97* 1069-1072 vol.2

integrated act. antenna, duplex operation. *Cryan, M.J.*, + , *T-MTT Oct 97* 1742-1748

polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM 97* 595-598 vol.2

transmit-receive spatial power combining amp. array. *Ortiz, S.*, + , *MWSYM 97* 679-682 vol.2

Microstrip circuits

3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug 97* 1141-1153

charactn. of unbounded multiport microstrip passive ccts. using explicit network-based method of moments. *Zhu, L.*, + , *T-MTT Dec 97* 2114-2124

discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM 97* 1799-1802 vol.3

electronically tunable microwave impedance transformer. *Sinsky, J.H.*, + , *MWSYM 97* 647-650 vol.2

GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, + , *MWSYM 97* 473-476 vol.2

HEMT monopole-probe-based quasi-opt. amp. array. *Kolias, N.J.*, *T-MTT Aug 97* 1204-1207

lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM 97* 1807-1810 vol.3

MM-wave IC behavior modelling for flip-chip mounting schemes. *Jackson, R.W.*, + , *T-MTT Oct 97* 1919-1925

Nb tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM 97* 303-306 vol.1

off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct 97* 1934-1940

optimum termination networks for tightly coupled microstrip lines. *Amari, S.*, + , *T-MTT Oct 97* 1785-1789

planar ccts., EM anal. *Albasha, L.*, + , *MWSYM 97* 321-324 vol.1

polyimide/alumina-ceramic multilayer, MM-wave RF front-end board. *Nakatsugawa, M.*, + , *MWSYM 97* 509-512 vol.2

Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM 97* 539-542 vol.2

submillimeter wavelength planar Schottky diode waveguide mixers, fixed tuned cct. *Hesler, J.L.*, + , *MWSYM 97* 953-956 vol.2

unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM 97* 617-620 vol.2

YBaCuO tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM 97* 303-306 vol.1

Microstrip components

arbitrary termination impedances, arbitrary power division, and small-sized ring hybrids. *Ahn, H.-R.*, + , *T-MTT Dec 97* 2241-2247

opt. controlled microwave switch, perform. improvement. *Khalil, D.A.M.*, + , *T-MTT Aug 97* 1358-1361

T-jn. manifold multiplexer optim., design formulas. *Morini, A.*, + , *MWSYM 97* 1025-1028 vol.2

wideband multiport planar power divider design. *Yung-Jinn Chen*, + , *MWSYM 97* 397-400 vol.2

YIG ferrite microstrip limiter, C band, power limiting. *Green, J.J.*, *MWSYM 97* 1125-1126 vol.2

Microstrip components; cf. Microstrip antennas; Microstrip arrays; Microstrip couplers; Microstrip filters; Microstrip resonators

Microstrip couplers

H-shaped planar antennas, alternating TLM field-solver. *Lindenmeier, S.*, + , *MWSYM 97* 1365-1368 vol.3

octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM 97* 405-407 vol.2

planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct 97* 1681-1688

printed microwave couplers, thermal isolation. *Brown, R.A.*, + , *MWSYM 97* 983-986 vol.2

quadrature-hybrid design, four-port ellipt. patch. *Kin-Lung Chan*, + , *T-MTT Feb 97* 307-310

Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM 97* 761-764 vol.2

YBaCuO HTSC double-hybrid coupler. *Bechteler, T.*, + , *MWSYM 97* 311-314 vol.1

Microstrip discontinuities

coplanar cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, + , *MWSYM 97* 1811-1814 vol.3

hybrid full-wave anal. of via-hole grounds using finite-difference and finite-element time-domain methods. *Koh, D.*, + , *T-MTT Dec 97* 2217-2223

interdigital microstrip gap, laser spot illum., S-params. *Horii, Y.*, + , *MWSYM 97* 1635-1638 vol.3

lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM 97* 1807-1810 vol.3

meas. eqn. of invariance method for solving discontinuities. *Prouty, M.D.*, + , *T-MTT Jun 97* 877-885

microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzyy-Sheng Horng*, *MWSYM 97* 1815-1818 vol.3

open microstrip discontinuities anal., spatial network method. *Bica, D.M.*, + , *T-MTT Jun 97* 905-910

rect. and mitered bends, power loss characterization. *Sarkar, T.K.*, + , *MWSYM 97* 613-616 vol.2

unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM 97* 617-620 vol.2

wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM 97* 1799-1802 vol.3

Y-jn. anal., spectral-domain approach. *Ooi, B.L.*, + , *T-MTT Oct 97* 1800-1805

Microstrip filters

bandpass filter, Q-enhancement tech., coupled neg. resistors. *Romano, A.*, + , *MWSYM 97* 709-712 vol.2

capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Drozd, J.M.*, + , *T-MTT Jul 97* 1100-1104

four-port microstrip-line microwave directional filters, pulse-radar appls. *Rosloniec, S.*, + , *T-MTT Sep 97* 1633-1637

hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug 97* 1226-1231

HTSC split-resonator high power planar filter. *Shen Ye*, + , *MWSYM 97* 299-302 vol.1

HTS microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, + , *T-MTT May 97* 780-786

interdigital filters, design optim., space mapping and decomp. *Bandler, J.W.*, + , *T-MTT May 97* 761-769

microwave filters, design, contin. varying transm. lines. *Le Roy, M.*, + , *MWSYM 97* 639-642 vol.2

MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, + , *MWSYM 97* 941-944 vol.2

multilayer coupled microstripline filters, design methodology. *Cho, C.*, + , *MWSYM 97* 785-788 vol.2

- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct 97* 1681-1688
- reson. structs., ARMA modeling of FDTD time seqs., high-Q microstrip filter. *Shaw, A.K.*, + , *MWSYM 97* 341-344 vol.1
- slow-wave open-loop resonator microwave filters. *Hong, J.S.*, + , *MWSYM 97* 713-716 vol.2
- theory and expt. of novel microstrip slow-wave open-loop resonator filters. *Hong, J.-S.*, + , *T-MTT Dec 97* 2358-2365
- T-jn. manifold multiplexer optim., design formulas. *Morini, A.*, + , *MWSYM 97* 1025-1028 vol.2
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM 97* 1491-1494 vol.3
- Microstrip resonators**
- capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Drozdz, J.M.*, + , *T-MTT Jul 97* 1100-1104
- cylindrical-triangular microstrip struct., reson. *Kin-Lu Wong*, + , *T-MTT Aug 97* 1270-1272
- D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, + , *MWSYM 97* 1205-1208 vol.3
- influence of grounding for microstrip resonators. *Ishizaki, T.*, + , *T-MTT Dec 97* 2089-2093
- line-to-ring coupling cct. model, parametric effects, microstrip ring ccts. and antennas. *Lei Zhu*, + , *MWSYM 97* 289-292 vol.1
- MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, + , *MWSYM 97* 941-944 vol.2
- nonlin. phenom. in supercond. transm. line and microstrip resonator. *Vendik, O.G.*, + , *T-MTT Feb 97* 173-178
- slow-wave open-loop resonator microwave filters. *Hong, J.S.*, + , *MWSYM 97* 713-716 vol.2
- superconducting microstrip resonator with yttrium iron garnet single crystals. *Fukusako, T.*, + , *T-MTT Nov 97* 2013-2017
- theory and expt. of novel microstrip slow-wave open-loop resonator filters. *Hong, J.-S.*, + , *T-MTT Dec 97* 2358-2365
- transm.-line analysis of capacitively coupled microstrip-ring resonator. *Yu, C.-C.*, + , *T-MTT Nov 97* 2018-2024
- wheat grain, moisture sens., microstrip ring resonator. *Joshi, K.K.*, + , *MWSYM 97* 1679-1682 vol.3
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM 97* 1491-1494 vol.3
- Microstrip transitions**
- D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, + , *MWSYM 97* 1205-1208 vol.3
- planar transm. line, waveguide three-port transit. *Storer, B.*, + , *MWSYM 97* 203-206 vol.1
- vert. CPW transit. *Hyden, L.*, + , *MWSYM 97* 727-730 vol.2
- waveguide-microstrip transit., EM optim. driver. *Min Zhang*, + , *T-MTT May 97* 861-864
- waveguide-to-microstrip transit., MM-wave and MMIC appl. *Villegas, F.J.*, + , *MWSYM 97* 739-742 vol.2
- waveguide-to-microstrip transit., systematic optimum design methods. *Hong-Bae Lee*, + , *T-MTT May 97* 803-809
- Microwave amplifiers**
- bi-directional quasi-optical lens amp. *Hollung, S.*, + , *T-MTT Dec 97* 2352-2357
- coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM 97* 1021-1024 vol.2
- feedback amps., optimum noise-source refl.-coeff. design. *Boglione, L.*, + , *T-MTT Mar 97* 402-407
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM-97* 3 vol. (liv+xxii+xx+1862)
- RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97* xxi+242
- TE surface wave power combining, planar act. lens amp. *Perkons, A.R.*, + , *MWSYM 97* 691-694 vol.2
- transistor neg. resist. amps., optimum noise measure. *Gardner, P.*, + , *T-MTT May 97* 580-586
- TW photodetector arrays, microwave appls., Ku-band. *Goldsmith, C.L.*, + , *T-MTT Aug 97* 1342-1350
- Microwave amplifiers; cf.** Microwave bipolar transistor amplifiers; Microwave FET amplifiers; Microwave power amplifiers
- Microwave antenna arrays**
- automatic beam steered act. antenna receiver, design. *Gupta, S.*, + , *MWSYM 97* 599-602 vol.2
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
- fiber Bragg-grating true time-delay sys., beamforming control appl. *Molony, A.*, + , *T-MTT Aug 97* 1527-1530
- HEMT monopole-probe-based quasi-opt. amp. array. *Kolias, N.J.*, *T-MTT Aug 97* 1204-1207
- MMIC analog vector modulator, crossbar beamforming network. *Grajal, J.*, + , *T-MTT Oct 97* 1705-1714
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug 97* 1513-1518
- switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug 97* 1519-1521
- true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug 97* 1531-1536
- ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- Microwave antennas**
- broadband external modulation fiber-optic links, antenna-remoting appls. *Ackerman, E.I.*, + , *T-MTT Aug 97* 1436-1442
- GaAs MMIC LNA-antennas, 30 GHz. *Roy, L.*, *MWSYM 97* 967-970 vol.2
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM-97* 3 vol. (liv+xxii+xx+1862)
- Microwave attenuators**
- opt. controlled microwave attenuator, ferrite phase shifter compensation. *Shimasaki, H.*, + , *MWSYM 97* 1703-1706 vol.3
- phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM 97* 587-590 vol.2
- Microwave bipolar integrated circuits**
- AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, + , *RFIC 97* 55-58
- broadband HBT distrib. act. bal. Schottky mixer MMIC, 12-24 GHz. *Kobayashi, K.W.*, + , *RFIC 97* 75-78
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC 97* 193-196
- GaAs HBT MMIC, DC, X-band freq. doubler. *Xiangdong Zhang*, + , *MWSYM 97* 1213-1216 vol.3
- GaAs HBT monolithic microwave amp., reliab. *Yamada, F.M.*, + , *MWSYM 97* 141-144 vol.1
- HBT MMIC power amp., dual band operation. *DeHaan, M.R.*, + , *MWSYM 97* 1425-1427 vol.3
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC 97* 109-112
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC 97* 59-62
- Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM 97* 933-936 vol.2
- MMIC HBT distributed power amp., large sig. design approach. *Viaud, J.P.*, + , *MWSYM 97* 893-896 vol.2
- Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, + , *RFIC 97* 113-116
- Si bipolar VCO, 3D MMIC technol., tuning range. *Kamogawa, K.*, + , *MWSYM 97* 1221-1224 vol.3
- SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, + , *RFIC 97* 19-22
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM 97* 761-764 vol.2
- Microwave bipolar transistor amplifiers**
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC 97* 109-112
- Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, + , *RFIC 97* 113-116
- SiGe MMICs and flip-chip MICs for low-cost microwave sys. *Case, M.*, *RFIC 97* 117-120
- Microwave bipolar transistor amplifiers; cf.** Microwave power bipolar transistor amplifiers
- Microwave bipolar transistor oscillators**
- InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, + , *RFIC 97* 79-81
- SiGe MMICs and flip-chip MICs for low-cost microwave sys. *Case, M.*, *RFIC 97* 117-120
- wide-tuning range Si bipolar VCOs based on 3D MMIC technol. *Kamogawa, K.*, + , *T-MTT Dec 97* 2436-2443
- Microwave bipolar transistors**
- AlGaAs/GaAs thermally-shunted HBTs, max. power dens., power-added efficiency. *Jenkins, T.*, + , *MWSYM 97* 949-952 vol.2
- DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun 97* 886-897
- distributed microwave HBT, transm. line model. *Liou, L.L.*, *MWSYM 97* 1473-1476 vol.3
- GaAs HBT profile optim., Taguchi method. *Henderson, G.N.*, + , *MWSYM 97* 1465-1468 vol.3
- HBT, electrothermal simul., TLM method, quasi 2D model. *Jinjin Shen*, + , *MWSYM 97* 1481-1484 vol.3
- HBT HF modeling and integrated param. extraction. *Cai, Q.*, + , *T-MTT Dec 97* 2493-2502
- HBT RF noise param. determ. method. *Rouquette, P.*, + , *T-MTT May 97* 690-694
- HBT, small-sig. equiv. cct. *Gobert, Y.*, + , *T-MTT Jan 97* 149-153
- HBTs, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug 97* 1368-1374
- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan 97* 39-45

- modeling, capacitance topol. *Ciubotaru, A.A.*, + , *MWSYM* 97 1477-1480 vol.3
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM* 97 877-880 vol.2
- Microwave bipolar transistors; cf.** Microwave power bipolar transistors
- Microwave circuits**
- 1997 Symposium, selected papers (special issue) . *T-MTT Dec* 97 2164-2554
- 1997 Symposium, selected papers, special issue intro. . *Booton, R.C., Jr.*, + , *T-MTT Dec* 97 2164-2166
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan* 97 58-71
- arbitrarily multilayered dielec. media, full-wave Green's fns. *Li, K.*, *MWSYM* 97 1571-1574 vol.3
- arbitrary nonuniform transm. lines for impedance matching ccts. *Hamade, A.H.*, + , *MWSYM* 97 1619-1622 vol.3
- automated circuit design using electromagnetic simulators (special issue). *T-MTT May* 97 709-866
- automated circuit design using electromagnetic simulators, special issue intro. *Bandler, J.W.*, *T-MTT May* 97 709-711
- circ. waveguide bends, CAD-oriented modeling, extended local modes approach. *Weisshaar, A.*, + , *MWSYM* 97 1591-1594 vol.3
- design and optim., EM simulators. *Jain, N.*, + , *T-MTT May* 97 724-746
- generalized inverter, model. *Jun Chen*, + , *T-MTT Jan* 97 132-135
- generalized stabil. anal. tool, stabil. envelope. *Narhi, T.*, + , *MWSYM* 97 623-626 vol.2
- HEMTs, microwave and millimeter wave devices, phys.-based electro-thermal model. *Johnson, R.G.*, + , *MWSYM* 97 1485-1488 vol.3
- Hilbert-transform-derived relative group delay for microwave ccts. *Perry, P.*, + , *T-MTT Aug* 97 1214-1225
- lin. systs., iter. soln., harmonic bal. anal. *Gourary, M.M.*, + , *MWSYM* 97 1507-1510 vol.3
- MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM* 97 1699-1702 vol.3
- microstrip bandpass filter, Q-enhancement tech., coupled neg. resistors. *Romano, A.*, + , *MWSYM* 97 709-712 vol.2
- mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204
- nonlin. ccts., electrothermal transients and DSP. *Rizzoli, V.*, + , *MWSYM* 97 367-370 vol.2
- nonlin. ccts., param. switching continuation, waveform bal. simul. *van Zyl, G.J.J.*, *T-MTT Apr* 97 549-551
- nonlin. EM field simul., time-domain integral eqn. techs. *Pinello, W.*, + , *MWSYM* 97 63-66 vol.1
- oscillators, stabil. anal., harmonic-bal. method. *Gerber, J.*, + , *MWSYM* 97 1587-1590 vol.3
- planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep* 97 1554-1562
- planar microwave ccts., diatoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM* 97 1803-1806 vol.3
- rigorous and efficient fab.-oriented CAD and optim. of complex waveguide networks. *Alessandri, F.*, + , *T-MTT Dec* 97 2366-2374
- shape driven edge finite element models, broad freq. band microwave structs. *Thevenon, F.*, + , *MWSYM* 97 1615-1618 vol.3
- shielded and open arbitrarily multilayered media, static Green's fns. solns. *Keren Li*, + , *T-MTT Jan* 97 2-8
- simul., conformal polygonal mesh, PML ABC. *Naishadham, K.*, + , *MWSYM* 97 1543-1546 vol.3
- simul., parallel computation. *Rhodes, D.L.*, + , *T-MTT May* 97 587-592
- small-sized ring hybrids, arbitrary termination impedances and power divisions. *Hee Ran Ahn*, + , *MWSYM* 97 285-288 vol.1
- $\lambda/4$ CPW resonator bandpass filters, tap-excitation realization. *Wada, K.*, + , *MWSYM* 97 717-720 vol.2
- two-port network with parallel and series feedback, noise params. *Boglione, L.*, + , *T-MTT Feb* 97 301-304
- X-band freq. synthesizer module, low-power. *Nakagawa, T.*, + , *MWSYM* 97 1209-1212 vol.3
- Microwave circuits; cf.** Lumped element microwave circuits; Microwave amplifiers; Microwave filters; Microwave integrated circuits; Microwave isolators; Microwave limiters; Microwave mixers; Microwave oscillators; Microwave receivers; Microwave transmitters
- Microwave circulators**
- act. phased array systs., integral microwave circulators, MCM appls. *Krishnamurthy, V.*, + , *MWSYM* 97 1829-1832 vol.3
- broadband inhomogen. stripline circulators, anal. *Macchiarella, G.*, + , *T-MTT Feb* 97 294-297
- MMIC quasi-circulator, noise and power optim. *Gasmi, A.*, + , *T-MTT Sep* 97 1572-1577
- Y-jn. perp. magnetized ferrite stripline circulator. *Ivanov, S.A.*, *T-MTT May* 97 648-652
- Microwave communication**
- bidirectional broadband mobile commun., fiberoptic microwave gen. *Braun, R.-P.*, + , *MWSYM* 97 225-228 vol.1
- externally modulated microwave analog links, semicond. laser sources. *Betts, G.E.*, + , *T-MTT Aug* 97 1280-1287
- fiber-wireless systs. with external modulators, chromatic-dispersion reduction. *Smith, G.H.*, + , *T-MTT Aug* 97 1410-1415
- GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- opt. FM links. *Cai, B.*, + , *T-MTT Apr* 97 505-511
- opt. interferometer and photodiode methods for freq. conversion. *Maury, G.*, + , *T-MTT Aug* 97 1481-1485
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM* 97 557-560 vol.2
- Microwave communication; cf.** Microwave radio communication
- Microwave detectors**
- counter, opto-electronic harmonic heterodyne tech. *Chang, C.S.*, + , *T-MTT Jul* 97 1014-1017
- GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM* 97 1065-1068 vol.2
- microwave and millimeter-wave photonics (special issue). *T-MTT Aug* 97 1277-1536
- microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug* 97 1277-1278
- Microwave devices**
- 1997 Symposium, selected papers (special issue) . *T-MTT Dec* 97 2164-2554
- 1997 Symposium, selected papers, special issue intro. . *Booton, R.C., Jr.*, + , *T-MTT Dec* 97 2164-2166
- alignment tolerant stripline directional couplers, design. *Budka, T.P.*, + , *MWSYM* 97 773-776 vol.2
- cavity-type directional couplers, simple struct. *Kawai, T.*, + , *MWSYM* 97 413-416 vol.2
- discrete components, modelling, FDTD method. *Gillard, R.*, + , *MWSYM* 97 71-74 vol.1
- HF SAW devices, wireless appls., 1-6 GHz. *Kines, J.H.*, + , *MWSYM* 97 177-180 vol.1
- knowledge based neural models for microwave design. *Fang Wang*, + , *MWSYM* 97 627-630 vol.2
- Ku-band power combining network, rect. coaxial line technol. *Oh-Hashi, H.*, + , *MWSYM* 97 409-412 vol.2
- quasi-opt. systs., anal. of finite grid structs., lenses. *Nuteson, T.W.*, + , *T-MTT May* 97 666-672
- Microwave devices; cf.** Magnetic microwave devices; Microwave antenna arrays; Microwave antennas; Microwave attenuators; Microwave circulators; Microwave detectors; Microwave diodes; Microwave phase shifters; Microwave resonators; Microwave switches; Microwave transistors; Superconducting microwave devices
- Microwave diodes**
- S-band power amp., miniaturized lin., parallel diode. *Yamauchi, K.*, + , *MWSYM* 97 1199-1202 vol.3
- Microwave FET amplifiers**
- FET distributed amps. exploiting growing waves. *Farina, M.*, + , *MWSYM* 97 913-918 vol.2
- HEMT monopole-probe-based quasi-opt. amp. array. *Kolias, N.J.*, *T-MTT Aug* 97 1204-1207
- MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM* 97 1699-1702 vol.3
- MESFET C-class amp., bias and temp. depend. *Munoz, S.*, + , *T-MTT Apr* 97 527-533
- monolithic matrix amp., design procedure. *Paoloni, C.*, + , *T-MTT Jan* 97 135-139
- transfer charact. of IM₃ relative phase for GaAs FET amp. *Suematsu, N.*, + , *T-MTT Dec* 97 2509-2514
- uniplanar broadband push-pull FET amps. *Hsu, P.-C.*, + , *T-MTT Dec* 97 2150-2151
- Microwave FET amplifiers; cf.** Microwave power FET amplifiers
- Microwave FET integrated circuits**
- act. recursive MMIC filters, low-noise MESFET-based design. *Danestig, M.*, + , *MWSYM* 97 705-708 vol.2
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, + , *MWSYM* 97 945-948 vol.2
- CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, + , *T-MTT May* 97 630-635
- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM* 97 1399-1402 vol.3
- GaAs E-mode FET power amp. MMIC, GSM phone. *Abey, W.*, + , *MWSYM* 97 1315-1318 vol.3
- GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2

- GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, + , *MWSYM* 97 817-820 vol.2
- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32
- GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, + , *RFIC* 97 47-50
- GaAs PHEMT MMIC power amp., EW appls. *Barnes, A.R.*, + , *MWSYM* 97 1429-1432 vol.3
- GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan* 97 15-22
- GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M.*, + , *MWSYM* 97 1311-1314 vol.3
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM* 97 247-250 vol.1
- HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM* 97 1403-1406 vol.3
- InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM* 97 1183-1186 vol.3
- InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC* 97 211-214
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM* 97 251-254 vol.1
- injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K.*, + , *T-MTT Sep* 97 1578-1584
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM* 97 155-158 vol.1
- Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM* 97 933-936 vol.2
- MESFET MMIC distributed baluns, distributed amp. gate-line termination tech. *Baree, A.H.*, + , *T-MTT Feb* 97 188-195
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May* 97 846-855
- multistage amp., integrated microwave bias network. *Morkner, H.*, + , *MWSYM* 97 9-12 vol.1
- phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM* 97 587-590 vol.2
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verwey, L.*, + , *MWSYM* 97 243-246 vol.1
- power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H.*, + , *MWSYM* 97 743-746 vol.2
- quasi-circulator, noise and power optim. *Gasmi, A.*, + , *T-MTT Sep* 97 1572-1577
- Si CMOS technol. compatible high-Q microwave inductors. *Min Park*, + , *RFIC* 97 181-184
- Si CMOS technol., high Q microwave inductors. *Min Park*, + , *MWSYM* 97 129-132 vol.1
- Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC* 97 23-26
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, + , *RFIC* 97 37-40
- temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan* 97 46-51
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May* 97 659-665
- wideband SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *MWSYM* 97 1035-1038 vol.2
- Microwave FET oscillators**
- GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang*, + , *T-MTT May* 97 604-615
- injection-locked MESFET oscillators, nonlin. time-domain anal. *Dixon, J.*, + , *T-MTT Jul* 97 1050-1057
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, + , *MWSYM* 97 1395-1398 vol.3
- Microwave FETs**
- bias depend. HEMT noise model, applied gate/drain voltages. *Klapproth, L.*, + , *MWSYM* 97 881-884 vol.2
- coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM* 97 1021-1024 vol.2
- DC/AC nonlin. dispersion models, scaleability. *Cojocar, V.I.*, + , *MWSYM* 97 387-390 vol.2
- distributed meas.-based nonlin. model. *Mallet-Guy, B.*, + , *MWSYM* 97 869-872 vol.2
- GaAs MESFET, channel-current model incl. thermal effects. *Tae Moon Roh*, + , *T-MTT Aug* 97 1252-1255
- GaAs MESFET, discontinuity effects on HF perform. *Megahed, M.A.*, + , *MWSYM* 97 609-612 vol.2
- HEMT, large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT Sep* 97 1630-1633
- HEMTs, microwave and millimeter wave devices, phys.-based electro-thermal model. *Johnson, R.G.*, + , *MWSYM* 97 1485-1488 vol.3
- HEMTs, microwave model, distributed effects, wave eqns. *Kasemsuwan, V.*, + , *T-MTT Mar* 97 420-427
- InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun* 97 977-983
- InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC* 97 211-214
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM* 97 251-254 vol.1
- InP HEMT cold/hot noise sources. *Dunleavy, L.P.*, + , *MWSYM* 97 1293-1296 vol.3
- jn.-FET access resist., impedance data set. *Osgood, K.*, + , *MWSYM* 97 873-876 vol.2
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep* 97 1563-1571
- MESFETs and MODFETs, photoresponse charact. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug* 97 1368-1374
- MESFETs/spiral inductors, epitaxial lift off technol., RF meas. *Morf, T.*, + , *RFIC* 97 197-200
- noise params., gatewidth and bias current depend. *Gasmi, A.*, + , *T-MTT Mar* 97 338-344
- parasitic resist. extraction errors, microwave FET model accuracy. *Cojocar, V.I.*, + , *MWSYM* 97 1599-1602 vol.3
- scalable general-purpose model for microwave FETs including DC/AC dispersion effects. *Cojocar, V.I.*, + , *T-MTT Dec* 97 2248-2255
- Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM* 97 865-868 vol.2
- Statz MESFET model, capacitance params. extraction. *Van den Bosch, S.*, + , *T-MTT Aug* 97 1247-1249
- temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan* 97 46-51
- Microwave FETs; cf. Microwave power FETs**
- Microwave filters**
- act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug* 97 1463-1466
- act. filter ccts., Marquardt-More optim. *Kerherve, E.*, + , *MWSYM* 97 1611-1614 vol.3
- act. filters, AFC. *Serhan, H.*, + , *MWSYM* 97 697-700 vol.2
- act. recursive MMIC filters, low-noise MESFET-based design. *Danestig, M.*, + , *MWSYM* 97 705-708 vol.2
- bandpass cavity filters with multiple couplings, design. *Macchiarella, G.*, *T-MTT Feb* 97 179-187
- conductor loaded resonator filters, wide spurious free stop band. *Chi Wang*, + , *MWSYM* 97 1079-1082 vol.2
- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM* 97 797-800 vol.2
- continuously varying transm. line based filters, design. *Le Roy, M.*, + , *MWSYM* 97 639-642 vol.2
- CPW bandpass filters, perform. comparison. *Fang-Lih Lin*, + , *MWSYM* 97 813-816 vol.2
- cross-coupled filters, evanescent mode coupling elements. *Synder, R.V.*, *MWSYM* 97 1095-1098 vol.2
- distributed param. model based synthesis procedure. *Tascone, R.*, + , *MWSYM* 97 643-646 vol.2
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug* 97 1240-1246
- dual mode filters in circ. waveguide incl. tuning elements, CAD. *Boria, V.*, + , *MWSYM* 97 1575-1578 vol.3
- dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT Feb* 97 221-228
- ellipt. cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM* 97 1083-1086 vol.2
- E-plane bandpass filters, improved stopband perform., CAD. *Budimir, D.*, *T-MTT Feb* 97 212-220
- four pole ellipt. microwave filter, low dielec. loaded cavities. *Gendraud, S.*, + , *MWSYM* 97 1091-1094 vol.2
- four-port microstrip-line microwave directional filters, pulse-radar appls. *Rosloniec, S.*, + , *T-MTT Sep* 97 1633-1637
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- Hilbert-transform-derived relative group delay for microwave ccts. *Perry, P.*, + , *T-MTT Aug* 97 1214-1225
- HTS dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, + , *MWSYM* 97 1725-1728 vol.3
- HTS microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, + , *T-MTT May* 97 780-786
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- Mach-Zehnder lattice all-opt. microwave filters, coupling ratios. *Cusick, T.A.*, + , *T-MTT Aug* 97 1458-1462
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938

- microstrip bandpass filter, Q-enhancement tech., coupled neg. resistors. *Romano, A.*, +, *MWSYM* 97 709-712 vol.2
- microstrip slow-wave open-loop resonator microwave filters. *Hong, J.S.*, +, *MWSYM* 97 713-716 vol.2
- miniature LTCC filters for digital radar receivers. *Bailey, A.*, +, *MWSYM* 97 999-1002 vol.2
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, +, *MWSYM* 97 701-704 vol.2
- MMIC tunable act. recursive filters having variable and uniform gain. *Jin-Su Ko*, +, *RFIC* 97 51-54
- MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, +, *MWSYM* 97 941-944 vol.2
- modeling of conductor-loaded resonators and filters in rect. enclosures. *Wang, C.*, +, *T-MTT Dec* 97 2479-2485
- multilayer coupled microstripline filters, design methodology. *Cho, C.*, +, *MWSYM* 97 785-788 vol.2
- opt. fiber delay-line RF filter, semicond. opt. amp. appl. *Coppinger, F.*, +, *T-MTT Aug* 97 1473-1477
- opt. illum. directional coupler, quasi-static anal. tech. *Safwat, A.M.E.*, +, *T-MTT Aug* 97 1351-1357
- planar microwave ccts., diatoptics and multilevel moments method. *Ooms, S.*, +, *MWSYM* 97 1803-1806 vol.3
- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, +, *T-MTT Oct* 97 1681-1688
- resonator filter anal., 3D finite-element modal freq. method. *Brauer, J.R.*, +, *T-MTT May* 97 810-818
- shape driven edge finite element models, broad freq. band microwave structs. *Thevenon, F.*, +, *MWSYM* 97 1615-1618 vol.3
- Si finite-width CPW open/short-circuited terminated series stubs. *Ponchak, G.E.*, +, *T-MTT Jun* 97 970-976
- $\lambda/4$ CPW resonator bandpass filters, tap-excitation realization. *Wada, K.*, +, *MWSYM* 97 717-720 vol.2
- tapped-line interdigital filter equiv. ccts. *Ernst, C.*, +, *MWSYM* 97 801-804 vol.2
- transitional combine/evanescent-mode microwave filters. *Levy, R.*, +, *T-MTT Dec* 97 2094-2099
- waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, +, *T-MTT Sep* 97 1611-1618
- waveguide filters, EM-based CAD optim. procedure. *Alos, J.T.*, +, *T-MTT May* 97 856-858
- waveguide filters, space mapping optim., EM simul. *Bandler, J.W.*, +, *MWSYM* 97 635-638 vol.2
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, +, *T-MTT Apr* 97 492-497
- Microwave frequency conversion**
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- opt. interferometer and photodiode methods for freq. conversion. *Maury, G.*, +, *T-MTT Aug* 97 1481-1485
- photonic phase and freq. shifter. *Winnall, S.T.*, +, *T-MTT Jun* 97 1003-1006
- SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120
- subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, +, *MWSYM* 97 1039-1042 vol.2
- Microwave frequency conversion; cf.** Microwave mixers
- Microwave generation**
- bidirectional broadband mobile commun., fiberoptic microwave gen. *Braun, R.-P.*, +, *MWSYM* 97 225-228 vol.1
- megahertz-linewidth microwave sig., opt. generation, discriminator-aided PLL. *Fan, F.Z.*, +, *T-MTT Aug* 97 1296-1300
- microwave and millimeter-wave photonics (special issue). *T-MTT Aug* 97 1277-1536
- MSM photodiodes, vel.-matched distributed photodetector, microwave photonic links. *Lin, L.Y.*, +, *T-MTT Aug* 97 1320-1331
- Microwave generation; cf.** Microwave frequency conversion; Microwave oscillators
- Microwave holography**
- mm-wave holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, +, *MWSYM* 97 573-576 vol.2
- Microwave imaging**
- crack charact. sig. anal., generalized scatt. matrix representation. *Huber, C.*, +, *T-MTT Apr* 97 477-484
- location/shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, +, *T-MTT Apr* 97 469-476
- Microwave imaging; cf.** Microwave holography
- Microwave integrated circuits**
- 1997 Symposium, selected papers (special issue). *T-MTT Dec* 97 2164-2554
- 1997 Symposium, selected papers, special issue intro. *Boon, R.C., Jr.*, +, *T-MTT Dec* 97 2164-2166
- air bridge based planar hybrid technol. for microwave/mm-wave appls. *Wasige, E.*, +, *MWSYM* 97 925-928 vol.2
- CAD, layout, schematic, pattern recogn. *Tadjiky, S.*, +, *MWSYM* 97 1029-1033 vol.2
- dielec. resonators in MICs, reson. freqs. and Q-factor calc. *Jenn-Ming Guan*, +, *T-MTT Mar* 97 439-442
- electronically tunable microwave impedance transformer, design. *Sinsky, J.H.*, +, *MWSYM* 97 647-650 vol.2
- hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, +, *MWSYM* 97 1737-1740 vol.3
- interconnection, 3D low-loss wide-band struct. *Monfraix, P.*, +, *MWSYM* 97 1551-1554 vol.3
- interconnects and packaging (special issue). *T-MTT Oct* 97 1817-1985
- interconnects and packaging, special issue intro. *Tripathi V.K.*, +, *T-MTT Oct* 97 1817-1818
- line-to-ring coupling cct. model, parametric effects, microstrip ring ccts. and antennas. *Lei Zhu*, +, *MWSYM* 97 289-292 vol.1
- multilayer dielec. media MICs in rect. waveguide. *Pereira Filho, O.M.C.*, +, *MWSYM* 97 1535-1538 vol.3
- packages/interconnects, FDTD 3D simul., lossy coupling. *Falconer, M.*, +, *MWSYM* 97 1733-1736 vol.3
- packaging, ccts. and interconnects, finite-element modeling. *Polycarpou, A.C.*, +, *T-MTT Oct* 97 1868-1874
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, +, *MWSYM* 97 1395-1398 vol.3
- planar cct./NRD-guide, hybrid integrat. technol. *Ke Wu*, +, *T-MTT Jun* 97 946-954
- SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120
- SPDT MIC switch using shunt discrete PIN diodes, 20 W, 6-18 GHz. *Shigematsu, T.*, +, *MWSYM* 97 527-530 vol.2
- tightly coupled lines for MHMIC couplers and phase shifters. *Yansheng Xu*, +, *T-MTT Sep* 97 1594-1599
- unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, +, *MWSYM* 97 617-620 vol.2
- uniplanar hybrid couplers using asymmetrical coplanar strip lines, MIC/MMIC appls. *Lu Fan*, +, *MWSYM* 97 273-276 vol.1
- wideband uniplanar phase inverters for hybrid MICs/MMICs. *Tongqing Wang*, +, *MWSYM* 97 777-780 vol.2
- Microwave integrated circuits; cf.** Microwave bipolar integrated circuits; Microwave FET integrated circuits; MMICs
- Microwave isolators**
- rat race coupler design, appl., bal. mixers, high LO, RF isolation. *Walker, J.L.B.*, *MWSYM* 97 747-750 vol.2
- ridge waveguide, field displacement isolator. *Wen Junding*, +, *T-MTT May* 97 698-700
- Microwave limiters**
- AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, +, *RFIC* 97 55-58
- GaAs MMIC high power limiters for cct. protection. *Trantanella, C.*, +, *MWSYM* 97 535-538 vol.2
- HTSC limiters, phase noise reduction. *Massin, F.*, +, *MWSYM* 97 307-310 vol.1
- YIG ferrite microstrip limiter, C band, power limiting. *Green, J.J.*, *MWSYM* 97 1125-1126 vol.2
- Microwave measurements**
- bilateral electro-optic network for lightwave component charactn. *Elamaram, B.*, +, *T-MTT Aug* 97 1493-1496
- bilayered material, microwave meas., coaxial discontinuity. *Belhadj-Tahar, N.*, +, *T-MTT Feb* 97 260-267
- brain tissues, RF/microwave complex dielec. meas. *Jian-Zhong Bao*, +, *T-MTT Oct* 97 1730-1741
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, +, *MWSYM* 97 945-948 vol.2
- complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, +, *MWSYM* 97 107-110 vol.1
- crack charact. sig. anal., generalized scatt. matrix representation. *Huber, C.*, +, *T-MTT Apr* 97 477-484
- DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, +, *MWSYM* 97 723-726 vol.2
- dielec. films, dielec. const. and thickness, CPW meas. *Waldo, M.K.*, +, *MWSYM* 97 1339-1342 vol.3
- dielec. materials, complex permitt., waveguide meas. *Deshpande, M.D.*, +, *T-MTT Mar* 97 359-366
- dielec. materials, permitt. meas., whispering gallery modes. *Krupka, J.*, +, *MWSYM* 97 1347-1350 vol.3
- dielec. resonators, transm. mode, Q-factor meas. *Leong, K.*, +, *MWSYM* 97 1639-1642 vol.3
- FETs, distributed meas.-based nonlin. model. *Mallet-Guy, B.*, +, *MWSYM* 97 869-872 vol.2
- flip-chip MMIC power amps., pulsed internal-node waveform anal. *Bao, J.W.*, +, *MWSYM* 97 905-908 vol.2

flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, + , *MWSYM* 97 987-990 vol.2

helical slow-wave structs., dispersion and interact. impedance characts. meas. *Rao, S.J.*, + , *T-MTT Sep* 97 1585-1593

Hilbert-transform-derived relative group delay for microwave ccts. *Perry, P.*, + , *T-MTT Aug* 97 1214-1225

historical review of six-port meas. tech. *Engen, G.F.*, *T-MTT Dec* 97 2414-2417

hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, + , *MWSYM* 97 1737-1740 vol.3

IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)

jn.-FET access resist., impedance data set. *Osgood, K.*, + , *MWSYM* 97 873-876 vol.2

liq. tanks, impurity level meas., FSCW radar. *Weiss, M.*, + , *MWSYM* 97 1651-1654 vol.3

LMR 16, self-calib. procedure for leaky NWA. *Silvonen, K.*, *T-MTT Jul* 97 1041-1049

LNN, line network network, in-fixture calib. procedure for NWA. *Heinermann, H.*, + , *T-MTT Mar* 97 408-413

low-loss dielec., complex permitt. *Voelker, R.H.*, + , *T-MTT Oct* 97 1955-1960

low-loss material microwave complex permitt. determ., stable transm./refl. method. *Boughriet, A.-H.*, + , *T-MTT Jan* 97 52-57

MMICs, electro-optic scanning, Fabry-Perot enhancement. *Muller, P.O.*, + , *MWSYM* 97 1329-1332 vol.3

modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov* 97 2049-2057

multiconductor struct., field distrib. and scatt. param. meas. *Yingjie Gao*, + , *MWSYM* 97 1741-1744 vol.3

noise param./S-param. meas. tech. *Schmatz, M.L.*, + , *MWSYM* 97 1443-1446 vol.3

NWA, self-calib., 15-term error-model. *Gronefeld, A.*, + , *MWSYM* 97 1655-1658 vol.3

orthogonal on-wafer DUTs, meas., SOLR calib. *Basu, S.*, + , *MWSYM* 97 1335-1338 vol.3

package models, on-wafer meas. *Chun, C.*, + , *T-MTT Oct* 97 1948-1954

permitt. meas., cavity perturb. method. *Takahashi, T.*, + , *MWSYM* 97 1683-1686 vol.3

permitt., transm. line meas. *Janezic, M.D.*, + , *MWSYM* 97 1343-1346 vol.3

power amp., dyn. AM/AM and AM/PM meas. *Moulthrop, A.A.*, + , *MWSYM* 97 1455-1458 vol.3

pure-mode VNA for on-wafer meas. of mixed-mode S-params. of differential ccts. *Bockelman, D.E.*, + , *T-MTT Jul* 97 1071-1077

six-port meas. tech., microwave metrology, national stds. labs. *Engen, G.F.*, *MWSYM* 97 1171-1172 vol.3

sliding-load calib., circle-fitting procedure. *Vandersteen, G.*, + , *T-MTT Jul* 97 1027-1033

surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM* 97 995-998 vol.2

TiO₂-Bi₂Ti₄O₁₁, scanning photothermal dielec. microscopy. *Cho, Y.*, + , *MWSYM* 97 1647-1650 vol.3

transfer charact. of IM₃ relative phase for GaAs FET amp. *Suematsu, N.*, + , *T-MTT Dec* 97 2509-2514

transistors, multitone power and IM load-pull charactn. *Hajji, R.*, + , *T-MTT Jul* 97 1093-1099

transistors, power amps., IMD meas. *Barataud, D.*, + , *MWSYM* 97 1687-1690 vol.3

waveguide below-cutoff atten. std. *Russell, D.H.*, *MWSYM* 97 1165-1169 vol.3

Microwave measurements; cf. Microwave reflectometry

Microwave mixers

automatic beam steered act. antenna receiver, design. *Gupta, S.*, + , *MWSYM* 97 599-602 vol.2

diode mixer, nonlin. anal., extended FDTD algm. *Min Chen*, + , *MWSYM* 97 67-70 vol.1

FET resistive mixers, conversion loss. *Peng, S.*, *MWSYM* 97 857-860 vol.2

IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)

mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204

rat race coupler design, appl., bal. mixers, high LO, RF isolation. *Walker, J.L.B.*, *MWSYM* 97 747-750 vol.2

SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120

subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, + , *MWSYM* 97 1039-1042 vol.2

Microwave modulation

opt. FM links. *Cai, B.*, + , *T-MTT Apr* 97 505-511

Microwave oscillators

coupled oscillator arrays, phase noise props. *Heng-Chia Chang*, + , *MWSYM* 97 1061-1064 vol.2

harmonic loading oscillator design, harmonic two sig. method. *Moon-Que Lee*, + , *MWSYM* 97 1495-1498 vol.3

HTSC limiters, phase noise reduction. *Massin, F.*, + , *MWSYM* 97 307-310 vol.1

parallel-coupled oscillators, equiv. cct. influ. on stable modes. *Heng-Chia Chang*, + , *T-MTT Aug* 97 1232-1239

phase noise in externally injection-locked oscillator arrays. *Chang, H.-C.*, + , *T-MTT Nov* 97 2035-2042

stabil. anal., harmonic-bal. method. *Gerber, J.*, + , *MWSYM* 97 1587-1590 vol.3

Microwave oscillators; cf. Microwave bipolar transistor oscillators; Microwave FET oscillators

Microwave phase shifters

Ba_{1-x}Sr_xTiO₃ planar microwave integrated phase-shifter, high purity ferroelec. *De Flaviis, F.*, + , *T-MTT Jun* 97 963-969

interdigital microstrip gap, laser spot illum., S-params. *Horii, Y.*, + , *MWSYM* 97 1635-1638 vol.3

lossless microwave phase shifter, ferrite-filled waveguide below cut-off. *Boyd, C.R., Jr.*, *MWSYM* 97 1121-1124 vol.2

low-temp. co-fired ceramic stripline ferrite phase shifter, model. *Stitzer, S.N.*, *MWSYM* 97 1117-1120 vol.2

microwave phase shift using ferrite-filled waveguide below cutoff. *Boyd, C.R., Jr.*, *T-MTT Dec* 97 2402-2407

mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204

photonic phase and freq. shifter. *Winnall, S.T.*, + , *T-MTT Jun* 97 1003-1006

Si micromachined package. *Henderson, R.M.*, + , *MWSYM* 97 521-524 vol.2

ultrawideband microwave differential phase shifter. *Minnaar, F.V.*, + , *T-MTT Aug* 97 1249-1252

wideband uniplanar phase inverters for hybrid MICs. *Tongqing Wang*, + , *MWSYM* 97 777-780 vol.2

Microwave power amplifiers

circ. sector microstrip antenna, class F power amp. *Radisic, V.*, + , *MWSYM* 97 687-690 vol.2

dyn. AM/AM and AM/PM meas. *Moulthrop, A.A.*, + , *MWSYM* 97 1455-1458 vol.3

microwave miniaturized linearizer using parallel diode with bias feed resist. *Yamauchi, K.*, + , *T-MTT Dec* 97 2431-2435

push-pull power amps., X-band operation. *Toyoda, S.*, *MWSYM* 97 1433-1436 vol.3

S-band power amp., miniaturized lin., parallel diode. *Yamauchi, K.*, + , *MWSYM* 97 1199-1202 vol.3

transistors, power amps., IMD meas. *Barataud, D.*, + , *MWSYM* 97 1687-1690 vol.3

transmit-receive spatial power combining amp. array. *Ortiz, S.*, + , *MWSYM* 97 679-682 vol.2

Microwave power amplifiers; cf. Microwave power bipolar transistor amplifiers; Microwave power FET amplifiers

Microwave power bipolar transistor amplifiers

AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan* 97 58-71

HBT power amps., IMD, tone spacing effect. *McIntosh, P.M.*, + , *MWSYM* 97 371-374 vol.2

Microwave power bipolar transistors

28-V low thermal-impedance HBT with 20-W CW output power. *Hill, D.*, + , *T-MTT Dec* 97 2224-2228

AlGaAs/GaAs HBT, low thermal impedance, CW output power. *Hill, D.*, + , *MWSYM* 97 137-140 vol.1

AlGaAs/GaAs HBTs, K-band, 1 W, emitter air-bridge technol. *Hin-Fai Chau*, + , *RFIC* 97 219-223

AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan* 97 58-71

AlGaAs/GaAs K-band 1 W HBTs, emitter air-bridge technol. *Hin-Fai Chau*, + , *MWSYM* 97 259-262 vol.1

AlGaAs/GaAs low thermal impedance HBT, microwave power devices. *Hill, D.*, + , *RFIC* 97 189-192

AlGaAs/GaAs power HBT, large-sig. charact., self-heating. *Samelis, A.*, + , *T-MTT Apr* 97 534-542

cascode HBTs for efficient high power microwave appls., thermal instabil. *Salib, M.*, + , *MWSYM* 97 897-900 vol.2

SiGe microwave power BJTs. *Henderson, G.N.*, + , *MWSYM* 97 1299-1302 vol.3

Si power transistor fab., monolithic impedance matching ccts. *Phing Li*, + , *MWSYM* 97 991-994 vol.2

Microwave power FET amplifiers

FET lin., satellite appls. *Ogura, S.*, + , *MWSYM* 97 1195-1198 vol.3

- GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, + , *MWSYM* 97 817-820 vol.2
- MESFET microwave power amps. fabricated from wide bandgap semiconds. *Trew, R.J.*, *MWSYM* 97 45-48 vol.1
- PHEMT X-band MMIC HPA, flip-chip technol., efficiency. *Cameron, P.*, + , *MWSYM* 97 889-892 vol.2
- X-band bi-directional quasi-opt. lens amp. array. *Hollung, S.*, + , *MWSYM* 97 675-678 vol.2
- Microwave power FETs**
InGaP/AlGaAs/InGaAs HJFET, X-Ku band power appls. *Okamoto, Y.*, + , *MWSYM* 97 1191-1194 vol.3
- PHEMT, interdigitated power device, small-sig. model. *Shen-Whan Chen*, + , *T-MTT May* 97 700-703
- SiC, appl., high power UHF/microwave devices. *Morse, A.W.*, + , *MWSYM* 97 53-56 vol.1
- SiC MESFETs for high-power S-band appls. *Allen, S.T.*, + , *MWSYM* 97 57-60 vol.1
- WSi/Au T-shaped gate K-band power HEMT. *Kunii, T.*, + , *MWSYM* 97 1187-1190 vol.3
- Microwave power transmission**
high conversion efficiency 5.8 GHz rectenna, design. *McSpadden, J.O.*, + , *MWSYM* 97 547-550 vol.2
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug* 97 1332-1336
- Microwave propagation**
IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- multilayer composite glass, metallic layer, microwave material. *Wang, B.F.*, + , *T-MTT Jan* 97 126-129
- Microwave radio communication**
bidirectional broadband mobile commun., fiberoptic microwave gen. *Braun, R.-P.*, + , *MWSYM* 97 225-228 vol.1
- ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36
- Microwave receivers**
automatic beam steered act. antenna receiver, design. *Gupta, S.*, + , *MWSYM* 97 599-602 vol.2
- protectors/AGCs, low cost techs., SMDs. *Strack, D.*, + , *MWSYM* 97 531-534 vol.2
- Microwave reflectometry**
air coplanar microprobes, W-band on-wafer meas. *Pham, A.*, + , *MWSYM* 97 1659-1662 vol.3
- multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3
- Microwave resonators**
capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Droz, J.M.*, + , *T-MTT Jul* 97 1100-1104
- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM* 97 797-800 vol.2
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- HTS dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, + , *MWSYM* 97 1725-1728 vol.3
- microwave reson. structs., ARMA modeling of FDTD time seqs., high-Q microstrip filter. *Shaw, A.K.*, + , *MWSYM* 97 341-344 vol.1
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, + , *MWSYM* 97 701-704 vol.2
- modeling of conductor-loaded resonators and filters in rect. enclosures. *Wang, C.*, + , *T-MTT Dec* 97 2479-2485
- $\lambda/4$ CPW resonator bandpass filters, tap-excitation realization. *Wada, K.*, + , *MWSYM* 97 717-720 vol.2
- stepped-impedance microwave resonators, structs./characts. *Sagawa, M.*, + , *T-MTT Jul* 97 1078-1085
- superconducting microstrip resonator with yttrium iron garnet single crystals. *Fukusako, T.*, + , *T-MTT Nov* 97 2013-2017
- tunable microwave load based on biased photoinduced plasma in Si. *Boyer, B.*, + , *T-MTT Aug* 97 1362-1367
- Microwave switches**
act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug* 97 1486-1492
- microwave switches, micromachined, nonlin. dyn. modeling. *Chan, E.K.*, + , *MWSYM* 97 1511-1514 vol.3
- opt. controlled microwave switch, perform. improvement. *Khalil, D.A.M.*, + , *T-MTT Aug* 97 1358-1361
- SPDT MIC switch using shunt discrete PIN diodes, 20 W, 6-18 GHz. *Shigematsu, T.*, + , *MWSYM* 97 527-530 vol.2
- Microwave Symposium, 1997 International**
selected papers (special issue). *T-MTT Dec* 97 2164-2554
- selected papers, special issue intro. *Booton, R.C., Jr.*, + , *T-MTT Dec* 97 2164-2166
- Microwave technology**
knowledge based neural models for microwave design. *Fang Wang*, + , *MWSYM* 97 627-630 vol.2
- microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug* 97 1277-1278
- work of Jagadis Chandra Bose, 100 years of millimeter-wave research. *Emerson, D.T.*, *T-MTT Dec* 97 2267-2273
- Microwave technology; cf.** Microwave circuits; Microwave communication; Microwave devices; Microwave frequency conversion; Microwave generation; Microwave imaging; Microwave measurements; Microwave modulation; Microwave power transmission
- Microwave transistors**
multitone power and IM load-pull charactn. *Hajji, R.*, + , *T-MTT Jul* 97 1093-1099
- power amps., IMD meas. *Barataud, D.*, + , *MWSYM* 97 1687-1690 vol.3
- Microwave transistors; cf.** Microwave bipolar transistors; Microwave FETs
- Microwave transmitters**
lin. transmitters, digital mapping predistorters. *Qiming Ren*, + , *MWSYM* 97 1691-1694 vol.3
- Millimeter wave amplifiers**
characterization, full-wave FDTD tech. *Imtiaz, S.M.S.*, + , *MWSYM* 97 79-82 vol.1
- RFICs, conf., Denver CO, USA (Jun 97). *RFIC*-97 xxi+242
- wideband amps., multilayer MMIC technol. *Imaoka, T.*, + , *T-MTT Jan* 97 95-101
- Millimeter wave amplifiers; cf.** Millimeter wave FET amplifiers; Millimeter wave power amplifiers
- Millimeter wave antenna arrays**
3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2
- fiber Bragg-grating true time-delay sys., beamforming control appl. *Molony, A.*, + , *T-MTT Aug* 97 1527-1530
- holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, + , *MWSYM* 97 573-576 vol.2
- MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug* 97 1497-1500
- Millimeter wave antennas**
act. antenna, broadband heterodyne meas. *Rasshofer, R.H.*, + , *MWSYM* 97 1459-1462 vol.3
- automobile, act. SIMMWIC antenna. *Singer, M.*, + , *MWSYM* 97 1265-1268 vol.3
- broadband external modulation fiber-optic links, antenna-remoting appls. *Ackerman, E.I.*, + , *T-MTT Aug* 97 1436-1442
- conducting-strip diffr. grating planar dielec. waveguide, mm-wave antenna. *Bledowski, A.*, + , *T-MTT Sep* 97 1637-1640
- field-probing tech. for MM-wave components. *Basu, A.*, + , *MWSYM* 97 1667-1670 vol.3
- GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM* 97 561-564 vol.2
- layout synthesis procedure. *Thieme, M.O.*, + , *MWSYM* 97 1009-1012 vol.2
- meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec* 97 2454-2460
- nonleaky CPW fed slot antennas, mutual coupling, mm-wave imaging. *Yongxi Qian*, + , *MWSYM* 97 1623-1626 vol.3
- SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108
- slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, + , *MWSYM* 97 565-568 vol.2
- tapered slot antenna, improved radiation pattern. *Sugawara, S.*, + , *MWSYM* 97 959-962 vol.2
- Millimeter wave attenuators**
Jagadis Chandra Bose, mm-wave research rel., radioastronomy. *Emerson, D.T.*, *MWSYM* 97 553-556 vol.2
- megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec* 97 2324-2332
- Millimeter wave bipolar integrated circuits**
InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, + , *RFIC* 97 91-94
- low-power ultra-fast ICs in scaled submicron HBT IC technol. *Hafizi, M.*, + , *RFIC* 97 87-90
- Millimeter wave bipolar transistor oscillators**
InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, + , *RFIC* 97 91-94

Millimeter wave bipolar transistors

- DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun 97* 886-897
- HBT, large sig. model, hybrid pi and Tee cct. topologies. *Teeter, D.A.*, + , *MWSYM 97* 375-378 vol.2
- HBT, small-sig. equiv. cct. *Gobert, Y.*, + , *T-MTT Jan 97* 149-153
- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM 97* 841-844 vol.2
- InP HBT, Si substr., wafer scale package. *Chun, C.*, + , *MWSYM 97* 513-516 vol.2
- nonlin. modeling of SiGe HBTs up to 50 GHz. *Rheinfelder, C.*, + , *T-MTT Dec 97* 2503-2508

Millimeter wave circuits

- 1997 Symposium, selected papers (special issue) . *T-MTT Dec 97* 2164-2554
- 1997 Symposium, selected papers, special issue intro. . *Booton, R.C., Jr.*, + , *T-MTT Dec 97* 2164-2166
- design and optim., EM simulators. *Jain, N.*, + , *T-MTT May 97* 724-746
- field-probing tech. for MM-wave components. *Basu, A.*, + , *MWSYM 97* 1667-1670 vol.3
- mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb 97* 196-204
- polyimide/alumina-ceramic multilayer, MM-wave RF front-end board. *Nakatsugawa, M.*, + , *MWSYM 97* 509-512 vol.2
- slotline, bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM 97* 487-490 vol.2

Millimeter wave circuits; cf. Millimeter wave amplifiers; Millimeter wave filters; Millimeter wave integrated circuits; Millimeter wave mixers; Millimeter wave oscillators; Millimeter wave receivers; Millimeter wave transmitters

Millimeter wave communication

- broadband wireless access, MM-wave, fiber systs. *Seeds, A.J.*, *MWSYM 97* 23-25 vol.1
- high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, + , *MWSYM 97* 221-224 vol.1
- Japan, wideband MM wave/opt. network appls. *Imai, N.*, + , *MWSYM 97* 27-30 vol.1
- opt. link, W-band transmit/receive appls. *Niehenke, E.C.*, + , *MWSYM 97* 35-38 vol.1

Millimeter wave communication; cf. Millimeter wave radio communication

Millimeter wave couplers

- correction to "Constraints to the optimum performance and bandwidth limitations of duplexers employing three-port junctions" (Feb 96 242-248). *Morini, A.*, *T-MTT May 97* 704
- GaAs MMIC CPW baluns, overlaid and spiral couplers. *Gokdemir, T.*, + , *MWSYM 97* 401-404 vol.2

Millimeter wave couplers; cf. Millimeter wave directional couplers

Millimeter wave detectors

- Jagadis Chandra Bose, mm-wave research rel., radioastronomy. *Emerson, D.T.*, *MWSYM 97* 553-556 vol.2
- microwave and millimeter-wave photonics (special issue). *T-MTT Aug 97* 1277-1536
- microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug 97* 1277-1278
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM 97* 557-560 vol.2

Millimeter wave devices

- 1997 Symposium, selected papers (special issue) . *T-MTT Dec 97* 2164-2554
- 1997 Symposium, selected papers, special issue intro. . *Booton, R.C., Jr.*, + , *T-MTT Dec 97* 2164-2166
- amplit.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun 97* 911-917
- InP MM-wave $n^+n^-n^+$ Gunn devices, RF perform. characts. *Eisele, H.*, + , *MWSYM 97* 451-454 vol.2
- millimeter-wave holographic power splitting/combining. *Shahabadi, M.*, + , *T-MTT Dec 97* 2316-2323
- submicron highly-doped semicond. MM-wave devices, noise modeling. *Abou-Elnour, O.*, + , *MWSYM 97* 1289-1292 vol.3

Millimeter wave devices; cf. Millimeter wave antenna arrays; Millimeter wave antennas; Millimeter wave attenuators; Millimeter wave couplers; Millimeter wave detectors; Millimeter wave diodes; Millimeter wave lasers; Millimeter wave phase shifters; Millimeter wave resonators; Millimeter wave switches; Millimeter wave tubes; Millimeter wave waveguides

Millimeter wave diodes

- GaAs/Al_{0.7}Ga_{0.3}As heterostruct. barrier varactor tripler. *Jones, J.R.*, + , *T-MTT Apr 97* 512-518
- GaAs IMPATT diode, reson.-cap MM-wave power combiner. *Bauer, T.*, + , *T-MTT Jan 97* 146-148
- GaAs PIN diode W-band SP3T switch CPW MMIC. *Case, M.*, + , *MWSYM 97* 1047-1051 vol.2

- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM 97* 841-844 vol.2

Millimeter wave directional couplers

- cavity-type couplers, simple struct. *Kawai, T.*, + , *MWSYM 97* 413-416 vol.2
- MMIC dual-quadrature up-converter, multilayer directional couplers. *Minakawa, A.*, + , *T-MTT Jan 97* 78-82
- wideband amps., multilayer MMIC technol. *Imaoka, T.*, + , *T-MTT Jan 97* 95-101

Millimeter wave FET amplifiers

- 60-GHz-band monolithic HJFET LNA incorporating diode-regulated self-bias cct. *Maruhashi, K.*, + , *T-MTT Dec 97* 2256-2260
- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *MWSYM 97* 447-450 vol.2
- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *T-MTT Dec 97* 2261-2266
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, + , *MWSYM 97* 1281-1284 vol.3
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, + , *MWSYM 97* 17-20 vol.1
- double lightly doped drain struct. H-MESFET for MMIC appls. *Yamane, Y.*, + , *T-MTT Dec 97* 2229-2233
- GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, + , *MWSYM 97* 443-446 vol.2
- global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec 97* 2208-2216
- InAlAs/InGaAs/InP HEMT IC LNA, three-stage design, 155 GHz. *Wang, H.*, + , *MWSYM 97* 1275-1278 vol.3
- InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, + , *MWSYM 97* 937-940 vol.2
- InP MMIC amp. module, full-waveguide band mount, 90-140 GHz. *Weinreb, S.*, + , *MWSYM 97* 1279-1280 vol.3
- InP MM-wave HEMT amps., cryogenic cooling. *Pospieszalski, M.W.*, + , *MWSYM 97* 1285-1288 vol.3

Millimeter wave FET amplifiers; cf. Millimeter wave power FET amplifiers

Millimeter wave FET integrated circuits

- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, + , *T-MTT Dec 97* 2261-2266
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, + , *MWSYM 97* 1281-1284 vol.3
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, + , *MWSYM 97* 17-20 vol.1
- AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM 97* 1175-1178 vol.3
- GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, + , *MWSYM 97* 443-446 vol.2
- GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, + , *MWSYM 97* 439-442 vol.2
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC 97* 207-210
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM 97* 247-250 vol.1
- HEMT MMIC chip set, mm-wave solid state power amp., 60-GHz. *Hwang, Y.*, + , *MWSYM 97* 1179-1182 vol.3
- InAlAs/InGaAs/InP HEMT IC LNA, three-stage design, 155 GHz. *Wang, H.*, + , *MWSYM 97* 1275-1278 vol.3
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM 97* 457-460 vol.2
- InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, + , *MWSYM 97* 937-940 vol.2
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM 97* 251-254 vol.1
- injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K.*, + , *T-MTT Sep 97* 1578-1584
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, + , *MWSYM 97* 1043-1046 vol.2
- InP MMIC amp. module, full-waveguide band mount, 90-140 GHz. *Weinreb, S.*, + , *MWSYM 97* 1279-1280 vol.3
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM 97* 155-158 vol.1
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verweyen, L.*, + , *RFIC 97* 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, + , *MWSYM 97* 243-246 vol.1
- pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, + , *MWSYM 97* 1729-1732 vol.3
- pHEMT mm-wave MMIC VCO, design procedures. *Garner, P.J.*, + , *MWSYM 97* 885-888 vol.2
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM 97* 539-542 vol.2
- single-bal. octave band PHEMT MMIC mixers, 50-100 GHz. *Kamozaki, K.*, + , *RFIC 97* 95-98

- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, +, *T-MTT May 97* 659-665
- W-band miniature MMIC one watt solid-state transmitter. *Stenger, E.*, +, *MWSYM 97* 431-434 vol.2
- W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, +, *MWSYM 97* 435-438 vol.2
- Millimeter wave FET oscillators**
- AlInAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, +, *MWSYM 97* 1057-1060 vol.2
- injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K.*, +, *T-MTT Sep 97* 1578-1584
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, +, *T-MTT May 97* 659-665
- Millimeter wave FETs**
- GaAs MESFET, discontinuity effects on HF perform. *Megahed, M.A.*, +, *MWSYM 97* 609-612 vol.2
- HEMTs, microwave and millimeter wave devices, phys.-based electro-thermal model. *Johnson, R.G.*, +, *MWSYM 97* 1485-1488 vol.3
- InGaAs/InAlAs HFET, full wave BIE anal. *Schroeder, W.*, +, *MWSYM 97* 159-162 vol.1
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, +, *MWSYM 97* 251-254 vol.1
- nonquasi-static model. *Fernandez-Barciela, M.*, +, *MWSYM 97* 1499-1502 vol.3
- Millimeter wave filters**
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, +, *T-MTT Jun 97* 931-938
- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, +, *T-MTT Oct 97* 1681-1688
- W-band micromachined finite ground coplanar line cct. elements. *Herrick, K.J.*, +, *MWSYM 97* 269-272 vol.1
- Millimeter wave frequency conversion**
- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *MWSYM 97* 447-450 vol.2
- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *T-MTT Dec 97* 2261-2266
- GaAs/Al_{0.7}Ga_{0.3}As heterostruct. barrier varactor tripler. *Jones, J.R.*, +, *T-MTT Apr 97* 512-518
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, +, *RFIC 97* 207-210
- HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, +, *MWSYM 97* 1143-1146 vol.3
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, +, *MWSYM 97* 457-460 vol.2
- InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, +, *MWSYM 97* 937-940 vol.2
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, +, *MWSYM 97* 1043-1046 vol.2
- MMIC dual-quadrature up-converter, multilayer directional couplers. *Minakawa, A.*, +, *T-MTT Jan 97* 78-82
- Schottky diode parallel pair mm-wave freq. tripler, varactors. *Thornton, J.*, +, *MWSYM 97* 957-958 vol.2
- subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, +, *MWSYM 97* 1039-1042 vol.2
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, +, *T-MTT May 97* 659-665
- W-band monolithic multipliers. *Brauchler, F.*, +, *MWSYM 97* 1225-1228 vol.3
- Millimeter wave frequency conversion; cf. Millimeter wave mixers**
- Millimeter wave generation**
- AlInAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, +, *MWSYM 97* 1057-1060 vol.2
- fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, +, *T-MTT Aug 97* 1431-1435
- high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, +, *MWSYM 97* 221-224 vol.1
- holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, +, *MWSYM 97* 573-576 vol.2
- Jagadis Chandra Bose, mm-wave research rel., radioastronomy. *Emerson, D.T.*, *MWSYM 97* 553-556 vol.2
- microwave and millimeter-wave photonics (special issue). *T-MTT Aug 97* 1277-1536
- MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, +, *MWSYM 97* 1707-1708 vol.3
- opt. mm-wave generation utilizing locking techs. *Berceli, T.*, *MWSYM 97* 1721-1724 vol.3
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM 97* 557-560 vol.2
- Millimeter wave generation; cf. Millimeter wave oscillators**
- Millimeter wave imaging**
- near-field scanning resist. microscope. *Golosovsky, M.*, +, *MWSYM 97* 1333-1334 vol.3
- nonleaky CPW fed slot antennas, mutual coupling, mm-wave imaging. *Yongxi Qian*, +, *MWSYM 97* 1623-1626 vol.3
- Millimeter wave integrated circuits**
- 1997 Symposium, selected papers (special issue). *T-MTT Dec 97* 2164-2554
- 1997 Symposium, selected papers, special issue intro. *Booton, R.C., Jr.*, +, *T-MTT Dec 97* 2164-2166
- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *MWSYM 97* 447-450 vol.2
- air bridge based planar hybrid technol. for microwave/mm-wave appls. *Wasige, E.*, +, *MWSYM 97* 925-928 vol.2
- AlInAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, +, *MWSYM 97* 1057-1060 vol.2
- CPW ccts., wide band CAD model, FDTD tech. *Lan, E.*, +, *MWSYM 97* 1583-1586 vol.3
- D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, +, *MWSYM 97* 1205-1208 vol.3
- GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, +, *MWSYM 97* 561-564 vol.2
- hybrid technol. mm-wave ICs, perforated plate substr. *Chenakin, A.V.*, +, *MWSYM 97* 921-924 vol.2
- interconnects and packaging (special issue). *T-MTT Oct 97* 1817-1985
- interconnects and packaging, special issue intro. *Tripathi V.K.*, +, *T-MTT Oct 97* 1817-1818
- line-loss and size-reduction techs. for millimeter-wave RF front-end boards by using polyimide/alumina-ceramic multilayer config. *Nakatsugawa, M.*, +, *T-MTT Dec 97* 2308-2315
- planar cct./NRD-guide, hybrid integrat. technol. *Ke Wu*, +, *T-MTT Jun 97* 946-954
- RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97* xxi+242
- slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, +, *MWSYM 97* 565-568 vol.2
- thin-film microstrip lines for MM and sub-MM-wave on-chip interconnects. *Heiliger, H.-M.*, +, *MWSYM 97* 421-424 vol.2
- unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, +, *MWSYM 97* 617-620 vol.2
- uniplanar hybrid couplers using asymmetrical coplanar strip lines, MIC/MMIC appls. *Lu Fan*, +, *MWSYM 97* 273-276 vol.1
- Millimeter wave integrated circuits; cf. Millimeter wave bipolar integrated circuits; Millimeter wave FET integrated circuits; MIMICs**
- Millimeter wave lasers**
- fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, +, *T-MTT Aug 97* 1431-1435
- Millimeter wave measurements**
- act. antenna, broadband heterodyne meas. *Rasshofer, R.H.*, +, *MWSYM 97* 1459-1462 vol.3
- air coplanar microprobes, W-band on-wafer meas. *Pham, A.*, +, *MWSYM 97* 1659-1662 vol.3
- complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, +, *MWSYM 97* 107-110 vol.1
- DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, +, *MWSYM 97* 723-726 vol.2
- field-probing tech. for MM-wave components. *Basu, A.*, +, *MWSYM 97* 1667-1670 vol.3
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, +, *MWSYM 97* 987-990 vol.2
- meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, +, *T-MTT Dec 97* 2454-2460
- mm-wave tapered slot antenna, improved radiation pattern. *Sugawara, S.*, +, *MWSYM 97* 959-962 vol.2
- pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, +, *MWSYM 97* 1729-1732 vol.3
- polymers, complex permitt., W-band free-space meas. *Friedsam, G.L.*, +, *MWSYM 97* 1351-1354 vol.3
- rect. waveguides, micromachined air-filled, W-band meas. *Collins, C.E.*, +, *MWSYM 97* 1439-1442 vol.3
- sliding-load calib., circle-fitting procedure. *Vandersteen, G.*, +, *T-MTT Jul 97* 1027-1033
- W-band MMIC on-wafer testing, microstrip SOLT calib. tech. *Yon-Lin Kok*, +, *MWSYM 97* 1663-1666 vol.3
- Millimeter wave measurements; cf. Millimeter wave spectroscopy**
- Millimeter wave mixers**
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, +, *MWSYM 97* 1281-1284 vol.3
- even harmonic mixer, output power and conversion loss. *Itoh, K.*, +, *MWSYM 97* 849-852 vol.2
- GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, +, *RFIC 97* 83-86
- InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, +, *MWSYM 97* 937-940 vol.2
- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, +, *MWSYM 97* 841-844 vol.2

- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, + , *MWSYM* 97 1043-1046 vol.2
- mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204
- single-bal. octave band PHEMT MMIC mixers, 50-100 GHz. *Kamozaki, K.*, + , *RFIC* 97 95-98
- slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, + , *MWSYM* 97 565-568 vol.2
- subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, + , *MWSYM* 97 1039-1042 vol.2
- waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, + , *T-MTT Mar* 97 442-446
- W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, + , *MWSYM* 97 435-438 vol.2
- W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, + , *T-MTT Jun* 97 955-962
- Millimeter wave modulation**
- act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2
- amplit.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun* 97 911-917
- HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, + , *MWSYM* 97 1143-1146 vol.3
- Millimeter wave oscillators**
- act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2
- anal. and optim. of grid oscillators. *Shiroma, W.A.*, + , *T-MTT Dec* 97 2380-2386
- D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, + , *MWSYM* 97 1205-1208 vol.3
- design of waveguide-to-orotron-resonator transit. with modified Bethe theory. *Faby, G.*, + , *T-MTT Nov* 97 2043-2048
- GaAs IMPATT diode, reson.-cap MM-wave power combiner. *Bauer, T.*, + , *T-MTT Jan* 97 146-148
- GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, + , *RFIC* 97 83-86
- grid oscillators, feedback optim. *Shiroma, W.A.*, + , *MWSYM* 97 1053-1056 vol.2
- InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, + , *MWSYM* 97 937-940 vol.2
- pHEMT mm-wave MMIC VCO, design procedures. *Garner, P.J.*, + , *MWSYM* 97 885-888 vol.2
- SiC mm-wave avalanche transit time oscillator at high temp., power generation. *Meng, C.C.*, + , *MWSYM* 97 963-966 vol.2
- SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108
- Millimeter wave oscillators; cf.** Millimeter wave bipolar transistor oscillators; Millimeter wave FET oscillators
- Millimeter wave phase shifters**
- megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec* 97 2324-2332
- mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204
- Millimeter wave power amplifiers**
- AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM* 97 1175-1178 vol.3
- HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, + , *MWSYM* 97 1143-1146 vol.3
- Millimeter wave power amplifiers; cf.** Millimeter wave power FET amplifiers
- Millimeter wave power FET amplifiers**
- 6-W Ka-band power module using MMIC power amps. *Ingram, D.L.*, + , *T-MTT Dec* 97 2424-2430
- 94-GHz 0.35-W power amp. module. *Huang, P.-P.*, + , *T-MTT Dec* 97 2418-2423
- HEMT MMIC chip set, mm-wave solid state power amp., 60-GHz. *Hwang, Y.*, + , *MWSYM* 97 1179-1182 vol.3
- pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, + , *MWSYM* 97 1729-1732 vol.3
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM* 97 539-542 vol.2
- Millimeter wave propagation**
- CPW ccts., wide band CAD model, FDTD tech. *Lan, E.*, + , *MWSYM* 97 1583-1586 vol.3
- Millimeter wave radar**
- automotive intell. cruise control, MM-wave radar sens. *Russell, M.E.*, + , *MWSYM* 97 1257-1260 vol.3
- automotive radar systs. *Dixit, R.*, + , *MWSYM* 97 1253-1256 vol.3
- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC* 97 225-228
- IVHS, headway control, MM-wave dual mode radar. *Konno, K.*, + , *MWSYM* 97 1261-1264 vol.3
- millimeter-wave radar sensor for automotive intell. cruise control. *Russell, M.E.*, + , *T-MTT Dec* 97 2444-2453
- octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM* 97 405-407 vol.2
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verweyen, L.*, + , *RFIC* 97 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, + , *MWSYM* 97 243-246 vol.1
- W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM* 97 971-974 vol.2
- W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, + , *T-MTT Jun* 97 955-962
- Millimeter wave radio communication**
- 3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2
- act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2
- amplit.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun* 97 911-917
- fiber supported MM-wave radio systs., broadband local loop. *Goloubkoff, M.*, + , *MWSYM* 97 31-34 vol.1
- high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug* 97 1416-1423
- MM-wave fiber-radio systs. using Mach-Zehnder modulators, nonlin. tol. *Sen Lin Zhang*, + , *T-MTT Aug* 97 1403-1409
- mm-wave fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, + , *T-MTT Aug* 97 1431-1435
- mobile broadband commun. syst. based on mode-locked lasers. *von Helmolt, C.H.*, + , *T-MTT Aug* 97 1424-1430
- opt. fiber-radio systs., interferometric noise. *Moura, L.*, + , *T-MTT Aug* 97 1398-1402
- QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM* 97 39-42 vol.1
- Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM* 97 557-560 vol.2
- wide-band millimeter-wave/optical-network appls. in Japan. *Imai, N.*, + , *T-MTT Dec* 97 2197-2207
- Millimeter wave receivers**
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, + , *MWSYM* 97 1281-1284 vol.3
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC* 97 207-210
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM* 97 247-250 vol.1
- InP MM-wave HEMT amps., cryogenic cooling. *Pospieszalski, M.W.*, + , *MWSYM* 97 1285-1288 vol.3
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, + , *MWSYM* 97 243-246 vol.1
- Si W-band direct detect. receiver for six-port polarimetric radar systs. *Thieme, M.O.*, + , *MWSYM* 97 1269-1272 vol.3
- slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, + , *MWSYM* 97 565-568 vol.2
- W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, + , *T-MTT Jun* 97 955-962
- Millimeter wave resonators**
- MM-wave multielement open resonator. *Shapiro, M.A.*, + , *T-MTT Jun* 97 1000-1002
- whispering gallery modes in dielec. resonator, charactn. at millimeter wavelength. *Annino, G.*, + , *T-MTT Nov* 97 2025-2034
- Millimeter wave spectroscopy**
- radome membranes, transmittance and scatt. meas. *Afsar, M.N.*, + , *MWSYM* 97 1355-1358 vol.3
- Millimeter wave switches**
- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC* 97 225-228
- GaAs PIN diode W-band SP3T switch CPW MMIC. *Case, M.*, + , *MWSYM* 97 1047-1051 vol.2
- Millimeter wave technology**
- microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug* 97 1277-1278
- work of Jagadis Chandra Bose, 100 years of millimeter-wave research. *Emerson, D.T.*, *T-MTT Dec* 97 2267-2273
- Millimeter wave technology; cf.** Millimeter wave circuits; Millimeter wave communication; Millimeter wave devices; Millimeter wave frequency conversion; Millimeter wave generation; Millimeter wave imaging; Millimeter wave measurements; Millimeter wave modulation; Millimeter wave radar
- Millimeter wave transistors; cf.** Millimeter wave bipolar transistors; Millimeter wave FETs
- Millimeter wave transmitters**
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC* 97 207-210

- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, +, *MWSYM* 97 247-250 vol.1
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, +, *MWSYM* 97 243-246 vol.1
- W-band miniature MMIC one watt solid-state transmitter. *Stenger, E.*, +, *MWSYM* 97 431-434 vol.2
- Millimeter wave tubes**
ridge-loaded helical-groove slow-wave struct. *Wenxiang Wang*, +, *T-MTT Oct* 97 1689-1695
- Millimeter wave waveguides**
high-power mm-wave TM₀₁-TE₁₁ mode converters, optim. *Shiwen Yang*, +, *T-MTT Apr* 97 552-554
rect. waveguides, micromachined air-filled, W-band meas. *Collins, C.E.*, +, *MWSYM* 97 1439-1442 vol.3
waveguide-to-microstrip transit., MM-wave and MMIC appl. *Villegas, F.J.*, +, *MWSYM* 97 739-742 vol.2
- MIM devices**
GaAs MMIC 90° quadrature hybrid coupler for ISM appls. *Avitabile, G.F.*, +, *MWSYM* 97 281-284 vol.1
- MMICs**
AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, +, *MWSYM* 97 1281-1284 vol.3
AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, +, *MWSYM* 97 17-20 vol.1
AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, +, *MWSYM* 97 1175-1178 vol.3
automobile, act. SIMMWIC antenna. *Singer, M.*, +, *MWSYM* 97 1265-1268 vol.3
compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, +, *MWSYM* 97 1595-1598 vol.3
DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, +, *MWSYM* 97 723-726 vol.2
dual-quadrature up-converter, multilayer directional couplers. *Minakawa, A.*, +, *T-MTT Jan* 97 78-82
EM interfacing, FDTD anal. *El-Ghazaly, S.M.*, +, *MWSYM* 97 151-154 vol.1
flip chip bonding, Au pillars. *Aoki, S.*, +, *MWSYM* 97 731-734 vol.2
flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, +, *MWSYM* 97 987-990 vol.2
flipped-chip mounting schemes, IC behavior modelling. *Jackson, R.W.*, +, *T-MTT Oct* 97 1919-1925
GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, +, *MWSYM* 97 443-446 vol.2
GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, +, *MWSYM* 97 439-442 vol.2
GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, +, *RFIC* 97 207-210
GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, +, *RFIC* 97 83-86
GaAs monolithic PIN switch network for automotive collision warning radar. *Putnam, J.*, +, *MWSYM* 97 753-756 vol.2
GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, +, *MWSYM* 97 247-250 vol.1
HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, +, *MWSYM* 97 1143-1146 vol.3
HEMT MMIC chip set, mm-wave solid state power amp., 60-GHz. *Hwang, Y.*, +, *MWSYM* 97 1179-1182 vol.3
InAlAs/InGaAs/InP HEMT IC LNA, three-stage design, 155 GHz. *Wang, H.*, +, *MWSYM* 97 1275-1278 vol.3
InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, +, *MWSYM* 97 457-460 vol.2
InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, +, *MWSYM* 97 937-940 vol.2
InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, +, *RFIC* 97 215-218
InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, +, *MWSYM* 97 255-258 vol.1
InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, +, *MWSYM* 97 251-254 vol.1
injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K.*, +, *T-MTT Sep* 97 1578-1584
InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, +, *RFIC* 97 91-94
InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, +, *MWSYM* 97 1043-1046 vol.2
InP MMIC amp. module, full-waveguide band mount, 90-140 GHz. *Weinreb, S.*, +, *MWSYM* 97 1279-1280 vol.3
large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM* 97 155-158 vol.1
layout synthesis procedure. *Thieme, M.O.*, +, *MWSYM* 97 1009-1012 vol.2
low-power ultra-fast ICs in scaled submicron HBT IC technol. *Hafizi, M.*, +, *RFIC* 97 87-90
pass. component models in CPW for 50 GHz MMICs. *Shimon, R.*, +, *MWSYM* 97 769-772 vol.2
PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verweyen, L.*, +, *RFIC* 97 203-206
PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, +, *MWSYM* 97 243-246 vol.1
pHEMT mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, +, *MWSYM* 97 1729-1732 vol.3
pHEMT mm-wave MMIC VCO, design procedures. *Garner, P.J.*, +, *MWSYM* 97 885-888 vol.2
Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, +, *MWSYM* 97 539-542 vol.2
RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97 xxi+242*
SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, +, *RFIC* 97 105-108
single-bal. octave band PHEMT MMIC mixers, 50-100 GHz. *Kamozaki, K.*, +, *RFIC* 97 95-98
Si W-band direct detect. receiver for six-port polarimetric radar systs. *Thieme, M.O.*, +, *MWSYM* 97 1269-1272 vol.3
V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, +, *T-MTT May* 97 659-665
W-band low cost miniature MMIC transceiver, planar antenna. *Fudem, H.*, +, *MWSYM* 97 427-430 vol.2
W-band micromachined finite ground coplanar line cct. elements. *Herrick, K.J.*, +, *MWSYM* 97 269-272 vol.1
W-band miniature MMIC one watt solid-state transmitter. *Stenger, E.*, +, *MWSYM* 97 431-434 vol.2
W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, +, *MWSYM* 97 435-438 vol.2
W-band MMIC on-wafer testing, microstrip SOLT calib. tech. *Yon-Lin Kok*, +, *MWSYM* 97 1663-1666 vol.3
W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, +, *MWSYM* 97 971-974 vol.2
W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, +, *T-MTT Jun* 97 955-962
wideband amps., multilayer MMIC technol. *Imaoka, T.*, +, *T-MTT Jan* 97 95-101
- Minimum shift keying**
LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, +, *MWSYM* 97 821-824 vol.2
- MIS devices**
waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, +, *T-MTT Oct* 97 1807-1810
- MISFETs; cf. MOSFETs**
- Mixed analog-digital integrated circuits**
embedded transm. line MMIC for wireless commun. appls. *Hua-Quen Tserng*, +, *RFIC* 97 41-44
GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, +, *T-MTT Jan* 97 15-22
MCM packaging, digital- and mixed-sig. electronic systs. *Gilbert, B.K.*, +, *T-MTT Oct* 97 1819-1835
Si L-band RF, baseband monolithic microwave receiver, on-chip tuning. *Geis, L.A.*, +, *MWSYM* 97 1151-1154 vol.3
Si RF-GCMOS IC technol., RF mixed-mode wireless appls. *Jun Ma*, +, *RFIC* 97 175-179
Si RF-GCMOS IC technol., RF mixed-mode wireless commun. *Jun Ma*, +, *MWSYM* 97 123-127 vol.1
- Mixer noise**
fixed-tuned sub-mm wavelength waveguide mixers, planar Schottky-barrier diodes. *Hesler, J.L.*, +, *T-MTT May* 97 653-658
GaAs HBT UHF mixer, noise fig. prediction and meas. *Xavier, B.A.*, +, *RFIC* 97 135-138
HEMT mixers, cryogenic operation. *Angelov, I.*, +, *MWSYM* 97 853-856 vol.2
W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, +, *MWSYM* 97 435-438 vol.2
- Mixers; cf. Microwave mixers; Millimeter wave mixers; MMIC mixers; Optical mixers; Schottky diode mixers; Submillimeter wave mixers; Superconductor-insulator-superconductor mixers; UHF mixers**
- MMIC amplifiers**
3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, +, *MWSYM* 97 975-978 vol.2
40 Gbit/s opt. fiber transm. systs., narrow band photoreceiver, clock recovery. *Miras, A.*, +, *MWSYM* 97 1709-1712 vol.3
AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, +, *RFIC* 97 55-58
AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, +, *RFIC* 97 169-173
AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, +, *MWSYM* 97 17-20 vol.1
bias network for low cost multistage amps. *Morkner, H.*, +, *RFIC* 97 161-164

CDMA cellular phone systs., MMIC variable gain amp., high dyn. range. *Kasashima, M.*, + , *RFIC* 97 157-160

distributed-amp.-based transversal filter topol., opt. commun. *Borjak, A.*, + , *T-MTT Aug* 97 1453-1457

double lightly doped drain struct. H-MESFET for MMIC appls. *Yamane, Y.*, + , *T-MTT Dec* 97 2229-2233

embedded transm.-line MMIC for low-cost high-density wireless commun. appls. *Tserng, H.-Q.*, + , *T-MTT Dec* 97 2540-2548

FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan* 97 46-51

GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC* 97 193-196

GaAs HBT monolithic microwave amp., reliab. *Yamada, F.M.*, + , *MWSYM* 97 141-144 vol.1

GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1

GaAs MESFET MMIC LNA, cascode feedback, noise/input power matching tech. *Beom Kyu Ko*, + , *T-MTT Sep* 97 1627-1629

GaAs MMIC LNA, 60 GHz, single-bias diode-regulated config. *Maruhashi, K.*, + , *MWSYM* 97 443-446 vol.2

GaAs MMIC LNA-antennas, 30 GHz. *Roy, L.*, *MWSYM* 97 967-970 vol.2

GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM* 97 13-16 vol.1

GaAs MMIC transimpedance amps., optoelectronic appls. *Dueme, Ph.*, + , *RFIC* 97 165-168

global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec* 97 2208-2216

heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC* 97 109-112

InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC* 97 211-214

InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, + , *RFIC* 97 79-81

InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, + , *MWSYM* 97 517-520 vol.2

ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36

Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM* 97 933-936 vol.2

matrix amp., design procedure. *Paoloni, C.*, + , *T-MTT Jan* 97 135-139

mm-wave wideband amps., multilayer MMIC technol. *Imaoka, T.*, + , *T-MTT Jan* 97 95-101

multistage amp., integrated microwave bias network. *Morkner, H.*, + , *MWSYM* 97 9-12 vol.1

Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, + , *RFIC* 97 113-116

SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, + , *RFIC* 97 19-22

SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120

Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC* 97 121-125

uniplanar broadband push-pull FET amps. *Hsu, P.-C.*, + , *T-MTT Dec* 97 2150-2151

X-band freq. synthesizer module, low-power. *Nakagawa, T.*, + , *MWSYM* 97 1209-1212 vol.3

MMIC amplifiers; cf. MMIC power amplifiers

MMIC frequency converters

GaAs HBT MMIC, DC, X-band freq. doubler. *Xiangdong Zhang*, + , *MWSYM* 97 1213-1216 vol.3

GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32

ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36

mm-wave MMIC dual-quadrature up-converter, multilayer directional couplers. *Minakawa, A.*, + , *T-MTT Jan* 97 78-82

opt. link, W-band transmit/receive appls. *Niehenke, E.C.*, + , *MWSYM* 97 35-38 vol.1

SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120

Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC* 97 23-26

V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May* 97 659-665

W-band monolithic multipliers. *Brauchler, F.*, + , *MWSYM* 97 1225-1228 vol.3

wideband SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *MWSYM* 97 1035-1038 vol.2

X-band freq. synthesizer module, low-power. *Nakagawa, T.*, + , *MWSYM* 97 1209-1212 vol.3

MMIC mixers

2-GHz subharmonic sampler for sig. downconversion. *Parssinen, A.*, + , *T-MTT Dec* 97 2344-2351

broadband HBT distrib. act. bal. Schottky mixer MMIC, 12-24 GHz. *Kobayashi, K.W.*, + , *RFIC* 97 75-78

GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2

GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, + , *RFIC* 97 83-86

heterolithic Si-glass based double bal. mixers for cellular appls. *Putnam, J.*, + , *MWSYM* 97 653-656 vol.2

InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM* 97 841-844 vol.2

InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, + , *MWSYM* 97 1043-1046 vol.2

ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36

Ku-band micromachined Lange-couplers and SSB mixers. *Chen-Yu Chi*, + , *T-MTT Feb* 97 291-294

SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120

single-bal. octave band PHEMT MMIC mixers, 50-100 GHz. *Kamozaki, K.*, + , *RFIC* 97 95-98

SOM in opt. fed phased array antennas for Ka-band commun. satellites. *Daryoush, A.S.*, + , *MWSYM* 97 351-354 vol.1

subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2

W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, + , *MWSYM* 97 435-438 vol.2

W-band uniplanar subharmonic mixer, CPW, 92-96 GHz. *Raman, S.*, + , *T-MTT Jun* 97 955-962

wideband SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *MWSYM* 97 1035-1038 vol.2

wide-band SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *T-MTT Dec* 97 2375-2379

MMIC oscillators

GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, + , *RFIC* 97 83-86

inductance-controlled FET MMIC oscillator, 1.7 GHz, act. inductor. *Yong-Ho Cho*, + , *T-MTT Aug* 97 1208-1213

InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1

injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K.*, + , *T-MTT Sep* 97 1578-1584

InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, + , *RFIC* 97 91-94

InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, + , *RFIC* 97 79-81

low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko*, + , *MWSYM* 97 929-932 vol.2

Si bipolar VCO, 3D MMIC technol., tuning range. *Kamogawa, K.*, + , *MWSYM* 97 1221-1224 vol.3

SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108

SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120

V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May* 97 659-665

wide-tuning range Si bipolar VCOs based on 3D MMIC technol. *Kamogawa, K.*, + , *T-MTT Dec* 97 2436-2443

MMIC phase shifters

embedded transm.-line MMIC for low-cost high-density wireless commun. appls. *Tserng, H.-Q.*, + , *T-MTT Dec* 97 2540-2548

tightly coupled lines struct. for MMIC/MHMIC couplers/phase shifters. *Yansheng Xu*, + , *T-MTT Sep* 97 1594-1599

wideband uniplanar phase inverters for hybrid MICs/MMICs. *Tongqing Wang*, + , *MWSYM* 97 777-780 vol.2

MMIC power amplifiers

6-W Ka-band power module using MMIC power amps. *Ingram, D.L.*, + , *T-MTT Dec* 97 2424-2430

AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM* 97 1175-1178 vol.3

compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, + , *MWSYM* 97 1595-1598 vol.3

enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM* 97 1399-1402 vol.3

flip-chip MMIC power amps., pulsed internal-node waveform anal. *Bao, J.W.*, + , *MWSYM* 97 905-908 vol.2

GaAs E-mode FET power amp. MMIC, GSM phone. *Abey, W.*, + , *MWSYM* 97 1315-1318 vol.3

GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, + , *MWSYM* 97 817-820 vol.2

- GaAs PHEMT MMIC power amp., EW appls. *Barnes, A.R.*, + , *MWSYM* 97 1429-1432 vol.3
- GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M.*, + , *MWSYM* 97 1311-1314 vol.3
- HBT distributed power amp., large sig. design approach. *Viaud, J.P.*, + , *MWSYM* 97 893-896 vol.2
- HBT MMIC power amp., dual band operation. *DeHaan, M.R.*, + , *MWSYM* 97 1425-1427 vol.3
- HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM* 97 1403-1406 vol.3
- InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM* 97 1183-1186 vol.3
- ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM* 97 155-158 vol.1
- module, harmonics suppression, digital mobile comm. appl. *Kayano, H.*, + , *MWSYM* 97 743-746 vol.2
- PHEMT MMIC power amp., octave S/C-band, high efficiency. *Komiak, J.J.*, + , *MWSYM* 97 1421-1424 vol.3
- PHEMT X-band MMIC HPA, flip-chip technol., efficiency. *Cameron, P.*, + , *MWSYM* 97 889-892 vol.2
- port impedance model for power combining networks. *Lee, M.J.*, + , *MWSYM* 97 543-546 vol.2
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM* 97 539-542 vol.2
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, + , *RFIC* 97 37-40
- MMIC receivers**
- GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC* 97 207-210
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM* 97 247-250 vol.1
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC* 97 59-62
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verwey, L.*, + , *RFIC* 97 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verwey, L.*, + , *MWSYM* 97 243-246 vol.1
- RF/opt. SCM commun. syst. optim. *Han, S.*, + , *MWSYM* 97 979-982 vol.2
- Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, + , *RFIC* 97 113-116
- W-band low cost miniature MMIC transceiver, planar antenna. *Fudem, H.*, + , *MWSYM* 97 427-430 vol.2
- MMICs**
- 1997 Symposium, selected papers (special issue) . *T-MTT Dec* 97 2164-2554
- 1997 Symposium, selected papers, special issue intro. . *Boon, R.C., Jr.*, + , *T-MTT Dec* 97 2164-2166
- 3D masterslice MMIC on Si substr. *Toyoda, I.*, + , *T-MTT Dec* 97 2524-2530
- 3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug* 97 1141-1153
- 90° CPW bends, air-bridges, EM-ANN modelling, optimal chamfering. *Watson, P.M.*, + , *MWSYM* 97 1603-1606 vol.3
- act. recursive MMIC filters, low-noise MESFET-based design. *Danestig, M.*, + , *MWSYM* 97 705-708 vol.2
- air-gap transm. lines, OEICs and MMICs, glass substrs. *Chuang, J.*, + , *MWSYM* 97 265-268 vol.1
- AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, + , *RFIC* 97 55-58
- analog vector modulator, crossbar beamforming network. *Grajal, J.*, + , *T-MTT Oct* 97 1705-1714
- broadband HBT distrib. act. bal. Schottky mixer MMIC, 12-24 GHz. *Kobayashi, K.W.*, + , *RFIC* 97 75-78
- CAD, layout, schematic, pattern recogn. *Tadjiky, S.*, + , *MWSYM* 97 1029-1033 vol.2
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, + , *MWSYM* 97 945-948 vol.2
- CMOS technol. micromachined microwave transm. lines, CPW. *Milanovic, V.*, + , *T-MTT May* 97 630-635
- coplanar cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, + , *MWSYM* 97 1811-1814 vol.3
- DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, + , *MWSYM* 97 723-726 vol.2
- electronically tunable microwave impedance transformer. *Sinsky, J.H.*, + , *MWSYM* 97 647-650 vol.2
- electro-optic scanning, Fabry-Perot enhancement. *Muller, P.O.*, + , *MWSYM* 97 1329-1332 vol.3
- embedded transm.-line MMIC for low-cost high-density wireless commun. appls. *Tserng, H.-Q.*, + , *T-MTT Dec* 97 2540-2548
- embedded transm. line MMIC for wireless commun. appls. *Hua-Quen Tserng*, + , *RFIC* 97 41-44
- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM* 97 1399-1402 vol.3
- fast spatial-domain method for suppression of excitation-induced spurious modes in SCN TLM. *Lindenmeier, S.*, + , *T-MTT Nov* 97 1998-2006
- filters, narrow X-band tunable, act. resonators. *Van Vliet, F.E.*, + , *MWSYM* 97 701-704 vol.2
- flip chips, CVD diamond substr., thermal mgt. *Sturdivant, R.*, + , *MWSYM* 97 505-507 vol.2
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, + , *MWSYM* 97 987-990 vol.2
- flipped-chip mounting schemes, IC behavior modelling. *Jackson, R.W.*, + , *T-MTT Oct* 97 1919-1925
- GaAs/AlGaAs HBT MMIC single-stage bal. amp., X-band, high reliab. *Yamada, F.M.*, + , *RFIC* 97 193-196
- GaAs E-mode FET power amp. MMIC, GSM phone. *Abey, W.*, + , *MWSYM* 97 1315-1318 vol.3
- GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2
- GaAs FET power amp., input harmonics control. *Kye-Ik Jeon*, + , *MWSYM* 97 817-820 vol.2
- GaAs HBT MMIC, DC, X-band freq. doubler. *Xiangdong Zhang*, + , *MWSYM* 97 1213-1216 vol.3
- GaAs HBT monolithic microwave amp., reliab. *Yamada, F.M.*, + , *MWSYM* 97 141-144 vol.1
- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- GaAs MMIC 90° quadrature hybrid coupler for ISM appls. *Avitabile, G.F.*, + , *MWSYM* 97 281-284 vol.1
- GaAs MMIC CPW baluns, overlaid and spiral couplers. *Gokdemir, T.*, + , *MWSYM* 97 401-404 vol.2
- GaAs MMIC high power limiters for cct. protection. *Trantanella, C.*, + , *MWSYM* 97 535-538 vol.2
- GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32
- GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, + , *RFIC* 97 47-50
- GaAs PHEMT MMIC power amp., EW appls. *Barnes, A.R.*, + , *MWSYM* 97 1429-1432 vol.3
- GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan* 97 15-22
- GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M.*, + , *MWSYM* 97 1311-1314 vol.3
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM* 97 247-250 vol.1
- HBT MMIC power amp., dual band operation. *DeHaan, M.R.*, + , *MWSYM* 97 1425-1427 vol.3
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC* 97 109-112
- HF interconnects on Si substrs. for MMICs. *Ponchak, G.E.*, + , *RFIC* 97 101-104
- high lead-count plastic packages, microwave cct. modelling. *Jackson, R.W.*, + , *T-MTT Oct* 97 1926-1933
- HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM* 97 1403-1406 vol.3
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM* 97 1793-1796 vol.3
- InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM* 97 1183-1186 vol.3
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC* 97 59-62
- InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC* 97 211-214
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM* 97 251-254 vol.1
- injection-locked oscillator chain, soln., MM-wave synthesizers. *Kamogawa, K.*, + , *T-MTT Sep* 97 1578-1584
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM* 97 155-158 vol.1
- line-loss and size-reduction techs. for millimeter-wave RF front-end boards by using polyimide/alumina-ceramic multilayer config. *Nakatsugawa, M.*, + , *T-MTT Dec* 97 2308-2315
- Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM* 97 933-936 vol.2
- MCM, MMIC coupling, cct.-based model for CAD. *Jackson, R.W.*, + , *MWSYM* 97 1377-1380 vol.3

- megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec 97* 2324-2332
- membrane quadrant probe for R&D appls., on-wafer known good die testing. *Basu, S.*, + , *MWSYM 97* 1671-1673 vol.3
- MESFET MMIC distributed baluns, distributed amp. gate-line termination tech. *Baree, A.H.*, + , *T-MTT Feb 97* 188-195
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May 97* 846-855
- MIS waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, + , *T-MTT Oct 97* 1807-1810
- MMIC HBT distributed power amp., large sig. design approach. *Viaud, J.P.*, + , *MWSYM 97* 893-896 vol.2
- Mobitex PC card wireless modem. *Moghe, S.*, + , *MWSYM 97* 1391-1394 vol.3
- multilayer MMIC/MCM baluns using lumped element compensation, wireless appls. *Jansen, R.H.*, + , *MWSYM 97* 277-280 vol.1
- multistage amp., integrated microwave bias network. *Morkner, H.*, + , *MWSYM 97* 9-12 vol.1
- octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM 97* 405-407 vol.2
- packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May 97* 819-826
- package models, on-wafer meas. *Chun, C.*, + , *T-MTT Oct 97* 1948-1954
- packaging, high dens. 3D module. *Sturdivant, R.*, + , *MWSYM 97* 501-504 vol.2
- packaging, time-domain segmentation anal. *Righi, M.*, + , *T-MTT Oct 97* 1905-1910
- parallel CPW lines, conductor backing effect on line-to-line coupling. *Cheng, K.-K.M.*, *T-MTT Jul 97* 1132-1134
- parasitic parallel-plate line mode excitation, coplanar discontinuities. *Beilenhoff, K.*, + , *MWSYM 97* 1789-1792 vol.3
- pass. component models in CPW for 50 GHz MMICs. *Shimon, R.*, + , *MWSYM 97* 769-772 vol.2
- pass. elements, EM-CAD, multilayer perceptron neural network appls. *Creech, G.L.*, + , *T-MTT May 97* 794-802
- phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM 97* 587-590 vol.2
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, + , *MWSYM 97* 243-246 vol.1
- planar array T/R modules, low cost, MMIC chip set. *Strack, D.*, + , *MWSYM 97* 579-582 vol.2
- power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H.*, + , *MWSYM 97* 743-746 vol.2
- power MMICs, known good die testing. *Basu, S.*, + , *MWSYM 97* 1675-1677 vol.3
- pure-mode VNA for on-wafer meas. of mixed-mode S-params. of differential ccts. *Bockelman, D.E.*, + , *T-MTT Jul 97* 1071-1077
- quadrature hybrid, miniature lumped element, planar spiral transformer theory. *Hogerheiden, J.*, + , *T-MTT Apr 97* 543-545
- quasi-circulator, noise and power optim. *Gasmi, A.*, + , *T-MTT Sep 97* 1572-1577
- RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97 xxi+242*
- shielded microstrip transm. lines with thick electrodes, anal. *Zhu, N.H.*, + , *T-MTT Feb 97* 288-291
- Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, + , *RFIC 97* 113-116
- Si bipolar VCO, 3D MMIC technol., tuning range. *Kamogawa, K.*, + , *MWSYM 97* 1221-1224 vol.3
- Si CMOS technol. compatible high-Q microwave inductors. *Min Park*, + , *RFIC 97* 181-184
- Si CMOS technol., high Q microwave inductors. *Min Park*, + , *MWSYM 97* 129-132 vol.1
- SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, + , *RFIC 97* 19-22
- Si MMIC, trench Al CPW. *Bu, Z.R.*, + , *MWSYM 97* 735-738 vol.2
- Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC 97* 23-26
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM 97* 761-764 vol.2
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *RFIC 97* 233-236
- spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, + , *T-MTT Oct 97* 1961-1968
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, + , *RFIC 97* 37-40
- surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM 97* 995-998 vol.2
- temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan 97* 46-51
- thin microstrips, losses eval. *Stracca, G.B.*, *T-MTT Feb 97* 281-283
- T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM 97* 583-586 vol.2
- tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, + , *MWSYM 97* 941-944 vol.2
- tunable recursive filters having variable and uniform gain. *Jin-Su Ko*, + , *RFIC 97* 51-54
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May 97* 659-665
- vias, HF multilayer packages, FDTD/MoM models. *Pillai, E.R.*, *T-MTT Oct 97* 1981-1985
- VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, + , *T-MTT May 97* 827-836
- VLSI multilayered 3D interconnects, param. extraction, domain-decomp. method. *Zhenhai Zhu*, + , *T-MTT Aug 97* 1179-1184
- waveguide-to-microstrip transit., MM-wave and MMIC appl. *Villegas, F.J.*, + , *MWSYM 97* 739-742 vol.2
- wideband SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *MWSYM 97* 1035-1038 vol.2
- MMICs; cf.** MMIC amplifiers; MMIC frequency converters; MMIC mixers; MMIC oscillators; MMIC phase shifters; MMIC receivers; MMIC switches; MMIC transmitters
- MMIC switches**
- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC 97* 225-228
- GaAs MMIC switch using distributed FET, 0-60 GHz, design. *Mizutani, H.*, + , *MWSYM 97* 439-442 vol.2
- GaAs monolithic PIN switch network for automotive collision warning radar. *Putnam, J.*, + , *MWSYM 97* 753-756 vol.2
- GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, + , *RFIC 97* 47-50
- GaAs PIN diode W-band SP3T switch CPW MMIC. *Case, M.*, + , *MWSYM 97* 1047-1051 vol.2
- ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC 97* 33-36
- MMIC transmitters**
- baseband data/SCM control channels, fiber-optic links. *Blumenthal, D.J.*, + , *T-MTT Aug 97* 1443-1452
- GaAs MMIC V-band chip set on highly reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *RFIC 97* 207-210
- GaAs V-band MMIC chip set on reliab. WSi/Au refractory gate proc. *Mizoe, J.*, + , *MWSYM 97* 247-250 vol.1
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verweyen, L.*, + , *RFIC 97* 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, + , *MWSYM 97* 243-246 vol.1
- W-band low cost miniature MMIC transceiver, planar antenna. *Fudem, H.*, + , *MWSYM 97* 427-430 vol.2
- W-band miniature MMIC one watt solid-state transmitter. *Stenger, E.*, + , *MWSYM 97* 431-434 vol.2
- MMI power amplifiers**
- 94-GHz 0.35-W power amp. module. *Huang, P.-P.*, + , *T-MTT Dec 97* 2418-2423
- Mobile antennas**
- dual-reson. shielded cellular antenna, FDTD anal. *Yildirim, B.S.*, + , *MWSYM 97* 1751-1754 vol.3
- PCS handset antennas, mobile environ. *Douglas, M.G.*, + , *MWSYM 97* 1759-1762 vol.3
- Mobile communication**
- embedded transm. line MMIC for wireless commun. appls. *Hua-Quen Tserng*, + , *RFIC 97* 41-44
- Japan, wideband MM wave/opt. network appls. *Imai, N.*, + , *MWSYM 97* 27-30 vol.1
- RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97 xxi+242*
- RFIC transceiver technol., syst. archit., mobile commun. *Kerमारrec, C.*, + , *RFIC 97* 65-68
- Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC 97* 9-12
- Mobile communication; cf.** Cordless telephone systems; Land mobile radio; Portable radio communication; Satellite mobile communication
- Modeling**
- microwave discrete components, modelling, FDTD method. *Gillard, R.*, + , *MWSYM 97* 71-74 vol.1
- modeling of conductor-loaded resonators and filters in rect. enclosures. *Wang, C.*, + , *T-MTT Dec 97* 2479-2485
- modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov 97* 2049-2057
- multilayer capacitor, HF perform. study. *Kent, G.*, + , *T-MTT Feb 97* 311-313
- Modeling; cf.** Biological system modeling; Circuit modeling; Geometric modeling; Semiconductor device modeling
- Mode locked lasers**
- high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, + , *MWSYM 97* 221-224 vol.1

- Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, +, *T-MTT Aug 97* 1288-1295
- mm-wave fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, +, *T-MTT Aug 97* 1431-1435
- mobile broadband commun. syst. based on mode-locked lasers. *von Helmolt, C.H.*, +, *T-MTT Aug 97* 1424-1430
- Nd:LiNbO₃ microchip laser, 1.084 μm , 20 GHz subcarrier. *Vieira, A.J.C.*, +, *MWSYM 97* 229-232 vol.1
- Mode matching methods**
- bilayered material, microwave meas., coaxial discontinuity. *Belhadj-Tahar, N.*, +, *T-MTT Feb 97* 260-267
- coaxial cable, circumferential slots, radiation props. *Jean-Fu Kiang, T-MTT Jan 97* 102-107
- compact waveguide twists, rect./circ. waveguide sects. *Alonso-Juaristi, P.I.*, +, *T-MTT May 97* 636-639
- conductor loaded resonator filters, wide spurious free stop band. *Chi Wang*, +, *MWSYM 97* 1079-1082 vol.2
- conductor loaded resonator filters with wide spurious-free stopbands. *Wang, C.*, +, *T-MTT Dec 97* 2387-2392
- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, +, *MWSYM 97* 797-800 vol.2
- cross waveguide to large circ. waveguide jn., anal. and filter design appl. *Ke-Li Wu*, +, *T-MTT Jan 97* 153-157
- dielec. materials, permitt. meas., whispering gallery modes. *Krupka, J.*, +, *MWSYM 97* 1347-1350 vol.3
- dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang*, +, *MWSYM 97* 1103-1107 vol.2
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, +, *T-MTT Aug 97* 1240-1246
- dual mode filters and polarizers, conically shaped coupling elements. *Balaji, U.*, +, *MWSYM 97* 1247-1250 vol.3
- elliptical cavity resonators for dual-mode narrow-band filters. *Accatino, L.*, +, *T-MTT Dec 97* 2393-2401
- ellipt.-waveguide jn., two-port scatt. *Kin-Lung Chan*, +, *T-MTT Aug 97* 1255-1262
- ellipt. waveguide step discontinuity, modal scatt. matrix. *Matras, P.*, +, *T-MTT Mar 97* 453-458
- H-plane waveguide bends, low return loss, anal. and design. *Zhewang Ma*, +, *MWSYM 97* 417-420 vol.2
- HTS dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, +, *MWSYM 97* 1725-1728 vol.3
- microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang, T-MTT Feb 97* 229-235
- multistep dielec. discontinuity in guiding structs., anal. *Shanjia Xu*, +, *T-MTT Feb 97* 284-287
- open planar chirowaveguides, discontinuities, rigorous mode-matching. *Xinzhang Wu*, +, *T-MTT May 97* 640-647
- packaged components, hybrid TLM/mode-matching anal. *Righi, M.*, +, *T-MTT Oct 97* 1715-1724
- pole-free modal field-matching, eigenvalue problems in EM. *Amari, S.*, +, *T-MTT Sep 97* 1649-1653
- rect./circ. multiaperture couplers, mode-matching CAD. *Sieverding, T.*, +, *T-MTT Jul 97* 1034-1040
- rect. waveguide broadwall couplers, modal anal. *Sieverding, T.*, +, *MWSYM 97* 1559-1562 vol.3
- ridged waveguide filters, CAD, modal block-LU-decomp. *Beyer, R.*, +, *MWSYM 97* 1235-1238 vol.3
- rigorous and efficient fab.-oriented CAD and optim. of complex waveguide networks. *Alessandri, F.*, +, *T-MTT Dec 97* 2366-2374
- waveguide components, hybrid mode-matching/num. EM design. *Arndt, F.*, +, *T-MTT May 97* 747-760
- waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, +, *T-MTT Sep 97* 1611-1618
- waveguide filters, space mapping optim., EM simul. *Bandler, J.W.*, +, *MWSYM 97* 635-638 vol.2
- waveguide networks, CAD and optim. *Alessandri, F.*, +, *MWSYM 97* 1013-1016 vol.2
- Mobites**
- Mobitex PC card wireless modem. *Moghe, S.*, +, *MWSYM 97* 1391-1394 vol.3
- MODFET amplifiers**
- 60 GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *MWSYM 97* 447-450 vol.2
- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *T-MTT Dec 97* 2261-2266
- AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, +, *RFIC 97* 169-173
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, +, *MWSYM 97* 17-20 vol.1
- HEMT monopole-probe-based quasi-opt. amp. array. *Kolias, N.J.*, *T-MTT Aug 97* 1204-1207
- InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, +, *RFIC 97* 79-81
- InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, +, *MWSYM 97* 517-520 vol.2
- InP MM-wave HEMT amps., cryogenic cooling. *Pospieszalski, M.W.*, +, *MWSYM 97* 1285-1288 vol.3
- MODFET amplifiers; cf. MODFET power amplifiers**
- MODFET circuits**
- mixers, cryogenic operation. *Angelov, I.*, +, *MWSYM 97* 853-856 vol.2
- MODFET circuits; cf. MODFET integrated circuits**
- MODFET integrated circuits**
- 40 Gbit/s opt. fiber transm. systs., narrow band photoreceiver, clock recovery. *Miras, A.*, +, *MWSYM 97* 1709-1712 vol.3
- 60-GHz flip-chip assembled MIC design considering chip-substr. effect. *Arai, Y.*, +, *T-MTT Dec 97* 2261-2266
- AlGaAs/InGaAs/GaAs coplanar PM-HEMT technol. W-band heterodyne receivers, 94 GHz. *Haydl, W.H.*, +, *MWSYM 97* 1281-1284 vol.3
- AlGaAs/InGaAs/GaAs PHEMT, Ka-band low noise MMIC amp. *Fujimoto, S.*, +, *RFIC 97* 169-173
- AlGaAs-InGaAs-GaAs P-HEMT Ka-band ultra LNA MMIC. *Fujimoto, S.*, +, *MWSYM 97* 17-20 vol.1
- AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, +, *MWSYM 97* 1175-1178 vol.3
- AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, +, *T-MTT Jul 97* 1058-1064
- GaAs MODFET low power front-end IC, current-reuse config. *Ishida, H.*, +, *MWSYM 97* 669-672 vol.2
- GaAs PHEMT MMIC power amp., EW appls. *Barnes, A.R.*, +, *MWSYM 97* 1429-1432 vol.3
- InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, +, *MWSYM 97* 461-464 vol.2
- InAlAs/InGaAs/InP HEMT IC LNA, three-stage design, 155 GHz. *Wang, H.*, +, *MWSYM 97* 1275-1278 vol.3
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, +, *MWSYM 97* 457-460 vol.2
- InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, +, *MWSYM 97* 937-940 vol.2
- InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, +, *MWSYM 97* 1183-1186 vol.3
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, +, *MWSYM 97* 1043-1046 vol.2
- InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, +, *MWSYM 97* 517-520 vol.2
- InP MMIC amp. module, full-waveguide band mount, 90-140 GHz. *Weinreb, S.*, +, *MWSYM 97* 1279-1280 vol.3
- large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM 97* 155-158 vol.1
- MMIC bias network for low cost multistage amps. *Morkner, H.*, +, *RFIC 97* 161-164
- MMIC chip set, mm-wave solid state power amp., 60-GHz. *Hwang, Y.*, +, *MWSYM 97* 1179-1182 vol.3
- MMIC Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, +, *MWSYM 97* 933-936 vol.2
- mm-wave IC power amps., large-sig. design, phys. models. *Plews, A.D.*, +, *MWSYM 97* 1729-1732 vol.3
- mm-wave MMIC VCO, design procedures. *Garner, P.J.*, +, *MWSYM 97* 885-888 vol.2
- multistage amp., integrated microwave bias network. *Morkner, H.*, +, *MWSYM 97* 9-12 vol.1
- opt. repeater cct. design based on InAlAs/InGaAs HEMT digital IC technol. *Yoneyama, M.*, +, *T-MTT Dec 97* 2274-2282
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verweyen, L.*, +, *RFIC 97* 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verweyen, L.*, +, *MWSYM 97* 243-246 vol.1
- PHEMT MMIC power amp., octave S/C-band, high efficiency. *Komiak, J.J.*, +, *MWSYM 97* 1421-1424 vol.3
- PHEMT X-band MMIC HPA, flip-chip technol., efficiency. *Cameron, P.*, +, *MWSYM 97* 889-892 vol.2
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, +, *MWSYM 97* 539-542 vol.2
- single-bal. octave band PHEMT MMIC mixers, 50-100 GHz. *Kamozaki, K.*, +, *RFIC 97* 95-98
- W-band miniature MMIC one watt solid-state transmitter. *Stenger, E.*, +, *MWSYM 97* 431-434 vol.2
- W-band MMIC mixers using InP HEMT technol., comparison. *Virk, R.S.*, +, *MWSYM 97* 435-438 vol.2
- MODFET integrated circuits; cf. MODFET amplifiers; MODFET oscillators**
- MODFET oscillators**
- AllInAs-GaInAs-InP HEMT grid oscillator, 43 GHz. *Preventza, P.*, +, *MWSYM 97* 1057-1060 vol.2

- MM-wave MMIC synthesizer soln., injection-locked oscillator chain. *Kamogawa, K.*, + , *T-MTT Sep 97* 1578-1584
- MODFET power amplifiers**
6-W Ka-band power module using MMIC power amps. *Ingram, D.L.*, + , *T-MTT Dec 97* 2424-2430
94-GHz 0.35-W power amp. module. *Huang, P.-P.*, + , *T-MTT Dec 97* 2418-2423
Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM 97* 539-542 vol.2
X-band bi-directional quasi-opt. lens amp. array. *Hollung, S.*, + , *MWSYM 97* 675-678 vol.2
- MODFETs**
GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, + , *RFIC 97* 83-86
InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, + , *RFIC 97* 79-81
InP HEMT cold/hot noise sources. *Dunleavy, L.P.*, + , *MWSYM 97* 1293-1296 vol.3
InP HEMTs, VHF small-sig. equiv. cct. *Miras, A.*, + , *T-MTT Jul 97* 1018-1026
large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT Sep 97* 1630-1633
microwave and millimeter wave devices, phys.-based electro-thermal model. *Johnson, R.G.*, + , *MWSYM 97* 1485-1488 vol.3
microwave bias depend. HEMT noise model, applied gate/drain voltages. *Klapproth, L.*, + , *MWSYM 97* 881-884 vol.2
microwave FETs, DC/AC nonlin. dispersion models, scalability. *Cojocar, V.I.*, + , *MWSYM 97* 387-390 vol.2
microwave model, distributed effects, wave eqns. *Kasemsuwan, V.*, + , *T-MTT Mar 97* 420-427
microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug 97* 1368-1374
noise params., gatewidth and bias current depend. *Gasmi, A.*, + , *T-MTT Mar 97* 338-344
parasitic resist. extraction errors, microwave FET model accuracy. *Cojocar, V.I.*, + , *MWSYM 97* 1599-1602 vol.3
scalable general-purpose model for microwave FETs including DC/AC dispersion effects. *Cojocar, V.I.*, + , *T-MTT Dec 97* 2248-2255
- MODFETs; cf. Power MODFETs**
- Modulation; cf. Amplitude modulation; Chirp modulation; Microwave modulation; Millimeter wave modulation; Optical modulation; Submillimeter wave modulation; UHF modulation**
- Moisture transducers**
wheat grain, moisture sens., microstrip ring resonator. *Joshi, K.K.*, + , *MWSYM 97* 1679-1682 vol.3
- Moment methods**
3D geometries, automated parameterization, spiral super-quadric generatrix. *Kolundzija, B.M.*, + , *T-MTT May 97* 864-866
arbitrary nonuniform transm. lines for impedance matching ccts. *Hamade, A.H.*, + , *MWSYM 97* 1619-1622 vol.3
charactn. of unbounded multiport microstrip passive ccts. using explicit network-based method of moments. *Zhu, L.*, + , *T-MTT Dec 97* 2114-2124
correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" (Jul 96 1161-1164). *Leong, M.S.*, + , *T-MTT May 97* 705
finite cylinders, 3D scatt. problem, point-matching MoM reduced scheme. *Papagiannakis, A.G.*, *T-MTT Sep 97* 1545-1553
global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM 97* 1373-1376 vol.3
HBM, abdomen, microwave near-field radiation. *Chuang, H.-R.*, *T-MTT Jan 97* 118-125
microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM 97* 1799-1802 vol.3
microstrip lines, PBG substs., double vector integral eqn. *Yang, H.Y.D.*, *MWSYM 97* 191-194 vol.1
microwave crack charact. sig. anal., generalized scatt. matrix representation. *Huber, C.*, + , *T-MTT Apr 97* 477-484
MIMIC and antenna layout, synthesis procedure. *Thieme, M.O.*, + , *MWSYM 97* 1009-1012 vol.2
modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov 97* 2049-2057
multilayer dielec. media MICs in rect. waveguide. *Pereira Filho, O.M.C.*, + , *MWSYM 97* 1535-1538 vol.3
multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar 97* 428-435
PIFA antennas, wireless commun. packaging. *Virga, K.L.*, + , *T-MTT Oct 97* 1879-1888
planar geometries, vert. connections, Green's fns. *Kmayman, N.*, + , *T-MTT May 97* 593-603
planar microwave ccts., diatoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM 97* 1803-1806 vol.3
quasi-opt. systs., anal. of finite grid structs., lenses. *Nuteson, T.W.*, + , *T-MTT May 97* 666-672
rect. double-ridged TEM coaxial line, charact. impedance. *Garb, K.*, + , *T-MTT Apr 97* 554-557
slotline, bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM 97* 487-490 vol.2
spiral resonators, distributed capacitance. *Zunfu Jiang*, + , *T-MTT Jan 97* 139-142
sq. waveguide, mode polarizers. *Gaiewski, W.R.*, + , *T-MTT Jun 97* 997-1000
strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, + , *T-MTT Oct 97* 1756-1766
vias, HF multilayer packages, FDTD/MoM models. *Pillai, E.R.*, *T-MTT Oct 97* 1981-1985
waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, + , *T-MTT Sep 97* 1611-1618
- Moment methods; cf. Galerkin method**
- Monolithic integrated circuits; cf. MIMICs; MMICs**
- Monopole arrays**
HEMT monopole-probe-based quasi-opt. amp. array. *Kolias, N.J.*, *T-MTT Aug 97* 1204-1207
- Monopulse radar**
octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM 97* 405-407 vol.2
- Monte Carlo methods**
coaxial cable, circumferential slots, radiation props. *Jean-Fu Kiang*, *T-MTT Jan 97* 102-107
sub-picosecond systs., far field THz radiation. *Remley, K.A.*, + , *MWSYM 97* 163-166 vol.1
- MOS analog integrated circuits; cf. CMOS analog integrated circuits**
- MOS devices; cf. MOSFETs; MOS integrated circuits**
- MOSFET amplifiers; cf. CMOSFET amplifiers**
- MOSFET circuits; cf. MOS integrated circuits**
- MOSFETs**
Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM 97* 865-868 vol.2
Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM 97* 391-394 vol.2
- MOSFETs; cf. Power MOSFETs**
- MOS integrated circuits**
Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC 97* 23-26
Si RF-GCMOS IC technol., RF mixed-mode wireless appls. *Jun Ma*, + , *RFIC 97* 175-179
Si RF-GCMOS IC technol., RF mixed-mode wireless commun. *Jun Ma*, + , *MWSYM 97* 123-127 vol.1
Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC 97* 153-156
Si RF GCMOS technol., portable commun. appl. *Spears, E.*, + , *MWSYM 97* 1-4 vol.1
- MOS integrated circuits; cf. CMOS integrated circuits**
- Moving average processes; cf. Autoregressive moving average processes**
- MSM devices**
GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan 97* 15-22
photodiodes, vel.-matched distributed photodetector, microwave photonic links. *Lin, L.Y.*, + , *T-MTT Aug 97* 1320-1331
- Multiaccess communication**
polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM 97* 595-598 vol.2
- Multiaccess communication; cf. Code division multiaccess; Time division multiaccess**
- Multibeam antennas**
wide-band millimeter-wave/optical-network appls. in Japan. *Imai, N.*, + , *T-MTT Dec 97* 2197-2207
- Multichip modules**
act. phased array systs., integral microwave circulators, MCM appls. *Krishnamurthy, V.*, + , *MWSYM 97* 1829-1832 vol.3
chip design for monobit receiver. *Pok, D.S.K.*, + , *T-MTT Dec 97* 2283-2295
DBIT, direct backside interconnect technol. for MMICs and mm-wave monolithic ICs. *Kazior, T.E.*, + , *MWSYM 97* 723-726 vol.2
MMIC coupling, cct.-based model for CAD. *Jackson, R.W.*, + , *MWSYM 97* 1377-1380 vol.3
multilayer MMIC/MCM baluns using lumped element compensation, wireless appls. *Jansen, R.H.*, + , *MWSYM 97* 277-280 vol.1
off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct 97* 1934-1940
packaging, digital- and mixed-sig. electronic systs. *Gilbert, B.K.*, + , *T-MTT Oct 97* 1819-1835
planar cct./NRD-guide, hybrid integrat. technol. *Ke Wu*, + , *T-MTT Jun 97* 946-954

- Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC* 97 121-125
- Multiconductor transmission lines**
 embedded multiconductor transm. line meas. *Williams, D.F.*, *MWSYM* 97 1773-1776 vol.3
 freq.-depend. equiv. cct. params. extraction. *Jin Zhao*, + , *T-MTT* Jan 97 23-31
 interconnect simul., SPICE, transm. line model. *Celik, M.*, + , *T-MTT* Oct 97 1857-1867
 MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, + , *T-MTT* May 97 827-836
 multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3
 multiconductor struct., field distrib. and scatt. param. meas. *Yingjie Gao*, + , *MWSYM* 97 1741-1744 vol.3
 multiconductor transm. lines, rect. cross sect., quasi-TEM anal. *Bernal, J.*, + , *T-MTT* Sep 97 1619-1626
 multiconductor transm. lines, SPICE-compatible models. *Djordjevic, A.R.*, *T-MTT* May 97 569-579
 multilayered/multiconductor transm. lines, hybrid-mode anal. *Alam, M.S.*, + , *T-MTT* Feb 97 205-211
 nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM* 97 1781-1784 vol.3
- Multilayer perceptrons**
 HEMT, large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT* Sep 97 1630-1633
 MMIC pass. elements, EM-CAD, multilayer perceptron neural network appls. *Creech, G.L.*, + , *T-MTT* May 97 794-802
- Multilayers; cf.** Nonhomogeneous media
- Multimedia communication**
 wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
- Multimedia systems; cf.** Multimedia communication
- Multimode transmission lines; cf.** Multimode waveguides
- Multimode waveguides**
 dual mode filters and polarizers, conically shaped coupling elements. *Balaji, U.*, + , *MWSYM* 97 1247-1250 vol.3
 dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT* Feb 97 221-228
 open planar chirowaveguides, discontinuities, rigorous mode-matching. *Xinzhang Wu*, + , *T-MTT* May 97 640-647
 rect./ellipt. waveguide, coupling iris, variational anal. *Morini, A.*, + , *MWSYM* 97 1243-1246 vol.3
- Multiplexing**
 conductor loaded resonator filters with wide spurious-free stopbands. *Wang, C.*, + , *T-MTT* Dec 97 2387-2392
 GaAs multi-throw MMIC switches, integrated low-power decoder/driver logic. *Smuk, J.*, + , *RFIC* 97 47-50
- Multiplexing; cf.** Diplexers; Subcarrier multiplexing; Time division multiplexing; Wavelength division multiplexing
- Multiport circuits**
 charactn. of unbounded multiport microstrip passive ccts. using explicit network-based method of moments. *Zhu, L.*, + , *T-MTT* Dec 97 2114-2124
 compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, + , *MWSYM* 97 1595-1598 vol.3
 correction to "Constraints to the optimum performance and bandwidth limitations of diplexers employing three-port junctions" (Feb 96 242-248). *Morini, A.*, *T-MTT* May 97 704
 ferrite circulator jns., nonlin. intermodulation coupling. *Hoton How*, + , *T-MTT* Feb 97 245-252
 four-port microstrip-line microwave directional filters, pulse-radar appls. *Rosloniec, S.*, + , *T-MTT* Sep 97 1633-1637
 four-port network, dual-polarized scatt. matrix. *Tomiyasu, K.*, *T-MTT* Mar 97 354-358
 high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, + , *T-MTT* Oct 97 1941-1947
 historical review of six-port meas. tech. *Engen, G.F.*, *T-MTT* Dec 97 2414-2417
 lossless multiport, generalized scatt. matrix, discontinuities. *Morini, A.*, + , *MWSYM* 97 1607-1610 vol.3
 microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM* 97 1799-1802 vol.3
 microwave and MM wave ccts., design and optim., EM simulators. *Jain, N.*, + , *T-MTT* May 97 724-746
 microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT* Sep 97 1554-1562
 multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3
 nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM* 97 1781-1784 vol.3
- packages, large pin count, HF cct. modeling. *Sercu, S.*, + , *T-MTT* Oct 97 1897-1904
 planar transm. line, waveguide three-port transit. *Storer, B.*, + , *MWSYM* 97 203-206 vol.1
 pure-mode VNA for on-wafer meas. of mixed-mode S-params. of differential ccts. *Bockelman, D.E.*, + , *T-MTT* Jul 97 1071-1077
 six-port meas. tech., microwave metrology, national stds. labs. *Engen, G.F.*, *MWSYM* 97 1171-1172 vol.3
 symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT* Sep 97 1537-1544
- Multiport circuits; cf.** Two-port circuits
- Multivibrators; cf.** Flip-flops
- Mutual coupling; cf.** Antenna array mutual coupling; Coupled transmission lines

N

Navigation; cf. Radar navigation

Negative resistance circuits

microstrip bandpass filter, Q-enhancement tech., coupled neg. resistors. *Romano, A.*, + , *MWSYM* 97 709-712 vol.2

MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, + , *MWSYM* 97 941-944 vol.2

transistor neg. resist. amps., optimum noise measure. *Gardner, P.*, + , *T-MTT* May 97 580-586

Negative resistance devices; cf. Gunn devices

Neodymium:solid lasers

Nd:LiNbO₃ microchip laser, 1.084 μ m, 20 GHz subcarrier. *Vieira, A.J.C.*, + , *MWSYM* 97 229-232 vol.1

Nervous system; cf. Brain

Neural network applications

design and optim. of CPW ccts. using EM-ANN models for CPW components. *Watson, P.M.*, + , *T-MTT* Dec 97 2515-2523

device/cct.-level modeling, neural network training. *Zaabab, A.H.*, + , *T-MTT* Oct 97 1696-1704

HEMT, large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT* Sep 97 1630-1633

knowledge based neural models for microwave design. *Wang, F.*, + , *T-MTT* Dec 97 2333-2343

microwave design, knowledge based neural models. *Fang Wang*, + , *MWSYM* 97 627-630 vol.2

MMIC pass. elements, EM-CAD, multilayer perceptron neural network appls. *Creech, G.L.*, + , *T-MTT* May 97 794-802

MMICs, 90° CPW bends, air-bridges, EM-ANN modelling, optimal chamfering. *Watson, P.M.*, + , *MWSYM* 97 1603-1606 vol.3

VLSI high-speed ccts., EM simul., neural networks. *Veluswami, A.*, + , *T-MTT* May 97 712-723

Neural network architecture

device/cct.-level modeling, neural network training. *Zaabab, A.H.*, + , *T-MTT* Oct 97 1696-1704

Newton method

AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT* Jan 97 58-71

electrooptic modulator, phase reversal electrode design. *Kwok-Wah Hui*, + , *T-MTT* Jan 97 142-145

Newton-Raphson method

dielec. materials, complex permitt., waveguide meas. *Deshpande, M.D.*, + , *T-MTT* Mar 97 359-366

Niobium

Nb/AlO_x/Nb SIS submillimeter wavelength detector, low noise. *Karpov, A.*, + , *MWSYM* 97 919-920 vol.2

tunable supercond. resonators, ferrite substrs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1

Noise

analog opt. link, input imped. conditions for noise fig. minimization. *Ackerman, E.*, + , *MWSYM* 97 237-240 vol.1

Noise; cf. Circuit noise; Crosstalk; Electromagnetic interference; Laser noise; Optical noise; Phase noise; Random noise; Semiconductor device noise; Shot noise; Superconducting device noise

Noise generators

InP HEMT cold/hot noise sources. *Dunleavy, L.P.*, + , *MWSYM* 97 1293-1296 vol.3

Noise measurement

analog opt. link, input imped. conditions for noise fig. minimization. *Ackerman, E.*, + , *MWSYM* 97 237-240 vol.1

broadband noise param./S-param. meas. tech. *Schmatz, M.L.*, + , *MWSYM* 97 1443-1446 vol.3

RF power amps., high speed noise power ratio meas. *Vaillancourt, W.G.*, + , *MWSYM* 97 1451-1454 vol.3

wave noise sources, spectral parametric modeling. *Werling, T.*, + , *MWSYM* 97 1447-1450 vol.3

Nondestructive testing; cf. Flaw detection

Nonhomogeneously loaded waveguides

bilayered material, microwave meas., coaxial discontinuity. *Belhadj-Tahar, N.*, + , *T-MTT Feb 97* 260-267

inhomog. closed waveguide, hybrid and complex spectrum. *Rozzi, T.*, + , *T-MTT Mar 97* 345-353

multilayered chiral waveguides, propag. charact. *Plaza, G.*, + , *T-MTT Apr 97* 519-526

rect. waveguide, multilayered load, probe input impedance. *Le-Wei Li*, + , *T-MTT Mar 97* 321-329

Nonhomogeneous media

layered struct., EM fields, time-domain integral eqns. *Georgieva, N.*, + , *T-MTT Jun 97* 984-990

multilayer composite glass, metallic layer, microwave material. *Wang, B.F.*, + , *T-MTT Jan 97* 126-129

radome membranes, transmittance and scatt. meas. *Afsar, M.N.*, + , *MWSYM 97* 1355-1358 vol.3

UHF miniaturized monolithic dual band filter for portable telephones. *Miyake, H.*, + , *MWSYM 97* 789-792 vol.2

Nonhomogeneous media; cf. Electromagnetic propagation in nonhomogeneous media; Electromagnetic scattering by nonhomogeneous media; Magnetic layered films

Nonhomogeneous media

method of lines for hybrid anal. of multilayered cylindrical resonator structs. *Kremer, D.*, + , *T-MTT Dec 97* 2152-2154

Nonlinear circuits

3D TLM networks, nonlin. act. and pass. device modeling. *Cascio, L.*, + , *MWSYM 97* 383-386 vol.2

injection-locked microwave MESFET oscillators, nonlin. time-domain anal. *Dixon, J.*, + , *T-MTT Jul 97* 1050-1057

MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May 97* 846-855

microwave diode mixer, nonlin. anal., extended FDTD algm. *Min Chen*, + , *MWSYM 97* 67-70 vol.1

microwave nonlin. ccts., electrothermal transients and DSP. *Rizzoli, V.*, + , *MWSYM 97* 367-370 vol.2

microwave nonlin. ccts., param. switching continuation, waveform bal. simul. *van Zyl, G.J.J.*, *T-MTT Apr 97* 549-551

MMIC packaged ccts. and nonlin. devices, full-wave FDTD anal. approach. *Chien-Nan Kuo*, + , *T-MTT May 97* 819-826

nonlin. modeling of SiGe HBTs up to 50 GHz. *Rheinfelder, C.*, + , *T-MTT Dec 97* 2503-2508

transient EM anal., time-domain integral eqn. techs. *Pinello, W.*, + , *MWSYM 97* 63-66 vol.1

Nonlinear distortion; cf. Amplifier distortion; AM-PM conversion; Harmonic distortion; Intermodulation distortion

Nonlinear equations; cf. Polynomials

Nonlinearities; cf. Communication system nonlinearities

Nonlinear media; cf. Electromagnetic propagation in nonlinear media

Nonlinear optics; cf. Optical mixers; Optical mixing; Optical propagation in nonlinear media

Nonlinear systems

microwave switches, micromachined, nonlin. dyn. modeling. *Chan, E.K.*, + , *MWSYM 97* 1511-1514 vol.3

Nonlinear wave propagation; cf. Electromagnetic propagation in nonlinear media

Nonradiative dielectric waveguides

planar cct./NRD-guide, hybrid integrat. technol. *Ke Wu*, + , *T-MTT Jun 97* 946-954

Nonreciprocal circuits; cf. Gytrators

Nonreciprocal media

microwave phase shift using ferrite-filled waveguide below cutoff. *Boyd, C.R., Jr.*, *T-MTT Dec 97* 2402-2407

Nonreciprocal wave propagation

nonreciprocal open waveguide, radiative effects, complex waves role. *Baccarelli, P.*, + , *MWSYM 97* 491-494 vol.2

Notch filters

opt. fiber delay-line RF filter, semicond. opt. amp. appl. *Coppinger, F.*, + , *T-MTT Aug 97* 1473-1477

UHF monolithic act. notch tunable filter based on gyrator principle. *Giannini, F.*, + , *MWSYM 97* 809-812 vol.2

Numerical analysis

broadband inhomogen. stripline circulators, anal. *Macchiarella, G.*, + , *T-MTT Feb 97* 294-297

corrugated and dielec. loaded circ. waveguides, charact. eqn. roots. *Costa da Silva, L.*, *T-MTT Feb 97* 298-301

dielec. resonators in MICs, reson. freqs. and Q-factor calc. *Jenn-Ming Guan*, + , *T-MTT Mar 97* 439-442

dielec. slab waveguides, nonlin. propag. *Jian-Guo Ma*, *T-MTT Feb 97* 304-306

method of lines for hybrid anal. of multilayered cylindrical resonator structs. *Kremer, D.*, + , *T-MTT Dec 97* 2152-2154

microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzyy-Sheng Horng*, *MWSYM 97* 1815-1818 vol.3

modeling of conductor loss in coplanar cct. elements by method of lines. *Vietzorreck, L.*, + , *T-MTT Dec 97* 2474-2478

modified Lanczos algm. for computation of transient EM wavefields. *Remis, R.F.*, + , *T-MTT Dec 97* 2139-2149

non-Kerr-like media, dispersion rels. of nonlin. TE slab-guided waves. *Jian-Guo Ma*, + , *T-MTT Jul 97* 1113-1117

open microstrip discontinuities anal., spatial network method. *Bica, D.M.*, + , *T-MTT Jun 97* 905-910

Numerical analysis; cf. Approximation methods; Boundary element methods; Convergence of numerical methods; Finite difference methods; Finite element methods; Gauss-Seidel method; Gradient methods; Iterative methods; Mode matching methods; Moment methods; Monte Carlo methods; Newton method; Newton-Raphson method; Transmission line matrix methods; Variational methods

Numerical stability

absorbing-boundary conditions, PML tech. for 3D TLM simul. *Pena, N.*, + , *T-MTT Oct 97* 1749-1755

Yee algm., non-std. finite differences. *Cole, J.B.*, *T-MTT Jun 97* 991-996

Nyquist stability

HF cct. generalized stabil. anal. tool, stabil. envelope. *Narhi, T.*, + , *MWSYM 97* 623-626 vol.2

O

Object detection

microwave imaging, location and shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, + , *T-MTT Apr 97* 469-476

Ogives; cf. Radomes

Optical amplifiers; cf. Semiconductor optical amplifiers

Optical arrays

bi-directional quasi-optical lens amp. *Hollung, S.*, + , *T-MTT Dec 97* 2352-2357

Optical communication

DS-CDMA, opt. transm., nonlin. effect. *Geslin, S.*, + , *MWSYM 97* 1763-1766 vol.3

microwave and millimeter-wave photonics (special issue). *T-MTT Aug 97* 1277-1536

microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug 97* 1277-1278

Optical communication; cf. Optical fiber communication; SONET

Optical communication equipment

AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, + , *RFIC 97* 55-58

AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, + , *T-MTT Jul 97* 1058-1064

broadband wireless access, MM-wave, fiber systs. *Seeds, A.J.*, *MWSYM 97* 23-25 vol.1

CEDAR, clock extraction and data regeneration hybrid IC, 10 Gb/s, PLL. *Tae-Whan Yoo*, + , *MWSYM 97* 1713-1716 vol.3

GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM 97* 13-16 vol.1

GaAs MMIC transimpedance amps., optoelectronic appls. *Dueme, Ph.*, + , *RFIC 97* 165-168

GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan 97* 15-22

high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, + , *MWSYM 97* 221-224 vol.1

VCSEL, small-sig. charactn., appls. *Hietala, V.M.*, + , *MWSYM 97* 355-358 vol.1

Optical communication equipment; cf. Optical receivers; Optical repeaters; Optical transmitters

Optical control

act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug 97* 1486-1492

fiber Bragg-grating true time-delay systs., beamforming control appl. *Molony, A.*, + , *T-MTT Aug 97* 1527-1530

GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan 97* 15-22

interdigital microstrip gap, laser spot illum., S-params. *Horii, Y.*, + , *MWSYM 97* 1635-1638 vol.3

microwave and millimeter-wave photonics (special issue). *T-MTT Aug 97* 1277-1536

microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug 97* 1277-1278

microwave switch, perform. improvement. *Khalil, D.A.M.*, + , *T-MTT Aug 97* 1358-1361

MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug 97* 1497-1500

- tunable microwave load based on biased photoinduced plasma in Si. *Boyer, B.*, + , *T-MTT Aug 97* 1362-1367
- ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- Optical correlators**
microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug 97* 1467-1472
- Optical couplers; cf.** Optical directional couplers; Optical fiber couplers
- Optical coupling; cf.** Optical fiber coupling
- Optical crosstalk**
switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug 97* 1519-1521
- Optical delay lines**
microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug 97* 1467-1472
switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug 97* 1519-1521
- Optical delay lines; cf.** Optical fiber delay lines
- Optical directional couplers**
Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
Mach-Zehnder lattice all-opt. microwave filters, coupling ratios. *Cusick, T.A.*, + , *T-MTT Aug 97* 1458-1462
modulators, amplif. response. *Lovseth, S.W.*, + , *MWSYM 97* 1717-1720 vol.3
- Optical fiber applications**
Bragg-grating true time-delay systs., beamforming control appl. *Molony, A.*, + , *T-MTT Aug 97* 1527-1530
Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug 97* 1513-1518
opt. mm-wave generation utilizing locking techs. *Berceli, T.*, *MWSYM 97* 1721-1724 vol.3
true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug 97* 1531-1536
ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- Optical fiber communication**
20 Gbit/s transmit and receive modules for opt. fiber links. *Hanke, G.*, *MWSYM 97* 233-236 vol.1
40 Gbit/s opt. fiber transm. systs., narrow band photoreceiver, clock recovery. *Miras, A.*, + , *MWSYM 97* 1709-1712 vol.3
AlGaAs/GaAs HBT limiting amp. for 10 Gbps opt. transm. syst. *Bongsin Kwark*, + , *RFIC 97* 55-58
analog opt. link, input imped. conditions for noise fig. minimization. *Ackerman, E.*, + , *MWSYM 97* 237-240 vol.1
baseband data/SCM control channels, fiber-optic links. *Blumenthal, D.J.*, + , *T-MTT Aug 97* 1443-1452
bidirectional broadband mobile commun., fiberoptic microwave gen. *Braun, R.-P.*, + , *MWSYM 97* 225-228 vol.1
broadband external modulation fiber-optic links, antenna-remoting appls. *Ackerman, E.I.*, + , *T-MTT Aug 97* 1436-1442
broadband wireless access, MM-wave, fiber systs. *Seeds, A.J.*, *MWSYM 97* 23-25 vol.1
CEDAR, clock extraction and data regeneration hybrid IC, 10 Gb/s, PLL. *Tae-Whan Yoo*, + , *MWSYM 97* 1713-1716 vol.3
chromatic-dispersion reduction in fiber-wireless systs., external modulators. *Smith, G.H.*, + , *T-MTT Aug 97* 1410-1415
direct-detect. analog opt. links, review. *Cox, C.*, *III*, + , *T-MTT Aug 97* 1375-1383
externally modulated microwave analog links, semicond. laser sources. *Betts, G.E.*, + , *T-MTT Aug 97* 1280-1287
FM links. *Cai, B.*, + , *T-MTT Apr 97* 505-511
GaAs MESFET 40 Gbit/s super-dyn. decision IC. *Murata, K.*, + , *MWSYM 97* 465-468 vol.2
GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan 97* 15-22
high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug 97* 1416-1423
high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, + , *MWSYM 97* 221-224 vol.1
InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC 97* 59-62
Japan, wideband MM wave/opt. network appls. *Imai, N.*, + , *MWSYM 97* 27-30 vol.1
Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, + , *T-MTT Aug 97* 1288-1295
microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug 97* 1390-1397
microwave freq. conversion methods by opt. interferometer and photodiode. *Mauray, G.*, + , *T-MTT Aug 97* 1481-1485
MM-wave fiber-radio systs., interferometric noise. *Moura, L.*, + , *T-MTT Aug 97* 1398-1402
MM-wave fiber-radio systs. using Mach-Zehnder modulators, nonlin. tol. *Sen Lin Zhang*, + , *T-MTT Aug 97* 1403-1409
mm-wave fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, + , *T-MTT Aug 97* 1431-1435
mobile broadband commun. syst. based on mode-locked lasers. *von Helmlot, C.H.*, + , *T-MTT Aug 97* 1424-1430
MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, + , *MWSYM 97* 1707-1708 vol.3
MSM photodiodes, vel.-matched distributed photodetector, microwave photonic links. *Lin, L.Y.*, + , *T-MTT Aug 97* 1320-1331
optimal control of intermodulation distortion in hybrid fiber-coaxial CATV systs. *Alley, G.D.*, + , *T-MTT Dec 97* 2183-2196
QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM 97* 39-42 vol.1
RF/opt. SCM commun. syst. optim. *Han, S.*, + , *MWSYM 97* 979-982 vol.2
SCM systs., photonic and image-rejection mixers. *Lu Chao*, + , *T-MTT Aug 97* 1478-1480
ultrawide-band photonic link using Mach-Zehnder modulators, optim. *Nichols, L.T.*, + , *T-MTT Aug 97* 1384-1389
VCSEL, small-sig. charactn., appls. *Hietala, V.M.*, + , *MWSYM 97* 355-358 vol.1
W-band transmit/receive appls. *Niehenke, E.C.*, + , *MWSYM 97* 35-38 vol.1
wireless sig. distrib. via fiber-optic technol. *Plourde, J.K.*, *MWSYM 97* 217-220 vol.1
- Optical fiber communication; cf.** Optical subscriber loops
- Optical fiber couplers**
Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
- Optical fiber coupling**
GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug 97* 1301-1309
- Optical fiber delay lines**
act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug 97* 1463-1466
fiber Bragg-grating true time-delay systs., beamforming control appl. *Molony, A.*, + , *T-MTT Aug 97* 1527-1530
Mach-Zehnder lattice all-opt. microwave filters, coupling ratios. *Cusick, T.A.*, + , *T-MTT Aug 97* 1458-1462
microwave phased arrays, fiber grating based beamforming network. *Minasian, R.A.*, + , *T-MTT Aug 97* 1513-1518
RF filter, semicond. opt. amp. appl. *Coppinger, F.*, + , *T-MTT Aug 97* 1473-1477
true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug 97* 1531-1536
ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- Optical fiber devices; cf.** Optical fiber delay lines; Optical fiber filters
- Optical fiber dispersion**
chromatic-dispersion reduction in fiber-wireless systs., external modulators. *Smith, G.H.*, + , *T-MTT Aug 97* 1410-1415
mm-wave fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, + , *T-MTT Aug 97* 1431-1435
ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- Optical fiber filters**
act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug 97* 1463-1466
delay-line RF filter, semicond. opt. amp. appl. *Coppinger, F.*, + , *T-MTT Aug 97* 1473-1477
- Optical fiber interference**
MM-wave fiber-radio systs., interferometric noise. *Moura, L.*, + , *T-MTT Aug 97* 1398-1402
- Optical fibers**
IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM-97* 3 vol. (liv+xxii+xx+1862)
InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug 97* 1332-1336
true time-steered array fiber-opt. controlled receiver, spiral elements. *Mathews, P.J.*, + , *MWSYM 97* 347-350 vol.1
TW photodetector arrays, microwave appls., Ku-band. *Goldsmith, C.L.*, + , *T-MTT Aug 97* 1342-1350
- Optical fiber thermal factors**
distributed-absorpt. microwave waveguide photodiodes, high efficiency/power. *Jasmin, S.*, + , *T-MTT Aug 97* 1337-1341
- Optical filters; cf.** Electrooptic filters; Optical fiber filters
- Optical frequency conversion; cf.** Optical mixers; Optical mixing
- Optical interconnections**
fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug 97* 1513-1518

- GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan 97* 15-22
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug 97* 1332-1336
- Optical interferometry**
baseband data/SCM control channels, fiber-optic links. *Blumenthal, D.J.*, + , *T-MTT Aug 97* 1443-1452
- fiber-wireless systs. with external modulators, chromatic-dispersion reduction. *Smith, G.H.*, + , *T-MTT Aug 97* 1410-1415
- lattice all-opt. microwave filters, coupling ratios. *Cusick, T.A.*, + , *T-MTT Aug 97* 1458-1462
- microwave freq. conversion methods by opt. interferometer and photodiode. *Maury, G.*, + , *T-MTT Aug 97* 1481-1485
- MM-wave fiber-radio systs. using Mach-Zehnder modulators, nonlin. tol. *Sen Lin Zhang*, + , *T-MTT Aug 97* 1403-1409
- ultrawide-band photonic link using Mach-Zehnder modulators, optim. *Nichols, L.T.*, + , *T-MTT Aug 97* 1384-1389
- Optical Kerr effect**
nonlin. EM wave absorpt., nonlin. perfectly matched layer. *Jian-Guo Ma*, + , *MWSYM 97* 1381-1384 vol.3
- Optical mixers**
InP/InGaAs HBT, optoelectronic mixer. *Liu, C.P.*, + , *MWSYM 97* 359-362 vol.1
- SCM systs., photonic and image-rejection mixers. *Lu Chao*, + , *T-MTT Aug 97* 1478-1480
- Optical mixing**
microwave freq. conversion methods by opt. interferometer and photodiode. *Maury, G.*, + , *T-MTT Aug 97* 1481-1485
- Optical modulation**
AlGaAs/InGaAs pseudomorphic HEMT opt. modulator driver IC. *Miyashita, M.*, + , *T-MTT Jul 97* 1058-1064
- baseband data/SCM control channels, fiber-optic links. *Blumenthal, D.J.*, + , *T-MTT Aug 97* 1443-1452
- broadband external modulation fiber-optic links, antenna-remoting appls. *Ackerman, E.I.*, + , *T-MTT Aug 97* 1436-1442
- broadband wireless access, MM-wave, fiber systs. *Seeds, A.J.*, *MWSYM 97* 23-25 vol.1
- direct-detect. analog opt. links, review. *Cox, C., III.*, + , *T-MTT Aug 97* 1375-1383
- directional coupler modulators, amplif. response. *Lovseth, S.W.*, + , *MWSYM 97* 1717-1720 vol.3
- externally modulated microwave analog links, semicond. laser sources. *Betts, G.E.*, + , *T-MTT Aug 97* 1280-1287
- fiber-wireless systs. with external modulators, chromatic-dispersion reduction. *Smith, G.H.*, + , *T-MTT Aug 97* 1410-1415
- FM links. *Cai, B.*, + , *T-MTT Apr 97* 505-511
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug 97* 1332-1336
- microwave transistors, photoresponse characts. study. *de Barros, L.E.M.*, *Jr.*, + , *T-MTT Aug 97* 1368-1374
- MM-wave fiber-radio systs. using Mach-Zehnder modulators, nonlin. tol. *Sen Lin Zhang*, + , *T-MTT Aug 97* 1403-1409
- mm-wave generation utilizing locking techs. *Berceli, T.*, *MWSYM 97* 1721-1724 vol.3
- mobile broadband commun. syst. based on mode-locked lasers. *von Helmlolt, C.H.*, + , *T-MTT Aug 97* 1424-1430
- MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, + , *MWSYM 97* 1707-1708 vol.3
- Nd:LiNbO₃ microchip laser, 1.084 μm , 20 GHz subcarrier. *Vieira, A.J.C.*, + , *MWSYM 97* 229-232 vol.1
- SCM systs., photonic and image-rejection mixers. *Lu Chao*, + , *T-MTT Aug 97* 1478-1480
- TW photodetector arrays, microwave appls., Ku-band. *Goldsmith, C.L.*, + , *T-MTT Aug 97* 1342-1350
- ultrawide-band photonic link using Mach-Zehnder modulators, optim. *Nichols, L.T.*, + , *T-MTT Aug 97* 1384-1389
- wide-band millimeter-wave/optical-network appls. in Japan. *Imai, N.*, + , *T-MTT Dec 97* 2197-2207
- Optical modulation; cf.** Electrooptic modulation; Spatial light modulators
- Optical noise**
distributed amp. based opt. receiver, input noise current spectral dens. *Borjak, A.*, + , *MWSYM 97* 1579-1582 vol.3
- microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug 97* 1390-1397
- MM-wave fiber-radio systs., interferometric noise. *Moura, L.*, + , *T-MTT Aug 97* 1398-1402
- Optical noise; cf.** Optical crosstalk
- Optical phase locked loops**
broadband wireless access, MM-wave, fiber systs. *Seeds, A.J.*, *MWSYM 97* 23-25 vol.1
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
- megahertz-linewidth microwave sig., opt. generation, discriminator-aided PLL. *Fan, F.Z.*, + , *T-MTT Aug 97* 1296-1300
- Optical phase shifters**
Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
- Optical propagation; cf.** Optical propagation in anisotropic media; Optical propagation in dispersive media; Optical propagation in nonhomogeneous media; Optical propagation in nonlinear media; Optical surface waves
- Optical propagation in anisotropic media**
anisotropic dielec. waveguide propag. characts., opt. axis misalign. effect. *da S.S. Sobrinho, C.L.*, + , *T-MTT Oct 97* 1789-1792
- Optical propagation in dispersive media**
anisotropic dielec. waveguide propag. characts., opt. axis misalign. effect. *da S.S. Sobrinho, C.L.*, + , *T-MTT Oct 97* 1789-1792
- non-Kerr-like media, dispersion rels. of nonlin. TE slab-guided waves. *Jian-Guo Ma*, + , *T-MTT Jul 97* 1113-1117
- Optical propagation in dispersive media; cf.** Optical fiber dispersion
- Optical propagation in nonhomogeneous media**
non-Kerr-like media, dispersion rels. of nonlin. TE slab-guided waves. *Jian-Guo Ma*, + , *T-MTT Jul 97* 1113-1117
- Optical propagation in nonlinear media**
interface of two non-Kerr-like nonlin. media, nonlin. surface waves. *Jian-Guo Ma*, + , *T-MTT Jun 97* 924-930
- non-Kerr-like media, dispersion rels. of nonlin. TE slab-guided waves. *Jian-Guo Ma*, + , *T-MTT Jul 97* 1113-1117
- Optical pulse shaping**
MMIC distributed-amp.-based transversal filter topol., opt. commun. *Borjak, A.*, + , *T-MTT Aug 97* 1453-1457
- Optical receivers**
20 Gbit/s transmit and receive modules for opt. fiber links. *Hanke, G.*, *MWSYM 97* 233-236 vol.1
- 40 Gbit/s opt. fiber transm. systs., narrow band photoreceiver, clock recovery. *Miras, A.*, + , *MWSYM 97* 1709-1712 vol.3
- baseband data/SCM control channels, fiber-optic links. *Blumenthal, D.J.*, + , *T-MTT Aug 97* 1443-1452
- distributed-absorpt. microwave waveguide photodiodes, high efficiency/power. *Jasmin, S.*, + , *T-MTT Aug 97* 1337-1341
- distributed amp. based opt. receiver, input noise current spectral dens. *Borjak, A.*, + , *MWSYM 97* 1579-1582 vol.3
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC 97* 59-62
- MMIC distributed-amp.-based transversal filter topol., opt. commun. *Borjak, A.*, + , *T-MTT Aug 97* 1453-1457
- RF/opt. SCM commun. syst. optim. *Han, S.*, + , *MWSYM 97* 979-982 vol.2
- SCM systs., photonic and image-rejection mixers. *Lu Chao*, + , *T-MTT Aug 97* 1478-1480
- TW photodetectors, theory, bandwidth-efficiency limitations. *Giboney, K.S.*, + , *T-MTT Aug 97* 1310-1319
- Optical reflection**
bilateral electro-optic network for lightwave component charactn. *Elamran, B.*, + , *T-MTT Aug 97* 1493-1496
- Optical repeaters**
InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM 97* 461-464 vol.2
- opt. repeater cct. design based on InAlAs/InGaAs HEMT digital IC technol. *Yoneyama, M.*, + , *T-MTT Dec 97* 2274-2282
- Optical resonators**
design of waveguide-to-orotron-resonator transit. with modified Bethe theory. *Faby, G.*, + , *T-MTT Nov 97* 2043-2048
- Optical resonators; cf.** Fabry-Perot resonators
- Optical self-focusing; cf.** Optical Kerr effect
- Optical signal detection**
broadband wireless access, MM-wave, fiber systs. *Seeds, A.J.*, *MWSYM 97* 23-25 vol.1
- direct-detect. analog opt. links, review. *Cox, C., III.*, + , *T-MTT Aug 97* 1375-1383
- Optical signal processing**
act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug 97* 1463-1466
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
- fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug 97* 1513-1518
- fiber-optic true time steering of ultrawide-band receive array. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug 97* 1467-1472
- mobile broadband commun. syst. based on mode-locked lasers. *von Helmlolt, C.H.*, + , *T-MTT Aug 97* 1424-1430
- switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug 97* 1519-1521

- vector modul. based tunable freq. photonic beamformer for phased-array antennas. *Riza, N.A.*, *T-MTT Aug 97* 1508-1512
- wide-band millimeter-wave/optical-network appls. in Japan. *Imai, N.*, + , *T-MTT Dec 97* 2197-2207
- Optical signal processing; cf.** Optical correlators
- Optical subscriber loops**
MM-wave radio systs., broadband local loop. *Goloubkoff, M.*, + , *MWSYM 97* 31-34 vol.1
- Optical surface waves**
interface of two non-Kerr-like nonlin. media, nonlin. surface waves. *Jian-Guo Ma*, + , *T-MTT Jun 97* 924-930
- Optical switches**
crosstalk in switchable opt. time-delay networks for microwave array antennas. *Schaffer, C.*, *T-MTT Aug 97* 1519-1521
- Optical transmitters**
20 Gbit/s transmit and receive modules for opt. fiber links. *Hanke, G.*, *MWSYM 97* 233-236 vol.1
baseband data/SCM control channels, fiber-optic links. *Blumenthal, D.J.*, + , *T-MTT Aug 97* 1443-1452
Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, + , *T-MTT Aug 97* 1288-1295
mobile broadband commun. syst. based on mode-locked lasers. *von Helmolt, C.H.*, + , *T-MTT Aug 97* 1424-1430
Nd:LiNbO₃ microchip laser, 1.084 μm , 20 GHz subcarrier. *Vieira, A.J.C.*, + , *MWSYM 97* 229-232 vol.1
- Optical variables measurement**
bilateral electro-optic network for lightwave component charactn. *Elamaran, B.*, + , *T-MTT Aug 97* 1493-1496
- Optical waveguide filters; cf.** Optical fiber filters
- Optical waveguides; cf.** Optical fibers
- Optical waveguide theory**
anisotropic dielec. waveguide propag. characts., opt. axis misalign. effect. *da S.S. Sobrinho, C.L.*, + , *T-MTT Oct 97* 1789-1792
non-Kerr-like media, dispersion rels. of nonlin. TE slab-guided waves. *Jian-Guo Ma*, + , *T-MTT Jul 97* 1113-1117
- Optics; cf.** Integrated optics; Ultrafast optics
- Optimal control**
optimal control of intermodulation distortion in hybrid fiber-coaxial CATV systs. *Alley, G.D.*, + , *T-MTT Dec 97* 2183-2196
- Optimization methods**
DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun 97* 886-897
GaAs HBT profile optim., Taguchi method. *Henderson, G.N.*, + , *MWSYM 97* 1465-1468 vol.3
pass. coaxial components, design, EM 2D solver. *Miazga, P.*, + , *T-MTT May 97* 858-861
RF/opt. SCM commun. syst. optim. *Han, S.*, + , *MWSYM 97* 979-982 vol.2
T-jn. manifold multiplexer optim., design formulas. *Morini, A.*, + , *MWSYM 97* 1025-1028 vol.2
waveguide components, hybrid mode-matching/num. EM design. *Arndt, F.*, + , *T-MTT May 97* 747-760
waveguide filters, space mapping optim., EM simul. *Bandler, J.W.*, + , *MWSYM 97* 635-638 vol.2
waveguide-microstrip transit., EM optim. driver. *Min Zhang*, + , *T-MTT May 97* 861-864
waveguide networks, CAD and optim. *Alessandri, F.*, + , *MWSYM 97* 1013-1016 vol.2
- Optimization methods; cf.** Circuit optimization; Genetic algorithms; Gradient methods; Least squares methods
- Optoelectronic devices**
elec. pulse, scanning force optoelectronic microscopy. *Takeuchi, K.*, + , *MWSYM 97* 1643-1646 vol.3
microwave counter, opto-electronic harmonic heterodyne tech. *Chang, C.S.*, + , *T-MTT Jul 97* 1014-1017
- Optoelectronic devices; cf.** Integrated optoelectronics; Photoconducting devices; Photodetectors
- Organic compounds**
complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, + , *MWSYM 97* 107-110 vol.1
- Organic compounds; cf.** Plastics
- Orthogonal functions**
circ.-rect. coaxial waveguides, higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar 97* 414-419
- Oscillator noise**
Colpitts LV bias VCO. *Xiangdong Zhang*, + , *MWSYM 97* 845-848 vol.2
coupled oscillator arrays, phase noise props. *Heng-Chia Chang*, + , *MWSYM 97* 1061-1064 vol.2
GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang*, + , *T-MTT May 97* 604-615
HTSC limiters, phase noise reduction. *Massin, F.*, + , *MWSYM 97* 307-310 vol.1
- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC 97* 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM 97* 255-258 vol.1
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, + , *MWSYM 97* 1395-1398 vol.3
- phase noise in externally injection-locked oscillator arrays. *Chang, H.-C.*, + , *T-MTT Nov 97* 2035-2042
- Oscillators; cf.** Distributed feedback oscillators; IMPATT diode oscillators; Microwave oscillators; Millimeter wave oscillators; MMIC oscillators; Relaxation oscillators; Tunable oscillators; Tunnel diode oscillators; UHF oscillators; Voltage controlled oscillators
- Oscillator stability**
broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *MWSYM 97* 757-760 vol.2
microwave oscillators, stabil. anal., harmonic-bal. method. *Gerber, J.*, + , *MWSYM 97* 1587-1590 vol.3
parallel-coupled oscillators, equiv. cct. influ. on stable modes. *Heng-Chia Chang*, + , *T-MTT Aug 97* 1232-1239
UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *RFIC 97* 229-232

P

Packaging

- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM-97* 3 vol. (liv+xxii+xx+1862)
- large pin count, HF cct. modeling. *Sercu, S.*, + , *T-MTT Oct 97* 1897-1904
- microstrip line, hybrid TLM/mode-matching anal. *Righi, M.*, + , *T-MTT Oct 97* 1715-1724
- microwave phase shifter, Si micromachined package. *Henderson, R.M.*, + , *MWSYM 97* 521-524 vol.2
- PIFA antennas, wireless commun. packaging. *Virga, K.L.*, + , *T-MTT Oct 97* 1879-1888
- planar array T/R modules, low cost, MMIC chip set. *Strack, D.*, + , *MWSYM 97* 579-582 vol.2
- SAW RF filters, EM effects simul. *Pitschi, F.M.*, + , *MWSYM 97* 825-828 vol.2

Packaging; cf. Integrated circuit packaging; Plastic packaging; Semiconductor device packaging

Packet switching; cf. Asynchronous transfer mode

Paging communication

- wireless portable commun. trends and challenges. *Escher, J.S.*, *RFIC 97* 1-3

Parallel plate waveguides

- dielec.-coated parallel planar microstructural waveguides, near-IR wave propag. characts. *Van Petegem, W.E.A.*, + , *T-MTT Mar 97* 367-375
- dielec.-loaded parallel-plate waveguide, time/space-adaptive gridding, MRTD. *Tentzeris, E.M.*, + , *MWSYM 97* 337-340 vol.1
- mm-wave holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, + , *MWSYM 97* 573-576 vol.2
- slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, + , *T-MTT Jul 97* 1127-1132

Parallel processing

- microwave cct. simul., parallel computation. *Rhodes, D.L.*, + , *T-MTT May 97* 587-592
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug 97* 1513-1518

Parameter estimation

- DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun 97* 886-897
- long. periodic struct., TLM anal. *Walter, M.*, + , *MWSYM 97* 1231-1234 vol.3

Parasitic antennas

- PIFA antennas, wireless commun. packaging. *Virga, K.L.*, + , *T-MTT Oct 97* 1879-1888

Partial differential equations

- HEMTs, microwave model, distributed effects, wave eqns. *Kasemsuwan, V.*, + , *T-MTT Mar 97* 420-427
- nonradiating sources in time-domain transm.-line theory. *Sihvola, A.*, + , *T-MTT Dec 97* 2155-2159
- suspen. strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct 97* 1778-1784

Partial differential equations; cf. Helmholtz equations; Maxwell equations

Particle beam optics; cf. Electron optics

Particle beams; cf. Electron beams

Passivation

- AlGaAs/GaAs self-aligned HBT, LF noise. *Jin-Ho Shin*, + , *MWSYM 97* 133-136 vol.1
- AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC 97* 185-188

Passive circuits

- charactn. of unbounded multiport microstrip passive ccts. using explicit network-based method of moments. *Zhu, L.*, + , *T-MTT Dec 97* 2114-2124
- distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, + , *MWSYM 97* 631-634 vol.2
- line-loss and size-reduction techs. for millimeter-wave RF front-end boards by using polyimide/alumina-ceramic multilayer config. *Nakatsugawa, M.*, + , *T-MTT Dec 97* 2308-2315
- microwave and MM wave ccts., design and optim., EM simulators. *Jain, N.*, + , *T-MTT May 97* 724-746
- microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep 97* 1554-1562
- symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep 97* 1537-1544
- two-port network with parallel and series feedback, noise params. *Boglione, L.*, + , *T-MTT Feb 97* 301-304

Passive circuits; cf. Passive filters**Passive filters**

- capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Drozdz, J.M.*, + , *T-MTT Jul 97* 1100-1104
- circ. dual-mode resonator and filter, rotated excitation theory. *Awai, I.*, + , *MWSYM 97* 781-784 vol.2
- conductor loaded resonator filters, wide spurious free stop band. *Chi Wang*, + , *MWSYM 97* 1079-1082 vol.2
- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM 97* 797-800 vol.2
- CPW bandpass filters, perform. comparison. *Fang-Lih Lin*, + , *MWSYM 97* 813-816 vol.2
- cross-coupled filters, evanescent mode coupling elements. *Synder, R.V.*, *MWSYM 97* 1095-1098 vol.2
- cross waveguide to large circ. waveguide jn., anal. and filter design appl. *Ke-Li Wu*, + , *T-MTT Jan 97* 153-157
- dominant TM₀₁₈ mode dielec. rod resonator based filters. *Kobayashi, K.*, + , *MWSYM 97* 793-796 vol.2
- dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang*, + , *MWSYM 97* 1103-1107 vol.2
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug 97* 1240-1246
- dual-mode filters, alternative designs. *Jachowski, D.R.*, *MWSYM 97* 1087-1090 vol.2
- ellipt. cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM 97* 1083-1086 vol.2
- four pole ellipt. microwave filter, low dielec. loaded cavities. *Gendraud, S.*, + , *MWSYM 97* 1091-1094 vol.2
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug 97* 1226-1231
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun 97* 931-938
- microwave band-pass filters made of both dielec. and coaxial resonators. *Hee-Yong Hwang*, + , *MWSYM 97* 805-808 vol.2
- microwave filters, design based on distrib. param. model. *Tascone, R.*, + , *MWSYM 97* 643-646 vol.2
- microwave filters, design, contin. varying transm. lines. *Le Roy, M.*, + , *MWSYM 97* 639-642 vol.2
- miniature LTCC filters for digital radar receivers. *Bailey, A.*, + , *MWSYM 97* 999-1002 vol.2
- modified Chebyshev bandpass filter with atten. poles in stopband, design. *Jeong-Soo Lim*, + , *T-MTT Jun 97* 898-904
- multilayer coupled microstrip line filters, design methodology. *Cho, C.*, + , *MWSYM 97* 785-788 vol.2
- tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM 97* 801-804 vol.2
- UHF miniaturized monolithic dual band filter for portable telephones. *Miyake, H.*, + , *MWSYM 97* 789-792 vol.2
- waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, + , *T-MTT Sep 97* 1611-1618
- waveguide filters, space mapping optim., EM simul. *Bandler, J.W.*, + , *MWSYM 97* 635-638 vol.2

Pattern recognition; cf. Image recognition**Perceptrons; cf. Multilayer perceptrons****Periodic structures**

- long. periodic struct., TLM anal. *Walter, M.*, + , *MWSYM 97* 1231-1234 vol.3
- multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar 97* 428-435
- nature of spectral gap for leaky waves on periodic strip-grating struct. *Majumder, S.*, + , *T-MTT Dec 97* 2296-2307
- photonic crysts., finite element-generalized network anal. *Coccioli, R.*, + , *MWSYM 97* 195-198 vol.1
- strip grating struct., spectral gap for leaky waves. *Majumder, S.*, + , *MWSYM 97* 479-482 vol.2

Periodic structures; cf. Gratings**Permittivity**

- Ba_{1-x}Sr_xTiO₃ planar microwave integrated phase-shifter, high purity ferroelec. *De Flaviis, F.*, + , *T-MTT Jun 97* 963-969
- coated coaxial helical waveguide, lossy medium, propag. characts. *Iyama, T.*, + , *T-MTT Apr 97* 557-559
- microstrip lines, inhomog. substr., propag. props. *Jean-Fu Kiang*, *T-MTT Feb 97* 229-235
- microwave heating procs. in freq./temp.-depend. media, FDTD anal. *Torres, F.*, + , *T-MTT Jan 97* 108-117
- microwave imaging, location and shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, + , *T-MTT Apr 97* 469-476
- multilayer-filled waveguides, lossy heterog. filling, elec. field. *Outifa, L.*, + , *T-MTT Aug 97* 1154-1161
- open microstrip lines, dispersion characts. calc. *Seong-Ook Park*, + , *T-MTT Mar 97* 458-460
- parallel coupled microstrips, finite metal. thickness, characts. calc. *Jen-Tsai Kuo*, + , *T-MTT Feb 97* 274-280
- shielded microstrip transm. lines with thick electrodes, anal. *Zhu, N.H.*, + , *T-MTT Feb 97* 288-291

Permittivity measurement

- bilayered material, microwave meas., coaxial discontinuity. *Belhadji-Tahar, N.*, + , *T-MTT Feb 97* 260-267
- complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, + , *MWSYM 97* 107-110 vol.1
- dielec. films, dielec. const. and thickness, CPW meas. *Waldo, M.K.*, + , *MWSYM 97* 1339-1342 vol.3
- dielec. materials, complex permitt., waveguide meas. *Deshpande, M.D.*, + , *T-MTT Mar 97* 359-366
- dielec. materials, permitt. meas., whispering gallery modes. *Krupka, J.*, + , *MWSYM 97* 1347-1350 vol.3
- liq. tanks, impurity level meas., FSCW radar. *Weiss, M.*, + , *MWSYM 97* 1651-1654 vol.3
- low-loss dielec., complex permitt. *Voelker, R.H.*, + , *T-MTT Oct 97* 1955-1960
- low-loss material microwave complex permitt. determ., stable transm./refl. method. *Boughriet, A.-H.*, + , *T-MTT Jan 97* 52-57
- polymers, complex permitt., W-band free-space meas. *Friedsam, G.L.*, + , *MWSYM 97* 1351-1354 vol.3
- relative permitt. meas., cavity perturb. method. *Takahashi, T.*, + , *MWSYM 97* 1683-1686 vol.3
- thin-sample meas and error anal. of high-temp. coaxial dielec. probes. *Bringinghurst, S.*, + , *T-MTT Dec 97* 2073-2083
- TiO₂-Bi₂Ti₄O₁₁, scanning photothermal dielec. microscopy. *Cho, Y.*, + , *MWSYM 97* 1647-1650 vol.3
- transm. line meas. *Janezic, M.D.*, + , *MWSYM 97* 1343-1346 vol.3

Personal communication networks

- dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC 97* 143-146
- microcellular PCS using analog fiber-optic links, dyn. range. *Fan, J.C.*, + , *T-MTT Aug 97* 1390-1397
- PCS handset antennas, mobile environ. *Douglas, M.G.*, + , *MWSYM 97* 1759-1762 vol.3
- PHEMT, enhancement-mode power amp., PCS appl. *Der-Woei Wu*, + , *MWSYM 97* 1319-1322 vol.3
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM 97* 1155-1158 vol.3
- SAW filter, bal.-type, PCN and PCS systs. *Taguchi, Y.*, + , *MWSYM 97* 837-840 vol.2
- wireless portable commun. trends and challenges. *Escher, J.S.*, *RFIC 97* 1-3

Perturbation methods

- CPW discontinuities, capacit. calc. by hybrid FEM. *Chien-Wen Chiu*, + , *T-MTT Apr 97* 498-504
- helical slow-wave structs., dispersion and interact. impedance characts. meas. *Rao, S.J.*, + , *T-MTT Sep 97* 1585-1593

Perturbation methods; cf. Cavity perturbation methods**Phase control**

- act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM 97* 591-594 vol.2
- Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug 97* 1501-1507
- switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug 97* 1519-1521

Phased array radar

- act. phased array systs., integral microwave circulators, MCM appls. *Krishnamurthy, V.*, + , *MWSYM 97* 1829-1832 vol.3
- planar array T/R modules, low cost, MMIC chip set. *Strack, D.*, + , *MWSYM 97* 579-582 vol.2

Phased arrays

- act. phased array antennas coupled, slotlines. *Cheol Mun*, + , *MWSYM 97* 1069-1072 vol.2

- act. phased array systs., integral microwave circulators, MCM appls. *Krishnamurthy, V.*, + , *MWSYM* 97 1829-1832 vol.3
- automatic beam steered act. antenna receiver, design. *Gupta, S.*, + , *MWSYM* 97 599-602 vol.2
- beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM* 97 587-590 vol.2
- fiber Bragg-grating true time-delay systs., beamforming control appl. *Molony, A.*, + , *T-MTT Aug* 97 1527-1530
- Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, + , *T-MTT Aug* 97 1288-1295
- megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec* 97 2324-2332
- microwave and millimeter-wave photonics (special issue). *T-MTT Aug* 97 1277-1536
- microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug* 97 1277-1278
- MMIC analog vector modulator, crossbar beamforming network. *Grajal, J.*, + , *T-MTT Oct* 97 1705-1714
- MMIC SOM in opt. fed phased array antennas for Ka-band commun. satellites. *Daryoush, A.S.*, + , *MWSYM* 97 351-354 vol.1
- mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug* 97 1513-1518
- polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM* 97 595-598 vol.2
- T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM* 97 583-586 vol.2
- true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug* 97 1531-1536
- true time-steered array fiber-opt. controlled receiver, spiral elements. *Matthews, P.J.*, + , *MWSYM* 97 347-350 vol.1
- TW sources in presence of covering dielec. layers, anal. *Di Nallo, C.*, + , *MWSYM* 97 605-608 vol.2
- ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug* 97 1522-1526
- vector modul. based tunable freq. photonic beamformer for phased-array antennas. *Riza, N.A.*, *T-MTT Aug* 97 1508-1512
- Phased arrays; cf.** Adaptive arrays
- Phase detection**
quadrature generator, self-calib., freq. range. *Lovalace, D.*, + , *RFIC* 97 147-151
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May* 97 659-665
- Phase locked loops**
CEDAR, clock extraction and data regeneration hybrid IC, 10 Gb/s, PLL. *Tae-Whan Yoo*, + , *MWSYM* 97 1713-1716 vol.3
- DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
- microwave act. filters, AFC. *Serhan, H.*, + , *MWSYM* 97 697-700 vol.2
- Si BICMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12
- synthesizer, triple tuned, freq. converted DDS unit. *Tajima, K.*, + , *MWSYM* 97 1217-1220 vol.3
- Phase locked loops; cf.** Optical phase locked loops
- Phase locked oscillators**
mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204
- V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May* 97 659-665
- wireless LAN, 16.2 GHz phase locked oscillator. *Bos, T.A.*, + , *MWSYM* 97 1395-1398 vol.3
- Phase modulation**
Butler matrices, opt. guided-wave config., expt. demo. *Gallo, J.T.*, + , *T-MTT Aug* 97 1501-1507
- Phase modulation; cf.** Phase shift keying
- Phase noise**
Colpitts LV bias VCO. *Xiangdong Zhang*, + , *MWSYM* 97 845-848 vol.2
- coupled oscillator arrays, phase noise props. *Heng-Chia Chang*, + , *MWSYM* 97 1061-1064 vol.2
- GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang*, + , *T-MTT May* 97 604-615
- HTSC limiters, phase noise reduction. *Massin, F.*, + , *MWSYM* 97 307-310 vol.1
- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, + , *T-MTT Aug* 97 1288-1295
- MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, + , *MWSYM* 97 1707-1708 vol.3
- opt. link, W-band transmit/receive appls. *Niehenke, E.C.*, + , *MWSYM* 97 35-38 vol.1
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, + , *MWSYM* 97 1395-1398 vol.3
- phase noise in externally injection-locked oscillator arrays. *Chang, H.-C.*, + , *T-MTT Nov* 97 2035-2042
- switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug* 97 1519-1521
- Phase shifters; cf.** Ferrite phase shifters; Microwave phase shifters; Millimeter wave phase shifters; MMIC phase shifters; Optical phase shifters; UHF phase shifters
- Phase shift keying**
act. antenna oscillator arrays in mm-wave commun. systs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2
- ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36
- MM-wave fiber-radio systs. using Mach-Zehnder modulators, nonlin. tol. *Sen Lin Zhang*, + , *T-MTT Aug* 97 1403-1409
- Phase shift keying; cf.** Differential phase shift keying; Quadrature phase shift keying
- Photoconducting devices**
GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
- sub-picosecond systs., far field THz radiation. *Remley, K.A.*, + , *MWSYM* 97 163-166 vol.1
- tunable microwave load based on biased photoinduced plasma in Si. *Boyer, B.*, + , *T-MTT Aug* 97 1362-1367
- Photoconducting devices; cf.** Photodiodes; Phototransistors
- Photodetectors**
direct-detect. analog opt. links, review. *Cox, C., III.*, + , *T-MTT Aug* 97 1375-1383
- distributed-absorpt. microwave waveguide photodiodes, high efficiency/power. *Jasmin, S.*, + , *T-MTT Aug* 97 1337-1341
- GaAs photonically controlled digital/MMIC interface for RF opt. links. *Smith, I.W.*, + , *T-MTT Jan* 97 15-22
- InGaAs/InAlAs/InP HBT analog RF-optoelectronic IC receivers. *Yap, D.*, + , *RFIC* 97 59-62
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug* 97 1332-1336
- MSM photodiodes, vel.-matched distributed photodetector, microwave photonic links. *Lin, L.Y.*, + , *T-MTT Aug* 97 1320-1331
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug* 97 1513-1518
- TW photodetector arrays, microwave appls., Ku-band. *Goldsmith, C.L.*, + , *T-MTT Aug* 97 1342-1350
- TW photodetectors, theory, bandwidth-efficiency limitations. *Giboney, K.S.*, + , *T-MTT Aug* 97 1310-1319
- Photodetectors; cf.** Photodiodes; Phototransistors; Photovoltaic detectors
- Photodiodes**
distributed-absorpt. microwave waveguide photodiodes, high efficiency/power. *Jasmin, S.*, + , *T-MTT Aug* 97 1337-1341
- distributed amp. based opt. receiver, input noise current spectral dens. *Borjak, A.*, + , *MWSYM* 97 1579-1582 vol.3
- microwave freq. conversion methods by opt. interferometer and photodiode. *Maury, G.*, + , *T-MTT Aug* 97 1481-1485
- MSM photodiodes, vel.-matched distributed photodetector, microwave photonic links. *Lin, L.Y.*, + , *T-MTT Aug* 97 1320-1331
- TW photodetectors, theory, bandwidth-efficiency limitations. *Giboney, K.S.*, + , *T-MTT Aug* 97 1310-1319
- Photodiodes; cf.** p-i-n photodiodes
- Photonic switching systems**
act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug* 97 1486-1492
- Photothermal effects**
TiO₂-Bi₂Ti₄O₁₁, scanning photothermal dielec. microscopy. *Cho, Y.*, + , *MWSYM* 97 1647-1650 vol.3
- Phototransistors**
broadband wireless access, MM-wave, fiber systs. *Seeds, A.J.*, *MWSYM* 97 23-25 vol.1
- InP/InGaAs HBT, optoelectronic mixer. *Liu, C.P.*, + , *MWSYM* 97 359-362 vol.1
- microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug* 97 1368-1374
- Photovoltaic detectors**
microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug* 97 1368-1374
- Piecewise linear approximation**
multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3

Piezoelectric transducers; cf. Interdigital transducers**p-i-n diodes**

- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC* 97 225-228
- GaAs monolithic PIN switch network for automotive collision warning radar. *Putnam, J.*, + , *MWSYM* 97 753-756 vol.2
- GaAs PIN diode W-band SP3T switch CPW MMIC. *Case, M.*, + , *MWSYM* 97 1047-1051 vol.2
- SPDT MIC switch using shunt discrete PIN diodes, 20 W, 6-18 GHz. *Shigematsu, T.*, + , *MWSYM* 97 527-530 vol.2

p-i-n diodes; cf. p-i-n photodiodes**p-i-n photodiodes**

- 40 Gbit/s opt. fiber transm. systs., narrow band photoreceiver, clock recovery. *Miras, A.*, + , *MWSYM* 97 1709-1712 vol.3
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug* 97 1332-1336
- TW photodetector arrays, microwave appls., Ku-band. *Goldsmith, C.L.*, + , *T-MTT Aug* 97 1342-1350
- wide-band millimeter-wave/optical-network appls. in Japan. *Imai, N.*, + , *T-MTT Dec* 97 2197-2207

Planar arrays

- T/R modules for planar array archit., MMIC chip set. *Strack, D.*, + , *MWSYM* 97 579-582 vol.2

Planar arrays; cf. Circular arrays**Planar transmission lines**

- fast spatial-domain method for suppression of excitation-induced spurious modes in SCN TLM. *Lindenmeier, S.*, + , *T-MTT Nov* 97 1998-2006
- lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM* 97 1807-1810 vol.3
- MMIC spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, + , *T-MTT Oct* 97 1961-1968
- planar transm. line, waveguide three-port transit. *Storer, B.*, + , *MWSYM* 97 203-206 vol.1
- quasi-TEM/higher order modes, unified anal. *Rieckmann, C.*, + , *MWSYM* 97 1369-1372 vol.3
- subharmonic mixers, high order, planar cct. design. *Ellis, T.J.*, + , *MWSYM* 97 1039-1042 vol.2

Planar transmission lines; cf. Coplanar transmission lines; Microstrip; Planar waveguides; Slotline; Stripline**Planar waveguides**

- fast spatial-domain method for suppression of excitation-induced spurious modes in SCN TLM. *Lindenmeier, S.*, + , *T-MTT Nov* 97 1998-2006

Planar waveguides; cf. Coplanar waveguides**Planetary atmospheres**

- submillimeter-wave spectrometer for detect. of water in Solar System. *Boric-Lubecke, O.*, + , *MWSYM* 97 569-572 vol.2

Plastic films; cf. Polyimide films**Plastic packaging**

- CMOS distributed amp., packaging inductance. *Sullivan, P.J.*, + , *T-MTT Oct* 97 1969-1976
- high lead-count plastic packages, microwave cct. modelling. *Jackson, R.W.*, + , *T-MTT Oct* 97 1926-1933
- microwave package models, on-wafer meas. *Chun, C.*, + , *T-MTT Oct* 97 1948-1954
- MMIC packaging, time-domain segmentation anal. *Righi, M.*, + , *T-MTT Oct* 97 1905-1910
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen*, + , *T-MTT Oct* 97 1911-1918
- surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM* 97 995-998 vol.2

Plastics

- polymers, complex permitt., W-band free-space meas. *Friedsam, G.L.*, + , *MWSYM* 97 1351-1354 vol.3

Polarimetry; cf. Radar polarimetry**Polarization**

- corrections to "Resonant disk turnstile" (Sep 97 1600-1610). *Zimmerman, R.K., Jr.*, *T-MTT Nov* 97 2063
- correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" (Nov 95 2614-2620). *Levy, R.*, *T-MTT May* 97 704-705
- dual mode filters and polarizers, conically shaped coupling elements. *Balaji, U.*, + , *MWSYM* 97 1247-1250 vol.3
- four-port network, dual-polarized scatt. matrix. *Tomiyasu, K.*, *T-MTT Mar* 97 354-358
- MM-wave amplit.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun* 97 911-917
- MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug* 97 1497-1500
- polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM* 97 595-598 vol.2
- reson. disk turnstile, theory and L-band prototype. *Zimmerman, R.K., Jr.*, *T-MTT Sep* 97 1600-1610

Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM* 97 557-560 vol.2

Si W-band direct detect. receiver for six-port polarimetric radar systs. *Thieme, M.O.*, + , *MWSYM* 97 1269-1272 vol.3

slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, + , *MWSYM* 97 565-568 vol.2

sq. waveguide, mode polarizers. *Gaiewski, W.R.*, + , *T-MTT Jun* 97 997-1000

W-band low cost miniature MMIC transceiver, planar antenna. *Fudem, H.*, + , *MWSYM* 97 427-430 vol.2

Poles and zeros

modified Chebyshev bandpass filter with atten. poles in stopband, design. *Jeong-Soo Lim*, + , *T-MTT Jun* 97 898-904

tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM* 97 801-804 vol.2

Polyimide films

HF interconnects on Si substrs. for MMICs. *Ponchak, G.E.*, + , *RFIC* 97 101-104

line-loss and size-reduction techs. for millimeter-wave RF front-end boards by using polyimide/alumina-ceramic multilayer config. *Nakatsugawa, M.*, + , *T-MTT Dec* 97 2308-2315

MMIC Marchand balun, polyimide inter-metal dielec., amp. appls. *Tutt, M.N.*, + , *MWSYM* 97 933-936 vol.2

polyimide/alumina-ceramic multilayer, MM-wave RF front-end board. *Nakatsugawa, M.*, + , *MWSYM* 97 509-512 vol.2

SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC* 97 117-120

Polynomial approximation

narrowband syst. responses, Cauchy method, interpolation/extrapolation. *Adve, R.S.*, + , *T-MTT May* 97 837-845

Polynomials

dielec. waveguide anal., fast freq. sweep tech. *Polstyanko, S.V.*, + , *T-MTT Jul* 97 1118-1126

Portable radio communication

portable phone-user interacts. via near field mapping on mannequins/volunteers. *Ahlonsou, L.*, + , *MWSYM* 97 1825-1828 vol.3

Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC* 97 153-156

Si RF GCMOS technol., portable commun. appl. *Spears, E.*, + , *MWSYM* 97 1-4 vol.1

wireless portable commun. trends and challenges. *Escher, J.S.*, *RFIC* 97 1-3

Portable radio communication; cf. Paging communication; Personal communication networks**Power amplifiers**

class-F power amps. with maximally flat waveforms. *Raab, F.H.*, *T-MTT Nov* 97 2007-2012

RF power amps., high speed noise power ratio meas. *Vaillancourt, W.G.*, + , *MWSYM* 97 1451-1454 vol.3

Power amplifiers; cf. Microwave power amplifiers; Millimeter wave power amplifiers; MMIC power amplifiers; Traveling wave amplifiers; UHF power amplifiers**Power bipolar transistor amplifiers; cf.** Microwave power bipolar transistor amplifiers; UHF power bipolar transistor amplifiers**Power bipolar transistors**

AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM* 97 1307-1310 vol.3

GaInP/AlGaAs power HBT, non-quasi-static model. *Frayse, J.P.*, + , *MWSYM* 97 379-382 vol.2

Power bipolar transistors; cf. Microwave power bipolar transistors; UHF power bipolar transistors**Power combiners**

6-W Ka-band power module using MMIC power amps. *Ingram, D.L.*, + , *T-MTT Dec* 97 2424-2430

anal. and optim. of grid oscillators. *Shiroma, W.A.*, + , *T-MTT Dec* 97 2380-2386

broadband waveguide-based spatial combiners, tapered slotlines in rect. waveguides. *Alexanian, A.*, + , *MWSYM* 97 1139-1142 vol.3

GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM* 97 561-564 vol.2

grid oscillators, feedback optim. *Shiroma, W.A.*, + , *MWSYM* 97 1053-1056 vol.2

gyrotron wave-beam shaping, multiple phase-correction mirrors. *Hirata, Y.*, + , *T-MTT Jan* 97 72-77

InGaAs/AlGaAs/GaAs HEMT technol. MMIC power amps., Ka-band design. *Ingram, D.L.*, + , *MWSYM* 97 1183-1186 vol.3

Ku-band power combining network, rect. coaxial line technol. *Oh-Hashi, H.*, + , *MWSYM* 97 409-412 vol.2

megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec* 97 2324-2332

millimeter-wave holographic power splitting/combining. *Shahabadi, M.*, + , *T-MTT Dec* 97 2316-2323

- MMIC quasi-circulator, noise and power optim. *Gasmi, A.*, + , *T-MTT Sep 97* 1572-1577
- mm-wave holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, + , *MWSYM 97* 573-576 vol.2
- port impedance model for power combining networks. *Lee, M.J.*, + , *MWSYM 97* 543-546 vol.2
- spatial power combining systs., CAE environ. *Nusseibeh, F.*, + , *MWSYM 97* 1073-1077 vol.2
- TE surface wave power combining, planar act. lens amp. *Perkons, A.R.*, + , *MWSYM 97* 691-694 vol.2
- transmit-receive spatial power combining amp. array. *Ortiz, S.*, + , *MWSYM 97* 679-682 vol.2
- wideband SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *MWSYM 97* 1035-1038 vol.2
- wide-band SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *T-MTT Dec 97* 2375-2379
- Power control**
- DS-CDMA, opt. transm., nonlin. effect. *Geslin, S.*, + , *MWSYM 97* 1763-1766 vol.3
- Power dividers**
- 6-W Ka-band power module using MMIC power amps. *Ingram, D.L.*, + , *T-MTT Dec 97* 2424-2430
- anal. and optim. of grid oscillators. *Shiroma, W.A.*, + , *T-MTT Dec 97* 2380-2386
- arbitrary termination impedances, arbitrary power division, and small-sized ring hybrids. *Ahn, H.-R.*, + , *T-MTT Dec 97* 2241-2247
- compact power divider, M(H)MICs, field-theoretical CAD procedure. *Benbrahim, J.*, + , *MWSYM 97* 1595-1598 vol.3
- GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM 97* 657-660 vol.2
- GaAs IMPATT diode, reson.-cap MM-wave power combiner. *Bauer, T.*, + , *T-MTT Jan 97* 146-148
- megalithic microwave sig. proc. for phased-array beam forming and steering. *Ohira, T.*, + , *T-MTT Dec 97* 2324-2332
- millimeter-wave holographic power splitting/combining. *Shahabadi, M.*, + , *T-MTT Dec 97* 2316-2323
- MMIC quasi-circulator, noise and power optim. *Gasmi, A.*, + , *T-MTT Sep 97* 1572-1577
- mm-wave holographic power splitter/combiner, high efficiency. *Shahabadi, M.*, + , *MWSYM 97* 573-576 vol.2
- phased-array beam forming/steering, megalithic microwave sig. proc. *Ohira, T.*, + , *MWSYM 97* 587-590 vol.2
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM 97* 539-542 vol.2
- small-sized ring hybrids, arbitrary termination impedances and power divisions. *Hee Ran Ahn*, + , *MWSYM 97* 285-288 vol.1
- symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep 97* 1537-1544
- uniplanar hybrid couplers using asymmetrical coplanar strip lines, MIC/MMIC appls. *Lu Fan*, + , *MWSYM 97* 273-276 vol.1
- wideband multiport planar power divider design. *Yung-Jinn Chen*, + , *MWSYM 97* 397-400 vol.2
- wideband SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *MWSYM 97* 1035-1038 vol.2
- wide-band SSB subharmonically pumped mixer MMIC. *Okazaki, H.*, + , *T-MTT Dec 97* 2375-2379
- Power FET amplifiers; cf.** MESFET power amplifiers; Microwave power FET amplifiers; Millimeter wave power FET amplifiers; MODFET power amplifiers; UHF power FET amplifiers
- Power FETs; cf.** Microwave power FETs; Power MESFETs; Power MODFETs; Power MOSFETs; Static induction transistors; UHF power FETs
- Power filters**
- HTSC split-resonator high power planar filter. *Shen Ye*, + , *MWSYM 97* 299-302 vol.1
- Power integrated circuits**
- MMICs, known good die testing. *Basu, S.*, + , *MWSYM 97* 1675-1677 vol.3
- Power MESFETs**
- GaAs power MESFET amp., digital cordless phone syst. *Nagaoka, M.*, + , *MWSYM 97* 1323-1326 vol.3
- GaAs power MESFETs, S-band, second-harmonic terminating tech., mobile satcom appls. *Takenaka, I.*, + , *MWSYM 97* 1417-1420 vol.3
- GaAs S-band push-pull power MESFET, MMDS appl. *Sarkissian, G.*, + , *MWSYM 97* 1409-1412 vol.3
- SiC, appl., high power UHF/microwave devices. *Morse, A.W.*, + , *MWSYM 97* 53-56 vol.1
- SiC MESFETs for high-power S-band appls. *Allen, S.T.*, + , *MWSYM 97* 57-60 vol.1
- Power MODFETs**
- PHEMT, enhancement-mode power amp., PCS appl. *Der-Woei Wu*, + , *MWSYM 97* 1319-1322 vol.3
- PHEMT, interdigitated power device, small-sig. model. *Shen-Whan Chen*, + , *T-MTT May 97* 700-703
- WSi/Au T-shaped gate K-band power HEMT. *Kunii, T.*, + , *MWSYM 97* 1187-1190 vol.3
- Power MOSFETs**
- LDMOS power FET, LV wireless commun. *Ma, G.*, + , *MWSYM 97* 1303-1306 vol.3
- Power semiconductor diode switches**
- SPDT MIC switch using shunt discrete PIN diodes, 20 W, 6-18 GHz. *Shigematsu, T.*, + , *MWSYM 97* 527-530 vol.2
- Power semiconductor switches; cf.** Power semiconductor diode switches
- Power transistors; cf.** Power bipolar transistors
- Power transmission; cf.** Microwave power transmission
- Printed circuit fabrication; cf.** Surface mounting
- Printed circuit layout**
- 3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug 97* 1141-1153
- Printed circuits**
- high-speed digital IC packages and PCBs, EM modeling. *Jong-Gwan Yook*, + , *T-MTT Oct 97* 1847-1856
- low-loss dielec., complex permitt. *Voelker, R.H.*, + , *T-MTT Oct 97* 1955-1960
- nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM 97* 1781-1784 vol.3
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct 97* 1934-1940
- Product safety**
- GSM/DECT exposure of voltage-gated membrane channels, EM field effects. *Apollonio, F.*, + , *MWSYM 97* 103-106 vol.1
- Programmable circuits; cf.** Programmable filters
- Programmable filters**
- microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug 97* 1467-1472
- Propagation**
- suspension strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct 97* 1778-1784
- Propagation; cf.** Electromagnetic propagation; Nonreciprocal wave propagation
- Protection**
- GaAs MMIC high power limiters for cct. protection. *Trantanella, C.*, + , *MWSYM 97* 535-538 vol.2
- microwave receiver protectors/AGCs, low cost techs., SMDs. *Strack, D.*, + , *MWSYM 97* 531-534 vol.2
- Pseudonoise coded communication**
- LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM 97* 821-824 vol.2
- Pulse circuits**
- step recovery diode, charge model, CAD. *Opalska, K.*, + , *MWSYM 97* 1503-1506 vol.3
- Pulse compression methods**
- act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug 97* 1486-1492
- Pulse compression methods; cf.** Chirp modulation
- Pulse compression radar; cf.** Chirp radar
- Pulsed lasers; cf.** Mode locked lasers
- Pulse Doppler radar**
- four-port microstrip-line microwave directional filters, pulse-radar appls. *Rosloniec, S.*, + , *T-MTT Sep 97* 1633-1637
- GaAs monolithic PIN switch network for automotive collision warning radar. *Putnam, J.*, + , *MWSYM 97* 753-756 vol.2
- Pulse inverters**
- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM 97* 457-460 vol.2
- Pulse measurements**
- elec. pulse, scanning force optoelectronic microscopy. *Takeuchi, K.*, + , *MWSYM 97* 1643-1646 vol.3
- flip-chip MMIC power amps., pulsed internal-node waveform anal. *Bao, J.W.*, + , *MWSYM 97* 905-908 vol.2
- HBT, electrothermal model, pulsed meas. *Peyretailade, T.*, + , *MWSYM 97* 1515-1518 vol.3
- microwave FETs, distributed meas.-based nonlin. model. *Mallet-Guy, B.*, + , *MWSYM 97* 869-872 vol.2
- Pulse shaping methods; cf.** Optical pulse shaping

Q

Q factor

- act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug 97* 1463-1466
- capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Drozd, J.M.*, + , *T-MTT Jul 97* 1100-1104

conductor loaded resonator filters, wide spurious free stop band. *Chi Wang*, + , *MWSYM* 97 1079-1082 vol.2

cylindrical-triangular microstrip struct., reson. *Kin-Lu Wong*, + , *T-MTT Aug* 97 1270-1272

dielec. resonators in MICs, reson. freqs. and Q-factor calc. *Jenn-Ming Guan*, + , *T-MTT Mar* 97 439-442

dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang*, + , *MWSYM* 97 1103-1107 vol.2

dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug* 97 1240-1246

ellipt. cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM* 97 1083-1086 vol.2

four pole ellipt. microwave filter, low dielec. loaded cavities. *Gendraud, S.*, + , *MWSYM* 97 1091-1094 vol.2

gigahertz SAW devices, high perform. filters, ladder type bandpass filters. *Knauer, U.*, + , *MWSYM* 97 1821-1824 vol.3

inductance-controlled FET MMIC oscillator, 1.7 GHz, act. inductor. *Yong-Ho Cho*, + , *T-MTT Aug* 97 1208-1213

microstrip bandpass filter, Q-enhancement tech., coupled neg. resistors. *Romano, A.*, + , *MWSYM* 97 709-712 vol.2

MIS waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, + , *T-MTT Oct* 97 1807-1810

MMIC spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, + , *T-MTT Oct* 97 1961-1968

MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, + , *MWSYM* 97 941-944 vol.2

MM-wave multielement open resonator. *Shapiro, M.A.*, + , *T-MTT Jun* 97 1000-1002

Nb tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1

nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb* 97 236-244

planar lumped inductors in multilayer config., induct. and Q-factor eval. *Mahmoud, S.F.*, + , *T-MTT Jun* 97 918-923

Si CMOS technol. compatible high-Q microwave inductors. *Min Park*, + , *RFIC* 97 181-184

Si CMOS technol., high Q microwave inductors. *Min Park*, + , *MWSYM* 97 129-132 vol.1

stepped-impedance microwave resonators, structs./characts. *Sagawa, M.*, + , *T-MTT Jul* 97 1078-1085

wheat grain, moisture sens., microstrip ring resonator. *Joshi, K.K.*, + , *MWSYM* 97 1679-1682 vol.3

YBaCuO tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1

YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3

Q measurement

design of waveguide-to-orotron-resonator transit. with modified Bethe theory. *Faby, G.*, + , *T-MTT Nov* 97 2043-2048

dielec. resonators, transm. mode, Q-factor meas. *Leong, K.*, + , *MWSYM* 97 1639-1642 vol.3

Quadrature amplitude modulation

MM-wave fiber-radio systrs. using Mach-Zehnder modulators, nonlin. tol. *Sen Lin Zhang*, + , *T-MTT Aug* 97 1403-1409

power limited wireless transmitters, channel loading effects, discrete multitone modulation. *Leke, A.*, + , *MWSYM* 97 1147-1150 vol.3

Quadrature phase shift keying

act. antenna oscillator arrays in mm-wave commun. systrs. *Kykkotis, C.*, + , *MWSYM* 97 591-594 vol.2

bidirectional broadband mobile commun., fiberoptic microwave gen. *Braun, R.-P.*, + , *MWSYM* 97 225-228 vol.1

fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM* 97 39-42 vol.1

high-capacity 60 GHz fiber-radio transm. systrs., techs. *Noel, L.*, + , *T-MTT Aug* 97 1416-1423

ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36

MM-wave amplit.-phase modulator, design and perform. *Martynyuk, A.E.*, + , *T-MTT Jun* 97 911-917

S-band power amp., miniaturized lin., parallel diode. *Yamauchi, K.*, + , *MWSYM* 97 1199-1202 vol.3

Quantum effect semiconductor devices; cf. MODFETs

Quantum well devices; cf. Quantum well lasers

Quantum well lasers

MQW-DFB semicond. laser, directly modulated, FM-IM spectra filtering, mm-wave generation. *Razavi, K.E.*, + , *MWSYM* 97 1707-1708 vol.3

R

Radar; cf. CW radar; Doppler radar; Laser radar; Millimeter wave radar; Monopulse radar; Phased array radar; Road vehicle radar

Radar antennas

act. phased array systrs., integral microwave circulators, MCM appls. *Krishnamurthy, V.*, + , *MWSYM* 97 1829-1832 vol.3

meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec* 97 2454-2460

planar array T/R modules, low cost, MMIC chip set. *Strack, D.*, + , *MWSYM* 97 579-582 vol.2

Radar applications; cf. Radar measurements; Radar navigation

Radar distance measurement

FMCW radar, dist. meas., SAW ref. path. *Nalezinski, M.*, + , *MWSYM* 97 185-188 vol.1

Radar equipment

GaAs MMIC high power limiters for cct. protection. *Trantanella, C.*, + , *MWSYM* 97 535-538 vol.2

GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC* 97 225-228

GaAs monolithic PIN switch network for automotive collision warning radar. *Putnam, J.*, + , *MWSYM* 97 753-756 vol.2

ground-penetration radar systrs., ultra-wideband exciter. *Phuong Phu*, + , *MWSYM* 97 1135-1138 vol.3

PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verwey, L.*, + , *RFIC* 97 203-206

PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verwey, L.*, + , *MWSYM* 97 243-246 vol.1

Radar equipment; cf. Radar antennas; Radar receivers; Radar transmitters

Radar interference

ground-penetration radar systrs., ultra-wideband exciter. *Phuong Phu*, + , *MWSYM* 97 1135-1138 vol.3

Radar measurements

liq. tanks, impurity level meas., FSCW radar. *Weiss, M.*, + , *MWSYM* 97 1651-1654 vol.3

Radar measurements; cf. Radar distance measurement; Radar polarimetry; Radar velocity measurement

Radar navigation

W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM* 97 971-974 vol.2

Radar polarimetry

Si W-band direct detect. receiver for six-port polarimetric radar systrs. *Thieme, M.O.*, + , *MWSYM* 97 1269-1272 vol.3

Radar receivers

InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, + , *MWSYM* 97 937-940 vol.2

microwave receiver protectors/AGCs, low cost techs., SMDs. *Strack, D.*, + , *MWSYM* 97 531-534 vol.2

millimeter-wave radar sensor for automotive intell. cruise control. *Russell, M.E.*, + , *T-MTT Dec* 97 2444-2453

miniature LTCC filters for digital radar receivers. *Bailey, A.*, + , *MWSYM* 97 999-1002 vol.2

octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM* 97 405-407 vol.2

Si W-band direct detect. receiver for six-port polarimetric radar systrs. *Thieme, M.O.*, + , *MWSYM* 97 1269-1272 vol.3

Radar signal processing

octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM* 97 405-407 vol.2

Radar transmitters

InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, + , *MWSYM* 97 937-940 vol.2

Radar velocity measurement

W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM* 97 971-974 vol.2

Radiation detectors; cf. Microwave detectors; Millimeter wave detectors; Photodetectors; Submillimeter wave detectors

Radio astronomy

Jagadis Chandra Bose, mm-wave research rel., radioastronomy. *Emerson, D.T.*, *MWSYM* 97 553-556 vol.2

Nb/AlO_x/Nb SIS submillimeter wavelength detector, low noise. *Karpov, A.*, + , *MWSYM* 97 919-920 vol.2

submillimeter-wave spectrometer for detect. of water in Solar System. *Boric-Lubecke, O.*, + , *MWSYM* 97 569-572 vol.2

Radio communication; cf. Digital radio; Indoor radio communication; Land mobile radio; Microwave radio communication; Millimeter wave radio communication; Portable radio communication; Satellite communication; UHF radio communication; VHF radio communication; Wireless LAN

Radio communication equipment

GaAs S-band push-pull power MESFET, MMDS appl. *Sarkissian, G.*, + , *MWSYM* 97 1409-1412 vol.3

- PIFA antennas, wireless commun. packaging. *Virga, K.L.*, + , *T-MTT Oct 97* 1879-1888
- Si RF-GCMOS IC technol., RF mixed-mode wireless appls. *Jun Ma*, + , *RFIC 97* 175-179
- Si RF-GCMOS IC technol., RF mixed-mode wireless commun. *Jun Ma*, + , *MWSYM 97* 123-127 vol.1
- Radio communication equipment; cf.** Land mobile radio equipment; Transceivers
- Radio equipment**
embedded transn.-line MMIC for low-cost high-density wireless commun. appls. *Tserng, H.-Q.*, + , *T-MTT Dec 97* 2540-2548
- Radio tracking**
RFID, RF ident., automatic data collection. *Tuttle, J.R.*, *RFIC 97* 5-8
- Radomes**
meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec 97* 2454-2460
membranes, transmittance and scatt. meas. *Afsar, M.N.*, + , *MWSYM 97* 1355-1358 vol.3
TW sources in presence of covering dielec. layers, anal. *Di Nallo, C.*, + , *MWSYM 97* 605-608 vol.2
- Random noise**
AlGaAs/GaAs self-aligned HBT, LF noise. *Jin-Ho Shin*, + , *MWSYM 97* 133-136 vol.1
AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC 97* 185-188
InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM 97* 841-844 vol.2
ultrawide-band photonic link using Mach-Zehnder modulators, optim. *Nichols, L.T.*, + , *T-MTT Aug 97* 1384-1389
- Rare earth compounds; cf.** Lanthanum compounds
- Rational approximation**
high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, + , *T-MTT Oct 97* 1941-1947
- Rational matrices; cf.** Scattering matrices
- Rayleigh-Ritz methods; cf.** Galerkin method
- Receivers; cf.** Microwave receivers; Millimeter wave receivers; MMIC receivers; Optical receivers; Radar receivers; Submillimeter wave receivers; UHF receivers
- Receiving antennas**
polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM 97* 595-598 vol.2
ultrawide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug 97* 1522-1526
- Rectangular waveguides**
antiparallel magnetis. ferrite layers partially filled waveguide, FDTD method. *Berthou-Pichavant, K.*, + , *T-MTT May 97* 687-690
broadband waveguide-based spatial combiners, tapered slotlines in rect. waveguides. *Alexanian, A.*, + , *MWSYM 97* 1139-1142 vol.3
broadwall couplers, modal anal. *Sieverding, T.*, + , *MWSYM 97* 1559-1562 vol.3
coaxial waveguides, circ.-rect., higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar 97* 414-419
compact waveguide twists, rect./circ. waveguide sects. *Alonso-Juaristi, P.I.*, + , *T-MTT May 97* 636-639
concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, + , *MWSYM 97* 111-114 vol.1
conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM 97* 797-800 vol.2
corrections to "Resonant disk turnstile" (Sep 97 1600-1610). *Zimmerman, R.K., Jr.*, *T-MTT Nov 97* 2063
correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" (Jul 96 1161-1164). *Leong, M.S.*, + , *T-MTT May 97* 705
correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" (Nov 95 2614-2620). *Levy, R.*, *T-MTT May 97* 704-705
dielec. materials, complex permitt., waveguide meas. *Deshpande, M.D.*, + , *T-MTT Mar 97* 359-366
discontinuities in guided structs., power loss charactn. *Sarkar, T.K.*, + , *MWSYM 97* 613-616 vol.2
dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT Feb 97* 221-228
ellipt.-waveguide jn., two-port scatt. *Kin-Lung Chan*, + , *T-MTT Aug 97* 1255-1262
four-port network, dual-polarized scatt. matrix. *Tomiyasu, K.*, *T-MTT Mar 97* 354-358
full wave network rect./circ./ellipt. waveguide jns. *Gimeno, B.*, + , *T-MTT Mar 97* 376-384
GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM 97* 561-564 vol.2
homog. waveguide, SCN TLM, modal boundary conditions. *Herring, J.L.*, + , *MWSYM 97* 325-328 vol.1
iris discontinuity, separation of variables. *Rozzi, T.*, + , *T-MTT Feb 97* 253-259
lossy anisotropic dielec. waveguides, mixed-edge element method. *Xin-Qing Sheng*, + , *T-MTT Jul 97* 1009-1013
low-loss material microwave complex permitt. determ., stable transm./refl. method. *Boughriet, A.-H.*, + , *T-MTT Jan 97* 52-57
micromachined air-filled, W-band meas. *Collins, C.E.*, + , *MWSYM 97* 1439-1442 vol.3
microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzzy-Sheng Horng*, *MWSYM 97* 1815-1818 vol.3
microwave crack charact. sig. anal., generalized scatt. matrix representation. *Huber, C.*, + , *T-MTT Apr 97* 477-484
modeling of surface hairline-crack detect. in metals under coatings using open-ended rect. waveguide. *Huber, C.*, + , *T-MTT Nov 97* 2049-2057
multilayer dielec. media MICs in rect. waveguide. *Pereira Filho, O.M.C.*, + , *MWSYM 97* 1535-1538 vol.3
multilayered load, probe input impedance. *Le-Wei Li*, + , *T-MTT Mar 97* 321-329
open jn., field theory, infinite parallel-plane lines. *Iatrou, C.T.*, + , *T-MTT Feb 97* 165-172
planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct 97* 1662-1671
rect./circ. multiaperture couplers, mode-matching CAD. *Sieverding, T.*, + , *T-MTT Jul 97* 1034-1040
rect./ellipt. waveguide, coupling iris, variational anal. *Morini, A.*, + , *MWSYM 97* 1243-1246 vol.3
reson. disk turnstile, theory and L-band prototype. *Zimmerman, R.K., Jr.*, *T-MTT Sep 97* 1600-1610
Sir J.C. Bose and radio sci. *Sen, A.K.*, *MWSYM 97* 557-560 vol.2
slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, + , *T-MTT Jul 97* 1127-1132
 Ω material, constitutive params. *Norgren, M.*, + , *T-MTT Feb 97* 314-316
sq. waveguide, mode polarizers. *Gaiowski, W.R.*, + , *T-MTT Jun 97* 997-1000
strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, + , *T-MTT Oct 97* 1756-1766
- Rectifiers; cf.** Solid state rectifiers
- Recursive digital filters**
act. recursive MMIC filters, low-noise MESFET-based design. *Danestig, M.*, + , *MWSYM 97* 705-708 vol.2
MMIC tunable act. recursive filters having variable and uniform gain. *Jin-Su Ko*, + , *RFIC 97* 51-54
- Reduced order systems**
mixed EM/cct. simul., model-reduction techs. *Achar, R.*, + , *MWSYM 97* 1017-1020 vol.2
modified Lanczos algm. for computation of transient EM wavefields. *Remis, R.F.*, + , *T-MTT Dec 97* 2139-2149
- Reflection; cf.** Electromagnetic reflection
- Reflectometry; cf.** Microwave reflectometry; Time domain reflectometry
- Refraction; cf.** Electromagnetic refraction
- Relaxation oscillators**
injection-locked microwave MESFET oscillators, nonlin. time-domain anal. *Dixon, J.*, + , *T-MTT Jul 97* 1050-1057
- Relaxation oscillators; cf.** Flip-flops
- Reliability; cf.** Semiconductor device reliability
- Reliability testing**
T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM 97* 583-586 vol.2
- Repeaters; cf.** Optical repeaters
- Resistance; cf.** Contact resistance
- Resistive circuits**
FET resistive mixers, conversion loss. *Peng, S.*, *MWSYM 97* 857-860 vol.2
- Resonance**
corrections to "Resonant disk turnstile" (Sep 97 1600-1610). *Zimmerman, R.K., Jr.*, *T-MTT Nov 97* 2063
cylindrical-triangular microstrip struct., reson. *Kin-Lu Wong*, + , *T-MTT Aug 97* 1270-1272
MM-wave IC behavior modelling for flip-chip mounting schemes. *Jackson, R.W.*, + , *T-MTT Oct 97* 1919-1925
waveguide reson. disk turnstile, theory and L-band prototype. *Zimmerman, R.K., Jr.*, *T-MTT Sep 97* 1600-1610
- Resonator filters**
conductor loaded resonator filters with wide spurious-free stopbands. *Wang, C.*, + , *T-MTT Dec 97* 2387-2392
cross-coupled filters, evanescent mode coupling elements. *Synder, R.V.*, *MWSYM 97* 1095-1098 vol.2
elliptical cavity resonators for dual-mode narrow-band filters. *Accatino, L.*, + , *T-MTT Dec 97* 2393-2401
E-plane bandpass filters, improved stopband perform., CAD. *Budimir, D.*, *T-MTT Feb 97* 212-220
HTSC split-resonator high power planar filter. *Shen Ye*, + , *MWSYM 97* 299-302 vol.1

- maximally flat quarter-wavelength-coupled transm.-line filters using Q distrib. *Drozdz, J.M.*, + , *T-MTT Dec 97* 2100-2113
- microwave filters, design based on distrib. param. model. *Tascone, R.*, + , *MWSYM 97* 643-646 vol.2
- microwave resonator filter anal., 3D finite-element modal freq. method. *Brauer, J.R.*, + , *T-MTT May 97* 810-818
- theory and expt. of novel microstrip slow-wave open-loop resonator filters. *Hong, J.-S.*, + , *T-MTT Dec 97* 2358-2365
- waveguide filters, anal. by coupled integral eqns. tech. *Amari, S.*, + , *T-MTT Sep 97* 1611-1618
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr 97* 492-497
- Resonator filters; cf.** Cavity resonator filters; Dielectric resonator filters; UHF resonator filters
- Resonators**
- circ. dual-mode resonator and filter, rotated excitation theory. *Awai, I.*, + , *MWSYM 97* 781-784 vol.2
- spiral resonators, distributed capacitance. *Zunfu Jiang*, + , *T-MTT Jan 97* 139-142
- Resonators; cf.** Cavity resonators; Dielectric resonators; Microwave resonators; Millimeter wave resonators; Optical resonators; Submillimeter wave resonators; Superconducting resonators; Transmission line resonators
- Reviews**
- direct-detect. analog opt. links. *Cox, C., III.*, + , *T-MTT Aug 97* 1375-1383
- Ridge waveguides**
- circ. multiridge waveguide, modes calc. *Morini, A.*, + , *MWSYM 97* 199-202 vol.1
- double-ridged TEM coaxial line, charact. impedance. *Garb, K.*, + , *T-MTT Apr 97* 554-557
- dual mode filters and polarizers, conically shaped coupling elements. *Balaji, U.*, + , *MWSYM 97* 1247-1250 vol.3
- dual mode filters in circ. waveguide incl. tuning elements, CAD. *Boria, V.*, + , *MWSYM 97* 1575-1578 vol.3
- field displacement isolator. *Wen Junding*, + , *T-MTT May 97* 698-700
- filters, CAD, modal block-LU-decomp. *Beyer, R.*, + , *MWSYM 97* 1235-1238 vol.3
- global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM 97* 1373-1376 vol.3
- pole-free modal field-matching, eigenvalue problems in EM. *Amari, S.*, + , *T-MTT Sep 97* 1649-1653
- ridge-loaded helical-groove slow-wave struct. *Wenxiang Wang*, + , *T-MTT Oct 97* 1689-1695
- ridge-trough waveguide, characts. *Guha, D.*, + , *T-MTT Mar 97* 449-453
- Road transportation; cf.** Automated highways
- Road vehicle control**
- automotive intell. cruise control, MM-wave radar sens. *Russell, M.E.*, + , *MWSYM 97* 1257-1260 vol.3
- IVHS, headway control, MM-wave dual mode radar. *Konno, K.*, + , *MWSYM 97* 1261-1264 vol.3
- millimeter-wave radar sensor for automotive intell. cruise control. *Russell, M.E.*, + , *T-MTT Dec 97* 2444-2453
- Road vehicle electronics**
- act. SIMMWIC antenna. *Singer, M.*, + , *MWSYM 97* 1265-1268 vol.3
- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC 97* 225-228
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verwey, L.*, + , *RFIC 97* 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verwey, L.*, + , *MWSYM 97* 243-246 vol.1
- W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM 97* 971-974 vol.2
- Road vehicle identification**
- RFID, RF ident., automatic data collection. *Tuttle, J.R.*, *RFIC 97* 5-8
- Road vehicle radar**
- automotive intell. cruise control, MM-wave radar sens. *Russell, M.E.*, + , *MWSYM 97* 1257-1260 vol.3
- automotive radar systs. *Dixit, R.*, + , *MWSYM 97* 1253-1256 vol.3
- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC 97* 225-228
- GaAs monolithic PIN switch network for automotive collision warning radar. *Putnam, J.*, + , *MWSYM 97* 753-756 vol.2
- IVHS, headway control, MM-wave dual mode radar. *Konno, K.*, + , *MWSYM 97* 1261-1264 vol.3
- PHEMT MMIC based CPW T/R-modules for 76 GHz automotive appls. *Verwey, L.*, + , *RFIC 97* 203-206
- PHEMT MMIC compact CPW T/R-modules for automotive appls. *Verwey, L.*, + , *MWSYM 97* 243-246 vol.1
- W-band multi-beam Doppler radar, AIMMWIC technol., automotive appl. *Rasshofer, R.H.*, + , *MWSYM 97* 971-974 vol.2

Road vehicles

- intell. cruise control, MM-wave radar sens. *Russell, M.E.*, + , *MWSYM 97* 1257-1260 vol.3
- IVHS, headway control, MM-wave dual mode radar. *Konno, K.*, + , *MWSYM 97* 1261-1264 vol.3
- radar systs. *Dixit, R.*, + , *MWSYM 97* 1253-1256 vol.3

S**Safety; cf.** Product safety**Sapphire**

- shielded uniaxially anisotropic DR, reson. freqs. and field distribs. *Jenn-Ming Guan*, + , *T-MTT Oct 97* 1767-1777

Satellite antennas

- broadband external modulation fiber-optic links, antenna-remoting appls. *Ackerman, E.I.*, + , *T-MTT Aug 97* 1436-1442
- circ. corrugated feeds, adjoint network method, automated design. *Mongiardo, M.*, + , *T-MTT May 97* 787-793

Satellite applications; cf. Satellite communication**Satellite communication**

- FET lin., satellite appls. *Ogura, S.*, + , *MWSYM 97* 1195-1198 vol.3
- MMIC SOM in opt. fed phased array antennas for Ka-band commun. satellites. *Daryoush, A.S.*, + , *MWSYM 97* 351-354 vol.1

Satellite communication; cf. Satellite mobile communication**Satellite communication onboard systems**

- Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, + , *T-MTT Aug 97* 1288-1295

Satellite mobile communication

- GaAs power MESFETs, S-band, second-harmonic terminating tech., mobile satcom appls. *Takenaka, I.*, + , *MWSYM 97* 1417-1420 vol.3

Satellite navigation systems; cf. Global Positioning System**Scattering; cf.** Electromagnetic scattering**Scattering matrices**

- conductor loaded resonators and filters in rect. cavities, modelling. *Chi Wang*, + , *MWSYM 97* 797-800 vol.2
- correction to "Constraints to the optimum performance and bandwidth limitations of duplexers employing three-port junctions" (Feb 96 242-248). *Morini, A.*, *T-MTT May 97* 704
- cross waveguide to large circ. waveguide jn., anal. and filter design appl. *Ke-Li Wu*, + , *T-MTT Jan 97* 153-157
- dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT Feb 97* 221-228
- ellipt.-waveguide jn., two-port scatt. *Kin-Lung Chan*, + , *T-MTT Aug 97* 1255-1262
- ellipt. waveguide step discontinuity, modal scatt. matrix. *Matras, P.*, + , *T-MTT Mar 97* 453-458
- four-port network, dual-polarized scatt. matrix. *Tomiyasu, K.*, *T-MTT Mar 97* 354-358
- HTS dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, + , *MWSYM 97* 1725-1728 vol.3
- LINAC, tapered multi-cell struct., GSM anal. *Dohlus, M.*, + , *MWSYM 97* 1523-1526 vol.3
- lossless multiport, generalized scatt. matrix, discontinuities. *Morini, A.*, + , *MWSYM 97* 1607-1610 vol.3
- microwave crack charact. sig. anal., generalized scatt. matrix representation. *Huber, C.*, + , *T-MTT Apr 97* 477-484
- microwave planar ccts., full-wave segmentation anal. *Shih-Ping Liu*, + , *T-MTT Sep 97* 1554-1562
- rect./circ. multiaperture couplers, mode-matching CAD. *Sieverding, T.*, + , *T-MTT Jul 97* 1034-1040
- rect. waveguide broadwall couplers, modal anal. *Sieverding, T.*, + , *MWSYM 97* 1559-1562 vol.3
- reson. disk turnstile, theory and L-band prototype. *Zimmerman, R.K., Jr.*, *T-MTT Sep 97* 1600-1610
- symm. multiport sig.-separation structs., equiv. ccts. *Jimenez, A.D.*, *T-MTT Sep 97* 1537-1544
- T-jn. manifold multiplexer optim., design formulas. *Morini, A.*, + , *MWSYM 97* 1025-1028 vol.2

Scattering matrices

- corrections to "Resonant disk turnstile" (Sep 97 1600-1610). *Zimmerman, R.K., Jr.*, *T-MTT Nov 97* 2063

Scattering parameters

- 2D planar ccts., proximity-coupled/direct-fed, leaky-modes leakage. *Kuo-Cheng Chen*, + , *MWSYM 97* 495-498 vol.2
- 3D microstrip struct., layered media, MPIE approach. *Bunger, R.*, + , *T-MTT Aug 97* 1141-1153
- absorbing-boundary conditions, PML tech. for 3D TLM simul. *Pena, N.*, + , *T-MTT Oct 97* 1749-1755
- alignment tolerant stripline directional couplers, design. *Budka, T.P.*, + , *MWSYM 97* 773-776 vol.2

- bipolar transistors, HF modeling, capacitance topol. *Ciubotaru, A.A.*, + , *MWSYM* 97 1477-1480 vol.3
- circ. waveguide bends, CAD-oriented modeling, extended local modes approach. *Weisshaar, A.*, + , *MWSYM* 97 1591-1594 vol.3
- coplanar cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, + , *MWSYM* 97 1811-1814 vol.3
- coplanar stripline components, HF appls. *Goverdhanam, K.*, + , *T-MTT Oct* 97 1725-1729
- CPW bandpass filters, perform. comparison. *Fang-Lih Lin*, + , *MWSYM* 97 813-816 vol.2
- DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun* 97 886-897
- dielec.-loaded parallel-plate waveguide, time/space-adaptive gridding, MRTD. *Tentzeris, E.M.*, + , *MWSYM* 97 337-340 vol.1
- discontinuities in guided structs., power loss charactn. *Sarkar, T.K.*, + , *MWSYM* 97 613-616 vol.2
- dual mode filters and polarizers, conically shaped coupling elements. *Balaji, U.*, + , *MWSYM* 97 1247-1250 vol.3
- dual-mode rect. waveguide filters, distributed coupling. *Savi, P.*, + , *T-MTT Feb* 97 221-228
- ellipt. waveguide step discontinuity, modal scatt. matrix. *Matras, P.*, + , *T-MTT Mar* 97 453-458
- FDTD impedance boundary condition, waveguide discontinuity anal. appl. *Shibata, T.*, + , *MWSYM* 97 75-78 vol.1
- ferrite thin-film Y-jn. circulator, effective-field theory. *How, H.*, + , *MWSYM* 97 1127-1130 vol.2
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, + , *MWSYM* 97 987-990 vol.2
- GaAs MESFET, discontinuity effects on HF perform. *Megahed, M.A.*, + , *MWSYM* 97 609-612 vol.2
- GaAs MMIC high power limiters for cct. protection. *Trantanella, C.*, + , *MWSYM* 97 535-538 vol.2
- GaInP/AlGaAs power HBT, non-quasi-static model. *Frayse, J.P.*, + , *MWSYM* 97 379-382 vol.2
- global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec* 97 2208-2216
- grid oscillators, feedback optim. *Shiroma, W.A.*, + , *MWSYM* 97 1053-1056 vol.2
- HBT param. extraction, DC, S-param. and noise data. *Cai, Q.*, + , *MWSYM* 97 861-864 vol.2
- HBT, small-sig. equiv. cct. *Gobert, Y.*, + , *T-MTT Jan* 97 149-153
- HEMTs, microwave model, distributed effects, wave eqns. *Kasemsuwan, V.*, + , *T-MTT Mar* 97 420-427
- high-speed packaging interconnects, freq.-domain modeling. *Beyene, W.T.*, + , *T-MTT Oct* 97 1941-1947
- H-shaped planar antennas, alternating TLM field-solver. *Lindenmeier, S.*, + , *MWSYM* 97 1365-1368 vol.3
- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan* 97 39-45
- InP HEMT act. monolithic coplanar V-band mixer. *Schefer, M.*, + , *MWSYM* 97 1043-1046 vol.2
- InP HEMTs, VHF small-sig. equiv. cct. *Miras, A.*, + , *T-MTT Jul* 97 1018-1026
- interdigital microstrip gap, laser spot illum., S-params. *Horii, Y.*, + , *MWSYM* 97 1635-1638 vol.3
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep* 97 1563-1571
- LMR 16, self-calib. procedure for leaky NWA. *Silvonen, K.*, *T-MTT Jul* 97 1041-1049
- lossless planar cct. element design, magnetostatic field solver. *Lindenmeier, S.*, + , *MWSYM* 97 1807-1810 vol.3
- MESFET C-class amp., bias and temp. depend. *Munoz, S.*, + , *T-MTT Apr* 97 527-533
- MESFETs/spiral inductors, epitaxial lift off technol., RF meas. *Morf, T.*, + , *RFIC* 97 197-200
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938
- microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM* 97 1799-1802 vol.3
- microstrip line, higher order mode leakage, FDTD anal. *Zhewang Ma*, + , *MWSYM* 97 1631-1634 vol.3
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan* 97 46-51
- microwave filters, design based on distrib. param. model. *Tascone, R.*, + , *MWSYM* 97 643-646 vol.2
- microwave filters, design, contin. varying transm. lines. *Le Roy, M.*, + , *MWSYM* 97 639-642 vol.2
- microwave resonator filter anal., 3D finite-element modal freq. method. *Brauer, J.R.*, + , *T-MTT May* 97 810-818
- MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM* 97 1793-1796 vol.3
- MMIC pass. elements, EM-CAD, multilayer perceptron neural network appls. *Creech, G.L.*, + , *T-MTT May* 97 794-802
- MM-wave amps., phys. simul., full-wave FDTD tech. *Imtiaz, S.M.S.*, + , *MWSYM* 97 79-82 vol.1
- mm-wave CPW ccts., wide band CAD model, FDTD tech. *Lan, E.*, + , *MWSYM* 97 1583-1586 vol.3
- multilayer dielec. media MICs in rect. waveguide. *Pereira Filho, O.M.C.*, + , *MWSYM* 97 1535-1538 vol.3
- nonuniform coupled multiconductor structs., exptl. cct. modeling. *Sercu, S.*, + , *MWSYM* 97 1781-1784 vol.3
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct* 97 1934-1940
- packaging, ccts. and interconnects, finite-element modeling. *Polycarpou, A.C.*, + , *T-MTT Oct* 97 1868-1874
- pass. component models in CPW for 50 GHz MMICs. *Shimon, R.*, + , *MWSYM* 97 769-772 vol.2
- planar microwave ccts., diatoptics and multilevel moments method. *Ooms, S.*, + , *MWSYM* 97 1803-1806 vol.3
- ridged waveguide filters, CAD, modal block-LU-decomp. *Beyer, R.*, + , *MWSYM* 97 1235-1238 vol.3
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM* 97 877-880 vol.2
- SOP packages, FDTD-Touchstone hybrid tech. for equiv. cct. modeling. *Yinchao Chen*, + , *T-MTT Oct* 97 1911-1918
- unbounded and bounded ccts. and antennas, anal. *Xiaohong Jiang*, + , *MWSYM* 97 617-620 vol.2
- via hole grounded microstrips, hybrid full-wave anal. *Dongsoo Koh*, + , *MWSYM* 97 89-92 vol.1
- wideband multiport planar power divider design. *Yung-Jinn Chen*, + , *MWSYM* 97 397-400 vol.2
- Scattering parameters measurement**
- bilateral electro-optic network for lightwave component charactn. *Elamaran, B.*, + , *T-MTT Aug* 97 1493-1496
- complex permitt. meas. for biological and organic liqs., 20-110 GHz. *Duhamel, F.*, + , *MWSYM* 97 107-110 vol.1
- coupled symm. lines, impedance matrix, S-param. meas. *Winkel, T.-M.*, + , *MWSYM* 97 1769-1772 vol.3
- dielec. resonators, transm. mode, Q-factor meas. *Leong, K.*, + , *MWSYM* 97 1639-1642 vol.3
- LNN, line network network, in-fixture calib. procedure for NWA. *Henermann, H.*, + , *T-MTT Mar* 97 408-413
- membrane quadrant probe for R&D appls., on-wafer known good die testing. *Basu, S.*, + , *MWSYM* 97 1671-1673 vol.3
- microwave FETs, distributed meas.-based nonlin. model. *Mallet-Guy, B.*, + , *MWSYM* 97 869-872 vol.2
- microwave hybrid ICs, curved microstrip bonding wire, FDTD anal. *Alimenti, F.*, + , *MWSYM* 97 1737-1740 vol.3
- microwave package models, on-wafer meas. *Chun, C.*, + , *T-MTT Oct* 97 1948-1954
- multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3
- multiconductor struct., field distrib. and scatt. param. meas. *Yingjie Gao*, + , *MWSYM* 97 1741-1744 vol.3
- noise param./S-param. meas. tech. *Schmatz, M.L.*, + , *MWSYM* 97 1443-1446 vol.3
- nonlin. modeling of SiGe HBTs up to 50 GHz. *Rheinfelder, C.*, + , *T-MTT Dec* 97 2503-2508
- pure-mode VNA for on-wafer meas. of mixed-mode S-params. of differential ccts. *Bockelman, D.E.*, + , *T-MTT Jul* 97 1071-1077
- rect. waveguides, micromachined air-filled, W-band meas. *Collins, C.E.*, + , *MWSYM* 97 1439-1442 vol.3
- Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM* 97 865-868 vol.2
- surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM* 97 995-998 vol.2
- W-band MMIC on-wafer testing, microstrip SOLT calib. tech. *Yon-Lin Kok*, + , *MWSYM* 97 1663-1666 vol.3
- Schottky barriers**
- distributed microwave HBT, transm. line model. *Liou, L.L.*, *MWSYM* 97 1473-1476 vol.3
- Schottky diode frequency converters**
- parallel pair Schottky diode mm-wave freq. tripler, varactors. *Thornton, J.*, + , *MWSYM* 97 957-958 vol.2
- terahertz grid freq. doubler, Schottky diodes. *Moussessian, A.*, + , *MWSYM* 97 683-686 vol.2
- Schottky diode frequency converters; cf. Schottky diode mixers**
- Schottky diode mixers**
- broadband HBT distrib. act. bal. Schottky mixer MMIC, 12-24 GHz. *Kobayashi, K.W.*, + , *RFIC* 97 75-78
- even harmonic mixer, output power and conversion loss. *Itoh, K.*, + , *MWSYM* 97 849-852 vol.2

- fixed-tuned sub-mm wavelength waveguide mixers, planar Schottky-barrier diodes. *Hesler, J.L.*, + , *T-MTT May 97* 653-658
- heterolithic Si-glass based double bal. mixers for cellular appls. *Putnam, J.*, + , *MWSYM 97* 653-656 vol.2
- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM 97* 841-844 vol.2
- microwave diode mixer, nonlin. anal., extended FDTD algm. *Min Chen*, + , *MWSYM 97* 67-70 vol.1
- submillimeter wavelength planar Schottky diode waveguide mixers, fixed tuned cct. *Hesler, J.L.*, + , *MWSYM 97* 953-956 vol.2
- submillimeter-wave spectrometer for detect. of water in Solar System. *Boric-Lubecke, O.*, + , *MWSYM 97* 569-572 vol.2
- Schottky diodes**
- microwave miniaturized linearizer using parallel diode with bias feed resist. *Yamauchi, K.*, + , *T-MTT Dec 97* 2431-2435
- Semiconductor device bonding**
- InP HBT, Si substr., wafer scale package. *Chun, C.*, + , *MWSYM 97* 513-516 vol.2
- Semiconductor device breakdown**
- InGaP-InGaAs double LDD heterostruct. MESFET for MMIC appls. *Yamane, Y.*, + , *RFIC 97* 211-214
- InGaP-InGaAs H-MESFETs for MMIC/MIMIC appls., double LDD struct. *Yamane, Y.*, + , *MWSYM 97* 251-254 vol.1
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep 97* 1563-1571
- Semiconductor device doping**
- eval. of MESFET nonlin. intermodulation distortion reduction by channel-doping control. *Pedro, J.C.*, *T-MTT Nov 97* 1989-1997
- Semiconductor device fabrication**
- MESFETs/spiral inductors, epitaxial lift off technol., RF meas. *Morf, T.*, + , *RFIC 97* 197-200
- Semiconductor device fabrication; cf.** Semiconductor device bonding; Semiconductor device doping
- Semiconductor device manufacture**
- microwave Si power transistor fab., monolithic impedance matching ccts. *Phing Li*, + , *MWSYM 97* 991-994 vol.2
- Semiconductor device measurements**
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan 97* 58-71
- AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC 97* 185-188
- AlGaAs/GaAs thermally-shunted HBTs, max. power dens., power-added efficiency. *Jenkins, T.*, + , *MWSYM 97* 949-952 vol.2
- cascode HBTs for efficient high power microwave appls., thermal instabil. *Salib, M.*, + , *MWSYM 97* 897-900 vol.2
- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM 97* 1399-1402 vol.3
- HBT, electrothermal model, pulsed meas. *Peyrettaillade, T.*, + , *MWSYM 97* 1515-1518 vol.3
- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan 97* 39-45
- InGaP/GaAs UHF power HBT, dyn. load lines meas. *Ohara, S.*, + , *MWSYM 97* 909-912 vol.2
- MESFETs/spiral inductors, epitaxial lift off technol., RF meas. *Morf, T.*, + , *RFIC 97* 197-200
- microwave FETs, distributed meas.-based nonlin. model. *Mallet-Guy, B.*, + , *MWSYM 97* 869-872 vol.2
- microwave jn.-FET access resist., impedance data set. *Osgood, K.*, + , *MWSYM 97* 873-876 vol.2
- microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug 97* 1368-1374
- microwave transistors, power amps., IMD meas. *Barataud, D.*, + , *MWSYM 97* 1687-1690 vol.3
- Si bipolar medium power transistors, double poly proc., on-wafer loadpull meas. *van Rijs, F.*, + , *RFIC 97* 15-18
- Statz MESFET model, capacitance params. extraction. *Van den Bosch, S.*, + , *T-MTT Aug 97* 1247-1249
- Semiconductor device modeling**
- AlGaAs/GaAs HBTs, large-sig. microwave characts., phys.-based electrothermal model. *Snowden, C.M.*, *T-MTT Jan 97* 58-71
- AlGaAs/GaAs HBTs, noise modeling. *Daniel, T.*, *MWSYM 97* 1469-1472 vol.3
- AlGaAs/GaAs power HBT, large-sig. charact., self-heating. *Samelis, A.*, + , *T-MTT Apr 97* 534-542
- bipolar transistors, HF modeling, capacitance topol. *Ciubotaru, A.A.*, + , *MWSYM 97* 1477-1480 vol.3
- DC, HF HBT model param. eval., S-param. data. *Samelis, A.*, + , *T-MTT Jun 97* 886-897
- determining GaAs MESFET small-sig. equiv.-cct. elements. *Ooi, B.-L.*, + , *T-MTT Dec 97* 2084-2088
- determ. of wave noise sources using spectral parametric modeling. *Werling, T.*, + , *T-MTT Dec 97* 2461-2467
- device/cct.-level modeling, neural network training. *Zaabab, A.H.*, + , *T-MTT Oct 97* 1696-1704
- distributed microwave HBT, transm. line model. *Liou, L.L.*, *MWSYM 97* 1473-1476 vol.3
- FET, nonquasi-static model. *Fernandez-Barciela, M.*, + , *MWSYM 97* 1499-1502 vol.3
- GaAs HBT profile optim., Taguchi method. *Henderson, G.N.*, + , *MWSYM 97* 1465-1468 vol.3
- GaAs MESFET, channel-current model incl. thermal effects. *Tae Moon Roh*, + , *T-MTT Aug 97* 1252-1255
- GaAs MESFET, discontinuity effects on HF perform. *Megahed, M.A.*, + , *MWSYM 97* 609-612 vol.2
- GaInP/AlGaAs power HBT, non-quasi-static model. *Frayse, J.P.*, + , *MWSYM 97* 379-382 vol.2
- GaInP-GaAs HBT act. antenna, self oscillating Doppler sens. *Kelly, M.J.*, + , *MWSYM 97* 1065-1068 vol.2
- global modeling of millimeter-wave amps. *Imtiaz, S.M.S.*, + , *T-MTT Dec 97* 2208-2216
- HBT, electrothermal model, pulsed meas. *Peyrettaillade, T.*, + , *MWSYM 97* 1515-1518 vol.3
- HBT HF modeling and integrated param. extraction. *Cai, Q.*, + , *T-MTT Dec 97* 2493-2502
- HBT, large sig. model, hybrid pi and Tee cct. topologies. *Teeter, D.A.*, + , *MWSYM 97* 375-378 vol.2
- HBT param. extraction, DC, S-param. and noise data. *Cai, Q.*, + , *MWSYM 97* 861-864 vol.2
- HBT RF noise param. determ. method. *Rouquette, P.*, + , *T-MTT May 97* 690-694
- HBT, small-sig. equiv. cct. *Gobert, Y.*, + , *T-MTT Jan 97* 149-153
- HEMT, large-sig. charactn., multilayered neural network. *Shirakawa, K.*, + , *T-MTT Sep 97* 1630-1633
- HEMTs, microwave and millimeter wave devices, phys.-based electro-thermal model. *Johnson, R.G.*, + , *MWSYM 97* 1485-1488 vol.3
- HEMTs, microwave model, distributed effects, wave eqns. *Kasemsuwan, V.*, + , *T-MTT Mar 97* 420-427
- hybrid FDTD large-sig. modeling of three-terminal act. devices. *Qiang Chen*, + , *T-MTT Aug 97* 1267-1270
- InGaAs/InAlAs HFET, full wave BIE anal. *Schroeder, W.*, + , *MWSYM 97* 159-162 vol.1
- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan 97* 39-45
- InGa/InAlAs/InP HBT, harmonic and IMD. *Bin Li*, + , *T-MTT Jul 97* 1135-1137
- InP/GaInAs/InP p-i-n photodetector, microwave power transm. appl. *Harari, J.*, + , *T-MTT Aug 97* 1332-1336
- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM 97* 841-844 vol.2
- InP HEMTs, VHF small-sig. equiv. cct. *Miras, A.*, + , *T-MTT Jul 97* 1018-1026
- intermodulation mechanism and linearization of AlGaAs/GaAs HBTs . *Lee, J.*, + , *T-MTT Dec 97* 2065-2072
- knowledge based neural models for microwave design. *Fang Wang*, + , *MWSYM 97* 627-630 vol.2
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep 97* 1563-1571
- MESFET C-class amp., bias and temp. depend. *Munoz, S.*, + , *T-MTT Apr 97* 527-533
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May 97* 846-855
- microwave bias depend. HEMT noise model, applied gate/drain voltages. *Klapproth, L.*, + , *MWSYM 97* 881-884 vol.2
- microwave FETs, DC/AC nonlin. dispersion models, scaleability. *Cojocar, V.I.*, + , *MWSYM 97* 387-390 vol.2
- microwave FETs, distributed meas.-based nonlin. model. *Mallet-Guy, B.*, + , *MWSYM 97* 869-872 vol.2
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan 97* 46-51
- microwave HBT, electrothermal simul., TLM method, quasi 2D model. *Jinjin Shen*, + , *MWSYM 97* 1481-1484 vol.3
- nonlin. modeling of SiGe HBTs up to 50 GHz. *Rheinfelder, C.*, + , *T-MTT Dec 97* 2503-2508
- parasitic resist. extraction errors, microwave FET model accuracy. *Cojocar, V.I.*, + , *MWSYM 97* 1599-1602 vol.3
- PHEMT, interdigitated power device, small-sig. model. *Shen-Whan Chen*, + , *T-MTT May 97* 700-703
- scalable general-purpose model for microwave FETs including DC/AC dispersion effects. *Cojocar, V.I.*, + , *T-MTT Dec 97* 2248-2255
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM 97* 877-880 vol.2
- Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM 97* 865-868 vol.2

- Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM* 97 391-394 vol.2
- Statz MESFET model, capacitance params. extraction. *Van den Bosch, S.*, + , *T-MTT Aug* 97 1247-1249
- step recovery diode, charge model, CAD. *Opalska, K.*, + , *MWSYM* 97 1503-1506 vol.3
- submicron highly-doped semicond. MM-wave devices, noise modeling. *Abou-Elnour, O.*, + , *MWSYM* 97 1289-1292 vol.3
- transistor noise params., gatewidth and bias current depend. *Gasmi, A.*, + , *T-MTT Mar* 97 338-344
- Semiconductor device noise**
- AlGaAs/GaAs HBTs, noise modeling. *Daniel, T.*, *MWSYM* 97 1469-1472 vol.3
- AlGaAs/GaAs self-aligned HBT, LF noise. *Jin-Ho Shin*, + , *MWSYM* 97 133-136 vol.1
- AlGaAs/GaAs self-aligned HBTs, low-freq. noise characts. noise corner freq. below 3 kHz. *Jin-Ho Shin*, + , *RFIC* 97 185-188
- determ. of wave noise sources using spectral parametric modeling. *Werling, T.*, + , *T-MTT Dec* 97 2461-2467
- HBT HF modeling and integrated param. extraction. *Cai, Q.*, + , *T-MTT Dec* 97 2493-2502
- HBT param. extraction, DC, S-param. and noise data. *Cai, Q.*, + , *MWSYM* 97 861-864 vol.2
- HBT RF noise param. determ. method. *Rouquette, P.*, + , *T-MTT May* 97 690-694
- InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun* 97 977-983
- InP HBT Schottky diode, 1/f noise model, MM-wave mixer. *Chung, Y.H.*, + , *MWSYM* 97 841-844 vol.2
- InP HEMT cold/hot noise sources. *Dunleavy, L.P.*, + , *MWSYM* 97 1293-1296 vol.3
- microwave bias depend. HEMT noise model, applied gate/drain voltages. *Klapproth, L.*, + , *MWSYM* 97 881-884 vol.2
- microwave FET temp.-depend. small-sig. and noise equiv. cct. model, MMIC amps. *Winson, P.B.*, + , *T-MTT Jan* 97 46-51
- submicron highly-doped semicond. MM-wave devices, noise modeling. *Abou-Elnour, O.*, + , *MWSYM* 97 1289-1292 vol.3
- transistor noise params., gatewidth and bias current depend. *Gasmi, A.*, + , *T-MTT Mar* 97 338-344
- wave noise sources, spectral parametric modeling. *Werling, T.*, + , *MWSYM* 97 1447-1450 vol.3
- Semiconductor device packaging**
- InP HBT, Si substr., wafer scale package. *Chun, C.*, + , *MWSYM* 97 513-516 vol.2
- microwave Si power transistor fab., monolithic impedance matching ccts. *Phing Li*, + , *MWSYM* 97 991-994 vol.2
- Semiconductor device reliability**
- GaAs HBT monolithic microwave amp., reliab. *Yamada, F.M.*, + , *MWSYM* 97 141-144 vol.1
- Semiconductor devices; cf.** Gunn devices; MSM devices; Semiconductor diodes; Semiconductor lasers; Transistors
- Semiconductor device testing**
- microwave jn.-FET access resist., impedance data set. *Osgood, K.*, + , *MWSYM* 97 873-876 vol.2
- microwave transistors, multitone power and IM load-pull charactn. *Hajji, R.*, + , *T-MTT Jul* 97 1093-1099
- Semiconductor device thermal factors**
- 28-V low thermal-impedance HBT with 20-W CW output power. *Hill, D.*, + , *T-MTT Dec* 97 2224-2228
- AlGaAs/GaAs HBT, low thermal impedance, CW output power. *Hill, D.*, + , *MWSYM* 97 137-140 vol.1
- AlGaAs/GaAs low thermal impedance HBT, microwave power devices. *Hill, D.*, + , *RFIC* 97 189-192
- AlGaAs/GaAs power HBT, large-sig. charact., self-heating. *Samelis, A.*, + , *T-MTT Apr* 97 534-542
- AlGaAs/GaAs power HBTs, LV digital cellular phones. *Hayama, N.*, + , *MWSYM* 97 1307-1310 vol.3
- AlGaAs/GaAs thermally-shunted HBTs, max. power dens., power-added efficiency. *Jenkins, T.*, + , *MWSYM* 97 949-952 vol.2
- cascode HBTs for efficient high power microwave appls., thermal instabil. *Salib, M.*, + , *MWSYM* 97 897-900 vol.2
- GaAs MESFET, channel-current model incl. thermal effects. *Tae Moon Roh*, + , *T-MTT Aug* 97 1252-1255
- GaN/AlGaAs power HBT, non-quasi-static model. *Frayse, J.P.*, + , *MWSYM* 97 379-382 vol.2
- HBT, electrothermal model, pulsed meas. *Peyretailade, T.*, + , *MWSYM* 97 1515-1518 vol.3
- HBT param. extraction, DC, S-param. and noise data. *Cai, Q.*, + , *MWSYM* 97 861-864 vol.2
- HEMTs, microwave and millimeter wave devices, phys.-based electro-thermal model. *Johnson, R.G.*, + , *MWSYM* 97 1485-1488 vol.3
- MESFET C-class amp., bias and temp. depend. *Munoz, S.*, + , *T-MTT Apr* 97 527-533
- microwave HBT, electrothermal simul., TLM method, quasi 2D model. *Jinjin Shen*, + , *MWSYM* 97 1481-1484 vol.3
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM* 97 877-880 vol.2
- Semiconductor diodes**
- 3D TLM networks, nonlin. act. and pass. device modeling. *Cascio, L.*, + , *MWSYM* 97 383-386 vol.2
- step recovery diode, charge model, CAD. *Opalska, K.*, + , *MWSYM* 97 1503-1506 vol.3
- Semiconductor diodes; cf.** Photodiodes; p-i-n diodes; Schottky diodes; Varactors
- Semiconductor diode switches**
- GaAs MMIC PIN switch, automotive collision warning radar. *Putnam, J.*, + , *RFIC* 97 225-228
- GaAs PIN diode W-band SP3T switch CPW MMIC. *Case, M.*, + , *MWSYM* 97 1047-1051 vol.2
- Semiconductor diode switches; cf.** Power semiconductor diode switches
- Semiconductor epitaxial layers**
- GaAs MESFETs and pass. components, epitaxial lift off. *Morf, T.*, + , *MWSYM* 97 145-148 vol.1
- MESFETs/spiral inductors, epitaxial lift off technol., RF meas. *Morf, T.*, + , *RFIC* 97 197-200
- Semiconductor films; cf.** Semiconductor epitaxial layers
- Semiconductor-insulator-semiconductor devices; cf.** p-i-n diodes
- Semiconductor lasers**
- GaAs tunable fiber-coupled photomixers, coherent THz output power. *Vergheze, S.*, + , *T-MTT Aug* 97 1301-1309
- high-power stable LD module for 60 GHz MM-wave sig. gen. *Kuri, T.*, + , *MWSYM* 97 221-224 vol.1
- Ka-band commun. satellites, long opt.-cavity LD, opt. transmitter. *Daryoush, A.S.*, + , *T-MTT Aug* 97 1288-1295
- megahertz-linewidth microwave sig., opt. generation, discriminator-aided PLL. *Fan, F.Z.*, + , *T-MTT Aug* 97 1296-1300
- mm-wave fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, + , *T-MTT Aug* 97 1431-1435
- mobile broadband commun. syst. based on mode-locked lasers. *von Helmolt, C.H.*, + , *T-MTT Aug* 97 1424-1430
- VCSEL, small-sig. charactn., appls. *Hietala, V.M.*, + , *MWSYM* 97 355-358 vol.1
- Semiconductor lasers; cf.** Quantum well lasers; Semiconductor optical amplifiers; Surface-emitting lasers
- Semiconductor materials**
- SiC mm-wave avalanche transit time oscillator at high temp., power generation. *Meng, C.C.*, + , *MWSYM* 97 963-966 vol.2
- SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, + , *RFIC* 97 19-22
- SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM* 97 877-880 vol.2
- SiGe microwave power BJTs. *Henderson, G.N.*, + , *MWSYM* 97 1299-1302 vol.3
- SiGe MIMC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108
- Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *RFIC* 97 233-236
- Semiconductor optical amplifiers**
- externally modulated microwave analog links, semicond. laser sources. *Betts, G.E.*, + , *T-MTT Aug* 97 1280-1287
- opt. fiber delay-line RF filter, semicond. opt. amp. appl. *Coppinger, F.*, + , *T-MTT Aug* 97 1473-1477
- Semiconductor plasmas**
- act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug* 97 1486-1492
- MM-wave beam-steering antenna, opt. controlled config. *Manasson, V.A.*, + , *T-MTT Aug* 97 1497-1500
- tunable microwave load based on biased photoinduced plasma in Si. *Boyer, B.*, + , *T-MTT Aug* 97 1362-1367
- Semiconductor switches; cf.** FET switches; Semiconductor diode switches
- Sensitivity**
- bilateral electro-optic network for lightwave component charactn. *Elamaram, B.*, + , *T-MTT Aug* 97 1493-1496
- circ. corrugated feeds, adjoint network method, automated design. *Mongiardo, M.*, + , *T-MTT May* 97 787-793
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May* 97 846-855
- waveguide-to-microstrip transit., systematic optimum design methods. *Hong-Bae Lee*, + , *T-MTT May* 97 803-809
- Sensory aids; cf.** Hearing aids
- Series (mathematics)**
- ellipt. waveguide step discontinuity, modal scatt. matrix. *Matras, P.*, + , *T-MTT Mar* 97 453-458

Series (mathematics); cf. Fourier series; Volterra series

Shape

microwave imaging, location and shape reconstruction, multifreq. scatt. data. *Belkebir, K.*, + , *T-MTT Apr 97* 469-476

Shielding; cf. Electromagnetic shielding

Shot noise

InAlAs/InGaAs/InP HFET, RF and noise behavior, impact ionization modelling. *Reuter, R.*, + , *T-MTT Jun 97* 977-983

Signal analysis

microwave crack charact. sig. anal., generalized scatt. matrix representation. *Huber, C.*, + , *T-MTT Apr 97* 477-484

Signal analysis; cf. Harmonic analysis; Spectral analysis

Signal detection; cf. Distributed detection; Heterodyning; Optical signal detection; Phase detection

Signal generators

quadrature generator, self-calib., freq. range. *Lovalace, D.*, + , *RFIC 97* 147-151

Signal generators; cf. Noise generators

Signal processing

microwave and millimeter-wave photonics (special issue). *T-MTT Aug 97* 1277-1536

microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug 97* 1277-1278

microwave nonlin. ccts., electrothermal transients and DSP. *Rizzoli, V.*, + , *MWSYM 97* 367-370 vol.2

monobit receiver able, proc. 2 simultaneous sigs. *Tsui, J.B.Y.*, + , *MWSYM 97* 469-471 vol.2

Signal processing; cf. Array signal processing; Optical signal processing; Radar signal processing; Signal sampling

Signal processing antennas

switchable opt. time-delay networks for microwave array antennas, crosstalk. *Schaffer, C.*, *T-MTT Aug 97* 1519-1521

Signal reconstruction; cf. Image reconstruction

Signal sampling

2-GHz subharmonic sampler for sig. downconversion. *Parssinen, A.*, + , *T-MTT Dec 97* 2344-2351

subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM 97* 665-668 vol.2

V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, + , *T-MTT May 97* 659-665

Silicon

act. high-power RF pulse compress., opt. switched reson. delay lines. *Tantawi, S.G.*, + , *T-MTT Aug 97* 1486-1492

CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, + , *MWSYM 97* 945-948 vol.2

heterolithic Si-glass based double bal. mixers for cellular appls. *Putnam, J.*, + , *MWSYM 97* 653-656 vol.2

HF interconnects on Si substrs. for MMICs. *Ponchak, G.E.*, + , *RFIC 97* 101-104

InP K-band HEMT amp., Si micromachined conformal package. *Robertson, S.V.*, + , *MWSYM 97* 517-520 vol.2

microwave phase shifter, Si micromachined package. *Henderson, R.M.*, + , *MWSYM 97* 521-524 vol.2

MMIC spiral inductors and transm. lines, Cu-damascene interconnects. *Burghartz, J.N.*, + , *T-MTT Oct 97* 1961-1968

Si 3D masterslice MMIC, X-band amp., single-chip receiver. *Toyoda, I.*, + , *RFIC 97* 113-116

Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC 97* 9-12

Si bipolar medium power transistors, double poly proc., on-wafer loadpull meas. *van Rijs, F.*, + , *RFIC 97* 15-18

Si bipolar VCO, 3D MMIC technol., tuning range. *Kamogawa, K.*, + , *MWSYM 97* 1221-1224 vol.3

Si CMOS technol. compatible high-Q microwave inductors. *Min Park*, + , *RFIC 97* 181-184

Si CMOS technol., high Q microwave inductors. *Min Park*, + , *MWSYM 97* 129-132 vol.1

Si finite-width CPW open/short-circuited terminated series stubs. *Ponchak, G.E.*, + , *T-MTT Jun 97* 970-976

Si L-band RF, baseband monolithic microwave receiver, on-chip tuning. *Geis, L.A.*, + , *MWSYM 97* 1151-1154 vol.3

Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC 97* 121-125

Si MMIC, trenched Al CPW. *Bu, Z.R.*, + , *MWSYM 97* 735-738 vol.2

Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM 97* 865-868 vol.2

Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM 97* 391-394 vol.2

Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC 97* 23-26

Si RF-GCMOS IC technol., RF mixed-mode wireless appls. *Jun Ma*, + , *RFIC 97* 175-179

Si RF-GCMOS IC technol., RF mixed-mode wireless commun. *Jun Ma*, + , *MWSYM 97* 123-127 vol.1

Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC 97* 153-156

Si RF GCMOS technol., portable commun. appl. *Spears, E.*, + , *MWSYM 97* 1-4 vol.1

Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM 97* 761-764 vol.2

Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *RFIC 97* 233-236

tunable microwave load based on biased photoinduced plasma in Si. *Boyer, B.*, + , *T-MTT Aug 97* 1362-1367

Silicon alloys

MIMC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC 97* 105-108

nonlin. modeling of SiGe HBTs up to 50 GHz. *Rheinfelder, C.*, + , *T-MTT Dec 97* 2503-2508

SiGe bipolar MMIC LNA, HBTs, low noise fig. *Soyuer, M.*, + , *RFIC 97* 19-22

SiGe HBTs nonlin. modelling up to 50 GHz, nonideal leakage currents. *Rheinfelder, C.*, + , *MWSYM 97* 877-880 vol.2

SiGe microwave power BJTs. *Henderson, G.N.*, + , *MWSYM 97* 1299-1302 vol.3

SiGe MMICs and flip-chip MICs for low-cost microwave systs. *Case, M.*, *RFIC 97* 117-120

Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM 97* 761-764 vol.2

Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *RFIC 97* 233-236

WSi/Au T-shaped gate K-band power HEMT. *Kunii, T.*, + , *MWSYM 97* 1187-1190 vol.3

Silicon compounds

3D masterslice MMIC on Si substr. *Toyoda, I.*, + , *T-MTT Dec 97* 2524-2530

SiC, appl., high power UHF/microwave devices. *Morse, A.W.*, + , *MWSYM 97* 53-56 vol.1

SiC MESFETs for high-power S-band appls. *Allen, S.T.*, + , *MWSYM 97* 57-60 vol.1

SiC mm-wave avalanche transit time oscillator at high temp., power generation. *Meng, C.C.*, + , *MWSYM 97* 963-966 vol.2

wide-tuning range Si bipolar VCOs based on 3D MMIC technol. *Kamogawa, K.*, + , *T-MTT Dec 97* 2436-2443

Simulation

RF/opt. SCM commun. syst. optim. *Han, S.*, + , *MWSYM 97* 979-982 vol.2

waveguide-microstrip transit., EM optim. driver. *Min Zhang*, + , *T-MTT May 97* 861-864

Simulation; cf. Circuit simulation

Singular value decomposition

circ.-rect. coaxial waveguides, higher order modal charact. *Haiyin Wang*, + , *T-MTT Mar 97* 414-419

pole-free modal field-matching, eigenvalue problems in EM. *Amari, S.*, + , *T-MTT Sep 97* 1649-1653

Skin effect

coplanar cct. elements, conductor loss/thickness influence. *Vietzorreck, L.*, + , *MWSYM 97* 1811-1814 vol.3

finite lateral ground plane width CPW, ohmic losses. *Ghione, G.*, + , *T-MTT Sep 97* 1640-1642

symm. coupled CPWs, CAD-oriented model for HF atten. *Ghione, G.*, + , *T-MTT Jul 97* 1065-1070

Slot antennas

cylindrical slot antennas, microstrip-fed, GPS avionics. *Ho, C.H.*, + , *MWSYM 97* 1755-1758 vol.3

GaAs MMIC LNA-antennas, 30 GHz. *Roy, L.*, *MWSYM 97* 967-970 vol.2

GaAs substr. integrated micromachined antenna for 200 GHz operation. *Digby, J.W.*, + , *MWSYM 97* 561-564 vol.2

GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug 97* 1301-1309

mm-wave tapered slot antenna, improved radiation pattern. *Sugawara, S.*, + , *MWSYM 97* 959-962 vol.2

slot-ring subharmonic receivers, single-/dual-polarized. *Sanjay Raman*, + , *MWSYM 97* 565-568 vol.2

Slot arrays

nonleaky CPW fed slot antennas, mutual coupling, mm-wave imaging. *Yongxi Qian*, + , *MWSYM 97* 1623-1626 vol.3

X-band bi-directional quasi-opt. lens amp. array. *Hollung, S.*, + , *MWSYM 97* 675-678 vol.2

Slotline

act. phased array antennas coupled, slotlines. *Cheol Mun*, + , *MWSYM 97* 1069-1072 vol.2

anisotropic substr. slotline/CPW, end effects, FDTD. *Goswami, J.C.*, + , *T-MTT Sep 97* 1653-1657

- bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM* 97 487-490 vol.2
- CPW, transversely magnetized ferrite layer, nonreciprocity, FEM anal. *Zhou, L.*, + , *MWSYM* 97 1109-1112 vol.2
- multi-slot lines, TEM modes. *Rieckmann, C.*, + , *MWSYM* 97 1369-1372 vol.3
- Slotline components**
- broadband waveguide-based spatial combiners, tapered slotlines in rect. waveguides. *Alexanian, A.*, + , *MWSYM* 97 1139-1142 vol.3
- uniplanar broadband push-pull FET amps. *Hsu, P.-C.*, + , *T-MTT Dec* 97 2150-2151
- Slotline transitions**
- broadband CPW, slotline transit. *Kuang-Ping Ma*, + , *MWSYM* 97 1627-1630 vol.3
- wideband uniplanar phase inverters for hybrid MICs/MMICs. *Tongqing Wang*, + , *MWSYM* 97 777-780 vol.2
- Slow wave structures**
- helical slow-wave structs., dispersion and interact. impedance characts. meas. *Rao, S.J.*, + , *T-MTT Sep* 97 1585-1593
- MIS waveguiding structs., slow-wave-mode propag. anal. *Kucera, J.J.*, + , *T-MTT Oct* 97 1807-1810
- periodic strip grating struct., spectral gap for leaky waves. *Majumder, S.*, + , *MWSYM* 97 479-482 vol.2
- ridge-loaded helical-groove slow-wave struct. *Wenxiang Wang*, + , *T-MTT Oct* 97 1689-1695
- Solid lasers; cf.** Semiconductor lasers
- Solid state plasmas; cf.** Semiconductor plasmas
- Solid state rectifiers**
- high conversion efficiency 5.8 GHz rectenna, design. *McSpadden, J.O.*, + , *MWSYM* 97 547-550 vol.2
- SONET**
- GaAs HBT digital telecom ICs, 10 Gb/s package. *Hacker, J.B.*, + , *MWSYM* 97 473-476 vol.2
- Spase matrices**
- device/cct.-level modeling, neural network training. *Zaabab, A.H.*, + , *T-MTT Oct* 97 1696-1704
- lossy inhomogen. and anisotropic waveguides, FEM anal., edge elements. *Nuno, L.*, + , *T-MTT Mar* 97 446-449
- microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM* 97 1799-1802 vol.3
- MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, + , *T-MTT May* 97 827-836
- waveguide-to-microstrip transit., systematic optimum design methods. *Hong-Bae Lee*, + , *T-MTT May* 97 803-809
- Spatial filters**
- microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug* 97 1467-1472
- Spatial light modulators**
- microwave sigs., prog. filtering/correl., optoelectronic archit. *Dolfi, D.*, + , *T-MTT Aug* 97 1467-1472
- vector modul. based tunable freq. photonic beamformer for phased-array antennas. *Riza, N.A.*, *T-MTT Aug* 97 1508-1512
- Special issues and sections**
- 1997 Symposium, selected papers (special issue) . *T-MTT Dec* 97 2164-2554
- 1997 Symposium, selected papers, special issue intro. . *Booton, R.C., Jr.*, + , *T-MTT Dec* 97 2164-2166
- automated circuit design using electromagnetic simulators (special issue). *T-MTT May* 97 709-866
- automated circuit design using electromagnetic simulators, special issue intro. *Bandler, J.W.*, *T-MTT May* 97 709-711
- interconnects and packaging (special issue). *T-MTT Oct* 97 1817-1985
- interconnects and packaging, special issue intro. *Tripathi V.K.*, + , *T-MTT Oct* 97 1817-1818
- microwave and millimeter-wave photonics (special issue). *T-MTT Aug* 97 1277-1536
- microwave and millimeter-wave photonics, special issue intro. *Seeds, A.J.*, + , *T-MTT Aug* 97 1277-1278
- Spectral analysis**
- wave noise sources, spectral parametric modeling. *Werling, T.*, + , *MWSYM* 97 1447-1450 vol.3
- Spectral domain analysis**
- arbitrarily multilayered dielec. media, full-wave Green's fns. *Li, K.*, *MWSYM* 97 1571-1574 vol.3
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, + , *MWSYM* 97 987-990 vol.2
- micromachined MM-wave/microwave filters, design tech. *Weller, T.M.*, + , *T-MTT Jun* 97 931-938
- microstrip lines, PBG substs., double vector integral eqn. *Yang, H.Y.D.*, *MWSYM* 97 191-194 vol.1
- microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzyy-Sheng Horng*, *MWSYM* 97 1815-1818 vol.3
- microstrip Y-jn. anal., spectral-domain approach. *Ooi, B.L.*, + , *T-MTT Oct* 97 1800-1805
- multilayer dielec. media MICs in rect. waveguide. *Pereira Filho, O.M.C.*, + , *MWSYM* 97 1535-1538 vol.3
- nonreciprocal open waveguide, radiative effects, complex waves role. *Baccarelli, P.*, + , *MWSYM* 97 491-494 vol.2
- open microstrip lines, dispersion characts. calc. *Seong-Ook Park*, + , *T-MTT Mar* 97 458-460
- opt. controlled microwave attenuator, ferrite phase shifter compensation. *Shimasaki, H.*, + , *MWSYM* 97 1703-1706 vol.3
- parallel coupled microstrips, finite metal. thickness, characts. calc. *Jen-Tsai Kuo*, + , *T-MTT Feb* 97 274-280
- PC transm. lines, spectral gap for leakage, 1 surface waves. *Tsuji, M.*, + , *MWSYM* 97 483-486 vol.2
- planar leaky-wave line source, radiation efficiency. *Yu-De Lin*, + , *T-MTT Oct* 97 1672-1680
- planar transm. lines, quasi-TEM/higher order modes, unified anal. *Rieckmann, C.*, + , *MWSYM* 97 1369-1372 vol.3
- slotline, bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM* 97 487-490 vol.2
- TW sources in presence of covering dielec. layers, anal. *Di Nallo, C.*, + , *MWSYM* 97 605-608 vol.2
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3
- Spectroscopy; cf.** Fourier spectroscopy; Millimeter wave spectroscopy; Submillimeter wave spectroscopy
- Speech codecs**
- wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3
- SPICE**
- heterolithic microwave IC LNA, design and monolithic implement. *Boles, T.*, *RFIC* 97 109-112
- interconnect simul., SPICE, transm. line model. *Celik, M.*, + , *T-MTT Oct* 97 1857-1867
- large-sig. MESFET model for SPICE. *Parker, A.E.*, + , *T-MTT Sep* 97 1563-1571
- microwave ccts., lumped elements, global time domain EM simulator. *Guillouard, K.*, + , *MWSYM* 97 1239-1242 vol.3
- multiconductor transm. lines, SPICE-compatible models. *Djordjevic, A.R.*, *T-MTT May* 97 569-579
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct* 97 1934-1940
- Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM* 97 865-868 vol.2
- Spiral antennas**
- printed microwave couplers, thermal isolation. *Brown, R.A.*, + , *MWSYM* 97 983-986 vol.2
- true time-steered array fiber-opt. controlled receiver, spiral elements. *Matthews, P.J.*, + , *MWSYM* 97 347-350 vol.1
- ultra-wide-band receive array, fiber-optic true time steering. *Frankel, M.Y.*, + , *T-MTT Aug* 97 1522-1526
- Spiral antennas; cf.** Log spiral antennas
- Spline functions**
- microwave filters, design, contin. varying transm. lines. *Le Roy, M.*, + , *MWSYM* 97 639-642 vol.2
- Spread spectrum communication**
- design of SAW expander and compressor on LiTaO₃ for TCDMA spread spectrum syst. *Weigel, R.*, + , *T-MTT Dec* 97 2486-2492
- ISM band, 5.8 GHz appls., packaged MMIC chip set. *Pollman, M.D.*, + , *RFIC* 97 33-36
- Spread spectrum communication; cf.** Pseudonoise coded communication
- Sputter etching**
- PHEMT, enhancement-mode power amp., PCS appl. *Der-Woei Wu*, + , *MWSYM* 97 1319-1322 vol.3
- Sputtering; cf.** Sputter etching
- Stability; cf.** Circuit stability; Frequency stability; Laser stability; Numerical stability; Nyquist stability
- Standards**
- waveguide below-cutoff atten. standard. *Russell, D.H.*, *T-MTT Dec* 97 2408-2413
- Standards; cf.** Measurement standards
- State space methods**
- off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct* 97 1934-1940
- Static induction transistors**
- SiC, appl., high power UHF/microwave devices. *Morse, A.W.*, + , *MWSYM* 97 53-56 vol.1
- Statistics**
- MESFET MMIC large-sig. sensitivity anal., multidimensional semicond. device models. *Bonani, F.*, + , *T-MTT May* 97 846-855
- MMIC pass. elements, EM-CAD, multilayer perceptron neural network appls. *Creech, G.L.*, + , *T-MTT May* 97 794-802

- waveguide filters, space mapping optim., EM simul. *Bandler, J.W.*, + , *MWSYM* 97 635-638 vol.2
- Stripline**
 conductor-backed coplanar strip line, leakage regimes, crit. points. *Yakovlev, A.B.*, + , *T-MTT Jan* 97 87-94
 coplanar line on multilayer substrs., characts. *Erli Chen*, + , *T-MTT Jun* 97 939-945
 embedded transm. line MMIC for wireless commun. appls. *Hua-Quen Tserng*, + , *RFIC* 97 41-44
 enclosed stripline, second order nonuniform grid spacing, FDTD tech. *Falconer, M.*, + , *MWSYM* 97 1539-1542 vol.3
 FDTD, multiresolution based multigrid. *Goverdhanam, K.*, + , *MWSYM* 97 333-336 vol.1
 multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3
 suspen. strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct* 97 1778-1784
 uniplanar hybrid couplers using asymmetrical coplanar striplines. *Heimer, B.*, + , *T-MTT Dec* 97 2234-2240
- Stripline components**
 broadband inhomogen. stripline circulators, anal. *Macchiarella, G.*, + , *T-MTT Feb* 97 294-297
 coplanar stripline components, HF appls. *Goverdhanam, K.*, + , *T-MTT Oct* 97 1725-1729
 embedded transm.-line MMIC for low-cost high-density wireless commun. appls. *Tserng, H.-Q.*, + , *T-MTT Dec* 97 2540-2548
 low-temp. co-fired ceramic stripline ferrite phase shifter, model. *Stitzer, S.N.*, *MWSYM* 97 1117-1120 vol.2
 Y-jn. perp. magnetized ferrite stripline circulator. *Ivanov, S.A.*, *T-MTT May* 97 648-652
- Stripline components; cf.** Stripline couplers; Stripline filters
- Stripline couplers**
 alignment tolerant stripline directional couplers, design. *Budka, T.P.*, + , *MWSYM* 97 773-776 vol.2
 rat race coupler design, appl., bal. mixers, high LO, RF isolation. *Walker, J.L.B.*, *MWSYM* 97 747-750 vol.2
 ultrawideband microwave differential phase shifter. *Minnaar, F.V.*, + , *T-MTT Aug* 97 1249-1252
 uniplanar hybrid couplers using asymmetrical coplanar strip lines, MIC/MMIC appls. *Lu Fan*, + , *MWSYM* 97 273-276 vol.1
- Stripline discontinuities**
 coplanar stripline components, HF appls. *Goverdhanam, K.*, + , *T-MTT Oct* 97 1725-1729
- Stripline filters**
 coplanar stripline components, HF appls. *Goverdhanam, K.*, + , *T-MTT Oct* 97 1725-1729
 miniature LTCC filters for digital radar receivers. *Bailey, A.*, + , *MWSYM* 97 999-1002 vol.2
 tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM* 97 801-804 vol.2
 UHF miniaturized monolithic dual band filter for portable telephones. *Miyake, H.*, + , *MWSYM* 97 789-792 vol.2
- Stripline transitions**
 wideband uniplanar phase inverters for hybrid MICs/MMICs. *Tongqing Wang*, + , *MWSYM* 97 777-780 vol.2
- Subcarrier multiplexing**
 baseband data/SCM control channels, fiber-optic links. *Blumenthal, D.J.*, + , *T-MTT Aug* 97 1443-1452
 microwave freq. conversion methods by opt. interferometer and photodiode. *Maury, G.*, + , *T-MTT Aug* 97 1481-1485
 mm-wave fiber-wireless syst., broad-band sig. distrib., 37-GHz. *Ahmed, Z.*, + , *T-MTT Aug* 97 1431-1435
 opt. SCM systs., photonic and image-rejection mixers. *Lu Chao*, + , *T-MTT Aug* 97 1478-1480
 RF/opt. SCM commun. syst. optim. *Han, S.*, + , *MWSYM* 97 979-982 vol.2
 wireless sig. distrib. via fiber-optic technol. *Plourde, J.K.*, *MWSYM* 97 217-220 vol.1
- Submillimeter wave amplifiers**
 SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul* 97 1086-1092
- Submillimeter wave antennas**
 meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec* 97 2454-2460
- Submillimeter wave circuits; cf.** Submillimeter wave integrated circuits
- Submillimeter wave detectors**
 Nb/AlO_x/Nb SIS submillimeter wavelength detector, low noise. *Karpov, A.*, + , *MWSYM* 97 919-920 vol.2
- Submillimeter wave devices**
 sub-picosecond systs., far field THz radiation. *Remley, K.A.*, + , *MWSYM* 97 163-166 vol.1

- Submillimeter wave devices; cf.** Submillimeter wave antennas; Submillimeter wave detectors; Submillimeter wave diodes; Submillimeter wave lasers; Submillimeter wave resonators; Submillimeter wave waveguides
- Submillimeter wave diodes**
 terahertz grid freq. doubler, Schottky diodes. *Moussessian, A.*, + , *MWSYM* 97 683-686 vol.2
- Submillimeter wave frequency conversion**
 GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
 terahertz grid freq. doubler, Schottky diodes. *Moussessian, A.*, + , *MWSYM* 97 683-686 vol.2
- Submillimeter wave frequency conversion; cf.** Submillimeter wave mixers
- Submillimeter wave generation**
 GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
 sub-picosecond systs., far field THz radiation. *Remley, K.A.*, + , *MWSYM* 97 163-166 vol.1
 terahertz grid freq. doubler, Schottky diodes. *Moussessian, A.*, + , *MWSYM* 97 683-686 vol.2
- Submillimeter wave integrated circuits**
 thin-film microstrip lines for MM and sub-MM/wave on-chip interconnects. *Heiliger, H.-M.*, + , *MWSYM* 97 421-424 vol.2
- Submillimeter wave lasers**
 GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
- Submillimeter wave measurements**
 meas. of transmittance and scattering of radome membranes from 30 to 1000 GHz. *Afsar, M.N.*, + , *T-MTT Dec* 97 2454-2460
- Submillimeter wave measurements; cf.** Submillimeter wave spectroscopy
- Submillimeter wave mixers**
 fixed-tuned sub-mm wavelength waveguide mixers, planar Schottky-barrier diodes. *Hesler, J.L.*, + , *T-MTT May* 97 653-658
 GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
 planar Schottky diode waveguide mixers, fixed tuned cct. *Hesler, J.L.*, + , *MWSYM* 97 953-956 vol.2
 SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul* 97 1086-1092
 spectrometer for detect. of water in Solar System. *Boric-Lubecke, O.*, + , *MWSYM* 97 569-572 vol.2
 waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, + , *T-MTT Mar* 97 442-446
- Submillimeter wave modulation**
 GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
- Submillimeter wave propagation**
 dielec.-coated parallel planar microstructural waveguides, near-IR wave propag. characts. *Van Petegem, W.E.A.*, + , *T-MTT Mar* 97 367-375
- Submillimeter wave receivers**
 spectrometer for detect. of water in Solar System. *Boric-Lubecke, O.*, + , *MWSYM* 97 569-572 vol.2
- Submillimeter wave resonators**
 whispering gallery modes in dielec. resonator, charactn. at millimeter wavelength. *Annino, G.*, + , *T-MTT Nov* 97 2025-2034
- Submillimeter wave spectroscopy**
 radome membranes, transmittance and scatt. meas. *Afsar, M.N.*, + , *MWSYM* 97 1355-1358 vol.3
 water detect. in Solar System, miniature instrum. *Boric-Lubecke, O.*, + , *MWSYM* 97 569-572 vol.2
- Submillimeter wave technology; cf.** Submillimeter wave devices; Submillimeter wave frequency conversion; Submillimeter wave generation; Submillimeter wave measurements; Submillimeter wave modulation
- Submillimeter wave waveguides**
 dielec.-coated parallel planar microstructural waveguides, near-IR wave propag. characts. *Van Petegem, W.E.A.*, + , *T-MTT Mar* 97 367-375
- Subscriber loops; cf.** Optical subscriber loops
- Superconducting device noise**
 SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul* 97 1086-1092
- Superconducting devices; cf.** Superconducting filters; Superconducting microwave devices; Superconducting resonators; Superconductor-insulator-superconductor devices
- Superconducting films**
 nonlin. phenom. in supercond. transm. line and microstrip resonator. *Vendik, O.G.*, + , *T-MTT Feb* 97 173-178
- Superconducting filters**
 hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
 HTSC diplexer and LNA RF module. *Hey-Shipton, G.L.*, + , *MWSYM* 97 295-298 vol.1

- HTSC split-resonator high power planar filter. *Shen Ye*, + , *MWSYM* 97 299-302 vol.1
- HTS dual mode patch supercond. circ. cavity resonator filters. *Xiaoying Zhang*, + , *MWSYM* 97 1725-1728 vol.3
- HTS microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, + , *T-MTT May* 97 780-786
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- Superconducting materials; cf.** High-temperature superconductors; Superconducting films
- Superconducting microwave devices**
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- HTSC limiters, phase noise reduction. *Massin, F.*, + , *MWSYM* 97 307-310 vol.1
- HTSC split-resonator high power planar filter. *Shen Ye*, + , *MWSYM* 97 299-302 vol.1
- HTS microstrip filter design, full-wave EM simul., CAD tech. *Shen Ye*, + , *T-MTT May* 97 780-786
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- nonlin. phenom. in supercond. transm. line and microstrip resonator. *Vendik, O.G.*, + , *T-MTT Feb* 97 173-178
- printed microwave couplers, thermal isolation. *Brown, R.A.*, + , *MWSYM* 97 983-986 vol.2
- SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul* 97 1086-1092
- waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, + , *T-MTT Mar* 97 442-446
- YBaCuO HTSC double-hybrid coupler. *Bechteler, T.*, + , *MWSYM* 97 311-314 vol.1
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3
- Superconducting resonators**
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- HTSC split-resonator high power planar filter. *Shen Ye*, + , *MWSYM* 97 299-302 vol.1
- Nb tunable supercond. resonators, ferrite substrs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1
- nonlin. phenom. in supercond. transm. line and microstrip resonator. *Vendik, O.G.*, + , *T-MTT Feb* 97 173-178
- superconducting microstrip resonator with yttrium iron garnet single crystals. *Fukusako, T.*, + , *T-MTT Nov* 97 2013-2017
- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT Apr* 97 492-497
- YBaCuO tunable supercond. resonators, ferrite substrs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3
- Superconducting transmission lines**
- nonlin. phenom. in supercond. transm. line and microstrip resonator. *Vendik, O.G.*, + , *T-MTT Feb* 97 173-178
- SIS quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul* 97 1086-1092
- Superconductor-insulator-superconductor devices**
- Nb/AlO_x/Nb SIS submillimeter wavelength detector, low noise. *Karpov, A.*, + , *MWSYM* 97 919-920 vol.2
- Superconductor-insulator-superconductor devices; cf.**
- Superconductor-insulator-superconductor mixers
- Superconductor-insulator-superconductor mixers**
- quasi-particle nonlin. transm. line, distrib. mixing/amplif. *Tong, C.-Y. E.*, + , *T-MTT Jul* 97 1086-1092
- waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, + , *T-MTT Mar* 97 442-446
- Surface acoustic wave delay lines**
- design of SAW expander and compressor on LiTaO₃ for TCDMA spread spectrum syst. *Weigel, R.*, + , *T-MTT Dec* 97 2486-2492
- gigahertz SAW devices, high perform. filters, ladder type bandpass filters. *Knauer, U.*, + , *MWSYM* 97 1821-1824 vol.3
- LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM* 97 821-824 vol.2
- Surface acoustic wave device fabrication**
- gigahertz SAW devices, high perform. filters, ladder type bandpass filters. *Knauer, U.*, + , *MWSYM* 97 1821-1824 vol.3
- Surface acoustic wave devices**
- FMCW radar, dist. meas., SAW ref. path. *Nalezinski, M.*, + , *MWSYM* 97 185-188 vol.1
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- mobile commun., RF SAW technol. *Hikita, M.*, + , *MWSYM* 97 173-176 vol.1
- Surface acoustic wave devices; cf.** Surface acoustic wave delay lines; Surface acoustic wave filters; Surface acoustic wave transducers
- Surface acoustic wave filters**
- digital mobile telephones, interf. suppression, SAW filter. *Yamada, T.*, + , *MWSYM* 97 833-836 vol.2
- LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM* 97 821-824 vol.2
- RF filters, EM effects simul. *Pitschi, F.M.*, + , *MWSYM* 97 825-828 vol.2
- RF filters, GHz freqs. *Penunuri, D.*, *MWSYM* 97 169-172 vol.1
- UHF SAW filters on diamond, structs./characts. *Higaki, K.*, + , *MWSYM* 97 829-832 vol.2
- Surface acoustic wave filters; cf.** Surface acoustic wave resonator filters
- Surface acoustic wave resonator filters**
- bal.-type, PCN and PCS systs. *Taguchi, Y.*, + , *MWSYM* 97 837-840 vol.2
- gigahertz SAW devices, high perform. filters, ladder type bandpass filters. *Knauer, U.*, + , *MWSYM* 97 1821-1824 vol.3
- Surface acoustic wave signal processing; cf.** Surface acoustic wave filters
- Surface acoustic wave transducers**
- HF SAW devices, wireless appls., 1-6 GHz. *Kines, J.H.*, + , *MWSYM* 97 177-180 vol.1
- Surface-emitting lasers**
- VCSEL, small-sig. charactn., appls. *Hietala, V.M.*, + , *MWSYM* 97 355-358 vol.1
- Surface mounting**
- CMOS distributed amp., packaging inductance. *Sullivan, P.J.*, + , *T-MTT Oct* 97 1969-1976
- high lead-count plastic packages, microwave cct. modelling. *Jackson, R.W.*, + , *T-MTT Oct* 97 1926-1933
- microwave package models, on-wafer meas. *Chun, C.*, + , *T-MTT Oct* 97 1948-1954
- microwave receiver protectors/AGCs, low cost techs., SMDs. *Strack, D.*, + , *MWSYM* 97 531-534 vol.2
- MMIC packaging, time-domain segmentation anal. *Righi, M.*, + , *T-MTT Oct* 97 1905-1910
- plastic microwave package charactn. tech. *Pham, A.*, + , *MWSYM* 97 995-998 vol.2
- Surface treatment; cf.** Etching
- Surface waves; cf.** Electromagnetic surface waves
- Switches; cf.** Light triggered switches; Microwave switches; Millimeter wave switches; MMIC switches; Optical switches; UHF switches; Waveguide switches
- Switching systems; cf.** Photonic switching systems
- Synchronization**
- automobile, act. SIMMWIC antenna. *Singer, M.*, + , *MWSYM* 97 1265-1268 vol.3
- MMIC SOM in opt. fed phased array antennas for Ka-band commun. satellites. *Daryoush, A.S.*, + , *MWSYM* 97 351-354 vol.1
- mm-wave phase controlled self-oscillating mixer, subharmonic sync., phase shifting. *Xue-Song Zhou*, + , *T-MTT Feb* 97 196-204
- phase noise in externally injection-locked oscillator arrays. *Chang, H.-C.*, + , *T-MTT Nov* 97 2035-2042
- SiGe MIMIC/MMIC based act. antenna module. *Luy, J.-F.*, + , *RFIC* 97 105-108

T

Technology; cf. Microwave technology; Millimeter wave technology

Telephone equipment; cf. Telephone sets

Telephone sets

digital mobile telephones, interf. suppression, SAW filter. *Yamada, T.*, + , *MWSYM* 97 833-836 vol.2

GaAs E-mode FET power amp. MMIC, GSM phone. *Abey, W.*, + , *MWSYM* 97 1315-1318 vol.3

GaAs power amp. MMIC, cascaded MESFETs, PHS appl. *Kimishima, M.*, + , *MWSYM* 97 1311-1314 vol.3

GaAs power MESFET amp., digital cordless phone syst. *Nagaoka, M.*, + , *MWSYM* 97 1323-1326 vol.3

HJFET/SrTiO₃ capacitor, MMIC power amp., digital cellular phone. *Yamaguchi, K.*, + , *MWSYM* 97 1403-1406 vol.3

PCS handset antennas, mobile environ. *Douglas, M.G.*, + , *MWSYM* 97 1759-1762 vol.3

Telephony; cf. Cordless telephone systems

Test equipment

bilateral electro-optic network for lightwave component charactn. *Elamaram, B.*, + , *T-MTT Aug* 97 1493-1496

Test equipment; cf. Automatic test equipment

Testing; cf. Automatic testing; Crack detection; Manufacturing testing; Reliability testing; Semiconductor device testing

Thermal factors

printed microwave couplers, thermal isolation. *Brown, R.A.*, + , *MWSYM* 97 983-986 vol.2

S-band power amp., miniaturized lin., parallel diode. *Yamauchi, K.*, + , *MWSYM* 97 1199-1202 vol.3

Thermal factors; cf. Dielectric thermal factors; Integrated circuit thermal factors; Optical fiber thermal factors; Semiconductor device thermal factors; Thermoresistivity

Thermoresistivity

AlGaAs/GaAs HBT, low thermal impedance, CW output power. *Hill, D.*, + , *MWSYM* 97 137-140 vol.1

AlGaAs/GaAs low thermal impedance HBT, microwave power devices. *Hill, D.*, + , *RFIC* 97 189-192

AlGaAs/InGaAs/GaAs pseudomorphic T-gate power HEMT proc. power amp. IC. *Huang, P.*, + , *MWSYM* 97 1175-1178 vol.3

Thickness measurement

dielec. films, dielec. const. and thickness, CPW meas. *Waldo, M.K.*, + , *MWSYM* 97 1339-1342 vol.3

Thin film circuit fabrication

microwave Si power transistor fab., monolithic impedance matching ccts. *Phing Li*, + , *MWSYM* 97 991-994 vol.2

Thin film circuits

20 Gbit/s transmit and receive modules for opt. fiber links. *Hanke, G.*, *MWSYM* 97 233-236 vol.1

Time division multiaccess

design of SAW expander and compressor on LiTaO₃ for TCDMA spread spectrum syst. *Weigel, R.*, + , *T-MTT Dec* 97 2486-2492

LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM* 97 821-824 vol.2

RF ICs for GSM and DECT TDMA based digital systs. *Fenk, J.*, *RFIC* 97 69-72

Time division multiplexing

3D act. antenna for high-speed wireless commun. appl., microstrip array, MMIC. *Seki, T.*, + , *MWSYM* 97 975-978 vol.2

InAlAs/InGaAs HEMT digital IC chip set for 40-Gbit/s opt. repeater ccts. *Yoneyama, M.*, + , *MWSYM* 97 461-464 vol.2

Time domain analysis

capacitive Jaumann absorber, time-domain transient anal. *Cheldavi, A.*, + , *MWSYM* 97 1555-1558 vol.3

dielec.-loaded parallel-plate waveguide, time/space-adaptive gridding, MRTD. *Tentzeris, E.M.*, + , *MWSYM* 97 337-340 vol.1

ferrite device permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug* 97 1185-1192

hybrid full-wave anal. of via-hole grounds using finite-difference and finite-element time-domain methods. *Koh, D.*, + , *T-MTT Dec* 97 2217-2223

injection-locked microwave MESFET oscillators, nonlin. time-domain anal. *Dixon, J.*, + , *T-MTT Jul* 97 1050-1057

large-sig. device-cct. interact., microwave/mm-wave ICs, electro-thermal phys. models. *Snowden, C.M.*, *MWSYM* 97 155-158 vol.1

layered struct., EM fields, time-domain integral eqns. *Georgieva, N.*, + , *T-MTT Jun* 97 984-990

Mach-Zehnder lattice all-opt. microwave filters, coupling ratios. *Cusick, T.A.*, + , *T-MTT Aug* 97 1458-1462

microwave ccts., lumped elements, global time domain EM simulator. *Guillouard, K.*, + , *MWSYM* 97 1239-1242 vol.3

microwave MESFET amps., intermodulation anal., two-tone transient simul., FFT. *Gard, K.*, *MWSYM* 97 1699-1702 vol.3

MMIC packaging, time-domain segmentation anal. *Righi, M.*, + , *T-MTT Oct* 97 1905-1910

multiresolution time domain for nonlin. time-domain modeling, pulse propag. *Krumpholz, M.*, + , *T-MTT Mar* 97 385-393

nonlin. EM field simul., time-domain integral eqn. techs. *Pinello, W.*, + , *MWSYM* 97 63-66 vol.1

nonradiating sources in time-domain transm.-line theory. *Sihvola, A.*, + , *T-MTT Dec* 97 2155-2159

pass. distributed cct. simul., recursive causal convolution. *AbuShaaban, M.*, + , *MWSYM* 97 631-634 vol.2

Time domain analysis; cf. Time-frequency analysis

Time domain measurements

microwave transistors, power amps., IMD meas. *Barataud, D.*, + , *MWSYM* 97 1687-1690 vol.3

Time domain measurements; cf. Time domain reflectometry

Time domain reflectometry

multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3

nonuniform transm. lines, reconstruct. from TDR. *Ching-Wen Hsue*, + , *T-MTT Jan* 97 32-38

off-chip interconnects, automatic netlist extraction for meas. based charactn. *Corey, S.D.*, + , *T-MTT Oct* 97 1934-1940

Time-frequency analysis

coupled interconnections, cct. modeling, causality. *Sercu, S.*, + , *T-MTT Oct* 97 1977-1981

Timing jitter

CEDAR, clock extraction and data regeneration hybrid IC, 10 Gb/s, PLL. *Tae-Whan Yoo*, + , *MWSYM* 97 1713-1716 vol.3

Titanium compounds

TiO₂-Bi₂Ti₄O₁₁, scanning photothermal dielec. microscopy. *Cho, Y.*, + , *MWSYM* 97 1647-1650 vol.3

Tomography; cf. Electromagnetic tomography

Topology; cf. Circuit topology

Tracking; cf. Radio tracking

Tracking filters

capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Drozdz, J.M.*, + , *T-MTT Jul* 97 1100-1104

Tracking loops

microwave act. filters, AFC. *Serhan, H.*, + , *MWSYM* 97 697-700 vol.2

Tracking loops; cf. Phase locked loops

Transceivers

DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134

four-port microstrip-line microwave directional filters, pulse-radar appls. *Rosloniec, S.*, + , *T-MTT Sep* 97 1633-1637

InAlAs/InGaAs/InP V-band PHEMT MMICs for FMCW radar transceivers. *Sasaki, K.*, + , *MWSYM* 97 937-940 vol.2

mobile commun., RF SAW technol. *Hikita, M.*, + , *MWSYM* 97 173-176 vol.1

Mobitex PC card wireless modem. *Moghe, S.*, + , *MWSYM* 97 1391-1394 vol.3

opt. link, W-band transmit/receive appls. *Niehenke, E.C.*, + , *MWSYM* 97 35-38 vol.1

PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3

planar array T/R modules, low cost, MMIC chip set. *Strack, D.*, + , *MWSYM* 97 579-582 vol.2

QPSK fiber-radio transm. expt., 60 GHz, 120 Mbit/s. *Wake, D.*, + , *MWSYM* 97 39-42 vol.1

RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97 xxi+242*

RFIC transceiver technol., syst. archit., mobile commun. *Kernmarrec, C.*, + , *RFIC* 97 65-68

Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12

T/R modules, unaccelerated reliab. testing. *Kopp, B.A.*, + , *MWSYM* 97 583-586 vol.2

W-band low cost miniature MMIC transceiver, planar antenna. *Fudem, H.*, + , *MWSYM* 97 427-430 vol.2

wideband DS-CDMA testbed for future cellular systs., radio archit. *Anzill, W.*, + , *MWSYM* 97 1387-1390 vol.3

X-band bi-directional quasi-opt. lens amp. array. *Hollung, S.*, + , *MWSYM* 97 675-678 vol.2

Transducers; cf. Microsensors; Moisture transducers

Transfer function matrices

coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, + , *MWSYM* 97 1785-1788 vol.3

Transfer functions

MM-wave amps., phys. simul., full-wave FDTD tech. *Imtiaz, S.M.S.*, + , *MWSYM* 97 79-82 vol.1

Transformers

Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, + , *MWSYM* 97 761-764 vol.2

Transforms; cf. Fourier transforms; Haar transforms; Hilbert transforms; Laplace transforms; Wavelet transforms

Transient analysis

microwave transistors, photoresponse characts. study. *de Barros, L.E.M., Jr.*, + , *T-MTT Aug* 97 1368-1374

Transient analysis; cf. Circuit transient analysis; Electromagnetic transient analysis

Transient response

act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug* 97 1463-1466

Transistors

wave noise sources, spectral parametric modeling. *Werling, T.*, + , *MWSYM* 97 1447-1450 vol.3

Transistors; cf. FETs; Microwave transistors; Phototransistors

Transition metal alloys; cf. Tungsten alloys

Transition metal compounds; cf. Titanium compounds; Yttrium compounds

Transition metals; cf. Copper; Gold; Niobium

Transmission line discontinuities

CPW discontinuities, capac. calc. by hybrid FEM. *Chien-Wen Chiu*, + , *T-MTT Apr* 97 498-504

- Transmission line discontinuities; cf.** Finline discontinuities; Microstrip discontinuities; Stripline discontinuities; Waveguide discontinuities
- Transmission line filters; cf.** Distant parameter filters
- Transmission line matrix methods**
- 3D-TLM corner nodes, field sing. *Tardioli, G.*, + , *MWSYM* 97 317-320 vol.1
- 3D TLM networks, nonlin. act. and pass. device modeling. *Cascio, L.*, + , *MWSYM* 97 383-386 vol.2
- absorbing-boundary conditions, PML tech. for 3D TLM simul. *Pena, N.*, + , *T-MTT Oct* 97 1749-1755
- antenna radiation, FDTD anal., TLM algm. *Jian Xu*, + , *MWSYM* 97 329-332 vol.1
- coupled symm. lines, impedance matrix, S-param. meas. *Winkel, T.-M.*, + , *MWSYM* 97 1769-1772 vol.3
- coupled transm. lines, time-domain charact. model, waveform relax., FDTD. *Qing-Xin Chu*, + , *MWSYM* 97 1785-1788 vol.3
- fast spatial-domain method for suppression of excitation-induced spurious modes in SCN TLM. *Lindenmeier, S.*, + , *T-MTT Nov* 97 1998-2006
- ferrite device permeab. tensor, arbitrary magnetis. state, model. *Gelin, P.*, *T-MTT Aug* 97 1185-1192
- Heaviside absorbing layer. *Gosling, I.G.*, + , *T-MTT Feb* 97 268-273
- homog. waveguide, SCN TLM, modal boundary conditions. *Herring, J.L.*, + , *MWSYM* 97 325-328 vol.1
- H-shaped planar antennas, alternating TLM field-solver. *Lindenmeier, S.*, + , *MWSYM* 97 1365-1368 vol.3
- long, periodic struct., TLM anal. *Walter, M.*, + , *MWSYM* 97 1231-1234 vol.3
- microwave HBT, electrothermal simul., TLM method, quasi 2D model. *Jinjin Shen*, + , *MWSYM* 97 1481-1484 vol.3
- nonlin. EM wave absorpt., nonlin. perfectly matched layer. *Jian-Guo Ma*, + , *MWSYM* 97 1381-1384 vol.3
- packaged components, hybrid TLM/mode-matching anal. *Righi, M.*, + , *T-MTT Oct* 97 1715-1724
- planar ccts., EM anal. *Albasha, L.*, + , *MWSYM* 97 321-324 vol.1
- planar transm. lines, quasi-TEM/higher order modes, unified anal. *Rieckmann, C.*, + , *MWSYM* 97 1369-1372 vol.3
- planar transm. line, waveguide three-port transit. *Storer, B.*, + , *MWSYM* 97 203-206 vol.1
- PML boundary conditions in TLM-based SCN FDTD grid, num. implements. *Jian Xu*, + , *T-MTT Aug* 97 1263-1267
- Transmission line measurements**
- coupled symm. lines, impedance matrix, S-param. meas. *Winkel, T.-M.*, + , *MWSYM* 97 1769-1772 vol.3
- embedded multiconductor transm. line meas. *Williams, D.F.*, *MWSYM* 97 1773-1776 vol.3
- flip chip technol. in mm-wave packaging, surface wave leakage reduction. *Krems, T.*, + , *MWSYM* 97 987-990 vol.2
- multiconductor coupled lines charactn. from multiport TDR meas. *Tripathi, A.*, + , *MWSYM* 97 1777-1780 vol.3
- permitt., transm. line meas. *Janezic, M.D.*, + , *MWSYM* 97 1343-1346 vol.3
- Transmission line resonators**
- maximally flat quarter-wavelength-coupled transm.-line filters using Q distrib. *Droz, J.M.*, + , *T-MTT Dec* 97 2100-2113
- MM-wave multielement open resonator. *Shapiro, M.A.*, + , *T-MTT Jun* 97 1000-1002
- stepped-impedance microwave resonators, structs./characts. *Sagawa, M.*, + , *T-MTT Jul* 97 1078-1085
- Transmission line resonators; cf.** Microstrip resonators
- Transmission lines**
- 1997 Symposium, selected papers (special issue) . *T-MTT Dec* 97 2164-2554
- 1997 Symposium, selected papers, special issue intro. . *Booton, R.C., Jr.*, + , *T-MTT Dec* 97 2164-2166
- Transmission lines; cf.** Coaxial transmission lines; Coupled transmission lines; Leaky wave antennas; Multiconductor transmission lines; Planar transmission lines; Superconducting transmission lines; Waveguides
- Transmission line theory**
- 2D planar ccts., proximity-coupled/direct-fed, leaky-modes leakage. *Kuo-Cheng Chen*, + , *MWSYM* 97 495-498 vol.2
- asymmetrical coupled lines of conductor-backed coplanar type, characts. *Cheng, K.-K.M.*, *T-MTT Mar* 97 460-463
- coplanar transm. lines on multilayer substrs., characts. *Erli Chen*, + , *T-MTT Jun* 97 939-945
- coupled exponential lines, refl. and transm. *Sailing He*, *T-MTT May* 97 695-698
- edge element for modeling field singularities in transm. lines and waveguides. *Gil, J.M.*, + , *T-MTT Dec* 97 2125-2130
- IEEE-MTT-S International Microwave Symposium, conf., Denver, CO, USA (Jun 97). *MWSYM*-97 3 vol. (liv+xxii+xx+1862)
- interconnect simul., SPICE, transm. line model. *Celik, M.*, + , *T-MTT Oct* 97 1857-1867
- knowledge based neural models for microwave design. *Fang Wang*, + , *MWSYM* 97 627-630 vol.2
- lossy transm. lines with finite metal. thickness, equiv. network represent. of boundary conditions. *Bouzzidi, F.*, + , *T-MTT Jun* 97 869-876
- microstrip embedded in inhomogen. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, + , *T-MTT May* 97 678-686
- microstrip line, higher order mode leakage, FDTD anal. *Zhewang Ma*, + , *MWSYM* 97 1631-1634 vol.3
- microstrip lines, PBG substrs., double vector integral eqn. *Yang, H.Y.D.*, *MWSYM* 97 191-194 vol.1
- microwave filters, design, contin. varying transm. lines. *Le Roy, M.*, + , *MWSYM* 97 639-642 vol.2
- multiconductor interconnect lines, equiv. cct. params. extraction. *Jin Zhao*, + , *T-MTT Jan* 97 23-31
- multiconductor transm. lines, rect. cross sect., quasi-TEM anal. *Bernal, J.*, + , *T-MTT Sep* 97 1619-1626
- multiconductor transm. lines, SPICE-compatible models. *Djordjevic, A.R.*, *T-MTT May* 97 569-579
- multilayer capacitor, HF perform. study. *Kent, G.*, + , *T-MTT Feb* 97 311-313
- multilayered media, planar microstrip elements, modeling. *Ming-Ju Tsai*, + , *T-MTT Mar* 97 330-337
- multilayered/multiconductor transm. lines, hybrid-mode anal. *Alam, M.S.*, + , *T-MTT Feb* 97 205-211
- nonradiating sources in time-domain transm.-line theory. *Sihvola, A.*, + , *T-MTT Dec* 97 2155-2159
- nonreciprocal and nonsymmetric transm. lines, duality transform. *Lindell, I.V.*, + , *T-MTT Jan* 97 129-131
- nonuniform transm. lines, anal. method. *Ke Lu*, *T-MTT Jan* 97 9-14
- nonuniform transm. lines, reconstruct. from TDR. *Ching-Wen Hsue*, + , *T-MTT Jan* 97 32-38
- on-chip interconnections, transm.-line effects. *Deutsch, A.*, + , *T-MTT Oct* 97 1836-1846
- open microstrip discontinuities anal., spatial network method. *Bica, D.M.*, + , *T-MTT Jun* 97 905-910
- PC transm. lines, spectral gap for leakage, 1 surface waves. *Tsuji, M.*, + , *MWSYM* 97 483-486 vol.2
- planar struct. anal., vector pot. FDTD method. *Georgieva, N.*, + , *MWSYM* 97 1361-1364 vol.3
- shielded microstrip transm. lines with thick electrodes, anal. *Zhu, N.H.*, + , *T-MTT Feb* 97 288-291
- slotline, bound wave/leaky wave upper cut-off freq. *Zehentner, J.*, + , *MWSYM* 97 487-490 vol.2
- thin microstrips, losses eval. *Stracca, G.B.*, *T-MTT Feb* 97 281-283
- tightly coupled lines struct. for MMIC/MHMIC couplers/phase shifters. *Yansheng Xu*, + , *T-MTT Sep* 97 1594-1599
- tightly coupled microstrip lines, optimum termination networks. *Amari, S.*, + , *T-MTT Oct* 97 1785-1789
- transm.-line analysis of capacitively coupled microstrip-ring resonator. *Yu, C.-C.*, + , *T-MTT Nov* 97 2018-2024
- uniaxial substr.-superstrate microstrip, Wiener-Hopf anal. *Kyriacou, G.A.*, + , *T-MTT May* 97 616-629
- whispering gallery modes in dielec. resonator, charactn. at millimeter wavelength. *Annino, G.*, + , *T-MTT Nov* 97 2025-2034
- wideband multiport planar power divider design. *Yung-Jinn Chen*, + , *MWSYM* 97 397-400 vol.2
- Transmission line theory; cf.** Waveguide theory
- Transmitters; cf.** Microwave transmitters; Millimeter wave transmitters; MMIC transmitters; Optical transmitters; Radar transmitters; TV transmitters; UHF transmitters
- Transversal filters**
- LiTaO₃ based SAW expander/compressor for CDMA/TDMA SS syst. *Reindl, L.*, + , *MWSYM* 97 821-824 vol.2
- MMIC distributed-amp.-based transversal filter topol., opt. commun. *Borjak, A.*, + , *T-MTT Aug* 97 1453-1457
- Traveling wave amplifiers**
- GaAs MMIC transimpedance amps. for optoelectronic appls. *Dueme, P.*, + , *MWSYM* 97 13-16 vol.1
- power amp., dyn. AM/AM and AM/PM meas. *Moulthrop, A.A.*, + , *MWSYM* 97 1455-1458 vol.3
- Traveling wave amplifiers; cf.** Semiconductor optical amplifiers
- Traveling wave antennas**
- propag. and leakage effects for TW sources in presence of covering dielec. layers. *Di Nallo, C.*, + , *MWSYM* 97 605-608 vol.2
- Traveling wave antennas; cf.** Leaky wave antennas
- Tunable amplifiers**
- 40 Gbit/s opt. fiber transm. systs., narrow band photoreceiver, clock recovery. *Miras, A.*, + , *MWSYM* 97 1709-1712 vol.3
- push-pull power amps., X-band operation. *Toyoda, S.*, *MWSYM* 97 1433-1436 vol.3

Tunable circuits and devices

- electronically tunable microwave impedance transformer. *Sinsky, J.H.*, + , *MWSYM* 97 647-650 vol.2
- GaAs tunable fiber-coupled photomixers, coherent THz output power. *Verghese, S.*, + , *T-MTT Aug* 97 1301-1309
- microwave load based on biased photoinduced plasma in Si. *Boyer, B.*, + , *T-MTT Aug* 97 1362-1367
- Nb tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1
- PLL synthesizer, triple tuned, freq. converted DDS unit. *Tajima, K.*, + , *MWSYM* 97 1217-1220 vol.3
- Si L-band RF, baseband monolithic microwave receiver, on-chip tuning. *Geis, L.A.*, + , *MWSYM* 97 1151-1154 vol.3
- YBaCuO tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1

Tunable circuits and devices; cf. Laser tuning; Tunable amplifiers; Tunable filters; Tunable oscillators

Tunable filters

- act.-fiber Bragg-grating-pair struct., microwave photonic sig. proc. *Hunter, D.B.*, + , *T-MTT Aug* 97 1463-1466
- dual mode filters in circ. waveguide incl. tuning elements, CAD. *Boria, V.*, + , *MWSYM* 97 1575-1578 vol.3
- ellipt. cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM* 97 1083-1086 vol.2
- low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko*, + , *MWSYM* 97 929-932 vol.2
- MMIC narrow X-band tunable filters, act. resonators. *Van Vliet, F.E.*, + , *MWSYM* 97 701-704 vol.2
- MMIC tunable act. recursive filters having variable and uniform gain. *Jin-Su Ko*, + , *RFIC* 97 51-54
- MMIC tunable bandpass filter, microstrip ring resonator, loss compensation. *Paul, D.K.*, + , *MWSYM* 97 941-944 vol.2
- UHF monolithic act. notch tunable filter based on gyrator principle. *Giannini, F.*, + , *MWSYM* 97 809-812 vol.2
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3

Tunable oscillators

- GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, + , *RFIC* 97 83-86
- inductance-controlled FET MMIC oscillator, 1.7 GHz, act. inductor. *Yong-Ho Cho*, + , *T-MTT Aug* 97 1208-1213
- InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, + , *RFIC* 97 215-218
- InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, + , *MWSYM* 97 255-258 vol.1
- InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, + , *RFIC* 97 91-94
- low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko*, + , *MWSYM* 97 929-932 vol.2
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, + , *MWSYM* 97 1395-1398 vol.3
- Si bipolar VCO, 3D MMIC technol., tuning range. *Kamogawa, K.*, + , *MWSYM* 97 1221-1224 vol.3
- wide-tuning range Si bipolar VCOs based on 3D MMIC technol. *Kamogawa, K.*, + , *T-MTT Dec* 97 2436-2443

Tuners; cf. TV receiver tuners

Tungsten alloys

- WSi/Au T-shaped gate K-band power HEMT. *Kunii, T.*, + , *MWSYM* 97 1187-1190 vol.3

Tuning

- ellipt. cavity resonators for dual-mode narrowband filters. *Accatino, L.*, + , *MWSYM* 97 1083-1086 vol.2
- vector modul. based tunable freq. photonic beamformer for phased-array antennas. *Riza, N.A.*, *T-MTT Aug* 97 1508-1512

Tuning; cf. Circuit tuning

Tunnel diode circuits; cf. Tunnel diode oscillators

Tunnel diode oscillators

- 3D TLM networks, nonlin. act. and pass. device modeling. *Cascio, L.*, + , *MWSYM* 97 383-386 vol.2

Tunneling

- Nb/AlO_x/Nb SIS submillimeter wavelength detector, low noise. *Karpov, A.*, + , *MWSYM* 97 919-920 vol.2

TV; cf. Cable TV

TV equipment; cf. TV transmitters

TV interference; cf. Cable TV interference

TV receiver circuits

- GaAs MMIC MMDS downconverter, analog CATV channel receiver appl. *Birkeland, J.*, + , *RFIC* 97 29-32

TV receiver tuners

- Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC* 97 23-26

TV transmitters

- HDTV transmitter, short-range transm., 60-GHz-band. *Nakakita, H.*, + , *MWSYM* 97 1143-1146 vol.3

Two-port circuits

- coupled localized/distributed elements anal., EM software. *Baillargeat, D.*, + , *MWSYM* 97 1021-1024 vol.2
- MMIC inductor coupling effects, FDTD anal. *Werthen, M.*, + , *MWSYM* 97 1793-1796 vol.3
- noise params. of network, parallel and series feedback. *Boglione, L.*, + , *T-MTT Feb* 97 301-304
- rat race coupler design, appl., bal. mixers, high LO, RF isolation. *Walker, J.L.B.*, *MWSYM* 97 747-750 vol.2

U**UHF amplifiers**

- feedforward amps., distortion cancellation sensitivity, loop imbalances. *Hau, Y.K.G.*, + , *MWSYM* 97 1695-1698 vol.3
- RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97* xxi+242
- Si LNA chips for MCM integrat. on Si-based substr. *Jenshan Lin*, + , *RFIC* 97 121-125

UHF amplifiers; cf. UHF FET amplifiers; UHF power amplifiers

UHF antennas

- dual-reson. shielded cellular antenna, FDTD anal. *Yildirim, B.S.*, + , *MWSYM* 97 1751-1754 vol.3
- polariz. flexible phased array antenna for mobile commun. SDMA field trial. *Passmann, C.*, + , *MWSYM* 97 595-598 vol.2
- true time-delay opt. feeder for phased-array antenna employing chirped fiber grating. *Corral, J.L.*, + , *T-MTT Aug* 97 1531-1536

UHF attenuators

- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1

UHF bipolar integrated circuits

- DECT integrated 2 GHz 500 mW bipolar amp., Siemens B6HF f_T-technol. *Weber, S.*, + , *RFIC* 97 139-142
- DECT, open loop archit., bipolar transmitter IC. *Heinen, S.*, + , *RFIC* 97 127-130
- DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
- quadrature generator, self-calib., freq. range. *Lovalace, D.*, + , *RFIC* 97 147-151
- Si bipolar medium power transistors, double poly proc., on-wafer loadpull meas. *van Rijs, F.*, + , *RFIC* 97 15-18

UHF bipolar transistor amplifiers; cf. UHF power bipolar transistor amplifiers

UHF bipolar transistors

- InGaAs/InP HBTs, small-sig. param. extraction, self-consistent method. *Rios, J.M.M.*, + , *T-MTT Jan* 97 39-45
- modeling, capacitance topol. *Ciubotaru, A.A.*, + , *MWSYM* 97 1477-1480 vol.3

UHF bipolar transistors; cf. UHF power bipolar transistors

UHF circuits

- GaAs FET high power UHF amps., IM₃ relative phase, transfer charact. *Suematsu, N.*, + , *MWSYM* 97 901-904 vol.2
- generalized stabil. anal. tool, stabil. envelope. *Narhi, T.*, + , *MWSYM* 97 623-626 vol.2
- Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM* 97 391-394 vol.2

UHF circuits; cf. UHF amplifiers; UHF filters; UHF integrated circuits; UHF mixers; UHF oscillators; UHF receivers; UHF transmitters

UHF communication; cf. UHF radio communication

UHF couplers; cf. UHF directional couplers

UHF devices

- HF SAW devices, wireless appls., 1-6 GHz. *Kines, J.H.*, + , *MWSYM* 97 177-180 vol.1

UHF devices; cf. UHF antennas; UHF attenuators; UHF phase shifters; UHF switches

UHF directional couplers

- alignment tolerant stripline directional couplers, design. *Budka, T.P.*, + , *MWSYM* 97 773-776 vol.2

UHF FET amplifiers

- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- uniplanar broadband push-pull FET amps. *Hsu, P.-C.*, + , *T-MTT Dec* 97 2150-2151

UHF FET amplifiers; cf. UHF power FET amplifiers

UHF FET integrated circuits

- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM* 97 1399-1402 vol.3
- GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2

- GaAs MESFET amp., high dyn. range variable gain for CDMA appls. *Kasashima, M.*, + , *MWSYM* 97 5-8 vol.1
- GaAs MODFET low power front-end IC, current-reuse config. *Ishida, H.*, + , *MWSYM* 97 669-672 vol.2
- inductance-controlled FET MMIC oscillator, 1.7 GHz, act. inductor. *Yong-Ho Cho*, + , *T-MTT Aug* 97 1208-1213
- monolithic act. notch tunable filter based on gyrator principle. *Giannini, F.*, + , *MWSYM* 97 809-812 vol.2
- Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC* 97 23-26
- Si RF-GCMOS IC technol., RF mixed-mode wireless commun. *Jun Ma*, + , *MWSYM* 97 123-127 vol.1
- Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC* 97 153-156
- Si RF GCMOS technol., portable commun. appl. *Spears, E.*, + , *MWSYM* 97 1-4 vol.1
- subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2
- UHF FET oscillators**
inductance-controlled FET MMIC oscillator, 1.7 GHz, act. inductor. *Yong-Ho Cho*, + , *T-MTT Aug* 97 1208-1213
- UHF FETs**
GaAs MESFET, channel-current model incl. thermal effects. *Tae Moon Roh*, + , *T-MTT Aug* 97 1252-1255
- InP HEMTs, VHF small-sig. equiv. cct. *Miras, A.*, + , *T-MTT Jul* 97 1018-1026
- Si MOSFET model for nonlin. RF simul., S-param. meas. *Biber, C.E.*, + , *MWSYM* 97 865-868 vol.2
- Si MOSFET, phys. large sig. model for RF cct. design/anal. *Ho, M.C.*, + , *MWSYM* 97 391-394 vol.2
- UHF FETs; cf.** UHF power FETs
- UHF filters**
DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
- low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko*, + , *MWSYM* 97 929-932 vol.2
- SAW filter, bal.-type, PCN and PCS systs. *Taguchi, Y.*, + , *MWSYM* 97 837-840 vol.2
- SAW filters, GHz freqs. *Penunuri, D.*, *MWSYM* 97 169-172 vol.1
- SAW filters on diamond, structs./characts. *Higaki, K.*, + , *MWSYM* 97 829-832 vol.2
- SAW RF filters, EM effects simul. *Pitschi, F.M.*, + , *MWSYM* 97 825-828 vol.2
- tapped-line interdigital filter equiv. ccts. *Ernst, C.*, + , *MWSYM* 97 801-804 vol.2
- UHF filters; cf.** UHF resonator filters
- UHF frequency conversion**
push-pull freq. converter for mobile commun. *Thangavelu, A.V.*, + , *MWSYM* 97 661-664 vol.2
- subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2
- UHF frequency conversion; cf.** UHF mixers
- UHF generation; cf.** UHF oscillators
- UHF integrated circuits**
broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *MWSYM* 97 757-760 vol.2
- CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, + , *MWSYM* 97 945-948 vol.2
- dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC* 97 143-146
- ground bond wire arrays for RFICs, inductance computation. *Patterson, H.*, *MWSYM* 97 765-768 vol.2
- GSM and DECT TDMA based digital systs., RF ICs. *Fenk, J.*, *RFIC* 97 69-72
- heterolithic Si-glass based double bal. mixers for cellular appls. *Putnam, J.*, + , *MWSYM* 97 653-656 vol.2
- interconnects and packaging (special issue). *T-MTT Oct* 97 1817-1985
- interconnects and packaging, special issue intro. *Tripathi V.K.*, + , *T-MTT Oct* 97 1817-1818
- low-power tunable act. inductor, monolithic VCO and BPF appls. *Jin-So Ko*, + , *MWSYM* 97 929-932 vol.2
- monobit receiver able, proc. 2 simultaneous sigs. *Tsui, J.B.Y.*, + , *MWSYM* 97 469-471 vol.2
- octave bandwidth monopulse proc., Lange coupler based design. *Barker, N.S.*, + , *MWSYM* 97 405-407 vol.2
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- pure-mode VNA for on-wafer meas. of mixed-mode S-params. of differential ccts. *Bockelman, D.E.*, + , *T-MTT Jul* 97 1071-1077
- RFICs, conf., Denver CO, USA (Jun 97). *RFIC-97 xxi+242*
- RFIC transceiver technol., syst. archit., mobile commun. *Kermarrec, C.*, + , *RFIC* 97 65-68
- Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12
- Si L-band RF, baseband monolithic microwave receiver, on-chip tuning. *Geis, L.A.*, + , *MWSYM* 97 1151-1154 vol.3
- VCO, on-chip temp. compensation. *Sun, Y.*, + , *RFIC* 97 229-232
- UHF integrated circuits; cf.** UHF bipolar integrated circuits; UHF FET integrated circuits
- UHF measurements**
CMOS RF IC design appls., layout and bias optim. *Cheon Soo Kim*, + , *MWSYM* 97 945-948 vol.2
- GaAs FET high power UHF amps., IM₃ relative phase, transfer charact. *Suematsu, N.*, + , *MWSYM* 97 901-904 vol.2
- InGaP/GaAs UHF power HBT, dyn. load lines meas. *Ohara, S.*, + , *MWSYM* 97 909-912 vol.2
- multiconductor struct., field distrib. and scatt. param. meas. *Yingjie Gao*, + , *MWSYM* 97 1741-1744 vol.3
- pure-mode VNA for on-wafer meas. of mixed-mode S-params. of differential ccts. *Bockelman, D.E.*, + , *T-MTT Jul* 97 1071-1077
- Si bipolar medium power transistors, double poly proc., on-wafer loadpull meas. *van Rijs, F.*, + , *RFIC* 97 15-18
- UHF mixers**
DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
- GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2
- GaAs HBT UHF mixer, noise fig. prediction and meas. *Xavier, B.A.*, + , *RFIC* 97 135-138
- heterolithic Si-glass based double bal. mixers for cellular appls. *Putnam, J.*, + , *MWSYM* 97 653-656 vol.2
- push-pull freq. converter for mobile commun. *Thangavelu, A.V.*, + , *MWSYM* 97 661-664 vol.2
- Si MOS MMIC upconverter for CATV tuner appls. *Birkeland, J.*, + , *RFIC* 97 23-26
- Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC* 97 153-156
- subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2
- wide dyn. range RF mixers, wide-bandgap semiconds. *Fazi, C.*, + , *MWSYM* 97 49-51 vol.1
- UHF modulation**
Si L-band RF, baseband monolithic microwave receiver, on-chip tuning. *Geis, L.A.*, + , *MWSYM* 97 1151-1154 vol.3
- UHF oscillators**
broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, + , *MWSYM* 97 757-760 vol.2
- Colpitts LV bias VCO. *Xiangdong Zhang*, + , *MWSYM* 97 845-848 vol.2
- Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC* 97 153-156
- VCO, on-chip temp. compensation. *Sun, Y.*, + , *RFIC* 97 229-232
- UHF oscillators; cf.** UHF FET oscillators
- UHF phase shifters**
quadrature generator, self-calib., freq. range. *Lovalace, D.*, + , *RFIC* 97 147-151
- UHF power amplifiers**
feedforward power amp., lin. loop. *Sang-Gee Kang*, + , *MWSYM* 97 1519-1522 vol.3
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- S-band power amp., miniaturized lin., parallel diode. *Yamauchi, K.*, + , *MWSYM* 97 1199-1202 vol.3
- UHF power amplifiers; cf.** UHF power bipolar transistor amplifiers; UHF power FET amplifiers
- UHF power bipolar transistor amplifiers**
DECT integrated 2 GHz 500 mW bipolar amp., Siemens B6HF f_T-technol. *Weber, S.*, + , *RFIC* 97 139-142
- Si bipolar medium power transistors, double poly proc., on-wafer loadpull meas. *van Rijs, F.*, + , *RFIC* 97 15-18
- UHF power bipolar transistors**
InGaP/GaAs UHF power HBT, dyn. load lines meas. *Ohara, S.*, + , *MWSYM* 97 909-912 vol.2
- Si bipolar medium power transistors, double poly proc., on-wafer loadpull meas. *van Rijs, F.*, + , *RFIC* 97 15-18
- Si power transistor fab., monolithic impedance matching ccts. *Phing Li*, + , *MWSYM* 97 991-994 vol.2
- UHF power FET amplifiers**
AlGaAs/GaAs 60W L-band power heterostruct. FETs, SSPA appls. *Morikawa, J.*, + , *MWSYM* 97 1413-1416 vol.3
- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM* 97 1399-1402 vol.3
- GaAs FET high power UHF amps., IM₃ relative phase, transfer charact. *Suematsu, N.*, + , *MWSYM* 97 901-904 vol.2

- GaAs power MESFET amp., digital cordless phone syst. *Nagaoka, M.*, + , *MWSYM* 97 1323-1326 vol.3
- GaAs power MESFETs, S-band, second-harmonic terminating tech., mobile satcom appls. *Takenaka, I.*, + , *MWSYM* 97 1417-1420 vol.3
- MMIC power amp. module, harmonics suppression, digital mobile comm. appl. *Kayano, H.*, + , *MWSYM* 97 743-746 vol.2
- UHF power FETs**
- AlGaAs/GaAs 60W L-band power heterostruct. FETs, SSPA appls. *Morikawa, J.*, + , *MWSYM* 97 1413-1416 vol.3
- enhancement mode single supply power HFET, MMIC power amp. appl. *Glass, E.*, + , *MWSYM* 97 1399-1402 vol.3
- GaAs power MESFETs, S-band, second-harmonic terminating tech., mobile satcom appls. *Takenaka, I.*, + , *MWSYM* 97 1417-1420 vol.3
- GaAs S-band push-pull power MESFET, MMDS appl. *Sarkissian, G.*, + , *MWSYM* 97 1409-1412 vol.3
- LDMOS power FET, LV wireless commun. *Ma, G.*, + , *MWSYM* 97 1303-1306 vol.3
- PHEMT, enhancement-mode power amp., PCS appl. *Der-Woei Wu*, + , *MWSYM* 97 1319-1322 vol.3
- SiC, appl., high power UHF/microwave devices. *Morse, A.W.*, + , *MWSYM* 97 53-56 vol.1
- SiC MESFETs for high-power S-band appls. *Allen, S.T.*, + , *MWSYM* 97 57-60 vol.1
- UHF radio communication**
- adaptive nulling loop control for 1.7-GHz feedforward lin. systs. *Eid, E.E.*, + , *T-MTT Jan* 97 83-86
- DECT integrated 2 GHz 500 mW bipolar amp., Siemens B6HF f_T-technol. *Weber, S.*, + , *RFIC* 97 139-142
- DECT, open loop archit., bipolar transmitter IC. *Heinen, S.*, + , *RFIC* 97 127-130
- DECT radio transceiver chipset, bipolar technols. *Strang, J.*, + , *RFIC* 97 131-134
- dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC* 97 143-146
- GaAs power MESFETs, S-band, second-harmonic terminating tech., mobile satcom appls. *Takenaka, I.*, + , *MWSYM* 97 1417-1420 vol.3
- GSM and DECT TDMA based digital systs., RF ICs. *Fenk, J.*, *RFIC* 97 69-72
- mobile commun., RF SAW technol. *Hikita, M.*, + , *MWSYM* 97 173-176 vol.1
- multilayer MMIC/MCM baluns using lumped element compensation, wireless appls. *Jansen, R.H.*, + , *MWSYM* 97 277-280 vol.1
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- portable phone-user interacts. via near field mapping on mannequins/volunteers. *Ahlonso, L.*, + , *MWSYM* 97 1825-1828 vol.3
- RFIC transceiver technol., syst. archit., mobile commun. *Kermarrec, C.*, + , *RFIC* 97 65-68
- Si BiCMOS MMIC for mobile commun. terminal appl., on-chip matching, 1.9-GHz. *Suematsu, N.*, *RFIC* 97 9-12
- Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC* 97 153-156
- wireless sig. distrib. via fiber-optic technol. *Plourde, J.K.*, *MWSYM* 97 217-220 vol.1
- UHF receivers**
- adaptive antenna integrated, AGC for receiver front end. *Dawson, J.L.*, + , *MWSYM* 97 1747-1750 vol.3
- chip design for monobit receiver. *Pok, D.S.K.*, + , *T-MTT Dec* 97 2283-2295
- dual-channel IF sampling base station receiver IC, digital filtering. *Gratzek, T.*, + , *RFIC* 97 143-146
- GaAs even harmonic quadrature ring mixer for direct conversion receivers. *Kawakami, K.*, + , *MWSYM* 97 657-660 vol.2
- GaAs MODFET low power front-end IC, current-reuse config. *Ishida, H.*, + , *MWSYM* 97 669-672 vol.2
- monobit receiver able, proc. 2 simultaneous sigs. *Tsui, J.B.Y.*, + , *MWSYM* 97 469-471 vol.2
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- Si L-band RF, baseband monolithic microwave receiver, on-chip tuning. *Geis, L.A.*, + , *MWSYM* 97 1151-1154 vol.3
- Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC* 97 153-156
- subharmonic sampler for sig. downconversion, 2 GHz. *Parssinen, A.*, + , *MWSYM* 97 665-668 vol.2
- UHF resonator filters**
- capacitively loaded half-wavelength tapped-stub resonator, filter appls. *Drozdz, J.M.*, + , *T-MTT Jul* 97 1100-1104
- circ. dual-mode resonator and filter, rotated excitation theory. *Awai, I.*, + , *MWSYM* 97 781-784 vol.2
- combine filters, spurious perform. improvement. *Hui-Wen Yao*, + , *MWSYM* 97 1099-1102 vol.2
- conductor loaded resonator filters, wide spurious free stop band. *Chi Wang*, + , *MWSYM* 97 1079-1082 vol.2
- dual mode combined dielec. and conductor loaded cavity filters. *Chi Wang*, + , *MWSYM* 97 1103-1107 vol.2
- dual-mode conductor-loaded cylind. waveguide cavity filters. *Chi Wang*, + , *T-MTT Aug* 97 1240-1246
- gigahertz SAW devices, high perform. filters, ladder type bandpass filters. *Knauer, U.*, + , *MWSYM* 97 1821-1824 vol.3
- hairpin-comb filters for HTS and narrow-band appls. *Matthaei, G.L.*, + , *T-MTT Aug* 97 1226-1231
- miniaturized monolithic dual band filter for portable telephones. *Miyake, H.*, + , *MWSYM* 97 789-792 vol.2
- modified Chebyshev bandpass filter with atten. poles in stopband, design. *Jeong-Soo Lim*, + , *T-MTT Jun* 97 898-904
- monolithic act. notch tunable filter based on gyrator principle. *Giannini, F.*, + , *MWSYM* 97 809-812 vol.2
- ZnO thin film based bulk acoustic mode ladder filters, power handling. *Seabury, C.W.*, + , *MWSYM* 97 181-184 vol.1
- UHF switches**
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- UHF technology; cf.** UHF circuits; UHF devices; UHF frequency conversion; UHF measurements; UHF modulation
- UHF transistors; cf.** UHF bipolar transistors; UHF FETs
- UHF transmitters**
- DECT, open loop archit., bipolar transmitter IC. *Heinen, S.*, + , *RFIC* 97 127-130
- depend. of EM energy absorption upon human-head modeling at 1800 MHz. *Meier, K.*, + , *T-MTT Nov* 97 2058-2062
- PHS hand-set transceiver hybrid IC, 1.9 GHz, power amp., T/R SPDT switch. *Nishijima, M.*, + , *MWSYM* 97 1155-1158 vol.3
- power limited wireless transmitters, channel loading effects, discrete multitone modulation. *Leke, A.*, + , *MWSYM* 97 1147-1150 vol.3
- Ultrafast electronics**
- sub-picosecond systs., far field THz radiation. *Remley, K.A.*, + , *MWSYM* 97 163-166 vol.1
- Ultrafast optics**
- elec. pulse, scanning force optoelectronic microscopy. *Takeuchi, K.*, + , *MWSYM* 97 1643-1646 vol.3
- Ultra-high-speed integrated circuits**
- low-power ultra-fast ICs in scaled submicron HBT IC technol. *Hafizi, M.*, + , *RFIC* 97 87-90

V

Vapor deposition; cf. CVD

Varactors

- GaAs/Al_{0.7}Ga_{0.3}As heterostruct. barrier varactor tripler. *Jones, J.R.*, + , *T-MTT Apr* 97 512-518
- Schottky diode parallel pair mm-wave freq. tripler, varactors. *Thornton, J.*, + , *MWSYM* 97 957-958 vol.2

Variational methods

- CPW discontinuities, capacit. calc. by hybrid FEM. *Chien-Wen Chiu*, + , *T-MTT Apr* 97 498-504
- rect./ellipt. waveguide, coupling iris, variational anal. *Morini, A.*, + , *MWSYM* 97 1243-1246 vol.3
- rect. waveguide, iris discontinuity, separation of variables. *Rozzi, T.*, + , *T-MTT Feb* 97 253-259

Vectors

- planar struct. anal., vector pot. FDTD method. *Georgieva, N.*, + , *MWSYM* 97 1361-1364 vol.3

Velocity measurement; cf. Radar velocity measurement

Very-large-scale integration

- high-speed ccts., EM simul., neural networks. *Veluswami, A.*, + , *T-MTT May* 97 712-723
- microwave VLSI multilayered 3D interconnects, param. extraction, domain-decomp. method. *Zhenhai Zhu*, + , *T-MTT Aug* 97 1179-1184
- MMIC VLSI general interconnects, geom. independent meas. eqn. of invariance. *Sun, W.*, + , *T-MTT May* 97 827-836
- Si RF-GCMOS IC technol., RF mixed-mode wireless appls. *Jun Ma*, + , *RFIC* 97 175-179
- Si RF-GCMOS IC technol., RF mixed-mode wireless commun. *Jun Ma*, + , *MWSYM* 97 123-127 vol.1
- Si RF GCMOS perform. for portable commun. appls. *Spears, E.*, + , *RFIC* 97 153-156

VHF radio communication

- mobile commun., RF SAW technol. *Hikita, M.*, + , *MWSYM* 97 173-176 vol.1

Voltage

- elec. pulse, scanning force optoelectronic microscopy. *Takeuchi, K.*, + , *MWSYM* 97 1643-1646 vol.3

microstrip embedded in inhomogen. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, +, *T-MTT May 97* 678-686
 S/V pot. method for Maxwell's eqns. near corners, nodal elements. *Boyse, W.E.*, +, *MWSYM 97* 1547-1550 vol.3

Voltage controlled oscillators

broadband UHF VCO, on-chip temp. compensation. *Sun, Y.*, +, *MWSYM 97* 757-760 vol.2
 Colpitts LV bias VCO. *Xiangdong Zhang*, +, *MWSYM 97* 845-848 vol.2
 coupled oscillator arrays, phase noise props. *Heng-Chia Chang*, +, *MWSYM 97* 1061-1064 vol.2
 DECT radio transceiver chipset, bipolar technols. *Strang, J.*, +, *RFIC 97* 131-134
 GaAs MESFET VCOs, coupled oscillators, phase noise. *Heng-Chia Chang*, +, *T-MTT May 97* 604-615
 GaAs monolithic HEMT-HBT Ka-band VCO-mixer design. *Kobayashi, K.W.*, +, *RFIC 97* 83-86
 InGaP/GaAs HBT Ka-band low phase noise VCOs, CPW. *Heins, M.S.*, +, *RFIC 97* 215-218
 InGaP-GaAs HBT Ka-band VCO using CPW, low phase noise. *Heins, M.S.*, +, *MWSYM 97* 255-258 vol.1
 InP-based HBT MMIC VCOs, 77 and 94 GHz, develop. *Wang, H.*, +, *RFIC 97* 91-94
 InP-based HEMT-HBT integrat. technol., 24 GHz MMIC freq. source. *Wang, H.*, +, *RFIC 97* 79-81
 MMIC SOM in opt. fed phased array antennas for Ka-band commun. satellites. *Daryoush, A.S.*, +, *MWSYM 97* 351-354 vol.1
 pHEMT mm-wave MMIC VCO, design procedures. *Garner, P.J.*, +, *MWSYM 97* 885-888 vol.2
 Si bipolar VCO, 3D MMIC technol., tuning range. *Kamogawa, K.*, +, *MWSYM 97* 1221-1224 vol.3
 UHF VCO, on-chip temp. compensation. *Sun, Y.*, +, *RFIC 97* 229-232
 V-band phase-locked oscillator, GaAs MMIC sampling phase detector. *Kanda, A.*, +, *T-MTT May 97* 659-665
 wide-tuning range Si bipolar VCOs based on 3D MMIC technol. *Kamogawa, K.*, +, *T-MTT Dec 97* 2436-2443

Voltage measurement

elec. pulse, scanning force optoelectronic microscopy. *Takeuchi, K.*, +, *MWSYM 97* 1643-1646 vol.3

Volterra series

eval. of MESFET nonlin. intermodulation distortion reduction by channel-doping control. *Pedro, J.C.*, *T-MTT Nov 97* 1989-1997
 intermodulation mechanism and linearization of AlGaAs/GaAs HBTs. *Lee, J.*, +, *T-MTT Dec 97* 2065-2072
 transfer charact. of IM₃ relative phase for GaAs FET amp. *Suematsu, N.*, +, *T-MTT Dec 97* 2509-2514

W

Wave functions

corrections to "The eigenfunction expansion of dyadic Green's functions for chirowaveguides" (Sep 96 1575-1583). *Hui, H.T.*, +, *T-MTT Apr 97* 561
 infinite ellipt. dielec. cylinder coating circ. metallic or dielec. cylinder, scatt. *Savaidis, S.P.*, +, *T-MTT Oct 97* 1792-1800

Waveguide antennas

conducting-strip diffr. grating planar dielec. waveguide, mm-wave antenna. *Bledowski, A.*, +, *T-MTT Sep 97* 1637-1640

Waveguide arrays

concentric multi-element waveguide array, coupling params., layered lossy cylinder. *Nikita, K.S.*, +, *MWSYM 97* 111-114 vol.1
 periodic strip grating struct., spectral gap for leaky waves. *Majumder, S.*, +, *MWSYM 97* 479-482 vol.2
 strip dipole antennas in rect. waveguide, method-of-moments study. *Adams, A.R.*, +, *T-MTT Oct 97* 1756-1766

Waveguide attenuators

below-cutoff atten. std. *Russell, D.H.*, *MWSYM 97* 1165-1169 vol.3
 opt. controlled microwave attenuator, ferrite phase shifter compensation. *Shimasaki, H.*, +, *MWSYM 97* 1703-1706 vol.3

Waveguide bends

3D struct., EM optim. *Bandler, J.W.*, +, *T-MTT May 97* 770-779
 circ. waveguide bends, CAD-oriented modeling, extended local modes approach. *Weisshaar, A.*, +, *MWSYM 97* 1591-1594 vol.3
 H-plane waveguide bends, low return loss, anal. and design. *Zhewang Ma*, +, *MWSYM 97* 417-420 vol.2
 microstrip/waveguide discontinuities, irregular shape, unified num. method. *Tzzy-Sheng Horng*, *MWSYM 97* 1815-1818 vol.3
 MMICs, 90° CPW bends, air-bridges, EM-ANN modelling, optimal chamfering. *Watson, P.M.*, +, *MWSYM 97* 1603-1606 vol.3

Waveguide components

corrections to "Resonant disk turnstile" (Sep 97 1600-1610). *Zimmerman, R.K., Jr.*, *T-MTT Nov 97* 2063

correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" (Nov 95 2614-2620). *Levy, R.*, *T-MTT May 97* 704-705

discrete components, modelling, FDTD method. *Gillard, R.*, +, *MWSYM 97* 71-74 vol.1

finite ground CPW lumped elements, characts. *Ponchak, G.E.*, +, *MWSYM 97* 1003-1007 vol.2

H-plane waveguide bends, low return loss, anal. and design. *Zhewang Ma*, +, *MWSYM 97* 417-420 vol.2

hybrid mode-matching/num. EM design. *Arndt, F.*, +, *T-MTT May 97* 747-760

MM-wave amplif.-phase modulator, design and perform. *Martynyuk, A.E.*, +, *T-MTT Jun 97* 911-917

pass. coaxial components, design, EM 2D solver. *Miazga, P.*, +, *T-MTT May 97* 858-861

quasi-opt. systs., anal. of finite grid structs., lenses. *Nuteson, T.W.*, +, *T-MTT May 97* 666-672

reson. disk turnstile, theory and L-band prototype. *Zimmerman, R.K., Jr.*, *T-MTT Sep 97* 1600-1610

ridge waveguide, field displacement isolator. *Wen Junding*, +, *T-MTT May 97* 698-700

shape driven edge finite element models, broad freq. band microwave structs. *Thevenon, F.*, +, *MWSYM 97* 1615-1618 vol.3

sq. waveguide, mode polarizers. *Gaiowski, W.R.*, +, *T-MTT Jun 97* 997-1000

waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, +, *T-MTT Mar 97* 442-446

Waveguide components; cf. Power combiners; Power dividers; Waveguide antennas; Waveguide attenuators; Waveguide couplers; Waveguide filters; Waveguide switches

Waveguide couplers

correction to "Constraints to the optimum performance and bandwidth limitations of duplexers employing three-port junctions" (Feb 96 242-248). *Morini, A.*, *T-MTT May 97* 704

dual mode filters and polarizers, conically shaped coupling elements. *Balaji, U.*, +, *MWSYM 97* 1247-1250 vol.3

high-power mm-wave TM₀₁-TE₁₁ mode converters, optim. *Shiwen Yang*, +, *T-MTT Apr 97* 552-554

Lange-coupler and SSB mixer design, micromachining techs. *Chen-Yu Chi*, +, *T-MTT Feb 97* 291-294

printed microwave couplers, thermal isolation. *Brown, R.A.*, +, *MWSYM 97* 983-986 vol.2

rect./circ. multiaperture couplers, mode-matching CAD. *Sieverding, T.*, +, *T-MTT Jul 97* 1034-1040

rect./ellipt. waveguide, coupling iris, variational anal. *Morini, A.*, +, *MWSYM 97* 1243-1246 vol.3

rect. waveguide broadwall couplers, modal anal. *Sieverding, T.*, +, *MWSYM 97* 1559-1562 vol.3

Si/SiGe uniplanar MMICs, multilayer pass. components. *Gokdemir, T.*, +, *MWSYM 97* 761-764 vol.2

tightly coupled lines struct. for MMIC/MHMIC couplers/phase shifters. *Yansheng Xu*, +, *T-MTT Sep 97* 1594-1599

uniplanar hybrid couplers using asymmetrical coplanar striplines. *Heimer, B.*, +, *T-MTT Dec 97* 2234-2240

Waveguide discontinuities

anal. of coplanar-waveguide discontinuities with finite-metallization thickness and nonrectangular edge profile. *Lin, F.-L.*, +, *T-MTT Dec 97* 2131-2138

anisotropic substr. slotline/CPW, end effects, FDTD. *Goswami, J.C.*, +, *T-MTT Sep 97* 1653-1657

bilayered material, microwave meas., coaxial discontinuity. *Belhadji-Tahar, N.*, +, *T-MTT Feb 97* 260-267

correction to "Input impedance of a coaxial probe located inside a rectangular cavity: Theory and experiment" (Jul 96 1161-1164). *Leong, M.S.*, +, *T-MTT May 97* 705

coupled integral eqns. tech. for waveguide filters anal. *Amari, S.*, +, *T-MTT Sep 97* 1611-1618

CPW discontinuities, capacit. calc. by hybrid FEM. *Chien-Wen Chiu*, +, *T-MTT Apr 97* 498-504

CPW discontinuities, nonrectangular cross sect., hybrid FEM anal. *Fang-Lih Lin*, +, *MWSYM 97* 1527-1530 vol.3

ellipt. waveguide step discontinuity, modal scatt. matrix. *Matras, P.*, +, *T-MTT Mar 97* 453-458

E-plane bandpass filters, improved stopband perform., CAD. *Budimir, D.*, *T-MTT Feb 97* 212-220

FDTD impedance boundary condition, waveguide discontinuity anal. appl. *Shibata, T.*, +, *MWSYM 97* 75-78 vol.1

lossless multiport, generalized scatt. matrix, discontinuities. *Morini, A.*, +, *MWSYM 97* 1607-1610 vol.3

mm-wave CPW ccts., wide band CAD model, FDTD tech. *Lan, E.*, +, *MWSYM 97* 1583-1586 vol.3

- modeling of conductor loss in coplanar cct. elements by method of lines. Vietzorreck, L., +, *T-MTT Dec 97* 2474-2478
- multistep dielec. discontinuity in guiding structs., anal. Shanji Xu, +, *T-MTT Feb 97* 284-287
- open planar chirowaveguides, discontinuities, rigorous mode-matching. Xinzhang Wu, +, *T-MTT May 97* 640-647
- orthogonal on-wafer DUTs, meas., SOLR calib. Basu, S., +, *MWSYM 97* 1335-1338 vol.3
- parasitic parallel-plate line mode excitation, coplanar discontinuities. Beilenhoff, K., +, *MWSYM 97* 1789-1792 vol.3
- power loss from discontinuities in guided structs., charactn. Sarkar, T.K., +, *MWSYM 97* 613-616 vol.2
- rect. waveguide broadwall couplers, modal anal. Sieverding, T., +, *MWSYM 97* 1559-1562 vol.3
- rect. waveguide, iris discontinuity, separation of variables. Rozzi, T., +, *T-MTT Feb 97* 253-259
- ridged waveguide filters, CAD, modal block-LU-decomp. Beyer, R., +, *MWSYM 97* 1235-1238 vol.3
- shape driven edge finite element models, broad freq. band microwave structs. Thevenon, F., +, *MWSYM 97* 1615-1618 vol.3
- Waveguide discontinuities; cf.** Waveguide bends; Waveguide junctions; Waveguide transitions
- Waveguide filters**
- combine filters, spurious perform. improvement. Hui-Wen Yao, +, *MWSYM 97* 1099-1102 vol.2
- coupled-integral-eqns. tech. for anal. Amari, S., +, *T-MTT Sep 97* 1611-1618
- CPW bandpass filters, perform. comparison. Fang-Lih Lin, +, *MWSYM 97* 813-816 vol.2
- cross-coupled filters, evanescent mode coupling elements. Synder, R.V., *MWSYM 97* 1095-1098 vol.2
- cross waveguide to large circ. waveguide jn., anal. and filter design appl. Ke-Li Wu, +, *T-MTT Jan 97* 153-157
- dual mode filters and polarizers, conically shaped coupling elements. Balaji, U., +, *MWSYM 97* 1247-1250 vol.3
- dual mode filters in circ. waveguide incl. tuning elements, CAD. Boria, V., +, *MWSYM 97* 1575-1578 vol.3
- E-plane bandpass filters, improved stopband perform., CAD. Budimir, D., *T-MTT Feb 97* 212-220
- microwave waveguide filters, EM-based CAD optim. procedure. Alos, J.T., +, *T-MTT May 97* 856-858
- ridged waveguide filters, CAD, modal block-LU-decomp. Beyer, R., +, *MWSYM 97* 1235-1238 vol.3
- Si finite-width CPW open/short-circuited terminated series stubs. Ponchak, G.E., +, *T-MTT Jun 97* 970-976
- space mapping optim., EM simul. Bandler, J.W., +, *MWSYM 97* 635-638 vol.2
- T-jn. manifold multiplexer optim., design formulas. Morini, A., +, *MWSYM 97* 1025-1028 vol.2
- Waveguide junctions**
- cascaded uniform waveguides, banded lin. systs., inversion tech. Boria, V.E., +, *MWSYM 97* 1567-1570 vol.3
- compact waveguide twists, rect./circ. waveguide sects. Alonso-Juaristi, P.I., +, *T-MTT May 97* 636-639
- cross waveguide to large circ. waveguide jn., anal. and filter design appl. Ke-Li Wu, +, *T-MTT Jan 97* 153-157
- ellipt.-waveguide jn., two-port scatt. Kin-Lung Chan, +, *T-MTT Aug 97* 1255-1262
- ferrite circulator jns., nonlin. intermodulation coupling. Hoton How, +, *T-MTT Feb 97* 245-252
- full wave network rect./circ./ellipt. waveguide jns. Gimeno, B., +, *T-MTT Mar 97* 376-384
- homog. waveguide, SCN TLM, modal boundary conditions. Herring, J.L., +, *MWSYM 97* 325-328 vol.1
- H-plane waveguide jns., generalized Y-matrix by BI-RME method. Arcioni, P., +, *MWSYM 97* 211-214 vol.1
- microstrip/waveguide discontinuities, irregular shape, unified num. method. Tzyy-Sheng Horng, *MWSYM 97* 1815-1818 vol.3
- microstrip Y-jn. anal., spectral-domain approach. Ooi, B.L., +, *T-MTT Oct 97* 1800-1805
- open-ended waveguides, refl. coeff. calc. Shen, Z.-X., +, *T-MTT Apr 97* 546-548
- rect. waveguide open jn., field theory, infinite parallel-plane lines. Iatrou, C.T., +, *T-MTT Feb 97* 165-172
- T-jn. manifold multiplexer optim., design formulas. Morini, A., +, *MWSYM 97* 1025-1028 vol.2
- Y-jn. perp. magnetized ferrite stripline circulator. Ivanov, S.A., *T-MTT May 97* 648-652
- Waveguide resonators**
- whispering gallery modes in dielec. resonator, charactn. at millimeter wavelength. Annino, G., +, *T-MTT Nov 97* 2025-2034
- Waveguides**
- 1997 Symposium, selected papers (special issue) . *T-MTT Dec 97* 2164-2554
- 1997 Symposium, selected papers, special issue intro. . Booton, R.C., Jr., +, *T-MTT Dec 97* 2164-2166
- rigorous and efficient fab.-oriented CAD and optim. of complex waveguide networks. Alessandri, F., +, *T-MTT Dec 97* 2366-2374
- Waveguides; cf.** Chirowaveguides; Circular waveguides; Coaxial waveguides; Corrugated waveguides; Dielectric waveguides; Elliptical waveguides; Ferrite waveguides; Helical waveguides; Loaded waveguides; Millimeter wave waveguides; Multimode waveguides; Parallel plate waveguides; Planar waveguides; Rectangular waveguides; Ridge waveguides; Submillimeter wave waveguides
- Waveguide switches**
- GaAs PIN diode W-band SP3T switch CPW MMIC. Case, M., +, *MWSYM 97* 1047-1051 vol.2
- Waveguide theory**
- anisotropic dielec. waveguide anal., FDTD methods rels. An Ping Zhao, +, *MWSYM 97* 83-87 vol.1
- antiparallel magnetis. ferrite layers partially filled waveguide, FDTD method. Berthou-Pichavant, K., +, *T-MTT May 97* 687-690
- asymmetrical coupled lines, conductor-backed coplanar type, characts. Cheng, K.-K.M., *T-MTT Mar 97* 460-463
- asymmetric rect. iris in circ. waveguide, scatt. props. Lenadan, T., +, *MWSYM 97* 207-210 vol.1
- broadband CPW, slotline transit. Kuang-Ping Ma, +, *MWSYM 97* 1627-1630 vol.3
- circ. multiridge waveguide, modes calc. Morini, A., +, *MWSYM 97* 199-202 vol.1
- circ.-rect. coaxial waveguides, higher order modal charact. Haiyin Wang, +, *T-MTT Mar 97* 414-419
- conductor-backed coplanar strip line, leakage regimes, crit. points. Yakovlev, A.B., +, *T-MTT Jan 97* 87-94
- corrections to "Resonant disk turnstile" (Sep 97 1600-1610). Zimmerman, R.K., Jr., *T-MTT Nov 97* 2063
- corrections to "The eigenfunction expansion of dyadic Green's functions for chirowaveguides" (Sep 96 1575-1583). Hui, H.T., +, *T-MTT Apr 97* 561
- correction to "The relationship between dual mode cavity cross-coupling and waveguide polarizers" (Nov 95 2614-2620). Levy, R., *T-MTT May 97* 704-705
- corrugated and dielec. loaded circ. waveguides, charact. eqn. roots. Costa da Silva, L., *T-MTT Feb 97* 298-301
- coupled integral eqns. tech. for waveguide filters anal. Amari, S., +, *T-MTT Sep 97* 1611-1618
- CPW discontinuities, capacit. calc. by hybrid FEM. Chien-Wen Chiu, +, *T-MTT Apr 97* 498-504
- CPW discontinuities, nonrectangular cross sect., hybrid FEM anal. Fang-Lih Lin, +, *MWSYM 97* 1527-1530 vol.3
- CPW on multilayer substs., characts. study. Erli Chen, +, *T-MTT Jun 97* 939-945
- CPW, transversely magnetized ferrite layer, nonreciprocity, FEM anal. Zhou, L., +, *MWSYM 97* 1109-1112 vol.2
- cross waveguide to large circ. waveguide jn., anal. and filter design appl. Ke-Li Wu, +, *T-MTT Jan 97* 153-157
- dielec.-coated parallel planar microstructural waveguides, near-IR wave propag. characts. Van Petegem, W.E.A., +, *T-MTT Mar 97* 367-375
- dielec.-loaded parallel-plate waveguide, time/space-adaptive gridding, MRTD. Tentzeris, E.M., +, *MWSYM 97* 337-340 vol.1
- dielec. slab waveguides, nonlin. propag. Jian-Guo Ma, *T-MTT Feb 97* 304-306
- dielec. waveguide anal., fast freq. sweep tech. Polstyanko, S.V., +, *T-MTT Jul 97* 1118-1126
- discontinuities in guided structs., power loss charactn. Sarkar, T.K., +, *MWSYM 97* 613-616 vol.2
- dual mode filters and polarizers, conically shaped coupling elements. Balaji, U., +, *MWSYM 97* 1247-1250 vol.3
- edge element for modeling field singularities in transm. lines and waveguides. Gil, J.M., +, *T-MTT Dec 97* 2125-2130
- eigenvalue problems, finite-element solns., covariant projection elements. Saorsi, S., +, *T-MTT Sep 97* 1643-1644
- ellipt.-waveguide jn., two-port scatt. Kin-Lung Chan, +, *T-MTT Aug 97* 1255-1262
- ellipt. waveguide step discontinuity, modal scatt. matrix. Matras, P., +, *T-MTT Mar 97* 453-458
- enclosed stripline, second order nonuniform grid spacing, FDTD tech. Falconer, M., +, *MWSYM 97* 1539-1542 vol.3
- FDTD impedance boundary condition, waveguide discontinuity anal. appl. Shibata, T., +, *MWSYM 97* 75-78 vol.1
- FDTD, multiresolution based multigrid. Goverdhanam, K., +, *MWSYM 97* 333-336 vol.1

- four-port network, dual-polarized scatt. matrix. *Tomiya, K.*, *T-MTT Mar 97 354-358*
- full wave network rect./circ./ellipt. waveguide jns. *Gimeno, B.*, + , *T-MTT Mar 97 376-384*
- global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM 97 1373-1376 vol.3*
- gyrotropic media, complete soln. for microwave device symm. *Dmitriyev, V.A.*, *T-MTT Mar 97 394-401*
- homog. waveguide, SCN TLM, modal boundary conditions. *Herring, J.L.*, + , *MWSYM 97 325-328 vol.1*
- H-plane waveguide bends, low return loss, anal. and design. *Zhewang Ma*, + , *MWSYM 97 417-420 vol.2*
- H-plane waveguide jns., generalized Y-matrix by BI-RME method. *Arcioni, P.*, + , *MWSYM 97 211-214 vol.1*
- inhomog. closed waveguide, hybrid and complex spectrum. *Rozzi, T.*, + , *T-MTT Mar 97 345-353*
- lossless multiport, generalized scatt. matrix, discontinuities. *Morini, A.*, + , *MWSYM 97 1607-1610 vol.3*
- lossy anisotropic dielec. waveguides, mixed-edge element method. *Xin-Qing Sheng*, + , *T-MTT Jul 97 1009-1013*
- lossy inhomogen. and anisotropic waveguides, FEM anal., edge elements. *Nuno, L.*, + , *T-MTT Mar 97 446-449*
- microstrip discontinuities, soln. by meas. eqn. of invariance. *Prouty, M.D.*, + , *T-MTT Jun 97 877-885*
- microstrip embedded in inhomogen. anisotropic medium, quasi-TEM anal. *Ching-Long Tsai*, + , *T-MTT May 97 678-686*
- microstrip line struct., metal loss, SIBC in FDTD simul. *Takagi, E.*, + , *MWSYM 97 1531-1534 vol.3*
- microstrip Y-jn. anal., spectral-domain approach. *Ooi, B.L.*, + , *T-MTT Oct 97 1800-1805*
- microwave phase shift using ferrite-filled waveguide below cutoff. *Boyd, C.R., Jr.*, *T-MTT Dec 97 2402-2407*
- multilayered chiral waveguides, propag. charact. *Plaza, G.*, + , *T-MTT Apr 97 519-526*
- multilayer-filled waveguides, lossy heterog. filling, elec. field. *Outifa, L.*, + , *T-MTT Aug 97 1154-1161*
- multilayer thin-film struct., planar gratings, guided and leaky waves. *Yang, H.Y.D.*, *T-MTT Mar 97 428-435*
- multistep dielec. discontinuity in guiding structs., anal. *Shanjia Xu*, + , *T-MTT Feb 97 284-287*
- networks, CAD and optim. *Alessandri, F.*, + , *MWSYM 97 1013-1016 vol.2*
- nonperiodic corrugated waveguide, eigenmode calc. *Tigelis, I.G.*, + , *T-MTT Feb 97 236-244*
- nonreciprocal open waveguide, radiative effects, complex waves role. *Baccarelli, P.*, + , *MWSYM 97 491-494 vol.2*
- open-ended waveguides, refl. coeff. calc. *Shen, Z.-X.*, + , *T-MTT Apr 97 546-548*
- open microstrip lines, dispersion characts. calc. *Seong-Ook Park*, + , *T-MTT Mar 97 458-460*
- parallel coupled microstrips, finite metal. thickness, characts. calc. *Jen-Tsai Kuo*, + , *T-MTT Feb 97 274-280*
- parallel CPW lines, conductor backing effect on line-to-line coupling. *Cheng, K.-K.M.*, *T-MTT Jul 97 1132-1134*
- parasitic parallel-plate line mode excitation, coplanar discontinuities. *Beilenhoff, K.*, + , *MWSYM 97 1789-1792 vol.3*
- planar struct., trial fn. bases. *Proust, I.*, + , *T-MTT Oct 97 1662-1671*
- pole-free modal field-matching, eigenvalue problems in EM. *Amari, S.*, + , *T-MTT Sep 97 1649-1653*
- rect./circ. multiaperture couplers, mode-matching CAD. *Sieverding, T.*, + , *T-MTT Jul 97 1034-1040*
- rect./ellipt. waveguide, coupling iris, variational anal. *Morini, A.*, + , *MWSYM 97 1243-1246 vol.3*
- rect. waveguide broadwall couplers, modal anal. *Sieverding, T.*, + , *MWSYM 97 1559-1562 vol.3*
- rect. waveguide, iris discontinuity, separation of variables. *Rozzi, T.*, + , *T-MTT Feb 97 253-259*
- rect. waveguide, multilayered load, probe input impedance. *Le-Wei Li*, + , *T-MTT Mar 97 321-329*
- rect. waveguide, Ω material, constitutive params. *Norgren, M.*, + , *T-MTT Feb 97 314-316*
- reson. disk turnstile, theory and L-band prototype. *Zimmerman, R.K., Jr.*, *T-MTT Sep 97 1600-1610*
- ridge-loaded waveguide filters, CAD, modal block-LU-decomp. *Beyer, R.*, + , *MWSYM 97 1235-1238 vol.3*
- ridge-loaded helical-groove slow-wave struct. *Wenxiang Wang*, + , *T-MTT Oct 97 1689-1695*
- ridge-trough waveguide, characts. *Guha, D.*, + , *T-MTT Mar 97 449-453*
- shielded and open arbitrarily multilayered media, static Green's fns. solns. *Keren Li*, + , *T-MTT Jan 97 2-8*
- slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, + , *T-MTT Jul 97 1127-1132*
- sub-cellular tech. for FDTD method. *Kapoor, S.*, *T-MTT May 97 673-677*
- suspen. strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct 97 1778-1784*
- symm. coupled CPWs, CAD-oriented model for HF atten. *Ghionc, G.*, + , *T-MTT Jul 97 1065-1070*
- via hole grounded microstrips, hybrid full-wave anal. *Dongsoo Koh*, + , *MWSYM 97 89-92 vol.1*
- waveguide-microstrip transit., EM optim. driver. *Min Zhang*, + , *T-MTT May 97 861-864*
- waveguide-to-microstrip transit., systematic optimum design methods. *Hong-Bae Lee*, + , *T-MTT May 97 803-809*
- Waveguide theory; cf.** Optical waveguide theory
- Waveguide transitions**
- D-band integrated planar oscillator, 100 mW RF power near 140 GHz. *Wollitzer, M.*, + , *MWSYM 97 1205-1208 vol.3*
- design of waveguide-to-orotron-resonator transit. with modified Bethe theory. *Faby, G.*, + , *T-MTT Nov 97 2043-2048*
- planar cct./NRD-guide, hybrid integrat. technol. *Ke Wu*, + , *T-MTT Jun 97 946-954*
- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct 97 1681-1688*
- planar transm. line, waveguide three-port transit. *Storer, B.*, + , *MWSYM 97 203-206 vol.1*
- Q-band waveguide PHEMT MMIC power amp. module, 3 W. *Lester, J.A.*, + , *MWSYM 97 539-542 vol.2*
- slot-coupled transits. from microstrip-to-waveguides, anal. *Omar, A.A.*, + , *T-MTT Jul 97 1127-1132*
- surface mount microwave package charactn. tech. *Pham, A.*, + , *MWSYM 97 995-998 vol.2*
- suspen. strip in ellipt. cross sect., anal. *Rozzi, T.*, + , *T-MTT Oct 97 1778-1784*
- waveguide-microstrip transit., EM optim. driver. *Min Zhang*, + , *T-MTT May 97 861-864*
- waveguide-to-microstrip transit., MM-wave and MMIC appl. *Villegas, F.J.*, + , *MWSYM 97 739-742 vol.2*
- waveguide-to-microstrip transit., SIS mixer appl. *Shi, S.C.*, + , *T-MTT Mar 97 442-446*
- Wavelength division multiplexing**
- high-capacity 60 GHz fiber-radio transm. systs., techs. *Noel, L.*, + , *T-MTT Aug 97 1416-1423*
- opt.-fiber grating-based beamforming network for microwave phased arrays. *Minasian, R.A.*, + , *T-MTT Aug 97 1513-1518*
- Wavelet transforms**
- dielec.-loaded parallel-plate waveguide, time/space-adaptive gridding, MRTD. *Tentzeris, E.M.*, + , *MWSYM 97 337-340 vol.1*
- FDTD, multiresolution based multigrid. *Goverdhanam, K.*, + , *MWSYM 97 333-336 vol.1*
- microstrip discontinuities, wavelet-based CAD modeling, least sq. Prony's method. *Sabett, K.F.*, + , *MWSYM 97 1799-1802 vol.3*
- multiresolution time domain for nonlin. time-domain modeling, pulse propag. *Krumpholz, M.*, + , *T-MTT Mar 97 385-393*
- Waves; cf.** Leaky waves
- Wedges**
- global edge-conditioned basis fns. from local solns. of Maxwell's eqns. *Amari, S.*, + , *MWSYM 97 1373-1376 vol.3*
- Wiener-Hopf theory**
- uniaxial substr.-superstrate microstrip, Wiener-Hopf anal. *Kyriacou, G.A.*, + , *T-MTT May 97 616-629*
- Wire communication; cf.** Cable TV
- Wire communication interference; cf.** Cable TV interference
- Wireless LAN**
- embedded transm. line MMIC for wireless commun. appls. *Hua-Quen Tserng*, + , *RFIC 97 41-44*
- Mobitex PC card wireless modem. *Moghe, S.*, + , *MWSYM 97 1391-1394 vol.3*
- phase locked oscillator, 16.2 GHz, for wireless LAN. *Bos, T.A.*, + , *MWSYM 97 1395-1398 vol.3*
- n-AlGaAs/InGaAs/n-AlGaAs FET MMIC power amp., wireless LAN appls. *Nishimura, T.B.*, + , *RFIC 97 37-40*

X

X-ray applications; cf. X-ray lithography**X-ray lithography**

- planar transm. lines and filters, LIGA micromachining. *Willke, T.L.*, + , *T-MTT Oct 97 1681-1688*

Y

Yield estimation

- InAlAs/InGaAs/InP HEMT SCFL dyn. freq. divider, 60 GHz operation. *Umeda, Y.*, + , *MWSYM* 97 457-460 vol.2
- PHEMT MMIC power amp., octave S/C-band, high efficiency. *Komiak, J.J.*, + , *MWSYM* 97 1421-1424 vol.3

Yttrium compounds

- superconducting microstrip resonator with yttrium iron garnet single crystals. *Fukusako, T.*, + , *T-MTT* Nov 97 2013-2017
- tunable supercond. resonators, ferrite substs. *Oates, D.E.*, + , *MWSYM* 97 303-306 vol.1
- YBaCuO HTSC double-hybrid coupler. *Bechteler, T.*, + , *MWSYM* 97 311-314 vol.1

- YBaCuO-LaAlO₃ HTS narrow-band coplanar shunt inductively coupled microwave bandpass filter. *Vogt, A.*, + , *T-MTT* Apr 97 492-497
- YIG ferrite microstrip limiter, C band, power limiting. *Green, J.J.*, *MWSYM* 97 1125-1126 vol.2
- YIG-YBaCuO-MgO mag. tunable superconduct. microstrip resonators. *Tsutsumi, M.*, + , *MWSYM* 97 1491-1494 vol.3

Z

Zinc compounds

- ZnO thin film based bulk acoustic mode ladder filters, power handling. *Seabury, C.W.*, + , *MWSYM* 97 181-184 vol.1