

BIBLIOGRAPHY ON DIRECTIONAL COUPLERS

Richard F. Schwartz  
Moore School of Electrical Engineering  
University of Pennsylvania  
Philadelphia, Pennsylvania

1935

"Power Factor Meter for High Frequency Measurement," A. Mollath and H. O. Roosenstein; U.S. Patent No. 1,999,250; 1935.

1943

"An Instrument for Direction Measurement of the Traveling Wave Coefficient in Feeders," G. W. O. Howe, Wireless Engineer, vol. 20, pp. 365-367; August, 1943.

"Device for Direct Measurement of the Coefficient of a Traveling Wave in Feeders," A. A. Pistolkors and M. S. Neuman, Elektrosvyas, vol. 9, pp. 9-15; April, 1941; summarized in Wireless Engineer, vol. 20, pp. 365-367; August, 1943.

"Lumped Constants for Small Irises," H. A. Bethe, M.I.T. Radiation Lab. Report No. 43-22 (Unclassified); March, 1943.

"Measuring Arrangement Adapted to Check or Measure Mismatching," H. E. Paul; U.S. Patent No. 2,323,076; 1943.

"Theory of Side Windows in Waveguides," H. A. Bethe, M.I.T. Radiation Lab. Report No. 43-27; April, 1943.

1944

"Comments on Bethe's Theory of Diffraction of Electromagnetic Waves by Small Holes," C. L. Perkins, Physical Review, vol. 66, p. 351; December 1 and 15, 1944.

"Theory of Diffraction by Small Holes," H. A. Bethe, Physical Review, vol. 66, pp. 163-182, 2nd ser.; October 1 and 15, 1944.

1945

"Design Considerations for Directional Couplers," J. R. Harrison. M.I.T. Radiation Lab. Report No. 724 (Unclassified); December 31, 1945.

"Microwave Wattmeter," C. F. Hadley, Harvard University Radio Research Lab. Report No. 411-246 (Unclassified); September, 1945.

"Theory of Directional Couplers," B. A. Lippmann, M.I.T. Radiation Lab. Report No. 860; December, 1945.

1946

"A New Directional Coupler for Waveguide," T. Moreno, Sperry Gyroscope Engineers Report (unpublished); July, 1946.

"A Wideband Directional Coupler for Waveguide," H. C. Early, Proc. I.R.E., vol. 34, pp. 883-886; November, 1946.

"A Wideband Wattmeter for Waveguide," H. C. Early, Proc. I.R.E., vol. 34, pp. 803-807; October, 1946.

"Directive Couplers in Waveguide," M. Surdin, Jour. Inst. of Elec. Engineers, Pt. 3A, vol. 93, pp. 66, 725-736; 1946.

"Microwave Measurements and Test Equipment," F. J. Gaffney, Proc. I.R.E., vol. 34, pp. 778-780; October, 1946.

"Note on a Reflection Coefficient Meter," N. I. Korman, Proc. I.R.E., vol. 34, pp. 657-658; September, 1946.

"Techniques and Facilities for Microwave Testing," E. I. Green, H. J. Fisher, and J. G. Ferguson, Bell Systems Technical Journal, vol. 25, pp. 468-473; July, 1946.

"Techniques and Facilities for Microwave Testing," E. I. Green, H. J. Fisher, and J. G. Ferguson, Electrical Engineering, vol. 65, pp. 274-287; May, 1946.

### 1947

"A Mathematical Theory of Directional Couplers," H. J. Riblet, Proc. I.R.E., vol. 35, pp. 1307-1313; November, 1947.

"Directional Couplers," W. W. Mumford, Proc. I.R.E., vol. 35, pp. 160-165, February, 1947.

"Hybrid Circuits for Microwaves," W. A. Tyrrell, Proc. I.R.E., vol. 35, pp. 1294-1306; November, 1947.

"Non-Frequency Selective Reflectometer," C. G. Sontheimer, et al; Patent No. 2,423,416; 1947.

"Radar Engineering," (Book) D. G. Fink, McGraw-Hill Book Company, New York, p. 620; 1947.

"Radio Engineering," (Book) F. E. Terman, 3rd Edition, McGraw-Hill Book Company, New York, pp. 109 and 141; 1947.

"Reflectometer for Waveguide Systems," J. R. Ford; U.S. Patent No. 2,445,348 (6 claims); 1947.

"Standing Wave Radio Meter for VHF," G. Glenski, Tele-Tech, vol. 6, p. 34; July, 1947.

"Technique of Microwave Measurements," (Book) Vol. 11, edited by C. G. Montgomery, Chapter 14 by R. L. Kyhl, pp. 854-897, McGraw-Hill Book Company, New York; 1947.

"The Micromatch," M. C. Jones and C. Sontheimer, Q.S.T., vol. 31, pp. 15-18; April, 1947.

"Theoretical and Experimental Study of a Feeder Reflectometer," A. R. Volpert,  
Radio tekhnika (Moscow), vol. 2 no. 3; February, 1947.

"Theory and Design of the Reflectometer," B. Parzen and A. Yallow, Elect.  
Communication, vol. 24 no. 1, p. 94; 1947.

"Very High Frequency Techniques," (Book) Staff of Radio Research Lab. of  
Harvard Univ., McGraw-Hill Book Co., New York, pp. 594-605; 1947.

1948

"A Method of Determining and Monitoring Power and Impedance at High Frequencies,"  
Proc. I.R.E., vol. 36 no. 2; 1948.

"Analysis and Performance of Waveguide-Hybrid Rings for Microwaves," H. T.  
Budenbom, Bell System Technical Journal, vol. 27, pp. 473-486; July, 1948.

"A New Type of Waveguide Directional Coupler," H. J. Riblet and T. S. Saad,  
Proc. I.R.E., vol. 36, pp. 61-64; January, 1948.

"A Textbook of Radar," (Book) Radiophysics Lab. of Council for Scientific and  
Industrial Research, Australia, p. 198, Chapman and Hall, London; 1948.

"Magic Tee Waveguide Junction," G. Saxon and C. W. Miller, Wireless Engineer,  
vol. 25 no 296, p. 47; May, 1948.

"Microwaves and Radar Electronics," (Book) E. C. Pollard and J. M. Sturtevant,  
pp. 133, 134 and 137; 1948.

"Modified Micromatch," D. N. Corfield and C. N. Cragg, Radio Soc. of Great  
Britain, Bulletin No. 23, p. 211; May, 1948.

"Principles of Microwave Circuits," (Book) Vol. 8, edited by Montgomery, Dicke,  
and Purcell, pp. 299-303, 437-447, McGraw-Hill Book Co., New York; 1948.

"Radio Frequency Wattmeter," D. R. Crosby; U.S. Patent No. 2,443,097; 1948.

"Waveguide Hybrids," W. A. Tyrrell, Bell Labs. Record, vol. 26, pp. 4;  
January, 1948.

1949

"A Reflectometer for the High Frequency Band," N.R.L. Report No. 3538; 1949.

"Consideration of Directivity in Waveguide Directional Couplers," S. Rosen and  
J. T. Bangert, Proc. I.R.E., vol. 37, pp. 393-401; April, 1949.

"Directional Coupler," Edward M. Purcell; Patent No. 2,478,317; August 9, 1949.

"Effect of Openings in Walls of Metal Waveguides on the Wave Propagation,"  
G. Klages, Arch. Elektr. Ubertragung, vol. 3, pp. 85-92; March, 1949.

"Equivalent Circuit for Coupling of Waveguides by Apertures," N. Markuvitz; 1949.

"Figure of Merit for Directional Couplers," George James, Elect. Engineering,  
vol. 68, p. 254; March, 1949.

"Final Engineering Report on Development of a Power Meter for 100-400 mc,"  
University of Illinois, Electrical Engineering Dept.; 1949.

"Impedance Measurements with Directional Couplers," B. Parzen, Proc. I.R.E.,  
vol. 37, pp. 1245-1246; November, 1949.

"Impedance Measurements with Directional Couplers and Supplementary Voltage  
Probe," B. Parzen, Elect. Commun., vol. 26 no. 4, p. 338; 1949.

"Laterally Displaced Slot in Rectangular Waveguide," A. L. Cullen, Wireless  
Engineer, vol. 26, p. 3; January, 1949.

"Power Meter for Communication Frequencies," R. L. Linton, Jr., Proc. I.R.E.,  
vol. 37 no. 11; 1949.

"R-F Power Monitor for 2-20 Megacycle Range," U.S.N.E.R. Report No. 137; 1949.

"Spatial Beating in Coupled Waveguides," P. E. Krasnushkin and R. V. Kokhlov  
(Russian Authors), Journal of Technical Physics (Russia), vol. 19, pp.  
931-942; August, 1949.

"Westinghouse Application for Invention Case No. 25,973," Serial No. 106,434;  
July 23, 1949.

### 1950

"A Note on Coaxial Bethe-Hole Directional Couplers," E. L. Ginzton and P. S.  
Goodwin, Proc. I.R.E., vol. 38, pp. 305-309; March, 1950.

"Design of a Hybrid Ring Diplexer for UHF Television Use," W. H. Sayer and  
J. M. DeBell, Jr., Allen B. Dumont Labs., Inc., I.R.E. National Convention  
Paper No. 80; March, 1950.

"Die Genauigkeit der Impedance Messung bei Mikrowellen," F. Tischer, Stockholm,  
Tekniska Hogskolans - Handlingar, Roy. Inst. Technology, vol. 36, 31 pages;  
1950.

"Microwave Directional Couplers," S. Freedman, Radio and TV News, vol. 43, pp.  
11-13, 24-25, Radio-Electronic Engineering Edition; February, 1950.

"Principles and Applications of Microwave Transmission," (Book) G. C. Southworth,  
pp. 346-352, D. Van Nostrand Publishing Co., New York; 1950.

"Sur un Mesurer d'impedances a Couplage Directif en Hyper-frequence," R. Musson-  
Genon and P. Brissoneau, Academie des Sciences - Comptes Rendus, vol. 230  
no. 13, pp. 1258-1259; March 27, 1950.

"The Antennoscope," CQ; September, 1950.

"Transmission Lines and Networks," (Book) W. E. Johnson, pp. 188-190, McGraw-  
Hill Book Co., New York; 1950.

"Ultra-High Frequency Engineering," (Book) Thomas L. Marten, pp. 313-316,  
Prentice Hall, Inc., New York; 1950.

1951

"A New Directional Coupler Permitting Full Power Transfer," K. Tomiyasu and S. B. Cohn, Sperry Gyroscope Company, Great Neck, Long Island, N.Y., I.R.E. National Convention Paper No. 104; March, 1951.

"Application of Directional Couplers to Amplitude Ratio and Phase Measurements at Very High Frequencies," B. M. Sosin, Marconi Review, vol. 14 no. 100, pp. 39-57; 1951.

"Circuit Theorem," M. V. Callander, Correspondence Sec., Wireless Engineer, vol. 28 no. 330; 1951.

"Directional Coupler Errors," F. A. Benson, Wireless Engineer, vol. 28 no. 339, pp. 371-372; December, 1951.

"High Frequency Measurements," (Book) A. Hund, 2nd Ed., pp. 361, 626, 627, McGraw-Hill Book Co., New York; 1951.

"Interaction Between Surface Wave Transmission Lines," A. A. Meyerhoff, Sig. Corps Engng. Labs., Ft. Monmouth, I.R.E. National Convention Paper No. 103; March, 1951.

"Microwave Hybrids," F. Bradley, Tele-Tech, vol. 10, pp. 35-37, 91; December, 1951.

"Multi-Element Directional Couplers," S. E. Miller and W. W. Mumford, Holmdel Radiation Res. Lab., Bell Tel. Labs., Red Bank, N.J., I.R.E. National Convention Paper No. 105; March, 1951.

"Power Meter and Mismatch Indicator," A. F. Boff, Wireless Engineer, vol. 28 no. 336, pp. 278-281; September, 1951.

"Proceeding of National Electronic Conference," Vol. 7, Paper by A. L. Witten and R. E. Henning, pp. 173-180; 1951.

"S.W.R. Indicator for Coaxial Lines," Radio Amateurs Handbook, 28th Ed., p. 491, Amer. Radio Relay League, Conn.; 1951.

"Transmission Line Problems in the UHF Television Band," J. M. DeBell, Jr., Dumont Research Div., Passaic, N.J., Presented at UHF Symposium, Phila., Pa.; September 17, 1951.

1952

"Application of Multi-Hole Coupling to Design of Variable and Calibrated Waveguide Attenuator and Impedance," W. J. Van de Lindt, Philips Research Reports, vol. 7 no. 1, pp. 28-35; February, 1952.

"Broadband Matching with Directional Coupler," W. C. Jakes, Jr., Proc. I.R.E., vol. 40, pp. 1216-1218; October, 1952.

"Further Transmission Analysis of Hybrid Rings," H. T. Budenbom, Bell Telephone Labs., I.R.E. National Convention Paper No. 112; March, 1952.

"Interaction Between Surface Wave Transmission Lines," A. A. Meyerhoff, Proc. I.R.E., vol. 40, pp. 1061-1065; September, 1952.

"Microwave Coupling by Large Apertures," S. B. Cohn, Proc. I.R.E., vol. 40, pp. 696-699; June, 1952.

"Modified Magic Tee Phase Shifter for Microwaves," R. H. Reed, Tele-Tech, vol. 11, pp. 50-52; June, 1952.

"Multi-Element Directional Couplers," Miller - Mumford, Proc. I.R.E., pp. 1071-1078; September, 1952.

"On Scattering Matrix of Symmetrical Waveguide Junctions," A. E. Pannenborg, Philips Research Reports, vol. 7 nos. 2, 3, 4, pp. 131-157, April, 1952; pp. 169-188, June, 1952; pp. 270-302, August, 1952.

"Principles of Radar," Members of Staff, Radar Res. School, M.I.T., edited by Reintjes and Coate, 3rd Ed., pp. 810, 834-839, McGraw-Hill Book Co., New York; 1952.

"Short Slot Hybrid Junction," H. J. Riblet, Proc. I.R.E., vol. 40, pp. 180-184; February, 1952.

"The Transverse Directional Coupler," K. Tomiyasu and S. B. Cohn, Sperry Engng. Review, pp. 12-15; September-October, 1952.

### 1953

"Design, Performance and Application of a New Hybrid Junction," M. D. Adcock, Hughes Aircraft Co., Culver City, Calif., Paper given at 3rd Congress on High Frequency Measurements, Washington, D.C.; January 14-15, 1953.

"Radio Frequency Power Measurements," R. A. Schrack, Nat'l. Bureau of Standards Circular No. 536, pp. 12-14; March 16, 1953.

"The Transvar Directional Coupler," K. Tomiyasu and S. B. Cohn, Proc. I.R.E., vol. 41, pp. 922-926; July, 1953.