

IRE Transactions on Microwave Theory and Techniques

Index to Volume MTT-5—1957

Contents

Volume MTT-5, Number 1, January, 1957

Index Number	Page
Frontispiece, John R. Whinnery.....	2
MTT192. "The Next Problem in Engineering Education" (Editorial), J. R. Whinnery.....	3
MTT193. Broad-Band Balanced Duplexers, C. W. Jones.....	4
MTT194. Calculation of the Parameters of Ridge Waveguides, T. S. Chen.....	12
MTT195. Excitation of Higher Order Modes in Spherical Cavities, R. N. Ghose.....	18
MTT196. Strip Line Hybrid Junction, H. G. Pascalar.....	23
MTT197. Losses in Dielectric Image Lines, D. D. King and S. P. Schlesinger.....	31
MTT198. General Synthesis of Quarter-Wave Impedance Transformers, H. J. Riblet.....	36
MTT199. An Analysis of the Diode Mixer Consisting of Non-linear Capacitance and Conductance and Ohmic Spreading Resistance, A. C. Macpherson.....	43
MTT200. Resonance Properties of Ring Circuits, F. J. Tischer.....	51
MTT201. Frequency Stabilization of a Microwave Oscillator with an External Cavity, I. Goldstein.....	57
MTT202. Cooling of Microwave Crystal Mixers and Antennas, G. C. Messenger.....	62
MTT203. Measurement and Control of Microwave Frequencies by Lower Radio Frequencies, R. C. Mackey and W. D. Hersherberger.....	64
MTT204. Discontinuities in a Rectangular Waveguide Partially Filled with Dielectric, C. M. Angulo.....	68
Correspondence:	
MTT205. Optimum Bandwidth for Waveguide-to-Coaxial Transducers, D. S. Friedman.....	75
MTT206. Addendum to Planar Transmission Lines—I, D. Park.....	75
Contributors.....	75

Volume MTT-5, Number 2, April, 1957

A Message from the Editor, T. S. Saad.....	80
Frontispiece, A. C. Beck.....	81
MTT207. Communication Superhighways (Editorial), A. C. Beck.....	82
MTT208. Report of Advances in Microwave Theory and Techniques—1956, D. D. King.....	83
MTT209. Coupled Strip Transmission Lines with Rectangular Inner Conductors, J. D. Horgan.....	92
MTT210. The Impedance of a Wire Grid Parallel to a Dielectric Interface, J. R. Wait.....	99
MTT211. Semicircular Ridges in Rectangular Waveguides, J. Van Bladel and O. Van Rohr, Jr.....	103
MTT212. Synthesis of a Class of Microwave Filters, H. Seidel.....	107
MTT213. Single Slab Arbitrary Polarization Surface Wave Structure, R. C. Hansen.....	115
MTT214. The Effects of Reflections from Randomly Spaced Discontinuities in Transmission Lines, R. K. Moore.....	121
MTT215. The Statistical Prediction of Voltage Standing-Wave Ratio, J. A. Mullen and W. L. Pritchard.....	127
MTT216. Performance of Three-Millimeter Harmonic Generators and Crystal Detectors, J. M. Richardson and R. B. Riley.....	131
MTT217. Circularly Polarized Microwave Cavity Filters, C. E. Nelson.....	136
MTT218. Reference Cavity Design Considerations, W. A. Gerard.....	148
MTT219. The Relationship of Physical Applications of Fourier Transforms in Various Fields of Wave Theory and Circuitry, E. F. Bolinder.....	153
MTT220. A Variant in the Measurement of Two-Port Junctions, G. Deschamps.....	159

WESCON Papers' Deadline Set for May 1.....	161
Correspondence:	
The IRE "Affiliate" Plan—A New Venture in Engineering Society Structure and Service, W. R. G. Baker.....	161
MTT221. "Matching the Sides of a Parallel-Plate Region," A. C. Hudson.....	161
MTT222. A Method of Analysis of Symmetrical Four-Port Networks, J. Reed.....	162
MTT223. Miniature Waveguide Flanges Unpressurized Contact Type, T. N. Anderson.....	162
MTT224. Criteria for the Design of Loop-Type Directional Couplers for the L Band, L. F. Schwartz.....	162
MTT225. Planar Transmission Lines—Parts III and IV, K. S. Packard, Jr., and D. Park.....	163
MTT226. A Low VSWR Matching Technique, L. Goldstone and P. A. Rizzi.....	163
MTT227. A Broad-Band Microwave Circulator, A. Clavin and E. A. Ohm.....	164
MTT228. On Symmetrical Matching, J. Reed and H. F. Mathis.....	165
MTT229. The Available Power of a Matched Generator from the Measured Load Power in the Presence of Small Dissipation and Mismatch of the Connecting Network, L. O. Sweet and M. Sucher.....	167
Contributors.....	169

Volume MTT-5, Number 3, July, 1957

Frontispiece, S. A. Schelkunoff.....	172
MTT230. Microwaves and Mathematics, S. A. Schelkunoff..	173
Well Done, Ted (Editorial), H. F. Engelmann.....	174
MTT231. A Modified Equal-Element Band-Pass Filter, R. Bawer and G. Kefalas.....	175
MTT232. Application of Rayleigh-Ritz Method to Dielectric Steps in Waveguides, R. E. Collin and R. M. Vailancourt.....	177
MTT233. Coupling through an Aperture Containing an Anisotropic Ferrite, D. C. Stinson.....	184
MTT234. An Adjustable Sliding Termination for Rectangular Waveguide, R. W. Beatty.....	192
MTT235. Field Displacement Isolators at 4, 6, 11, and 24 KMC, S. Weisbaum and H. Boyet.....	194
MTT236. A Method of Producing Broad-Band Circular Polarization Employing an Anisotropic Dielectric, H. S. Kirschbaum and S. Chen.....	199
MTT237. Errors in a Magic-Tee Phase Changer, R. M. Vailancourt.....	204
MTT238. Excess Noise in Microwave Crystal Diodes Used as Rectifiers and Harmonic Generators, J. M. Richardson and J. J. Faris.....	208
MTT239. Exponential Transmission Lines as Resonators and Transformers, R. N. Ghose.....	213
MTT240. Correction to "Rectangular and Ridge Waveguide," T. N. Anderson.....	217
Correspondence:	
MTT241. The Advantages of Expressing Standing-Wave Ratio in Decibels, D. Dettinger.....	218
Contributors.....	219

Volume MTT-5, Number 4, October, 1957

Message from the Editor.....	222
Frontispiece, W. L. Barrow.....	223
MTT242. Yesteryear—Tomorrow (Editorial), W. L. Barrow..	224
Microwave Prize.....	226
MTT243. A Variable-Ratio Microwave Power Divider and Multiplexer, W. L. Teeter and K. R. Bushore....	227
MTT244. High-Power Ferrite Circulators, P. A. Rizzi.....	230
MTT245. Spectral Distribution of Thermal Noise in a Gas Discharge, S. M. Bergmann.....	237
MTT246. Design of Aperture-Coupled Filters, F. Shnurer....	238

MTT247. Optimum Impedance and Dimensions for Strip Transmission Line, <i>K. S. Packard</i>	244	Presence of Small Dissipation and Mismatch of the Connecting Network," <i>L. Sweet</i>	265
MTT248. Deflection of Waveguide Subjected to Internal Pressure, <i>L. G. Virgile</i>	247	MTT254. Correction to "Planar Transmission Lines—Part III" <i>K. S. Packard</i>	265
MTT249. The Calibration of Microwave Attenuators by an Absolute Method, <i>E. Laverick</i>	250	Correspondence:	
MTT250. Pulse Waveform Degradation Due to Dispersion in Waveguide, <i>R. S. Elliott</i>	254	MTT255. Determination of Equivalent Circuit Parameters, <i>R. E. Collin</i>	266
MTT251. Broad-Band Quarter-Wave Plates, <i>W. P. Ayres</i>	258	MTT256. Effect of a Mismatched Ring in a Traveling-Wave Resonant Circuit, <i>K. Tomiyasu</i>	267
MTT252. Coherent Spontaneous Microwave Emission by Pulsed Resonance Excitation, <i>L. E. Norton</i>	262	MTT257. Application of Rayleigh-Ritz Method of Dielectric Steps in Waveguides, <i>C. M. Angulo</i>	268
MTT253. Correction to "The Available Power of a Matched Generator from the Measured Load Power in the		Contributors	268
		Annual Index	follows page 269

Index to Authors

Numbers refer to index numbers in contents listing.

Anderson, T. N.: MTT223, MTT240	Elliott, R. S.: MTT250	Mathis, H. F.: MTT228	Schlesinger, S. P.: MTT197
Angulo, C. M.: MTT204, MTT257	Faris, J. J.: MTT238	Messenger, G. C.: MTT202	Schwartz, L. F.: MTT224
Ayres, W. P.: MTT251	Friedman, D. S.: MTT205	Moore, R. K.: MTT214	Seidel, H.: MTT212
Barrow, W. L.: MTT242	Gerard, W. A.: MTT218	Mullen, J. A.: MTT215	Shnurer, F.: MTT246
Bawer, R.: MTT231	Ghose, R. N.: MTT195, MTT239	Nelson, C. E.: MTT217	Stinson, D. C.: MTT233
Beatty, R. W.: MTT234	Goldstein, I.: MTT201	Norton, L. E.: MTT252	Sucher, M.: MTT229
Beck, A. C.: MTT207	Goldstone, L.: MTT226	Ohm, E. A.: MTT227	Sweet, L. O.: MTT229, MTT253
Bergmann, S. M.: MTT245	Hansen, R. C.: MTT213	Packard, K. S., Jr.: MTT225, MTT247, MTT254	Teeter, W. L.: MTT243
Bolinder, E. F.: MTT219	Hershberger, W. D.: MTT203	Park, D.: MTT206, MTT225	Tischer, F. J.: MTT200
Boyet, H.: MTT235	Horgan, J. D.: MTT209	Pascalar, H. G.: MTT196	Tomiyasu, K.: MTT256
Bushore, K. R.: MTT243	Hudson, A. C.: MTT221	Pritchard, W. L.: MTT215	Vaillancourt, R. M.: MTT232, MTT237
Chen, S.: MTT236	Jones, C. W.: MTT193	Reed, J.: MTT222, MTT228	Van Bladel, J.: MTT211
Chen, T. S.: MTT194	Kefalas, G.: MTT231	Riblet, H. J.: MTT198	Virgile, L. G.: MTT248
Clavin, A.: MTT227	King, D. D.: MTT197, MTT208	Richardson, J. M.: MTT216, MTT238	Von Rohr, O., Jr.: MTT211
Collin, R. E.: MTT232, MTT255	Kirschbaum, H. S.: MTT236	Riley, R. B.: MTT216	Wait, J. R.: MTT210
Deschamps, G.: MTT220	Laverick, E.: MTT249	Rizzi, P. A.: MTT226, MTT244	Weisbaum, S.: MTT235
Dettinger, D.: MTT241	Mackey, R. C.: MTT203	Schelkunoff, S. A.: MTT230	Whinnery, J. R.: MTT192
	Macpherson, A. C.: MTT199		

Index to Technical Subjects

A	Broad-Band Microwave: MTT227	Engineering Education, Quality Considerations: MTT192
Ammonia, Coherent Emission by Pulse Excitation: MTT252	Ferrite, High Power: MTT244	Exponential Transmission Lines: MTT239
Antennas, Low Noise Background for: MTT202	Coherent Emission from Pulse-Excited Ammonia: MTT252	F
Aperture-Coupled Filters, Design of: MTT246	Communication Superhighways: MTT207	Ferrites: MTT233, MTT235, MTT244
Attenuators, Microwave, Calibration by an Absolute Method: MTT249	Couplers, Directional, for L-Band, Correction to MTT183: 224	Circulators, High Power: MTT244
B	Crystal Diodes, Excess Noise in: MTT238	Field Displacement Isolators: MTT235
Bandwidth: MTT205, 252	D	Waveguide Aperture Coupling: MTT233
Optimized for Waveguide-to-Coaxial Transducers: MTT205	Detectors, Crystal, and Three-Millimeter Harmonic Generators: MTT216	Field Displacement Isolators: MTT235
Reduction of Microwave Spectral Lines: MTT252	Dielectrics: MTT197, 204, 210, 213, 232, 236, 257	Filters: MTT212, 217, 231, 246
Bridge Method of Calibrating Microwave Attenuators: MTT249	Circular Polarization in Waveguide: MTT236	Aperture-Coupled, Design of: MTT246
C	Impedance of Grid Parallel to Interface: MTT210	Band-Pass, Modified Equal-Element: MTT231
Cavities: MTT195, 217, 218	Losses in Image Lines: MTT197	Microwave: MTT212, 217
Circularly Polarized Microwave: MTT217	Single Grounded, Arbitrary Polarization: MTT213	Circularly Polarized Cavity: MTT217
Reference, Design Considerations: MTT218	Steps in Waveguides, Rayleigh-Ritz Method Applied to: MTT232, 257	Synthesis of: MTT212
Spherical, Excitation of Higher Order Modes: MTT195	Waveguides, Discontinuities: MTT204	Flanges, Miniature Waveguide, RETMA Standards: MTT223
Circuits: MTT200, 255	Diodes: MTT199, 238	Frequency Control, Microwave, by Lower Frequencies: MTT203
Equivalent, for Lossless Discontinuity: MTT255	Crystal, Excess Noise in: MTT238	Frequency Stabilization of a Microwave Oscillator: MTT201
Ring, Resonance Properties of: MTT200	Mixer, Analysis of: MTT199	Four-Port Networks, Symmetrical, Analysis of: MTT222
Circular Polarization: MTT217, 236	Directional Couplers for L-Band, Correction to MTT183: 224	Fourier Transforms, Applications in Wave Theory: MTT219
Broad-Band, Method of Producing: MTT236	Doppler Bandwidth Reduction, Pulse Excitation of Ammonia: MTT252	G
Microwave Cavity Filters: MTT217	Duplexer, Broad-Band Balanced: MTT193	Gas Discharge, Spectral Distribution of Thermal Noise: MTT245
Circulators: MTT227, 244	E	Generators: MTT216, 229, 253
	Emission, Molecular Ringing of Pulse-Excited Ammonia: MTT252	Matched, Available Power from Measured Load Power: MTT229, 253
		Correction: MTT253

Three-Millimeter Harmonic, and Crystal Detectors: MTT216
Grids, Parallel to Dielectric Interface, Impedance of: MTT210

H

Harmonic Generators, Crystal Diode, Excess Noise in: MTT238

I

Impedance: MTT198, 210, 247
of Grid Parallel to Dielectric Interface: MTT210

Strip Transmission Line Dimensions for Optimization of: MTT247

Transformers, Quarter-Wave, Synthesis of: MTT198

Isolators, Field Displacement: MTT235

J

Junctions, Two-Port, Variant in Measurement: MTT220

M

Magic-Tee Phase Changer, Errors in: MTT237

Matching, Symmetrical: MTT228

Mathematics and Microwaves: MTT230

Measurements: MTT203, MTT220

of Microwave Frequencies by Lower Frequencies: MTT203

of Two-Port Junctions, Variant in: MTT220

Microwaves: MTT208, 230, 242, 243, 252

Coherent Emission from Pulse-Excited Ammonia: MTT252

History and Future: MTT242

Mathematics and: MTT230

Theory and Techniques, Report of Advances: MTT208

Variable Power Divider and Multiplexer: MTT243

Mixers: MTT199, 202

Crystal, Cooling of: MTT202

Diode, Analysis of: MTT199

Multiplexer, Microwave, Variable Ratio: MTT243

N

Networks: MTT222, 229, 253

Four-Port Symmetrical, Analysis of: MTT222

Power of Matched Generator: MTT229
Correction: MTT253

Noise: MTT202, 238, 245

Excess, in Crystal Diode: MTT238

Reduction by Crystal Mixer Cooling and Antennas: MTT202

Thermal, in Gas Discharge, Spectral Distribution: MTT245

O

Oscillators, Microwave, Frequency Stabilization of: MTT201

P

Planar Transmission Lines: MTT206, 225, 254

Correction to MTT225: 254

Plates: MTT221, 251

Broad-Band, Quarter-Wave: MTT251

Parallel, Propagation between: MTT221

Phase Changer, Magic-Tee, Errors in: MTT237

Power Divider, Microwave, Variable Ratio: MTT243

Pulse-Excited Microwave Emission from Ammonia: MTT252

Pulse Waveform Degradation Due to Waveguide Dispersion: MTT250

Q

Quarter-Wave Plates, Broad-Band: MTT251

R

Radar: MTT193, 248

Duplexer, Broad-Band, Balanced: MTT193

Waveguides, Pressurized, Deflection of: MTT248

Rayleigh-Ritz Method Applied to Dielectric Steps in Waveguides: MTT232, 257

Receivers, Noise Reduction by Crystal Mixer Cooling and Antennas: MTT202

Rectifiers, Crystal Diode, Excess Noise in: MTT238

Reference Cavity Design Considerations: MTT218

Reflections from Discontinuities in Transmission Lines: MTT214

Resonators, Exponential Transmission Lines: MTT239

Ridge Waveguides, Calculation of Parameters: MTT194

Ring Circuits, Resonance Properties: MTT200

Rings, Mismatching in Traveling-Wave Resonant Circuit: MTT256

S

Standards, RETMA, for Miniature Waveguide Flanges: MTT223

Standing-Wave Ratio: MTT215, 226, 241

Expressed in Decibels: MTT241

Voltage: MTT215, 226

Matching Technique, Correction to MTT173: 226

Statistical Prediction of: MTT215

Statistical Prediction of Voltage Standing-Wave Ratio: MTT215

Strip Lines: MTT196, 209, 247

Coupled with Rectangular Inner Conductors: MTT209

Dimensions and Optimum Impedance: MTT247

Hybrid Junction: MTT196

Surface Wave Structures, Single Slab Arbitrary Polarization: MTT213

Symmetrical Matching: MTT228

T

Thermal Noise in Gas Discharge, Spectral Distribution of: MTT245

Transducers, Waveguide-to-Coaxial, Optimum Bandwidth for: MTT205

Transformers: MTT198, 239

Exponential Transmission Lines: MTT239

Impedance, Quarter-Wave, Synthesis of: MTT198

Transmission Lines: MTT196, 206, 209, 213, 214, 225, 239, 247, 254, 255

Equivalent Circuit for: MTT255

Exponential: MTT239

Planar: MTT206, 225, 254

Correction to MTT225: MTT254

Reflections from Discontinuities: MTT214

Strip: MTT196, 209, 247

Coupled, with Rectangular Inner Conductors: MTT209

Dimensions and Optimum Impedance: MTT247

Hybrid Junction: MTT196

Surface Wave, Single Slab Arbitrary Polarization: MTT213

Traveling-Wave Resonant Circuit, Effect of Mismatched Ring: MTT256

Two-Port Junctions, Variant in Measurement: MTT220

V

Voltage Standing Wave Ratio: MTT215, 226

Matching Technique, Correction to MTT173: 226

Statistical Prediction of: MTT215

W

Wave Propagation between Parallel Plates: MTT221

Wave Theory, Applications of Fourier Transforms: MTT219

Waveform, Pulse, Degradation Due to Waveguide Dispersion: MTT250

Waveguides: MTT194, 204, 205, 207, 211, 223, 231, 232, 233, 234, 236, 240, 244, 248, 250, 251, 257

Broad-Band Quarter-Wave Plates: MTT251

Circular, Future of: MTT207

Circular Polarization, Method of Producing: MTT236

Coupling through Aperture Containing Ferrite: MTT233

Ferrite Circulators, High Power: MTT244

Filter, Modified Equal-Element, Band-Pass: MTT231

Flanges, Miniature, RETMA Standards for: MTT223

Optimum Bandwidth for Waveguide-to-Coaxial Transducers: MTT205

Pressurized: Deflection of: MTT248

Pulse Waveform Degradation Due to Dispersion: MTT250

Rayleigh-Ritz Method Applied to Dielectric Steps: MTT232, 257

Partially Filled with Dielectric, Discontinuities in: MTT204

Rectangular and Ridge, Correction to MTT178: 240

Ridge, Calculation of Parameters: MTT194

Semicircular Ridges in: MTT211

Sliding Termination for: MTT234

Index to Nontechnical Subjects

Editorials

Engelmann, H. F.: "Well Done, Ted": July, p. 174

Saad, T. S.: Message on the New Editorial Board: April, p. 80

Tomiyasu, K.: PGMTT Editorial Board

MTT TRANSACTIONS Index—3

Members Announced: October, p. 222

Frontispieces

Barrow, W. L.: October, p. 224

Beck, A. C.: April, p. 81

Schelkunoff, S. A.: July, p. 172

Whinnery, J. R.: January, p. 2

Miscellaneous

IRE Affiliate Plan Explained, April, p. 161

Microwave Prize Awarded to I. R. Primich: October, p. 226

WESCON Papers Deadline Announced: April, p. 161