

Index to
IRE Transactions
on
Microwave Theory and
Techniques
Volume MTT-6, 1958

Professional Group on Microwave Theory and Techniques

Index to Volume MTT-6, 1958

Contents

Volume MTT-6, Number 1, January, 1958

Frontispiece, <i>C. L. Hogan</i>	2
The Pace of Modern Technology, <i>C. L. Hogan</i>	3
Foreword, <i>T. N. Anderson</i>	4
The Status of Microwave Applications of Ferrites and Semiconductors, <i>B. Lax</i>	5
Nonreciprocal Electromagnetic Wave Propagation in Ionized Gaseous Media, <i>L. Goldstein</i>	19
The Three-Level Solid-State Maser, <i>H. E. D. Scovil</i>	29
Nonmechanical Beam Steering by Scattering from Ferrites, <i>M. S. Wheeler</i>	38
A Ferrite Boundary-Value Problem in a Rectangular Waveguide, <i>C. B. Sharpe and D. S. Heim</i>	42
Some Techniques of Microwave Generation and Amplification Using Electron Spin States in Solids, <i>D. I. Bolef and P. F. Chester</i>	47
A Microwave Ferrite Frequency Separator, <i>H. Rapaport</i>	53
Ferrite-Loaded, Circularly Polarized Microwave Cavity Filters, <i>W. L. Whirry and C. E. Nelson</i>	59
Resonant Properties of Nonreciprocal Ring Circuits, <i>F. J. Tischer</i>	66
Exact Solution for a Gyromagnetic Sample and Measurements on a Ferrite, <i>H. E. Bussey and L. A. Steinert</i>	72
Resonance Measurements on Nickel-Cobalt Ferrites as a Function of Temperature and on Nickel Ferrite-Aluminates, <i>J. E. Pippin and C. L. Hogan</i>	77
Ferrimagnetic Resonance in Some Polycrystalline Rare Earth Garnets, <i>G. P. Rodrigue, J. E. Pippin, W. P. Wolf, and C. L. Hogan</i>	83
Reciprocal Ferrite Devices in TEM Mode Transmission Lines, <i>D. Fleri and B. J. Duncan</i>	91
Measurement of Ferrite Isolation at 1300 MC, <i>G. S. Heller and G. W. Catuna</i>	97
An Electronic Scan Using a Ferrite Aperture Luneberg Lens System, <i>D. B. Medved</i>	101
Round Table Discussion on Design Limitations of Microwave Ferrite Devices.....	104
Correspondence:	
Note on Impedance Transformations by the Isometric Circle Method, <i>E. F. Bolinder</i>	111
On the Pressure Dependence of Microwave Crystal Rectifiers, <i>W. G. Matthei</i>	112
PGMTT News:	
1957 Annual PGMTT Meeting.....	113
Call for Papers for 1958 PGMTT National Symposium.....	114
Contributors.....	115
Roster of PGMTT Members.....	119

Volume MTT-6, Number 2, April, 1958

Frontispiece, <i>N. Marcuvits</i>	130
Academic Research Institutes in the Microwave Field, <i>N. Marcuvits</i>	131
A Wide-Band Double-Vane Torque-Operated Wattmeter for 3-CM Microwaves, <i>A. L. Cullen, B. Rogal, and S. Okamura</i>	133
Traveling-Wave Resonators, <i>L. J. Milosevic and R. Vauley</i>	136
Reflection Coefficient of <i>E</i> -Plane Tapered Waveguides, <i>K. Matsuura</i>	143
Propagation in Ferrite-Filled Microstrip, <i>M. E. Brodwin</i>	150
An Improved Method for the Determination of <i>Q</i> of Cavity Resonators, <i>A. Singh</i>	155
Characteristic Impedances of the Slotted Coaxial Line, <i>J. Smolarska</i>	161
Velocity Modulation of Electromagnetic Waves, <i>F. R. Morgenthaler</i>	167

Heat Loss of Circular Electric Waves in Helix Waveguides, <i>J. A. Morrison</i>	173
The Expansions of Electromagnetic Fields in Cavities, <i>K. Kurokawa</i>	178
Broad-Band Calorimeters for the Measurement of Low and Medium Level Microwave Power. I. Analysis and Design, <i>M. Sucher and H. J. Carlin</i>	188
Broad-Band Calorimeters for the Measurement of Low and Medium Level Microwave Power. II. Construction and Performance, <i>A. V. James and L. O. Sweet</i>	195
Amplitude Stabilization of a Microwave Signal Source, <i>G. F. Engen</i>	202
A Simple Artificial Anisotropic Dielectric Medium, <i>R. E. Collin</i>	206
Calculation and Measurement of the Noise Figure of a Maser Amplifier, <i>J. C. Helmer and M. W. Muller</i>	210
Propagation in Dielectric Slab Loaded Rectangular Waveguide, <i>P. H. Vartanian, W. P. Ayres, and A. L. Helgesson</i>	215
Parallel-Coupled Transmission-Line-Resonator Filters, <i>S. B. Cohn</i>	223
A New Class of Broad-Band Microwave 90-Degree Phase Shifters, <i>B. M. Schiffman</i>	232
Correspondence:	
Fourier Transforms and Directional Couplers, <i>S. Sensiper</i>	238
Analysis of the Variable-Ratio Microwave Power Divider, <i>R. M. Vaillancourt</i>	238
Call for WESCON Papers.....	239
1958 National Symposium Program.....	240
Contributors.....	242

Volume MTT-6, Number 3, July, 1958

Message from the Editor.....	248
Frontispiece, <i>L. J. Chu</i>	249
Education for Electrical Engineering, <i>L. J. Chu</i>	250
Report of Advances in Microwave Theory and Techniques—1957, <i>R. E. Beam</i>	251
A New Form of High-Power Microwave Duplexer, <i>P. D. Lomer and R. M. O'Brien</i>	264
Radiation from a Rectangular Waveguide Filled with Ferrite, <i>G. Tyras and G. Held</i>	268
Launching Efficiency of Wires and Slots for a Dielectric Rod Waveguide, <i>R. H. DuHamel and J. W. Duncan</i>	277
Microwave Switching by Crystal Diodes, <i>M. R. Millet</i>	284
Dielectric Image Lines, <i>S. P. Schlesinger and D. D. King</i>	291
A Fast Ferrite Switch for Use at 70 KMC, <i>E. H. Turner</i>	300
Theoretical Analysis of the Operation of the Field-Displacement Ferrite Isolator, <i>K. J. Button</i>	303
Reciprocity Relationships for Gyrotropic Media, <i>R. F. Harrington and A. T. Villeneuve</i>	308
Broad-Band Stepped Transformers from Rectangular to Double-Ridged Waveguide, <i>E. S. Hensperger</i>	311
A Wide-Band Balun, <i>J. W. McLaughlin, D. A. Dunn, and R. W. Grow</i>	314
Power-Flow Relations in Lossless Nonlinear Media, <i>H. A. Haus</i>	317
One Aspect of Minimum Noise Figure Microwave Mixer Design, <i>S. M. Bergmann</i>	324
A Broad-Band High-Power Vacuum Window for <i>X</i> Band, <i>H. J. Shaw and L. M. Winslow</i>	326
Correspondence:	
A 5-MM Resonance Isolator, <i>M. T. Weiss and F. A. Dunn</i>	331
On Riblet's Theorem, <i>H. Ozaki</i>	331
Ferrite Directional Couplers with Off-Center Apertures, <i>D. C. Stinson</i>	332
A Modulator for Microwave Mixers, <i>G. E. Schafer</i>	333

Reciprocal Ferrite Phase Shifters in Rectangular Waveguide, <i>A. Clavin</i>	334
Contributors.....	335
Volume MTT-6, Number 4, October, 1958	
Frontispiece, <i>E. G. Fubini</i>	340
A Plea for Simplification, <i>E. G. Fubini</i>	341
Microwave Prize.....	343
General Treatment of Klystron Resonant Cavities, <i>K. Fujisawa</i> A Unified Discussion of High-Q Waveguide Filter Design Theory, <i>H. J. Riblet</i>	344
An Analysis of a Broad-Band Coaxial Hybrid Ring, <i>V. J. Albanese and W. P. Peyser</i>	359
Some Notes on the Optimum Design of Stepped Transmission- Line Transformers, <i>L. Solymar</i>	369
Microwave Semiconductor Switching Techniques, <i>R. V. Garver, E. G. Spencer, and M. A. Harper</i>	374
Microwave <i>Q</i> Measurements in the Presence of Coupling Losses, <i>E. L. Ginzton</i>	378
The Excitation of a Dielectric Rod by a Cylindrical Waveguide, <i>C. M. Angulo and W. S. C. Chang</i>	383
An Investigation of the Properties of Germanium Mixer Crys- tals at Low Temperatures, <i>L. K. Anderson and A. Hendry</i> ..	389
The Multiple Branch Waveguide Coupler, <i>J. Reed</i>	393
Coupled-Transmission-Line Directional Couplers, <i>J. K. Shimizu and E. M. T. Jones</i>	398
	403

Design of a Full Waveguide Bandwidth High-Power Isolator, <i>B. J. Duncan and B. Vafiades</i>	411
Correction to "A Simple Artificial Anisotropic Dielectric Medium," <i>R. E. Collin</i>	414
Wide-Band Microwave Transmission Measuring System, <i>J. B. Linker, Jr. and H. H. Grimm</i>	415
A Method for Measuring the Directivity of Directional Cou- plers, <i>G. E. Schafer and R. W. Beatty</i>	419
Development of a High-Power <i>L</i> -Band Resonance Isolator, <i>E. O. Schulz-DuBois, G. J. Wheeler, and M. H. Sirvetz</i>	423
High-Power Microwave Filters, <i>J. H. Vogelmann</i>	429
A Method of Calculating the Characteristic Impedance of a Strip Transmission Line to a Given Degree of Accuracy, <i>R. G. DeBuda</i>	440
Ferrite Line Width Measurements in a Cross-Guide Coupler, <i>D. C. Stinson</i>	446
Applications of Directional Filters for Multiplexing Systems, <i>F. S. Coale</i>	450
Correspondence:	
Coaxial Isolation Utilizing Yttrium-Iron Garnet, <i>L. Freiberg</i> ..	454
A Broad-Band Microwave Coaxial Connector with Capacitive RF Coupling and Isolated DC Returns, <i>C. M. Lin and R. W. Grow</i>	454
The Cutoff Wavelength of Trough Waveguide, <i>K. S. Packard</i> ..	455
Contributors.....	457
Annual Index 1958.....	460

Index to Authors

A	F	M	Schulz-DuBois, E. O.: Oct. p. 423
Albanese, V. J.: Oct. p. 369	Fleri, D.: Jan. p. 91	Marcuvitz, N.: Apr. p. 131	Scovil, H. E. D.: Jan. p. 29
Anderson, L. K.: Oct. p. 393	Freiberg, L.: Oct. p. 454	Matsumaru, K.: Apr. p. 143	Sensiper, S.: Apr. p. 238
Angulo, C. M.: Oct. p. 389	Fujisawa, K.: Oct. p. 344	Matthei, W. G.: Jan. p. 112	Sharpe, C. B.: Jan. p. 42
Ayres, W. P.: Apr. p. 215		McLaughlin, J. W.: Jul. p. 314	Shaw, H. J.: Jul. p. 326
B	G	Medved, D. B.: Jan. p. 101	Shimizu, J. K.: Oct. p. 403
Beam, R. E.: Jul. p. 251	Garver, R. V.: Oct. p. 378	Millet, M. R.: Jul. p. 284	Singh, A.: Apr. p. 155
Beatty, R. W.: Oct. p. 419	Ginzton, E. L.: Oct. p. 383	Milosevic, L. J.: Apr. p. 136	Sirvetz, M. H.: Oct. p. 423
Bergmann, S. M.: Jul. p. 324	Goldstein, L.: Jan. p. 19	Morgenthaler, F. R.: Apr. p. 167	Smolarska, J.: Apr. p. 161
Bolef, D. I.: Jan. p. 47	Grimm, H. H.: Oct. p. 415	Morrison, J. A.: Apr. p. 173	Solymar, L.: Oct. p. 374
Bolinder, E. F.: Jan. p. 111	Grow, R. W.: Jul. p. 314, Oct. p. 454	Muller, M. W.: Apr. p. 210	Spencer, E. G.: Oct. p. 378
Brodwin, M. E.: Apr. p. 150		N	Steinert, L. A.: Jan. p. 72
Bussey, H. E.: Jan. p. 72	H	Nelson, C. E.: Jan. p. 59	Stinson, D. C.: Jul. p. 332, Oct. p. 446
Button, K. J.: Jul. p. 303	Harper, M. A.: Oct. p. 378		Sucher, M.: Apr. p. 188
C	Harrington, R. F.: Jul. p. 308	O	Sweet, L. O.: Apr. p. 195
Carlin, H. J.: Apr. p. 188	Haus, H. A.: Jul. p. 317	O'Brien, R. M.: Jul. p. 264	
Catuna, G. W.: Jan. p. 97	Heim, D. S.: Jan. p. 42	Okamura, S.: Apr. p. 133	T
Chang, W. S. C.: Oct. p. 389	Held, G.: Jul. p. 268	Ozaki, H.: Jul. p. 331	Tischer, F. J.: Jan. p. 66
Chester, P. F.: Jan. p. 47	Helgesson, A. L.: Apr. p. 215		Turner, E. H.: Jul. p. 300
Chu, L. J.: Jul. p. 250	Heller, G. S.: Jan. p. 97	P	Tyras, G.: Jul. p. 268
Clavin, A.: Jul. p. 334	Hellmer, J. C.: Apr. p. 210	Packard, K. S.: Oct. p. 457	
Coale, F. S.: Oct. p. 450	Hendry, A.: Oct. p. 393	Peyser, W. P.: Oct. p. 369	V
Cohn, S. B.: Apr. p. 223	Hensperger, E. S.: Jul. p. 311	Pippin, J. E.: Jan. p. 77, Jan. p. 83	Vafiades, B.: Oct. p. 411
Collin, R. E.: Apr. p. 206, Oct. p. 414	Hogan, C. L.: Jan. p. 3, Jan. p. 77, Jan. p. 83		Vaillancourt, R. M.: Apr. p. 238
Cullen, A. L.: Apr. p. 133	J	R	Vartanian, P. H.: Apr. p. 215
D	James, A. V.: Apr. p. 195	Rapaport, H.: Jan. p. 53	Vautey, R.: Apr. p. 136
DeBuda, R. G.: Oct. p. 440	Jones, E. M. T.: Oct. p. 403	Reed, J.: Oct. p. 398	Villeneuve, A. T.: Jul. p. 308
DuHamel, R. H.: Jul. p. 277	K	Riblet, H. J.: Oct. p. 359	Vogelman, J. H.: Oct. p. 429
Duncan, B. J.: Jan. p. 91, Oct. p. 411	King, D. D.: Jul. p. 291	Rodrigue, G. P.: Jan. p. 83	
Duncan, J. W.: Jul. p. 277	Kurokawa, K.: Apr. p. 178	Rogal, B.: Apr. p. 133	W
Dunn, D. A.: Jul. p. 314	L		Weiss, M. T.: Jul. p. 331
Dunn, F. A.: Jul. p. 331	Lax, B.: Jan. p. 5	S	Wheeler, G. J.: Oct. p. 423
E	Lin, C. M.: Oct. p. 454	Schafer, G. E.: Jul. p. 333, Oct. p. 419	Wheeler, M. S.: Jan. p. 38
Engen, G. F.: Apr. p. 202	Linker, J. B., Jr.: Oct. p. 415	Schiffman, B. M.: Apr. p. 232	Whirry, W. L.: Jan. p. 59
	Lomer, P. D.: Jul. p. 264	Schlesinger, S. P.: Jul. p. 291	Winslow, L. M.: Jul. p. 326
			Wolf, W. P.: Jan. p. 83

Index to Subjects

A

Academic Research Institutes in the Microwave Field: Apr. p. 131
 Advances in Microwave Theory and Techniques—1957: Jul. p. 251
 Amplification Using Electron Spin States: Jan. p. 47
 Amplifier, Maser, Noise Figure of: Apr. p. 210
 Amplifiers, Three-Level Solid-State Maser: Jan. p. 29
 Amplitude Stabilization of a Microwave Signal Source: Apr. p. 202
 Artificial Anisotropic Dielectric Medium: Apr. p. 206

B

Balun, A Wide-Band: Jul. p. 314
 Beam Steering by Scattering from Ferrites: Jan. p. 38

C

Calorimeters for Measurement of Microwave Power: Apr. p. 188, p. 195
 Cavities:
 Electromagnetic Fields in, Expansions of: Apr. p. 178
 Ferrite-Loaded, Filters: Jan. p. 59
 Klystron Resonant, General Treatment of: Oct. p. 344
 Resonators, Determination of Q : Apr. p. 155
 Characteristic Impedances of the Slotted Coaxial Line: Apr. p. 161
 Circuits, Ring, Nonreciprocal: Jan. p. 66
 Circular Electric Waves in Helix Waveguides, Heat Loss of: Apr. p. 173
 Coaxial:
 Connector with Capacitive RF Coupling and Isolated DC Returns: Oct. p. 454
 Hybrid Ring, Broad-Band: Oct. p. 369
 Isolator Utilizing Yttrium-Iron Garnet: Oct. p. 454
 Line, Slotted, Characteristic Impedances of: Apr. p. 161
 Coupled-Transmission-Line Directional Couplers: Oct. p. 403
 Coupler, Multiple Branch Waveguide: Oct. p. 398
 Crystal, Diodes, Microwave Switching by: Jul. p. 284
 Crystal Rectifiers, Pressure Dependence of: Jan. p. 112
 Crystals, Germanium Mixer, at Low Temperatures, Properties of: Oct. p. 393

D

Dielectric:
 Image Lines: Jul. p. 291
 Medium, Artificial Anisotropic: Apr. p. 206
 Rod, Excitation by Cylindrical Waveguide: Oct. p. 389
 Rod Waveguide, Launching Efficiency of Wires and Slots for: Jul. p. 277
 Slab Loaded Rectangular Waveguide, Propagation in: Apr. p. 215
 Diodes, Crystal, Microwave Switching by: Jul. p. 284
 Directional Couplers:
 and Fourier Transforms: Apr. p. 238
 Coupled-Transmission-Line: Oct. p. 403
 Ferrite, with Off-Center Apertures: Jul. p. 332

Measuring the Directivity of: Oct. p. 419
 Directional Filters for Multiplexing Systems, Applications of: Oct. p. 450
 Directivity of Directional Couplers, Measuring the: Oct. p. 419
 Duplexer, Microwave, High-Power: Jul. p. 264

E

Education for Electrical Engineering: Jul. p. 250
 Electromagnetic Fields in Cavities, Expansions of: Apr. p. 178
 Electromagnetic Waves, Velocity Modulation of: Apr. p. 167
 Electron Spin States, Amplification and Generation Using: Jan. p. 47

F

Ferrimagnetic Resonance in Polycrystalline Garnets: Jan. p. 83
 Ferrites:
 Beam Steering by Scattering from: Jan. p. 38
 Boundary Problem in Rectangular Waveguide: Jan. p. 42
 Cavity Filters Loaded with: Jan. p. 59
 Designing Limitations of: Jan. p. 104
 Directional Couplers with Off-Center Apertures: Jul. p. 332
 Filled Microstrip, Propagation in: Apr. p. 150
 Gyromagnetic Measurements on: Jan. p. 72
 Isolation, Measurement of: Jan. p. 97
 Isolator, Field-Displacement: Jul. p. 303
 Line-Width Measurements in a Cross-Guide Coupler: Oct. p. 446
 Luneberg Lens, Electronic Scan Using: Jan. p. 101
 Microwave Frequency Separator: Jan. p. 53
 Modern Technology: Jan. p. 3
 Phase Shifters, Reciprocal, in Rectangular Waveguide: Jul. p. 334
 Radiation from a Rectangular Waveguide Filled with: Jul. p. 268
 Reciprocal in Transmission Lines: Jan. p. 91
 Resonance Measurements on: Jan. p. 77
 Status of Microwave Applications of: Jan. p. 5
 Switch, Fast, for 70 KMC: Jul. p. 300
 Field-Displacement Ferrite Isolator: Jul. p. 303
 Fourier Transforms and Directional Couplers: Apr. p. 238
 Filters:
 Cavity, Ferrite-Loaded: Jan. p. 59
 Design Theory, High- Q Waveguide: Oct. p. 359
 Directional, for Multiplexing Systems, Application of: Oct. p. 450
 High-Power Microwave: Oct. p. 429
 Transmission-Line-Resonator, Parallel-Coupled: Apr. p. 223
 Frequency Separator, Microwave Ferrite: Jan. p. 53

G

Garnets, Ferrimagnetic Resonance in: Jan. p. 83
 Garnet, Yttrium-Iron, Coaxial Isolator Utilizing: Oct. p. 454

Germanium Mixer Crystals at Low Temperatures, Properties of: Oct. p. 393
 Gyromagnetic Measurements on Ferrite: Jan. p. 72
 Gyrotropic Media, Reciprocity Relationships for: Jul. p. 308

H

Heat Loss of Circular Electric Waves in Helix Waveguides: Apr. p. 173
 Helix Waveguides, Circular Electric Waves in, Heat Loss of: Apr. p. 173

I

Image Lines, Dielectric: Jul. p. 291
 Impedance Transformations by Isometric Circle Method: Jan. p. 111
 Ionized Gaseous Media, Nonreciprocal Wave Propagation in: Jan. p. 19
 Isolator:
 Coaxial, Utilizing Yttrium-Iron Garnet: Oct. p. 454
 Ferrite, Measurement of: Jan. p. 97
 Field-Displacement Ferrite: Jul. p. 303
 Full Waveguide Bandwidth High-Power: Oct. p. 411
 High-Power L -Band Resonance: Oct. p. 423
 5-MM Resonance: Jul. p. 331
 Isometric Circle Method of Impedance Transformations: Jan. p. 111

K

Klystron Resonant Cavities, General Treatment of: Oct. p. 344

L

Launching Efficiency of Wires and Slots for Dielectric Rod Waveguide: Jul. p. 277
 Lens, Ferrite Luneberg, Electronic Scan Using: Jan. p. 101
 Luneberg Lens, Ferrite, Electronic Scan Using: Jan. p. 101

M

Maser Amplifier, Noise Figure of: Apr. p. 210
 Maser, Three-Level Solid-State: Jan. p. 29
 Measurements, Microwave Q , in the Presence of Coupling Losses: Oct. p. 383
 Measuring System, Wide-Band Microwave Transmission: Oct. p. 415
 Measuring the Directivity of Directional Couplers: Oct. p. 419
 Microstrip, Ferrite-Filled, Propagation in: Apr. p. 150
 Microwave Duplexer, High-Power: Jul. p. 264
 Microwave Field, Academic Research Institutes in: Apr. p. 131
 Microwave Mixer Design, Minimum Noise Figure: Jul. p. 324
 Microwave Power Divider, Variable-Ratio: Apr. p. 238
 Microwave Signal Source, Amplitude Stabilization of: Apr. p. 202
 Microwave Switching by Crystal Diodes: Jul. p. 284
 Microwave Theory and Techniques—1957, Advances in: Jul. p. 251
 Microwave Transmission Measuring System, Wide-Band: Oct. p. 415
 Mixer Crystals, Germanium, at Low Temperatures, Properties of: Oct. p. 393

Mixer Design, Microwave, Minimum Noise Figure: Jul. p. 324
 Mixers, Microwave, Modulator for: Jul. p. 333
 Modulator for Microwave Mixers: Jul. p. 333
 Multiplexing Systems, Applications of Directional Filters for: Oct. p. 450

N

Noise Figure of a Maser Amplifier: Apr. p. 210
 Noise Figure Microwave Mixer Design, Minimum: Jul. p. 324
 Nonlinear Media, Lossless, Power-Flow Relations in: Jul. p. 317
 Nonreciprocal Ring Circuits, Properties of: Jan. p. 66
 Nonreciprocal Wave Propagation in Ionized Gaseous Media: Jan. p. 19

P

Phase Shifters, Broad-Band Microwave 90-Degree: Apr. p. 232
 Phase Shifters, Reciprocal Ferrite, in Rectangular Waveguide: Jul. p. 334
 Power Divider, Variable-Ratio Microwave: Apr. p. 238
 Power-Flow Relations in Lossless Nonlinear Media: Jul. p. 317
 Power, Microwave Calorimeters for Measurement of: Apr. p. 188, p. 195
 Propagation in Dielectric Slab Loaded Rectangular Waveguide: Apr. p. 215
 Propagation in Ferrite-Filled Microstrip: Apr. p. 150

Q

Q Measurements, Microwave, in the Presence of Coupling Losses: Oct. p. 383
 Q of Cavity Resonators, Determination of: Apr. p. 155

R

Radiation from a Rectangular Waveguide Filled with Ferrite: Jul. p. 268
 Reciprocal Ferrites in Transmission Lines: Jan. p. 91
 Reciprocity Relationships for Gyrotropic Media: Jul. p. 308
 Rectifiers, Crystal, Pressure Dependence of: Jan. p. 112

Research, Academic, Institutes in the Microwave Field: Apr. p. 131
 Reflection Coefficient of *E*-Plane Tapered Waveguides: Apr. p. 143
 Resonance Isolator, 5-MM: Jul. p. 331
 Resonance Measurements on Ferrites: Jan. p. 77
 Resonator Filters, Parallel-Coupled Transmission-Line: Apr. p. 223
 Resonators, Cavity, Determination of Q: Apr. p. 155
 Resonators, Traveling-Wave: Apr. p. 136
 Riblet's Theorem: Jul. p. 331
 Ring, Broad-Band Coaxial Hybrid: Oct. p. 369

S

Scanning, Electronic, Using Ferrite Luneberg Lens: Jan. p. 101
 Semiconductors, Status of Microwave Applications of: Jan. p. 5
 Semiconductor Switching Techniques, Microwave: Oct. p. 378
 Slots and Wires for a Dielectric Rod Waveguide, Launching Efficiency of: Jul. p. 277
 Slotted Coaxial Line, Characteristic Impedances of the: Apr. p. 161
 Stabilization, Amplitude, of a Microwave Signal Source: Apr. p. 202
 Strip Transmission Line, Calculating the Characteristic Impedance of: Oct. p. 440
 Switch, Fast Ferrite, for 70 KMC: Jul. p. 300
 Switching, Microwave, by Crystal Diodes: Jul. p. 284
 Switching Techniques, Microwave Semiconductor: Oct. p. 378

T

Transformers, Broad-Band Stepped, from Rectangular to Double-Ridged Waveguide: Jul. p. 311
 Transformers, Stepped Transmission-Line, Optimum Design of: Oct. p. 374
 Transmission-Lines:
 Coupled, Directional Couplers: Oct. p. 403
 Reciprocal Ferrites in: Jan. p. 91
 Resonator Filters, Parallel-Coupled: Apr. p. 223

Strip, Calculating the Characteristic Impedance of: Oct. p. 440
 Transformers, Stepped, Optimum Design of: Oct. p. 374
 Transmission Measuring System, Wide-Band Microwave: Oct. p. 415
 Traveling-Wave Resonators: Apr. p. 136

V

Vacuum Window for *X* Band: Jul. p. 326
 Velocity Modulation of Electromagnetic Waves: Apr. p. 167

W

Wattmeter for 3 CM, Double-Vane Torque-Operated: Apr. p. 133
 Waveguides:
 Coupler, Multiple Branch: Oct. p. 398
 Cylindrical, Excitation of Dielectric Rod by: Oct. p. 389
 Dielectric Rod, Launching Efficiency of Wires and Slots for: Jul. p. 277
 Dielectric Slab Loaded Rectangular, Propagation in: Apr. p. 215
 E-Plane Tapered, Reflection Coefficient of: Apr. p. 143
 Filter Design Theory, High-Q: Oct. p. 359
 Helix, Circular Electric Waves in, Heat Loss of: Apr. p. 173
 Rectangular, Ferrite Boundary Problem in: Jan. p. 42
 Rectangular, Filled with Ferrite, Radiation from: Jul. p. 268
 Rectangular, Reciprocal Ferrite Phase Shifters in: Jul. p. 334
 Rectangular to Double-Ridged, Broad-Band Stepped Transformers from: Jul. p. 311
 Trough, Cutoff Wavelength of: Oct. p. 455
 Wave Propagation, Nonreciprocal, in Ionized Gaseous Media: Jan. p. 19
 Window for *X* Band: Jul. p. 326
 Wires and Slots for a Dielectric Rod Waveguide, Launching Efficiency of: Jul. p. 277

Y

Yttrium-Iron Garnet, Coaxial Isolator Utilizing: Oct. p. 454