

Index to
IRE Transactions
on
Microwave Theory and
Techniques
Volume MTT-7, 1959

IRE Transactions on Microwave Theory and Techniques

Index to Volume MTT-7, 1959

Contents

Volume MTT-7, Number 1, January, 1959

Message from the Chairman, <i>T. S. Saad</i>	2
Frontispiece, <i>W. L. Pritchard</i>	3
Education and Science in a Mature Society, <i>W. L. Pritchard</i>	4
Foreword, <i>A. L. Aden</i>	5
Microwave Radiation from Ferrimagnetically Coupled Electrons in Transient Magnetic Fields, <i>F. R. Morgenthaler</i>	6
Ferrite High-Power Effects in Waveguides, <i>E. Stern and R. S. Mangiaracina</i>	11
Temperature Effects in Microwave Ferrite Devices, <i>J. L. Melchor and P. H. Vartanian</i>	15
Characteristics of Ferrite Microwave Limiters, <i>G. S. Uebele</i>	18
Nonreciprocity in Dielectric Loaded TEM Mode Transmission Lines, <i>D. Fleri and G. Hanley</i>	23
Ferrite Phase Shifter for the UHF Region, <i>C. M. Johnson</i>	27
A Ferrite Serrodyne for Microwave Frequency Translation, <i>F. J. O'Hara and H. Scharfman</i>	32
Broad-Band Ferrite Rotators Using Quadruply-Ridged Circular Waveguide, <i>H. N. Chait and N. G. Sakiotis</i>	38
Present State of the Millimeter Wave Generation and Technique Art—1958, <i>P. D. Coleman and R. C. Becker</i>	42
Millimeter-Wave Generation Experiment Utilizing Ferrites, <i>W. P. Ayres</i>	62
Some Characteristics of Dielectric Image Lines at Millimeter Wavelengths, <i>J. C. Wiltse</i>	65
The Interaction of Microwaves with Gas-Discharge Plasmas, <i>S. C. Brown</i>	69
High Power, Magnetic Field Controlled Microwave Gas Discharge Switches, <i>S. J. Tetenbaum and R. M. Hill</i>	73
Solid-State Microwave Amplifiers, <i>H. Heffner</i>	83
A UHF Solid-State Maser, <i>R. H. Kingston</i>	92
A Microwave Frequency Standard Employing Optically Pumped Sodium Vapor, <i>W. E. Bell, A. Bloom, and R. Williams</i>	95
Microwave Filter Design Using an Electronic Digital Computer, <i>L. Young</i>	99
Measurement of Two-Mode Discontinuities in a Multimode Waveguide by a Resonance Technique, <i>L. B. Felsen, W. K. Kahn, and L. Levey</i>	102
Mode Couplers and Multimode Measurement Techniques, <i>D. J. Lewis</i>	110
Measurement of Harmonic Power Generated by Microwave Transmitters, <i>V. G. Price</i>	116
Tunable Passive Multicouplers Employing Minimum-Loss Filters, <i>J. F. Cline and B. M. Schiffman</i>	121
A Wide-Band Strip-Line Balun, <i>E. M. T. Jones and J. K. Shimizu</i>	128
Periodic Structures in Trough Waveguide, <i>A. A. Oliner and W. Rotman</i>	134
A Study of a Serrated Ridge Waveguide, <i>H. S. Kirschbaum and R. Tzu</i>	142
Design Considerations for High-Power Microwave Filters, <i>S. B. Cohn</i>	149
Evacuated Waveguide Filter for Suppressing Spurious Transmission from High-Power S-Band Radar, <i>H. A. Wheeler and H. L. Bachman</i>	154
Hybrid Junction—Cutoff Waveguide Filters, <i>E. N. Torgow</i>	163
Practical Design of Strip-Transmission-Line Half-Wavelength Resonator Directional Filters, <i>R. D. Wanselow and L. P. Tuttle, Jr.</i>	168
Correspondence:	
A High Average Power Broad-Band Ferrite Load Isolator for S Band, <i>E. N. Skomal</i>	174
Reflection Coefficient of E-Plane Tapered Waveguides, <i>R. F. H. Yang and K. Matsumaru</i>	175
The Permeability Matrix for a Ferrite Medium Magnetized at an Arbitrary Direction and Its Eigenvalues, <i>G. Tyras</i>	176

Resistive-Film Calorimeters for Microwave Power Measurement, <i>J. A. Lane</i>	177
PGMTT News.....	178
Call for Papers for 1959 PGMTT National Symposium.....	180
Contributors.....	181

Volume MTT-7, Number 2, April, 1959

Message from the Editor.....	188
Frontispiece, <i>S. B. Cohn</i>	189
Breaking Through the Mental Barrier, <i>S. B. Cohn</i>	190
Reflection of a Pyramidally Tapered Rectangular Waveguide, <i>K. Matsumaru</i>	192
Cascade Directional Filter, <i>O. Wing</i>	197
Propagation in a Dielectric-Loaded Parallel Plane Waveguide, <i>M. Cohn</i>	202
Electromagnetic Backscattering Measurements by a Time-Separation Method, <i>C. C. H. Tang</i>	209
On Network Representations of Certain Obstacles in Waveguide Regions, <i>H. M. Altschuler and L. O. Goldstone</i>	213
Reflectors for a Microwave Fabry-Perot Interferometer, <i>W. Culshaw</i>	221
Precise Control of Ferrite Phase Shifters, <i>D. D. King, C. M. Barrack, and C. M. Johnson</i>	229
Tables for Cascaded Homogeneous Quarter-Wave Transformers, <i>L. Young</i>	233
The Synthesis of Symmetrical Waveguide Circulators, <i>B. A. Auld</i>	238
Delay Distortion in Crystal Mixers, <i>T. Kawahashi and T. Uchida</i>	247
The Efficiency of Excitation of a Surface Wave on a Dielectric Cylinder, <i>J. W. Duncan</i>	257
Proposal for a Tunable Millimeter Wave Molecular Oscillator and Amplifier, <i>J. R. Singer</i>	268
High-Speed Microwave Switching of Semiconductors—II, <i>R. V. Garver</i>	272
A Logarithmic Transmission Line Chart, <i>A. C. Hudson</i>	277
The Far Fields Excited by a Point Source in a Passive Dissipationless Anisotropic Uniform Waveguide, <i>A. D. Bresler</i>	282
Analysis of a Negative Conductance Amplifier Operated with a Nonideal Circulator, <i>E. W. Sard</i>	288
Correspondence:	
Propagation Constants in Rectangular Waveguide Partially Filled with Dielectric, <i>W. L. Weeks</i>	294
A Short Rugged Ferrite Half-Wave Plate for a Single-Sideband Modulator, <i>H. I. Glass</i>	295
A Technique for Minimizing Hysteresis in a 35-DB Ferrite Variable Attenuator, <i>H. I. Glass</i>	295
Quarter-Wave Compensation of Resonant Discontinuities, <i>C. E. Muehe</i>	296
Comments on Ozaki's Comments, <i>H. J. Riblet</i>	297
Vector Formulations for the Field Equations in Anisotropic Waveguides, <i>A. D. Bresler</i>	298
An Extension of the Reflection Coefficient Chart to Include Active Networks, <i>L. J. Kaplan and D. J. R. Stock</i>	298
Characteristics of a Ferrite-Loaded Rectangular Waveguide Twist, <i>A. E. Barrington</i>	299
Contributors.....	300
1959 National Symposium Program.....	303

Volume MTT-7, Number 3, July, 1959

Frontispiece, <i>H. J. Riblet</i>	306
Pure or Applied? <i>H. J. Riblet</i>	307
Report of Advances in Microwave Theory and Techniques in U.S.A.—1958, <i>R. E. Beam and M. E. Brodwin</i>	308
Report of Advances in Microwave Theory and Techniques in	

Great Britain—1958, <i>J. Brown</i>	325	PGMTT News.....	396
Report of Advances in Microwave Theory and Techniques in Western Europe—1958, <i>G. Goudet</i>	327	Contributors.....	396
Report of Advances in Microwave Theory and Techniques in Japan—1958, <i>I. Someya</i>	331		
A Ferrite Cutoff Switch, <i>R. F. Soohoo</i>	332		
Propagation Constants of Circular Cylindrical Waveguides Containing Ferrites, <i>H. K. F. Severin</i>	337	Volume MTT-7, Number 4, October, 1959	
Magnified and Squared VSWR Responses for Microwave Reflection Coefficient Measurements, <i>R. W. Beatty</i>	346	Frontispiece, <i>A. G. Fox</i>	400
Microwave Reflectometer Techniques, <i>G. F. Engen and R. W. Beatty</i>	351	The Communications Frontier Between Classical and Quantum Physics, <i>A. G. Fox</i>	401
Application of a Backward-Wave Amplifier to Microwave Autodyne Reception, <i>J. K. Pulfer</i>	356	Mechanical Design and Manufacture of Microwave Structures, <i>A. F. Harvey</i>	402
Mode Theory of Lossless Periodically Distributed Parametric Amplifiers, <i>K. Kurokawa and J. Hamasaki</i>	360	The Dependence of Reflection on Incidence Angle, <i>R. Redheffer</i>	423
O-Guide and X-Guide: An Advanced Surface Wave Transmission Concept, <i>M. Sugi and T. Nakahara</i>	366	Analytical Asymmetry Parameters for Symmetrical Waveguide Junctions, <i>M. Cohen and W. Kahn</i>	430
Correction to "Evacuated Waveguide Filter for Suppressing Spurious Transmission from High-Power S-Band Radar," <i>H. A. Wheeler and H. L. Bachman</i>	369	Orthogonality Relationships for Waveguides and Cavities with Inhomogeneous Anisotropic Media, <i>A. Villeneuve</i>	441
Correction to "Tunable Passive Multicouplers Employing Minimum-Loss Filters," <i>J. F. Kline and B. M. Schiffman</i> ..	369	Mismatch Errors in Cascade-Connected Variable Attenuator, <i>G. E. Schafer and A. Y. Rumpfelt</i>	447
The Transmission of TE ₀₁ Wave in Helix Waveguides, <i>T. Hosono and S. Kohno</i>	370	A Nonreciprocal TEM-Mode Structure for Wide-Band Gyrator and Isolator Applications, <i>E. Jones, G. Matthaei, and S. Cohn</i>	453
Design of Linear Double Tapers in Rectangular Waveguides, <i>R. C. Johnson</i>	374	High-Power Microwave Rejection Filter Using Higher-Order Modes, <i>J. H. Vogelmann</i>	461
Spurious Mode Generation in Nonuniform Waveguide, <i>L. Solymar</i>	379	A Method for Accurate Design of a Broad-Band Multi-Branch Waveguide Coupler, <i>K. G. Patterson</i>	466
A High Power Diplexing Filter, <i>L. Young and J. Owen</i>	384	Correspondence:	
Correspondence:		The Analogy Between the Weissfloch Transformer Theorem and the Ideal Attenuator (Reflection Coefficient Transformer) and an Extension to Include the General Lossy 2-Port, <i>D. Stock and L. Kaplan</i>	473
End Plate Modification of X-Band TE ₀₁₁ Cavity Resonators, <i>M. C. Thompson, F. E. Freethey, and D. M. Waters</i>	388	Comments on "Some Notes on Strip Transmission Line and Waveguide Multiplexers," <i>R. M. Kurzrok</i>	475
Design of Open-Ended Microwave Resonant Cavities, <i>D. C. Thorn and A. W. Straiton</i>	389	The Representation of Impedance with Negative Real Parts in the Projective Chart, <i>D. Stock and L. Kaplan</i>	475
Transverse Electric Field Distributions in Ferrite Loaded Waveguides, <i>D. J. Angelakos</i>	390	Design Calculations for UHF Ferrite Circulators, <i>H. Boyet, S. Weissbaum and I. Gerst</i>	475
Feeding RF Power from a Self-Excited, Pulsed Source into a High-Q Resonant Load, <i>H. A. Spuhler, R. J. Kenyon, and P. Coleman</i>	391	Discussion on Optimum Bead Spacing, <i>J. Reed and D. Dettinger</i>	477
An Image Line Coupler, <i>D. J. Angelakos</i>	391	A Comment on Riblet's Theorem, <i>L. Young</i>	477
An Extension of the Concept of Stop and Pass Bands of a Zobel Type Filter to a General Reciprocal Two-Port Network Which Has a Nonloxodromic Transformation, <i>D. Stock and L. Kaplan</i>	392	Broad-Band Stub Design, <i>L. Young</i>	478
Characteristic Impedance of Split Coaxial Line, <i>H. Kogo</i>	393	Attenuation of the HE ₁₁ Mode in the H-Guide, <i>M. Cohn and F. J. Fischer</i>	478
A Method for Enhancing the Performance of Nonreciprocal Devices, <i>B. Ancker-Johnson</i>	394	Experimental Determination of Wavelength in Dielectric-Filled Periodic Structures, <i>E. Weissberg</i>	480
Characteristics of Argon Noise Source Tubes at S Band, <i>W. J. Medd</i>	395	An Automatic Microwave Dielectrometer, <i>W. F. Gabriel</i>	481
		Design Note on a Serrated Choke, <i>W. F. Gabriel</i>	482
		Contributors.....	482
		Call for Papers for 1960 Symposium, <i>H. B. Babbitz</i>	485

Index to Authors

A	Bloom, A. Jan 95	D	Glass, H. I. Apr 295
Alstadter, A. Oct 475	Boyet, H. Oct 475	Dettinger, D. Oct 477	Goldstone, L. O. Apr 213
Altschuler, H. M. Apr 213	Bresler, A. D. Apr 282, 298	Duncan, J. W. Apr 257	Goudet, G. Jul 327
Ancker-Johnson, B. Jul 394	Brodwin, M. E. Jul 308		
Angelakos, D. J. Jul 390, 391	Brown, J. Jul 325	E	H
Auld, B. A. Apr 238	Brown, S. C. Jan 69	Engen, G. F. Jul 351	Hamasaki, J. Jul 360
Ayres, W. P. Jan 62			Hanley, G. Jan 23
B	C	F	Harvey, A. F. Oct 402
Babbitz, H. B. Oct 485	Chait, H. N. Jan 38	Felsen, L. B. Jan 102	Heffner, H. Jan 83
Bachman, H. L. Jan 154, Jul 369	Cline, J. F. Jan 121, Jul 369	Fleri, D. Jan 23	Hill, R. M. Jan 73
Barrack, C. M. Apr 229	Cohen, M. Oct 430	Fox, A. G. Oct 401	Hosono, T. Jul 370
Barrington, A. E. Apr 299	Cohn, M. Apr 202, Oct 478	Freethey, F. E. Jul 388	Houseman, E. O., Jr. Oct 475
Beam, R. E. Jul 308	Cohn, S. Oct 453		Hudson, A. C. Apr 277
Beatty, R. W. Jul 346, 351	Cohn, S. B. Jan 149, Apr 190	G	J
Becker, R. C. Jan 42	Coleman, P. Jul 391	Gabriel, W. F. Oct 481, 482	Johnson, C. M. Jan 27, Apr 229
Bell, W. E. Jan 95	Coleman, P. D. Jan 42	Garver, R. V. Apr 272	Johnson, R. C. Jul 374
	Culshaw, W. Apr 221	Gerst, I. Oct 475	Jones, E. Oct 453

Jones, E. M. T. Jan 128

K

Kahn, W. Oct 430
Kahn, W. K. Jan 102
Kaplan, L. Jul 392, Oct 473, 475
Kaplan, L. J. Apr. 298
Kawahashi, T. Apr 247
Kenyon, R. J. Jul 391
King, D. D. Apr 229
Kingston, R. H. Jan 92
Kirschbaum, H. S. Jan 142
Kogo, H. Jul 393
Kohno, S. Jul 370
Kurokawa, K. Jul 360

L

Lane, J. A. Jan 177
Levey, L. Jan 102
Lewis, D. J. Jan 110

M

Mangiaracina, R. S. Jan 11
Matsumaru, K. Jan 175, Apr 192
Matthaei, G. Oct 453
Medd, W. J. Jul 395

Melchor, J. L. Jan 15
Morgenthaler, F. R. Jan 6
Muehe, C. E. Apr 296

N

Nakahara, T. Jul 366

O

O'Hara, F. J. Jan 32
Oliner, A. A. Jan 134
Owen, J. Jul 384

P

Patterson, K. G. Oct 466
Price, V. G. Jan 116
Pritchard, W. L. Jan 4
Pulfer, J. K. Jul 356

R

Redheffer, R. Oct 423
Reed, J. Oct 477
Riblet, H. J. Apr 297, Jul 307
Rotman, W. Jan 134
Rumfelt, A. Y. Oct 447

S

Sakiotis, N. G. Jan 38

Sard, E. W. Apr 288
Schafer, G. E. Oct 447
Scharfman, H. Jan 32
Schiffman, B. M. Jan 121, Jul 369
Severin, H. K. F. Jul 337
Shimizu, J. K. Jan 128
Singer, J. R. Apr 268
Skomal, E. N. Jan 174
Solymar, L. Jul 379
Someya, I. Jul 331
Soohoo, R. F. Jul 332
Spuhler, H. A. Jul 391
Stern, E. Jan 11
Stock, D. Jul 392, Oct 473, 475
Stock, D. J. R. Apr 298
Straiton, A. W. Jul 389
Sugi, M. Jul 366

T

Tang, C. C. H. Apr 209
Tetenbaum, S. J. Jan 73
Thompson, M. C. Jul 388
Thorn, D. C. Jul 389
Tischer, F. J. Oct 478
Torgow, E. N. Jan 163
Tsu, R. Jan 142

Tuttle, L. P., Jr. Jan 168
Tyras, G. Jan 176

U

Ubele, G. S. Jan 18
Uchida, T. Apr 247

V

Vartanian, P. H. Jan 15
Villeneuve, A. Oct 441
Vogelman, J. H. Oct 461

W

Wanselow, R. D. Jan 168
Waters, D. M. Jul 388
Weeks, W. L. Apr 294
Weisbaum, S. Oct 475
Weissberg, E. Oct 480
Wheeler, H. A. Jan 154, Jul 369
Williams, R. Jan 95
Wiltse, J. C. Jan 65
Wing, O. Apr 197

Y

Yang, R. F. H. Jan 175
Young, L. Jan 99, Apr 233, Jul 384, Oct 477, 478

Index to Subjects

A

Amplifiers:

Backward-Wave, for Microwave Autodyne Reception: Jul 356
Molecular, Millimeter Wave: Apr 268
Negative Conductance, with a Nonideal Circulator: Apr 288
Parametric, Lossless Periodically Distributed, Mode Theory of: Jul 360
Solid-State Microwave: Jan 83
Argon Noise Source Tubes at S-Band: Jul 395
Attenuator, Cascade-Connected Variable, Mismatch Errors in: Oct 447
Attenuator, Ferrite Variable, Minimizing Hysteresis in: Apr 295
Attenuator, Ideal, Analogy Between the Weissfloch Transformer Theorem and: Oct 473
Autodyne Reception, Microwave, Backward-Wave Amplifier for: Jul 356

B

Backscattering Measurements by a Time-Separation Method: Apr 209
Backward-Wave Amplifier for Microwave Autodyne Reception: Jul 356
Balun, Wide-Band Strip-Line: Jan 128
Bead Spacing, Optimum: Oct 477
Breaking Through the Mental Barrier: Apr 190

C

Calorimeters, Resistive-Film, for Microwave Power Measurement: Jan 177
Cavities, Open-Ended Resonant, Design of: Jul 389
Cavities and Waveguides with Inhomogeneous Anisotropic Media: Oct 441
Cavity Resonators, X-Band, End Plate Modification of: Jul 388

Characteristic Impedance of Split Coaxial Line: Jul 393
Circulators, UHF Ferrite, Design Calculations for: Oct 475
Circulators, Waveguide, Synthesis of: Apr 238
Coaxial Line, Split, Characteristic Impedance of: Jul 393
Computer, Digital, Microwave Filter Design Using: Jan 99
Coupler, Image Line: Jul 391
Coupler, Optimum Multi-Branch Waveguide, Design of: Oct 466
Couplers, Mode, and Multimode Measurement Techniques: Jan 110
Crystal Mixers, Delay Distortion in: Apr 247

D

Delay Distortion in Crystal Mixers: Apr 247
Dielectric Filled Periodic Structures, Experimental Determination of Wavelengths in: Oct 480
Dielectric Image Lines at Millimeter Wavelengths: Jan 65
Dielectric, Propagation Constants in Waveguide Partially Filled with: Apr 294
Diplexing Filter, High Power: Jul 384

E

Education and Science in a Mature Society: Jan 4
Electrons, Ferrimagnetically Coupled, Microwave Radiation from: Jan 6
Feeding RF Power From a Pulsed Source Into a High-Q Resonant Load: Jul 391

F

Ferrites:
Circular Cylindrical Waveguides Containing Propagation Constants of: Jul 337

Circulators, UHF, Design Calculations for: Oct 475
Cutoff Switch: Jul 332
Devices, Temperature Effects in: Jan 15
Half-Wave Plate for a Single-Sideband Modulator: Apr 295
High-Power Effects in Waveguides: Jan 11
Load Isolator: Jan 174
Loaded Rectangular Waveguide Twist: Apr 299
Loaded Waveguides, Transverse Electric Field Distributions in: Jul 390
Microwave Limiters, Characteristics of: Jan 18
Millimeter-Wave Generation Utilizing: Jan 62
Permeability Matrix for: Jan 176
Phase Shifter for UHF: Jan 27
Phase Shifters, Precise Control of: Apr 229
Rotators Using Quadruply-Ridged Waveguide: Jan 38
Serrrodyne for Frequency Translation: Jan 32
Variable Attenuator, Minimizing Hysteresis in: Apr 295

Filters:

Cascade Directional: Apr 197
Evacuated Waveguide, for Radar: Jan 154
High Power Diplexing: Jul 384
High-Power Microwave: Jan 149
High Power Microwave Rejection: Oct 461
Hybrid Junction-Cutoff Waveguide: Jan 163
Microwave Design Using Digital Computer: Jan 99
Minimum-Loss, Tunable Passive Multi-couplers Employing: Jan 121

Strip-Transmission-Line Resonator Directional: Jan 168
 Tunable Passive Multicouplers Employing Minimum-Loss, Correction to: Jul 369
 Waveguide, for Suppressing Spurious Transmission from S-Band Radar, Correction to: Jul 369
 Frequency Standard, Microwave, Employing Optically Pumped Sodium Vapor: Jan 95
 Frequency Translation, Ferrite Serrodyne for: Jan 32

G

Gas-Discharge Plasmas, Interaction of Microwaves with: Jan 69
 Gas Discharge Switches, Magnetic Field Controlled Microwave: Jan 73
 Great Britain, Microwave Advances in 1958: Jul 325
 Gyrator and Isolator, Wide-Band, Non-reciprocal TEM-Mode Structure for: Oct 453

H

H-Guide, Mode Attenuation in: Oct 480
 Harmonic Power Generated by Microwave Transmitters, Measurement of: Jan 116
 Helix Waveguides, Transmission of TE_{01} Wave in: Jul 370
 Hysteresis, Minimizing, in a Ferrite Variable Attenuator: Apr 295

I

Image Line Coupler: Jul 391
 Image Lines, Dielectric, at Millimeter Wavelengths: Jan 65
 Impedance, Characteristic, of Split Coaxial Line: Jul 393
 Impedance with Negative Real Parts, Representation of: Oct 475
 Incidence Angle, Dependence of Reflection on: Oct 423
 Interferometer, Fabry-Perot, Reflectors for: Apr 221
 Isolator, Ferrite Load: Jan 174
 Isolator and Gyrator, Wide-Band, Non-reciprocal TEM-Mode Structure for: Oct 453

J

Japan, Microwave Advances in 1958: Jul 331

L

Limiters, Ferrite Microwave, Characteristics of: Jan 18

M

Manufacture of Microwave Structures and Mechanical Design: Oct 402
 Maser, UHF Solid-State: Jan 92
 Mechanical Design and Manufacture of Microwave Structures: Oct 402
 Microwaves:
 Advances in Great Britain in 1958: Jul 325
 Advances in Japan in 1958: Jul 331
 Advances in U.S.A. in 1958: Jul 308
 Advances in Western Europe in 1958: Jul 327
 Interaction with Gas-Discharge Plasmas: Jan 69
 Structures, Mechanical Design and Manufacture of: Oct 402
 Millimeter Waves:

Dielectric Image Lines at: Jan 65
 Generation, Present State of: Jan 42
 Generation Utilizing Ferrites: Jan 62
 Molecular Oscillator and Amplifier, Tunable: Apr 268
 Mismatch Errors in Cascade-Connected Variable Attenuator: Oct 447
 Mixers, Crystal, Delay Distortion in: Apr 247
 Mode Attenuation in the H-Guide: Oct 480
 Mode Couplers and Multimode Measurement Techniques: Jan 110
 Mode Theory of Lossless Periodically Distributed Parametric Amplifiers: Jul 360
 Modulator, Single-Sideband, Ferrite Half-Wave Plate for: Apr 295
 Molecular Oscillator and Amplifier, Tunable Millimeter Wave: Apr 268
 Multicouplers Employing Minimum-Loss Filters, Tunable Passive, Correction to: Jul 369
 Multicouplers, Tunable Passive, Employing Minimum-Loss Filters: Jan 121
 Multiplexers, Waveguide, Strip Transmission Line and: Oct 475

N

Network Representations of Obstacles in Waveguides: Apr 213
 Network, Zobel Stop and Pass Bands Reciprocal Two Port, Extension of: Jul 392
 Noise Source Tubes, Argon, at S-Band: Jul 395
 Nonreciprocal Devices, Enhancing the Performance of: Jul 394

O

O-Guide and X-Guide: Surface Wave Transmission: Jul 366
 Oscillator and Amplifier, Tunable Millimeter Wave Molecular: Apr 268
 Ozaki's Comments, Comments on: Apr 297

P

Parametric Amplifiers, Lossless Periodically Distributed, Mode Theory of: Jul 360
 Permeability Matrix for a Ferrite: Jan 176
 Phase Shifter, Ferrite, for UHF: Jan 27
 Phase Shifters, Ferrite, Precise Control of: Apr 229

Plasmas, Gas-Discharge, Interaction of Microwaves with: Jan 69
 Propagation Constants of Circular Cylindrical Waveguides Containing Ferrites: Jul 337
 Propagation Constants in Waveguide Partially Filled with Dielectric: Apr 294
 Propagation in a Dielectric-Loaded Waveguide: Apr 202

Q

Quarter-Wave Compensation of Resonant Discontinuities: Apr 296

R

Radar, S-Band, Correction to Waveguide Filter for Suppressing Spurious Transmission from: Jul 369
 Radiation, Microwave, from Ferrimagnetically Coupled Electrons: Jan 6
 Reflection Coefficient Chart to Include Active Networks, Extension of: Apr 298
 Reflection Coefficient Measurements, Microwave, VSWR Responses for: Jul 346
 Reflection on Incidence Angle, Dependence of: Oct 423

Reflectometer Techniques, Microwave: Jul 351
 Reflectors for a Fabry-Perot Interferometer: Apr 221
 Rejection Filter, High Power Microwave: Oct 461
 Resonant Cavities, Design of Open-Ended: Jul 389
 Resonant Discontinuities, Quarter-Wave Compensation of: Apr 296
 Resonators, X-Band Cavity, End Plate Modification of: Jul 388
 Riblet's Theorem, Comment on: Oct 477

S

Science and Education in a Mature Society: Jan 4
 Semiconductors, High-Speed Microwave Switching of: Apr 272
 Serrodyne, Ferrite, for Frequency Translation: Jan 32
 Single-Sideband Modulator, Ferrite Half-Wave Plate for: Apr 295
 Sodium Vapor, Microwave Frequency Standard Employing Optically Pumped: Jan 95
 Solid-State Maser, UNF: Jan 92
 Solid-State Microwave Amplifiers: Jan 83
 Spurious Mode Generation in Nonuniform Waveguide: Jul 379
 Spurious Transmission from S-Band Radar, Waveguide Filter for Suppressing, Correction to: Jul 369
 Strip-Line Balun, Wide-Band: Jan 128
 Strip-Transmission-Line Resonator Directional Filters: Jan 168
 Strip Transmission Line and Waveguide Multiplexers: Oct 475
 Stub Design, Broad-Band: Oct 478
 Surface Wave on a Dielectric Cylinder, Efficiency of: Apr 257
 Surface Wave Transmission, O-Guide and X-Guide: Jul 366
 Switch, Ferrite Cutoff: Jul 332
 Switches, Magnetic Field Controlled Microwave Gas Discharge: Jan 73
 Switching, High-Speed Microwave, of Semiconductors: Apr 272

T

Tapers, Double, in Rectangular Waveguides: Jul 374
 Temperature Effects in Ferrite Devices: Jan 15
 Transformer Theorem and Ideal Attenuator, Weissfloch, Analogy Between: Oct 473
 Transformers, Cascaded Quarter-Wave Tables for: Apr 233
 Transmission Line Chart, Logarithmic: Apr 277
 Transmission Line, Strip, and Waveguide Multiplexers: Oct 475
 Transmission Lines, Dielectric Loaded, Non-reciprocity in: Jan 23
 Transmission, Surface Wave, O-Guide and X-Guide: Jul 366
 Transmission of TE_{01} Wave in Helix Waveguides: Jul 370
 Transmitters, Microwave, Measurement of Harmonic Power Generated by: Jan 116
 Tubes, Argon Noise Source, at S Band: Jul 395

U

U.S.A., Microwave Advances in 1958: Jul 308

V

Voltage Standing Wave Ratio Responses for
Microwave Reflection Coefficient Meas-
urements: Jul 346

W

Waveguides:
and Cavities with Inhomogeneous Aniso-
tropic Media: Oct 441
Circulators, Synthesis of: Apr 238
Containing Ferrites, Circular Cylindrical,
Propagation Constants of: Jul 337
Coupler, Optimum Multi-Branch, Design
of: Oct 466
Dielectric-Loaded Propagation in: Apr
202
Far Fields Excited by Point Sources in:
Apr 282
Ferrite High-Power Effects in: Jan 11
Ferrite Loaded, Transverse Electric Field
Distributions in: Jul 390
Filter, Evacuated, for Radar: Jan 154
Filter for Suppressing Spurious Trans-

mission from S-Band Radar, Cor-
rection to: Jul 369
Filters, Hybrid Junction-Cutoff: Jan 163
Helix, Transmission of TE_{01} Wave in: Jul
370
Junctions, Symmetrical, Assymetry Pa-
rameters for: Oct 430
Measurement of Discontinuities in: Jan
102
Multiplexers, Strip Transmission Line
and: Oct 475
Network Representations of Obstacles in:
Apr 213
Nonuniform, Spurious Mode Generation
in: Jul 379
Partially Filled with Dielectric, Propaga-
tion Constants in: Apr 294
Quadruply-Ridged, Ferrite Rotators Us-
ing: Jan 38
Rectangular, Design of Double Tapers in:
Jul 374
Serrated Ridge: Jan 142
Tapered Rectangular, Reflection of: Apr
192

Tapered, Reflection Coefficient of: Jan
175
Trough, Periodic Structures in: Jan 134
Twist, Ferrite-Loaded Rectangular: Apr
299
Vector Formulations for Field Equations
in: Apr 298
Wavelengths in Dielectric Filled Periodic
Structures, Experimental Determina-
tion of: Oct 480
Weissfloch Transformer Theorem and Ideal
Attenuator, Analogy Between: Oct 473
Western Europe, Microwave Advances in
1958: Jul 327

X

X-Guide and O-Guide Surface Wave Trans-
mission: Jul 366

Z

Zobel Stop and Pass Bands Reciprocal Two
Port Network, Extension of: Jul 392