

IRE Transactions on Microwave Theory and Techniques

Index to Volume MTT-8, 1960

Contents

Volume MTT-8, Number 1, January, 1960

Message from the Editor, <i>Donald D. King</i>	2
Microwave Prize.....	3
Theoretical Limitations to Ferromagnetic Parametric Amplifier Performance, <i>R. W. Damon and J. R. Eshbach</i>	4
An Extension of the Mode Theory to Periodically Distributed Parametric Amplifiers with Losses, <i>K. Kurokawa and J. Hamasaki</i>	10
Action of a Progressive Disturbance on a Guided Electromagnetic Wave, <i>J. C. Simon</i>	18
Periodic and Guiding Structures at Microwave Frequencies, <i>A. F. Harvey</i>	30
Design of Mode Transducers, <i>L. Solymar and C. C. Eaglesfield</i>	61
UHF Resonator with Linear Tuning, <i>B. H. Wadia and R. L. Sarda</i>	66
Equivalent Circuits for Small Symmetrical Longitudinal Apertures and Obstacles, <i>Arthur A. Oliner</i>	72
On the TE _{no} Modes of a Ferrite Slab Loaded Rectangular Waveguide and the Associated Thermodynamic Paradox, <i>A. D. Bresler</i>	81
L-Band Ferromagnetic Resonance Experiments at High Peak Power Levels, <i>E. Schlomann, J. Saunders, and M. Sirvetz</i>	96
High Power Ferromagnetic Resonance at X-Band in Polycrystalline Garnets and Ferrites, <i>J. J. Green and E. Schlomann</i>	100
Microwave Diode Cartridge Impedance, <i>R. V. Garver and J. A. Rosado</i>	104
Theory of the Germanium Diode Microwave Switch, <i>R. V. Garver, J. A. Rosado, and E. F. Turner</i>	108
Improvement in the Square Law Operation of 1N23B Crystals from 2 to 11 KMC, <i>A. Staniforth and J. H. Craven</i>	111
An N-Way Hybrid Power Divider, <i>Ernest J. Wilkinson</i>	116
Correspondence.....	119
Higher Order Modes in Coupled Helices, <i>Russell E. Hayes</i>	120
The Tetrahedral Junction as a Waveguide Switch, <i>Jerold A. Weiss</i>	121
Some Measurements of Travelling-Wave Tube Attenuators at 2000 MC, <i>C. H. Dix</i>	123
PGMTT News.....	125
Contributors.....	125

Volume MTT-8, Number 2, March, 1960

Editorial, <i>Harold M. Barlow</i>	131
Broad-Band Coaxial Choked Coupling Design, <i>Howard E. King</i>	132
A Study of Multielement Transmission Lines, <i>Hiroshi Kogo</i>	136
Measurement of Relative Phase Shift at Microwave Frequencies, <i>C. A. Finnila, L. A. Roberts and C. Susskind</i>	143
Resonant Modes in Waveguide Windows, <i>M. P. Forrer and E. T. Jaynes</i>	147
Temperature Compensation of Coaxial Cavities, <i>J. R. Cogdell, A. P. Deam and A. W. Straiton</i>	151
A Graphical Method for Measuring Dielectric Constants at Microwave Frequencies, <i>Charles B. Sharpe</i>	155
Wide-Band Strip-Line Magic-T, <i>E. M. T. Jones</i>	160
A General Theorem on an Optimum Stepped Impedance Transformer <i>Henry J. Riblet</i>	169
Minimal Positive Polynomials, <i>James E. Eaton</i>	171
Complementarity in the Study of Transmission Lines, <i>G. H. Owyang and R. King</i>	172
High Resolution Millimeter Wave Fabry-Perot Interferometer <i>William Culshaw</i>	182

Boundary Conditions and Ohmic Losses in Conducting Wedges, <i>Robin M. Chisholm</i>	189
On the Theory of the Ferrite Resonance Isolator, <i>E. Schlomann</i>	199
Analysis of Microwave Measurement Techniques by Means of Signal Flow Graphs, <i>J. K. Hunton</i>	206
Stepped Transformers for Partially Filled Transmission Lines, <i>D. J. Sullivan and D. A. Parkes</i>	212
Parametric Diodes in a Maser Phase-Locked Frequency Divider, <i>M. L. Stiltch, N. O. Robinson and W. Silvey</i>	218
Parametric Devices and Masers: An Annotated Bibliography, <i>E. Mount and B. Begg</i>	222
Correction to "Tables for Cascaded Homogeneous Quarter-Wave Transformers," <i>Leo Young</i>	243
Correspondence.....	245
Analysis of Split Coaxial Line Type Balun, <i>Hiroshi Kogo</i>	247
Nonreciprocal Attenuation of Ferrite in Single-Ridge Waveguide, <i>T. S. Chen</i>	249
A New Automatic Frequency Regulation System, <i>J. R. Singer</i>	249
On Some Problems in Designing Microwave Faraday-Rotation Devices, <i>S. J. Lewandowski and J. Konopka</i>	249
Equivalence of 0 and -1 Space Harmonics in Helical Antenna Operation, <i>T. S. MacLean and D. A. Watkins</i>	251
Application of Perturbation Theory to the Calculation of ω - β Characteristics for Periodic Structures, <i>Murray D. Sirkis</i>	251
Ice as a Bending Medium for Waveguide and Tubing, <i>Franklin S. Coale</i>	252
On Higher-Order Hybrid Modes of Dielectric Cylinders, <i>S. P. Schlesinger, P. Diamant, and A. Viganis</i>	252
A Property of Symmetric Hybrid Waveguide Junctions, <i>J. M. Smith</i>	253
Attenuation in a Resonant Ring Circuit, <i>K. Tomiyasu</i>	253
Reciprocal Ferrite Phase Shifters, <i>Alvin Clavin</i>	254
Contributors.....	255
PGMTT National Symposium Program.....	260
PGMTT Roster.....	261

Volume MTT-8, Number 3, May, 1960

Administrative Committee, 1959-1960	272
An Analysis of Four-Frequency Nonlinear Reactance Circuits, <i>David K. Adams</i>	274
Some Properties of Three Coupled Waves, <i>Laszlo Solymar</i>	284
Noise Figures of Reflex Klystron Amplifiers, <i>Koryu Ishii</i>	291
On Measurements of Microwave E and H Field Distributions by Using Modulated Scattering Methods, <i>Ming-Kuei Hu</i>	295
Analysis of Certain Transmission-Line Networks in the Time Domain, <i>W. J. Getsinger</i>	301
Sets of Eigenvectors for Volumes of Revolution, <i>J. van Bladel</i>	309
A Printed Circuit Balun for Use with Spiral Antennas, <i>R. Bawer and J. J. Wolfe</i>	319
The P-I-N Modulator, an Electrically Controlled Attenuator for MM and Sub-MM Waves, <i>F. C. de Ronde, H. J. G. Meyer, and O. W. Memelink</i>	325
Discontinuities in the Center Conductor of Symmetric Strip Transmission Line, <i>H. M. Altschuler and A. A. Oliner</i>	328
A Variational Integral for Propagation Constant of Lossy Transmission Lines, <i>Robert E. Collin</i>	339
Measurement of Bandwidth of Microwave Resonator by Phase Shift of Signal Modulation, <i>D. S. Lerner and H. A. Wheeler</i>	343
A Y-Junction Strip-Line Circulator, <i>U. Milano, J. H. Saunders and L. Davis, Jr.</i>	346
A Wide-Band UHF Traveling-Wave Variable Reactance Amplifier, <i>R. C. Honey and E. M. T. Jones</i>	351
On the Theory of Strongly Coupled Cavity Chains, <i>M. A. Allen and G. S. Kino</i>	362

Microphony in Waveguide, <i>I. Goldstein and S. Soorsoorian</i> . . .	372	A Waveguide Switch Employing the Offset Ring-Switch Junction, <i>R. C. Johnson, A. L. Holliman, and J. S. Hollis</i> . . .	532
Correspondence		Some Limitations on Parametric Amplifier Noise Performance, <i>R. D. Weglein</i> . . .	538
Discussion of Line Width and Gyromagnetic Ratio, <i>Isidore Bady</i> . . .	376	TE Mode Excitation on Dielectric Loaded Parallel Plane and Trough Waveguides, <i>M. Cohn, E. S. Cassedy, and M. A. Kott</i> . . .	545
Plotting Impedances with Negative Resistive Components, <i>R. L. Kyhl</i> . . .	377	A New Semiconductor Microwave Modulator, <i>H. Jacobs, F. A. Brand, M. Benanti, R. Benjamin, and J. Meindl</i> . . .	553
Comments on "The Design of Ridged Waveguide," <i>Richard M. Kurczok</i> . . .	377	Theory and Measurement of <i>Q</i> in Resonant Ring Circuits, <i>Hellmut Golde</i> . . .	560
Contributors . . .	378	Correspondence	

Volume MTT-8, Number 4, July, 1960

Report of Advances in Microwave Theory and Techniques in Great Britain—1959, <i>John Brown</i> . . .	382	Ferrite Shape Considerations for UHF High-Power Isolators, <i>Ernest Stern</i> . . .	565
Report of Advances in Microwave Theory and Techniques in Western Europe—1959, <i>Georges Goudet</i> . . .	387	Measurement Technique for Narrow Line Width Ferromagnets, <i>J. I. Masters, B. R. Capone, and P. D. Gianino</i> . . .	565
Report of Advances in Microwave Theory and Techniques in Japan—1959, <i>Kiyoshi Morita</i> . . .	395	Multidiode Switches, <i>Janis Galejs</i> . . .	566
The Design and Measurement of Two Broad-Band Coaxial Phase Shifters, <i>C. F. Augustine and J. Cheal</i> . . .	398	Technique for Polishing Single Crystal Yttrium-Iron-Garnet Spheres, <i>P. D. Gianino, B. R. Capone, E. Kelly, and J. I. Masters</i> . . .	569
A Dielectric Resonator Method of Measuring Inductive Capacities in the Millimeter Range, <i>B. W. Hakki and P. D. Coleman</i> . . .	402	Tunable Two-Mode Cavity with Capacitive Loading, <i>J. D. McGee</i> . . .	569
Summary of Measurement Techniques of Parametric Amplifier and Mixer Noise Figure, <i>R. D. Haun, Jr.</i> . . .	410	Unloaded <i>Q</i> of Single Crystal Yttrium-Iron-Garnet Resonator as a Function of Frequency, <i>P. S. Carter, Jr., and C. Flammer</i> . . .	570
Duplexing Systems at Microwave Frequencies, <i>A. F. Harvey</i> . . .	415	A Note on the Derivation of the Fields in a Radial Line, <i>J. F. Dienst</i> . . .	571
Impedances of an Elliptic Waveguide (For the H_{11} Mode), <i>G. R. Valenzuela</i> . . .	431	Surface Waves on Symmetrical Three-Layer Sandwiches, <i>J. H. Richmond</i> . . .	572
Analysis of a Transmission Cavity Waveguide, <i>Leo Young</i> . . .	436	Higher-Order Evaluation of Dipole Moments of a Small Circular Disk, <i>Wilhelm H. Eggmann</i> . . .	573
Scattering of a Plane Wave on a Ferrite Cylinder at Normal Incidence, <i>Wilhelm E. Eggmann</i> . . .	440	Properties of Symmetric Hybrid Waveguide Junctions, <i>R. Levy</i> . . .	573
Phase Adjustments Effects on Cascaded Reflex Klystron Amplifiers, <i>Koryu Ishii</i> . . .	445	Contributors . . .	574
TE Modes of the Dielectric Loaded Trough Line, <i>Marvin Cohn</i> . . .	449		
Coupling of Modes in Uniform Composite Waveguides, <i>Luiz C. Bahiana and Louis D. Smullin</i> . . .	454		
Correction to "Design of Linear Double Tapers in Rectangular Waveguides," <i>R. C. Johnson</i> . . .	458		
Correspondence			
The Extended Theory of the Manley-Rowe's Energy Relations in Nonlinear Elements and Nonlinear Lossless Medium, <i>Hiroshi Iwasawa</i> . . .	459		
A Method of Improving Isolation in Multi-Channel Waveguide Systems, <i>Glenn F. Engen</i> . . .	460		
A Microwave Impedance Meter Capable of High Accuracy, <i>R. W. Beatty</i> . . .	461		
On the Noise Temperature of Coupling Networks, <i>E. Bedrosian</i> . . .	463		
A Logarithmic Transmission Line Chart, by <i>A. C. Hudson, Peter I. Somlo</i> . . .	463		
Velocity Sorting Detection in Backward Wave Autodyne Reception, <i>J. K. Pulfer</i> . . .	463		
A Broad-Band Crystal Mount 10.5 KMC to 20 KMC, <i>A. Staniforth</i> . . .	464		
Proposed Parametric Amplifier Utilizing Ferroelectric Substance, <i>Yoshimasa Aoki</i> . . .	465		
A Broad-Band Ferrite Reflective Switch, <i>C. M. Johnson and J. C. Wiltse</i> . . .	466		
Contributors . . .	468		
PGMTT News . . .	471		

Volume MTT-8, Number 5, September, 1960

Noise Studies on Two-Cavity CW Klystrons, <i>George A. Espersen</i> . . .	474	Design of Wide-Band (and Narrow-Band) Band-Pass Microwave Filters on the Insertion Loss Basis, <i>George L. Matthaei</i> . . .	580
Optimum Quarter-Wave Transformers, <i>Leo Young</i> . . .	478	Radio-Frequency System of the Cambridge Electron Accelerator, <i>Kenneth W. Robinson</i> . . .	593
The Quarter-Wave Transformer Prototype Circuit, <i>Leo Young</i> . . .	483	Model Studies of a Strongly Coupled Synchrotron RF System, <i>A. E. Barrington, J. Dekleva, and J. R. Rees</i> . . .	597
Broad-Band Ridge Waveguide Ferrite Devices, <i>E. S. Grimes, Jr., D. D. Bartholomew, D. C. Scott, and S. C. Sloan</i> . . .	489	Operation of the Field Displacement Isolator in Rectangular Waveguide, <i>R. L. Comstock and C. E. Fay</i> . . .	605
Radiation Patterns of a Noise-Excited Thin Slot, <i>Nicholas George</i> . . .	493	Peak Internal Fields in Direct-Coupled-Cavity Filters, <i>Leo Young</i> . . .	612
Variational Principles and Mode Coupling in Periodic Structures, <i>T. J. Goblick, Jr., and R. M. Bevensee</i> . . .	500	Mismatch Errors in Microwave Phase Shift Measurements, <i>G. E. Schafer</i> . . .	617
Determination of the Capacitance, Inductance, and Characteristic Impedance of Rectangular Lines, <i>Tsung-Shan Chen</i> . . .	510	A Note on the Optimum Source Conductance of Crystal Mixers, <i>R. J. Mohr and S. Okwit</i> . . .	622
The Analysis of a Broad-Band Circular Polarizer Including Interface Reflections, <i>S. Adachi and E. M. Kennaugh</i> . . .	520	Microwave Switching with Low-Pressure Arc Discharge, <i>R. M. Hill and S. K. Ickiki</i> . . .	628
Large Signal Analysis of a Parametric Harmonic Generator, <i>Kenneth M. Johnson</i> . . .	525	Characteristic Impedances of Broadside-Coupled Strip Transmission Lines, <i>Seymour B. Cohn</i> . . .	633
		Thickness Corrections for Capacitive Obstacles and Strip Conductors, <i>Seymour B. Cohn</i> . . .	638
		Inhomogeneous Quarter-Wave Transformers of Two Sections, <i>Leo Young</i> . . .	645
		Errors in Dielectric Measurements Due to a Sample Insertion Hole in a Cavity, <i>A. J. Estlin and H. E. Bussey</i> . . .	650
		Correction, <i>D. S. Lerner and H. A. Wheeler</i> . . .	653
		A Pre-TR Tube for High Mean Power Duplexing, <i>D. W. Downton and P. D. Lomer</i> . . .	654
		Circular Electric Mode Directional Coupler, <i>Bunichi Oguchi</i> . . .	660
		Correspondence	
		An Equivalent Circuit of the Internal Cavity Reflex-Klystron Amplifier, <i>Koryu Ishii</i> . . .	667
		Some Comments on the Method of Kyhl, <i>L. J. Kaplan, D. J. R. Stock and R. L. Kyhl</i> . . .	668
		Scattering Matrix for an N-Port Power-Divider Junction, <i>O. R. Price and M. Leichter</i> . . .	669
		Lossy Resonant Slot Coupling, <i>R. M. Bevensee, G. S. Kino, and M. A. Allen</i> . . .	669
		Broad-Band Hybrid Junctions, <i>S. J. Robinson</i> . . .	671
		Lightweight Y-Junction Strip-Line Circulator, <i>L. Freiburg</i> . . .	672
		A Novel Broad-Band Balun, <i>J. H. Craven</i> . . .	672
		Contributors . . .	673
		Notice 1960 National Symposium Issue . . .	676
		Annual Index . . .	676

Index to Authors

- | | | | |
|---|---|--|---|
| <p>A</p> <p>Adachi, S.: Sep 520
 Adams, D. K.: May 274
 Allen, M. A.: May 362, Nov 667
 Altschuler, H. M.: May 328
 Aoki, Y.: Jul 465
 Augustine, C. F.: Jul 398</p> <p>B</p> <p>Bady, I.: May 376
 Bahiana, L. C.: Jul 454
 Barrington, A. E.: Nov 595
 Bartholomew, D. D.: Sep 489
 Bawer, R.: May 319
 Beatty, R. W.: Jul 461
 Bedrosian, E.: Jul 463
 Begg, B.: Mar 222
 Benanti, M.: Sep 553
 Benjamin, R.: Sep 553
 Bevensee, R. M.: Sep 500, Nov 667
 Brand, F. A.: Sep 553
 Bresler, A. D.: Jan 81
 Brown, J.: Jul 382
 Bussey, H. E.: Nov 648</p> <p>C</p> <p>Capone, B. R.: Sep 565, 569
 Carter, P. S., Jr.: Sep 570
 Cassidy, E. S.: Sep 545
 Cheal, J.: Jul 398
 Chen, Tsung-Shan: Mar 247, Sep 510
 Chisholm, R. M.: Mar 189
 Clavin, A.: Mar 254
 Coale, F. S.: Mar 252
 Cogdell, J. R.: Mar 151
 Cohn, M.: Jul 449, Sep 545
 Cohn, S. B.: Nov 631, 636
 Coleman, P. D.: Jul 402
 Collin, R. E.: May 339
 Comstock, R. L.: Nov 603
 Craven, J. H.: Jan 111, Nov 671
 Culshaw, W.: Mar 182</p> <p>D</p> <p>Damon, R. W.: Jan 4
 Davis, L., Jr.: May 346
 Deam, A. P.: Mar 151
 Dekleva, J.: Nov 595
 de Ronde, F. C.: May 325
 Diamant, P.: Mar 252
 Dienst, J. F.: Sep 571
 Dix, C. H.: Jan 121
 Downton, D. W.: Nov 652</p> | <p>E</p> <p>Eaglesfield, C. C.: Jan 61
 Eaton, J. E.: Mar 171
 Eggimann, W. H.: Jul 440, Sep 573
 Engen, G. F.: Jul 460
 Eshbach, J. R.: Jan 4
 Esperson, G. A.: Sep 474
 Estin, A. J.: Nov 648</p> <p>F</p> <p>Fay, C. E.: Nov 603
 Finnila, C. A.: Mar 143
 Flammer, C.: Sep 570
 Forrer, M. P.: Mar 147
 Freiberg, L.: Nov 670</p> <p>G</p> <p>Galejs, J.: Sep 566
 Garver, R. V.: Jan 104, 108
 George, N.: Sep 493
 Getsinger, W. J.: May 301
 Gianino, P. D.: Sep 565, 569
 Golde, H.: Sep 560
 Goldstein, I.: May 372
 Goblick, T. J., Jr.: Sep 500
 Goudet, G.: Jul 387
 Green, J. J.: Jan 100
 Grimes, E. S., Jr.: Sep 489</p> <p>H</p> <p>Hakki, B. W.: Jul 402
 Hamasaki, J.: Jan 10
 Haun, R. D., Jr.: Jul 410
 Harvey, A. F.: Jan 30, Jul 415
 Hayes, R. E.: Jan 119
 Hill, R. M.: Nov 626
 Holliman, A. L.: Sep 532
 Hollis, J. S.: Sep 532
 Honey, R. C.: May 351
 Hu, Ming-Kuei: May 295
 Hunton, J. K.: Mar 206</p> <p>I</p> <p>Ichiki, S. K.: Nov 626
 Ishii, K.: May 291, Jul 445, Nov 665
 Iwasawa, H.: Jul 459</p> <p>J</p> <p>Jacobs, H.: Sep 553
 Jaynes, E. T.: Mar 147
 Johnson, C. M.: Jul 466
 Johnson, K. M.: Sep 525
 Johnson, R. C.: Jul 458, Sep 532</p> | <p>Jones, E. M. T.: Mar 160, May 351</p> <p>K</p> <p>Kaplan, L. J.: Nov 666
 Kelly, E.: Sep 569
 Kennaugh, E. M.: Sep 520
 King, G. S.: Nov 667
 King, H. E.: Mar 132
 King, R.: Mar 172
 Kogo, H.: Mar 136, 245
 Konopka, J.: Mar 249
 Kott, M. A.: Sep 545
 Kurokawa, K.: Jan 10
 Kurzrok, R. M.: May 377
 Kyhl, R. L.: May 377, Nov 666</p> <p>L</p> <p>Leichter, M.: Nov 667
 Lerner, D. S.: May 343, Nov 651
 Levy, R.: Sep 573
 Lewandowski, S. J.: Mar 249
 Lomer, P. D.: Nov 652</p> <p>M</p> <p>MacLean, R. S.: Mar 251
 Masters, J. I.: Sep 565, 569
 Matthaei, G. L.: Nov 578
 McGee, J. D.: Sep 569
 Meindl, J.: Sep 553
 Memelink, O. W.: May 325
 Meyer, H. J. G.: May 325
 Milano, U.: May 346
 Mohr, R. J.: Nov 620
 Morita, K.: Jul 395
 Mount, E.: Mar 222</p> <p>O</p> <p>Oguchi, B.: Nov 658
 Okwit, S.: Nov 620
 Oliner, A. A.: Jan 72, May 328
 Owyang, G. H.: Mar 172</p> <p>P</p> <p>Parkes, D. A.: Mar 212
 Price, O. R.: Nov 667
 Pulfer, J. K.: Jul 463</p> <p>R</p> <p>Rees, J. R.: Nov 595
 Riblet, H. J.: Mar 169
 Richmond, J. H.: Sep 572
 Roberts, L. A.: Mar 143
 Robinson, K. W.: Nov 591
 Robinson, N. O.: Mar 218</p> | <p>Robinson, S. J.: Nov 669
 Rosado, J. A.: Jan 104, 108</p> <p>S</p> <p>Sarda, R. L.: Jan 66
 Saunders, J.: Jan 96
 Saunders, J. H.: May 346
 Schafer, G. E.: Nov 615
 Schlesinger, S. P.: Mar 252
 Schlomann, E.: Jan 96, 100, Mar 199
 Scott, D. C.: Sep 489
 Sharpe, C. B.: Mar 155
 Silvey, W.: Mar 218
 Simon, J. C.: Jan 18
 Singer, J. R.: Mar 249
 Sirkis, M. D.: Mar 251
 Sirvetz, M.: Jan 96
 Sloan, S. C.: Sep 489
 Smith, J. M.: Mar 253
 Smullin, L. D.: Jul 454
 Solymar, L.: Jan 61, May 284
 Somlo, P. I.: Jul 463
 Soorsoorian, S.: May 372
 Staniforth, A.: Jan 111, Jul 464
 Stern, E.: Sep 565
 Stitch, M. L.: Mar 218
 Stock, D. J. R.: Nov 666
 Straiton, A. W.: Mar 151
 Sullivan, D. J.: Mar 212
 Susskind, C.: Mar 143</p> <p>T</p> <p>Tomiyasu, K.: Mar 253
 Turner, E. F.: Jan 108</p> <p>V</p> <p>Valenzuela, G. R.: Jul 431
 Van Bladel, J.: May 309
 Vigants, A.: Mar 252</p> <p>W</p> <p>Wadia, B. H.: Jan 66
 Watkins, D. A.: Mar 251
 Weglein, R. D.: Sep 538
 Weiss, J. A.: Jan 120
 Wheeler, H. A.: May 343, Nov 651
 Wilkinson, E. J.: Jan 116
 Wiltse, J. C.: Jul 466
 Wolfe, J. J.: May 319</p> <p>Y</p> <p>Young, L.: Mar 243, Jul 436, Sep 478, 483, Nov 610, 643</p> |
|---|---|--|---|

Index to Subjects

- | | | |
|---|--|---|
| <p>A</p> <p>Accelerator, Cambridge Electron, RF System of: Nov 591</p> <p>Amplifiers:</p> <p style="padding-left: 20px;">Klystron, Cascaded, Phase Adjustments Effects on: Jul 445</p> <p style="padding-left: 20px;">Klystron, Noise Figures: May 291</p> <p style="padding-left: 20px;">Parametric, Ferroelectric: Jul 465</p> | <p>Parametric, Ferromagnetic, Performance Limitations: Jan 4</p> <p>Parametric, Mode Theory in Periodically Distributed: Jan 10</p> <p>Parametric, Noise Figure Measurement: Jul 410</p> <p>Parametric, Noise Performance Limitations: Sep 538</p> | <p>UHF Traveling-Wave Variable Reactance: May 351</p> <p>Antenna Helical, Space Harmonics in: Mar 251</p> <p>Antennas, Spiral, Printed Circuit Balun for: May 319</p> <p>Apertures and Obstacles, Equivalent Circuits for Small: Jan 72</p> |
|---|--|---|

Arc Discharge, Microwave Switching With Low-Pressure: Nov 626
 Attenuator, P-I-N Modulator for Millimeter Waves: May 325
 Attenuators, Travelling-Wave Tube: Jan 121
 Autodyne Reception, Velocity Sorting Detection in Backward Wave: Jul 463

B

Backward Wave Autodyne Reception, Velocity Sorting Detection in: Jul 463
 Balun, Broad-Band: May 671
 Balun, Printed Circuit, for Spiral Antennas: May 319
 Balun, Split Coaxial Line Type: Mar 245
 Bandwidth Measurement of Microwave Resonator by Phase Shift of Signal Modulation: May 343
 Bandwidth Measurement of Microwave Resonator by Phase Shift of Signal Modulation, Correction to: Nov 651
 Bibliography on Parametric Devices and Masers: Mar 222

C

Cambridge Electron Accelerator, RF System of: Nov 591
 Capacities, Inductive, Measurement in the Millimeter Range: Jul 402
 Cavities:
 Chains, Strongly Coupled: May 362
 Errors in Dielectric Measurements Due to Insertion Hole in: Nov 648
 Temperature Compensation of Coaxial: Mar 151
 Tunable Two-Mode: Sep 569
 Waveguide, Transmission: Jul 436
 Circulator, Lightweight Y-Junction Strip-Line: Nov 670
 Circulator, Y-Junction Strip-Line: May 346
 Coaxial Choked Coupling Design: Mar 132
 Coaxial Line Type Balun, Split: Mar 245
 Coaxial Phase Shifters: Jul 398
 Conducting Wedges, Boundary Conditions and Losses in: Mar 189
 Coupled Waves, Properties of Three: May 284
 Coupler, Circular Electric Mode Directional: Nov 658
 Crystal Mixers, Optimum Source Conductance of: Nov 620
 Crystal Mount 10.5 KMC to 20 KMC, Broad-Band: Jul 464
 Crystals, Operation From 2 to 11 KMC: Jan 111
 Cylinders, Higher-Order Hybrid Modes of Dielectric: Mar 252

D

Detection, Velocity Sorting, in Backward Wave Autodyne Reception: Jul 463
 Dielectric:
 Constants at Microwave Frequencies, Measuring: Mar 155
 Cylinders, Higher-Order Hybrid Modes of: Mar 252
 Loaded Trough Line, TE Modes: Jul 449
 Measurement Errors Due to Insertion Hole in Cavity: Nov 648
 Resonator Method of Measuring Inductive Capacities in the Millimeter Range: Jul 402
 Diode Cartridge Impedance, Microwave: Jan 104
 Diode Microwave Switch, Germanium: Jan 108

Dipole Moments of a Small Circular Disk: Sep 573
 Directional Coupler, Circular Electric Mode: Nov 658
 Divider Junction, Scattering Matrix for an N-Port Power: Nov 667
 Divider, N-Way Hybrid Power: Jan 116
 Divider, Parametric Diodes in a Maser Phase-Locked Frequency: Mar 218
 Duplexing Systems at Microwave Frequencies: Jul 415
 Duplexing, TR Tube for High Mean Power: Nov 652

E

Eigenvectors for Volumes of Revolution: May 309
 Electron Accelerator, RF System of Cambridge: Nov 591
 Equivalent Circuits for Small Apertures and Obstacles: Jan 72

F

Faraday-Rotation Devices, Designing: Mar 249
 Ferrites:
 Cylinder, Scattering of a Plane Wave on a: Jul 440
 Devices, Broad-Band Ridge Waveguide: Sep 489
 High Power Ferromagnetic Resonance in Garnets and: Jan 100
 Loaded Rectangular Waveguide, Modes of: Jan 81
 Nonreciprocal Attenuation in Single-Ridge Waveguide: Mar 247
 Phase Shifters, Reciprocal: Mar 254
 Reflective Switch: Jul 466
 Resonance Isolator, Theory of: Mar 199
 Shape Considerations for UHF High-Power Isolators: Sep 565
 Ferroelectric, Parametric Amplifier Utilizing: Jul 465
 Ferromagnetic Parametric Amplifier Performance, Limitations to: Jan 4
 Ferromagnetic Resonance Experiments at High Power Levels: Jan 96
 Ferromagnetic Resonance in Garnets and Ferrites, High Power: Jan 100
 Ferromagnets, Measurement Technique for Narrow Line Width: Sep 565
 Field Distributions, Measurement by Modulated Scattering Methods: May 295
 Fields in a Radial Line, Derivation of: Sep 571
 Filters, Insertion Loss Design of Band-Pass Microwave: Nov 578
 Filters, Peak Internal Fields in Direct-Coupled-Cavity: Nov 610
 Frequency Divider, Parametric Diodes in a Maser Phase-Locked: Mar 218
 Frequency Regulation System, Automatic: Mar 249

G

Garnets and Ferrites, High Power Ferromagnetic Resonance in: Jan 100
 Generator, Large Signal Analysis of a Parametric Harmonic: Sep 525
 Great Britain, Advances in Microwave Theory, 1959: Jul 382
 Guided Wave, Action of a Progressive Disturbance on: Jan 18
 Guiding Structures at Microwave Frequencies, Periodic and: Jan 30
 Gyromagnetic Ratio, Line Width and: May 376

H

Harmonic Generator, Large Signal Analysis of a Parametric: Sep 525
 Helical Antenna Operation, Space Harmonics in: Mar 251
 Helices, Higher Order Modes in Coupled: Jan 119

I

Ice as a Bending Medium for Waveguide: Mar 252
 Impedance Meter, Microwave: Jul 461
 Impedances with Negative Resistive Components, Plotting: May 377
 Insertion Loss Design of Band-Pass Microwave Filters: Nov 578
 Interferometer, Millimeter Wave Fabry-Perot: Mar 182
 Isolation Improvement in Multi-Channel Waveguide: Jul 460
 Isolators, Ferrite Resonance, Theory of: Mar 199
 Isolators, Ferrite Shape Considerations for UHF High-Power: Sep 565
 Isolators, Field Displacement, Operation of: Nov 603

J

Japan, Advances in Microwave Theory, 1959: Jul 395
 Junctions, Broad-Band Hybrid: Nov 669
 Junctions, Tetrahedral, as a Waveguide Switch: Jan 120

K

Klystrons:
 Amplifiers, Noise Figures of Reflex: May 291
 Amplifiers, Phase Adjustments Effects on Cascaded Reflex: Jul 445
 Equivalent Circuit of the Internal Cavity Reflex: Nov 665
 Noise Studies on Two-Cavity CW: Sep 474
 Kyhl, Comments on the Method of: Nov 666

L

Line Width and Gyromagnetic Ratio: May 376
 Logarithmic Transmission Line Chart: Jul 463

M

Magic-T, Wide-Band Strip-Line: Mar 160
 Manley-Rowe's Energy Relations, Extended Theory of the: Jul 459
 Maser Phase-Locked Frequency Divider, Parametric Diodes in a: Mar 218
 Masers, Bibliography on Parametric Devices and: Mar 222
 Meter, Microwave Impedance: Jul 461
 Microphony in Waveguide: May 372
 Microwave Theory, Advances in Great Britain, 1959: Jul 382
 Microwave Theory, Advances in Japan, 1959: Jul 395
 Microwave Theory, Advances in Western Europe, 1959: Jul 387
 Millimeter Range, Dielectric Resonator Method of Measuring Inductive Capacities in the: Jul 402
 Millimeter Waves, P-I-N Modulator Attenuator for: May 325
 Mixer Noise Figure, Measurement of: Jul 410
 Mixers, Optimum Source Conductance of Crystal: Nov 620

Modes:

Coupling in Uniform Composite Waveguides: Jul 454
 Dielectric Cylinders, Higher-Order Hybrid: Mar 252
 Dielectric Loaded Trough Line, TE: Jul 449
 Ferrite Loaded Rectangular Waveguide: Jan 81
 Periodically Distributed Parametric Amplifiers: Jan 10
 TE Excitation on Dielectric Loaded Waveguides: Sep 545
 Transducers, Design of: Jan 61
 Waveguide Windows, Resonant: Mar 147
 Modulator Attenuator for Millimeter Waves, P-I-N: May 325
 Modulator, Semiconductor Microwave: Sep 553
 Multidiode Switches: Sep 566

N

Negative Resistive Components, Plotting Impedances with: May 377
 Noise:
 Figure, Parametric Amplifier and Mixer: Jul 410
 Figures, Reflex Klystron Amplifiers: May 291
 Performance, Limitations on Parametric Amplifier: Sep 538
 Studies on Two-Cavity CW Klystrons: Sep 474
 Temperature of Coupling Networks: Jul 463
 Nonlinear Reactance Circuits, Four-Frequency: May 274

P

Parametric Amplifier:
 Ferroelectric: Jul 465
 Ferromagnetic, Performance Limitations: Jan 4
 Mode Theory in Periodically Distributed: Jan 10
 Noise Figure Measurement: Jul 410
 Noise Performance Limitations: Sep 538
 Parametric Devices, Bibliography on: Mar 222
 Parametric Diodes in a Maser Phase-Locked Frequency Divider: Mar 218
 Parametric Harmonic Generator, Large Signal Analysis of a: Sep 525
 Periodic and Guiding Structures at Microwave Frequencies: Jan 30
 Periodic Structures, Calculation of Characteristics for: Mar 251
 Periodic Structures, Variational Principles and Mode Coupling in: Sep 500
 Phase Adjustments Effects on Cascaded Reflex Klystron Amplifiers: Jul 445
 Phase-Locked Frequency Divider, Parametric Diodes In a Maser: Mar 218
 Phase Shift:
 at Microwave Frequencies, Measurement of: Mar 143
 Measurements, Mismatch Errors in Microwave: Nov 615
 of Signal Modulation, Bandwidth Measurement of Microwave Resonator by: May 343
 of Signal Modulation, Bandwidth Measurement of Microwave Resonator by, Correction to: Nov 651
 Phase Shifters, Coaxial: Jul 398
 Phase Shifters, Reciprocal Ferrite: Mar 254
 Plotting Impedances with Negative Resistive Components: May 377

Polarizer, Analysis of Broad-Band Circular: Sep 520
 Polynomials, Minimal Positive: Mar 171
 Power-Divider Junction, Scattering Matrix for an N-Port: Nov 667
 Power Divider, N-Way Hybrid: Jan 116
 Printed Circuit Balun for Spiral Antennas: May 319
 Propagation Constant of Lossy Transmission Lines: May 339

Q

Q in Resonant Ring Circuits, Theory and Measurement of: Sep 560

R

Radiation Patterns of a Noise-Excited Slot: Sep 493
 Reactance Amplifier, UHF Traveling-Wave Variable: May 351
 Reactance Circuits, Four-Frequency Nonlinear: May 274
 Resonant Ring Circuits, Theory and Measurement of Q in: Sep 560
 Resonator:
 Bandwidth Measurement by Phase Shift of Signal Modulation: May 343
 Bandwidth Measurement by Phase Shift of Signal Modulation, Correction to: Nov 651
 Method of Measuring Inductive Capacities in the Millimeter Range, Dielectric: Jul 402
 Unloaded Q of Yttrium-Iron-Garnet: Sep 570
 with Linear Tuning, UHF: Jan 66
 Ring Circuit, Attenuation in a Resonant: Mar 253
 Ring Circuits, Theory and Measurement of Q in Resonant: Sep 560

S

Scattering Matrix for an N-Port Power-Divider Junction: Nov 667
 Scattering Methods, Measurements Field Distributions by Modulated: May 295
 Scattering of a Plane Wave on a Ferrite Cylinder: Jul 440
 Semiconductor Microwave Modulator: Sep 553
 Signal Flow Graphs, Microwave Measurements by: Mar 206
 Slot Coupling, Lossy Resonant: Nov 667
 Slot, Radiation Patterns of a Noise-Excited: Sep 493
 Strip Transmission Lines:
 Characteristic Impedance of Broadside-Coupled: Nov 631
 Circulator, Lightweight Y-Junction: Nov 670
 Circulator, Y-Junction: May 346
 Conductors, Thickness Corrections for: Nov 636
 Discontinuities in: May 328
 Magic-T, Wide-Band: Mar 160
 Surface Waves on Symmetrical Three-Layer Sandwiches: Sep 572
 Switches:
 Ferrite Reflective: Jul 466
 Germanium Diode Microwave: Jan 108
 Low-Pressure Arc Discharge, Microwave: Nov 626
 Multidiode: Sep 566
 Waveguide, Employing Offset Ring-Switch Junction: Sep 532
 Waveguide, Tetrahedral Junction as: Jan 120
 Synchrotron RF System, Model Studies of a Strongly Coupled: Nov 595

T

Tapers, Double, in Rectangular Waveguides, Correction to: Jul 458
 Temperature Compensation of Coaxial Cavities: Mar 151
 Transducers, Design of Mode: Jan 61
 Transformers:
 Cascaded Quarter-Wave, Correction to: Mar 243
 Quarter-Wave, Optimum: Sep 478
 Quarter-Wave Prototype Circuit: Sep 483
 Quarter-Wave, Two Sections: Nov 643
 Stepped, for Partially Filled Transmission Lines: Mar 212
 Stepped Impedance, Optimum: Mar 169
 Transmission Cavity Waveguide: Jul 436
 Transmission Lines:
 Chart, Logarithmic: Jul 463
 Complementarity in: Mar 172
 Determination of Impedance of Rectangular: Sep 510
 Multielement: Mar 136
 Network Analysis in Time Domain: May 301
 Propagation Constant of Lossy: May 339
 Stepped Transformers for Partially Filled: Mar 212
 Strip, Broadside Coupled, Characteristic Impedance of: Nov 631
 Strip, Discontinuities in: May 328
 Traveling-Wave Tube Attenuators: Jan 121
 Traveling-Wave Variable Reactance Amplifier, May 351
 Trough Line, TE Modes of the Dielectric Loaded: Jul 449
 TR Tube for High Mean Power Duplexing: Nov 652

V

Velocity Sorting Detection in Backward Wave Autodyne Reception: Jul 463

W

Waveguides:
 Coupling of Modes in Uniform Composite: Jul 454
 Design of Double Tapers in Rectangular, Correction to: Jul 458
 Elliptic, Impedances of: Jul 431
 Ferrite Devices, Broad-Band Ridge: Sep 489
 Ice as a Bending Medium for: Mar 252
 Improving Isolation in Multi-Channel: Jul 460
 Junctions, Symmetric Hybrid: Mar 253, Sep 573
 Microphony in: May 372
 Modes of a Ferrite Loaded Rectangular: Jan 81
 Nonreciprocal Attenuation of Ferrite in Single-Ridge: Mar 247
 Ridge, Design of: May 378
 Switch Employing Offset Ring-Switch Junction: Sep 532
 TE Mode Excitation on Dielectric Loaded: Sep 545
 Transmission Cavity: Jul 436
 Windows, Resonant Modes in: Mar 147
 Waves, Properties of Three Coupled: May 284
 Wedges, Boundary Conditions and Losses in Conducting: Mar 189
 Western Europe, Advances in Microwave Theory, 1959: Jul 387

Y

Yttrium-Iron-Garnet Resonator, Unloaded Q of: Sep 570
 Yttrium-Iron-Garnet Sphere, Polishing: Sep 569