

IRE Transactions on Microwave Theory and Techniques

Index to Volume MTT-9, 1961

Contents

Volume MTT-9, Number 1, January, 1961

Frontispiece, 1959 Microwave Prize, <i>Bert A. Auld</i>	
Contributions from the 1960 National Microwave Symposium	
UHF Strip Transmission Line Hybrid Junction, <i>I. Tatsuguchi</i>	
Gallium-Arsenide Point-Contact Diodes, <i>W. M. Sharpless</i> ...	
Characterization of Microwave Variable Capacitance Diodes, <i>Sverre T. Eng</i>	
Correction to "Scattering of a Plane Wave on a Ferrite Cylinder and Normal Incidence," <i>Wilhelm H. Eggimann</i>	
A Study of the Optimum Design of Wide-Band Parametric Amplifiers and Up-Converters, <i>George L. Matthaei</i>	
Correction to "Impedances of an Elliptic Waveguide (for the H_1 Mode)," <i>G. R. Valenzuela</i>	
A Low-Noise X-Band Parametric Amplifier Using a Silicon Mesa Diode, <i>R. D. Weglein and F. Keywell</i>	
Design and Operation of Four-Frequency Parametric Up-Converters, <i>J. A. Luksch, E. W. Matthews and G. A. VerWys</i> ...	
Ferrites with Planar Anisotropy at Microwave Frequencies, <i>Isidore Bady</i>	
Wide-Band Resonance Isolator, <i>W. W. Anderson and M. E. Hines</i>	
Maser Operation at Signal Frequencies Higher than Pump Frequency, <i>Frank R. Arams</i>	
A Solid-State Microwave Source from Reactance-Diode Harmonic Generators, <i>T. M. Hytlin and K. L. Kotzebue</i> ...	
Propagation of Waves in a Plasma in a Magnetic Field, <i>William P. Allis</i>	
Magnetoplasma Effects in Solids, <i>Benjamin Lax</i> ...	
Coherent Excitation of Plasma Oscillations in Solids, <i>David Pines</i>	
Pulsed Millimeter-Wave Generation Using Ferrites, <i>B. J. Elliott, T. Schaug-Pettersen and H. J. Shaw</i>	
Correspondence	
Tuning Range of the Backward Traveling-Wave Parametric Amplifier, <i>Thomas M. Straus</i>	
Size Effect in the Measurement of Microwave Permeability of Ferrites, <i>B. Maher and L. Silber</i>	
Cutoff Variable Reactor, <i>Koryu Ishii</i>	
Single-Mode Cavity Maser at 2200 Mc, <i>D. W. Hanson and J. J. Rowley</i>	
Higher-Order Evaluation of Dipole Moments of a Small Circular Disk for Arbitrary Incident Fields, <i>Wilhelm H. Eggimann</i>	
Capacitance Definitions for Parametric Operation, <i>Hubert Heffner</i>	
A Tunnel-Diode Amplifying Converter, <i>L. E. Dickens and C. R. Gneiting</i>	
Impedance Matching by Charts, <i>Michael R. Leibowitz</i> ...	
Theoretical Evaluation of Resonance Frequencies in a Cylindrical Cavity with Radial Vanes, <i>A. Singh and R. A. Rao</i> ...	
PGMTT News, 1960 National Microwave Symposium...	
Contributors.....	

Volume MTT-9, Number 2, March, 1961

Dynamic Interaction Fields in a Two-Dimensional Lattice, <i>R. E. Collin and W. H. Eggimann</i>	
TEM Impedance and Cross Coupling for Small Circular Center Conductors in a Double Ridged Waveguide, <i>J. E. Storer and T. W. Thompson</i>	
Design of a Coaxial Hybrid Junction, <i>L. Stark</i>	
Step-Twist-Junction Waveguide Filters, <i>B. C. DeLoach, Jr.</i> ...	
Resonators for Millimeter and Submillimeter Wavelengths, <i>William Culshaw</i>	

A Recording Microwave Spectrograph, <i>D. Ilias and G. Boudouris</i>	144
2 A Cavity-Type Parametric Circuit as a Phase-Distortionless Limiter, <i>F. A. Olson and G. Wade</i>	153
3 A Stripline Frequency Translator, <i>Elisabeth M. Rutz</i>	158
6 An Approximate Solution to Some Ferrite Filled Waveguide Problems with Longitudinal Magnetization, <i>Sheldon S. Sandler</i>	162
11 Synthesis of Low-Reflection Waveguide Joint Systems, <i>P. Foldes and N. Gothard</i>	169
22 A Channel-Dropping Filter in the Millimeter Region Using Circular Electric Modes, <i>E. A. J. Marcatili</i>	176
23 Coupled-Mode Description of Crossed-Field Interaction, <i>J. E. Rowe and R. Y. Lee</i>	182
38 Broad-Band Cavity-Type Parametric Amplifier Design, <i>Kenneth M. Johnson</i>	187
39 Correspondence	
44 Dependence of the Resonance Linewidth of Microwave Ferromagnetic Materials on Incident RF Power, <i>J. L. Carter, S. Dixon, Jr., and I. Reingold</i>	195
52 Green's Function Techniques for Inhomogeneous Anisotropic Media, <i>Alfred T. Villeneuve</i>	197
63 N-Way Power Divider, <i>Herman Kagan</i>	198
68 Microwave Absorption Modulation by Electron Mobility Variation in n-Type Germanium, <i>Milton Harmatz</i>	199
73 Coaxial to Strip Transmission Line Adapter, <i>J. H. Craven</i>	200
A Note on Loaded Line Synthesis, <i>John Reed</i>	201
79 X-Band Diode Limiting, <i>R. V. Garver and D. Y. Tseng</i>	202
83 A Note on the Difference Between Equiangular and Archimedes Spiral Antennas, <i>P. E. Mayes, J. D. Dyson, R. Barwer, and J. I. Wolfe</i>	203
89 Contributors.....	206
92 PGMTT National Symposium.....	209

Volume MTT-9, Number 3, May, 1961

95 Octave-Bandwidth UHF/L-Band Circulator, <i>F. Arams, B. Kaplan, and B. Peyton</i>	212
96 A Five-Port Matched Pseudo-Magic Tee, <i>Akira Okaya</i>	216
96 Theory of Dielectric-Loaded and Tapered-Field Ferrite Devices, <i>R. F. Soohoo</i>	220
97 Theory of TEM Diode Switching, <i>Robert V. Garver</i>	224
Measurement of Small Dielectric Losses in Material with a Large Dielectric Constant at Microwave Frequencies, <i>R. O. Bell and G. Rupprecht</i>	239
98 On the Existence of Leaky Waves Due to a Line Source Above a Grounded Dielectric Slab, <i>E. S. Cassedy and M. Cohn</i>	243
99 A Broad-Band Glass-to-Metal Coaxial Vacuum Seal, <i>W. M. Nunn, Jr., and L. E. Paul</i>	248
101 Magnetically-Tunable Microwave Filters Using Single-Crystal Yttrium-Iron-Garnet Resonators, <i>P. S. Carter, Jr.</i>	252
101 Correspondence	
103 Linear Tapers in Rectangular Waveguides, <i>R. C. Johnson and D. J. Bryant</i>	261
The Unloaded Q of a YIG Resonator from X-Band to 4 MM, <i>D. Douthett and I. Kaufman</i>	261
105 Z ₀ of Rectangular Coax, <i>R. V. Garver</i>	262
An Easy Method of Matching Microstrip Loads and Attenuators, <i>G. H. B. Thompson</i>	263
110 An Empirical Design Method for Multisection Ridge-Guide Transducers of Large-Impedance Transformation, <i>G. H. B. Thompson</i>	263
116 Pulse-Operated Circular Switch, <i>L. Freiberg</i>	266
124 Polishing Technique for Garnet Spheres, <i>Arvia L. Pierce</i> ...	266
130 Miniaturized, Temperature Stable, Coaxial Y-Junction Circulators, <i>J. Clark and J. Brown</i>	267

K-Band Reciprocal Ferrite Phase Modulator, <i>Frank Reggia</i> ..	269
K _a -Band Ferrite Phase Shifter, <i>R. S. McCarter and E. F. Landry</i>	271
Low-Temperature Microwave Power Limiter, <i>F. J. Sansalone and E. G. Spencer</i> ..	272
New Coaxial-to-Stripline Transformers Using Rectangular Lines, <i>R. Levy</i> ..	273
Contributors ..	275

Volume MTT-9, Number 4, July, 1961

Report on Advances in Microwave Theory and Techniques—1960, <i>R. C. Hansen and M. T. Weiss</i> ..	278
The Short Pulse Behavior of Lossy Tapered Transmission Lines, <i>R. Stapelfeldt and F. J. Young</i> ..	290
A Waveguide Quadruplexer System, <i>P. Foldes and T. B. Thomson</i> ..	297
Some Recent Findings in Microwave Storage, <i>J. D. Kellett</i> ..	306
Excess Noise in Microwave Detector Diodes, <i>J. J. Faris and J. M. Richardson</i> ..	312
Quantum Fluctuations in Microwave Radiometry, <i>L. P. Bolgiano, Jr.</i> ..	315
On the Resolution of a Class of Waveguide Discontinuity Problems by the Use of Singular Integral Equations, <i>L. Lewin</i> ..	321
A Dielectric Surface-Wave Structure: the V-Line, <i>P. Diamant, S. P. Schlesinger, and A. Vigants</i> ..	332
Wave Propagation in a Medium with a Progressive Sinusoidal Disturbance, <i>A. Hessel and A. A. Oliner</i> ..	337
A New Broad-Band Absorption Modulator for Rapid Switching of Microwave Power, <i>Frank Reggia</i> ..	343
Rectangular Waveguide Theoretical CW Average Power Rating, <i>H. E. King</i> ..	349
Correspondence	
Wave Propagation in Coaxial-Cylindrical Slow-Wave Systems, <i>W. M. Nunn, Jr.</i> ..	358
Ring Network Filter, <i>J. A. Kaiser</i> ..	359
A Technique for Obtaining DC Isolation in Coaxial Cable RF Transmission Lines, <i>R. A. Sparks</i> ..	360
Push-Pull Tunnel Diodes, <i>L. E. Dickens</i> ..	361
Effects of Ferrite Strip Mounting Positions on Millimeter Wave Isolator Characteristics, <i>K. Ishii, J. B. Y. Tsui, and F. F. Y. Wang</i> ..	362
An L-Band Loop-Type Coupler, <i>B. Maher</i> ..	362
The Cutoff Wavelengths of Composite Waveguides, <i>G. R. Valenzuela</i> ..	363
A Mechanical Waveguide Hybrid Phase Shifter, <i>J. Y. Wong</i> ..	364
Rectangular Waveguide Switches, <i>A. Clavin</i> ..	365
Comments on "Stepped Transformers for Partially-Filled Transmission Lines," <i>M. R. Leibowitz, D. J. Sullivan, and D. A. Parkes</i> ..	366
Contributors ..	368
PGMTT News ..	371

Volume MTT-9, Number 5, September, 1961

Microwaves—A Review of Progress in Great Britain During 1960, <i>A. E. Karbowiak</i> ..	374
A New Type of Circular Polarizer Using Crossed Dipoles, <i>M. F. Bolster</i> ..	385
Rounded Corners in Microwave High-Power Filters and Other Components, <i>Seymour B. Cohn</i> ..	389
A Periodic Structure of Cylindrical Posts in a Rectangular Waveguide, <i>Edward E. Altshuler</i> ..	398
Modes in Rectangular Guides Loaded with a Transversely Magnetized Slab of Ferrite away from the Side Walls, <i>G. Barzilai and G. Gerosa</i> ..	403
Higher-Order Evaluation of Electromagnetic Diffraction by Circular Disks, <i>W. H. Eggimann</i> ..	408
Low-Noise Properties of Microwave Backward Diodes, <i>Sverre T. Eng</i> ..	419
Design Theory of Up-Converters for Use as Electronically-Tunable Filters, <i>George L. Matthaei</i> ..	425
Anisotropic Properties of Strip-Type Artificial Dielectric, <i>N. J. Kolettis and R. E. Collin</i> ..	436
Optimization of Waveguide Tapers Capable of Multimode	

Propagation, <i>C. C. H. Tang</i> ..	442
Correspondence	
A Broad-Band Coaxial Ferrite Switch, <i>R. L. Booth</i> ..	452
Conditions for Maximum Power Transfer, <i>Carl Shulman</i> ..	453
A Comment on the Scattering Matrix of Cascaded 2n-Ports, <i>D. J. R. Stock and L. J. Kaplan</i> ..	454
Use of Flow Graphs to Evaluate Mismatch Errors in Loss and Phase Measurements, <i>Daniel Leed</i> ..	454
Contributors ..	455

Volume MTT-9, Number 6, November, 1961

1960 Microwave Prize, <i>Dr. A. F. Harvey</i> ..	458
1961 National Symposium Papers	
Passive Phase-Distortionless Parametric Limiting with Varactor Diodes, <i>J. T. Ho and A. E. Siegman</i> ..	459
Solid-State X-Band Power Limiter, <i>W. R. Krupke, T. S. Hartwick and M. T. Weiss</i> ..	472
On Spurious Outputs from High-Power Pulsed Microwave Tubes, and Their Control, <i>K. Tomiyasu</i> ..	480
Practical Design and Performance of Nearly Optimum Wide-Band Degenerate Parametric Amplifiers, <i>M. Gilden and G. L. Matthaei</i> ..	484
Transmission Phase Relations of Four-Frequency Parametric Devices, <i>D. B. Anderson and J. C. Aukland</i> ..	491
A Plasma Guide Microwave Selective Coupler, <i>W. H. Steier and I. Kaufman</i> ..	499
High-Power Duplexers, <i>C. E. Muehe</i> ..	506
Quasi-Optical Surface Waveguide and Other Components for the 100- to 300-Gc Region, <i>F. Sobel, J. C. Wiltse and F. L. Wentworth</i> ..	512
Broad-Band Isolators and Variable Attenuators for Millimeter Wavelengths, <i>C. E. Barnes</i> ..	519
A New High-Precision Method for the Measurement of the VSWR of Coaxial Connectors, <i>A. E. Sanderson</i> ..	524
Hybrid-Ring Directional Coupler for Arbitrary Power Divisions, <i>Chuck Y. Pon</i> ..	529
A Coupled Strip-Line Configuration Using Printed-Circuit Construction that Allows Very Close Coupling, <i>William J. Gelsinger</i> ..	535
The Measurement of Conductivity and Permittivity of Semiconductor Spheres by an Extension of the Cavity Perturbation Method, <i>K. S. Champlin and R. R. Krongard</i> ..	545
The Dominant Cutoff Wavelength of a Lunar Line, <i>A. Y. Hu and A. Ishimaru</i> ..	552
The Negative-Conductance Slot Amplifier, <i>M. E. Pedinoff</i> ..	557
Correspondence	
Measurement of the Conversion Conductances of Esaki Mixer Diodes, <i>R. A. Pucel</i> ..	567
A Versatile Phase Measurement Method for Transmission-Line Networks, <i>Peter Lucy</i> ..	568
A VHF High-Power Y-Circulator, <i>G. V. Buehler and A. F. Eikenberg</i> ..	569
N-Terminal Power Divider, <i>R. W. Peterson</i> ..	571
10-DB X _L Cross Guide Coupler, <i>Richard Z. Gerlack</i> ..	571
Design Note on an L-Band Strip-Line Circulator, <i>W. S. Koop and A. K. Jordan</i> ..	571
A Stepped-Dielectric Transformer for Rectangular-to-Circular Waveguide, <i>B. Maher</i> ..	572
A Microwave Power Divider, <i>Richard J. Mohr</i> ..	573
On the Efficiency of Excitation of Surface Waves by Distributed Coupling, <i>Efraim Ravid-Weissberg</i> ..	573
Higher-Order Mode Resonances in Strip-Line Y-Junction Circulators, <i>Alvin Clavin</i> ..	575
A Proposed Design to Enhance Microwave Power Limiter Characteristics, <i>William H. Wright, Jr.</i> ..	575
A High-Power Coaxial Ferrite Phase Shifter, <i>A. S. Boxer, S. Hershenov, and E. F. Landry</i> ..	577
A Duplexer Using the Zero Permeability Characteristics of Ferrite, <i>L. K. Wilson and G. J. Neumann</i> ..	578
A Series-Connected Traveling-Wave Parametric Amplifier, <i>Tuck Hop Lee</i> ..	578
1961 National Symposium ..	580
Contributors ..	582
Annual Index, 1961 ..	Follows page 585

Index to Authors

- A**
 Allis, W. P.: Jan 79
 Altshuler, E. E.: Sep 398
 Anderson, D. B.: Nov 491
 Anderson, W. W.: Jan 63
 Arams, F. R.: Jan 68, May 212
 Aukland, J. C.: Nov 491
- B**
 Bady, I.: Jan 52
 Barnes, C. E.: Nov 519
 Barzilai, G.: Sep 403
 Bawer, R.: Mar 203
 Bell, R. O.: May 239
 Bolgiano, L. P., Jr.: Jul 315
 Bolster, M. F.: Sep 385
 Booth, R. L.: Sep 452
 Boudouris, G.: Mar 144
 Boxer, A. S.: Nov 577
 Brown, J.: May 267
 Bryant, D. J.: May 261
 Buehler, G. V.: Nov 569
- C**
 Carter, J. L.: Mar 195
 Carter, P. S., Jr.: May 252
 Cassedy, E. S.: May 243
 Champlin, K. S.: Nov 545
 Clark, J.: May 267
 Clavin, A.: Jul 365; Nov 575
 Cohn, M.: May 243
 Cohn, S. B.: Sep 389
 Collin, R. E.: Mar 110; Sep 436
 Craven, J. H.: Mar 200
 Culshaw, W.: Mar 135
- D**
 DeLoach, B. C., Jr.: Mar 130
 Diamant, P.: Jul 332
 Dickens, L. E.: Jan 99; Jul 361
 Dixon, S., Jr.: Mar 195
 Douthett, D.: May 261
 Dyson, J. D.: Mar 203
- E**
 Eggimann, W. H.: Jan 22, 98; Mar 110; Sep 408
 Eikenberg, A. F.: Nov 569
 Elliott, B. J.: Jan 92
 Eng, S. T.: Jan 11; Sep 419
- F**
 Faris, J. J.: Jul 312
 Foldes, P.: Mar 169; Jul 297
 Freiberg, L.: May 266
- G**
 Garver, R. V.: Mar 202; May 224, 262
 Gerlack, R. Z.: Nov 571
 Gerosa, G.: Sep 403
 Getsinger, W. J.: Nov 535
 Gilden, M.: Nov 484
 Gneiting, C. R.: Jan 99
 Gothard, N.: Mar 169
- H**
 Hansen, R. C.: Jul 278
 Hanson, D. W.: Jan 97
 Harmatz, M.: Mar 199
 Hartwick, T. S.: Nov 472
 Heffner, H.: Jan 98
 Hershenov, S.: Nov 577
 Hessel, A.: Jul 337
 Hines, M. E.: Jan 63
 Ho, I. T.: Nov 459
 Hu, A. Y.: Nov 552
 Hyltin, T. M.: Jan 73
- I**
 Ilias, D.: Mar 144
 Ishii, K.: Jan 96; Jul 362
 Ishimaru, A.: Nov 552
- J**
 Johnson, K. M.: Mar 187
 Johnson, R. C.: May 261
 Jordan, A. K.: Nov 571
- K**
 Kagan, H.: Mar 198
 Kaiser, J. A.: Jul 359
 Kaplan, B.: May 212
 Kaplan, L. J.: Sep 454
 Karbowiak, A. E.: Sep 374
 Kaufman, I.: May 261; Nov 499
 Koop, W. S.: Nov 571
 Kellett, J. D.: Jul 306
 Keywell, F.: Jan 39
 King, H. E.: Jul 349
 Kolettis, N. J.: Sep 436
 Kotzebue, K. L.: Jan 73
 Krongard, R. R.: Nov 545
 Krupke, W. R.: Nov 472
- L**
 Lacy, P.: Nov 568
 Landry, E. F.: May 271; Nov 577
 Lax, B.: Jan 83
 Lee, R. Y.: Mar 182
- Lee, T. H.:** Nov 578
Leed, D.: Sep 454
Leibowitz, M. R.: Jan 101; Jul 366
Levy, R.: May 273
Lewin, L.: Jul 321
Luksch, J. A.: Jan 44
- M**
 Maher, B.: Jan 96; Jul 362; Nov 572
 Marcatili, E. A. J.: Mar 176
 Matthaei, G. L.: Jan 23; Sep 425; Nov 484
 Matthews, E. W.: Jan 44
 Mayes, P. E.: Mar 203
 McCarter, R. S.: May 271
 Mohr, R. J.: Nov 573
 Muehe, C. E.: Nov 506
- N**
 Neumann, G. J.: Nov 578
 Nunn, W. M., Jr.: May 248; Jul 358
- O**
 Okaya, A.: May 216
 Oliner, A. A.: Jul 337
 Olson, F. A.: Mar 153
- P**
 Parkes, D. A.: Jul 366
 Paul, L. E.: May 248
 Pedinoff, M. E.: Nov 557
 Peterson, R. W.: Nov 571
 Peyton, B.: May 212
 Pierce, A. L.: May 266
 Pines, D.: Jan 89
 Pon, C. Y.: Nov 529
 Pucel, R. A.: Nov 567
- R**
 Rao, R. A.: Jan 101
 Ravid-Weissberg, E.: Nov 573
 Reed, J.: Mar 201
 Reggia, F.: May 269; Jul 343
 Reingold, I.: Mar 195
 Richardson, J. M.: Jul 312
 Rowe, J. E.: Mar 182
 Rowley, J. J.: Jan 97
 Rupprecht, G.: May 239
 Rutz, E. M.: Mar 158
- S**
 Sanderson, A. E.: Nov 524
- Sandler, S. S.:** Mar 162
Sansalone, F. J.: May 272
Schaug-Peterson, T.: Jan 92
Schlesinger, S. P.: Jul 332
Sharpless, W. M.: Jan 6
Shaw, H. J.: Jan 92
Shulman, C.: Sep 453
Siegmán, A. E.: Nov 459
Silber, L.: Jan 96
Singh, A.: Jan 101
Sobel, F.: Nov 512
Soohee, R. F.: May 220
Sparks, R. A. P.: Jul 360
Spencer, E. G.: May 272
Stapelfeldt, R.: Jul 290
Stark, L.: Mar 124
Steier, W. H.: Nov 499
Stock, D. J. R.: Sep 454
Storer, J. E.: Mar 116
Straus, T. M.: Jan 95
Sullivan, D. J.: Jul 366
- T**
 Tang, C. C. H.: Sep 442
 Tatsuguchi, I.: Jan 3
 Thompson, G. H. B.: May 263
 Thompson, T. W.: Mar 116
 Thomson, T. B.: Jul 297
 Tomiyasu, K.: Nov 480
 Tseng, D. Y.: Mar 202
 Tsui, J. B. Y.: Jul 362
- V**
 Valenzuela, G. R.: Jan 38; Jul 363
 VerWys, G. A.: Jan 44
 Vigants, A.: Jul 332
 Villeneuve, A. T.: Mar 197
- W**
 Wade, G.: Mar 153
 Wang, F. F. Y.: Jul 362
 Weglein, R. D.: Jan 39
 Weiss, M. T.: Jul 278; Nov 472
 Wentworth, F. L.: Nov 512
 Wilson, L. K.: Nov 578
 Wiltse, J. C.: Nov 512
 Wolfe, J. I.: Mar 203
 Wong, J. Y.: Jul 364
 Wright, W. H., Jr.: Nov 575
- Y**
 Young, F. J.: Jul 290

Index to Subjects

- A**
 Absorption Modulation, Microwave, by Electron Mobility Variation in *n*-Type Germanium: Mar 199
 Absorption Modulator, Broad-Band, for Rapid Switching: Jul 343
 Antennas, Equiangular and Archimedes Spiral: Mar 203
 Attenuators, Microstrip Loads, and Matching: May 263
 Attenuators, Variable, Broad-Band Iso-
- lators and, for Millimeter Wavelengths: Nov 519
- C**
 Capacitance Definitions for Parametric Operation: Jan 98
 Cavity, Cylindrical, Evaluation of Resonance Frequencies in: Jan 101
 Circulators:
 L-Band Strip-Line, Design Note on: Nov 571
- Miniaturized, Temperature Stable, Coaxial *Y*-Junction: May 267
 Octave-Bandwidth UHF/*L*-Band: May 212
 Strip-Line *Y*-Junction, Higher-Order Mode Resonances in: Nov 575
 Switch, Pulse-Operated: May 266
 VHF High-Power *Y*: Nov 569
 Coax, Rectangular, *Z*₀ of: May 262
 Coherent Excitation of Plasma Oscillations in Solids: Jan 89

Conductances, Conversion, of Esaki Mixer Diodes, Measurement of: Nov 567
 Conductivity and Permittivity of Semiconductor Spheres, Measurement by Extension of the Cavity Perturbation Method: Nov 545
 Converter, Tunnel-Diode Amplifying: Jan 99
 Corners, Rounded, in Microwave High-Power Filters and Other Components: Sep 389
 Coupled-Mode Description of Crossed-Field Interaction: Mar 182
 Couplers:
 Hybrid-Ring Directional, for Arbitrary Power Divisions: Nov 529
 L-Band Loop-Type: Jul 362
 Plasma Guide Microwave Selective: Nov 499
 10-DB X_L Cross Guide: Nov 571
 Crossed-Field Interaction, Coupled-Mode Description of: Mar 182
 Cutoff Wavelength of a Lunar Line, Dominant: Nov 552
 Cutoff Wavelengths of Composite Waveguides: Jul 363

D

Dielectric Losses, Small, in Material with Large Dielectric Constant: May 239
 Dielectric Slab, Grounded, Leaky Waves Due to Line Source Above: May 243
 Dielectric, Strip-Type Artificial, Anisotropic Properties of: Sep 436
 Dielectric Surface-Wave Structure: the V-Line: Jul 332
 Diffraction, Electromagnetic, by Circular Disks, Higher-Order Evaluation of: Sep 408
 Diodes:
 Esaki Mixer, Measurement of Conversion Conductances of: Nov 567
 Gallium-Arsenide Point-Contact: Jan 6
 Microwave Backward, Low-Noise Properties of: Sep 419
 Microwave Detector, Excess Noise in: Jul 312
 Microwave Variable Capacitance, Characteristics of: Jan 11
 Push-Pull Tunnel: Jul 361
 Varactor, Passive Phase-Distortionless Parametric Limiting with: Nov 459
 Dipole Moments of Small Circular Disk, Higher-Order Evaluation of: Jan 98
 Divider, Microwave Power: Nov 573
 Divider, N -Terminal Power: Nov 571
 Duplexer Using Zero Permeability Characteristics of Ferrite: Nov 578
 Duplexers, High-Power: Nov 506

F

Ferrites:
 Devices, Dielectric-Loaded and Tapered-Field: May 220
 Filled Waveguide Problems, Solution: Mar 162
 Phase Modulator, K -Band Reciprocal: May 269
 Phase Shifter, High-Power Coaxial: Nov 577
 Phase Shifter, K_a -Band: May 271
 Pulsed Millimeter-Wave Generation Using: Jan 92
 Size Effect in Measurement of Microwave Permeability of: Jan 96
 Strip Mounting Positions, Effects of: Jul 362

Switch, Broad-Band Coaxial: Sep 452
 Transversely Magnetized Slab, Modes in Rectangular Guides Loaded with: Sep 403
 with Planar Anisotropy: Jan 52
 Zero Permeability Characteristics, Duplexer Using: Nov 578
 Ferromagnetic Materials, Microwave, Resonance Linewidth of, Dependence on Incident RF Power: Mar 195
 Fields, Dynamic Interaction, in Two-Dimensional Lattice: Mar 110
 Filters:
 Channel-Dropping, in Millimeter Region Using Circular Electric Modes: Mar 176
 Electronically-Tunable, Up-Converters for Use as: Sep 425
 Magnetically-Tunable Microwave, Using Single-Crystal Yttrium-Iron-Garnet Resonators: May 252
 Microwave High-Power, and Other Components, Rounded Corners in: Sep 389

Ring Network of: Jul 359
 Step-Twist-Junction Waveguide: Mar 130
 Five-Port Matched Pseudo-Magic Tee: May 216
 Flow Graphs to Evaluate Mismatch Errors in Loss and Phase Measurements: Sep 454
 Frequency Translator, Stripline: Mar 158

G

Garnet Spheres, Polishing Technique for: May 266
 Green's Function Techniques for Inhomogeneous Anisotropic Media: Mar 197

H

Hybrid Junction, Coaxial, Design: Mar 124
 Hybrid-Ring Directional Coupler for Arbitrary Power Divisions: Nov 529

I

Impedance and Cross Coupling for Small Circular Center Conductors in Double Ridged Waveguide: Mar 116
 Impedance Matching by Charts: Jan 101
 Integral Equations, Singular, Resolution of Class of Waveguide Discontinuity Problems by: Jul 321
 Isolator, Wide-Band Resonance: Jan 63
 Isolators, Broad-Band, and Variable Attenuators for Millimeter Wavelengths: Nov 519

L

Lattice, Two-Dimensional, Dynamic Interaction Fields in: Mar 110
 Leaky Waves Due to Line Source Above Grounded Dielectric Slab: May 243
 Limiters:

 Low-Temperature Microwave Power: May 272
 Microwave Power, Design to Enhance Characteristics: Nov 575
 Phase-Distortionless, Cavity-Type Parametric Circuit as: Mar 153
 Solid-State X -Band Power: Nov 472
 Limiting, X -Band Diode: Mar 202
 Loaded Line Synthesis: Mar 201
 Lunar Line, Dominant Cutoff Wavelength of: Nov 552

M

Magnetoplasma Effects in Solids: Jan 83
 Maser Operation at Signal Frequencies

Higher than Pump Frequency: Jan 68
 Maser, Single-Mode Cavity, at 2200 Mc: Jan 97
 Matching Microstrip Loads and Attenuators: May 263
 Measurements, Loss and Phase, Flow Graphs to Evaluate Mismatch Errors in: Sep 454
 Microwaves:
 Progress in Great Britain During 1960: Sep 374
 Radiometry, Quantum Fluctuations in: Jul 315
 Source, Solid-State, from Reactance-Diode Harmonic Generators: Jan 73
 Storage, Findings in: Jul 306
 Theory and Techniques, 1960, Advances in: Jul 278
 Tubes, High-Power Pulsed, Spurious Outputs from: Nov 480
 Modes in Rectangular Guides Loaded with Transversely Magnetized Slab of Ferrite: Sep 403

N

Noise, Excess, in Microwave Detector Diodes: Jul 312
 Noise Properties, Low, of Microwave Backward Diodes: Sep 419

P

Parametric Amplifiers:
 and Up-Converters, Wide-Band, Optimum Design of: Jan 23
 Backward Traveling-Wave, Tuning Range of: Jan 95
 Broad-Band Cavity-Type, Design: Mar 187
 Low-Noise X -Band, Using Silicon Mesa Diode: Jan 39
 Nearly Optimum, Wide-Band Degenerate, Design and Performance of: Nov 484
 Series-Connected Traveling-Wave: Nov 578
 Parametric Circuit, Cavity-Type, as Phase-Distortionless Limiter: Mar 153
 Parametric Devices, Four-Frequency, Transmission Phase Relations of: Nov 491
 Parametric Limiting, Passive Phase-Distortionless, with Varactor Diodes: Nov 459
 Parametric Operation, Capacitance Definitions for: Jan 98
 Parametric Up-Converters, Four-Frequency: Jan 44
 Permeability, Microwave, of Ferrites, Size Effect in Measurement of: Jan 96
 Permittivity of Semiconductor Spheres, Conductivity and, Measurement by Extension of the Cavity Perturbation Method: Nov 545
 Phase Measurement Method, Versatile, for Transmission-Line Networks: Nov 568
 Phase Measurements, Loss and, Flow Graphs to Evaluate Mismatch Errors in: Sep 454
 Phase Modulator, K -Band Reciprocal Ferrite: May 269
 Phase Shifter, High-Power Coaxial Ferrite: Nov 577
 Phase Shifter, K_a -Band Ferrite: May 271
 Phase Shifter, Mechanical Waveguide Hybrid: Jul 364
 Plasma Guide Microwave Selective Coupler: Nov 499

Plasma in a Magnetic Field, Propagation of Waves in: Jan 79
 Plasma Oscillations in Solids, Coherent Excitation: Jan 89
 Polarizer, Circular, Using Crossed Dipoles: Sep 385
 Polishing Technique for Garnet Spheres: May 266
 Posts, Cylindrical, in a Rectangular Waveguide, Periodic Structure of: Sep 398
 Power Divider, *N*-Way: Mar 198
 Power Transfer, Maximum, Conditions for: Sep 453
 Propagation of Waves in a Plasma in a Magnetic Field: Jan 79
 Propagation Wave, in Coaxial-Cylindrical Slow-Wave Systems: Jul 358
 Propagation, Wave, in Medium with Progressive Sinusoidal Disturbance: Jul 337
 Pulsed Millimeter-Wave Generation Using Ferrites: Jan 92

Q

Quantum Fluctuations in Microwave Radiometry: Jul 315

R

Resonance Frequencies in a Cylindrical Cavity, Evaluation of: Jan 101
 Resonance Linewidth of Microwave Ferromagnetic Materials, Dependence on Incident RF Power: Mar 195
 Resonator, YIG, Unloaded *Q* of, from *X*-Band to 4 MM; May 261
 Resonators for Millimeter and Submillimeter Wavelengths: Mar 135
 Resonators, Single-Crystal Yttrium-Iron-Garnet, Magnetically-Tunable Microwave Filters Using: May 252
 Ring Network Filter: Jul 359

S

Scattering Matrix of Cascaded *2n*-Ports: Sep 454
 Scattering on a Plane Wave on a Ferrite Cylinder, Correction: Jan 22
 Semiconductor Spheres, Conductivity and Permittivity of, Measurement by Extension of the Cavity Perturbation Method: Nov 545

Slot Amplifier, Negative-Conductance: Nov 557
 Slow-Wave Systems, Coaxial-Cylindrical, Wave Propagation in: Jul 358
 Solid-State *X*-Band Power Limiter: Nov 472
 Spectrograph, Recording Microwave: Mar 144
 Spurious Outputs from High-Power Microwave Tubes: Nov 480
 Stepped-Dielectric Transformer for Rectangular-to-Circular Waveguide: Nov 572
 Strip-Line Configuration, Coupled, Using Printed-Circuit Construction: Nov 535
 Strip-Line *Y*-Junction Circulators, Higher-Order Mode Resonance in: Nov 575
 Surface Waves, Efficiency of Excitation by Distributed Coupling: Nov 573
 Switch, Broad-Band Coaxial Ferrite: Sep 452
 Switch, Circulator, Pulse-Operated: May 266
 Switches, Rectangular Waveguide: Jul 365
 Switching, TEM Diode: May 224

T

Tee, Five-Port Matched Pseudo-Magic: May 216
 Transducers, Multisection Ridge-Guide, Design Method for: May 263
 Transformer, Stepped-Dielectric, for Rectangular-to-Circular Waveguide: Nov 572
 Transformers, Coaxial-to-Stripline: May 273
 Transformers, Stepped, for Partially-Filled Transmission Lines, Comments on: Jul 366
 Transmission Lines:
 Adapter, Coaxial-to-Strip: Mar 200
 Coaxial Cable RF, Obtaining DC Isolation in: Jul 360
 Hybrid Junction, UHF Strip: Jan 3
 Lossy Tapered, Short Pulse Behavior of: Jul 290
 Networks, Versatile Phase Measurement Method for: Nov 568
 Partially-Filled, Stepped Transformers for, Comments on: Jul 366
 Tuning Range of Backward Traveling-

Wave Parametric Amplifier: Jan 95
 Tunnel-Diode Amplifying Converter: Jan 99
 Tunnel Diodes, Push-Pull: Jul 361

U

Up-Converters for Use as Electronically-Tunable Filters: Sep 425

V

Vacuum Seal, Broad-Band Glass-to-Metal Coaxial: May 248
 Variable Reactor, Cutoff: Jan 96
 VSWR of Coaxial Connectors, High-Precision Method for Measurement of: Nov. 524

W

Waveguides:
 Composite, Cutoff Wavelengths of: Jul 363
 Discontinuity Problems, Class of, Resolution by Use of Singular Integral Equations: Jul 321
 Double Ridged, Impedance and Cross Coupling for Small Circular Center Conductors in: Mar 116
 Elliptic, Impedances of, Correction: Jan 38
 Filters, Step-Twist-Junction: Mar 130
 Hybrid Phase Shifter, Mechanical: Jul 364
 Joint Systems, Low-Reflection: Mar 169
 Problems, Ferrite Filled, Solution: Mar 162
 Quadruplexer System: Jul 297
 Quasi-Optical Surface, and Other Components for 100- to 300-Gc Region: Nov 512
 Rectangular, Linear Tapers in: May 261
 Rectangular, Periodic Structure of Cylindrical Posts in: Sep 398
 Rectangular, Theoretical CW Average Power Rating: Jul 349
 Rectangular-to-Circular, Stepped-Dielectric Transformer for: Nov 572
 Switches, Rectangular: Jul 365
 Tapers Capable of Multimode Propagation, Optimization of: Sep 442

Z

*Z*₀ of Rectangular Coax: May 262