

2001 Combined Index

IEEE Transactions on Microwave Theory and Techniques, Vol. 49 and IEEE MTT-S Sponsored Conferences

The indexed papers are identified by the acronyms:

RFIC 01	2001 IEEE Radio Frequency Integrated Circuits (RFIC) Symposium
MWSYM 01	2001 IEEE MTT-S International Microwave Symposium Digest
T-MTT	IEEE Transactions on Microwave Theory and Techniques

This index covers all technical items - papers, correspondence, reviews, etc. that appeared in this periodical during 2001, and items from previous years that were commented upon or corrected in 2001. In the case of magazines, departments and other items may be also covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

- Abadei, S.**, *see* Gevorgian, S., *MWSYM 01* 1195-1198 vol.2
- Abdul-Gaffoor, M.R.**, H.K. Smith, A.A. Kishk, and A.W. Glisson. Full wave analysis of electromagnetic coupling in realistic RF multilayer PCB layouts using cascaded parallel plate waveguide model; *MWSYM 01* 1933-1936 vol.3
- Abdul-Gaffoor, M.R.**, *see* Kajfez, D., *T-MTT Jan 01* 80-85
- Abdulla, M.N.**, and M.B. Steer. Extraction of network parameters in the electromagnetic analysis of planar structures using the method of moments; *T-MTT Jan 01* 94-103
- Abey, W.**, T. Moriuchi, R. Hajji, T. Nakamura, Y. Nonaka, E. Mitani, W. Kennan, and H. Dang. A single supply high performance PA MMIC for GSM handsets using quasi-enhancement mode PHEMT; *MWSYM 01* 923-926 vol.2
- Abhari, R.**, G.V. Eleftheriades, and E. van Deventer-Perkins. Analysis of differential vias in a multilayer parallel plate environment using a physics-based CAD model; *MWSYM 01* 2031-2034 vol.3
- Abhari, R.**, G.V. Eleftheriades, and E. van Deventer-Perkins. Physics-based CAD models for the analysis of vias in parallel-plate environments; *T-MTT Oct 01* 1697-1707
- Achar, R.**, *see* Dounavis, A., *MWSYM 01* 2099-2102 vol.3
- Achar, R.**, *see* Dounavis, A., *T-MTT Oct 01* 1686-1696
- Achar, R.**, *see* Dounavis, A., *T-MTT Dec 01* 2292-2299
- Acikel, B.**, Yu Liu, A.S. Nagra, T.R. Taylor, P.J. Hansen, J.S. Speck, and R.A. York. Phase shifters using (Ba,Sr)TiO₃ thin films on sapphire and glass substrates; *MWSYM 01* 1191-1194 vol.2
- Adam, J.D.**, S.N. Stitzer, and R.M. Young. UHF frequency selective limiters; *MWSYM 01* 1173-1174 vol.2
- Adamczyk, O.H.**, A.B. Sahin, Qian Yu, Sanggeon Lee, and A.E. Willner. Statistics of PMD-induced power fading for intensity-modulated double-sideband and single-sideband microwave and millimeter-wave signals; *T-MTT Oct 01* 1962-1967
- Adler, B.**, *see* Pretl, H., *RFIC 01* 9-12
- Afsar, R.N.**, *see* Kleiner, M.A., *MWSYM 01* 2091-2094 vol.3
- Agarwal, B.**, *see* Rampmeier, K., *RFIC 01* 21-24
- Ageno, S.**, *see* Bergman, J.I., *MWSYM 01* 2183-2186 vol.3
- Agethen, M.**, S. Schuller, P. Velling, W. Brockerhoff, and F.-J. Tegude. Consistent small-signal and RF-noise parameter modelling of carbon doped InP/InGaAs HBT; *MWSYM 01* 1765-1768 vol.3
- Ahdjoudj, M.**, *see* Boudiaf, A., *MWSYM 01* 1559-1562 vol.3
- Ahmed, A.**, S.S. Islam, and A.F.M. Anwar. Temperature dependence of intermodulation and linearity in GaN based devices; *MWSYM 01* 579-582 vol.1
- Ahmed, A.**, S.S. Islam, and A.F.M. Anwar. Temperature dependence of intermodulation and linearity in GaN based devices; *RFIC 01* 275-278
- Ahmed, A.**, S.S. Islam, and A.F.M. Anwar. A temperature-dependent nonlinear analysis of GaN/AlGaIn HEMTs using Volterra series; *T-MTT Sep 01* 1518-1524
- Ahn, D.**, J.-S. Park, C.-S. Kim, J. Kim, Y. Qian, and T. Itoh. A design of the low-pass filter using the novel microstrip defected ground structure; *T-MTT Jan 01* 86-93
- Ahn, D.**, *see* Lew, D.-W., *T-MTT Jan 01* 220-224
- Ahn, H.-R.**, and I. Wolff. General design equations, small-sized impedance transformers, and their application to small-sized three-port 3-dB power dividers; *T-MTT Jul 01* 1277-1288
- Ahn Dal**, *see* Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
- Ahn Dal**, *see* Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
- Ahn Dal**, *see* Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
- Aidam, M.**, *see* Rebel, J.N., *T-MTT May 01* 954-963
- Aitchison, C.S.**, M. Mbabele, M.R. Moazzam, D. Budimir, and F. Ali. Improvement of third-order intermodulation product of RF and microwave amplifiers by injection; *T-MTT Jun 01* 1148-1154
- Akalin, T.**, *see* David, T., *MWSYM 01* 1661-1664 vol.3
- Akatimagool, S.**, D. Bajon, and H. Baudrand. Analysis of multi-layer integrated inductors with wave concept iterative procedure (WCIP); *MWSYM 01* 1941-1944 vol.3
- Akiyama, M.**, *see* Zhongmin Wen, *MWSYM 01* 1097-1100 vol.2
- Akiyama, T.**, K. Inagaki, T. Ohira, and M. Hikita. Two-dimensional optical signal-processing beamformer using multilayer polymeric optical waveguide arrays; *T-MTT Oct 01* 2055-2061
- Aksen, A.**, and B.S. Yarman. A computer aided design technique for hybrid and monolithic microwave amplifiers employing distributed equalizers with lumped discontinuities; *MWSYM 01* 2075-2078 vol.3
- Akyol, A.S.**, and L.E. Davis. A novel nonreciprocal ferrite image guide; *MWSYM 01* 1179-1182 vol.2
- Alameh, K.E.**, *see* Minasian, R.A., *T-MTT Oct 01* 1894-1899
- Albertoni, F.**, L. Fanucci, B. Neri, and E. Sentieri. Tuned LNA for RFICs using boot-strapped inductor; *RFIC 01* 83-86
- Alessandri, F.**, M. Comparini, and F. Vitulli. Low-loss filters in rectangular waveguide with rigorous control of spurious responses through a smart modal filter; *MWSYM 01* 1615-1617 vol.3
- Alessandri, F.**, *see* Amari, S., *MWSYM 01* 1627-1630 vol.3
- Alexanian, A.**, *see* Gresham, I., *T-MTT Jan 01* 44-58
- Alexopolous, N.G.**, *see* Kumar, K., *T-MTT Jan 01* 228
- Alexopoulos, N.G.**, *see* Kyriazidou, C.A., *T-MTT Feb 01* 297-307
- Ali, F.**, *see* Aitchison, C.S., *T-MTT Jun 01* 1148-1154
- Alimenti, F.**, G. Stopponi, P. Placidi, P. Ciampolini, L. Roselli, and R. Sorrentino. Analysis of signal integrity in high-speed digital ICs, by combining MOSFET modeling and the LE-FDTD method; *MWSYM 01* 1041-1044 vol.2
- Alimenti, F.**, P. Mezzanotte, L. Roselli, and R. Sorrentino. Modeling and characterization of the bonding-wire interconnection; *T-MTT Jan 01* 142-150
- Alimenti, F.**, *see* Cryan, M., *T-MTT Mar 01* 451-464
- Allen, M.**, *see* Chen, Y.C., *MWSYM 01* 523-526 vol.1
- Alles, M.**, *see* Bischof, W., *RFIC 01* 35-38
- Alonso-Montes, J.I.**, *see* Briso-Rodriguez, C., *MWSYM 01* 2207-2210 vol.3
- Alpert, B.K.**, *see* Williams, D.F., *T-MTT Apr 01* 615-623
- Alping, A.**, *see* Zirath, H., *T-MTT Nov 01* 2086-2092
- Alquie, G.**, *see* Bonilla, M., *MWSYM 01* 2035-2038 vol.3
- Al-Taei, S.**, P. Lane, and G. Passiopoulos. Design of high directivity directional couplers in multilayer ceramic technologies; *MWSYM 01* 51-54 vol.1
- Alterovitz, S.A.**, *see* Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Alvarez Melcon, A.**, *see* Bozzi, M., *T-MTT Dec 01* 2227-2234
- Aly, A.H.**, and B. Elsharawy. Performance and modeling of saw tooth edge mode isolators; *MWSYM 01* 475-477 vol.1
- Al Zaman, A.**, *see* Subramanyam, G., *MWSYM 01* 471-474 vol.1
- Al-Zayed, A.**, *see* Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Al-Zayed, A.**, R.R. Swisher, F. Lecuyer, A.C. Guyette, Qi Sun, and M.P. De Lisio. Reduction of substrate-mode effects in power-combining arrays; *T-MTT Jun 01* 1067-1072
- Amano, M.**, *see* Kotsuka, Y., *MWSYM 01* 1187-1190 vol.2
- Amari, S.**, *see* Harscher, P., *MWSYM 01* 1543-1546 vol.3
- Amari, S.** Numerical cost of gradient computation within the method of moments and its reduction by means of a novel boundary-layer concept; *MWSYM 01* 1945-1948 vol.3
- Amari, S.**, *see* Ofli, E., *MWSYM 01* 1775-1778 vol.3

- Amari, S.**, J. Bornemann, W. Menzel, and F. Alessandri. Diplexer design using pre-synthesized waveguide filters with strongly dispersive inverters; *MWSYM 01* 1627-1630 vol.3
- Amari, S.**, J. Bornemann, A. Laisne, and R. Vahldieck. Design and analysis of iris-coupled and dielectric-loaded 1/8-cut TE₀₁-mode microwave bandpass filters; *T-MTT Mar 01* 413-421
- Amari, S.**, see Harscher, P., *T-MTT Dec 01* 2532-2538
- Anada, T.**, R. Sawada, T. Hiraoka, Hsu Jui-Pang, T.M. Benson, and P. Sewell. An efficient method for solving 3D dielectric planar circuit with parabolic equation; *MWSYM 01* 1209-1212 vol.2
- Anderson, D.**, see Jordan, U., *MWSYM 01* 2223-2226 vol.3
- Anderson, D.R.**, and W.H. Cantrell. High-efficiency high-level modulator for use in dynamic envelope tracking CDMA RF power amplifiers; *MWSYM 01* 1509-1512 vol.3
- Anderson, K.**, see Kinayman, N., *MWSYM 01* 2231-2234 vol.3
- Anding Zhu**, and T.J. Brazil. Investigation of behavioral model accuracy using a state-space and convolution-based transient simulator; *MWSYM 01* 21-24 vol.1
- Ando, Y.**, see Contrata, W., *MWSYM 01* 819-822 vol.2
- Andou, T.**, see Yasunaga, T., *RFIC 01* 65-68
- Ang, K.S.**, I.D. Robertson, Dong-Sik Kim, Moon-Cheul Ju, and Hwa-Chang Seo. K-band monolithic double-balanced resistive mixer with integrated balanced oscillator; *MWSYM 01* 1329-1332 vol.2
- Ang, K.S.**, M. Chongcheawchamnan, D. Kpogla, P.R. Young, I.D. Robertson, Dong-sik Kim, Moon-chueul Ju, and Hwa-chang Seo. Monolithic Ka-band even-harmonic quadrature resistive mixer for direct conversion receivers; *RFIC 01* 169-172
- Angelov, I.**, R. Kozhuharov, and H. Zirath. A simple bias dependant LF FET noise model for CAD; *MWSYM 01* 407-410 vol.1
- Ang Kian Sen**, see Kian Sen Ang, *T-MTT Feb 01* 395-398
- Ang Kian Sen**, see Kian Sen Ang, *T-MTT Feb 01* 402-406
- Antonini, G.**, see Medina, F., *T-MTT Aug 01* 1511-1513
- Anunciada, L.M.**, see Fernandes, C.A., *T-MTT Nov 01* 2137-2141
- Anwar, A.F.M.**, see Ahmed, A., *MWSYM 01* 579-582 vol.1
- Anwar, A.F.M.**, see Ahmed, A., *RFIC 01* 275-278
- Anwar, A.F.M.**, see Ahmed, A., *T-MTT Sep 01* 1518-1524
- Aoki, I.**, see Kee, S.D., *MWSYM 01* 1505-1508 vol.3
- Aoki, Y.**, see Shimura, T., *MWSYM 01* 245-248 vol.1
- Aoki, Y.**, M. Fujii, S. Ohkubo, S. Yoshida, T. Niwa, Y. Miyoshi, H. Dodo, N. Goto, and H. Hida. A 1.4-dB-NF variable-gain LNA with continuous control for 2-GHz-band mobile phones using InGaP emitter HBTs; *MWSYM 01* 289-292 vol.1
- Aoki, Y.**, see Mimino, Y., *MWSYM 01* 2167-2170 vol.3
- Aoki, Y.**, M. Fujii, S. Ohkubo, S. Yoshida, T. Niwa, Y. Miyoshi, H. Dodo, N. Goto, and H. Hida. A 1.4-dB-NF variable-gain LNA with continuous control for 2-GHz-band mobile phones using InGaP emitter HBTs; *RFIC 01* 231-234
- Ao Sheng Rong**, Heng Yang, and A. Cnagellaris. Efficient FDTD modeling of irises/slots in microwave structures; *MWSYM 01* 1029-1032 vol.2
- Aparin, V.** Analysis of CDMA signal spectral regrowth and waveform quality; *MWSYM 01* 5-8 vol.1
- Aparin, V.** Analysis of CDMA signal spectral regrowth and waveform quality; *T-MTT Dec 01* 2306-2314
- Arai, H.**, see Mori, K., *MWSYM 01* 1375-1378 vol.2
- Arai, K.**, see Yamaguchi, M., *MWSYM 01* 185-188 vol.1
- Arai, K.-I.**, see Yamaguchi, M., *T-MTT Dec 01* 2331-2335
- Arakawa, F.**, see Ohhata, K., *MWSYM 01* 1701-1704 vol.3
- Araki, K.**, see Nishikawa, K., *MWSYM 01* 87-90 vol.1
- Araki, K.**, see Piernas, B., *MWSYM 01* 189-192 vol.1
- Araki, K.**, see Nishikawa, K., *MWSYM 01* 1881-1884 vol.3
- Araki, K.**, see Okazaki, H., *T-MTT Jun 01* 1167-1173
- Archer, J.W.**, R. Lai, and R. Gough. Ultra-low-noise indium-phosphide MMIC amplifiers for 85-115 GHz; *T-MTT Nov 01* 2080-2085
- Arcioni, P.**, M. Bressan, and G. Conciauro. Frequency/time-domain modeling of microstrip circuits by a modified spectral domain approach; *MWSYM 01* 1237-1240 vol.2
- Arlot, F.**, see Ouarch, Z., *MWSYM 01* 1415-1418 vol.3
- Armstrong, B.M.**, see Stefanou, S., *MWSYM 01* 1877-1880 vol.3
- Arnborg, T.**, see Jacjune Jang, *MWSYM 01* 967-970 vol.2
- Arndt, F.**, see Lotz, R., *MWSYM 01* 1253-1256 vol.2
- Arnold, J.M.**, see Reynolds, A.L., *T-MTT Jul 01* 1254-1261
- Arroyo, J.**, see Rubio, J., *T-MTT Mar 01* 509-516
- Arscott, S.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Asai, H.**, see Okada, T., *MWSYM 01* 1183-1186 vol.2
- Asai, H.**, see Suzuki, M., *T-MTT Oct 01* 1708-1714
- Asai, K.**, see Kachi, T., *MWSYM 01* 359-362 vol.1
- Asai, K.**, see Hikita, M., *T-MTT Apr 01* 749-753
- Asano, Y.**, S. Ohshima, T. Harada, M. Ogawa, and K. Nishikawa. Proposal of millimeter-wave holographic radar with antenna switching; *MWSYM 01* 1111-1114 vol.2
- Asbeck, P.**, see Fällsen, C., *MWSYM 01* 911-914 vol.2
- Asbeck, P.**, see Keyzer, J., *MWSYM 01* 2127-2130 vol.3
- Asbeck, P.M.**, see Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Asbeck, P.M.**, see Kobayashi, H., *MWSYM 01* 939-942 vol.2
- Asbeck, P.M.**, see Xuejun Zhang, *MWSYM 01* 801-804 vol.2
- Asbeck, P.M.**, see Chengzhou Wang, *RFIC 01* 39-42
- Asbeck, P.M.**, L.E. Larson, and I.G. Galton. Synergistic design of DSP and power amplifiers for wireless communications; *T-MTT Nov 01* 2163-2169
- Asbeck, P.M.**, see Iwamoto, M., *T-MTT Dec 01* 2472-2479
- Asbeck, P. M.**, see Kobayashi, H., *T-MTT Dec 01* 2480-2485
- Asbeck, P.M.**, see Zhang, X., *T-MTT Dec 01* 2507-2516
- Asensio-Lopez, A.**, see Torregrosa-Penalva, G., *MWSYM 01* 953-956 vol.2
- Ataka, T.**, see Kimishima, M., *MWSYM 01* 115-118 vol.1
- Atia, A.E.** Ka band satellite system architecture for local loop Internet access; *MWSYM 01* 1133-1136 vol.2
- Atia, A.E.**, see Heng-Tung Hsu, *MWSYM 01* 1603-1606 vol.3
- Atia, A.E.**, see Hui-Wen Yao, *MWSYM 01* 1475-1478 vol.3
- Atia, A.E.**, see Tao Shen, *MWSYM 01* 1487-1490 vol.3
- Aubourg, M.**, see Lascaux, C., *MWSYM 01* 487-490 vol.1
- Aufinger, K.**, see Knapp, H., *MWSYM 01* 591-594 vol.1
- Aufinger, K.**, see Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Aufinger, K.**, see Knapp, H., *RFIC 01* 287-290
- Augaudy, S.**, R. Quere, J.P. Teyssier, M.A. Di Forte-Poisson, S. Cassette, B. Dessertenne, and S.L. Delage. Pulse characterization of trapping and thermal effects of microwave GaN power FETs; *MWSYM 01* 427-430 vol.1
- Auxemery, P.**, see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Avitabile, G.**, B. Chellini, E. Limiti, and F. Giannini. Compact MMIC active inductor; *MWSYM 01* 1585-1588 vol.3
- Avitabile, G.**, G.B. Gentili, and N. Sottani. A rugged active sensor for microwave aquametry; *MWSYM 01* 2259-2262 vol.3
- Avramov, I.D.**, S. Kurosawa, M. Rapp, P. Krawczak, and E.I. Radeva. Investigations on plasma-polymer-coated SAW and STW resonators for chemical gas-sensing applications; *T-MTT Apr 01* 827-837
- Awai, I.**, see Kundu, A.C., *T-MTT Jun 01* 1113-1117
- Ayguavives, F.T.**, see Tombak, A., *MWSYM 01* 1453-1456 vol.3
- Ayvazian, M.**, see Zeji Gu, *MWSYM 01* 241-244 vol.1
- Ayza, M.S.**, see Ederra, I., *T-MTT Apr 01* 637-645
- Azuma, K.**, see Nishimura, T.B., *RFIC 01* 31-34

B

- Baba, M.**, see Yamaguchi, M., *T-MTT Dec 01* 2331-2335
- Baba, R.**, see Yamaguchi, M., *MWSYM 01* 185-188 vol.1
- Babak, L.I.**, and M.V. Cherkashin. Interactive "visual" design of matching and compensation networks for microwave active circuits; *MWSYM 01* 2095-2098 vol.3
- Babak, L.I.** Decomposition synthesis approach to design of RF and microwave active circuits; *MWSYM 01* 1167-1170 vol.2
- Bacaicoa, M.**, see Lopetegi, T., *T-MTT Sep 01* 1593-1598
- Baccarelli, P.**, see Burghignoli, P., *MWSYM 01* 719-722 vol.2
- Baccarelli, P.**, see Burghignoli, P., *T-MTT Dec 01* 2197-2205
- Bachtold, W.**, see Schreurs, D., *MWSYM 01* 827-830 vol.2
- Bachtold, W.**, see elinger, F., *T-MTT Jan 01* 203-206
- Bachtold, W.**, see Ellinger, F., *T-MTT May 01* 913-917
- Bachtold, W.**, see Ellinger, F., *T-MTT May 01* 964-969
- Badets, F.**, see Deval, Y., *RFIC 01* 53-56
- Badets, F.**, see Deval, Y., *T-MTT Sep 01* 1525-1530
- Bae, J.**, see Nozokido, T., *T-MTT Mar 01* 491-499
- Bae, J.**, M. Fujita, and K. Mizuno. A W-band overmoded-waveguide oscillator with Gunn diodes; *T-MTT Dec 01* 2554-2559
- Bae Jongsuck**, see Jongsuck Bae, *MWSYM 01* 1847-1850 vol.3
- Baek, S.**, see Lee, J., *T-MTT Oct 01* 1740-1746
- Baek Chang-Wook**, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Baek Chang-Wook**, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Baets, R.**, see Bienstman, P., *T-MTT Feb 01* 349-354
- Bahl, I.J.** High-performance inductors; *T-MTT Apr 01* 654-664
- Baier, T.**, see Meier, H., *T-MTT Apr 01* 743-748
- Baillargeat, D.**, see Blondeaux, H., *MWSYM 01* 137-140 vol.1
- Baillargeat, D.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Baillargeat, D.**, see Lenoir, B., *MWSYM 01* 1479-1482 vol.3
- Bain, M.**, see Stefanou, S., *MWSYM 01* 1877-1880 vol.3
- Baine, P.**, see Stefanou, S., *MWSYM 01* 1877-1880 vol.3
- Bajon, D.**, see Akatimagool, S., *MWSYM 01* 1941-1944 vol.3
- Bajon, D.**, see Wane, S., *MWSYM 01* 1233-1236 vol.2
- Bakr, M.H.**, J.W. Bandler, Q.S. Cheng, M.A. Ismail, and J.E. Rayas-Sanchez. SMX-a novel object-oriented optimization system; *MWSYM 01* 2083-2086 vol.3
- Balanis, C.A.**, see Dydyk, M., *T-MTT Dec 01* 2176-2179
- Balendonck, J.**, see Reindl, L., *T-MTT Apr 01* 803-808
- Ban, T.**, see Tahara, Y., *MWSYM 01* 39-42 vol.1
- Bandler, J.W.**, M.A. Ismail, and J.E. Rayas-Sanchez. Expanded space mapping design framework exploiting preassigned parameters; *MWSYM 01* 1151-1154 vol.2
- Bandler, J.W.**, see Bakr, M.H., *MWSYM 01* 2083-2086 vol.3
- Bandler, J.W.**, M.A. Ismail, J.E. Rayas-Sanchez, and Q.J. Zhang. Neural inverse space mapping EM-optimization; *MWSYM 01* 1007-1010 vol.2
- Bandler, J.W.**, N. Georgieva, M.A. Ismail, J.E. Rayas-Sanchez, and Q.-J. Zhang. A generalized space-mapping tableau approach to device modeling; *T-MTT Jan 01* 67-79
- Banerjee, K.**, see Jacjune Jang, *MWSYM 01* 967-970 vol.2
- Bannelier, P.**, see Temcamani, F., *MWSYM 01* 641-644 vol.2
- Banzer, H.M.**, see McNamara, B., *RFIC 01* 13-16
- Bao Jianwen**, see Leoni, R.E., III, *T-MTT Jun 01* 1180-1186
- Baoxin Gao**, see Gorur, A., *T-MTT Feb 01* 410-411
- Barataud, D.**, see Le Gallou, N., *MWSYM 01* 983-986 vol.2
- Barataud, D.**, M. Campovecchio, and J.-M. Nebus. Optimum design of very high-efficiency microwave power amplifiers based on time-domain harmonic load-pull measurements; *T-MTT Jun 01* 1107-1112
- Barber, B.**, see Lubecke, V.M., *T-MTT Nov 01* 2093-2098
- Barber, B.P.**, see Herbsommer, J.A., *MWSYM 01* 2203-2206 vol.3

- Barber, G., *see* Raja, R., *MWSYM 01* 1955-1958 vol.3
- Bardati, F., *see* Cecchini, P., *T-MTT Apr 01* 730-733
- Bardati, F., *see* Marrocco, G., *T-MTT Jul 01* 1321-1328
- Barinov, A.E., and S.A. Zhgoon. Planar superconducting lumped element bandpass filter with spiral inductors; *MWSYM 01* 499-501 vol.1
- Barnes, H., *see* Hongwei Liang, *MWSYM 01* 1915-1918 vol.3
- Barra, M., *see* Cassinese, A., *MWSYM 01* 491-494 vol.1
- Barsky, M., *see* Raja, R., *MWSYM 01* 1955-1958 vol.3
- Bartle, D., *see* Wei, C.-J., *MWSYM 01* 675-678 vol.2
- Bary, L., *see* Ouarch, Z., *MWSYM 01* 1415-1418 vol.3
- Bary, L., G. Cibiel, J. Ibarra, O. Llopis, R. Plana, J. Graffeuil, G. Niu, J.D. Cressler, Z. Jin, S. Zhang, and A.J. Joseph. Low-frequency noise and phase noise behavior of advanced SiGe HBTs; *MWSYM 01* 1705-1708 vol.3
- Bates, D., *see* Pham, A., *T-MTT Oct 01* 1747-1749
- Batty, W., *see* David, S., *MWSYM 01* 431-434 vol.1
- Batty, W., C.E. Christoffersen, S. David, A.J. Panks, R.G. Jokson, C.M. Snowden, and M.B. Steer. Global electrothermal CAD of complex nonlinear 3-D systems based on a fully physical time-dependent compact thermal model; *MWSYM 01* 667-670 vol.2
- Baudrand, H., *see* Akatimagool, S., *MWSYM 01* 1941-1944 vol.3
- Baudrand, H., *see* Wane, S., *MWSYM 01* 1233-1236 vol.2
- Beall, J.M., *see* Campbell, C.F., *RFIC 01* 245-248
- Beaudin, G., *see* David, T., *MWSYM 01* 1661-1664 vol.3
- Beauregard, F., *see* Jeckeln, E.G., *MWSYM 01* 789-792 vol.2
- Becker, J.P., Y. Lee, J.R. East, and L.P.B. Katehi. A finite ground coplanar line-to-silicon micromachined waveguide transition; *T-MTT Oct 01* 1671-1676
- Begueret, J., *see* Deval, Y., *T-MTT Sep 01* 1525-1530
- Begueret, J.-B., *see* Deval, Y., *RFIC 01* 53-56
- Beilenhoff, K., *see* Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- Beilenhoff, K., *see* Megej, A., *MWSYM 01* 1419-1422 vol.3
- Bekraoui, L. Broadband planar antenna with low side lobes levels capabilities and high cross-polarisation rejection for DBS reception; *MWSYM 01* 1391-1394 vol.2
- Belaid, M., and Ke Wu. Quasi-optical power amplifier using TEM waveguide concept; *MWSYM 01* 1835-1838 vol.3
- Bell, H.C. Zolotarev bandpass filters; *MWSYM 01* 1495-1498 vol.3
- Bell, H.C. Zolotarev bandpass filters; *T-MTT Dec 01* 2357-2362
- Belletete, S., *see* Zeji Gu, *MWSYM 01* 241-244 vol.1
- Belot, D., *see* Deval, Y., *RFIC 01* 53-56
- Belot, D., *see* Gerna, D., *RFIC 01* 191-194
- Belot, D., *see* Deval, Y., *T-MTT Sep 01* 1525-1530
- Benedickter, H., *see* Schreurs, D., *MWSYM 01* 827-830 vol.2
- Benedikt, J., *see* Gaddi, R., *MWSYM 01* 399-402 vol.1
- Beng Gan Yeo, *see* Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Benito, D., *see* Lopetegi, T., *T-MTT Sep 01* 1593-1598
- Bennett, J., *see* Ibrahim, M., *MWSYM 01* 1277-1280 vol.2
- Bennett, R.M., *see* Kenington, P.B., *MWSYM 01* 1517-1520 vol.3
- Benson, T.M., *see* Anada, T., *MWSYM 01* 1209-1212 vol.2
- Benz, S.P., *see* Hamilton, C.A., *MWSYM 01* 853-856 vol.2
- Berceli, T., *see* Marozsak, T., *MWSYM 01* 997-1000 vol.2
- Berek, S., *see* Reindl, L., *T-MTT Apr 01* 787-794
- Berg, H., *see* Gevorgian, S., *MWSYM 01* 1195-1198 vol.2
- Bergeault, E., *see* Geoffroy, V., *MWSYM 01* 83-86 vol.1
- Bergman, J.I., S. Han, J. Laskar, N. El-Zein, S. Ageno, M. Deshpande, and V. Nair. Monolithic quantum tunnel diode-based C-band oscillator and LNA; *MWSYM 01* 2183-2186 vol.3
- Bernal, J., F. Medina, and R.R. Boix. Full-wave analysis of nonplanar transmission lines on layered medium by means of MPIE and complex image theory; *T-MTT Jan 01* 177-185
- Bernardi, P., M. Cavagnaro, S. Pisa, and E. Piuze. Power absorption and temperature elevations induced in the human head by dual-band phones; *MWSYM 01* 151-154 vol.1
- Bernardi, P., R. Cicchetti, and O. Testa. An electromagnetic characterization of indoor radio environment in microwave WLAN systems; *MWSYM 01* 1101-1104 vol.2
- Bernardi, P., M. Cavagnaro, S. Pisa, and E. Piuze. Power absorption and temperature elevations induced in the human head by a dual-band monopole-helix antenna phone; *T-MTT Dec 01* 2539-2546
- Berthoth, M., *see* Grozing, M., *MWSYM 01* 575-578 vol.1
- Berthoth, M., *see* Grozing, M., *RFIC 01* 271-274
- Bertazzi, F., *see* Goano, M., *T-MTT Sep 01* 1573-1580
- Betts, G.E., *see* Judawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Betts, G.E., *see* Williamson, R.C., *T-MTT Oct 01* 1945-1949
- Beyene, W.T. Improving time-domain measurements with a network analyzer using a robust rational interpolation technique; *T-MTT Mar 01* 500-508
- Beyne, E., *see* Pieters, P., *T-MTT Apr 01* 589-599
- Bhattacharjee, J., *see* Raghavan, A., *MWSYM 01* 571-574 vol.1
- Bhattacharjee, J., *see* Raghavan, A., *RFIC 01* 267-270
- Bhattacharya, P., *see* Lu, L.-H., *MWSYM 01* 1285-1288 vol.2
- Bhattacharya, P., *see* Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Bialkowski, M.E., *see* Song, H.J., *T-MTT Mar 01* 470-475
- Bianco, B., *see* Bruna, S., *MWSYM 01* 167-170 vol.1
- Bianco, P., G. Ghione, and M. Pirola. New simple proofs of the two-port stability criterion in terms of the single stability parameter μ_1 (μ_2); *T-MTT Jun 01* 1073-1076
- Biebl, E.M., *see* Kaleja, M.M., *MWSYM 01* 1653-1656 vol.3
- Bien, D., *see* Chen, Y.E., *MWSYM 01* 1289-1292 vol.2
- Bienstman, P., H. Derudder, R. Baets, F. Olyslager, and D. De Zutter. Analysis of cylindrical waveguide discontinuities using vectorial eigenmodes and perfectly matched layers; *T-MTT Feb 01* 349-354
- Bilenca, A., *see* Lasri, J., *T-MTT Oct 01* 1934-1939
- Billonnet, L., *see* Nenert, L., *MWSYM 01* 1441-1444 vol.3
- Billonnet, L., *see* Zaitsev, A., *MWSYM 01* 1577-1580 vol.3
- Bilotti, F., *see* Vegni, L., *T-MTT May 01* 970-978
- Bischof, W., M. Alles, S. Gerlach, A. Kruck, A. Schuppen, J. Sinderhauf, and H.-J. Wassner. SiGe-power amplifiers in flipchip and packaged technology; *RFIC 01* 35-38
- Bishop, B., *see* Warble, K., *MWSYM 01* 993-996 vol.2
- Bishop, J., *see* Kenington, P.B., *MWSYM 01* 1517-1520 vol.3
- Blaikie, R.J., *see* Drysdale, T.D., *MWSYM 01* 535-538 vol.1
- Blanch, H., *see* Kurpas, P., *MWSYM 01* 633-636 vol.2
- Blondeaux, H., D. Baillargeat, P. Leveque, S. Verdeyme, P. Vaudon, P. Guillon, A. Carlier, and Y. Caillou. Microwave device combining filtering and radiating functions for telecommunication satellites; *MWSYM 01* 137-140 vol.1
- Blondy, P., *see* Mercier, D., *MWSYM 01* 2123-2126 vol.3
- Blum, T., *see* Madjar, A., *MWSYM 01* 531-534 vol.1
- Bock, J., *see* Ritzberger, G., *MWSYM 01* 701-704 vol.2
- Bock, J., *see* Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Boguth, S., *see* Knapp, H., *MWSYM 01* 591-594 vol.1
- Boguth, S., *see* Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Boguth, S., *see* Knapp, H., *RFIC 01* 287-290
- Boix, R.R., *see* Bernal, J., *T-MTT Jan 01* 177-185
- Bolcato, P., J.C. Nallatamby, C. Rumolo, R. Larcheveque, M. Prigent, and J. Obregon. Efficient algorithm for steady-state stability analysis of large analog/RF circuits; *MWSYM 01* 451-454 vol.1
- Bolsens, I., *see* Dobrovoly, P., *MWSYM 01* 419-422 vol.1
- Bonilla, M., *see* Kinayman, N., *MWSYM 01* 2231-2234 vol.3
- Bonilla, M., Man-Fai Wong, J. Wiart, G. Alquie, and V.F. Hanna. 3D-FDTD subgridding technique applied to radiating structures; *MWSYM 01* 2035-2038 vol.3
- Bonkee Kim, *see* Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- Boone, F., *see* Ke Wu, *MWSYM 01* 723-726 vol.2
- Borgarino, M., *see* Ouarch, Z., *MWSYM 01* 1415-1418 vol.3
- Borges de Carvalho, N., and J.C. Pedro. Novel artificial frequency mapping techniques for multi-tone simulation of mixers; *MWSYM 01* 455-458 vol.1
- Borges de Carvalho, N., *see* Pedro, J.C., *T-MTT Oct 01* 1777-1784
- Boric-Lubecke, O., *see* Droitcour, A., *MWSYM 01* 175-178 vol.1
- Borie, E. Effect of reflection on gyrotron operation; *T-MTT Jul 01* 1342-1345
- Bor Jenn-Chyou, *see* Yi-Huei Chen, *RFIC 01* 111-114
- Borji, A., S. Safavi-Naeini, and S.K. Chaudhuri. TEM properties of shielded homogeneous multiconductor transmission lines with PEC and PMC walls; *MWSYM 01* 731-734 vol.2
- Bornemann, J., *see* Amari, S., *MWSYM 01* 1627-1630 vol.3
- Bornemann, J., *see* Amari, S., *T-MTT Mar 01* 413-421
- Bornemann, J., *see* Pasalic, D., *T-MTT Aug 01* 1469-1476
- Bosco, B., *see* Iskander, M.F., *MWSYM 01* 259-262 vol.1
- Bosco, B., *see* Iskander, M.F., *T-MTT Dec 01* 2547-2553
- Bosisio, R.G., *see* Gagne, J.-F., *MWSYM 01* 1093-1096 vol.2
- Bosisio, R.G., *see* Tatu, S.O., *MWSYM 01* 1809-1812 vol.3
- Bosisio, R.G., *see* Tatu, S.O., *T-MTT Dec 01* 2517-2522
- Boudiaf, A., M. Ahdjoudj, and P. Pouvil. Low phase-noise PHEMT-based MMIC VCOs for LMDS applications; *MWSYM 01* 1559-1562 vol.3
- Bousnina, C., and F.M. Ghannouchi. Analysis and experimental study of an L-band new topology Doherty amplifier; *MWSYM 01* 935-938 vol.2
- Bozzi, M., L. Perregrini, A.A. Melcon, M. Guglielmi, and G. Conciauro. MoM/BI-RME analysis of boxed microwave circuits based on arbitrarily shaped elements; *MWSYM 01* 1925-1928 vol.3
- Bozzi, M., L. Perregrini, A. Alvarez Melcon, M. Guglielmi, and G. Conciauro. MoM/BI-RME analysis of boxed MMICs with arbitrarily shaped metallizations; *T-MTT Dec 01* 2227-2234
- Brabetz, T., V.F. Fusco, and S. Karode. Balanced subharmonic mixers for retrodirective-array applications; *T-MTT Mar 01* 465-469
- Bradley, P., R. Ruby, J.D. Larson, III, Y. Oshmyansky, and D. Figueredo. A film bulk acoustic resonator (FBAR) duplexer for USPCS handset applications; *MWSYM 01* 367-370 vol.1
- Bradley, R.F., *see* Bryerton, E.W., *MWSYM 01* 1817-1820 vol.3
- Brandstaedter, A., *see* Cherepko, S.V., *MWSYM 01* 671-674 vol.2
- Brank, J., *see* Goldsmith, C., *MWSYM 01* 227-230 vol.1
- Branner, G.R., *see* Thomas, D.G., Jr., *T-MTT May 01* 990-993
- Brazil, T.J., *see* Anding Zhu, *MWSYM 01* 21-24 vol.1
- Brebels, S., *see* Pieters, P., *T-MTT Apr 01* 589-599
- Brennan, P., *see* Walkington, R., *MWSYM 01* 697-700 vol.2
- Bressan, M., *see* Arcioni, P., *MWSYM 01* 1237-1240 vol.2
- Bridges, W.B., and R.W.P. King. Comments on "Electric current and electric field induced in a human body when exposed to an incident electric field near the resonant frequency" [and reply]; *T-MTT Apr 01* 736-738
- Bright, V.M., *see* Hoivik, N., *MWSYM 01* 2115-2118 vol.3
- Briso-Rodriguez, C., M.A. Vazquez-Castro, and J.I. Alonso-Montes. 28 GHz LMDS channel measurements and modeling for parameterized urban environments; *MWSYM 01* 2207-2210 vol.3
- Broas, R.F.J., *see* Kumar, K., *T-MTT Jan 01* 228
- Broas, R.F.J., D.F. Sievenpiper, and E. Yablonovitch. A high-impedance ground plane applied to a cellphone handset geometry; *T-MTT Jul 01* 1262-1265
- Brock, J.C., *see* Wenshen Wang, *T-MTT Oct 01* 1996-2001
- Brockerhoff, W., *see* Agethen, M., *MWSYM 01* 1765-1768 vol.3

- Bronner, W.**, see Kudzus, S., *MWSYM 01* 1571-1574 vol.3
- Broomfield, C.**, see Everard, J.K.A., *MWSYM 01* 1431-1434 vol.3
- Brophy, T.J.** Broadband access networks: evolution and convergence implications for equipment providers; *MWSYM 01* 989-992 vol.2
- Brown, R.A.**, see Notaros, B.M., *T-MTT Jan 01* 151-159
- Brown, S.**, see Gresham, I., *T-MTT Jan 01* 44-58
- Brown, S.A.**, see Campbell, C.F., *T-MTT Jul 01* 1241-1247
- Bruna, S.**, M. Liberti, S. Giordano, E. Moggia, B. Bianco, and G. D'Inzeo. A Zeeman-Stark/Markov model approach to study the EM-RF exposure of a potassium channel; *MWSYM 01* 167-170 vol.1
- Brunner, F.**, see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Brunt, J.**, see Wang, D., *RFIC 01* 249-252
- Bruston, J.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Bruston, J.**, see Maestri, A., *MWSYM 01* 1657-1660 vol.3
- Bruston, J.**, see Maiwald, F., *MWSYM 01* 1637-1640 vol.3
- Bruston, J.**, see Schlecht, E., *MWSYM 01* 1649-1652 vol.3
- Bryerton, E.W.**, D.L. Thacker, K.S. Saini, and R.F. Bradley. Wideband low-phase-noise high-power W-band signal sources; *MWSYM 01* 1817-1820 vol.3
- Brylinski, C.**, see Temcamani, F., *MWSYM 01* 641-644 vol.2
- Bu, J.U.**, see Park, J.Y., *MWSYM 01* 2111-2114 vol.3
- Budimir, D.**, see Aitchison, C.S., *T-MTT Jun 01* 1148-1154
- Budka, T.**, see Gresham, I., *T-MTT Jan 01* 44-58
- Budka, T.P.** Wide-bandwidth millimeter-wave bond-wire interconnects; *T-MTT Apr 01* 715-718
- Bulgarelli, J.**, see Darbandi, A., *MWSYM 01* 2211-2214 vol.3
- Bumman Kim**, see Youngoo Yang, *MWSYM 01* 793-796 vol.2
- Bumman Kim**, see Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
- Bumman Kim**, see Jaehyok Yi, *MWSYM 01* 1359-1362 vol.2
- Bumman Kim**, see Youngoo Yang, *T-MTT Feb 01* 387-390
- Bumman Kim**, see Youngoo Yang, *T-MTT Mar 01* 568-571
- Bumman Kim**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Bumman Kim**, see Youngoo Yang, *T-MTT Sep 01* 1626-1633
- Bunch, R.**, and S. Raman. A 0.35 μm CMOS 2.5 GHz complementary -G_m VCO using PMOS inversion mode varactors; *RFIC 01* 49-52
- Bunz, B.**, and G. Kompa. A stability ensuring design approach for frequency triplers; *MWSYM 01* 111-114 vol.1
- Buret, H.**, see Le Gallou, N., *MWSYM 01* 979-982 vol.2
- Buret, H.**, see Le Gallou, N., *MWSYM 01* 983-986 vol.2
- Buret, H.**, see Darbandi, A., *MWSYM 01* 2211-2214 vol.3
- Burghartz, J.N.**, see van der Heijden, M.P., *MWSYM 01* 1363-1366 vol.2
- Burghignoli, P.**, P. Baccarelli, F. Frezza, A. Galli, P. Lampariello, and A.A. Oliner. Low-frequency dispersion features of a new complex mode for a periodic strip grating on a grounded dielectric slab; *MWSYM 01* 719-722 vol.2
- Burghignoli, P.**, P. Baccarelli, F. Frezza, A. Galli, P. Lampariello, and A.A. Oliner. Low-frequency dispersion features of a new complex mode for a periodic strip grating on a grounded dielectric slab; *T-MTT Dec 01* 2197-2205
- Bushyager, N.**, M.M. Tentzeris, L. Gatewood, and J. DeNatale. A novel adaptive approach to modeling MEMS tunable capacitors using MRTD and FDTD techniques; *MWSYM 01* 2003-2006 vol.3
- Button, C.C.**, see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Butz, J.**, see Schmuckle, F.J., *MWSYM 01* 1903-1906 vol.3
- Byeong-Ha Park**, see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3

C

- Cabanillas, J.**, see Sicro, J., *RFIC 01* 121-124
- Cai, W.**, T. Yu, H. Wang, and Y. Yu. High-order mixed RWG basis functions for electromagnetic applications; *T-MTT Jul 01* 1295-1303
- Cailloce, Y.**, see Blondeaux, H., *MWSYM 01* 137-140 vol.1
- Call, J.**, see Estes, J., *MWSYM 01* 1357-1358 vol.2
- Callin, R.S.**, see Hill, M.E., *T-MTT May 01* 994-995
- Camart, J.-C.**, see Vanoverschelde, C., *MWSYM 01* 155-158 vol.1
- Camade, M.**, see Laloue, A., *MWSYM 01* 423-426 vol.1
- Camade, M.**, see Laloue, A., *MWSYM 01* 459-462 vol.1
- Camade, M.**, see Ouarch, Z., *MWSYM 01* 1415-1418 vol.3
- Camicia, A.**, see Pierantoni, L., *MWSYM 01* 735-738 vol.2
- Camilleri, N.** Guest editor's overview [intro. to the mini-special issue on the 2001 IEEE Radio Frequency Integrated Circuit (RFIC) Symposium]; *T-MTT Sep 01* 1517
- Campbell, C.F.**, and J.M. Beall. Design and performance of a highly integrated wideband active downconverter MMIC; *RFIC 01* 245-248
- Campbell, C.F.**, and S.A. Brown. An analytic method to determine GaAs FET parasitic inductances and drain resistance under active bias conditions; *T-MTT Jul 01* 1241-1247
- Campovecchio, M.**, see Duperrier, C., *MWSYM 01* 1063-1066 vol.2
- Campovecchio, M.**, see Duperrier, C., *MWSYM 01* 2067-2070 vol.3
- Campovecchio, M.**, see Barataud, D., *T-MTT Jun 01* 1107-1112
- Campovecchio, M.**, see Duperrier, C., *T-MTT Dec 01* 2494-2500
- Cangellaris, A.**, see Rong, A.S., *T-MTT Dec 01* 2266-2275
- Cangellaris, A.C.**, see Okhmatovski, V.I., *MWSYM 01* 1929-1932 vol.3
- Cangellaris, A.C.**, see Coprich, K.M., *T-MTT Oct 01* 1677-1685
- Cantrell, W.H.**, see Anderson, D.R., *MWSYM 01* 1509-1512 vol.3
- Cao Jiang**, see Shuyun Zhang, *MWSYM 01* 927-930 vol.2
- Caorsi, S.**, A. Massa, and M. Pastorino. Numerical computation of the interaction between electromagnetic waves and nonlinear superconducting materials; *T-MTT Oct 01* 1810-1817
- Cao Wenwu**, see Semouchkina, E., *MWSYM 01* 2055-2058 vol.3
- Cappelluti, F.**, see Mathai, S., *T-MTT Oct 01* 1956-1961
- Cappy, A.**, see Llopis, O., *MWSYM 01* 831-834 vol.2
- Capurso, M.**, see Guglielmi, M., *MWSYM 01* 1787-1790 vol.3
- Caravelli, P.**, see Goano, M., *T-MTT Sep 01* 1573-1580
- Carbonell, J.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Carchon, G.**, D. Schreurs, W. De Raedt, P. Van Loock, and B. Nauwelaers. A direct Ku-band linear subharmonically pumped BPSK and I/Q vector modulator in multi-layer thin-film MCM-D; *MWSYM 01* 599-602 vol.1
- Carchon, G.**, W. De Raedt, and B. Nauwelaers. Accurate transmission line characterization on high and low-resistivity substrates; *MWSYM 01* 1539-1542 vol.3
- Carchon, G.**, D. Schreurs, W. De Raedt, P. Van Loock, and B. Nauwelaers. A direct Ku-band linear subharmonically pumped BPSK and I/Q vector modulator in multi-layer thin-film MCM-D; *RFIC 01* 295-298
- Carchon, G.**, W. De Raedt, and B. Nauwelaers. Integration of CPW quadrature couplers in multilayer thin-film MCM-D; *T-MTT Oct 01* 1770-1776
- Carchon, G.**, see Vandenberghe, S., *T-MTT Dec 01* 2573-2579
- Carchon, G.J.**, D.M.M.-P. Schreurs, W. de Raedt, P. Van Loock, and B.K.J.C. Nauwelaers. A direct Ku-band linear subharmonically pumped BPSK and I/Q vector modulator in multilayer thin-film MCM-D; *T-MTT Aug 01* 1374-1382
- Cargill, D.A.**, T. Dolan, and P. Pramanick. Optimization of waveguide diplexers using shadow specifications; *MWSYM 01* 2107-2110 vol.3
- Carin, L.**, see Dogaru, T., *MWSYM 01* 2019-2022 vol.3
- Carin, L.**, see Dogaru, T., *T-MTT May 01* 902-912
- Carlier, A.**, see Blondeaux, H., *MWSYM 01* 137-140 vol.1
- Carroll, J.M.** Performance comparison of single and dual stage MMIC limiters; *MWSYM 01* 1341-1344 vol.2
- Carter, R.G.** Accuracy of microwave cavity perturbation measurements; *T-MTT May 01* 918-923
- Carullo, A.**, see Ferrero, A., *T-MTT Jan 01* 39-43
- Carvalho, N.B.**, see Pedro, J.C., *MWSYM 01* 1671-1674 vol.3
- Carvalho, N.B.**, see Garcia, J.A., *T-MTT Mar 01* 545-549
- Case, M.**, see Laney, D.C., *T-MTT Aug 01* 1507-1510
- Cassette, S.**, see Augaudy, S., *MWSYM 01* 427-430 vol.1
- Cassinese, A.**, M. Barra, G. Panariello, and R. Vaglio. Multi-stage dual-mode cross-slotted superconducting filters for telecommunication application; *MWSYM 01* 491-494 vol.1
- Castleford, D.**, A. Nirmalathas, D. Novak, and R. Tucker. In-band optical crosstalk in fiber-radio WDM networks; *MWSYM 01* 1001-1004 vol.2
- Castleford, D.**, A. Nirmalathas, D. Novak, and R.S. Tucker. Optical crosstalk in fiber-radio WDM networks; *T-MTT Oct 01* 2030-2035
- Catoiu, M.** A novel 3-way hybrid combiner/divider for high power C-class microwave amplifiers; *MWSYM 01* 31-34 vol.1
- Cavagnaro, M.**, see Bernardi, P., *MWSYM 01* 151-154 vol.1
- Cavagnaro, M.**, see Bernardi, P., *T-MTT Dec 01* 2539-2546
- Cazaux, J.-L.**, see Rogues, D., *MWSYM 01* 657-660 vol.2
- Cecchini, P.**, F. Bardati, and R. Ravanelli. A general approach to edge singularity extraction near composed wedges in boundary-element method; *T-MTT Apr 01* 730-733
- Celuch-Marcysiak, M.** Evaluation and enhancement of supraconvergence effects on nonuniform and conformal FDTD meshes; *MWSYM 01* 745-748 vol.2
- Celuch-Marcysiak, M.**, see Gwarek, W.K., *MWSYM 01* 885-888 vol.2
- Cendes, Z.**, see Sun, D.-K., *T-MTT Feb 01* 398-402
- Centili, G.G.** Multiport analysis of arbitrary circular-rod insets in rectangular waveguide by the generalized admittance matrix; *T-MTT Aug 01* 1438-1442
- Cervelli, F.**, see Tarricone, L., *T-MTT Mar 01* 517-523
- Chadha, J.S.**, see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Chad Lei Su-Tak**, see Wenyan Ding, *MWSYM 01* 1851-1854 vol.3
- Chae Heeduck**, see Jongkuk Park, *T-MTT Nov 01* 2147-2151
- Chakraborty, S.**, see Raghavan, A., *MWSYM 01* 571-574 vol.1
- Chakraborty, S.**, see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
- Chakraborty, S.**, see Raghavan, A., *RFIC 01* 267-270
- Chakravarty, S.**, R. Mittra, and N.R. Williams. On the application of the microgenetic algorithm to the design of broad-band microwave absorbers comprising frequency-selective surfaces embedded in multilayered dielectric media; *T-MTT Jun 01* 1050-1059
- Chan, A.N.L.**, see Chunbing Guo, *RFIC 01* 79-82
- Chan, C.H.**, see Li, S.-Q., *T-MTT Jul 01* 1221-1228
- Chan, E.**, see Lubecke, V.M., *T-MTT Nov 01* 2093-2098
- Chan, E.H.W.**, see Minasian, R.A., *T-MTT Oct 01* 1894-1899
- Chan, K.F.**, see Li, S.-Q., *T-MTT Jul 01* 1221-1228
- Chan, K.T.**, A. Chin, C.M. Kwei, D.T. Shien, and J. Lin. Transmission line noise from standard and proton-implanted Si; *MWSYM 01* 763-766 vol.2
- Chan, P.**, see Laney, D.C., *T-MTT Aug 01* 1507-1510
- Chan Chi Hou**, see Jin-Lin Hu, *T-MTT Oct 01* 1725-1732
- Chane-Kee-Sheung, H.**, see Rogues, D., *MWSYM 01* 657-660 vol.2
- Chang, C.Y.**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Chang, C.-Y.**, see Tang, C.-W., *T-MTT Dec 01* 2342-2349
- Chang, K.**, see Yun, T.-Y., *T-MTT Mar 01* 549-553
- Chang, K.**, see Strassner, B., *T-MTT Oct 01* 1818-1820
- Chang, M.F.**, see Sining Zhou, *RFIC 01* 241-244
- Chang, W.S.C.**, see Li, G.L., *MWSYM 01* 61-64 vol.1
- Chang, Y.S.**, see Sining Zhou, *RFIC 01* 241-244
- Chang Chin-Chang**, see Chin-Chang Chang, *MWSYM 01* 2039-2042 vol.3
- Chang Chi-Yang**, see Chi-Yang Chang, *T-MTT Jun 01* 1077-1085
- Chang Da-Chiang**, see Da-Chiang Chang, *T-MTT May 01* 979-985
- Chang-Ho Lee**, see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
- Chang Ik-Soo**, see Hee Yong Hwang, *MWSYM 01* 1483-1486 vol.3

- Chang Jui-Yu**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Chang Kai**, see Rodenbeck, C.T., *MWSYM 01* 267-270 vol.1
- Chang Kai**, see Tae-Yeoul Yun, *MWSYM 01* 263-265 vol.1
- Chang Kai**, see Young-Ho Suh, *MWSYM 01* 611-614 vol.2
- Chang Kai**, see Tae-Yeoul Yun, *MWSYM 01* 1435-1437 vol.3
- Chang Kai**, see Strassner, B., *MWSYM 01* 1859-1862 vol.3
- Chang Liu**, see Jun Zou, *MWSYM 01* 193-196 vol.1
- Chang-Wook Baek**, Seunghyun Song, Changyul Cheon, Yong-Kweon Kim, and Youngwoo Kwon. 2-D mechanical beam steering antenna fabricated using MEMS technology; *MWSYM 01* 211-214 vol.1
- Chang-Wook Baek**, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Changyul Cheon**, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Changyul Cheon**, see Young-Seek Chung, *MWSYM 01* 2063-2066 vol.3
- Chan Hil-Yee**, see Cheng, L.-K.M., *T-MTT May 01* 924-927
- Chan Yi-Jen**, see Chin-Wei Kuo, *RFIC 01* 165-168
- Chan Yi-Jen**, see Hsien-Chin Chiu, *RFIC 01* 143-146
- Chao-Chieh Tsai**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Chao-Chih Hsiao**, see Chin-Wei Kuo, *RFIC 01* 165-168
- Chapman, M.W.**, and S. Raman. A 60 GHz uniplanar MMIC 4X subharmonic mixer; *MWSYM 01* 95-98 vol.1
- Chattopadhyay, G.**, see Schlecht, E., *MWSYM 01* 1649-1652 vol.3
- Chaubet, M.**, see Llopis, O., *MWSYM 01* 831-834 vol.2
- Chaubet, M.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Chaudhuri, S.K.**, see Borji, A., *MWSYM 01* 731-734 vol.2
- Chaudhuri, S.K.**, see Majedi, A.H., *MWSYM 01* 1989-1992 vol.3
- Chaudhuri, S.K.**, see Tony, E.S., *T-MTT Apr 01* 701-711
- Chaudhuri, S.K.**, see Majedi, A.H., *T-MTT Oct 01* 1873-1881
- Chebolu, S.**, see Kajfez, D., *T-MTT Jan 01* 80-85
- Cheldavi, A.** Exact analysis of coupled nonuniform transmission lines with exponential power law characteristic impedance; *T-MTT Jan 01* 197-199
- Chellini, B.**, see Avitabile, G., *MWSYM 01* 1585-1588 vol.3
- Chen, C.-H.**, and M.J. Deen. A general noise and S-parameter deembedding procedure for on-wafer high-frequency noise measurements of MOSFETs; *T-MTT May 01* 1004-1005
- Chen, C.H.**, see Lin, Y.-S., *T-MTT Dec 01* 2322-2330
- Chen, C.N.**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Chen, C.W.**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Chen, D.**, see Martin, G., *T-MTT Apr 01* 838-843
- Chen, E.**, see Heo, D., *MWSYM 01* 915-918 vol.2
- Chen, H.-C.**, see Lu, S.-S., *T-MTT Feb 01* 333-340
- Chen, H.-C.**, see Lu, S.-S., *T-MTT Feb 01* 406-409
- Chen, J.**, A.A. Kishk, and A.W. Glisson. Application of a new MPIE formulation to the analysis of a dielectric resonator embedded in a multilayered medium coupled to a microstrip circuit; *T-MTT Feb 01* 263-279
- Chen, J.C.** Enhanced analog transmission over fiber using sampled amplitude modulation; *T-MTT Oct 01* 1940-1944
- Chen, P.-F.**, see Iwamoto, M., *T-MTT Dec 01* 2472-2479
- Chen, T.-W.**, see Lu, S.-S., *T-MTT Feb 01* 333-340
- Chen, T.-W.**, see Lu, S.-S., *T-MTT Feb 01* 406-409
- Chen, X.H.**, see Rong, A.S., *T-MTT Dec 01* 2266-2275
- Chen, Y.C.** Yong Kyu Yoon, J. Laskar, and M. Allen. A 2.4 GHz integrated CMOS power amplifier with micromachined inductors; *MWSYM 01* 523-526 vol.1
- Chen, Y.C.**, see Huei Wang, *T-MTT Jan 01* 9-16
- Chen, Y.E.**, D. Bien, D. Heo, and J. Laskar. Q-enhancement of spiral inductor with N^+ -diffusion patterned ground shields; *MWSYM 01* 1289-1292 vol.2
- Chen, Z.**, see Zheng, F., *T-MTT May 01* 1006-1009
- Chen Cheng-Tsung**, see Yeong-Lin Lai, *MWSYM 01* 1261-1264 vol.2
- Chen Chih-Hung**, see Chih-Hung Chen, *MWSYM 01* 835-839 vol.2
- Chen Chong-Yi**, see Yi-Chyun Chiang, *T-MTT Mar 01* 476-479
- Chen Chun Hsiung**, see Yo-Shen Lin, *MWSYM 01* 615-618 vol.2
- Chen Chun Hsiung**, see Chi-Hsueh Wang, *MWSYM 01* 1937-1940 vol.3
- Cheng, L.-K.M.**, and Hil-Yee Chan. Noise performance of negative-resistance compensated microwave bandpass filters. Theory and experiments; *T-MTT May 01* 924-927
- Cheng, Q.S.**, see Bakr, M.H., *MWSYM 01* 2083-2086 vol.3
- Cheng Jun**, see Jun Cheng, *MWSYM 01* 133-136 vol.1
- Cheng Nai-Shuo**, see Pengcheng Jia, *T-MTT Apr 01* 609-614
- Cheng-Nan Hu**, and C.-K.C. Tzuang. Analysis and design of large leaky-mode array employing the coupled-mode approach; *T-MTT Apr 01* 629-636
- Cheng-Tsung Chen**, see Yeong-Lin Lai, *MWSYM 01* 1261-1264 vol.2
- Cheng Yuan-Tung**, see Shyh-Yeong Ke, *T-MTT Mar 01* 571-574
- Cheng Yuhua**, see Chih-Hung Chen, *MWSYM 01* 835-839 vol.2
- Chengzhou Wang**, see Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Chengzhou Wang**, L.E. Larson, and P.M. Asbeck. A nonlinear capacitance cancellation technique and its application to a CMOS class AB power amplifier; *RFIC 01* 39-42
- Chen Lee-Yin**, see Pengcheng Jia, *T-MTT Apr 01* 609-614
- Chen Pin-Fan**, see Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Chen Qiang**, see Jaecune Jang, *MWSYM 01* 967-970 vol.2
- Chen Ru-Shan**, see Ru-Shan Chen, *T-MTT May 01* 928-937
- Chen Yi-Huei**, see Yi-Huei Chen, *RFIC 01* 111-114
- Chen Yuan**, see Qiang Li, *RFIC 01* 139-142
- Chen Yuan**, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Cheon Changyul**, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Cheon Changyul**, see Young-Seek Chung, *MWSYM 01* 2063-2066 vol.3
- Cheon Soo Kim**, Piljae Park, Jong-Woo Park, Nam Hwang, and Hyu Kyu Yu. Deep trench guard technology to suppress coupling between inductors in silicon RF ICs; *MWSYM 01* 1873-1876 vol.3
- Cheon-Soo Kim**, see Yong-Sik Youn, *RFIC 01* 257-260
- Cherepko, S.V.**, M.S. Shirokov, J.C.M. Hwang, and A. Brandstaedter. Improved large-signal model and model extraction procedure for InGaP/GaAs HBTs under high-current operations; *MWSYM 01* 671-674 vol.2
- Cherkashin, M.V.**, see Babak, L.I., *MWSYM 01* 2095-2098 vol.3
- Chew, W.C.**, see Pan, Y.C., *T-MTT Mar 01* 480-490
- Chew, W.C.**, see Radhakrishnan, K., *T-MTT Jul 01* 1345-1348
- Che Wenquan**, see Wenquan Che, *T-MTT Apr 01* 727-730
- Chia, M.Y.W.**, see Jia Sun, *MWSYM 01* 809-812 vol.2
- Chiang Yi-Chyun**, see Yi-Chyun Chiang, *T-MTT Mar 01* 476-479
- Chien, E.**, see Darabi, H., *RFIC 01* 89-91
- Chien Feng-Tso**, see Hsien-Chin Chiu, *RFIC 01* 143-146
- Chih-Hung Chen**, M.J. Deen, Yuhua Cheng, and M. Matloubian. Intrinsic noise currents in deep submicron MOSFETs; *MWSYM 01* 835-839 vol.2
- Chih-Ming Tsai**, Sheng-Yuan Lee, and Chin-Chuan Tsai. Hairpin filters with tunable transmission zeros; *MWSYM 01* 2175-2178 vol.3
- Chi Hou Chan**, see Jin-Lin Hu, *T-MTT Oct 01* 1725-1732
- Chih-Pin Hung**, see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
- Chi-Hsueh Wang**, Huei Wang, and Chun Hsiung Chen. A new global-analysis model for microwave circuits with lumped elements; *MWSYM 01* 1937-1940 vol.3
- Chin, A.**, see Chan, K.T., *MWSYM 01* 763-766 vol.2
- Chin, K.**, see Li, P., *MWSYM 01* 1891-1894 vol.3
- Chin-Chang Chang**, Yongxi Qian, and Tatsuo Itoh. Enhanced forward coupling phenomena between microstrip lines on periodically patterned ground plane; *MWSYM 01* 2039-2042 vol.3
- Chin-Chuan Tsai**, see Chih-Ming Tsai, *MWSYM 01* 2175-2178 vol.3
- Ching-Kuo Wu**, and C.-K.C. Tzuang. Slow-wave propagation of microstrip consisting of electric-magnetic-electric (EME) composite metal strips; *MWSYM 01* 727-730 vol.2
- Ching Kwang Lee**, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Ching-Wen Hsue**, see Da-Chiang Chang, *T-MTT May 01* 979-985
- Ching-Wen Tang**, see Jyh-Wen Sheen, *MWSYM 01* 315-318 vol.1
- Ching-Wen Tang**, see Chi-Yang Chang, *T-MTT Jun 01* 1077-1085
- Chin-Wei Kuo**, Chao-Chih Hsiao, Shih-Cheng Yang, and Yi-Jen Chan. The design of CMOS transimpedance amplifier based on BSIM large-signal model; *RFIC 01* 165-168
- Chin Yung-Nein**, see Shyh-Jong Chung, *MWSYM 01* 1123-1126 vol.2
- Chio, A.A.**, see Toledo, N., *MWSYM 01* 961-964 vol.2
- Chirwa, L.C.**, M. Yamamoto, M. Omiya, and K. Itoh. A technique for determining the normalized impedance of slots in the image plane of the image NRDG; *T-MTT May 01* 995-997
- Chitre, P.**, and R. Gupta. Satellite systems for multimedia and Internet traffic; *MWSYM 01* 1129-1132 vol.2
- Chi-Tsung Chiu**, see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
- Chiu, C.T.**, see Horng, T.S., *RFIC 01* 133-136
- Chiu Chi-Tsung**, see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
- Chiu Hsien-Chin**, see Hsien-Chin Chiu, *RFIC 01* 143-146
- Chive, M.**, see Vanoverschelde, C., *MWSYM 01* 155-158 vol.1
- Chi Wang**, and K.A. Zaki. Analysis of power handling capacity of band pass filters; *MWSYM 01* 1611-1614 vol.3
- Chi Wang**, W. Wilber, and B. Engst. A practical triple-mode monoblock bandpass filter for base station applications; *MWSYM 01* 1783-1786 vol.3
- Chi-Yang Chang**, Ching-Wen Tang, and Dow-Chih Niu. Ultra-broad-band doubly balanced star mixers using planar Mouw's hybrid junction; *T-MTT Jun 01* 1077-1085
- Cho, A.Y.**, see Islam, M.S., *T-MTT Oct 01* 1914-1920
- Cho, A.Y.**, see Mathai, S., *T-MTT Oct 01* 1956-1961
- Cho, Y.H.**, and H.J. Eom. Analysis of coupled inset dielectric guide structure; *T-MTT Jul 01* 1329-1332
- Choi, M.S.**, see Grosskopf, G., *MWSYM 01* 1821-1824 vol.3
- Choi, W.-Y.**, see Seo, J.-H., *MWSYM 01* 555-558 vol.1
- Choi Kwan Sun**, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
- Choi Kwan Sun**, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
- Choi Kwan Sun**, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
- Choi Seungwon**, see Heung-Jae Im, *T-MTT Nov 01* 2142-2146
- Chong, H.M.H.**, see Drysdale, T.D., *MWSYM 01* 535-538 vol.1
- Chong, H.M.H.**, see Reynolds, A.L., *T-MTT Jul 01* 1254-1261
- Chongcheawchamnan, M.**, see Siripon, N., *MWSYM 01* 1345-1348 vol.2
- Chongcheawchamnan, M.**, see Ang, K.S., *RFIC 01* 169-172
- Chong-Yi Chen**, see Yi-Chyun Chiang, *T-MTT Mar 01* 476-479
- Choong, F.C.**, see Yeo, S.P., *T-MTT Aug 01* 1498-1500
- Chou Ten-Chi**, see Shyh-Jong Chung, *MWSYM 01* 1123-1126 vol.2
- Chow, Y.L.**, K.L. Wan, T.K. Sarkar, and B. Kolundzija. Microstrip line on ground plane with closely spaced perforations-simple CAD formulas by synthetic asymptote; *MWSYM 01* 1757-1760 vol.3
- Chow, Y.L.**, and W.C. Tang. Formulas of microstrip with a truncated substrate by synthetic asymptotes: a novel analysis technique; *T-MTT May 01* 947-953
- Chow, Y.L.**, and W.C. Tang. 3-D Green's functions of microstrip separated into simpler terms-behavior, mutual interaction and formulas of the terms; *T-MTT Aug 01* 1483-1491
- Choy Leong Yoke**, see Samoska, L., *MWSYM 01* 1805-1808 vol.3
- Christoffersen, C.E.**, see Batty, W., *MWSYM 01* 667-670 vol.2
- Christoffersen, C.E.**, and M.B. Steer. Comparison of wavelet- and time-marching-based microwave circuit transient analyses; *MWSYM 01* 447-450 vol.1
- Chtchekaturou, V.**, F. Coccetti, and P. Russer. Full-wave analysis and model-based parameter estimation approaches for Y-matrix computation of microwave distributed RF circuits; *MWSYM 01* 1037-1040 vol.2

Chuan, J., see Sancho, S., *MWSYM 01* 443-446 vol.1
Chubykalo, A.E., see Tzontchev, R.I., *MWSYM 01* 1225-1228 vol.2
Chul Jeong You, see Lee, J., *T-MTT Oct 01* 1740-1746
Chul-Soo Kim, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
Chul-Soo Kim, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
Chun, J.C., T.S. Kim, J.M. Kim, Z.S. Lim, and W.S. Park. Spectrum correlation of beat signals in the FM-CW radar level meter and application for precise distance measurement; *MWSYM 01* 2251-2254 vol.3
Chunbing Guo, A.N.L. Chan, and H.C. Luong. A monolithic 2-V 950-MHz CMOS bandpass amplifier with a notch filter for wireless receivers; *RFIC 01* 79-82
Chun Donghoon, see Simons, R.N., *MWSYM 01* 215-218 vol.1
Chung, H.-C., see Wei, C.-J., *MWSYM 01* 675-678 vol.2
Chung Jen Hsu Coplanar-waveguide dispersion characteristics including anisotropic substrates; *T-MTT Feb 01* 362-368
Chung Ki-Woong, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
Chung Minchul, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
Chung Shyh-Jong, see Shyh-Jong Chung, *MWSYM 01* 1123-1126 vol.2
Chung Young-Seek, see Young-Seek Chung, *MWSYM 01* 2063-2066 vol.3
Chun Hsiung Chen, see Yo-Shen Lin, *MWSYM 01* 615-618 vol.2
Chun Hsiung Chen, see Chi-Hsueh Wang, *MWSYM 01* 1937-1940 vol.3
Chu Tah-Hsiung, see Wei-Kung Deng, *MWSYM 01* 1531-1534 vol.3
Ciampolini, P., see Alimenti, F., *MWSYM 01* 1041-1044 vol.2
Cibiel, G., see Bary, L., *MWSYM 01* 1705-1708 vol.3
Cicchetti, R., see Bernardi, P., *MWSYM 01* 1101-1104 vol.2
Cidronali, A., see Deshpande, M.R., *MWSYM 01* 403-406 vol.1
Cidronali, A., G. Collodi, C. Toccafondi, M. Deshpande, N. El-Zein, G. Manes, V. Nair, and H. Goronkin. A highly linear single balanced mixer based on heterojunction interband tunneling diode; *MWSYM 01* 91-94 vol.1
Cidronali, A., G. Collodi, M. Deshpande, C. Toccafondi, N. El-Zein, G. Manes, V. Nair, and H. Goronkin. Modeling and investigation of instabilities in heterojunction interband tunnel diodes for microwave applications; *MWSYM 01* 1269-1272 vol.2
Cidronali, A., G. Collodi, M.R. Deshpande, N. El-Zein, V. Nair, G. Manes, and H. Goronkin. A highly linear single balanced mixer based on heterojunction interband tunneling diode; *T-MTT Dec 01* 2437-2445
Citerne, J., see Loison, R., *T-MTT Jan 01* 119-127
Clark, C.J., see Silva, C.P., *MWSYM 01* 13-16 vol.1
Clement, T.S., see Williams, D.F., *MWSYM 01* 1527-1530 vol.3
Cnagellaris, A., see Ao Sheng Rong, *MWSYM 01* 1029-1032 vol.2
Cocetti, F., see Chitchekatourov, V., *MWSYM 01* 1037-1040 vol.2
Coffing, D., and E. Main. Effects of offsets on bipolar integrated circuit mixer even-order distortion terms; *T-MTT Jan 01* 23-30
Cogo, B., see Rogues, D., *MWSYM 01* 657-660 vol.2
Colantonio, P., F. Giannini, G. Leuzzi, and E. Limiti. High-efficiency low-IM microwave PA design; *MWSYM 01* 511-514 vol.1
Collodi, G., see Cidronali, A., *MWSYM 01* 91-94 vol.1
Collodi, G., see Cidronali, A., *MWSYM 01* 1269-1272 vol.2
Collodi, G., see Cidronali, A., *T-MTT Dec 01* 2437-2445
Comparini, M., see Alessandri, F., *MWSYM 01* 1615-1617 vol.3
Conciauro, G., see Bozzi, M., *MWSYM 01* 1925-1928 vol.3
Conciauro, G., see Arcioni, P., *MWSYM 01* 1237-1240 vol.2
Conciauro, G., see Bozzi, M., *T-MTT Dec 01* 2227-2234
Cong, T.L., see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
Contopanagos, H.F., see Kyriazidou, C.A., *T-MTT Feb 01* 297-307
Contrata, W., Y. Ando, Y. Hori, and M. Kuzuhara. Intermodulation distortion simulation using physical GaAs FET model; *MWSYM 01* 819-822 vol.2
Contrata, W., see Wakejima, A., *RFIC 01* 151-154
Cooper, P., see Tao Liang, *RFIC 01* 117-120
Cope, M., see Kenington, P.B., *MWSYM 01* 1517-1520 vol.3
Coperich, K.M., J. Morsey, V.I. Okhmatovski, A.C. Cangellaris, and A.E. Ruehli. Systematic development of transmission-line models for interconnects with frequency-dependent losses; *T-MTT Oct 01* 1677-1685
Corral, J.L., J. Marti, and J.M. Fuster. General expressions for IM/DD dispersive analog optical links with external modulation or optical up-conversion in a Mach-Zehnder electrooptical modulator; *T-MTT Oct 01* 1968-1976
Costanzo, A., see Rizzoli, V., *MWSYM 01* 435-438 vol.1
Coupez, J.P., see Le Nadan, T., *MWSYM 01* 957-960 vol.2
Coupez, J.-P., see Toutain, Y., *MWSYM 01* 1589-1592 vol.3
Cowles, J., and B. Gilbert. A calibrated RF/IF monolithic vector analyzer; *MWSYM 01* 2163-2166 vol.3
Cowles, J., see Guyette, A., *MWSYM 01* 1839-1842 vol.3
Cramer, N., and D.K. Walker. Modeling coplanar waveguide structures constructed of ferromagnetic metal; *MWSYM 01* 483-486 vol.1
Crawford, T., see Maiwald, F., *MWSYM 01* 1637-1640 vol.3
Cressler, J.D., see Bary, L., *MWSYM 01* 1705-1708 vol.3
Cressler, J.D., see Guofu Niu, *RFIC 01* 147-150
Cressler, J.D., see Guofu Niu, *T-MTT Sep 01* 1558-1565
Cros, D., see Tobar, M.E., *MWSYM 01* 205-208 vol.1
Cros, D., see Mercier, D., *MWSYM 01* 2123-2126 vol.3
Cryan, M., S. Helbing, F. Alimenti, P. Mezzanotte, L. Roselli, and R. Sorrentino. Simulation and measurement of quasi-optical multipliers; *T-MTT Mar 01* 451-464
Culver, J., see Smith, M., *MWSYM 01* 2255-2258 vol.3
Cumming, D.R.S., see Drysdale, T.D., *MWSYM 01* 535-538 vol.1

D

Da-Chiang Chang, and Ching-Wen Hsue. Design and implementation of filters using transfer functions in the Z domain; *T-MTT May 01* 979-985
Dae-Hyun Kim, see Gi-Hyon Ryu, *MWSYM 01* 201-204 vol.1
Dahlmann, G.W., E.M. Yeatman, P.R. Young, I.D. Robertson, and S. Lucyszyn. MEMS high Q microwave inductors using solder surface tension self-assembly; *MWSYM 01* 329-332 vol.1
Dal Ahn, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
Dal Ahn, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
Dal Ahn, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
Dalle, C., see Driouch, F., *T-MTT Jul 01* 1333-1341
Dalmia, S., Woopoung Kim, Sung Hwan Min, M. Swaminathan, V. Sundaraman, Fuhan Liu, G. White, and R. Tummala. Design of embedded high Q-inductors in MCM-L technology; *MWSYM 01* 1735-1738 vol.3
Dalton, E., see Heo, D., *MWSYM 01* 915-918 vol.2
Dang, H., see Abey, W., *MWSYM 01* 923-926 vol.2
Danneville, F., see Llopis, O., *MWSYM 01* 831-834 vol.2
Dantoni, F., A. Holden, S.T. Fu, D. Sahu, S. Venkatraman, and S.H.K. Embabi. A highly integrated GPS receiver for cellular handset; *RFIC 01* 93-96
Darabi, H., S. Khorram, E. Chien, M. Pan, S. Wu, S. Moloudi, J.C. Leete, J.J. Rael, M. Syed, R. Lee, B. Ibrahim, M. Rofougaran, and A. Rofougaran. A 2.4 GHz CMOS transceiver for Bluetooth; *RFIC 01* 89-91
Darbandi, A., G. Michaud, H. Buret, J.Y. Touchais, J. Fourcroy, and J. Bulgarelli. C/Ku-band pulsed transmitters for Poseidon 2 Altimeter; *MWSYM 01* 2211-2214 vol.3
Darges, B., see Temcamani, F., *MWSYM 01* 641-644 vol.2
Daryoush, A.S., see Ghanevati, M., *T-MTT Jul 01* 1348-1351
Das, N.K. Proper definition of voltage for a leaky two-layer stripline consistent with its characteristic impedance; *MWSYM 01* 879-882 vol.2
David, S., see Batty, W., *MWSYM 01* 667-670 vol.2
David, S., W. Batty, A.J. Panks, R.G. Johnson, and C.M. Snowden. Thermal transients in microwave active devices and their influence on intermodulation distortion; *MWSYM 01* 431-434 vol.1
David, T., M. Guillon, S. Arscott, A. Maestrini, T. Akalin, B. Lecomte, J. Carbonell, M. Chaubet, P. Mounaix, G. Beaudin, and D. Lippens. A 5 mW-290 GHz heterostructure barrier tripler in a waveguide configuration; *MWSYM 01* 1661-1664 vol.3
Davidovitz, M. An approach to analysis of waveguide arrays with shaped dielectric inserts and protrusions; *T-MTT Feb 01* 355-361
Davis, L.E., see Akyol, A.S., *MWSYM 01* 1179-1182 vol.2
Davis, L.E., see Yong, C.K., *T-MTT Jun 01* 1101-1106
Davis, M.F., A. Sutono, K. Lim, J. Laskar, V. Sundaram, J. Hobbs, G.E. White, and R. Tummala. RF-microwave multi-layer integrated passives using fully organic System on Package (SOP) technology; *MWSYM 01* 1731-1734 vol.3
Davis, R.L., see Wenshen Wang, *T-MTT Oct 01* 1996-2001
Dawson, D., see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
Dayaratna, L., L.G. Ramos, and M. Hirokawa. A microwave frequency generation unit for space applications; *MWSYM 01* 949-952 vol.2
Deakin, D.S., Jr., see Deckman, B., *MWSYM 01* 1843-1845 vol.3
Deal, W.R., see Hang, C.Y., *T-MTT Jun 01* 1155-1161
De Astis, G., see Geffroy, V., *MWSYM 01* 83-86 vol.1
Deckman, B., D. Rutledge, J.J. Rosenberg, E. Sovero, and D.S. Deakin, Jr. A 1 watt, 38 GHz monolithic grid oscillator; *MWSYM 01* 1843-1845 vol.3
Deen, M.J., see Chih-Hung Chen, *MWSYM 01* 835-839 vol.2
Deen, M.J., see Chen, C.-H., *T-MTT May 01* 1004-1005
De Flaviis, F., see Kondylis, G.D., *T-MTT Jul 01* 1310-1320
De Geest, J., see Dhaene, T., *MWSYM 01* 1745-1748 vol.3
de Graaff, H.C., see van der Heijden, M.P., *MWSYM 01* 1363-1366 vol.2
Degroot, D.C., see Remley, K.A., *MWSYM 01* 1667-1670 vol.3
Delacressonniere, B., see Kolev, S., *T-MTT Dec 01* 2425-2430
Delacressonniere, B., see Kolev, S., *MWSYM 01* 1581-1584 vol.3
De la Fuente, M.L., see Garcia, J.A., *T-MTT Mar 01* 545-549
Delage, S.L., see Augaudy, S., *MWSYM 01* 427-430 vol.1
del Alamo, J.A., see Fiorenza, J.G., *RFIC 01* 43-46
De Lisio, M., see Guyette, A., *MWSYM 01* 1839-1842 vol.3
DeLisio, M.P., see Wenyan Ding, *MWSYM 01* 1851-1854 vol.3
De Lisio, M.P., see Al-Zayed, A., *T-MTT Jun 01* 1067-1072
De Maagt, P., see Reynolds, A.L., *T-MTT Jul 01* 1254-1261
de Maagt, P.J.I., see van der Vorst, M.J.M., *T-MTT Jun 01* 1118-1125
de Maagt, P.J.I., see Reynolds, A.L., *T-MTT Oct 01* 1860-1867
de Menezes, R.A.X., see de Souza, W.A., *MWSYM 01* 905-908 vol.2
DeNatale, J., see Bushyager, N., *MWSYM 01* 2003-2006 vol.3
Deng Wei-Kung, see Wei-Kung Deng, *MWSYM 01* 1531-1534 vol.3
Denisenko, V.V., A.G. Shubov, A.V. Majorov, E.N. Egorov, and N.K. Kashayev. Millimeter-wave printed circuit antenna system for automotive applications; *MWSYM 01* 2247-2250 vol.3
Deok-Hee Lee, see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
De Raedt, W., see Carchon, G., *MWSYM 01* 599-602 vol.1
De Raedt, W., see Carchon, G., *MWSYM 01* 1539-1542 vol.3
De Raedt, W., see Carchon, G., *RFIC 01* 295-298
De Raedt, W., see Pieters, P., *T-MTT Apr 01* 589-599
de Raedt, W., see Carchon, G.J., *T-MTT Aug 01* 1374-1382
De Raedt, W., see Carchon, G., *T-MTT Oct 01* 1770-1776
De Raedt, W., see Vandenbergh, S., *T-MTT Dec 01* 2573-2579
Derudder, H., see Bienstman, P., *T-MTT Feb 01* 349-354
Deshpande, M., see Cidronali, A., *MWSYM 01* 91-94 vol.1
Deshpande, M., see Bergman, J.I., *MWSYM 01* 2183-2186 vol.3
Deshpande, M., see Liu, K., *MWSYM 01* 1383-1386 vol.2

- Deshpande, M.**, see Cidronali, A., *MWSYM 01* 1269-1272 vol.2
- Deshpande, M.R.**, K. Liu, S.M. El-Ghazaly, V. Nair, A. Cidronali, N. El-Zein, G. Manes, and H. Goronkin. Tunnel diode nonlinear model for microwave circuits and active antennas; *MWSYM 01* 403-406 vol.1
- Deshpande, M.R.**, see Cidronali, A., *T-MTT Dec 01* 2437-2445
- Deslandes, D.**, and Ke Wu. Integrated transition of coplanar to rectangular waveguides; *MWSYM 01* 619-622 vol.2
- de Souza, W.A.**, and R.A.X. de Menezes. Reconstruction of microwave structures using two-dimensional inverse TLM (Transmission Line Matrix) method; *MWSYM 01* 905-908 vol.2
- Dessertenne, B.**, see Augaudy, S., *MWSYM 01* 427-430 vol.1
- Devabhaktuni, V.**, M.C.E. Yagoub, and Qi-Jun Zhang. A robust algorithm for automatic development of neural network models for microwave applications; *MWSYM 01* 2087-2090 vol.3
- Devabhaktuni, V.K.**, M.C.E. Yagoub, and Q.-J. Zhang. A robust algorithm for automatic development of neural-network models for microwave applications; *T-MTT Dec 01* 2282-2291
- Deval, Y.**, J.-B. Begueret, A. Spataro, P. Fouillat, D. Belot, and F. Badets. HyperLAN 5.4 GHz low power CMOS synchronous oscillator; *RFIC 01* 53-56
- Deval, Y.**, J. Begueret, A. Spataro, P. Fouillat, D. Belot, and F. Badets. HyperLAN 5.4-GHz low-power CMOS synchronous oscillator; *T-MTT Sep 01* 1525-1530
- de Vreede, L.C.N.**, see van der Heijden, M.P., *MWSYM 01* 1363-1366 vol.2
- de Vreede, L.C.N.**, see van der Heijden, M.P., *MWSYM 01* 1679-1682 vol.3
- Dey, S.**, see Yu, W., *T-MTT Jan 01* 207-209
- De Zutter, D.**, see Dhaene, T., *MWSYM 01* 1745-1748 vol.3
- De Zutter, D.**, see Knockaert, L., *MWSYM 01* 1249-1252 vol.2
- De Zutter, D.**, see Bienstman, P., *T-MTT Feb 01* 349-354
- De Zutter, D.**, see Rogier, H., *T-MTT Apr 01* 712-715
- Dhaene, T.**, J. De Geest, and D. De Zutter. EM-based multidimensional parameterized modeling of general passive planar components; *MWSYM 01* 1745-1748 vol.3
- Dicarlo, P.**, see Wei, C.-J., *MWSYM 01* 675-678 vol.2
- Dickmann, J.**, see Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- DiDomenico, L.D.**, and G.M. Rebeiz. Digital communications using self-phased arrays; *T-MTT Apr 01* 677-684
- Di Forte-Poisson, M.A.**, see Augaudy, S., *MWSYM 01* 427-430 vol.1
- Ding Runtao**, see Jianjun Xu, *MWSYM 01* 1015-1018 vol.2
- Ding Wenyan**, see Wenyan Ding, *MWSYM 01* 1851-1854 vol.3
- D'Inzeo, G.**, see Bruna, S., *MWSYM 01* 167-170 vol.1
- Disilvestro, R.**, see Lovelace, D., *RFIC 01* 57-60
- Dixon, B.J.**, R.D. Pollard, and S. Iezekiel. Orthogonal frequency-division multiplexing in wireless communication systems with multimode fiber feeds; *T-MTT Aug 01* 1404-1409
- Djahanshahi, H.**, N. Saniei, S.P. Voinigescu, M.C. Maliepaard, and C.A.T. Salama. 20-GHz InP-HBT voltage-controlled oscillator with wide tuning range; *RFIC 01* 161-164
- Djahanshahi, H.**, N. Saniei, S.P. Voinigescu, M.C. Maliepaard, and C.A.T. Salama. A 20-GHz InP-HBT voltage-controlled oscillator with wide frequency tuning range; *T-MTT Sep 01* 1566-1572
- Dobrovolsky, P.**, P. Wambacq, G. Vandersteen, S. Donnay, M. Engels, and I. Bolsens. Generation of multicarrier complex lowpass models of RF ICs; *MWSYM 01* 419-422 vol.1
- Dodo, H.**, see Aoki, Y., *MWSYM 01* 289-292 vol.1
- Dodo, H.**, see Aoki, Y., *RFIC 01* 231-234
- Doerner, R.**, see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Doerner, R.**, see Rudolph, M., *MWSYM 01* 683-686 vol.2
- Doerner, R.**, see Heymann, P., *MWSYM 01* 1967-1970 vol.3
- Dogan, A.**, see Poplavko, Yu.M., *T-MTT Jun 01* 1020-1026
- Dogaru, T.**, and L. Carin. Efficient time-domain electromagnetic analysis using CDF biorthogonal wavelet expansion; *MWSYM 01* 2019-2022 vol.3
- Dogaru, T.**, and L. Carin. Multiresolution time-domain algorithm using CDF biorthogonal wavelets; *T-MTT May 01* 902-912
- Do-Hong, T.**, W. Fisch, and P. Russer. Direction finding using spectral estimation with arbitrary antenna arrays; *MWSYM 01* 1387-1390 vol.2
- Dokas, V.**, see Salehi, H., *MWSYM 01* 1779-1782 vol.3
- Dolan, T.**, see Cargill, D.A., *MWSYM 01* 2107-2110 vol.3
- Dolan, T.G.**, see Shen, T., *MWSYM 01* 1325-1328 vol.2
- Dollinger, F.**, see Schimetta, G., *MWSYM 01* 355-358 vol.1
- Donghoon Chun**, see Simons, R.N., *MWSYM 01* 215-218 vol.1
- Dong-Sik Kim**, see Ang, K.S., *MWSYM 01* 1329-1332 vol.2
- Dong-sik Kim**, see Ang, K.S., *RFIC 01* 169-172
- Donnay, S.**, see Dobrovolsky, P., *MWSYM 01* 419-422 vol.1
- Dorner, R.**, see Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- D'Oro, S.C.**, and G. Macchiarella. Design of asymmetric filters with requirements in two bands of finite extension; *T-MTT Jun 01* 1045-1049
- do Rosario, M.J.**, see Fortes, F., *T-MTT Jun 01* 1216-1220
- Doser, W.**, see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Dounavis, A.**, R. Achar, and M. Nakhla. Efficient sensitivity analysis of lossy multiconductor transmission lines with nonlinear terminations; *MWSYM 01* 2099-2102 vol.3
- Dounavis, A.**, R. Achar, and M. Nakhla. A general class of passive macromodels for lossy multiconductor transmission lines; *T-MTT Oct 01* 1686-1696
- Dounavis, A.**, R. Achar, and M.S. Nakhla. Efficient sensitivity analysis of lossy multiconductor transmission lines with nonlinear terminations; *T-MTT Dec 01* 2292-2299
- Dow-Chih Niu**, see Yu-Jiu Wang, *MWSYM 01* 253-256 vol.1
- Dow-Chih Niu**, see Chi-Yang Chang, *T-MTT Jun 01* 1077-1085
- Drafts, B.** Acoustic wave technology sensors; *T-MTT Apr 01* 795-802
- Drayton, R.F.**, see Peterson, R.L., *MWSYM 01* 767-770 vol.2
- Drayton, R.F.**, see Haley, J.L., *MWSYM 01* 1911-1914 vol.3
- Drayton, R.F.**, S.P. Pacheco, L.P.B. Katehi, J. Wang, and J.-G. Yook. Micromachined filters on synthesized substrates; *T-MTT Feb 01* 308-314
- Dressel, W.**, T. Mangold, L. Vietzorreck, and P. Russer. Time domain characterization of multichip module elements; *MWSYM 01* 1033-1036 vol.2
- Driouch, F.**, and C. Dalle. Investigation of FETED performance for millimeter-wave applications; *T-MTT Jul 01* 1333-1341
- Driscoll, T.A.**, see Goano, M., *T-MTT Sep 01* 1573-1580
- Droitcour, A.**, V. Lubecke, J. Janshan Lin, and O. Boric-Lubecke. A microwave radio for Doppler radar sensing of vital signs; *MWSYM 01* 175-178 vol.1
- Drozdoskaia, L.** RF and microwave frequency properties of a reverse-biased thick switching p-i-n diode; *T-MTT Aug 01* 1370-1373
- Drysdale, T.D.**, H.M.H. Chong, R.J. Blaikie, and D.R.S. Cumming. Micromachined sub-millimeter and millimeter wave variable polarisation compensator; *MWSYM 01* 535-538 vol.1
- Dubois, L.**, see Vanoverschelde, C., *MWSYM 01* 155-158 vol.1
- Dubos, F.**, see Rogues, D., *MWSYM 01* 657-660 vol.2
- Duffy, S.M.**, S. Verghese, A. McIntosh, A. Jackson, A.C. Gossard, and S. Matsuura. Accurate modeling of dual dipole and slot elements used with photomixers for coherent terahertz output power; *T-MTT Jun 01* 1032-1038
- Dun Li, P.M.** Meaney, and K.D. Paulsen. Conformal imaging with a non-contacting microwave antenna array; *MWSYM 01* 563-566 vol.1
- Duperrier, C.**, M. Campovecchio, L. Roussel, M. Lajugie, and R. Quere. New design method of non-uniform distributed power amplifiers. Application to a single stage 1 W PHEMT MMIC; *MWSYM 01* 1063-1066 vol.2
- Duperrier, C.**, M. Campovecchio, J. Rousset, R. Quere, S. Mons, A. Mallet, and L. Lapiere. Electronic design assistance tool for circuit optimization: application to microwave power amplifiers; *MWSYM 01* 2067-2070 vol.3
- Duperrier, C.**, M. Campovecchio, L. Roussel, M. Lajugie, and R. Quere. New design method of uniform and nonuniform distributed power amplifiers; *T-MTT Dec 01* 2494-2500
- Durdodt, C.**, see Theil, D., *RFIC 01* 103-106
- Durdodt, C.**, M. Friedrich, C. Grewing, M. Hammes, A. Hanke, S. Heinen, J. Oehm, D. Pham-Stabner, D. Seippel, D. Theil, S. van Waasen, and E. Wagner. The first very low-IF RX, 2-point modulation TX CMOS system on chip Bluetooth solution; *RFIC 01* 99-102
- Durdodt, C.**, M. Friedrich, C. Grewing, M. Hammes, A. Hanke, S. Heinen, J. Oehm, D. Pham-Stabner, D. Seippel, D. Theil, S. Van Waasen, and E. Wagner. A low-IF RX two-point $\Sigma\Delta$ -modulation TX CMOS single-chip Bluetooth solution; *T-MTT Sep 01* 1531-1537
- Dutton, R.W.**, see Jaejune Jang, *MWSYM 01* 967-970 vol.2
- Du Zhengwei**, see Gorur, A., *T-MTT Feb 01* 410-411
- Dydyk, M.**, C.A. Balanis, G.L. Heiter, and R.D. Pollard. Editors' Overview [intro. to the special issue on International Microwave Symposium]; *T-MTT Dec 01* 2176-2179
- Dymond, L., Jr.**, see Gitsevich, A., *MWSYM 01* 1423-1426 vol.3

E

- East, J.R.**, see Becker, J.P., *T-MTT Oct 01* 1671-1676
- Eastman, L.F.**, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Eastman, L.F.**, see Green, B.M., *T-MTT Dec 01* 2486-2493
- Eberly, M.**, see Goldsmith, C., *MWSYM 01* 227-230 vol.1
- Ebihara, K.**, K. Inoue, H. Haematsu, F. Yamaki, H. Takahashi, and J. Fukaya. An ultra broad band 300 W GaAs power FET for W-CDMA base stations; *MWSYM 01* 649-652 vol.2
- Ebner, T.**, see Fischerauer, G., *MWSYM 01* 351-354 vol.1
- Ederra, I.**, M.S. Ayza, M. Thumm, and B.Z. Katsenelenbaum. Comparative analysis of mode reflection and transmission in presence of a cutoff cross section of nonuniform waveguide by using the cross section and the mode-matching and generalized scattering-matrix methods; *T-MTT Apr 01* 637-645
- Edward Kai-Ning Yung**, see Ru-Shan Chen, *T-MTT May 01* 928-937
- Edwards, G.D.**, see Morgan, D.G., *MWSYM 01* 823-826 vol.2
- Effland, J.E.**, see Lauria, E.F., *MWSYM 01* 1645-1648 vol.3
- Eggemann, R.**, see Grosskopf, G., *MWSYM 01* 1821-1824 vol.3
- Egorov, E.N.**, see Denisenko, V.N., *MWSYM 01* 2247-2250 vol.3
- Ehmke, J.**, see Goldsmith, C., *MWSYM 01* 227-230 vol.1
- Eisenstadt, W.R.**, see Jin, W., *MWSYM 01* 1727-1730 vol.3
- Eisenstein, G.**, see Lasri, J., *T-MTT Oct 01* 1934-1939
- Elad, D.**, see Khanna, A.P.S., *MWSYM 01* 1567-1570 vol.3
- Elamran, B.**, see Sung, K.Y., *MWSYM 01* 1399-1401 vol.2
- Eleftheriades, G.V.**, see Abhari, R., *MWSYM 01* 2031-2034 vol.3
- Eleftheriades, G.V.**, see Wu, X., *T-MTT Mar 01* 431-441
- Eleftheriades, G.V.**, see Solano, M.A., *T-MTT Sep 01* 1663-1664
- Eleftheriades, G.V.**, see Abhari, R., *T-MTT Oct 01* 1697-1707
- El-Ghazaly, S.M.**, see Deshpande, M.R., *MWSYM 01* 403-406 vol.1
- El-Ghazaly, S.M.**, see Goasguen, S., *MWSYM 01* 415-418 vol.1
- El-Ghazaly, S.M.**, see Goasguen, S., *MWSYM 01* 897-900 vol.2
- El-Ghazaly, S.M.**, see Liu, K., *MWSYM 01* 1383-1386 vol.2
- El-Ghazaly, S.M.**, see Tomeh, M.M., *MWSYM 01* 1049-1052 vol.2
- El-Ghazaly, S.M.** IMS2001 - The microwave odyssey accomplished; *T-MTT Dec 01* 2180-2183
- El-Ghazaly, S.M.**, see Goasguen, S., *T-MTT Dec 01* 2258-2265
- El-Ghazaly, S.M.**, see Tomeh, M. M., *T-MTT Dec 01* 2276-2281

- elinger, F.**, U. Lott, and W. Bachtold. Design of a low-supply-voltage high-efficiency class-E voltage-controlled MMIC oscillator at C-band; *T-MTT Jan 01* 203-206
- Ellinger, F.**, R. Vogt, and W. Bachtold. Compact reflective-type phase-shifter MMIC for C-band using a lumped-element coupler; *T-MTT May 01* 913-917
- Ellinger, F.**, U. Lott, and W. Bachtold. An antenna diversity MMIC vector modulator for HIPERLAN with low power consumption and calibration capability; *T-MTT May 01* 964-969
- El Sabbagh, M.**, K. Zaki, and M. Yu. Non adjacent resonators effects on coupling and resonant frequency in combline filters; *MWSYM 01* 1313-1316 vol.2
- El Sabbagh, M.**, K.A. Zaki, H.-W. Yao, and M. Yu. Full-wave analysis of coupling between combline resonators and its application to combline filters with canonical configurations; *T-MTT Dec 01* 2384-2393
- Elsharawy, B.**, see Aly, A.H., *MWSYM 01* 475-477 vol.1
- ElSherbiny, M.**, see Fathy, A., *MWSYM 01* 377-380 vol.1
- El-Zein, N.**, see Cidronali, A., *MWSYM 01* 91-94 vol.1
- El-Zein, N.**, see Deshpande, M.R., *MWSYM 01* 403-406 vol.1
- El-Zein, N.**, see Bergman, J.I., *MWSYM 01* 2183-2186 vol.3
- El-Zein, N.**, see Liu, K., *MWSYM 01* 1383-1386 vol.2
- El-Zein, N.**, see Cidronali, A., *MWSYM 01* 1269-1272 vol.2
- El-Zein, N.**, see Cidronali, A., *T-MTT Dec 01* 2437-2445
- Embabi, S.H.K.**, see Dantoni, F., *RFIC 01* 93-96
- Emery Chen, Y.-J.**, see Sutoño, A., *T-MTT Oct 01* 1715-1724
- Emori, F.**, see Takenaka, I., *MWSYM 01* 645-648 vol.2
- Emrick, R.** Monolithic 6W Ka-band high power amplifier; *MWSYM 01* 527-529 vol.1
- Emrick, R.**, see Iskander, M.F., *MWSYM 01* 259-262 vol.1
- Emrick, R.**, see Iskander, M.F., *T-MTT Dec 01* 2547-2553
- Engels, M.**, see Dobrovoly, P., *MWSYM 01* 419-422 vol.1
- Engst, B.**, see Chi Wang, *MWSYM 01* 1783-1786 vol.3
- Enguang, D.** Theory and implementation of wireless transponders; *T-MTT Apr 01* 823-826
- Eo, Y.**, see Jin, W., *MWSYM 01* 1727-1730 vol.3
- Eom, H.J.**, see Lee, H.S., *T-MTT Feb 01* 315-320
- Eom, H.J.**, see Cho, Y.H., *T-MTT Jul 01* 1329-1332
- Eom Soon-Young.** see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Ergun, A.S.**, see Hansen, S.T., *MWSYM 01* 2243-2246 vol.3
- Erickson, N.R.** Very low loss wideband isolators for mm-wavelengths; *MWSYM 01* 1175-1178 vol.2
- Eric Shih.** see Jen-Tsai Kuo, *MWSYM 01* 1593-1596 vol.3
- Ermold, M.**, see Vieira, A.J.C., *T-MTT Oct 01* 1882-1887
- Ernst, C.**, V. Postoyalko, R. Parry, and I. Hunter. Filter topologies with minimum peak stored energy; *MWSYM 01* 1631-1634 vol.3
- Ernst, C.**, V. Postoyalko, and N.G. Khan. Relationship between group delay and stored energy in microwave filters; *T-MTT Jan 01* 192-196
- Ernst, C.**, and V. Postoyalko. Comments on "Relationship between group delay and stored energy in microwave filters"; *T-MTT Sep 01* 1664
- Escotte, L.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Eshelman, S.**, see Goldsmith, C., *MWSYM 01* 227-230 vol.1
- Estes, J.**, P. Piel, G. Shapiro, A. Pavia, M. Hurst, J. Call, and G. Funk. An internally matched LTCC 3G W-CDMA 180 watt LDMOS power amplifier; *MWSYM 01* 1357-1358 vol.2
- Estes, J.**, see Lucero, R., *RFIC 01* 213-216
- Estreich, D.**, see Hongwei Liang, *MWSYM 01* 1915-1918 vol.3
- Eswarappa, C.**, see Kolak, F., *MWSYM 01* 1107-1110 vol.2
- Everard, J.K.A.**, and C. Broomfield. Reduced flicker noise in microwave oscillators using feedforward amplifiers; *MWSYM 01* 1431-1434 vol.3
- Everard, J.K.A.**, see Wilkinson, A.J., *T-MTT Jun 01* 1202-1210
- Ezis, A.**, see Salib, M., *MWSYM 01* 1075-1078 vol.2

F

- Fager, C.**, see Zirath, H., *T-MTT Nov 01* 2086-2092
- Fallesen, C.**, and P. Asbeck. A 1 W CMOS power amplifier for GSM-1800 with 55% PAE; *MWSYM 01* 911-914 vol.2
- Fanucci, L.**, see Albertoni, F., *RFIC 01* 83-86
- Farina, M.**, and T. Rozzi. A 3-D method of moments for the analysis of real life MMICs; *MWSYM 01* 1245-1248 vol.2
- Farina, M.**, and T. Rozzi. A short-open deembedding technique for method-of-moments-based electromagnetic analyses; *T-MTT Apr 01* 624-628
- Farina, M.**, and T. Rozzi. Numerical investigation of the field and current behavior near lossy edges; *T-MTT Jul 01* 1355-1358
- Farina, M.**, and T. Rozzi. Full-wave modeling of linear FETs for millimeter waves; *T-MTT Aug 01* 1443-1450
- Farina, M.**, and T. Rozzi. A 3-D integral equation-based approach to the analysis of real-life MMICs - Application to microelectromechanical systems; *T-MTT Dec 01* 2235-2240
- Fathy, A.**, A. Rosen, H. Owen, S. Kanamalur, F. McGinty, D. McGee, G. Taylor, P.K. Swain, S. Perlow, and M. ElSherbiny. Silicon based reconfigurable antennas; *MWSYM 01* 377-380 vol.1
- Fattinger, G.G.**, and P.T. Tikka. Laser measurements and simulations of FBAR dispersion relation; *MWSYM 01* 371-374 vol.1
- Fellon, P.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Feng-Tso Chien.** see Hsien-Chin Chiu, *RFIC 01* 143-146
- Feng Zhenghe.** see Gorur, A., *T-MTT Feb 01* 410-411
- Fenk, J.**, see Neurauder, B., *MWSYM 01* 705-708 vol.2
- Fenk, J.**, see Pretl, H., *RFIC 01* 9-12
- Fenk, J.**, see Thomann, W., *RFIC 01* 25-28
- Fernandes, C.A.**, and L.M. Anunciada. Constant flux illumination of square cells for millimeter-wave wireless communications; *T-MTT Nov 01* 2137-2141
- Fernandez, L.N.**, see Perez, V.F., *MWSYM 01* 2227-2230 vol.3
- Fernandez, T.**, see Rodriguez-Tellez, J., *T-MTT Jul 01* 1352-1355
- Fernandez, T.**, see Sancho, S., *T-MTT Oct 01* 1792-1803
- Fernsler, F.**, see Friedman, M., *T-MTT Feb 01* 341-348
- Ferrero, A.**, V. Teppati, and A. Carullo. Accuracy evaluation of on-wafer load-pull measurements; *T-MTT Jan 01* 39-43
- Figueredo, D.**, see Bradley, P., *MWSYM 01* 367-370 vol.1
- Fikart, J.L.** Outdoor units for Ka/Ku-band satellite interactive terminals; *MWSYM 01* 1141-1144 vol.2
- Filleboeck, M.**, and J. Schroth. Compensation of MMIC spread in 60 GHz telecommunication module by automatic output power control; *RFIC 01* 173-176
- Fiorenza, J.G.**, and J.A. del Alamo. RF power performance of LDMOSFETs on SOI: an experimental comparison with bulk Si LDMOSFETs; *RFIC 01* 43-46
- Fisch, W.**, see Do-Hong, T., *MWSYM 01* 1387-1390 vol.2
- Fischer, R.P.**, and A.W. Fliflet. Cold tests and modeling of low-Q quasi-optical resonators; *T-MTT Jan 01* 59-66
- Fischerauer, G.**, T. Ebner, P. Kruck, K. Morozumi, R. Thomas, and M. Pitschi. SAW filter solutions to the needs of 3G cellular phones; *MWSYM 01* 351-354 vol.1
- Fleckenstein, A.**, see Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- Fliflet, A.W.**, see Fischer, R.P., *T-MTT Jan 01* 59-66
- Floyd, B.A.**, see Hung, C.-M., *T-MTT Jan 01* 17-22
- Forman, M.**, J. Vian, and Z. Popovic. A K-band full-duplex transmit-receive lens array; *MWSYM 01* 1831-1834 vol.3
- Forman, M.**, see Yang, K., *T-MTT May 01* 849-857
- Fortes, F.**, and M.J. do Rosario. A second harmonic class-F power amplifier in standard CMOS technology; *T-MTT Jun 01* 1216-1220
- Fouillat, P.**, see Deval, Y., *RFIC 01* 53-56
- Fouillat, P.**, see Deval, Y., *T-MTT Sep 01* 1525-1530
- Fourcroy, J.**, see Darbandi, A., *MWSYM 01* 2211-2214 vol.3
- Fowkes, W.R.**, see Hill, M.E., *T-MTT May 01* 998-1000
- Franco, M.A.R.**, V.A. Serrao, C. Fuhrmann, and S.B. Herdade. A simple procedure for impedance matching and tuning of microwave couplers for an electron linear accelerator; *T-MTT Mar 01* 562-564
- Frank, M.**, see Morkner, H., *MWSYM 01* 293-296 vol.1
- Frank, M.**, see Morkner, H., *RFIC 01* 235-238
- Frayse, J.-P.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Fredrick, J.D.**, see Yuanxun Wang, *MWSYM 01* 805-808 vol.2
- Freire, J.C.**, see Vaz, J.C., *T-MTT Jun 01* 1211-1215
- Freire, M.**, see Mesa, F., *MWSYM 01* 871-874 vol.2
- Freire, M.J.**, see Mesa, F., *T-MTT Dec 01* 2206-2215
- Frezza, F.**, see Burghignoli, P., *MWSYM 01* 719-722 vol.2
- Frezza, F.**, see Burghignoli, P., *T-MTT Dec 01* 2197-2205
- Friday, D.S.** Radio-frequency metrology from NBS to NIST: the legacy; *MWSYM 01* 845-848 vol.2
- Friedman, M.**, and F. Fernsler. Low-loss RF transport over long distances; *T-MTT Feb 01* 341-348
- Friedrich, M.**, see Durdodt, C., *RFIC 01* 99-102
- Friedrich, M.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Fries, D.**, see Ketterl, T., *MWSYM 01* 345-348 vol.1
- Frund, D.**, see Jobling, D., *RFIC 01* 187-190
- Frye, R.C.**, see Yoon, Y.J., *T-MTT Feb 01* 393-395
- Fryklund, D.**, see Zeji Gu, *MWSYM 01* 241-244 vol.1
- Fu, J.S.**, see Xiong, Y.Z., *MWSYM 01* 1971-1974 vol.3
- Fu, J.S.**, see Gorur, A., *T-MTT Feb 01* 410-411
- Fu, S.T.**, see Dantoni, F., *RFIC 01* 93-96
- Fuhan Liu.** see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Fuhrmann, C.**, see Franco, M.A.R., *T-MTT Mar 01* 562-564
- Fujii, H.**, see Madhian, M., *MWSYM 01* 1865-1868 vol.3
- Fujii, K.**, see Murai, T., *MWSYM 01* 653-656 vol.2
- Fujii, M.**, see Aoki, Y., *MWSYM 01* 289-292 vol.1
- Fujii, M.**, and W.J.R. Hoefer. Interpolating wavelet Galerkin model of time dependent inhomogeneous electrically-large optical waveguide problems; *MWSYM 01* 1045-1048 vol.2
- Fujii, M.**, see Aoki, Y., *RFIC 01* 231-234
- Fujii, M.**, and W.J.R. Hoefer. Time-domain wavelet Galerkin modeling of two-dimensional electrically large dielectric waveguides; *T-MTT May 01* 886-892
- Fujii, M.**, and W.J.R. Hoefer. Field-singularity correction in 2-D time-domain Haar-wavelet modeling of waveguide components; *T-MTT Apr 01* 685-691
- Fujimoto, K.**, see Oka, T., *RFIC 01* 199-202
- Fujita, M.**, see Jongsuck Bae, *MWSYM 01* 1847-1850 vol.3
- Fujita, M.**, see Bae, J., *T-MTT Dec 01* 2554-2559
- Fujita, S.**, see Takahashi, K., *T-MTT Nov 01* 2099-2104
- Fujita, T.**, see Uchida, K., *T-MTT May 01* 858-865
- Fukaya, J.**, see Ebihara, K., *MWSYM 01* 649-652 vol.2
- Fukaya, J.**, see Yamamoto, T., *MWSYM 01* 1055-1058 vol.2
- Fukushima, S.**, C.F.C. Silva, Y. Muramoto, and A.J. Seeds. Direct opto-electronic synthesis of mW-level millimeter wave signals using an optical frequency comb generator and a uni-traveling-carrier photodiode; *MWSYM 01* 69-72 vol.1
- Fuller, J.D.**, see Soares, E.R., *MWSYM 01* 1981-1984 vol.3
- Fumagalli, M.**, G. Macchiarella, and G. Resnati. Dual-mode filters for cellular base stations using metallized dielectric resonators; *MWSYM 01* 1799-1802 vol.3

Fung, A., *see* Martin, S., *MWSYM* 01 1641-1644 vol.3
 Fung, A., *see* Schlecht, E., *MWSYM* 01 1649-1652 vol.3
 Funk, E.E., *see* Vieira, A.J.C., *T-MTT Oct* 01 1882-1887
 Funk, G., *see* Estes, J., *MWSYM* 01 1357-1358 vol.2
 Furini, E., *see* Rizzoli, V., *MWSYM* 01 435-438 vol.1
 Furukawa, A., *see* Yano, H., *T-MTT Jun* 01 1086-1093
 Furuta, T., *see* Ito, H., *MWSYM* 01 65-68 vol.1
 Fusco, V., *see* Karode, S., *T-MTT Mar* 01 565-568
 Fusco, V.F., *see* Brabetz, T., *T-MTT Mar* 01 465-469
 Fusco, V.F., *see* Suidong Yang, *T-MTT Aug* 01 1492-1497
 Fushimi, H., *see* Ito, H., *MWSYM* 01 65-68 vol.1
 Fuster, J.M., *see* Corral, J.L., *T-MTT Oct* 01 1968-1976

G

Gaddi, R., J.A. Pla, J. Benedikt, and P.J. Tasker. LDMOS electro-thermal model validation from large-signal time-domain measurements; *MWSYM* 01 399-402 vol.1
 Gagne, J.-F., J. Gauthier, Ke Wu, and R.G. Bosio. High-speed low-cost direct conversion digital receiver; *MWSYM* 01 1093-1096 vol.2
 Gaier, T., *see* Kangashlahti, P., *MWSYM* 01 1959-1962 vol.3
 Gaier, T., *see* Hueli Wang, *T-MTT Jan* 01 9-16
 Gajadharsing, J.R., *see* van der Heijden, M.P., *MWSYM* 01 1363-1366 vol.2
 Gajadharsing, J.R., *see* van der Heijden, M.P., *MWSYM* 01 1679-1682 vol.3
 Galang, B., Jr., *see* Toledo, N., *MWSYM* 01 961-964 vol.2
 Galli, A., *see* Burghignoli, P., *MWSYM* 01 719-722 vol.2
 Galli, A., *see* Burghignoli, P., *T-MTT Dec* 01 2197-2205
 Galton, I., *see* Keyzer, J., *MWSYM* 01 2127-2130 vol.3
 Galton, I.G., *see* Asbeck, P.M., *T-MTT Nov* 01 2163-2169
 Gamand, P., *see* Wane, S., *MWSYM* 01 1233-1236 vol.2
 Gamble, H.S., *see* Stefanou, S., *MWSYM* 01 1877-1880 vol.3
 Gammel, P., *see* Lubecke, V.M., *T-MTT Nov* 01 2093-2098
 Gammel, P.L., *see* Herbsommer, J.A., *MWSYM* 01 2203-2206 vol.3
 Gandhi, O.P., Qing-Xiang Li, and Gang Kang. Temperature rise for the human head for cellular telephones and for peak SARs prescribed in safety guidelines; *MWSYM* 01 147-150 vol.1
 Gandhi, O.P., Qing-Xiang Li, and Gang Kang. Temperature rise for the human head for cellular telephones and for peak SARs prescribed in safety guidelines; *T-MTT Sep* 01 1607-1613
 Gane, E., *see* Khanna, A.P.S., *MWSYM* 01 1567-1570 vol.3
 Gang Kang, *see* Gandhi, O.P., *MWSYM* 01 147-150 vol.1
 Gang Kang, *see* Gandhi, O.P., *T-MTT Sep* 01 1607-1613
 Gan Yeo Beng, *see* Ya Jun Wang, *T-MTT Aug* 01 1398-1403
 Gao Baoxin, *see* Gorur, A., *T-MTT Feb* 01 410-411
 Gaobiao Xiao, K. Yashiro, Ning Guan, and S. Ohkawa. An effective method for designing nonuniformly coupled transmission-line filters; *T-MTT Jun* 01 1027-1031
 Gaquiere, C., *see* Vael, P., *MWSYM* 01 2187-2190 vol.3
 Garcia, J.A., M.L. De la Fuente, J.C. Pedro, N.B. Carvalho, Y. Newport, A. Mediavilla, and A. Tazon. Time-varying Volterra-series analysis of spectral regrowth and noise power ratio in FET mixers; *T-MTT Mar* 01 545-549
 Garcia, M., *see* Zirath, H., *T-MTT Nov* 01 2086-2092
 Garcia-Lamperiz, A., M. Salazar-Palma, M. Padilla, and I. Hidalgo-Carpintero. Software tool for the design of narrow band band-pass filters; *MWSYM* 01 2103-2106 vol.3
 Gard, K., M.B. Steer, and L.E. Larson. Generalized autocorrelation analysis of spectral regrowth from bandpass nonlinear circuits; *MWSYM* 01 9-12 vol.1
 Garde, M.J., *see* Lopetegi, T., *T-MTT Sep* 01 1593-1598
 Gardner, P., *see* Lee, K.C., *MWSYM* 01 1353-1356 vol.2
 Garlapati, A., and S. Prasad. A unified model for single/multifinger HBTs including self-heating effects; *T-MTT Jan* 01 186-191
 Gasperoni, D., *see* Latouche, Y., *MWSYM* 01 1607-1610 vol.3
 Gatewood, L., *see* Bushyager, N., *MWSYM* 01 2003-2006 vol.3
 Gati, A., M.F. Wong, and V.F. Hanna. New technique using poles and modes derivatives for frequency and geometry parameterization of microwave structures; *MWSYM* 01 1019-1022 vol.2
 Gatzianas, M., *see* Kantartzis, N.V., *MWSYM* 01 2051-2054 vol.3
 Gauthier, J., *see* Gagne, J.-F., *MWSYM* 01 1093-1096 vol.2
 Gautier, J.-L., *see* Kolev, S., *MWSYM* 01 1581-1584 vol.3
 Gautier, J.-L., *see* Kolev, S., *T-MTT Dec* 01 2425-2430
 Gebara, E., *see* Heo, D., *MWSYM* 01 915-918 vol.2
 Gebara, E., *see* Raghavan, A., *MWSYM* 01 571-574 vol.1
 Gebara, E., *see* Suh, Y., *MWSYM* 01 971-974 vol.2
 Gebara, E., *see* Nuttinck, S., *MWSYM* 01 2151-2154 vol.3
 Gebara, E., *see* Kyutae Lim, *MWSYM* 01 1739-1742 vol.3
 Gebara, E., *see* Raghavan, A., *RFIC* 01 267-270
 Gebara, E., *see* Nuttinck, S., *T-MTT Dec* 01 2413-2420
 Geens, A., Y. Rolain, and W. Van Moer. NPR and co-channel distortion ratio: a happy marriage?; *MWSYM* 01 1675-1678 vol.3
 Geffroy, V., G. De Astis, and E. Bergeault. RF mixers using standard digital CMOS 0.35 μ m process; *MWSYM* 01 83-86 vol.1
 Geiger, D., *see* Rogeaux, E., *MWSYM* 01 1895-1898 vol.3
 Geiler, B.D., *see* Steer, M., *T-MTT Jun* 01 1145-1147
 Gemuend, H.P., *see* Sarnowski, M., *T-MTT Oct* 01 1868-1872
 Genc, E., *see* Mutamba, K., *MWSYM* 01 2235-2238 vol.3
 Gentili, G.B., *see* Avitabile, G., *MWSYM* 01 2259-2262 vol.3
 George, S., *see* Rogeaux, E., *MWSYM* 01 1895-1898 vol.3
 Georgieva, N. Construction of solutions to electromagnetic problems in terms of two collinear vector potentials; *MWSYM* 01 2011-2014 vol.3
 Georgieva, N., *see* Bandler, J.W., *T-MTT Jan* 01 67-79
 Gerard, H., *see* Vael, P., *MWSYM* 01 2187-2190 vol.3
 Gerhard, G., and S. Koch. MIM shunt-capacitor model using black boxes of EM-simulated critical parts; *T-MTT Mar* 01 559-562
 Gerini, G., and M. Guglielmi. Full-wave CAD of a rectangular waveguide filter with integrated coaxial excitation; *T-MTT May* 01 986-989
 Gerlach, S., *see* Bischof, W., *RFIC* 01 35-38
 Gerna, D., A. Giry, D. Manstretta, D. Belot, and D. Pache. 1W 900 MHz direct conversion CMOS transmitter for paging applications; *RFIC* 01 191-194
 Gersten, B., *see* Iskander, M.F., *MWSYM* 01 259-262 vol.1
 Gersten, B., *see* Iskander, M.F., *T-MTT Dec* 01 2547-2553
 Gevorgian, S., S. Abadei, H. Berg, and H. Jacobsson. MOS varactors with ferroelectric films; *MWSYM* 01 1195-1198 vol.2
 Gevorgian, S.S., and E.L. Kollberg. Do we really need ferroelectrics in paraelectric phase only in electrically controlled microwave devices?; *T-MTT Nov* 01 2117-2124
 Ghanevati, M., and A.S. Daryoush. A low-power-consuming SOM for wireless communications; *T-MTT Jul* 01 1348-1351
 Ghannouchi, F.M., *see* Bousnina, S., *MWSYM* 01 935-938 vol.2
 Ghannouchi, F.M., *see* Jeckeln, E.G., *MWSYM* 01 789-792 vol.2
 Ghione, G., *see* Zandano, P., *MWSYM* 01 559-562 vol.1
 Ghione, G., *see* Bianco, P., *T-MTT Jun* 01 1073-1076
 Ghione, G., *see* Goano, M., *T-MTT Sep* 01 1573-1580
 Ghione, G., *see* Mathai, S., *T-MTT Oct* 01 1956-1961
 Ghosh, I.S., *see* Vitusevich, S., *MWSYM* 01 1977-1980 vol.3
 Giannini, F., *see* Colantonio, P., *MWSYM* 01 511-514 vol.1
 Giannini, F., *see* Avitabile, G., *MWSYM* 01 1585-1588 vol.3
 Gibson, S., *see* Wang, D., *RFIC* 01 249-252
 Gi-Hyon Ryu, Dae-Hyun Kim, Jae-Hak Lee, and Kwang-Seok Seo. Graphical design of air-gap stacked Marchand balun; *MWSYM* 01 201-204 vol.1
 Gilbert, B., *see* Cowles, J., *MWSYM* 01 2163-2166 vol.3
 Gillard, R., *see* Laisne, A., *MWSYM* 01 893-896 vol.2
 Gillard, R., *see* Loison, R., *T-MTT Jan* 01 119-127
 Gillis, J., *see* Tao Liang, *RFIC* 01 117-120
 Gillon, R., *see* Tatinian, W., *MWSYM* 01 583-586 vol.1
 Gillon, R., *see* Tatinian, W., *RFIC* 01 279-282
 Giordano, S., *see* Bruna, S., *MWSYM* 01 167-170 vol.1
 Gippich, J., and D. Stevens. A new via fence structure for crosstalk reduction in high density stripline packages; *MWSYM* 01 1719-1722 vol.3
 Giry, A., *see* Gerna, D., *RFIC* 01 191-194
 Gitsevich, A., D. Kirkpatrick, and L. Dymond, Jr. Solid-state high power RF oscillator; *MWSYM* 01 1423-1426 vol.3
 Glaser, C., *see* Panther, A., *MWSYM* 01 1907-1910 vol.3
 Glisson, A.W., *see* Abdul-Gaffoor, M.R., *MWSYM* 01 1933-1936 vol.3
 Glisson, A.W., *see* Chen, J., *T-MTT Feb* 01 263-279
 Goano, M., F. Bertazzi, P. Caravelli, G. Ghione, and T.A. Driscoll. A general conformal-mapping approach to the optimum electrode design of coplanar waveguides with arbitrary cross section; *T-MTT Sep* 01 1573-1580
 Goasguen, S., M.M. Tomeh, and S.M. El-Ghazaly. A global modeling approach using interpolating wavelets; *MWSYM* 01 897-900 vol.2
 Goasguen, S., M.M. Tomeh, and S.M. El-Ghazaly. Full wave analysis of FET fingers using various semiconductor physical models; *MWSYM* 01 415-418 vol.1
 Goasguen, S., *see* Tomeh, M.M., *MWSYM* 01 1049-1052 vol.2
 Goasguen, S., M.M. Tomeh, and S.M. El-Ghazaly. Electromagnetic and semiconductor device simulation using interpolating wavelets; *T-MTT Dec* 01 2258-2265
 Goasguen, S., *see* Tomeh, M. M., *T-MTT Dec* 01 2276-2281
 Goiser, A.M.J., *see* Hausleitner, C., *T-MTT Apr* 01 817-822
 Goldberg, B.-G. RF synthesizers: PLL switching speed and speed-up techniques, a short review; *MWSYM* 01 693-696 vol.2
 Goldsmith, C., J. Ehmke, A. Malczewski, B. Pillans, S. Eshelman, Z. Yao, J. Brank, and M. Eberly. Lifetime characterization of capacitive RF MEMS switches; *MWSYM* 01 227-230 vol.1
 Goldsmith, C.L., *see* Hayden, J.S., *MWSYM* 01 219-222 vol.1
 Goldsmith, C.L., *see* Lange, K.L., *MWSYM* 01 337-340 vol.1
 Goldwasser, S.M., *see* Yifei Li, *T-MTT Oct* 01 2048-2054
 Gomez, A., *see* Solano, M.A., *T-MTT Sep* 01 1663-1664
 Gong Ke, *see* Gorur, A., *T-MTT Feb* 01 410-411
 Gopalsami, N., and A.C. Raptis. Millimeter-wave radar sensing of airborne chemicals; *T-MTT Apr* 01 646-653
 Goronkin, H., *see* Cidronali, A., *MWSYM* 01 91-94 vol.1
 Goronkin, H., *see* Deshpande, M.R., *MWSYM* 01 403-406 vol.1
 Goronkin, H., *see* Liu, K., *MWSYM* 01 1383-1386 vol.2
 Goronkin, H., *see* Cidronali, A., *MWSYM* 01 1269-1272 vol.2
 Goronkin, H., *see* Cidronali, A., *T-MTT Dec* 01 2437-2445
 Gorur, A., C. Karpuz, Zhengwei Du, Ke Gong, J.S. Fu, Zhenghe Feng, and Baoxin Gao. Comments on "CAD models for asymmetrical, elliptical, cylindrical, and elliptical cone coplanar strip lines"; *T-MTT Feb* 01 410-411
 Gossard, A.C., *see* Duffy, S.M., *T-MTT Jun* 01 1032-1038
 Goto, N., *see* Aoki, Y., *MWSYM* 01 289-292 vol.1
 Goto, N., *see* Aoki, Y., *RFIC* 01 231-234
 Gough, R., *see* Archer, J.W., *T-MTT Nov* 01 2080-2085
 Graffeuil, J., *see* Llopis, O., *MWSYM* 01 831-834 vol.2
 Graffeuil, J., *see* Bary, L., *MWSYM* 01 1705-1708 vol.3
 Grave, T., *see* Werthof, A., *MWSYM* 01 107-109 vol.1
 Grave, T., *see* McNamara, B., *RFIC* 01 13-16
 Grebennikov, A. Simple design equations for broadband class E power amplifiers with reactance compensation; *MWSYM* 01 2143-2146 vol.3

- Greda, L.**, and R. Pregla. Efficient analysis of waveguide-to-microstrip and waveguide-to-coplanar line transitions; *MWSYM 01* 1241-1244 vol.2
- Green, B.M.**, V. Tilak, Sungjae Lee, Hyungtak Kim, J.A. Smart, K.J. Webb, J.R. Shealy, and L.F. Eastman. High-power broadband AlGaIn/GaN HEMT MMICs on SiC substrates; *MWSYM 01* 1059-1062 vol.2
- Green, B.M.**, V. Tilak, S. Lee, H. Kim, J.A. Smart, K.J. Webb, J.R. Shealy, and L.F. Eastman. High-power broad-band AlGaIn/GaN HEMT MMICs on SiC substrates; *T-MTT Dec 01* 2486-2493
- Green, H.E.**, and C.Y. Wang. Comments on "Frequencies of a truncated circular waveguide - method of internal matching"; *T-MTT Oct 01* 1821
- Greenhouse, L.** NIST: responding to basic needs, responding to special needs; *MWSYM 01* 841-844 vol.2
- Gresham, I.**, N. Jain, T. Budka, A. Alexanian, N. Kinayman, B. Ziegner, S. Brown, and P. Staecker. A compact manufacturable 76-77-GHz radar module for commercial ACC applications; *T-MTT Jan 01* 44-58
- Grewing, C.**, see Durdodt, C., *RFIC 01* 99-102
- Grewing, C.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Gross, M.E.**, see Lubecke, V.M., *T-MTT Nov 01* 2093-2098
- Grosskopf, G.**, R. Eggemann, D. Rohde, and M.S. Choi. 155 Mbit/s data transmission at 60 GHz using a 1 $\times$ 4 patch array antenna with variable optical delay lines; *MWSYM 01* 1821-1824 vol.3
- Grozing, M.**, A. Pascht, and M. Berroth. A 2.5 V CMOS differential active inductor with tunable L and Q for frequencies up to 5 GHz; *MWSYM 01* 575-578 vol.1
- Grozing, M.**, A. Pascht, and M. Berroth. A 2.5 V CMOS differential active inductor with tunable L and Q for frequencies up to 5 GHz; *RFIC 01* 271-274
- Grubert, J.**, see Metz, C., *MWSYM 01* 1115-1118 vol.2
- Grubert, J.**, see Metz, C., *T-MTT Dec 01* 2560-2566
- Gryglewski, D.**, see Wojtasiak, W., *MWSYM 01* 411-414 vol.1
- Guan-Leng Tan, and G.M. Rebeiz.** DC-26 GHz MEMS series-shunt absorptive switches; *MWSYM 01* 325-328 vol.1
- Guan Ning, see** Gaobiao Xiao, *T-MTT Jun 01* 1027-1031
- Guevarra, R.**, see Toledo, N., *MWSYM 01* 961-964 vol.2
- Gugler, W.**, see Springer, A., *T-MTT Apr 01* 754-760
- Guglielmi, M.**, see Bozzi, M., *MWSYM 01* 1925-1928 vol.3
- Guglielmi, M.**, O. Roquebrun, P. Jarry, E. Kerherve, M. Capurso, and M. Piloni. Low-cost dual-mode asymmetric filters in rectangular waveguide; *MWSYM 01* 1787-1790 vol.3
- Guglielmi, M.**, see Gerini, G., *T-MTT May 01* 986-989
- Guglielmi, M.**, see Lopetegi, T., *T-MTT Sep 01* 1593-1598
- Guglielmi, M.**, P. Jarry, E. Kerherve, O. Roquebrun, and D. Schmitt. A new family of all-inductive dual-mode filters; *T-MTT Oct 01* 1764-1769
- Guglielmi, M.**, see Bozzi, M., *T-MTT Dec 01* 2227-2234
- Guillon, M.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Guillon, P.**, see Blondeaux, H., *MWSYM 01* 137-140 vol.1
- Guillon, P.**, see Lascaux, C., *MWSYM 01* 487-490 vol.1
- Guillon, P.**, see Nenert, L., *MWSYM 01* 1441-1444 vol.3
- Guillon, P.**, see Mercier, D., *MWSYM 01* 2123-2126 vol.3
- Guillon, P.**, see Zaitsev, A., *MWSYM 01* 1577-1580 vol.3
- Guillon, P.**, see Lenoir, B., *MWSYM 01* 1479-1482 vol.3
- Gunalp, N.**, see Toker, C., *T-MTT Apr 01* 718-721
- Gunalp, N.**, see Vogel, R.W., *T-MTT Oct 01* 1824
- Guo Chunbing, see** Chunbing Guo, *RFIC 01* 79-82
- Guofu Niu, Qingqing Liang, J.D. Cressler, C.S. Webster, and D.L. Hareme.** Systematic analysis of RF distortion in SiGe HBT's; *RFIC 01* 147-150
- Guofu Niu, Qingqing Liang, J.D. Cressler, C.S. Webster, and D.L. Hareme.** RF linearity characteristics of SiGe HBTs; *T-MTT Sep 01* 1558-1565
- Gupta, A.**, see Salib, M., *MWSYM 01* 1075-1078 vol.2
- Gupta, K.C.**, see Zingg, R., *MWSYM 01* 1011-1014 vol.2
- Gupta, K.C.**, see Hoivik, N., *MWSYM 01* 2115-2118 vol.3
- Gupta, K.C.**, see Remley, K.A., *MWSYM 01* 1667-1670 vol.3
- Gupta, R.**, see Chitre, P., *MWSYM 01* 1129-1132 vol.2
- Gutierrez-Aitken, A.**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Guy, A.W.**, see Lapin, G.D., *T-MTT Apr 01* 734-736
- Guyette, A.**, R. Swisher, F. Lecuyer, A. Al-Zayed, A. Kom, Su-Tak Lei, M. Oliveira, Ping Li, M. De Liso, K. Sato, A. Oki, A. Gutierrez-Aitken, R. Kagiwada, and J. Cowles. A 16-element reflection grid amplifier with improved heat sinking; *MWSYM 01* 1839-1842 vol.3
- Guyette, A.C.**, see Al-Zayed, A., *T-MTT Jun 01* 1067-1072
- Gu Zeji, see** Zeji Gu, *MWSYM 01* 241-244 vol.1
- Gwarek, W.K.**, and M. Celuch-Marcysiak. A generalized approach to wide-band S-parameter extraction from FD-TD simulations applicable to evanescent modes in inhomogeneous guides; *MWSYM 01* 885-888 vol.2
- H**
- Hackl, S.**, M. Wurzer, J. Bock, T.F. Meister, H. Knapp, K. Aufinger, S. Boguth, L. Treitinger, and A.L. Scholtz. Benefits of SiGe over silicon bipolar technology for broadband mixers with bandwidth above 10 GHz; *MWSYM 01* 1693-1696 vol.3
- Haematsu, H.**, see Ebihara, K., *MWSYM 01* 649-652 vol.2
- Haese, N.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Hagelauer, R.**, see Thomann, W., *RFIC 01* 25-28
- Hagerty, J.A.**, and Z. Popovic. An experimental and theoretical characterization of a broadband arbitrarily-polarized rectenna array; *MWSYM 01* 1855-1858 vol.3
- Hagio, M.**, see Yamamoto, S., *RFIC 01* 195-198
- Hagness, S.C.**, see Wichaidit, C., *MWSYM 01* 163-166 vol.1
- Hahn Hyo-Kun, see** Salib, M., *MWSYM 01* 1075-1078 vol.2
- Haigh, D.G.**, see Webster, D.R., *T-MTT Feb 01* 328-332
- Hai Lan, see** Weisshaar, A., *MWSYM 01* 1753-1756 vol.3
- Hajji, R.**, see Abey, W., *MWSYM 01* 923-926 vol.2
- Halder, S.**, Y.Z. Xiong, G.I. Ng, H. Wang, H.Q. Zheng, K. Radhakrishnan, and J.C.M. Hwang. Microwave noise and power performance of metamorphic InP heterojunction bipolar transistors (HBTs); *MWSYM 01* 1885-1888 vol.3
- Halder, S.**, Y.Z. Xiong, G.-I. Ng, H. Wang, H.Q. Zheng, K. Radhakrishnan, and J.C.M. Hwang. Microwave noise and power performance of metamorphic InP heterojunction bipolar transistors; *T-MTT Dec 01* 2408-2412
- Hale, P.D.**, see Williams, D.F., *MWSYM 01* 1527-1530 vol.3
- Haley, J.L.**, and R.F. Drayton. Characterization of high-density micromachined interconnects; *MWSYM 01* 1911-1914 vol.3
- Halford, P.**, see Sam, B., *RFIC 01* 17-20
- Hall, T.E.**, see Sheen, D.M., *T-MTT Sep 01* 1581-1592
- Hamel, J.S.**, see Stefanou, S., *MWSYM 01* 1877-1880 vol.3
- Hamers, R.J.**, see Wichaidit, C., *MWSYM 01* 163-166 vol.1
- Hamilton, C.A.**, and S.P. Benz. Broadband Josephson voltage standards; *MWSYM 01* 853-856 vol.2
- Hammes, M.**, see Durdodt, C., *RFIC 01* 99-102
- Hammes, M.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Han, S.**, see Lee, C.-H., *MWSYM 01* 945-948 vol.2
- Han, S.**, see Bergman, J.I., *MWSYM 01* 2183-2186 vol.3
- Han, Y.K.G.**, V. Postoyalko, and J.R. Richardson. Design and characterization of a microwave feed-forward amplifier with improved wide-band distortion cancellation; *T-MTT Jan 01* 200-203
- Hang, C.Y.**, Y. Qian, and T. Itoh. High efficiency S-band class AB push-pull power amplifier with wideband harmonic suppression; *MWSYM 01* 1079-1082 vol.2
- Hang, C.Y.**, W.R. Deal, Yongxi Qian, and T. Itoh. High-efficiency push-pull power amplifier integrated with quasi-Yagi antenna; *T-MTT Jun 01* 1155-1161
- Han Jae-Hee, see** Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Han Jae-Hee, see** Seung-June Yi, *T-MTT May 01* 938-946
- Hanke, A.**, see Durdodt, C., *RFIC 01* 99-102
- Hanke, A.**, see Theil, D., *RFIC 01* 103-106
- Hanke, A.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Hanna, V.F.**, see Bonilla, M., *MWSYM 01* 2035-2038 vol.3
- Hanna, V.F.**, see Gati, A., *MWSYM 01* 1019-1022 vol.2
- Hansen, P.J.**, see Acikel, B., *MWSYM 01* 1191-1194 vol.2
- Hansen, S.T.**, A.S. Ergun, and B.T. Khuri-Yakub. Acoustic sensing using radio frequency detection and capacitive micromachined ultrasonic transducers; *MWSYM 01* 2243-2246 vol.3
- Hansen, V.**, see Sarnowski, M., *T-MTT Oct 01* 1868-1872
- Harada, T.**, see Asano, Y., *MWSYM 01* 1111-1114 vol.2
- Harada, T.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Harada, T.**, see Schuppener, G., *RFIC 01* 177-180
- Haramé, D.**, see Laney, D.C., *T-MTT Aug 01* 1507-1510
- Haramé, D.L.**, see Guofu Niu, *RFIC 01* 147-150
- Haramé, D.L.**, see Guofu Niu, *T-MTT Sep 01* 1558-1565
- Hargreaves, J.J.**, see Juodawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Harris, H. M.**, see Nuttinck, S., *T-MTT Dec 01* 2413-2420
- Harris, M.**, see Nuttinck, S., *MWSYM 01* 2151-2154 vol.3
- Harriss, J.E.**, see Shenouda, B.A., *T-MTT Apr 01* 724-727
- Harscher, P.**, R. Vahldieck, and S. Amari. Automated test and tuning system for microwave filters; *MWSYM 01* 1543-1546 vol.3
- Harscher, P.**, and R. Vahldieck. Automated computer-controlled tuning of waveguide filters using adaptive network models; *T-MTT Nov 01* 2125-2130
- Harscher, P.**, R. Vahldieck, and S. Amari. Automated filter tuning using generalized low-pass prototype networks and gradient-based parameter extraction; *T-MTT Dec 01* 2532-2538
- Hartin, O.**, see Lan, E., *MWSYM 01* 2155-2157 vol.3
- Hartnagel, H.L.**, see Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- Hartnagel, H.L.**, see Megej, A., *MWSYM 01* 1419-1422 vol.3
- Hartnett, J.G.**, see Tobar, M.E., *MWSYM 01* 205-208 vol.1
- Harvey, J.T.**, see Mahon, S.J., *T-MTT Jul 01* 1229-1234
- Hase, Y.**, see Zhongmin Wen, *MWSYM 01* 1097-1100 vol.2
- Hasegawa, K.**, see Takenaka, I., *MWSYM 01* 645-648 vol.2
- Hasegawa, Y.**, see Nishimura, T.B., *RFIC 01* 31-34
- Hashiguchi, T.**, see Ito, M., *MWSYM 01* 1597-1600 vol.3
- Hashiguchi, T.**, see Ito, M., *T-MTT Dec 01* 2431-2436
- Hashimoto, K.-Y.**, see Weigel, R., *T-MTT Apr 01* 741-742
- Hashimoto, T.**, see Kobayashi, Y., *MWSYM 01* 495-498 vol.1
- Haslett, J.W.**, see Leifso, C., *T-MTT Apr 01* 671-676
- Hassun, R.**, N. Kuhn, R. Posner, R. Sweeney, and B. Vassilakis. Ultra-linear power amplifier characterization using dynamic range extension techniques; *MWSYM 01* 1683-1686 vol.3
- Hattori, R.**, see Inoue, A., *MWSYM 01* 1687-1690 vol.3
- Hau, G.**, T.B. Nishimura, and N. Iwata. A highly efficient linearized wide-band CDMA handset power amplifier based on predistortion under various bias conditions; *T-MTT Jun 01* 1194-1201
- Haung, M.**, see Stefanou, S., *MWSYM 01* 1877-1880 vol.3
- Hauser, H.**, see Hausleitner, C., *T-MTT Apr 01* 817-822
- Hausleitner, C.**, R. Steindl, A. Pohl, H. Hauser, A.M.J. Goiser, and F. Siefert. Cordless batteryless wheel mouse application utilizing radio requestable SAW devices in combination with the giant magneto-impedance effect; *T-MTT Apr 01* 817-822
- Haviland, G.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Hawkins, M.**, see Iskander, M.F., *MWSYM 01* 259-262 vol.1
- Hawkins, M. G.**, see Iskander, M.F., *T-MTT Dec 01* 2547-2553

- Hayami, R.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Hayami, R.**, see Washio, K., *T-MTT Jan 01* 3-8
- Hayden, J.S.**, A. Malczewski, J. Kleber, C.L. Goldsmith, and G.M. Rebeiz. 2 and 4-bit DC-18 GHz microstrip MEMS distributed phase shifters; *MWSYM 01* 219-222 vol.1
- Haydl, W.H.**, see Tessmann, A., *MWSYM 01* 543-546 vol.1
- Haydl, W.H.**, see Kudszus, S., *MWSYM 01* 1571-1574 vol.3
- Heeduck Chae**, see Jongkuk Park, *T-MTT Nov 01* 2147-2151
- Heeres, R.M.**, H.A. Visser, and M.P.J.G. Versleijen. An accurate large-signal model for a high-efficient Si bipolar GSM power transistor; *MWSYM 01* 975-978 vol.2
- Heeres, R.M.**, see van der Vorst, M.J.M., *T-MTT Jun 01* 1118-1125
- Heeseok Lee**, and Joungho Kim. Modified Yee's cell for finite-difference time-domain modeling of periodic boundary guiding structure; *MWSYM 01* 889-892 vol.2
- Hee Yong Hwang**, Sang-Won Yun, and Ik-Soo Chang. A design of planar elliptic bandpass filter using SMD type partially metallized rectangular dielectric resonators; *MWSYM 01* 1483-1486 vol.3
- Heide, P.**, see Tessmann, A., *MWSYM 01* 543-546 vol.1
- Heide, P.**, see Reindl, L., *T-MTT Apr 01* 787-794
- Heinen, S.**, see Durdodt, C., *RFIC 01* 99-102
- Heinen, S.**, see Theil, D., *RFIC 01* 103-106
- Heinen, S.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Heinrich, W.**, see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Heinrich, W.**, see Kuhnert, H., *MWSYM 01* 1551-1554 vol.3
- Heinrich, W.**, see Schmuckle, F.J., *MWSYM 01* 1903-1906 vol.3
- Heinrich, W.**, see Strohm, K.M., *MWSYM 01* 1563-1566 vol.3
- Heinrich, W.**, see Schnieder, F., *T-MTT Jan 01* 104-110
- Heinrich, W.** Comments on "Internal impedance of conductors of rectangular cross section"; *T-MTT Mar 01* 580-581
- Heinrich, W.**, see Jentsch, A., *T-MTT May 01* 871-878
- Heinzelmann, R.**, see Stohr, A., *T-MTT Oct 01* 1926-1933
- Heiter, G.L.**, see Dydyk, M., *T-MTT Dec 01* 2176-2179
- Helbing, S.**, see Cryan, M., *T-MTT Mar 01* 451-464
- Heng-Ming Hsu**, Jui-Yu Chang, Jiong-Guang Su, Chao-Chieh Tsai, Shyh-Chyi Wong, C.W. Chen, K.R. Peng, S.P. Ma, C.N. Chen, T.H. Yeh, C.H. Lin, Y.C. Sun, and C.Y. Chang. A 0.18 μm foundry RF CMOS technology with 70 GHz F_t for single chip system solutions; *MWSYM 01* 1869-1872 vol.3
- Heng-Tung Hsu**, Hui-Wen Yao, A. Zaki, and A.E. Atia. Design of coupled resonators group delay equalizers; *MWSYM 01* 1603-1606 vol.3
- Heng Yang**, see Ao Sheng Rong, *MWSYM 01* 1029-1032 vol.2
- Heo, D.**, see Raghavan, A., *MWSYM 01* 571-574 vol.1
- Heo, D.**, see Suh, Y., *MWSYM 01* 971-974 vol.2
- Heo, D.**, A. Sutono, E. Chen, E. Gebara, S. Yoo, Y. Suh, J. Laskar, E. Dalton, and E.M. Tentzeris. A high efficiency 0.25 μm CMOS PA with LTCC multi-layer high-Q integrated passives for 2.4 GHz ISM band; *MWSYM 01* 915-918 vol.2
- Heo, D.**, see Chen, Y.E., *MWSYM 01* 1289-1292 vol.2
- Heo, D.**, see Raghavan, A., *RFIC 01* 267-270
- Heo, D.**, see Sutono, A., *T-MTT Oct 01* 1715-1724
- Heppeneheimer, K.P.**, L. Vietzorreck, and P. Russer. Analysis and design of a planar antenna for a millimetre-wave emitter using TLM; *MWSYM 01* 2027-2030 vol.3
- Herb, A.J.**, see Kaleja, M.M., *MWSYM 01* 1653-1656 vol.3
- Herben, M.H.A.J.**, see van der Vorst, M.J.M., *T-MTT Jun 01* 1118-1125
- Herbsommer, J.A.**, H. Safar, P.L. Gammel, B.P. Barber, and M. Zierdt. Near-field microwave microscopy of thin film resonators; *MWSYM 01* 2203-2206 vol.3
- Herczfeld, P.R.**, see Vieira, A.J.C., *T-MTT Oct 01* 1882-1887
- Herczfeld, P.R.**, see Yost, T.A., *T-MTT Oct 01* 1900-1907
- Herczfeld, P.R.**, see Yifei Li, *T-MTT Oct 01* 2048-2054
- Herdade, S.B.**, see Franco, M.A.R., *T-MTT Mar 01* 562-564
- Hernandez, J.**, see Lopetegui, T., *T-MTT Sep 01* 1593-1598
- Herren, J.J.**, see Latouche, Y., *MWSYM 01* 1607-1610 vol.3
- Herrera, J.**, see Ramos, F., *MWSYM 01* 77-79 vol.1
- Herrick, K.J.**, and L.P.B. Katehi. RF W-band wafer-to-wafer transition; *T-MTT Apr 01* 600-608
- Herschlein, A.**, see Young-Jin Park, *T-MTT Oct 01* 1854-1859
- Hesler, J.** A photonic crystal joint (PCJ) for metal waveguides; *MWSYM 01* 783-786 vol.2
- Hess, T.**, see Strohm, K.M., *MWSYM 01* 1563-1566 vol.3
- Hesselbarth, J.**, and R. Vahldieck. Passive electromagnetic compensation of permittivity changes in microwave circuits; *MWSYM 01* 299-302 vol.1
- Hesselbarth, J.**, and R. Vahldieck. Small-size delay line based on a periodically loaded waveguide; *MWSYM 01* 775-778 vol.2
- Hettak, K.**, C.J. Verver, and M.G. Stubbs. Overlapping, multiple CPW stub structures for high density MMICs; *MWSYM 01* 311-314 vol.1
- Hettak, K.**, T. Laneve, and M.G. Stubbs. Size-reduction techniques for CPW and ACPS structures; *T-MTT Nov 01* 2112-2116
- Heung-Jae Im**, and Seungwon Choi. Performance analysis of smart antenna test-bed operating in a wide-band CDMA channel; *T-MTT Nov 01* 2142-2146
- Heung-Sik Tae**, see Jae-Gon Lee, *MWSYM 01* 551-554 vol.1
- Heung-Sik Tae**, see Yong-Hyun Park, *MWSYM 01* 2191-2194 vol.3
- Heyen, J.**, see Metz, C., *MWSYM 01* 1115-1118 vol.2
- Heyen, J.**, see Metz, C., *T-MTT Dec 01* 2560-2566
- Heyman, P.**, see Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- Heymann, P.**, see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Heymann, P.**, see Rudolph, M., *MWSYM 01* 683-686 vol.2
- Heymann, P.**, M. Rudolph, R. Doerner, and F. Lenk. Modeling of low-frequency noise in GaInP/GaAs hetero-bipolar transistors; *MWSYM 01* 1967-1970 vol.3
- Hickernell, F.S.** The application of dielectric thin films to enhance the properties of SAW devices; *MWSYM 01* 363-366 vol.1
- Hida, H.**, see Aoki, Y., *MWSYM 01* 289-292 vol.1
- Hida, H.**, see Aoki, Y., *RFIC 01* 231-234
- Hidalgo-Carpintero, I.**, see Garcia-Lamperez, A., *MWSYM 01* 2103-2106 vol.3
- Hieda, M.**, see Miyaguchi, K., *MWSYM 01* 237-240 vol.1
- Hieda, M.**, see Nakahara, K., *MWSYM 01* 249-252 vol.1
- Hieda, M.**, see Miyaguchi, K., *T-MTT Dec 01* 2446-2452
- Hieda, M.**, K. Nakahara, K. Miyaguchi, H. Kurusu, Y. Iyama, T. Takagi, and S. Urasaki. High-isolation series-shunt FET SPDT switch with a capacitor canceling FET parasitic inductance; *T-MTT Dec 01* 2453-2458
- Hieng Tiong Su**, F. Huang, and M.J. Lancaster. Compact quasi-lumped element HTS microstrip filters; *MWSYM 01* 1985-1988 vol.3
- Higuma, K.**, see Ozeki, Y., *T-MTT Oct 01* 1986-1991
- Hikita, M.**, see Kachi, T., *MWSYM 01* 359-362 vol.1
- Hikita, M.**, C. Takubo, and K. Asai. New SAW-convolver demodulation technique using Costas-loop synchronization for high-speed spread-spectrum signal; *T-MTT Apr 01* 749-753
- Hikita, M.**, see Akiyama, T., *T-MTT Oct 01* 2055-2061
- Hilhorst, M.A.**, see Reindl, L., *T-MTT Apr 01* 803-808
- Hill, M.E.**, R.S. Callin, and D.H. Whittum. High-power vacuum window in WR10; *T-MTT May 01* 994-995
- Hill, M.E.**, W.R. Fowkes, X.E. Lin, and D.H. Whittum. Beam-cavity interaction circuit at W-band; *T-MTT May 01* 998-1000
- Hilsenbeck, J.**, see Kuhnert, H., *MWSYM 01* 1551-1554 vol.3
- Hil-Yee Chan**, see Cheng, L.-K.M., *T-MTT May 01* 924-927
- Hino, S.**, see Okada, T., *MWSYM 01* 1183-1186 vol.2
- Hinrichs, J.**, see Kobayashi, H., *MWSYM 01* 939-942 vol.2
- Hinrichs, J.**, see Keyzer, J., *MWSYM 01* 2127-2130 vol.3
- Hinrichs, J. M.**, see Kobayashi, H., *T-MTT Dec 01* 2480-2485
- Hinte, F.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Hirano, S.**, see Yasunaga, T., *RFIC 01* 65-68
- Hiraoka, T.**, see Anada, T., *MWSYM 01* 1209-1212 vol.2
- Hiraoka, Y.**, see Yasunaga, T., *RFIC 01* 65-68
- Hirata, A.**, see Minotani, T., *MWSYM 01* 57-60 vol.1
- Hirata, A.**, see Nagatsuma, T., *T-MTT Oct 01* 1831-1839
- Hirata, A.**, H. Ishii, and T. Nagatsuma. Design and characterization of a 120-GHz millimeter-wave antenna for integrated photonic transmitters; *T-MTT Nov 01* 2157-2162
- Hirayama, T.**, see Yano, H., *T-MTT Jun 01* 1086-1093
- Hirokawa, M.**, see Dayaratna, L., *MWSYM 01* 949-952 vol.2
- Hirono, T.**, Wayne Lui, S. Seki, and Y. Yoshikuni. A three-dimensional fourth-order finite-difference time-domain scheme using a symplectic integrator propagator; *T-MTT Sep 01* 1640-1648
- Hisaka, T.**, see Sasaki, Y., *MWSYM 01* 1067-1070 vol.2
- Hiyamizu, S.**, see Shinohara, K., *MWSYM 01* 2159-2162 vol.3
- Ho, S.** A 450 MHz CMOS RF power detector; *RFIC 01* 209-212
- Hobbs, J.**, see Davis, M.F., *MWSYM 01* 1731-1734 vol.3
- Hock, T.**, see Randall, M., *T-MTT Jun 01* 1094-1100
- Hofer, W.J.R.**, see Hu, E., *MWSYM 01* 901-904 vol.2
- Hofer, W.J.R.**, see Wei Liu, *MWSYM 01* 2043-2046 vol.3
- Hofer, W.J.R.**, see Fujii, M., *MWSYM 01* 1045-1048 vol.2
- Hofer, W.J.R.**, see Park, J.W., *MWSYM 01* 2047-2050 vol.3
- Hofer, W.J.R.**, see So, P.P.M., *MWSYM 01* 2007-2010 vol.3
- Hofer, W.J.R.**, see Fujii, M., *T-MTT May 01* 886-892
- Hofer, W.J.R.**, see Fujii, M., *T-MTT Apr 01* 685-691
- Hofer, G.**, see Schuchter, W., *RFIC 01* 183-186
- Hoft, M.**, J. Weinzierl, and R. Judaschke. Broadband analysis of a D-band holographic power combining circuit; *MWSYM 01* 1407-1410 vol.2
- Hoivik, N.**, M.A. Michalick, Y.C. Lee, K.C. Gupta, and V.M. Bright. Digitally controllable variable high-Q MEMS capacitor for RF applications; *MWSYM 01* 2115-2118 vol.3
- Holden, A.**, see Dantoni, F., *RFIC 01* 93-96
- Holmes, W.S.**, see Thakur, K.P., *T-MTT Jun 01* 1129-1132
- Homan, O.**, see Schreurs, D., *MWSYM 01* 827-830 vol.2
- Hong-Teuk Kim**, Sanghwa Jung, Jae-Hyung Park, Chang-Wook Baek, Yong-Kweon Kim, and Youngwoo Kwon. A new micromachined overlay CPW structure with low attenuation over wide impedance ranges and its application to low-pass filters; *T-MTT Sep 01* 1634-1639
- Hong Wei**, see Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
- Hongwei Liang**, J. Laskar, H. Barnes, and D. Estreich. Design and optimization for coaxial-to-microstrip transition on multilayer substrates; *MWSYM 01* 1915-1918 vol.3
- Hooper, R.**, see Miller, M., *MWSYM 01* 637-640 vol.2
- Hori, T.**, see Seki, T., *MWSYM 01* 385-388 vol.1
- Hori, Y.**, see Contrata, W., *MWSYM 01* 819-822 vol.2
- Horiguchi, K.**, M. Nakayama, Y. Sakai, K. Totani, H. Senda, Y. Ikeda, and O. Ishida. A high efficiency feedforward amplifier with a series diode linearizer for cellular base stations; *MWSYM 01* 797-800 vol.2
- Horng, T.S.**, J.M. Wu, and H.H. Huang. An extrinsic-inductance independent approach for direct extraction of HBT intrinsic circuit parameters; *MWSYM 01* 1761-1764 vol.3
- Horng, T.S.**, S.M. Wu, H.H. Huang, C.T. Chiu, and C.P. Hung. Modeling of lead-frame plastic CSPs for accurate prediction of their low-pass filter effects on RFICs; *RFIC 01* 133-136

- Horng, T.-S., J.-M. Wu, and H.-H. Huang.** An extrinsic-inductance independent approach for direct extraction of HBT intrinsic circuit parameters; *T-MTT Dec 01* 2300-2305
- Horning Tzyy-Sheng,** see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
- Hoshi, H.,** see Sasaki, Y., *MWSYM 01* 1067-1070 vol.2
- Hosking, M.W.** Performance of a superconducting detector circuit using a Schottky barrier diode for bandwidth modulation; *MWSYM 01* 503-506 vol.1
- Hou Chan Chi,** see Jin-Lin Hu, *T-MTT Oct 01* 1725-1732
- How, H.,** see Oliver, S.A., *T-MTT Feb 01* 385-387
- Hsiao Chao-Chih,** see Chin-Wei Kuo, *RFIC 01* 165-168
- Hsiao-Ping Tsai,** Yuanxun Wang, and Tatsuo Itoh. An unconditionally stable finite element time domain solution of active nonlinear microwave circuits using perfectly matched layers; *MWSYM 01* 2059-2062 vol.3
- Hsien-Chin Chiu,** Feng-Tso Chien, Shih-Cheng Yang, and Yi-Jen Chan. Reduced intermodulation distortion of AlGaAs/InGaAs doped-channel FETs by air-bridge gate process; *RFIC 01* 143-146
- Hsin-Hsing Liao,** see Huei Wang, *T-MTT Jan 01* 9-16
- Hsiung Chen Chun,** see Yo-Shen Lin, *MWSYM 01* 615-618 vol.2
- Hsiung Chen Chun,** see Chi-Hsueh Wang, *MWSYM 01* 1937-1940 vol.3
- Hsu Chung Jen,** see Chung Jen Hsu, *T-MTT Feb 01* 362-368
- Hsue Ching-Wen,** see Da-Chiang Chang, *T-MTT May 01* 979-985
- Hsu Heng-Ming,** see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Hsu Heng-Tung,** see Heng-Tung Hsu, *MWSYM 01* 1603-1606 vol.3
- Hsu Jui-Pang,** see Anada, T., *MWSYM 01* 1209-1212 vol.2
- Hsu Kuo-Hua,** see Yeong-Lin Lai, *T-MTT Aug 01* 1410-1418
- Hu, E., and W.J.R. Hoefer.** Performance of three-dimensional graded ADI-FDTD algorithm; *MWSYM 01* 901-904 vol.2
- Hu, J.T.,** see Wei, C.-J., *MWSYM 01* 675-678 vol.2
- Hu, W.,** see Oliver, S.A., *T-MTT Feb 01* 385-387
- Huang, F.,** see Hieng Tiong Su, *MWSYM 01* 1985-1988 vol.3
- Huang, H.H.,** see Horng, T.S., *MWSYM 01* 1761-1764 vol.3
- Huang, H.H.,** see Horng, T.S., *RFIC 01* 133-136
- Huang, H.-H.,** see Horng, T.-S., *T-MTT Dec 01* 2300-2305
- Huang Hui-Hsiang,** see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
- Huang Po-Chiun,** see Yi-Huei Chen, *RFIC 01* 111-114
- Hubert, J.,** see Yang, K., *T-MTT May 01* 849-857
- Hu Cheng-Nan,** see Cheng-Nan Hu, *T-MTT Apr 01* 629-636
- Huei Wang,** see Yu-Jiu Wang, *MWSYM 01* 253-256 vol.1
- Huei Wang,** see Chi-Hsueh Wang, *MWSYM 01* 1937-1940 vol.3
- Huei Wang,** L. Samoska, T. Gaier, A. Peralta, Hsin-Hsing Liao, Y.C. Leong, S. Weinreb, Y.C. Chen, M. Nishimoto, and R. Lai. Power-amplifier modules covering 70-113 GHz using MMICs; *T-MTT Jan 01* 9-16
- Huemmer, M.,** see Springer, A., *T-MTT Apr 01* 754-760
- Hughes, N.J.,** see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
- Hui-Hsiang Huang,** see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
- Hui-Wen Yao,** see Heng-Tung Hsu, *MWSYM 01* 1603-1606 vol.3
- Hui-Wen Yao,** and A.E. Atia. Temperature characteristics of combline resonators and filters; *MWSYM 01* 1475-1478 vol.3
- Hui Wu,** see Li, P., *MWSYM 01* 1891-1894 vol.3
- Hu Jin-Lin,** see Jin-Lin Hu, *T-MTT Oct 01* 1725-1732
- Humphrey, D.E.J.,** see Suidong Yang, *T-MTT Aug 01* 1492-1497
- Hung, C.-M., B.A. Floyd, N. Park, and K.O. Kenneth.** Fully integrated 5.35-GHz CMOS VCOs and prescalers; *T-MTT Jan 01* 17-22
- Hung, C.P.,** see Horng, T.S., *RFIC 01* 133-136
- Hung Chih-Pin,** see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
- Hunter, I.,** see Ernst, C., *MWSYM 01* 1631-1634 vol.3
- Hunter, I.,** see Morelli, M., *MWSYM 01* 1623-1626 vol.3
- Huot, A.,** see Jobling, D., *RFIC 01* 187-190
- Hurm, V.,** see Leven, A., *T-MTT Oct 01* 1908-1913
- Hurst, M.,** see Estes, J., *MWSYM 01* 1357-1358 vol.2
- Hwa-Chang Seo,** see Ang, K.S., *MWSYM 01* 1329-1332 vol.2
- Hwa-chang Seo,** see Ang, K.S., *RFIC 01* 169-172
- Hwang, J.C.M.,** see Cherepko, S.V., *MWSYM 01* 671-674 vol.2
- Hwang, J.C.M.,** see Halder, S., *MWSYM 01* 1885-1888 vol.3
- Hwang, J.C.M.,** see Leoni, R.E., III, *T-MTT Jun 01* 1180-1186
- Hwang, J.C.M.,** see Halder, S., *T-MTT Dec 01* 2408-2412
- Hwang Hee Yong,** see Hee Yong Hwang, *MWSYM 01* 1483-1486 vol.3
- Hwang Nam,** see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Hwangy, J.C.M.,** see Wang, F., *MWSYM 01* 815-818 vol.2
- Hwan Min Sung,** see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Hyo-Kun Hahn,** see Salib, M., *MWSYM 01* 1075-1078 vol.2
- Hyu Kyu Yu,** see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Hyunchul Ku,** and J.S. Kenney. Estimation of error vector magnitude using two-tone intermodulation distortion measurements [power amplifier]; *MWSYM 01* 17-20 vol.1
- Hyungtak Kim,** see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Hyun-Kyu Yu,** see Yong-Sik Youn, *RFIC 01* 257-260
- Hyun-Seok Kim,** see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- I**
- Ibarra, J.,** see Bary, L., *MWSYM 01* 1705-1708 vol.3
- Ibrahim, B.,** see Darabi, H., *RFIC 01* 89-91
- Ibrahim, M., B. Syrett, and J. Bennett.** A new analytical small-signal model of dual-gate GaAs MESFET; *MWSYM 01* 1277-1280 vol.2
- Ibrahim, N.M.,** see Kuhn, W.B., *T-MTT Jan 01* 31-38
- Ichikawa, K.,** see Takeda, S., *MWSYM 01* 479-482 vol.1
- Iezekiel, S.,** see Dixon, B.J., *T-MTT Aug 01* 1404-1409
- Igarashi, T.,** see Yamamoto, T., *MWSYM 01* 1055-1058 vol.2
- Ighigeanu, D.,** see Martin, D., *T-MTT Mar 01* 542-545
- Ikeda, Y.,** see Horiguchi, K., *MWSYM 01* 797-800 vol.2
- Ikeda, Y.,** see Yamauchi, K., *MWSYM 01* 1071-1074 vol.2
- Ikeda, Y.,** see Yamauchi, K., *T-MTT Dec 01* 2501-2506
- Ikeda, T.,** see Oka, T., *RFIC 01* 199-202
- Ikematsu, H.,** see Tajima, K., *MWSYM 01* 709-712 vol.2
- Ik-Soo Chang,** see Hee Yong Hwang, *MWSYM 01* 1483-1486 vol.3
- Ikuina, K.,** see Ito, M., *MWSYM 01* 1597-1600 vol.3
- Ikuina, K.,** see Ito, M., *T-MTT Dec 01* 2431-2436
- Ikushima, T.,** see Taniguchi, E., *MWSYM 01* 285-288 vol.1
- Ikushima, T.,** see Taniguchi, E., *RFIC 01* 227-230
- Imanishi, I.,** see Nakatani, T., *MWSYM 01* 281-284 vol.1
- Imanishi, I.,** see Nakatani, T., *RFIC 01* 223-226
- Imanishi, K.,** see Suzuki, T., *MWSYM 01* 595-598 vol.1
- Imanishi, K.,** see Suzuki, T., *RFIC 01* 291-294
- Im Heung-Jae,** see Heung-Jae Im, *T-MTT Nov 01* 2142-2146
- Imura, M.,** see Su, Q.-X., *T-MTT Apr 01* 769-778
- Inagaki, K.,** see Akiyama, T., *T-MTT Oct 01* 2055-2061
- Inoue, A., S. Nakatsuka, S. Suzuki, K. Yamamoto, T. Shimura, R. Hattori, and Y. Mitsui.** Direct measurement of the maximum operating region in GaAs HBTs for RF power amplifiers; *MWSYM 01* 1687-1690 vol.3
- Inoue, K.,** see Ebihara, K., *MWSYM 01* 649-652 vol.2
- Inoue, K.,** see Nishikawa, K., *MWSYM 01* 1881-1884 vol.3
- Ipin, J.S.,** see Solano, M.A., *T-MTT Sep 01* 1663-1664
- Ishibashi, T.,** see Ito, H., *MWSYM 01* 65-68 vol.1
- Ishida, O.,** see Horiguchi, K., *MWSYM 01* 797-800 vol.2
- Ishida, O.,** see Tajima, K., *MWSYM 01* 709-712 vol.2
- Ishii, H.,** see Minotani, T., *MWSYM 01* 57-60 vol.1
- Ishii, H.,** see Hirata, A., *T-MTT Nov 01* 2157-2162
- Ishii, T.,** see Nishikawa, K., *MWSYM 01* 1881-1884 vol.3
- Ishikawa, O.,** see Nakatani, T., *MWSYM 01* 281-284 vol.1
- Ishikawa, O.,** see Nakatani, T., *RFIC 01* 223-226
- Ishikura, K.,** see Takenaka, I., *MWSYM 01* 645-648 vol.2
- Ishizaki, T.,** see Nakamura, H., *T-MTT Apr 01* 761-768
- Iskander, M.F., Zhijun Zhang, Z. Yun, R. Isom, M. Hawkins, R. Emrick, B. Bosco, J. Synowczynski, and B. Gersten.** New phase shifters and phased antenna array designs based on ferroelectric materials and CTS technologies; *MWSYM 01* 259-262 vol.1
- Iskander, M.F.,** see White, M.J., *T-MTT Mar 01* 422-430
- Iskander, M.F., Z. Yun, Z. Zhang, R. Jensen, and S. Redd.** Design of a low-cost 2-D beam-steering antenna using ferroelectric material and CTS technology; *T-MTT May 01* 1000-1003
- Iskander, M.F., Z. Zhang, Z. Yun, R. S. Isom, M. G. Hawkins, R. Emrick, B. Bosco, J. Synowczynski, and B. Gersten.** New phase shifters and phased antenna array designs based on ferroelectric materials and CTS technologies; *T-MTT Dec 01* 2547-2553
- Islam, M.S., S. Murthy, T. Itoh, M.C. Wu, D. Novak, R.B. Waterhouse, D.L. Sivco, and A.Y. Cho.** Velocity-matched distributed photodetectors and balanced photodetectors with p-i-n photodiodes; *T-MTT Oct 01* 1914-1920
- Islam, S.S.,** see Ahmed, A., *MWSYM 01* 579-582 vol.1
- Islam, S.S.,** see Ahmed, A., *RFIC 01* 275-278
- Islam, S.S.,** see Ahmed, A., *T-MTT Sep 01* 1518-1524
- Ismail, M.A.,** see Bandler, J.W., *MWSYM 01* 1151-1154 vol.2
- Ismail, M.A.,** see Bakr, M.H., *MWSYM 01* 2083-2086 vol.3
- Ismail, M.A.,** see Bandler, J.W., *MWSYM 01* 1007-1010 vol.2
- Ismail, M.A.,** see Bandler, J.W., *T-MTT Jan 01* 67-79
- Isobe, A.,** see Kachi, T., *MWSYM 01* 359-362 vol.1
- Isom, R.,** see Iskander, M.F., *MWSYM 01* 259-262 vol.1
- Isom, R. S.,** see Iskander, M.F., *T-MTT Dec 01* 2547-2553
- Isota, Y.,** see Tajima, K., *MWSYM 01* 709-712 vol.2
- Ito, H., H. Fushimi, Y. Muramoto, T. Furuta, and T. Ishibashi.** High-power photonic microwave generation at K- and Ku-bands using a uni-traveling-carrier photodiode; *MWSYM 01* 65-68 vol.1
- Ito, K.,** see Namiki, T., *T-MTT Apr 01* 665-670
- Ito, K.,** see Namiki, T., *T-MTT Jun 01* 1060-1066
- Ito, M., K. Maruhashi, K. Ikuina, T. Hashiguchi, S. Iwanaga, and K. Ohata.** A 60 GHz-band planar dielectric waveguide filter for flip-chip modules; *MWSYM 01* 1597-1600 vol.3
- Ito, M., K. Maruhashi, K. Ikuina, T. Hashiguchi, S. Iwanaga, and K. Ohata.** A 60-GHz-band planar dielectric waveguide filter for flip-chip modules; *T-MTT Dec 01* 2431-2436
- Itoh, H.,** see Takeda, S., *MWSYM 01* 479-482 vol.1
- Itoh, J.,** see Nakatani, T., *MWSYM 01* 281-284 vol.1
- Itoh, J.,** see Nakatani, T., *RFIC 01* 223-226
- Itoh, K.,** see Tajima, K., *MWSYM 01* 709-712 vol.2
- Itoh, K.,** see Taniguchi, E., *MWSYM 01* 285-288 vol.1
- Itoh, K., and M. Shimozawa.** Fundamental limitations of conversion loss and output power on an even harmonic mixer with junction capacitance; *MWSYM 01* 1333-1336 vol.2
- Itoh, K.,** see Taniguchi, E., *RFIC 01* 227-230
- Itoh, K.,** see Chirwa, L.C., *T-MTT May 01* 995-997
- Itoh, T.,** see Rennings, A., *MWSYM 01* 757-760 vol.2
- Itoh, T.,** see Seong-Sik Jeon, *MWSYM 01* 121-124 vol.1
- Itoh, T.,** see Sironen, M., *MWSYM 01* 547-550 vol.1
- Itoh, T.,** see Sor, J., *MWSYM 01* 307-310 vol.1
- Itoh, T.,** see Yuanxun Wang, *MWSYM 01* 741-744 vol.2
- Itoh, T.,** see Yuanxun Wang, *MWSYM 01* 805-808 vol.2
- Itoh, T.,** see Lin, S., *MWSYM 01* 1395-1398 vol.2
- Itoh, T.,** see Mori, K., *MWSYM 01* 1375-1378 vol.2
- Itoh, T.,** see Hang, C.Y., *MWSYM 01* 1079-1082 vol.2
- Itoh, T.,** see Miyamoto, R.Y., *MWSYM 01* 1119-1122 vol.2

- Itoh, T., *see* Ahn, D., *T-MTT Jan 01* 86-93
 Itoh, T., *see* Sironen, M., *T-MTT Mar 01* 442-450
 Itoh, T., *see* Hang, C.Y., *T-MTT Jun 01* 1155-1161
 Itoh, T., *see* Kondylis, G.D., *T-MTT Jul 01* 1310-1320
 Itoh, T., *see* Miyamoto, R.Y., *T-MTT Sep 01* 1658-1662
 Itoh, T., *see* Islam, M.S., *T-MTT Oct 01* 1914-1920
 Itoh, T., *see* Wang, Y., *T-MTT Dec 01* 2241-2247
 Itoh, T., *see* Sor, J., *T-MTT Dec 01* 2336-2341
 Itoh, Y., *see* Uchida, H., *MWSYM 01* 1349-1352 vol.2
 Itoh, Y., *see* Takagi, T., *T-MTT Nov 01* 2073-2079
 Itoh Tatsuo, *see* Chin-Chang Chang, *MWSYM 01* 2039-2042 vol.3
 Itoh Tatsuo, *see* Hsiao-Ping Tsai, *MWSYM 01* 2059-2062 vol.3
 Itzkovic, I., *see* Madjar, A., *MWSYM 01* 531-534 vol.1
 Ivanov, E.N., *see* Tobar, M.E., *MWSYM 01* 205-208 vol.1
 Iwamoto, M., A. Williams, Pin-Fan Chen, A. Metzger, Chengzhou Wang, L.E. Larson, and P.M. Asbeck. An extended Doherty amplifier with high efficiency over a wide power range; *MWSYM 01* 931-934 vol.2
 Iwamoto, M., *see* Keyzer, J., *MWSYM 01* 2127-2130 vol.3
 Iwamoto, M., A. Williams, P.-F. Chen, A.G. Metzger, L.E. Larson, and P.M. Asbeck. An extended Doherty amplifier with high efficiency over a wide power range; *T-MTT Dec 01* 2472-2479
 Iwamoto, Y., *see* Konno, K., *MWSYM 01* 1321-1324 vol.2
 Iwanaga, S., *see* Ito, M., *MWSYM 01* 1597-1600 vol.3
 Iwanaga, S., *see* Ito, M., *T-MTT Dec 01* 2431-2436
 Iwata, N., *see* Takenaka, I., *MWSYM 01* 645-648 vol.2
 Iwata, N., *see* Hau, G., *T-MTT Jun 01* 1194-1201
 Iyama, Y., *see* Nakahara, K., *MWSYM 01* 249-252 vol.1
 Iyama, Y., *see* Yamauchi, K., *MWSYM 01* 1071-1074 vol.2
 Iyama, Y., *see* Hieda, M., *T-MTT Dec 01* 2453-2458
 Iyama, Y., *see* Yamauchi, K., *T-MTT Dec 01* 2501-2506
 Izutsu, H., *see* Li, K., *MWSYM 01* 73-76 vol.1
- ### J
- Jackson, A., *see* Duffy, S.M., *T-MTT Jun 01* 1032-1038
 Jackson, D.R., *see* Langston, W.L., *MWSYM 01* 875-878 vol.2
 Jackson, D.R., *see* Mesa, F., *MWSYM 01* 871-874 vol.2
 Jackson, D.R., *see* Mesa, F., *T-MTT Dec 01* 2206-2215
 Jackson, D.R., *see* Langston, W.L., *T-MTT Dec 01* 2216-2226
 Jackson, R.W., *see* Wang, Z., *T-MTT Jan 01* 133-141
 Jackson, R.W., *see* Swaminathan, M., *T-MTT Oct 01* 1669-1670
 Jacob, A.F., *see* Metz, C., *MWSYM 01* 275-278 vol.1
 Jacob, A.F., *see* Metz, C., *MWSYM 01* 1115-1118 vol.2
 Jacob, A.F., *see* Reinert, J., *T-MTT Jul 01* 1266-1269
 Jacob, A.F., *see* Metz, C., *T-MTT Dec 01* 2560-2566
 Jacob, M.V., J. Mazierska, K. Leong, and J. Krupka. Novel method for calculation and measurement of unloaded Q-factor of superconducting dielectric resonators; *MWSYM 01* 1993-1996 vol.3
 Jacob, M.V., J. Mazierska, K. Leong, and J. Krupka. Simplified method for measurements and calculations of coupling coefficients and Q_0 factor of high-temperature superconducting dielectric resonators; *T-MTT Dec 01* 2401-2407
 Jacobs, C., *see* Schreier, R., *RFIC 01* 71-74
 Jacobsson, H., *see* Gevorgian, S., *MWSYM 01* 1195-1198 vol.2
 Jae-Gon Lee, Jeong-Hae Lee, and Heung-Sik Tae. Design of a nonradiative dielectric Rotman lens in the millimeter wave frequency; *MWSYM 01* 551-554 vol.1
 Jae-Hak Lee, *see* Gi-Hyon Ryu, *MWSYM 01* 201-204 vol.1
 Jae-Hee Han, *see* Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
 Jae-Hee Han, *see* Seung-June Yi, *T-MTT May 01* 938-946
 Jaehyok Yi, *see* Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
 Jaehyok Yi, Youngoo Yang, and Bumman Kim. Effect of efficiency optimization on linearity of LINC amplifiers with CDMA signal; *MWSYM 01* 1359-1362 vol.2
 Jaehyok Yi, *see* Youngoo Yang, *T-MTT Feb 01* 387-390
 Jaehyok Yi, *see* Youngoo Yang, *T-MTT Sep 01* 1626-1633
 Jae-Hyoung Park, *see* Sanghwa Jung, *MWSYM 01* 333-336 vol.1
 Jae-Hyoung Park, *see* Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
 Jaejune Jang, O. Tornblad, T. Arnborg, Qiang Chen, K. Banerjee, Zhiping Yu, and R.W. Dutton. RF LDMOS characterization and its compact modeling; *MWSYM 01* 967-970 vol.2
 Jager, D., *see* Stohr, A., *T-MTT Oct 01* 1926-1933
 Jain, N., and N. Kinayman. A novel microstrip mode to waveguide mode transformer and its applications; *MWSYM 01* 623-626 vol.2
 Jain, N., *see* Gresham, I., *T-MTT Jan 01* 44-58
 Jang Jaejune, *see* Jaejune Jang, *MWSYM 01* 967-970 vol.2
 Janke, B., *see* Kurpas, P., *MWSYM 01* 633-636 vol.2
 Janot, S., *see* Metz, C., *MWSYM 01* 1115-1118 vol.2
 Janot, S., *see* Metz, C., *T-MTT Dec 01* 2560-2566
 Jargon, J.A., *see* Remley, K.A., *MWSYM 01* 1667-1670 vol.3
 Jarry, B., *see* Nenert, L., *MWSYM 01* 1441-1444 vol.3
 Jarry, B., *see* Zaitsev, A., *MWSYM 01* 1577-1580 vol.3
 Jarry, P., *see* Guglielmi, M., *MWSYM 01* 1787-1790 vol.3
 Jarry, P., *see* Guglielmi, M., *T-MTT Oct 01* 1764-1769
 Jarvinen, E., *see* Vintola, V., *MWSYM 01* 919-922 vol.2
 Jarvinen, E., S. Kalajo, and M. Matilainen. Bias circuits for GaAs HBT power amplifiers; *MWSYM 01* 507-510 vol.1
 Jarvinen, E.A., *see* Vintola, V.T.S., *T-MTT Dec 01* 2464-2471
 Jeahyok Yi, *see* Youngoo Yang, *T-MTT Mar 01* 568-571
 Jeckeln, E.G., F.M. Ghannouchi, M. Sawan, and F. Bearegard. Efficient baseband/RF feedforward linearizer through a mirror power amplifier using software-defined radio and quadrature digital up-conversion; *MWSYM 01* 789-792 vol.2
 Jemison, W.D., *see* Wang, F., *MWSYM 01* 815-818 vol.2
 Jemison, W.D., *see* Vieira, A.J.C., *T-MTT Oct 01* 1882-1887
 Jen Hsu Chung, *see* Chung Jen Hsu, *T-MTT Feb 01* 362-368
 Jenn-Chyow Bor, *see* Yi-Huei Chen, *RFIC 01* 111-114
 Jenner, M.B., *see* Kulding, T.E., *MWSYM 01* 1535-1538 vol.3
 Jensen, R., *see* Iskander, M.F., *T-MTT May 01* 1000-1003
 Jenshan Lin, *see* Droitcour, A., *MWSYM 01* 175-178 vol.1
 Jen-Tsai Kuo, and Eric Shih. Wideband bandpass filter design with three-line microstrip structures; *MWSYM 01* 1593-1596 vol.3
 Jentzsch, A., *see* Schmuckle, F.J., *MWSYM 01* 1903-1906 vol.3
 Jentzsch, A., and W. Heinrich. Theory and measurements of flip-chip interconnects for frequencies up to 100 GHz; *T-MTT May 01* 871-878
 Jeong, S.-H., *see* Yoon, S.-J., *MWSYM 01* 771-774 vol.2
 Jeong-Hae Lee, *see* Jae-Gon Lee, *MWSYM 01* 551-554 vol.1
 Jeong-Hae Lee, *see* Yong-Hyun Park, *MWSYM 01* 2191-2194 vol.3
 Jeong Soo Lee, C. Nguyen, and T. Scullion. New uniplanar subnanosecond monocycle pulse generator and transformer for time-domain microwave applications; *T-MTT Jun 01* 1126-1129
 Jeong You Chul, *see* Lee, J., *T-MTT Oct 01* 1740-1746
 Jeon Seong-Sik, *see* Seong-Sik Jeon, *MWSYM 01* 121-124 vol.1
 Jiang Cao, *see* Shuyun Zhang, *MWSYM 01* 927-930 vol.2
 Jiang Li, *see* Sining Zhou, *RFIC 01* 241-244
 Jiang Xin, *see* Xin Jiang, *MWSYM 01* 35-38 vol.1
 Jianjun Xu, M.C.E. Yagoub, Runtao Ding, and Qi-Jun Zhang. Exact adjoint sensitivity analysis for neural based microwave modeling and design; *MWSYM 01* 1015-1018 vol.2
 Jianu, A., *see* Martin, D., *T-MTT Mar 01* 542-545
 Jianwen Bao, *see* Leoni, R.E., III, *T-MTT Jun 01* 1180-1186
 Jian Xu, Xiao-Peng Liang, and K. Shamsaifar. Full wave analysis and design of RF tunable filters; *MWSYM 01* 1449-1452 vol.3
 Jianyi Zhou, *see* Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
 Jia Pengcheng, *see* Pengcheng Jia, *MWSYM 01* 43-46 vol.1
 Jia Pengcheng, *see* Pengcheng Jia, *T-MTT Apr 01* 609-614
 Jia Sun, and M.Y.W. Chia. The novel programmable RF predistortion linearizer; *MWSYM 01* 809-812 vol.2
 Jin, W., Y. Eo, J.I. Shim, W.R. Eisenstadt, M.Y. Park, and H.K. Yu. Silicon substrate coupling noise modeling, analysis, and experimental verification for mixed signal integrated circuit design; *MWSYM 01* 1727-1730 vol.3
 Jin, Z., *see* Bary, L., *MWSYM 01* 1705-1708 vol.3
 Jin Koh Wee, *see* Ya Jun Wang, *T-MTT Aug 01* 1398-1403
 Jin-Lin Hu, Chi Hou Chan, and T.K. Sarkar. Optimal simultaneous interpolation/extrapolation algorithm of electromagnetic responses in time and frequency domains; *T-MTT Oct 01* 1725-1732
 Jin Liu, *see* Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
 Jinlong Zhang, *see* Qiang Li, *RFIC 01* 139-142
 Jinlong Zhang, *see* Qiang Li, *T-MTT Sep 01* 1546-1551
 Jin-Su Ko, *see* Kim, B., *MWSYM 01* 515-518 vol.1
 Jin-Su Ko, Hyun-Seok Kim, Sung-Gi Yang, Bonkee Kim, and Byeong-Ha Park. Bias control technique for CDMA driver amplifier to decrease current; *MWSYM 01* 2219-2222 vol.3
 Jin Zhang, *see* Zhang Jin, *MWSYM 01* 233-236 vol.1
 Jiong-Guang Su, *see* Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
 Ji Zheng, V.K. Tripathi, and A. Weisshaar. Characterization and modeling of multiple coupled on-chip interconnects on silicon substrate; *T-MTT Oct 01* 1733-1739
 Jobling, D., C. Landez, D. Frund, and A. Huot. A highly integrated UHF data receiver for vehicle applications; *RFIC 01* 187-190
 Jog, K.S., *see* Mulay, G.N., *MWSYM 01* 1999-2002 vol.3
 Johnk, R.T., *see* Weil, C.M., *MWSYM 01* 1229-1232 vol.2
 Johnson, D., *see* Zeji Gu, *MWSYM 01* 241-244 vol.1
 Johnson, R.G., *see* David, S., *MWSYM 01* 431-434 vol.1
 Johnson, W., *see* Safwata, A.M.E., *MWSYM 01* 607-610 vol.2
 Johnson, R.G., *see* Batty, W., *MWSYM 01* 667-670 vol.2
 Jongkuk Park, Jungwon Lee, Heeduck Chae, and Sangwook Nam. An iterative FEM for scattering by a 3-D cavity-backed aperture; *T-MTT Nov 01* 2147-2151
 Jong-Sik Lim, Soon-Young Eom, Jae-Hee Han, Seong-Hun Kim, Deok-Hee Lee, and Sangwook Nam. A new balanced amplifier using 6-port power divider; *MWSYM 01* 1301-1304 vol.2
 Jongsuck Bae, M. Fujita, and K. Mizuno. A 94-GHz overmoded waveguide oscillator with Gunn diodes; *MWSYM 01* 1847-1850 vol.3
 Jong-Wook Lee, Sungjae Lee, and K.J. Webb. Scalable large-signal device model for high power-density AlGaIn/GaN HEMTs on SiC; *MWSYM 01* 679-682 vol.2
 Jong-Wook Lee, and K.J. Webb. A low-loss planar microwave balun with an integrated bias scheme for push-pull amplifiers; *MWSYM 01* 197-200 vol.1
 Jong-Wook Seo, *see* Yong-Hyun Park, *MWSYM 01* 2191-2194 vol.3
 Joon-Bum Kil, Chul-Soo Kim, Kwan Sun Choi, Jun-Seok Park, and Dal Ahn. A design mapping formula of asymmetrical multi-element coupled line directional couplers; *MWSYM 01* 1293-1296 vol.2
 Joongjin Nam, *see* Youngoo Yang, *T-MTT Mar 01* 568-571
 Jordan, U., T. Olsson, V.E. Semenov, D. Anderson, and M. Lisak. Multi-carrier microwave breakdown in air-filled components; *MWSYM 01* 2223-2226 vol.3
 Jose, K.A., *see* Vinoy, K.J., *MWSYM 01* 381-384 vol.1
 Joseph, A.J., *see* Bary, L., *MWSYM 01* 1705-1708 vol.3
 Joungho Kim, *see* Heeseok Lee, *MWSYM 01* 889-892 vol.2

- Joung-Woo Park**, see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
Judaschke, R., see Hoft, M., *MWSYM 01* 1407-1410 vol.2
Jui-Pang Hsu, see Anada, T., *MWSYM 01* 1209-1212 vol.2
Jui-Yu Chang, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
Jukkala, P., see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
Ju Moon-Cheul, see Ang, K.S., *MWSYM 01* 1329-1332 vol.2
Ju Moon-cheul, see Ang, K.S., *RFIC 01* 169-172
Jun Cheng, Y. Kamiya, and T. Ohira. Adaptive beamforming of ESPAR antenna using sequential perturbation; *MWSYM 01* 133-136 vol.1
Junding Wen, see Wenquan Che, *T-MTT Apr 01* 727-730
Jung, S., see Kim, H.-T., *T-MTT Dec 01* 2394-2400
Jung, T., see Mathai, S., *T-MTT Oct 01* 1956-1961
Jung, T.J., see Wenshen Wang, *T-MTT Oct 01* 1996-2001
Jung Sanghwa, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
Jung Sanghwa, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
Jungwon Lee, see Jongkuk Park, *T-MTT Nov 01* 2147-2151
Juno Kim, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
Jun-Seok Park, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
Jun-Seok Park, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
Jun-Seok Park, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
Jun-Sik Yun, Jun-Seok Park, Dal Ahn, Kwan Sun Choi, and Juno Kim. A novel accurate design method for the hairpin type coupled line bandpass filter; *MWSYM 01* 2171-2174 vol.3
Jun Wang Ya, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
Jun Zou, J.G. Nickel, D. Trainor, Chang Liu, and J.E. Schutt-Aine. Development of vertical planar coil inductors using plastic deformation magnetic assembly (PDMA); *MWSYM 01* 193-196 vol.1
Juodawikis, P.W., J.C. Twichell, G.E. Betts, J.J. Hargreaves, R.D. Younger, J.L. Wasserman, F.J. O'Donnell, K.G. Ray, and R.C. Williamson. Optically sampled analog-to-digital converters; *T-MTT Oct 01* 1840-1853
Juraver, J.B., see Llopis, O., *MWSYM 01* 831-834 vol.2
Jyh-Wen Sheen, and Ching-Wen Tang. LTCC-MLC balun for WLAN/Bluetooth; *MWSYM 01* 315-318 vol.1

K

- Kachi, T.**, A. Isobe, A. Sumioka, K. Asai, and M. Hikita. Spurious suppression technique for edge-trap-type SAW resonators and their application to 1-GHz wide-band SAW-VCOs for mobile communications; *MWSYM 01* 359-362 vol.1
Kageyama, K., K. Saito, H. Murase, H. Utaki, and T. Yamamoto. Tunable active filters having multilayer structure using LTCC; *MWSYM 01* 1445-1448 vol.3
Kageyama, K., K. Saito, H. Murase, H. Utaki, and T. Yamamoto. Tunable active filters having multilayer structure using LTCC; *T-MTT Dec 01* 2421-2424
Kagiwada, R., see Guyette, A., *MWSYM 01* 1839-1842 vol.3
Kai Chang, see Rodenbeck, C.T., *MWSYM 01* 267-270 vol.1
Kai Chang, see Tae-Yeoul Yun, *MWSYM 01* 263-265 vol.1
Kai Chang, see Young-Ho Suh, *MWSYM 01* 611-614 vol.2
Kai Chang, see Tae-Yeoul Yun, *MWSYM 01* 1435-1437 vol.3
Kai Chang, see Strassner, B., *MWSYM 01* 1859-1862 vol.3
Kai-Ning Yung Edward, see Ru-Shan Chen, *T-MTT May 01* 928-937
Kajfez, D., S. Chebolu, A.A. Kishk, and M.R. Abdul-Gaffoor. Temperature dependence of composite microwave cavities; *T-MTT Jan 01* 80-85
Kalajo, S., see Jarvinen, E., *MWSYM 01* 507-510 vol.1
Kalajo, S., see Vintola, V., *MWSYM 01* 919-922 vol.2
Kalajo, S.J.K., see Vintola, V.T.S., *T-MTT Dec 01* 2464-2471
Kaleja, M.M., A.J. Herb, R.H. Raschofer, and E.M. Biebl. An I-Q mixer at 76.5 GHz using flip-chip mounted silicon Schottky diodes; *MWSYM 01* 1653-1656 vol.3
Kamel, A.H., and A.S. Omar. Effect of losses on the spectral transition of modal poles between the improper and the proper Riemann sheets; *MWSYM 01* 715-718 vol.2
Kamisaka, T., T. Kuri, and K. Kitayama. Simultaneous modulation and fiber-optic transmission of 10-Gb/s baseband and 60-GHz-band radio signals on a single wavelength; *T-MTT Oct 01* 2013-2017
Kamitsuna, H., Y. Matsuoka, S. Yamahata, and N. Shigekawa. Ultrahigh-speed InP/InGaAs DHPs for OEMMICs; *T-MTT Oct 01* 1921-1925
Kamiya, Y., see Jun Cheng, *MWSYM 01* 133-136 vol.1
Kamo, A., see Suzuki, M., *T-MTT Oct 01* 1708-1714
Kamogawa, K., see Nishikawa, K., *MWSYM 01* 87-90 vol.1
Kamogawa, K., see Piernas, B., *MWSYM 01* 189-192 vol.1
Kamogawa, K., see Nishikawa, K., *MWSYM 01* 1881-1884 vol.3
Kanamaluru, S., see Fathy, A., *MWSYM 01* 377-380 vol.1
Kandasamy, P., and N. Okamoto. Resonant modes of a concentric spherical cavity with conically stratified medium; *T-MTT Jan 01* 111-118
Kang, K., see Kim, H.-T., *T-MTT Dec 01* 2394-2400
Kang, N.-K., see Lew, D.-W., *T-MTT Jan 01* 220-224
Kangashlahti, P., T. Gaier, D. Dawson, J. Tuovinen, T. Karttaavi, M. Lahdes, N.J. Hughes, T.L. Cong, P. Jukkala, P. Sjoman, and S. Weinreb. Low noise amplifiers in InP technology for pseudo correlating millimeter wave radiometer; *MWSYM 01* 1959-1962 vol.3
Kang Gang, see Gandhi, O.P., *MWSYM 01* 147-150 vol.1
Kang Gang, see Gandhi, O.P., *T-MTT Sep 01* 1607-1613
Kang Kyungteh, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
Kang Sanghoon, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
Kang Xiao-Kang, see Le-Wei Li, *T-MTT Mar 01* 532-541
Kano, H., see Suzuki, T., *MWSYM 01* 595-598 vol.1
Kano, H., see Suzuki, T., *RFIC 01* 291-294
Kan Sha, see Wenquan Che, *T-MTT Apr 01* 727-730
Kantartzis, N.V., M. Gatzianas, T.I. Kosmanis, and T.D. Tsiboukis. Analysis of multipoint waveguide structures by a higher-order FDTD methodology based on non-orthogonal curvilinear grids; *MWSYM 01* 2051-2054 vol.3
Kapilevich, B., see Zaitsev, A., *MWSYM 01* 1577-1580 vol.3
Kapusta, H., see McNamara, B., *RFIC 01* 13-16
Karode, S., see Brabetz, T., *T-MTT Mar 01* 465-469
Karode, S., and V. Fusco. Retro-transceiver array using monopole antennas; *T-MTT Mar 01* 565-568
Karpuz, C., see Gorur, A., *T-MTT Feb 01* 410-411
Karttaavi, T., see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
Kasahara, M., see Miyaguchi, K., *MWSYM 01* 237-240 vol.1
Kasahara, M., see Miyaguchi, K., *T-MTT Dec 01* 2446-2452
Kashaev, N.K., see Denisenko, V.V., *MWSYM 01* 2247-2250 vol.3
Katehi, L.P.B., see Pacheco, S.P., *MWSYM 01* 321-324 vol.1
Katehi, L.P.B., see Peroulis, D., *MWSYM 01* 341-344 vol.1
Katehi, L.P.B., see Sarri, C.D., *MWSYM 01* 749-752 vol.2
Katehi, L.P.B., see Sarri, C.D., *MWSYM 01* 753-756 vol.2
Katehi, L.P.B., see Simons, R.N., *MWSYM 01* 215-218 vol.1
Katehi, L.P.B., see Reano, R.M., *MWSYM 01* 1523-1526 vol.3
Katehi, L.P.B., see Lu, L.-H., *MWSYM 01* 1285-1288 vol.2
Katehi, L.P.B., see Robertson, R.L., *MWSYM 01* 2015-2018 vol.3
Katehi, L.P.B., see Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
Katehi, L.P.B., see Drayton, R.F., *T-MTT Feb 01* 308-314
Katehi, L.P.B., see Yang, K., *T-MTT May 01* 849-857
Katehi, L.P.B., see Ponchak, G.E., *T-MTT May 01* 866-870
Katehi, L.P.B., see Herrick, K.J., *T-MTT Apr 01* 600-608
Katehi, L.P.B., see Becker, J.P., *T-MTT Oct 01* 1671-1676
Katehi, L.P.B., see Sarri, C.D., *T-MTT Dec 01* 2248-2257
Katehi, L.P.B., see Reano, R.M., *T-MTT Dec 01* 2523-2531
Kats, B.M., V.P. Meschanov, and A.L. Khvalin. Synthesis of superwide-band matching adapters in round coaxial lines; *T-MTT Mar 01* 575-579
Katsenelenbaum, B.Z., see Ederla, I., *T-MTT Apr 01* 637-645
Katz, A. Multi-carrier 16QAM over a linearized TWTA; *MWSYM 01* 1145-1148 vol.2
Kawai, T., Y. Kokubo, and I. Ohta. Broadband lumped-element 180-degree hybrids utilizing lattice circuits; *MWSYM 01* 47-50 vol.1
Kazekami, Y., see Takagi, T., *T-MTT Nov 01* 2073-2079
Kazovsky, L.G., see Sabido, D.J.M., *T-MTT Oct 01* 1950-1955
Kee, S.D., I. Aoki, and D. Rutledge. 7-MHz, 1.1-kW demonstration of the new E/F_{2,odd} switching amplifier class; *MWSYM 01* 1505-1508 vol.3
Ke Gong, see Gorur, A., *T-MTT Feb 01* 410-411
Kelcourse, M.F., see Kinayman, N., *MWSYM 01* 2231-2234 vol.3
Ke-Li Wu, see MacPhie, R.H., *T-MTT Jun 01* 1132-1136
Kelley, M.H. The electronic kilogram; *MWSYM 01* 857-860 vol.2
Kenington, P.B., M. Cope, R.M. Bennett, and J. Bishop. A GSM-EDGE high power amplifier utilising digital linearisation; *MWSYM 01* 1517-1520 vol.3
Kennan, W., see Abey, W., *MWSYM 01* 923-926 vol.2
Kenneth, K.O., see Hung, C.-M., *T-MTT Jan 01* 17-22
Kenney, J.S., see Hyunchul Ku, *MWSYM 01* 17-20 vol.1
Kerherve, E., see Guglielmi, M., *MWSYM 01* 1787-1790 vol.3
Kerherve, E., see Guglielmi, M., *T-MTT Oct 01* 1764-1769
Kerr, A.R., see Lauria, E.F., *MWSYM 01* 1645-1648 vol.3
Kerssenbrock, T.v., see Tessmann, A., *MWSYM 01* 543-546 vol.1
Ke Shyh-Yeong, see Shyh-Yeong Ke, *T-MTT Mar 01* 571-574
Ketterl, T., T. Weller, and D. Fries. A micromachined tunable CPW resonator; *MWSYM 01* 345-348 vol.1
Ke Wu, see Deslandes, D., *MWSYM 01* 619-622 vol.2
Ke Wu, and F. Boone. Guided-wave properties of synthesized nonradiative dielectric waveguide for substrate integrated circuits (SICs); *MWSYM 01* 723-726 vol.2
Ke Wu, see Gagne, J.-F., *MWSYM 01* 1093-1096 vol.2
Ke Wu, see Belaid, M., *MWSYM 01* 1835-1838 vol.3
Ke Wu, see Tatu, S.O., *MWSYM 01* 1809-1812 vol.3
Keyzer, J., J. Hinrichs, A. Metzger, M. Iwamoto, I. Galton, and P. Asbeck. Digital generation of RF signals for wireless communications with band-pass delta-sigma modulation; *MWSYM 01* 2127-2130 vol.3
Khan, N.G., see Ernst, C., *T-MTT Jan 01* 192-196
Khanna, A.P.S., E. Topacio, E. Gane, and D. Elad. Low jitter silicon bipolar based VCOs for applications in high speed optical communication systems; *MWSYM 01* 1567-1570 vol.3
Khapaev, M.M. Inductance extraction of multilayer finite-thickness superconductor circuits; *T-MTT Jan 01* 217-220
Khaw, M., see Megahed, M., *MWSYM 01* 1899-1902 vol.3
Khazaka, R., and M. Nakhla. Multi-level passive order reduction of interconnect networks; *MWSYM 01* 1155-1158 vol.2
Khorram, S., see Darabi, H., *RFIC 01* 89-91
Khuri-Yakub, B.T., see Hansen, S.T., *MWSYM 01* 2243-2246 vol.3
Khvalin, A.L., see Kats, B.M., *T-MTT Mar 01* 575-579
Kian Sen Ang, M.J. Underhill, and I.D. Robertson. Transmission-line stabilized monolithic oscillators; *T-MTT Feb 01* 395-398
Kian Sen Ang, and I.D. Robertson. Analysis and design of impedance-transforming planar Marchand baluns; *T-MTT Feb 01* 402-406
Kikkert, C.J., see Lawrey, E.P., *T-MTT Nov 01* 2131-2136
Kil Joon-Bum, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
Killey, R.L., C.P. Liu, M. Whitehead, P. Stavrinou, J.B. Song, J.S. Chadha, D. Wake, C.C. Button, G. Parry, and A.J. Seeds. Multiple-quantum-well

- asymmetric Fabry-Perot modulators for microwave photonic applications; *T-MTT Oct 01* 1888-1893
- Kim, B.**, Jin-Su Ko, and K. Lee. Highly linear CMOS RF MMIC amplifier using multiple gated transistors and its Volterra series analysis; *MWSYM 01* 515-518 vol.1
- Kim, C.-S.**, see Ahn, D., *T-MTT Jan 01* 86-93
- Kim, D.-S.**, see Yoon, S.-J., *MWSYM 01* 771-774 vol.2
- Kim, H.**, see Green, B.M., *T-MTT Dec 01* 2486-2493
- Kim, H.-T.**, S. Jung, K. Kang, J.-H. Park, Y.-K. Kim, and Y. Kwon. Low-loss analog and digital micromachined impedance tuners at the Ka-band; *T-MTT Dec 01* 2394-2400
- Kim, J.**, see Ahn, D., *T-MTT Jan 01* 86-93
- Kim, J.**, see Lee, J., *T-MTT Oct 01* 1740-1746
- Kim, J.M.**, see Chun, J.C., *MWSYM 01* 2251-2254 vol.3
- Kim, T.S.**, see Chun, J.C., *MWSYM 01* 2251-2254 vol.3
- Kim, Y.-J.**, see Yoon, S.-J., *MWSYM 01* 771-774 vol.2
- Kim, Y.-K.**, see Kim, H.-T., *T-MTT Dec 01* 2394-2400
- Kim Bonkee**, see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- Kim Bumman**, see Youngoo Yang, *MWSYM 01* 793-796 vol.2
- Kim Bumman**, see Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
- Kim Bumman**, see Jaehyok Yi, *MWSYM 01* 1359-1362 vol.2
- Kim Bumman**, see Youngoo Yang, *T-MTT Feb 01* 387-390
- Kim Bumman**, see Youngoo Yang, *T-MTT Mar 01* 568-571
- Kim Bumman**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Kim Bumman**, see Youngoo Yang, *T-MTT Sep 01* 1626-1633
- Kim Cheon Soo**, see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Kim Cheon-Soo**, see Yong-Sik Youn, *RFIC 01* 257-260
- Kim Chul-Soo**, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
- Kim Chul-Soo**, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
- Kim Dae-Hyun**, see Gi-Hyon Ryu, *MWSYM 01* 201-204 vol.1
- Kim Dong-Sik**, see Ang, K.S., *MWSYM 01* 1329-1332 vol.2
- Kim Dong-sik**, see Ang, K.S., *RFIC 01* 169-172
- Kim Hong-Teuk**, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Kim Hyungtak**, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Kim Hyun-Seok**, see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- Kimishima, M.**, T. Ataka, and H. Okabe. A family of Q, V and W-band monolithic resistive mixers; *MWSYM 01* 115-118 vol.1
- Kim Joungho**, see Heeseok Lee, *MWSYM 01* 889-892 vol.2
- Kim Juno**, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
- Kim Nam-Soo**, see Yong-Sik Youn, *RFIC 01* 257-260
- Kim Seong-Hun**, see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Kim Woonyun**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Kim Woopoung**, see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Kim Yong-Kweon**, see Chang-Wook Back, *MWSYM 01* 211-214 vol.1
- Kim Yong-Kweon**, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
- Kim Yong-Kweon**, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Kinayman, N.**, see Jain, N., *MWSYM 01* 623-626 vol.2
- Kinayman, N.**, M. Bonilla, M.F. Kelcourse, J. Redus, and K. Anderson. High-accuracy digital 5-bit 0.8-2 GHz MMIC RF attenuator for cellular phones; *MWSYM 01* 2231-2234 vol.3
- Kinayman, N.**, see Gresham, I., *T-MTT Jan 01* 44-58
- King, R.W.P.**, see Lapin, G.D., *T-MTT Apr 01* 734-736
- King, R.W.P.**, see Bridges, W.B., *T-MTT Apr 01* 736-738
- Kingon, A.I.**, see Tombak, A., *MWSYM 01* 1453-1456 vol.3
- Kirby, P.**, see Su, Q.-X., *T-MTT Apr 01* 769-778
- Kirilenko, A.**, D. Kulik, L. Rud, V. Tkachenko, and P. Pramanick. Electromagnetic modeling of multi-layer microwave circuits by the longitudinal decomposition approach; *MWSYM 01* 1257-1260 vol.2
- Kirilenko, A.**, L. Rud, V. Tkachenko, and D. Kulik. Evanescent-mode bandpass filters based on ridged waveguide sections and inductive strips; *MWSYM 01* 1317-1320 vol.2
- Kirkpatrick, D.**, see Gitsevich, A., *MWSYM 01* 1423-1426 vol.3
- Kirmayr, A.**, see Reindl, L., *T-MTT Apr 01* 803-808
- Kishi, K.**, see Takenaka, I., *MWSYM 01* 645-648 vol.2
- Kishi, M.**, see Ozeki, Y., *T-MTT Oct 01* 1986-1991
- Kishihara, M.**, I. Ohta, and K. Yamane. Design of HNRD guide to E-plane waveguide transitions and directional couplers by transverse resonance technique; *MWSYM 01* 627-630 vol.2
- Kishimoto, Y.**, see Takeda, S., *MWSYM 01* 479-482 vol.1
- Kishk, A.A.**, see Abdul-Gaffoor, M.R., *MWSYM 01* 1933-1936 vol.3
- Kishk, A.A.**, see Kajfez, D., *T-MTT Jan 01* 80-85
- Kishk, A.A.**, see Chen, J., *T-MTT Feb 01* 263-279
- Kitayama, K.**, see Kamisaka, T., *T-MTT Oct 01* 2013-2017
- Kitayama, K.**, see Kuri, T., *T-MTT Oct 01* 2025-2029
- Kitazawa, T.**, see Yamamoto, S., *RFIC 01* 195-198
- Ki-Woong Chung**, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
- Kleber, J.**, see Hayden, J.S., *MWSYM 01* 219-222 vol.1
- Kleber, J.**, see Lange, K.L., *MWSYM 01* 337-340 vol.1
- Klein, N.**, see Vitusevich, S., *MWSYM 01* 1977-1980 vol.3
- Kleiner, M.A.**, and R.N. Afsar. Steady-state determination for RF circuits using Krylov-subspace methods in SPICE; *MWSYM 01* 2091-2094 vol.3
- Klepser, B.-U.**, see Pretl, H., *RFIC 01* 9-12
- Klepser, B.-U.H.**, M. Scholz, and J.J. Kucera. A 5.7 GHz Hiperlan SiGe BiCMOS voltage-controlled oscillator and phase-locked-loop frequency synthesizer; *RFIC 01* 61-64
- Knapp, H.**, see Ritzberger, G., *MWSYM 01* 701-704 vol.2
- Knapp, H.**, D. Zoschg, T. Meister, K. Aufinger, S. Boguth, and L. Treitinger. 15 GHz wideband amplifier with 2.8 dB noise figure in SiGe bipolar technology; *MWSYM 01* 591-594 vol.1
- Knapp, H.**, see Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Knapp, H.**, D. Zoschg, T. Meister, K. Aufinger, S. Boguth, and L. Treitinger. 15 GHz wideband amplifier with 2.8 dB noise figure in SiGe bipolar technology; *RFIC 01* 287-290
- Knauer, U.**, see Reindl, L., *T-MTT Apr 01* 787-794
- Knochel, R.**, see Weiss, M., *T-MTT Feb 01* 381-384
- Knockaert, L.**, J. Sercu, and D. De Zutter. Generalized polygonal basis functions for the electromagnetic simulation of complex geometrical planar structures; *MWSYM 01* 1249-1252 vol.2
- Kobayashi, H.**, J. Hinrichs, and P.M. Asbeck. Current mode class-D power amplifiers for high efficiency RF applications; *MWSYM 01* 939-942 vol.2
- Kobayashi, H.**, J. M. Hinrichs, and P. M. Asbeck. Current-mode class-D power amplifiers for high-efficiency RF applications; *T-MTT Dec 01* 2480-2485
- Kobayashi, S.**, see Uchida, K., *T-MTT May 01* 858-865
- Kobayashi, Y.**, and T. Hashimoto. Design of an image-type dielectric resonator to measure surface resistance of a high- T_c superconductor film; *MWSYM 01* 495-498 vol.1
- Kobayashi, Y.**, see Shimizu, T., *MWSYM 01* 2195-2198 vol.3
- Koch, S.**, see Gerhard, G., *T-MTT Mar 01* 559-562
- Koh Wee Jin**, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Ko Jin-Su**, see Kim, B., *MWSYM 01* 515-518 vol.1
- Ko Jin-Su**, see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- Kojuharow, K.**, M. Sauer, and C. Schaffer. Millimeter-wave signal properties resulting from electrooptical upconversion; *T-MTT Oct 01* 1977-1985
- Kokubo, Y.**, see Kawai, T., *MWSYM 01* 47-50 vol.1
- Kolak, F.**, and C. Eswarappa. A low profile 77 GHz three beam antenna for automotive radar; *MWSYM 01* 1107-1110 vol.2
- Kolding, T.E.**, see Reynisson, R.V., *MWSYM 01* 1273-1276 vol.2
- Kolding, T.E.** Shield-based microwave on-wafer device measurements; *T-MTT Jun 01* 1039-1044
- Kolev, S.**, B. Delacressonniere, and J.-L. Gautier. Using a negative capacitance to increase the tuning range of a varactor diode in MMIC technology; *MWSYM 01* 1581-1584 vol.3
- Kolev, S.**, B. Delacressonniere, and J.-L. Gautier. Using a negative capacitance to increase the tuning range of a varactor diode in MMIC technology; *T-MTT Dec 01* 2425-2430
- Kollberg, E.L.**, see Gevorgian, S.S., *T-MTT Nov 01* 2117-2124
- Koller, R.**, see Springer, A., *T-MTT Apr 01* 754-760
- Kolundzija, B.**, see Chow, Y.L., *MWSYM 01* 1757-1760 vol.3
- Kom, A.**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Komaru, M.**, see Takagi, T., *T-MTT Nov 01* 2073-2079
- Kompa, G.**, see Bunz, B., *MWSYM 01* 111-114 vol.1
- Komuro, E.**, see Su, Q.-X., *T-MTT Apr 01* 769-778
- Kondo, M.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Kondo, M.**, see Washio, K., *T-MTT Jan 01* 3-8
- Kondylis, G.D.**, F. De Flaviis, G.J. Pottier, and T. Itoh. A memory-efficient formulation of the finite-difference time-domain method for the solution of Maxwell equations; *T-MTT Jul 01* 1310-1320
- Konno, K.**, M. Kubota, and Y. Iwamoto. A compact elliptic-function BPF using triple-mode cavities for terrestrial digital television transmitters; *MWSYM 01* 1321-1324 vol.2
- Konrath, W.**, see Schallner, M., *MWSYM 01* 2179-2182 vol.3
- Kooi, K.S.**, see Ooi, B.L., *RFIC 01* 155-157
- Kooi, P.-S.**, see Ooi, B.-L., *T-MTT Jan 01* 210-213
- Kooi, P.S.**, see Ooi, B.L., *T-MTT Jul 01* 1289-1294
- Kooi Pang-Shyan**, see Le-Wei Li, *T-MTT Mar 01* 532-541
- Kositz, J.**, see Salib, M., *MWSYM 01* 1075-1078 vol.2
- Kosmanis, T.I.**, see Kantartzis, N.V., *MWSYM 01* 2051-2054 vol.3
- Kotsuka, Y.**, and M. Amano. A method of effective use of ferrite for microwave absorber; *MWSYM 01* 1187-1190 vol.2
- Kozhuharov, R.**, see Angelov, I., *MWSYM 01* 407-410 vol.1
- Kpogla, D.**, see Ang, K.S., *RFIC 01* 169-172
- Krasser, G.**, see Schuchter, W., *RFIC 01* 183-186
- Krauss, T.F.**, see Reynolds, A.L., *T-MTT Oct 01* 1860-1867
- Krawczak, P.**, see Avramov, I.D., *T-MTT Apr 01* 827-837
- Kreutel, R.W.** User equipment antennas for broadband NGSO satellite communications systems; *MWSYM 01* 1137-1139 vol.2
- Kreysa, E.**, see Sarnowski, M., *T-MTT Oct 01* 1868-1872
- Krishnamurthi, K.**, see Wang, D., *RFIC 01* 249-252
- Krishnamurthy, V.**, see Pham, A., *T-MTT Oct 01* 1747-1749
- Krishnan, S.**, see Urteaga, M., *MWSYM 01* 1713-1716 vol.3
- Krowne, C.M.** Derivation of analytical dyadic Green's function modifications for microstrip attenuation in transmission layered structures; *MWSYM 01* 1221-1224 vol.2
- Kruck, A.**, see Bischof, W., *RFIC 01* 35-38
- Kruck, P.**, see Fischerauer, G., *MWSYM 01* 351-354 vol.1
- Kruhlik, R.J.**, see Schneider, J.B., *T-MTT Feb 01* 280-287
- Krupka, J.**, see Jacob, M.V., *MWSYM 01* 1993-1996 vol.3
- Krupka, J.**, see Jacob, M.V., *T-MTT Dec 01* 2401-2407
- Kubota, M.**, see Konno, K., *MWSYM 01* 1321-1324 vol.2
- Kucera, J.J.**, see Klepser, B.-U.H., *RFIC 01* 61-64
- Kudszus, S.**, see Tessmann, A., *MWSYM 01* 543-546 vol.1
- Kudszus, S.**, W.H. Haydl, A. Tessmann, W. Bronner, and M. Schlechtweg. Push-push oscillators for 94 and 140 GHz applications using standard pseudomorphic GaAs HEMTs; *MWSYM 01* 1571-1574 vol.3
- Kuhn, N.**, see Hassun, R., *MWSYM 01* 1683-1686 vol.3
- Kuhn, W.B.**, see Kythakyapuzha, S.R., *MWSYM 01* 587-590 vol.1
- Kuhn, W.B.** Student-designed Bluetooth radio in silicon-on-sapphire; *RFIC 01* 107-110
- Kuhn, W.B.**, see Kythakyapuzha, S.R., *RFIC 01* 283-286

- Kuhn, W.B.**, and N.M. Ibrahim. Analysis of current crowding effects in multiturn spiral inductors; *T-MTT Jan 01* 31-38
- Kuhne, R.**, and J. Marquardt. Modal analysis of waveguide antennas with arbitrary cross sections; *T-MTT Nov 01* 2152-2156
- Kuhnert, H.**, F. Lenk, J. Hilsenbeck, J. Wurfl, and W. Heinrich. Low phase-noise GaInP/GaAs-HBT MMIC oscillators up to 36 GHz; *MWSYM 01* 1551-1554 vol.3
- Kuhnert, H.**, see Strohm, K.M., *MWSYM 01* 1563-1566 vol.3
- Ku Hyunchul**, see Hyunchul Ku, *MWSYM 01* 17-20 vol.1
- Kulding, T.E.**, M.B. Jenner, and S. Laursen. Microwave on-wafer characterization of three-port devices using shield-based test-fixtures; *MWSYM 01* 1535-1538 vol.3
- Kulik, D.**, see Kirilenko, A., *MWSYM 01* 1257-1260 vol.2
- Kulik, D.**, see Kirilenko, A., *MWSYM 01* 1317-1320 vol.2
- Kumar, K.**, D. Sievenpiper, L. Zhang, R.F.J. Broas, N.G. Alexopolous, and E. Yablonovitch. Comments on "High-impedance electromagnetic surfaces with a forbidden frequency band" [and reply]; *T-MTT Jan 01* 228
- Kumar Settaluri, R.**, A. Weisshaar, and V.K. Tripathi. Design of compact multilevel folded-line bandpass filters; *T-MTT Oct 01* 1804-1809
- Kundu, A.C.**, and I. Awai. Control of attenuation pole frequency of a dual-mode microstrip ring resonator bandpass filter; *T-MTT Jun 01* 1113-1117
- Kun-You Lin**, see Yu-Jiu Wang, *MWSYM 01* 253-256 vol.1
- Kuo Chin-Wei**, see Chin-Wei Kuo, *RFIC 01* 165-168
- Kuo-Hua Hsu**, see Yeong-Lin Lai, *T-MTT Aug 01* 1410-1418
- Kuo Jen-Tsai**, see Jen-Tsai Kuo, *MWSYM 01* 1593-1596 vol.3
- Kuri, T.**, see Kamisaka, T., *T-MTT Oct 01* 2013-2017
- Kuri, T.**, and K. Kitayama. Optical heterodyne detection of millimeter-wave-band radio-on-fiber signals with a remote dual-mode local light source; *T-MTT Oct 01* 2025-2029
- Kuroda, S.**, see Shimura, T., *MWSYM 01* 245-248 vol.1
- Kuroda, S.**, see Mimino, Y., *MWSYM 01* 2167-2170 vol.3
- Kuroki, F.**, S. Shinke, E. Suematsu, H. Sato, and T. Yoneyama. Wireless multi-channel TV-signal distribution system by using NRD guide transmitter and receiver at 60 GHz; *MWSYM 01* 1813-1816 vol.3
- Kuroki, F.**, M. Yamaguchi, Y. Minamitani, and T. Yoneyama. New type of millimeter wave antenna by using the high permittivity LSE NRD guide; *MWSYM 01* 1205-1208 vol.2
- Kurosawa, S.**, see Avramov, I.D., *T-MTT Apr 01* 827-837
- Kurpas, P.**, F. Brunner, R. Doemer, B. Janke, P. Heymann, A. Maasdorf, W. Doser, P. Auxemery, H. Blanck, D. Pons, J. Wurfl, and W. Heinrich. High-voltage GaAs power-HBTs for base-station amplifiers; *MWSYM 01* 633-636 vol.2
- Kurusu, H.**, see Miyaguchi, K., *MWSYM 01* 237-240 vol.1
- Kurusu, H.**, see Nakahara, K., *MWSYM 01* 249-252 vol.1
- Kurusu, H.**, see Sasaki, Y., *MWSYM 01* 1067-1070 vol.2
- Kurusu, H.**, see Miyaguchi, K., *T-MTT Dec 01* 2446-2452
- Kurusu, H.**, see Hieda, M., *T-MTT Dec 01* 2453-2458
- Kuzuhara, M.**, see Contrata, W., *MWSYM 01* 819-822 vol.2
- Kuzuhara, M.**, see Wakejima, A., *RFIC 01* 151-154
- Kwai-Man Luk**, see Xiang-Yin Zeng, *T-MTT Apr 01* 585-588
- Kwang Lee Ching**, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Kwang-Seok Seo**, see Gi-Hyon Ryu, *MWSYM 01* 201-204 vol.1
- Kwan Sun Choi**, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
- Kwan Sun Choi**, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
- Kwan Sun Choi**, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
- Kwei, C.M.**, see Chan, K.T., *MWSYM 01* 763-766 vol.2
- Kwok Wa Leung** Complex resonance and radiation of hemispherical dielectric-resonator antenna with a concentric conductor; *T-MTT Mar 01* 524-531
- Kwon, Y.**, see Kim, H.-T., *T-MTT Dec 01* 2394-2400
- Kwon Youngwoo**, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Kwon Youngwoo**, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
- Kwon Youngwoo**, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Kyoung Yang**, see Reano, R.M., *MWSYM 01* 1523-1526 vol.3
- Kyriazidou, C.A.**, H.F. Contopanagos, and N.G. Alexopoulos. Monolithic waveguide filters using printed photonic-bandgap materials; *T-MTT Feb 01* 297-307
- Kythakyapuzha, S.R.**, and W.B. Kuhn. Modeling of inductors and transformers; *MWSYM 01* 587-590 vol.1
- Kythakyapuzha, S.R.**, and W.B. Kuhn. Modeling of inductors and transformers; *RFIC 01* 283-286
- Kyunggho Lee**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Kyungteh Kang**, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
- Kyutae Lim**, A. Obatoyinbo, A. Sutono, S. Chakraborty, Chang-Ho Lee, E. Gebara, A. Raghavan, and J. Laskar. A highly integrated transceiver module for 5.8 GHz OFDM communication system using multi-layer packaging technology; *MWSYM 01* 1739-1742 vol.3
- Kyu Yoon Yong**, see Chen, Y.C., *MWSYM 01* 523-526 vol.1
- Kyu Yu Hyu**, see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3

L

- Lahdes, M.**, see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
- Lai, R.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Lai, R.**, see Huei Wang, *T-MTT Jan 01* 9-16
- Lai, R.**, see Archer, J.W., *T-MTT Nov 01* 2080-2085
- Laisne, A.**, R. Gillard, and G. Piton. A new multiresolution near-field to near-field transform suitable for multi-region FDTD schemes; *MWSYM 01* 893-896 vol.2
- Laisne, A.**, see Amari, S., *T-MTT Mar 01* 413-421
- Lai Yeong-Lin**, see Yeong-Lin Lai, *MWSYM 01* 1261-1264 vol.2
- Lai Yeong-Lin**, see Yeong-Lin Lai, *T-MTT Aug 01* 1410-1418
- Lajugie, M.**, see Duperrier, C., *MWSYM 01* 1063-1066 vol.2
- Lajugie, M.**, see Duperrier, C., *T-MTT Dec 01* 2494-2500
- Lakshminarayanan, B.**, T. Weller, and M. Oldenburg. 60 GHz coplanar waveguide couplers and slotline transition on polished beryllium oxide; *MWSYM 01* 1305-1308 vol.2
- Lal, N.**, see Matinpour, B., *MWSYM 01* 1337-1339 vol.2
- Lal, N.**, see Matinpour, B., *T-MTT Dec 01* 2459-2463
- Laloue, A.**, A. Lyoubi, M. Camiade, J.C. Nallatamby, M. Valenza, M. Prigent, and J. Obregon. A measurement based distributed low frequency noise HEMT model: application to design of millimeter wave automotive radar chip sets; *MWSYM 01* 423-426 vol.1
- Laloue, A.**, J.-C. Nallatamby, M. Camiade, M. Prigent, and J. Obregon. New system-level simulation of noise spectra distortion in FM-CW autonomous cruise control radar; *MWSYM 01* 459-462 vol.1
- Lam, C.F.**, see Narasimha, A., *T-MTT Oct 01* 2042-2047
- Lampariello, P.**, see Burghignoli, P., *MWSYM 01* 719-722 vol.2
- Lampariello, P.**, see Burghignoli, P., *T-MTT Dec 01* 2197-2205
- Lan, E.**, B. Pitts, M. Mikhov, and O. Hartin. InGaP PHEMTs for wireless power applications; *MWSYM 01* 2155-2157 vol.3
- Lan, K.**, see Ooi, B.L., *RFIC 01* 155-157
- Lancaster, M.J.**, see Hieng Tiong Su, *MWSYM 01* 1985-1988 vol.3
- Lancaster, M.J.**, see Yeo, K.S.K., *T-MTT Feb 01* 321-327
- Landen, L.**, see Zirath, H., *T-MTT Nov 01* 2086-2092
- Landez, C.**, see Jobling, D., *RFIC 01* 187-190
- Lane, P.**, see Al-Taei, S., *MWSYM 01* 51-54 vol.1
- Laneve, T.**, see Hettak, K., *T-MTT Nov 01* 2112-2116
- Laney, D.C.**, L.E. Larson, P. Chan, J. Malinowski, D. Harame, S. Subbanna, R. Volant, and M. Case. Microwave transformers, inductors and transmission lines implemented in an Si/SiGe HBT process; *T-MTT Aug 01* 1507-1510
- Lange, K.L.**, J. Papapolymerou, C.L. Goldsmith, A. Malczewski, and J. Kleber. A reconfigurable double-stub tuner using MEMS devices; *MWSYM 01* 337-340 vol.1
- Langston, W.L.**, J.T. Williams, D.R. Jackson, and F. Mesa. Spurious radiation from a practical source on a leaky covered microstrip line; *MWSYM 01* 875-878 vol.2
- Langston, W.L.**, J.T. Williams, D.R. Jackson, and F. Mesa. Spurious radiation from a practical source on a covered microstrip line; *T-MTT Dec 01* 2216-2226
- Lan Hai**, see Weisshaar, A., *MWSYM 01* 1753-1756 vol.3
- Lapierre, L.**, see Duperrier, C., *MWSYM 01* 2067-2070 vol.3
- Lapin, G.D.**, A.W. Guy, and R.W.P. King. Comments on "Electric current and electric field induced in the human body when exposed to an incident electric field near the resonant frequency" and "Electric fields induced in cells in the bodies of amateur radio operators by their transmitting antennas" [and reply]; *T-MTT Apr 01* 734-736
- Larcheveque, R.**, see Bolcato, P., *MWSYM 01* 451-454 vol.1
- Larsen, T.**, see Reynisson, R.V., *MWSYM 01* 1273-1276 vol.2
- Larson, J.D., III**, see Bradley, P., *MWSYM 01* 367-370 vol.1
- Larson, L.E.**, see Gard, K., *MWSYM 01* 9-12 vol.1
- Larson, L.E.**, see Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Larson, L.E.**, see Xuejun Zhang, *MWSYM 01* 801-804 vol.2
- Larson, L.E.**, see Chengzhou Wang, *RFIC 01* 39-42
- Larson, L.E.**, see Laney, D.C., *T-MTT Aug 01* 1507-1510
- Larson, L.E.**, see Asbeck, P.M., *T-MTT Nov 01* 2163-2169
- Larson, L.E.**, see Iwamoto, M., *T-MTT Dec 01* 2472-2479
- Larson, L.E.**, see Zhang, X., *T-MTT Dec 01* 2507-2516
- Lascaux, C.**, F. Rouchaud, V. Madrangeas, M. Aubourg, P. Guillon, B. Theron, and M. Maignan. Planar Ka-band high temperature superconducting filters for space applications; *MWSYM 01* 487-490 vol.1
- Laskar, J.**, see Chen, Y.C., *MWSYM 01* 523-526 vol.1
- Laskar, J.**, see Heo, D., *MWSYM 01* 915-918 vol.2
- Laskar, J.**, see Lee, C.-H., *MWSYM 01* 945-948 vol.2
- Laskar, J.**, see Matinpour, B., *MWSYM 01* 567-570 vol.1
- Laskar, J.**, see Raghavan, A., *MWSYM 01* 571-574 vol.1
- Laskar, J.**, see Suh, Y., *MWSYM 01* 971-974 vol.2
- Laskar, J.**, see Davis, M.F., *MWSYM 01* 1731-1734 vol.3
- Laskar, J.**, see Nuttinck, S., *MWSYM 01* 2151-2154 vol.3
- Laskar, J.**, see Bergman, J.L., *MWSYM 01* 2183-2186 vol.3
- Laskar, J.**, see Hongwei Liang, *MWSYM 01* 1915-1918 vol.3
- Laskar, J.**, see Matinpour, B., *MWSYM 01* 1337-1339 vol.2
- Laskar, J.**, see Chen, Y.E., *MWSYM 01* 1289-1292 vol.2
- Laskar, J.**, see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
- Laskar, J.**, see Matinpour, B., *MWSYM 01* 1089-1091 vol.2
- Laskar, J.**, see Matinpour, B., *RFIC 01* 263-266
- Laskar, J.**, see Raghavan, A., *RFIC 01* 267-270
- Laskar, J.**, see Sutono, A., *T-MTT Oct 01* 1715-1724
- Laskar, J.**, see Pham, A., *T-MTT Oct 01* 1747-1749
- Laskar, J.**, see Nuttinck, S., *T-MTT Dec 01* 2413-2420
- Laskar, J.**, see Matinpour, B., *T-MTT Dec 01* 2459-2463
- Laso, M.A.G.**, see Lopetegi, T., *T-MTT Sep 01* 1593-1598
- Lasri, J.**, A. Bilenca, G. Eisenstein, and D. Ritter. Optoelectronic mixing, modulation, and injection locking in millimeter-wave self-oscillating InP/InGaAs heterojunction bipolar photo transistors-single and dual transistor configurations; *T-MTT Oct 01* 1934-1939
- Latouche, Y.**, D. Gasperoni, and J.J. Herren. High power C-band dielectric resonator filters for output multiplexers; *MWSYM 01* 1607-1610 vol.3

- Lauria, E.F.**, A.R. Kerr, M.W. Pospieszalski, S.-K. Pan, J.E. Effland, and A.W. Lichtenberger. A 200-300 GHz SIS mixer-preamplifier with 8 GHz IF bandwidth; *MWSYM 01* 1645-1648 vol.3
- Laursen, S.**, see Kuldung, T.E., *MWSYM 01* 1535-1538 vol.3
- Law, C.L.**, see Xiong, Y.Z., *MWSYM 01* 1971-1974 vol.3
- Lawrey, E.P.**, and C.J. Kikkert. Maximizing signal strength for OFDM inside buildings; *T-MTT Nov 01* 2131-2136
- Lazzi, G.**, see Ozkar, M., *MWSYM 01* 1403-1406 vol.2
- Lecomte, B.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Lecours, M.**, see Wang, Q., *T-MTT Jan 01* 128-132
- Lecuyer, F.**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Lecuyer, F.**, see Al-Zayed, A., *T-MTT Jun 01* 1067-1072
- Lederer, F.**, see Reynolds, A.L., *T-MTT Oct 01* 1860-1867
- Lee, C.-H.**, see Raghavan, A., *MWSYM 01* 571-574 vol.1
- Lee, C.-H.**, A. Sutono, S. Han, and J. Laskar. A compact LTCC Ku-band transmitter module with integrated filter for satellite communication applications; *MWSYM 01* 945-948 vol.2
- Lee, C.H.**, see Safwata, A.M.E., *MWSYM 01* 607-610 vol.2
- Lee, C.-H.**, see Raghavan, A., *RFIC 01* 267-270
- Lee, H.**, see Lee, J., *T-MTT Oct 01* 1740-1746
- Lee, H.S.**, and H.J. Eom. Scattering from a cylindrical waveguide with rectangular corrugations; *T-MTT Feb 01* 315-320
- Lee, J.**, H. Lee, S. Baek, You Chul Jeong, and J. Kim. Pulse-coupling measurement of coupled microstrip lines using a micromachined picosecond optical near-field probe; *T-MTT Oct 01* 1740-1746
- Lee, J.-F.**, see Sun, D.-K., *T-MTT Feb 01* 398-402
- Lee, J.S.**, and C. Nguyen. A low-cost uniplanar sampling down-converter with internal local oscillator, pulse generator, and IF amplifier; *T-MTT Feb 01* 390-392
- Lee, K.**, see Kim, B., *MWSYM 01* 515-518 vol.1
- Lee, K.C.**, and P. Gardner. Comparison of different adaptation algorithms for adaptive digital predistortion based on EDGE standard; *MWSYM 01* 1353-1356 vol.2
- Lee, R.**, see Darabi, H., *RFIC 01* 89-91
- Lee, R.F.**, and C.R. Westgate. Analysis of planar strip array antenna for MRI; *MWSYM 01* 159-162 vol.1
- Lee, S.**, see Green, B.M., *T-MTT Dec 01* 2486-2493
- Lee, S.-G.**, see Yoon, S.-J., *MWSYM 01* 771-774 vol.2
- Lee, Y.**, see Becker, J.P., *T-MTT Oct 01* 1671-1676
- Lee, Y.C.**, see Hoivik, N., *MWSYM 01* 2115-2118 vol.3
- Lee Chang-Ho**, see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
- Lee Ching Kwang**, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Lee Deok-Hee**, see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Lee Heeseok**, see Heeseok Lee, *MWSYM 01* 889-892 vol.2
- Lee Jae-Gon**, see Jae-Gon Lee, *MWSYM 01* 551-554 vol.1
- Lee Jae-Hak**, see Gi-Hyon Ryu, *MWSYM 01* 201-204 vol.1
- Lee Jeong-Hae**, see Jae-Gon Lee, *MWSYM 01* 551-554 vol.1
- Lee Jeong-Hae**, see Yong-Hyun Park, *MWSYM 01* 2191-2194 vol.3
- Lee Jeong Soo**, see Jeong Soo Lee, *T-MTT Jun 01* 1126-1129
- Lee Jong-Wook**, see Jong-Wook Lee, *MWSYM 01* 197-200 vol.1
- Lee Jong-Wook**, see Jong-Wook Lee, *MWSYM 01* 679-682 vol.2
- Lee Jungwon**, see Jongkuk Park, *T-MTT Nov 01* 2147-2151
- Lee Kyungho**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Lee Sanggeon**, see Adamczyk, O.H., *T-MTT Oct 01* 1962-1967
- Lee Sheng-Yuan**, see Chih-Ming Tsai, *MWSYM 01* 2175-2178 vol.3
- Lee Sungjae**, see Jong-Wook Lee, *MWSYM 01* 679-682 vol.2
- Lee Sungjae**, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Lee Sung-Won**, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
- Leete, J.C.**, see Darabi, H., *RFIC 01* 89-91
- Lee-Yin Chen**, see Pengcheng Jia, *T-MTT Apr 01* 609-614
- Le Gallou, N.**, E. Ngoya, H. Buret, D. Barataud, and J.M. Nebus. An improved behavioral modeling technique for high power amplifiers with memory; *MWSYM 01* 983-986 vol.2
- Le Gallou, N.**, J.M. Nebus, E. Ngoya, and H. Buret. Analysis of low frequency memory and influence on solid state HPA intermodulation characteristics; *MWSYM 01* 979-982 vol.2
- Legay, H.**, see Loison, R., *T-MTT Jan 01* 119-127
- Lehmensiek, R.**, see Steyn, W., *MWSYM 01* 1163-1166 vol.2
- Lehmensiek, R.**, and P. Meyer. Using efficient multivariate adaptive sampling by minimizing the number of computational electromagnetic analysis needed to establish accurate interpolation models; *MWSYM 01* 1749-1752 vol.3
- Lehmensiek, R.**, and P. Meyer. Creating accurate multivariate rational interpolation models of microwave circuits by using efficient adaptive sampling to minimize the number of computational electromagnetic analyses; *T-MTT Aug 01* 1419-1430
- Leifso, C.**, and J.W. Haslett. A fully integrated active inductor with independent voltage tunable inductance and series-loss resistance; *T-MTT Apr 01* 671-676
- Leiker, W.**, and K. Naishadham. Statistical construction of a representative CAD model from a measured population for RF design applications; *MWSYM 01* 2079-2082 vol.3
- Lei Su-Tak**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Lei Su-Tak Chad**, see Wenyan Ding, *MWSYM 01* 1851-1854 vol.3
- Lembo, L.J.**, see Wenshen Wang, *T-MTT Oct 01* 1996-2001
- Le Nadan, T.**, C. Person, and J.P. Coupez. A complete integrated TX/RX front-end combining 3D topologies and global synthesis; *MWSYM 01* 957-960 vol.2
- Lenk, F.**, see Kuhnert, H., *MWSYM 01* 1551-1554 vol.3
- Lenk, F.**, see Heymann, P., *MWSYM 01* 1967-1970 vol.3
- Lenoir, B.**, D. Baillargeat, S. Verdeyme, P. Guillon, C. Zanchi, and J. Puech. Periodic structures for original design of voluminous and planar microwave filters; *MWSYM 01* 1479-1482 vol.3
- Leone, R.**, and H.Y.D. Yang. Design of surface-wave band-gaps for planar integrated circuits using multiple periodic metallic patch arrays; *MWSYM 01* 1213-1216 vol.2
- Leong, K.**, see Jacob, M.V., *MWSYM 01* 1993-1996 vol.3
- Leong, K.**, see Jacob, M.V., *T-MTT Dec 01* 2401-2407
- Leong, M.S.**, see Ooi, B.L., *RFIC 01* 155-157
- Leong, M.-S.**, see Ooi, B.-L., *T-MTT Jan 01* 210-213
- Leong, S.K.**, see McShane, E., *MWSYM 01* 2135-2138 vol.3
- Leong, Y.C.**, see Huei Wang, *T-MTT Jan 01* 9-16
- Leong Mook-Seng**, see Le-Wei Li, *T-MTT Mar 01* 532-541
- Leong Mook-Seng**, see Sheng-Li Lin, *T-MTT Jun 01* 1136-1139
- Leong Mook-Seng**, see Le-Wei Li, *T-MTT Jul 01* 1361-1364
- Leong Yoke Choy**, see Samoska, L., *MWSYM 01* 1805-1808 vol.3
- Leoni, R.E., III.**, see Matinpour, B., *MWSYM 01* 1337-1339 vol.2
- Leoni, R.E., III.**, M.S. Shirokov, Jianwen Bao, and J.C.M. Hwang. A phenomenologically based transient SPICE model for digitally modulated RF performance characteristics of GaAs MESFETs; *T-MTT Jun 01* 1180-1186
- Leoni, R.E., III.**, see Matinpour, B., *T-MTT Dec 01* 2459-2463
- Leung Kwok Wa**, see Kwok Wa Leung, *T-MTT Mar 01* 524-531
- Leuthold, P.E.**, see Truffer, P., *T-MTT Apr 01* 692-700
- Leuzzi, G.**, see Colantonio, P., *MWSYM 01* 511-514 vol.1
- Leven, A.**, V. Hurm, R. Reuter, and J. Rosenzweig. Design of narrow-band photoreceivers by means of the photodiode intrinsic conductance; *T-MTT Oct 01* 1908-1913
- Leveque, P.**, see Blondeaux, H., *MWSYM 01* 137-140 vol.1
- Levy, R.**, and P. Petre. Design of CT and CQ filters using approximation and optimization; *MWSYM 01* 1467-1470 vol.3
- Levy, R.**, and P. Petre. Design of CT and CQ filters using approximation and optimization; *T-MTT Dec 01* 2350-2356
- Lew, D.-W.**, J.-S. Park, D. Ahn, N.-K. Kang, C.S. Yoo, and J.-B. Lim. A design of the ceramic chip balun using the multilayer configuration; *T-MTT Jan 01* 220-224
- Le-Wei Li**, Xiao-Kang Kang, Mook-Seng Leong, Pang-Shyan Kooi, and Tat-Soon Yeo. Electromagnetic dyadic Green's functions for multilayered spheroidal structures. I: formulation; *T-MTT Mar 01* 532-541
- Le-Wei Li**, see Sheng-Li Lin, *T-MTT Jun 01* 1136-1139
- Le-Wei Li**, Shenghong Liu, Mook-Seng Leong, and Tat-Soon Yeo. Circular cylindrical waveguide filled with uniaxial anisotropic media electromagnetic fields and dyadic Green's functions; *T-MTT Jul 01* 1361-1364
- Li, G.L.**, S.A. Pappert, C.K. Sun, W.S.C. Chang, and P.K.L. Yu. Wide bandwidth traveling-wave InGaAsP/InP electroabsorption modulator for millimeter wave applications; *MWSYM 01* 61-64 vol.1
- Li, J.-P.**, see Zheng, J., *MWSYM 01* 1265-1268 vol.2
- Li, K.**, and H. Izutsu. Photodetection, photonic feeding coplanar patch antenna and transmitting experiment for radio-on-fiber system; *MWSYM 01* 73-76 vol.1
- Li, P.**, Hui Wu, Tong Li, K. Chin, and Wenquan Sui. Broadband time-domain characterization of multiple flip-chip interconnects; *MWSYM 01* 1891-1894 vol.3
- Li, S.-Q.**, Y. Yu, C.H. Chan, K.F. Chan, and L. Tsang. A sparse-matrix/canonical grid method for analyzing densely packed interconnects; *T-MTT Jul 01* 1221-1228
- Liang Hongwei**, see Hongwei Liang, *MWSYM 01* 1915-1918 vol.3
- Liang-Hung Lu**, S. Mohammadi, Zhenqiang Ma, G.E. Ponchak, S.A. Alterovitz, K.M. Strohm, J.-F. Luy, P. Bhattacharya, and L.P.B. Katehi. SiGe power heterojunction bipolar transistors (HBTs) fabricated by fully self-aligned double mesa technology; *MWSYM 01* 1709-1712 vol.3
- Liang Qingqing**, see Guofu Niu, *RFIC 01* 147-150
- Liang Qingqing**, see Guofu Niu, *T-MTT Sep 01* 1558-1565
- Liang Tao**, see Tao Liang, *RFIC 01* 117-120
- Liang Xiao-Peng**, see Xiao-Peng Liang, *MWSYM 01* 1457-1460 vol.3
- Liang Xiao-Peng**, see Jian Xu, *MWSYM 01* 1449-1452 vol.3
- Liao Hsin-Hsing**, see Huei Wang, *T-MTT Jan 01* 9-16
- Liberti, M.**, see Bruna, S., *MWSYM 01* 167-170 vol.1
- Lichtenberger, A.W.**, see Lauria, E.F., *MWSYM 01* 1645-1648 vol.3
- Li Dun**, see Dun Li, *MWSYM 01* 563-566 vol.1
- Li Jiang**, see Sining Zhou, *RFIC 01* 241-244
- Li Le-Wei**, see Le-Wei Li, *T-MTT Mar 01* 532-541
- Li Le-Wei**, see Sheng-Li Lin, *T-MTT Jun 01* 1136-1139
- Li Le-Wei**, see Le-Wei Li, *T-MTT Jul 01* 1361-1364
- Lim, C.**, D. Novak, A. Nirmalathas, and G.H. Smith. Dispersion-induced power penalties in millimeter-wave signal transmission using multisection DBR semiconductor laser; *T-MTT Feb 01* 288-296
- Lim, C.**, see Nirmalathas, A., *T-MTT Oct 01* 2006-2012
- Lim, J.-B.**, see Lew, D.-W., *T-MTT Jan 01* 220-224
- Lim, K.**, see Suh, Y., *MWSYM 01* 971-974 vol.2
- Lim, K.**, see Davis, M.F., *MWSYM 01* 1731-1734 vol.3
- Lim, K.-S.**, see Yoon, S.-J., *MWSYM 01* 771-774 vol.2
- Lim, Y.C.M.**, see Mostafavi, R.F., *MWSYM 01* 1795-1798 vol.3
- Lim, Y.C.M.**, see Mostafavi, R.F., *T-MTT Dec 01* 2369-2375
- Lim, Z.S.**, see Chun, J.C., *MWSYM 01* 2251-2254 vol.3
- Li Ming-Yi**, see Rodenbeck, C.T., *MWSYM 01* 267-270 vol.1
- Limiti, E.**, see Colantonio, P., *MWSYM 01* 511-514 vol.1
- Limiti, E.**, see Avitabile, G., *MWSYM 01* 1585-1588 vol.3
- Lim Jong-Sik**, see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2

- Lim Kyutae**, see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
- Lin, C.H.**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Lin, D.M.**, and J.B.Y. Tsui. A software GPS receiver for weak signals; *MWSYM 01* 2139-2142 vol.3
- Lin, J.**, see Chan, K.T., *MWSYM 01* 763-766 vol.2
- Lin, S.**, Y. Qian, and T. Itoh. A low noise active integrated antenna receiver for monopulse radar applications; *MWSYM 01* 1395-1398 vol.2
- Lin, X.E.**, see Hill, M.E., *T-MTT May 01* 998-1000
- Lin, Y.-S.**, and C.H. Chen. Novel lumped-element uniplanar transitions; *T-MTT Dec 01* 2322-2330
- Lindenmeier, S.**, J.F. Luy, and P. Russer. A multifunctional antenna for terrestrial and satellite radio applications; *MWSYM 01* 393-396 vol.1
- Lindenmeier, S.**, see Rheinfelder, C.N., *MWSYM 01* 2239-2242 vol.3
- Ling Tian**, see Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
- Lin Jianshan**, see Droitcour, A., *MWSYM 01* 175-178 vol.1
- Lin Kun-You**, see Yu-Jiu Wang, *MWSYM 01* 253-256 vol.1
- Lin Sheng-Li**, see Sheng-Li Lin, *T-MTT Jun 01* 1136-1139
- Lin Yo-Shen**, see Yo-Shen Lin, *MWSYM 01* 615-618 vol.2
- Lin Zhang**, see Wichaidit, C., *MWSYM 01* 163-166 vol.1
- Li Ping**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Lipparini, A.**, see Rizzoli, V., *MWSYM 01* 25-28 vol.1
- Lippens, D.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Li Qiang**, see Qiang Li, *RFIC 01* 139-142
- Li Qiang**, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Li Qing-Xiang**, see Gandhi, O.P., *MWSYM 01* 147-150 vol.1
- Li Qing-Xiang**, see Gandhi, O.P., *T-MTT Sep 01* 1607-1613
- Lisak, M.**, see Jordan, U., *MWSYM 01* 2223-2226 vol.3
- Lissel, E.**, see Metz, C., *MWSYM 01* 275-278 vol.1
- Lissel, E.**, see Metz, C., *MWSYM 01* 1115-1118 vol.2
- Lissel, E.**, see Metz, C., *T-MTT Dec 01* 2560-2566
- Li Tong**, see Li, P., *MWSYM 01* 1891-1894 vol.3
- Li Tong**, see Tong Li, *MWSYM 01* 1023-1026 vol.2
- Liu, C.P.**, see Killey, R.L., *T-MTT Oct 01* 1888-1893
- Liu, K.**, see Deshpande, M.R., *MWSYM 01* 403-406 vol.1
- Liu, K.**, S.M. El-Ghazaly, V. Nair, M. Deshpande, N. El-Zein, and H. Goronkin. Analysis and design of active antenna arrays; *MWSYM 01* 1383-1386 vol.2
- Liu, P.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Liu, S.**, see Pond, J.M., *T-MTT Dec 01* 2363-2368
- Liu, W.Y.**, D.P. Steenson, and M.B. Steer. Membrane-supported copper E-plane circuits; *MWSYM 01* 539-542 vol.1
- Liu Chang**, see Jun Zou, *MWSYM 01* 193-196 vol.1
- Liu Fuhun**, see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Liu Jin**, see Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
- Liuqing Yang**, see Shouyuan Shi, *T-MTT Sep 01* 1614-1619
- Liu Shaojun**, see Pond, J.M., *MWSYM 01* 1771-1774 vol.3
- Liu Shenghong**, see Le-Wei Li, *T-MTT Jul 01* 1361-1364
- Liu Wei**, see Wei Liu, *MWSYM 01* 2043-2046 vol.3
- Liu Yu**, see Acikel, B., *MWSYM 01* 1191-1194 vol.2
- Li Wei**, see Qiang Li, *RFIC 01* 139-142
- Li Wei**, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Liyang Zhang**, see Sining Zhou, *RFIC 01* 241-244
- Li Yifei**, see Yifei Li, *T-MTT Oct 01* 2048-2054
- Li Yinggang**, see Schuppener, G., *RFIC 01* 177-180
- Llopis, O.**, J.B. Juraver, B. Tamen, F. Danneville, M. Chaubet, A. Cappy, and J. Graffeuil. Nonlinear noise modeling of a PHEMT device through residual phase noise and low frequency noise measurements; *MWSYM 01* 831-834 vol.2
- Llopis, O.**, see Bary, L., *MWSYM 01* 1705-1708 vol.3
- Lloyd, J.**, see Schreier, R., *RFIC 01* 71-74
- Lluch-Ladron-de-Guevara, J.**, see Torregrosa-Penalva, G., *MWSYM 01* 953-956 vol.2
- Locke, J.**, see Warble, K., *MWSYM 01* 993-996 vol.2
- Lodenkamper, R.**, see Wenshen Wang, *T-MTT Oct 01* 1996-2001
- Loison, R.**, R. Gillard, J. Citerne, G. Piton, and H. Legay. A multiresolution MoM analysis of multiport structures using matched terminations; *T-MTT Jan 01* 119-127
- Long, S.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Lopetegi, T.**, M.A.G. Laso, J. Hernandez, M. Bacaicoa, D. Benito, M.J. Garde, M. Sorolla, and M. Guglielmi. New microstrip "Wiggly-Line" filters with spurious passband suppression; *T-MTT Sep 01* 1593-1598
- Lopez, D.**, see Lubecke, V.M., *T-MTT Nov 01* 2093-2098
- Lopez-Villegas, J.M.**, see Siero, J., *RFIC 01* 121-124
- Lorenz, P.**, see Zehentner, J., *MWSYM 01* 1217-1220 vol.2
- Lott, U.**, see Ellinger, F., *T-MTT Jan 01* 203-206
- Lott, U.**, see Ellinger, F., *T-MTT May 01* 964-969
- Lotz, R.**, and F. Arndt. FD-FD GSM technique for the CAD and optimization of combline filters; *MWSYM 01* 1253-1256 vol.2
- Lovelace, D.**, and R. Disilvestro. High performance flip-chip multi-mode, multi-band VCO IC using a standard low cost BiCMOS process; *RFIC 01* 57-60
- Lu, L.-H.**, S. Mohammadi, G.E. Ponchak, P. Bhattacharya, and L.P.B. Katehi. Design and implementation of micromachined lumped quadrature (90°) hybrids; *MWSYM 01* 1285-1288 vol.2
- Lu, S.-S.**, T.-W. Chen, H.-C. Chen, and C. Meng. The origin of the kink phenomenon of transistor scattering parameter S_{22} ; *T-MTT Feb 01* 333-340
- Lu, S.-S.**, T.-W. Chen, H.-C. Chen, and C.-C. Meng. A novel interpretation of transistor S-parameters by poles and zeros for RF IC circuit design; *T-MTT Feb 01* 406-409
- Lu, Y.**, see Yoon, Y.J., *T-MTT Feb 01* 393-395
- Lubecke, V.**, see Droitcour, A., *MWSYM 01* 175-178 vol.1
- Lubecke, V.M.**, B. Barber, E. Chan, D. Lopez, M.E. Gross, and P. Gammel. Self-assembling MEMS variable and fixed RF inductors; *T-MTT Nov 01* 2093-2098
- Lucero, R.**, W. Qutteneh, A. Pavio, D. Meyers, and J. Estes. Design of an LTCC switch diplexer front-end module for GSM/DCS/PCS applications; *RFIC 01* 213-216
- Lucyszyn, S.**, see Dahlmann, G.W., *MWSYM 01* 329-332 vol.1
- Lucyszyn, S.**, see McPherson, D.S., *T-MTT Aug 01* 1451-1461
- Luftner, T.**, see Neurauder, B., *MWSYM 01* 705-708 vol.2
- Luinge, W.**, see van der Vorst, M.J.M., *T-MTT Jun 01* 1118-1125
- Lui Wayne**, see Hirono, T., *T-MTT Sep 01* 1640-1648
- Luk Kwai-Man**, see Xiang-Yin Zeng, *T-MTT Apr 01* 585-588
- Lu Liang-Hung**, see Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Luong, H.C.**, see Chunbing Guo, *RFIC 01* 79-82
- Luo Sifen**, see Sifen Luo, *RFIC 01* 217-220
- Luo Sifen**, see Sifen Luo, *T-MTT Sep 01* 1552-1557
- Luy, J.F.**, see Lindenmeier, S., *MWSYM 01* 393-396 vol.1
- Luy, J.-F.**, see Strohm, K.M., *MWSYM 01* 1563-1566 vol.3
- Luy, J.-F.**, see Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Luy, J.-F.**, see Rheinfelder, C.N., *MWSYM 01* 2239-2242 vol.3
- Lynch, J.J.**, and R.A. York. Synchronization of oscillators coupled through narrow-band networks; *T-MTT Feb 01* 237-249
- Lyoubi, A.**, see Laloue, A., *MWSYM 01* 423-426 vol.1

M

- Ma, S.P.**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Maas, S.** Guest editorial [intro. to the mini-special issue on the 2000 IEEE Radio and Wireless Conference (RAWCON)]; *T-MTT Aug 01* 1369
- Maasdorf, A.**, see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Macchiarella, G.**, see Fumagalli, M., *MWSYM 01* 1799-1802 vol.3
- Macchiarella, G.**, see D'Oro, S.C., *T-MTT Jun 01* 1045-1049
- Machac, J.**, see Zehentner, J., *MWSYM 01* 1217-1220 vol.2
- Machida, K.**, see Minotani, T., *MWSYM 01* 57-60 vol.1
- MacPhie, R.H.**, and Ke-Li Wu. A full-wave modal analysis of inhomogeneous waveguide discontinuities with both planar and circular cylindrical boundaries; *T-MTT Jun 01* 1132-1136
- Madihian, M.**, H. Fujii, H. Yoshida, H. Suzuki, and T. Tamazaki. A 1-10 GHz 0.18μm-CMOS chipset for multi-mode wireless applications; *MWSYM 01* 1865-1868 vol.3
- Madjar, A.**, T. Blum, M. Namer, I. Itzkovic, and B. Zusmanovic. A novel method for closed-loop error correction microwave and millimeter wave QPSK modulator; *MWSYM 01* 531-534 vol.1
- Madjar, A.**, see Yost, T.A., *T-MTT Oct 01* 1900-1907
- Madrangeas, V.**, see Lascaux, C., *MWSYM 01* 487-490 vol.1
- Maeda, K.**, see Taniguchi, E., *MWSYM 01* 285-288 vol.1
- Maeda, K.**, see Taniguchi, E., *RFIC 01* 227-230
- Maeda, R.**, see Yasunaga, T., *RFIC 01* 65-68
- Maestrini, A.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Maestrini, A.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Maestrini, A.**, see Maiwald, F., *MWSYM 01* 1637-1640 vol.3
- Maestrini, A.**, J. Bruston, D. Pukala, S. Martin, and I. Mehdi. Performance of a 1.2 THz frequency tripler using a GaAs frameless membrane monolithic circuit; *MWSYM 01* 1657-1660 vol.3
- Maestrini, A.**, see Schlecht, E., *MWSYM 01* 1649-1652 vol.3
- Mahalingam, M.**, and E. Mares. Infrared temperature characterization of high power RF devices; *MWSYM 01* 2199-2202 vol.3
- Mahmoud, S.F.**, see Pieters, P., *T-MTT Apr 01* 589-599
- Mahon, S.J.**, J.T. Harvey, and A.C. Young. Wide-band MMIC Kowari mixer/phase shifters; *T-MTT Jul 01* 1229-1234
- Maignan, M.**, see Lascaux, C., *MWSYM 01* 487-490 vol.1
- Main, E.**, see Coffing, D., *T-MTT Jan 01* 23-30
- Maiwald, F.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Maiwald, F.**, S. Martin, J. Bruston, A. Maestrini, T. Crawford, and P.H. Siegel. 2.7 THz waveguide tripler using monolithic membrane diodes; *MWSYM 01* 1637-1640 vol.3
- Majedi, A.H.**, S.K. Chaudhuri, R. Mansour, and S. Safavi-Nacini. Optoelectronic RF harmonic generation and mixing in high-T_c superconducting film; *MWSYM 01* 1989-1992 vol.3
- Majedi, A.H.**, S.K. Chaudhuri, and S. Safavi-Nacini. Optical-microwave interaction modeling in high-temperature superconducting films; *T-MTT Oct 01* 1873-1881
- Majorov, A.V.**, see Denisenko, V.V., *MWSYM 01* 2247-2250 vol.3
- Makimoto, M.**, see Matsuo, M., *T-MTT Jul 01* 1235-1240
- Makino, T.**, see Okada, T., *MWSYM 01* 1183-1186 vol.2
- Malcoci, A.**, see Stohr, A., *T-MTT Oct 01* 1926-1933
- Malczewski, A.**, see Goldsmith, C., *MWSYM 01* 227-230 vol.1
- Malczewski, A.**, see Hayden, J.S., *MWSYM 01* 219-222 vol.1
- Malczewski, A.**, see Lange, K.L., *MWSYM 01* 337-340 vol.1
- Maliepaard, M.C.**, see Djahanshahi, H., *RFIC 01* 161-164
- Malikpaard, M.C.**, see Djahanshahi, H., *T-MTT Sep 01* 1566-1572
- Malinowski, J.**, see Laney, D.C., *T-MTT Aug 01* 1507-1510
- Mallet, A.**, see Duperrier, C., *MWSYM 01* 2067-2070 vol.3
- Manes, G.**, see Cidronali, A., *MWSYM 01* 91-94 vol.1
- Manes, G.**, see Deshpande, M.R., *MWSYM 01* 403-406 vol.1
- Manes, G.**, see Cidronali, A., *MWSYM 01* 1269-1272 vol.2
- Manes, G.**, see Cidronali, A., *T-MTT Dec 01* 2437-2445
- Man-Fai Wong**, see Bonilla, M., *MWSYM 01* 2035-2038 vol.3
- Mangold, T.**, see Dressel, W., *MWSYM 01* 1033-1036 vol.2
- Manholm, L.**, see Moretti, P., *MWSYM 01* 1371-1374 vol.2

- Manlapat, A.**, see Toledo, N., *MWSYM 01* 961-964 vol.2
- Manninen, J.P.A.**, see Vuolevi, J.H.K., *T-MTT Aug 01* 1383-1389
- Mansour, R.**, see Majedi, A.H., *MWSYM 01* 1989-1992 vol.3
- Mansour, R.R.**, see Salehi, H., *MWSYM 01* 1779-1782 vol.3
- Manstretta, D.**, see Gerna, D., *RFIC 01* 191-194
- Ma Pingxi**, see Sining Zhou, *RFIC 01* 241-244
- Marcinkiewicz, W.**, see Pham, A., *T-MTT Oct 01* 1747-1749
- Mares, E.**, see Mahalingam, M., *MWSYM 01* 2199-2202 vol.3
- Margomenos, A.**, see Ponchak, G.E., *T-MTT May 01* 866-870
- Maria, J.-P.**, see Tombak, A., *MWSYM 01* 1453-1456 vol.3
- Marozsak, T.**, E. Udvardy, and T. Berceli. A combined optical-wireless broadband Internet access: transmission challenges; *MWSYM 01* 997-1000 vol.2
- Marquardt, J.**, see Kuhne, R., *T-MTT Nov 01* 2152-2156
- Marques, R.**, see Tan, E.L., *T-MTT Jun 01* 1140-1142
- Marques, R.**, see Medina, F., *T-MTT Aug 01* 1511-1513
- Marques, R.**, see Rafii-El-Idrissi, R., *T-MTT Sep 01* 1599-1606
- Marrocco, G.**, and F. Bardati. Time-domain macromodel of planar microwave devices by FDTD and moment expansion; *T-MTT Jul 01* 1321-1328
- Marshall, T.**, see Yang, K., *T-MTT May 01* 849-857
- Martel, J.**, and F. Medina. A suitable integral equation for the quasi-TEM analysis of hybrid strip/slot-like structures; *T-MTT Jan 01* 224-227
- Marti, J.**, see Ramos, F., *MWSYM 01* 77-79 vol.1
- Marti, J.**, see Corral, J.L., *T-MTT Oct 01* 1968-1976
- Marti, J.**, see Martinez, A., *T-MTT Oct 01* 2018-2024
- Martin, D.**, A. Jianu, and D. Ighigeanu. A method for the 2.45-GHz magnetron output power control; *T-MTT Mar 01* 542-545
- Martin, G.**, and D. Chen. Diffraction analysis of slanted-finger interdigital transducers; *T-MTT Apr 01* 838-843
- Martin, S.**, B. Nakamura, A. Fung, P. Smith, J. Bruston, A. Maestrini, F. Maiwald, P. Siegel, E. Schlecht, and I. Mehdi. Fabrication of 200 to 2700 GHz multiplier devices using GaAs and metal membranes; *MWSYM 01* 1641-1644 vol.3
- Martin, S.**, see Maestrini, A., *MWSYM 01* 1657-1660 vol.3
- Martin, S.**, see Maiwald, F., *MWSYM 01* 1637-1640 vol.3
- Martin, S.**, see Schlecht, E., *MWSYM 01* 1649-1652 vol.3
- Martin, W.**, see Schreier, R., *RFIC 01* 71-74
- Martinez, A.**, V. Polo, and J. Marti. Simultaneous baseband and RF optical modulation scheme for feeding wireless and wireline heterogeneous access networks; *T-MTT Oct 01* 2018-2024
- Martinez Lopez, J.I.**, see Martynyuk, A.E., *MWSYM 01* 1379-1382 vol.2
- Martynyuk, A.E.**, and J.I. Martinez Lopez. Reflective antenna arrays based on shorted ring slots; *MWSYM 01* 1379-1382 vol.2
- Maruhashi, K.**, see Ito, M., *MWSYM 01* 1597-1600 vol.3
- Maruhashi, K.**, see Ito, M., *T-MTT Dec 01* 2431-2436
- Marzinger, G.**, see Neurauter, B., *MWSYM 01* 705-708 vol.2
- Masotti, D.**, see Rizzoli, V., *MWSYM 01* 25-28 vol.1
- Massa, A.**, see Caorsi, S., *T-MTT Oct 01* 1810-1817
- Mastri, F.**, see Rizzoli, V., *MWSYM 01* 25-28 vol.1
- Mastri, F.**, see Rizzoli, V., *MWSYM 01* 435-438 vol.1
- Masuda, T.**, see Ohhata, K., *MWSYM 01* 1701-1704 vol.3
- Masuda, T.**, K. Ohhata, N. Shiramizu, E. Ohue, K. Oda, R. Hayami, H. Shimamoto, M. Kondo, T. Harada, and K. Washio. 40 Gb/s 4:1 multiplexer and 1:4 demultiplexer IC module using SiGe HBTs; *MWSYM 01* 1697-1700 vol.3
- Mathai, S.**, F. Cappelluti, T. Jung, D. Novak, R.B. Waterhouse, D. Sivco, A.Y. Cho, G. Ghione, and M.C. Wu. Experimental demonstration of a balanced electroabsorption modulated microwave photonic link; *T-MTT Oct 01* 1956-1961
- Mathew, T.**, see Urteaga, M., *MWSYM 01* 1713-1716 vol.3
- Matilainen, M.**, see Jarvinen, E., *MWSYM 01* 507-510 vol.1
- Matilainen, M.**, see Vintola, V., *MWSYM 01* 919-922 vol.2
- Matilainen, M.J.**, see Vintola, V.T.S., *T-MTT Dec 01* 2464-2471
- Matinpour, B.**, A. Sutono, and J. Laskar. A low-power direct conversion receiver module for C-band wireless applications; *MWSYM 01* 567-570 vol.1
- Matinpour, B.**, N. Lal, J. Laskar, R.E. Leoni, III, and C.S. Whelan. A K-band subharmonic down-converter in a GaAs metamorphic HEMT process; *MWSYM 01* 1337-1339 vol.2
- Matinpour, B.**, S. Yoo, and J. Laskar. A highly-integrated low-power direct conversion receiver MMIC for broadband wireless applications; *MWSYM 01* 1089-1091 vol.2
- Matinpour, B.**, A. Sutono, and J. Laskar. A low-power direct conversion receiver module for C-band wireless applications; *RFIC 01* 263-266
- Matinpour, B.**, N. Lal, J. Laskar, R.E. Leoni, III, and C.S. Whelan. K-band receiver front-ends in a GaAs metamorphic HEMT process; *T-MTT Dec 01* 2459-2463
- Matloubian, M.**, see Chih-Hung Chen, *MWSYM 01* 835-839 vol.2
- Matsui, T.**, see Shinohara, K., *MWSYM 01* 2159-2162 vol.3
- Matsumoto, H.**, see Tsujiguchi, T., *T-MTT May 01* 879-885
- Matsunaga, K.**, see Wakejima, A., *RFIC 01* 151-154
- Matsuno, T.**, see Murai, T., *MWSYM 01* 653-656 vol.2
- Matsuo, M.**, H. Yabuki, and M. Makimoto. Dual-mode stepped-impedance ring resonator for bandpass filter applications; *T-MTT Jul 01* 1235-1240
- Matsuo, M.**, see Takahashi, K., *T-MTT Nov 01* 2099-2104
- Matsuoka, Y.**, see Kamitsuna, H., *T-MTT Oct 01* 1921-1925
- Matsuura, H.**, see Uchida, K., *T-MTT May 01* 858-865
- Matsuura, S.**, see Duffy, S.M., *T-MTT Jun 01* 1032-1038
- Matthews, P.J.**, see Tulchinsky, D.A., *T-MTT Jul 01* 1248-1253
- Matthews, P.J.**, and D. Novak. Guest editorial [intro. to the special issue on microwave and millimeter-wave photonics]; *T-MTT Oct 01* 1829-1830
- Mauntel, R.**, see Stefanou, S., *MWSYM 01* 1877-1880 vol.3
- Maurer, L.**, see Pretl, H., *RFIC 01* 9-12
- Ma Zhenqiang**, see Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Mazierska, J.**, see Jacob, M.V., *MWSYM 01* 1993-1996 vol.3
- Mazierska, J.**, see Jacob, M.V., *T-MTT Dec 01* 2401-2407
- Mbabele, M.**, see Aitchison, C.S., *T-MTT Jun 01* 1148-1154
- McFarland, B.**, see Meng, T.H., *RFIC 01* 3-6
- McGee, D.**, see Fathy, A., *MWSYM 01* 377-380 vol.1
- McGinty, F.**, see Fathy, A., *MWSYM 01* 377-380 vol.1
- McGruer, N.E.**, see Oliver, S.A., *T-MTT Feb 01* 385-387
- McIntosh, A.**, see Duffy, S.M., *T-MTT Jun 01* 1032-1038
- McKnight, S.W.**, see Oliver, S.A., *T-MTT Feb 01* 385-387
- McMakin, D.L.**, see Sheen, D.M., *T-MTT Sep 01* 1581-1592
- McMorrow, R.**, see Shuyun Zhang, *MWSYM 01* 927-930 vol.2
- McNamara, B.**, S. Zhang, M. Murphy, H.M. Banzer, H. Kapusta, E. Rohrer, T. Grave, and L. Verwey. Dual-band/tri-mode receiver IC for N- and W-CDMA systems using 6th-PHEMT technology; *RFIC 01* 13-16
- McPherson, D.S.**, and S. Lucyszyn. Vector modulator for W-band software radar techniques; *T-MTT Aug 01* 1451-1461
- McShane, E.**, see Shenai, K., *MWSYM 01* 1501-1504 vol.3
- McShane, E.**, K. Shenai, and S.K. Leong. A silicon-on-insulator 28-V RF power LDMOSFET for 1-GHz integrated power amplifier applications; *MWSYM 01* 2135-2138 vol.3
- Meaney, P.M.**, see Dun Li, *MWSYM 01* 563-566 vol.1
- Mediavilla, A.**, see Garcia, J.A., *T-MTT Mar 01* 545-549
- Mediavilla, A.**, see Rodriguez-Tellez, J., *T-MTT Jul 01* 1352-1355
- Medina, F.**, see Bernal, J., *T-MTT Jan 01* 177-185
- Medina, F.**, see Martel, J., *T-MTT Jan 01* 224-227
- Medina, F.**, see Plaza, G., *T-MTT Jul 01* 1365-1368
- Medina, F.**, R. Marques, G. Antonini, A. Orlandi, and C.R. Paul. Comments on "Internal impedance of conductors of rectangular cross section" [and author's reply]; *T-MTT Aug 01* 1511-1513
- Medina, F.**, see Rafii-El-Idrissi, R., *T-MTT Sep 01* 1599-1606
- Megahed, M.**, P. Zilaro, and M. Khaw. Design and analysis of low cost IC package solution for 10 Gbit/s applications; *MWSYM 01* 1899-1902 vol.3
- Megej, A.**, see Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- Megej, A.**, K. Beilenhoff, and H.L. Hartnagel. Conditions for broadband MMIC voltage-controlled oscillators based on theory and experiments; *MWSYM 01* 1419-1422 vol.3
- Mehdi, I.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Mehdi, I.**, see Maestrini, A., *MWSYM 01* 1657-1660 vol.3
- Mehdi, I.**, see Schlecht, E., *MWSYM 01* 1649-1652 vol.3
- Meier, H.**, T. Baier, and G. Riha. Miniaturization and advanced functionalities of SAW devices; *T-MTT Apr 01* 743-748
- Meister, T.**, see Knapp, H., *MWSYM 01* 591-594 vol.1
- Meister, T.**, see Knapp, H., *RFIC 01* 287-290
- Meister, T.F.**, see Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Melcon, A.A.**, see Bozzi, M., *MWSYM 01* 1925-1928 vol.3
- Meng, C.**, see Lu, S.-S., *T-MTT Feb 01* 333-340
- Meng, C.-C.**, see Lu, S.-S., *T-MTT Feb 01* 406-409
- Meng, T.H.**, and B. McFarland. Wireless LAN revolution: from silicon to systems; *RFIC 01* 3-6
- Meng Xuejun**, see Narasimha, A., *T-MTT Oct 01* 2042-2047
- Menzel, W.**, see Strohm, K.M., *MWSYM 01* 1563-1566 vol.3
- Menzel, W.**, see Amari, S., *MWSYM 01* 1627-1630 vol.3
- Menzel, W.**, see Thiel, W., *T-MTT Sep 01* 1620-1625
- Mercier, D.**, P. Blondy, D. Cros, and P. Guillon. An electromechanical model for MEMS switches; *MWSYM 01* 2123-2126 vol.3
- Mertens, R.P.**, see Pieters, P., *T-MTT Apr 01* 589-599
- Mesa, F.**, see Langston, W.L., *MWSYM 01* 875-878 vol.2
- Mesa, F.**, D.R. Jackson, and M. Freire. High frequency leaky-mode excitation on microstrip line; *MWSYM 01* 871-874 vol.2
- Mesa, F.**, see Tan, E.L., *T-MTT Jun 01* 1140-1142
- Mesa, F.**, see Plaza, G., *T-MTT Jul 01* 1365-1368
- Mesa, F.**, D.R. Jackson, and M.J. Freire. High-frequency leaky-mode excitation on a microstrip line; *T-MTT Dec 01* 2206-2215
- Mesa, F.**, see Langston, W.L., *T-MTT Dec 01* 2216-2226
- Meschanov, V.P.**, see Kats, B.M., *T-MTT Mar 01* 575-579
- Metz, C.**, L.C. Stange, A.F. Jacob, and E. Lissel. Performance of thinned antenna arrays using nonlinear processing in DBF radar applications; *MWSYM 01* 275-278 vol.1
- Metz, C.**, J. Grubert, J. Heyen, A.F. Jacob, S. Janot, E. Lissel, G. Oberschmidt, and L.C. Stange. Fully integrated automotive radar sensor with versatile resolution; *MWSYM 01* 1115-1118 vol.2
- Metz, C.**, J. Grubert, J. Heyen, A.F. Jacob, S. Janot, E. Lissel, G. Oberschmidt, and L.C. Stange. Fully integrated automotive radar sensor with versatile resolution; *T-MTT Dec 01* 2560-2566
- Metzger, A.**, see Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Metzger, A.**, see Keyzer, J., *MWSYM 01* 2127-2130 vol.2
- Metzger, A.G.**, see Iwamoto, M., *T-MTT Dec 01* 2472-2479
- Meyer, P.**, see Steyn, W., *MWSYM 01* 1163-1166 vol.2
- Meyer, P.**, see Lehmsiek, R., *MWSYM 01* 1749-1752 vol.3
- Meyer, P.**, see Vale, C.A.W., *MWSYM 01* 1949-1952 vol.3
- Meyer, P.**, see Lehmsiek, R., *T-MTT Aug 01* 1419-1430
- Meyer, R.G.**, see Niknejad, A.M., *T-MTT Jan 01* 166-176
- Meyers, D.**, see Lucero, R., *RFIC 01* 213-216
- Mezzanotte, P.**, see Alimenti, F., *T-MTT Jan 01* 142-150
- Mezzanotte, P.**, see Cryan, M., *T-MTT Mar 01* 451-464
- Michalick, M.A.**, see Hoivik, N., *MWSYM 01* 2115-2118 vol.3

- Michaud, G.**, see Darbandi, A., *MWSYM 01* 2211-2214 vol.3
- Mikhov, M.**, see Lan, E., *MWSYM 01* 2155-2157 vol.3
- Miles, R.E.**, see Rudge, P.J., *MWSYM 01* 439-442 vol.1
- Miles, R.E.**, see Rudge, P.J., *T-MTT Dec 01* 2315-2321
- Miller, J.**, see Nevels, R., *T-MTT Apr 01* 721-724
- Miller, M.**, B. Peatman, and R. Hooper. A power PHEMT device technology for broadband wireless access; *MWSYM 01* 637-640 vol.2
- Milstein, L.B.**, see Ziemer, R.E., *T-MTT Jan 01* 228-229
- Milstein, L.B.**, see Ziemer, R.E., *T-MTT Oct 01* 1822-1823
- Mimino, Y.**, see Shimura, T., *MWSYM 01* 245-248 vol.1
- Mimino, Y.**, K. Nakamura, K. Sakamoto, Y. Aoki, S. Kuroda, and T. Tokumitsu. Design techniques of reducing chip area and highly integrated MMIC for W-band application; *MWSYM 01* 2167-2170 vol.3
- Mimura, T.**, see Shinohara, K., *MWSYM 01* 2159-2162 vol.3
- Minamitani, Y.**, see Kuroki, F., *MWSYM 01* 1205-1208 vol.2
- Minasian, R.A.**, K.E. Alameh, and E.H.W. Chan. Photonics-based interference mitigation filters; *T-MTT Oct 01* 1894-1899
- Minasian, R.A.**, see Ningsi You, *T-MTT Oct 01* 2002-2005
- Minchul Chung**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Ming-Yi Li**, see Rodenbeck, C.T., *MWSYM 01* 267-270 vol.1
- Minotani, T.**, Y. Royter, H. Ishii, A. Hirata, K. Machida, A. Sasaki, and T. Nagatsuma. Three-dimensional millimeter-wave photonic integrated circuits on Si; *MWSYM 01* 57-60 vol.1
- Min Sung Hwan**, see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Miranda, F.**, see Subramanyam, G., *MWSYM 01* 471-474 vol.1
- Mirshekar-Syahkal, D.**, see Mostafavi, R.F., *MWSYM 01* 1795-1798 vol.3
- Mirshekar-Syahkal, D.**, see Mostafavi, R.F., *T-MTT Dec 01* 2369-2375
- Mirth, L.**, see Yang, K., *T-MTT May 01* 849-857
- Mitani, E.**, see Abey, W., *MWSYM 01* 923-926 vol.2
- Mitchell, B.**, see Wei, C.-J., *MWSYM 01* 675-678 vol.2
- Mitchell, G.S.**, see Nuteson, T.W., *MWSYM 01* 125-128 vol.1
- Mitsui, Y.**, see Inoue, A., *MWSYM 01* 1687-1690 vol.3
- Mitsui, Y.**, see Sasaki, Y., *MWSYM 01* 1067-1070 vol.2
- Mitsui, Y.**, see Takagi, T., *T-MTT Nov 01* 2073-2079
- Mittra, R.**, see Semouchkina, E., *MWSYM 01* 2055-2058 vol.3
- Mittra, R.**, see Yu, W., *T-MTT Jan 01* 207-209
- Mittra, R.**, see Chakravarty, S., *T-MTT Jun 01* 1050-1059
- Miura, A.**, see Uchida, K., *T-MTT May 01* 858-865
- Miura, T.**, and S. Nakagawa. Spectrum management of pulse transmission by high-cut filter using magnetic loss; *MWSYM 01* 463-466 vol.1
- Miyaguchi, K.**, see Nakahara, K., *MWSYM 01* 249-252 vol.1
- Miyaguchi, K.**, M. Hieda, K. Nakahara, H. Kurusu, M. Nii, M. Kasahara, and T. Takagi. An ultra broad band reflection type 180° phase shifter with series and parallel LC circuits; *MWSYM 01* 237-240 vol.1
- Miyaguchi, K.**, M. Hieda, K. Nakahara, H. Kurusu, M. Nii, M. Kasahara, T. Takagi, and S. Urasaki. An ultra-broad-band reflection-type phase-shifter MMIC with series and parallel LC circuits; *T-MTT Dec 01* 2446-2452
- Miyaguchi, K.**, see Hieda, M., *T-MTT Dec 01* 2453-2458
- Miyahara, Y.**, see Yasunaga, T., *RFIC 01* 65-68
- Miyamoto, R.Y.**, Yongxi Qian, and T. Itoh. A reconfigurable active retrodirective/direct conversion receiver array for wireless sensor systems; *MWSYM 01* 1119-1122 vol.2
- Miyamoto, R.Y.**, Yongxi Qian, and T. Itoh. An active integrated retrodirective transponder for remote information retrieval-on-demand; *T-MTT Sep 01* 1658-1662
- Miyashita, H.**, see Suzuki, M., *T-MTT Oct 01* 1708-1714
- Miyazaki, M.**, see Tahara, Y., *MWSYM 01* 39-42 vol.1
- Miyazaki, M.**, see Yoneda, N., *MWSYM 01* 1791-1794 vol.3
- Miyazaki, M.**, see Uchida, H., *MWSYM 01* 1349-1352 vol.2
- Miyoshi, Y.**, see Aoki, Y., *MWSYM 01* 289-292 vol.1
- Miyoshi, Y.**, see Aoki, Y., *RFIC 01* 231-234
- Mizuno, K.**, see Jongsuck Bae, *MWSYM 01* 1847-1850 vol.3
- Mizuno, K.**, see Nozokido, T., *T-MTT Mar 01* 491-499
- Mizuno, K.**, see Bae, J., *T-MTT Dec 01* 2554-2559
- Moazzam, M.R.**, see Aitchison, C.S., *T-MTT Jun 01* 1148-1154
- Modelski, J.**, and Y. Yashchyshyn. Null pattern synthesis of ferroelectric smart antennas; *MWSYM 01* 467-470 vol.1
- Moggia, E.**, see Bruna, S., *MWSYM 01* 167-170 vol.1
- Mohammadi, S.**, see Lu, L.-H., *MWSYM 01* 1285-1288 vol.2
- Mohammadi, S.**, see Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Mohan, A.S.**, see Welly, A.R., *T-MTT Aug 01* 1501-1507
- Mohsina, N.**, see Subramanyam, G., *MWSYM 01* 471-474 vol.1
- Molchanov, V.I.**, see Poplavko, Yu.M., *T-MTT Jun 01* 1020-1026
- Moldovan, E.**, see Tatu, S.O., *MWSYM 01* 1809-1812 vol.3
- Moldovan, E.**, see Tatu, S.O., *T-MTT Dec 01* 2517-2522
- Moloudi, S.**, see Darabi, H., *RFIC 01* 89-91
- Mongiardo, M.**, see Tarricone, L., *T-MTT Mar 01* 517-523
- Mongiardo, M.**, see Tarricone, L., *T-MTT Oct 01* 1750-1756
- Mons, S.**, see Duperrier, C., *MWSYM 01* 2067-2070 vol.3
- Mook-Seng Leong**, see Le-Wei Li, *T-MTT Mar 01* 532-541
- Mook-Seng Leong**, see Sheng-Li Lin, *T-MTT Jun 01* 1136-1139
- Mook-Seng Leong**, see Le-Wei Li, *T-MTT Jul 01* 1361-1364
- Moon-Cheul Ju**, see Ang, K.S., *MWSYM 01* 1329-1332 vol.2
- Moon-chuel Ju**, see Ang, K.S., *RFIC 01* 169-172
- Morelli, M.**, I. Hunter, R. Parry, and V. Postoyalko. Stop-band improvement of rectangular waveguide filters using different width resonators: selection of resonator widths; *MWSYM 01* 1623-1626 vol.3
- Moretti, P.**, J.P. Starski, B.I. Svensson, and L. Manholm. Numerical investigation of vertical contactless transitions for multilayer RF circuits; *MWSYM 01* 1371-1374 vol.2
- Morgan, D.G.**, G.D. Edwards, A. Phillips, and P.J. Tasker. Full extraction of PHEMT state functions using time domain measurements; *MWSYM 01* 823-826 vol.2
- Morgan, D.P.** Quasi-static discrete Green's function for SAW devices; *T-MTT Apr 01* 844-847
- Morgan, J.M.**, see Williams, D.F., *MWSYM 01* 1527-1530 vol.3
- Morgan, M.**, and S. Weinreb. A full waveguide band MMIC tripler for 75-110 GHz; *MWSYM 01* 103-106 vol.1
- Morgan, M.**, and S. Weinreb. A monolithic HEMT diode balanced mixer for 100-140 GHz; *MWSYM 01* 99-102 vol.1
- Mori, K.**, H. Arai, Y. Qian, and T. Itoh. Direct conversion receiver for digital beamforming at 8.45 GHz; *MWSYM 01* 1375-1378 vol.2
- Morini, A.**, and T. Rozzi. On the definition of the generalized scattering matrix of a lossless multiport; *T-MTT Jan 01* 160-165
- Morini, A.**, T. Rozzi, and L. Zappelli. Scattering matrices representing the transformations between modal bases in rectangular waveguide; *T-MTT Jan 01* 213-216
- Moriuchi, T.**, see Abey, W., *MWSYM 01* 923-926 vol.2
- Morkner, H.**, M. Frank, and S. Yajima. A 1.7 mA low noise amplifier with integrated bypass switch for wireless 0.05-6 GHz portable applications; *MWSYM 01* 293-296 vol.1
- Morkner, H.**, M. Frank, and S. Yajima. A 1.7 mA low noise amplifier with integrated bypass switch for wireless 0.05-6 GHz portable applications; *RFIC 01* 235-238
- Morozumi, K.**, see Fischerauer, G., *MWSYM 01* 351-354 vol.1
- Morsey, J.**, see Coperich, K.M., *T-MTT Oct 01* 1677-1685
- Mortazawi, A.**, see Xin Jiang, *MWSYM 01* 35-38 vol.1
- Mortazawi, A.**, see Zhang Jin, *MWSYM 01* 233-236 vol.1
- Mortazawi, A.**, see Ozkar, M., *MWSYM 01* 1403-1406 vol.2
- Mortazawi, A.**, see Tombak, A., *MWSYM 01* 1453-1456 vol.3
- Mortazawi, A.**, see Ortiz, S., *MWSYM 01* 1827-1830 vol.3
- Mostafavi, R.F.**, D. Mirshekar-Syahkal, and Y.C.M. Lim. Small filters based on slotted cylindrical ring resonators; *MWSYM 01* 1795-1798 vol.3
- Mostafavi, R.F.**, D. Mirshekar-Syahkal, and Y.C.M. Lim. Small filters based on slotted cylindrical-ring resonators; *T-MTT Dec 01* 2369-2375
- Moulthrop, A.A.**, see Silva, C.P., *MWSYM 01* 13-16 vol.1
- Mounaix, P.**, see David, T., *MWSYM 01* 1661-1664 vol.3
- Mudge, P.**, see Rampmeier, K., *RFIC 01* 21-24
- Muha, M.S.**, see Silva, C.P., *MWSYM 01* 13-16 vol.1
- Mukherjee, D.**, see Raghavan, A., *MWSYM 01* 571-574 vol.1
- Mukherjee, D.**, see Raghavan, A., *RFIC 01* 267-270
- Mulay, G.N.**, and K.S. Jog. Generalized multi-gridding technique for the TLM method using the symmetrical super-condensed node (SSCN); *MWSYM 01* 1999-2002 vol.3
- Muldavin, J.B.**, and G.M. Rebeiz. Nonlinear electro-mechanical modeling of MEMS switches; *MWSYM 01* 2119-2122 vol.3
- Murae, T.**, K. Fujii, and T. Matsuno. High power S-band solid-state amplifiers for surveillance and traffic control radars; *MWSYM 01* 653-656 vol.2
- Muramoto, Y.**, see Fukushima, S., *MWSYM 01* 69-72 vol.1
- Muramoto, Y.**, see Ito, H., *MWSYM 01* 65-68 vol.1
- Murase, H.**, see Kageyama, K., *MWSYM 01* 1445-1448 vol.3
- Murase, H.**, see Kageyama, K., *T-MTT Dec 01* 2421-2424
- Murphy, M.**, see McNamara, B., *RFIC 01* 13-16
- Murthy, S.**, see Islam, M.S., *T-MTT Oct 01* 1914-1920
- Mutamba, K.**, K. Beilenhoff, A. Megej, R. Dörner, E. Genc, A. Fleckenstein, P. Heyman, J. Dickmann, C. Woelk, and H.L. Hartnagel. Micromachined 60 GHz GaAs power sensor with integrated receiving antenna; *MWSYM 01* 2235-2238 vol.3
- Mutlu, V.**, see Neuraüter, B., *MWSYM 01* 705-708 vol.2
- Myungkyu Park**, see Youngoo Yang, *T-MTT Mar 01* 568-571

N

- Nadarassin, M.**, see Strohm, K.M., *MWSYM 01* 1563-1566 vol.3
- Nagatsuma, T.**, see Minotani, T., *MWSYM 01* 57-60 vol.1
- Nagatsuma, T.**, M. Shinagawa, N. Sabri, A. Sasaki, Y. Royter, and A. Hirata. 1.5- μ m photonic systems for microwave and millimeter-wave measurement; *T-MTT Oct 01* 1831-1839
- Nagatsuma, T.**, see Hirata, A., *T-MTT Nov 01* 2157-2162
- Nagra, A.S.**, see Acikel, B., *MWSYM 01* 1191-1194 vol.2
- Nai-Ning Yung**, see Wenquan Che, *T-MTT Apr 01* 727-730
- Nair, V.**, see Cidronali, A., *MWSYM 01* 91-94 vol.1
- Nair, V.**, see Deshpande, M.R., *MWSYM 01* 403-406 vol.1
- Nair, V.**, see Bergman, J.I., *MWSYM 01* 2183-2186 vol.3
- Nair, V.**, see Liu, K., *MWSYM 01* 1383-1386 vol.2
- Nair, V.**, see Cidronali, A., *MWSYM 01* 1269-1272 vol.2
- Nair, V.**, see Cidronali, A., *T-MTT Dec 01* 2437-2445
- Nair, V.K.**, and C.E. Weitzel. The 2001 IMS technical program; *T-MTT Dec 01* 2184-2187
- Naishadham, K.** Measurement-based extrinsic modeling of RF components; *MWSYM 01* 1281-1284 vol.2
- Naishadham, K.**, see Leiker, W., *MWSYM 01* 2079-2082 vol.3
- Naishadham, K.** On-board probing of broadband RF amplifiers using CPW interconnects; *RFIC 01* 129-132
- Nai-Shuo Cheng**, see Pengcheng Jia, *T-MTT Apr 01* 609-614
- Naito, K.**, see Yamamoto, T., *MWSYM 01* 1055-1058 vol.2
- Nakada, T.**, see Okada, T., *MWSYM 01* 1183-1186 vol.2
- Nakagawa, S.**, see Miura, T., *MWSYM 01* 463-466 vol.1
- Nakagawa, T.**, see Nishikawa, K., *MWSYM 01* 87-90 vol.1
- Nakagawa, T.**, see Piernas, B., *MWSYM 01* 189-192 vol.1
- Nakaguro, H.**, see Takagi, T., *T-MTT Nov 01* 2073-2079

- Nakahara, K.**, see Miyaguchi, K., *MWSYM 01* 237-240 vol.1
- Nakahara, K.**, K. Miyaguchi, M. Hieda, H. Kurusu, Y. Iyama, and T. Takagi. Switches with capacitor cancelled parasitic inductance of FET; *MWSYM 01* 249-252 vol.1
- Nakahara, K.**, see Miyaguchi, K., *T-MTT Dec 01* 2446-2452
- Nakahara, K.**, see Hieda, M., *T-MTT Dec 01* 2453-2458
- Nakahara, Y.**, see Yano, H., *T-MTT Jun 01* 1086-1093
- Nakai, K.**, see Nishimura, T.B., *RFIC 01* 31-34
- Nakamura, B.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Nakamura, H.**, T. Yamada, T. Ishizaki, and K. Nishimura. A new design concept for low-loss SAW filters based on different-width split-finger SPUdT; *T-MTT Apr 01* 761-768
- Nakamura, K.**, see Shimura, T., *MWSYM 01* 245-248 vol.1
- Nakamura, K.**, see Mimino, Y., *MWSYM 01* 2167-2170 vol.3
- Nakamura, T.**, see Abey, W., *MWSYM 01* 923-926 vol.2
- Nakasha, Y.**, see Suzuki, T., *MWSYM 01* 595-598 vol.1
- Nakasha, Y.**, see Suzuki, T., *RFIC 01* 291-294
- Nakatani, T.**, J. Itoh, I. Imanishi, and O. Ishikawa. A wide dynamic range switched-LNA in SiGe BiCMOS; *MWSYM 01* 281-284 vol.1
- Nakatani, T.**, J. Itoh, I. Imanishi, and O. Ishikawa. A wide dynamic range switched-LNA in SiGe BiCMOS; *RFIC 01* 223-226
- Nakatsugawa, M.**, see Seki, T., *MWSYM 01* 385-388 vol.1
- Nakatsugawa, M.**, and K. Nishikawa. A novel configuration for 1:N multiport power dividers using series/parallel transmission-line division and a polyimide/alumina-ceramic structure for HPA module implementation; *T-MTT Jun 01* 1187-1193
- Nakatsuka, S.**, see Inoue, A., *MWSYM 01* 1687-1690 vol.3
- Nakayama, M.**, see Horiguchi, K., *MWSYM 01* 797-800 vol.2
- Nakhla, M.**, see Khazaka, R., *MWSYM 01* 1155-1158 vol.2
- Nakhla, M.**, see Dounavis, A., *MWSYM 01* 2099-2102 vol.3
- Nakhla, M.**, see Dounavis, A., *T-MTT Oct 01* 1686-1696
- Nakhla, M.S.**, see Dounavis, A., *T-MTT Dec 01* 2292-2299
- Nallatamby, J.-C.**, see Laloue, A., *MWSYM 01* 459-462 vol.1
- Nallatamby, J.C.**, see Bolcato, P., *MWSYM 01* 451-454 vol.1
- Nallatamby, J.C.**, see Laloue, A., *MWSYM 01* 423-426 vol.1
- Nam, H.J.**, see Park, J.Y., *MWSYM 01* 2111-2114 vol.3
- Namer, M.**, see Madjar, A., *MWSYM 01* 531-534 vol.1
- Nam Hwang.** see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Namiki, T.**, and K. Ito. Numerical simulation of microstrip resonators and filters using the ADI-FDTD method; *T-MTT Apr 01* 665-670
- Namiki, T.**, and K. Ito. Numerical simulation using ADI-FDTD method to estimate shielding effectiveness of thin conductive enclosures; *T-MTT Jun 01* 1060-1066
- Nam Joongjin.** see Youngoo Yang, *T-MTT Mar 01* 568-571
- Nam Sangwook.** see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Nam Sangwook.** see Seung-June Yi, *T-MTT May 01* 938-946
- Nam Sangwook.** see Jongkuk Park, *T-MTT Nov 01* 2147-2151
- Nam-Soo Kim.** see Yong-Sik Yoon, *RFIC 01* 257-260
- Nanawa, P.**, see Xuejun Zhang, *MWSYM 01* 801-804 vol.2
- Nanawa, P.**, see Zhang, X., *T-MTT Dec 01* 2507-2516
- Narasimha, A.**, Xuejun Meng, C.F. Lam, M.C. Wu, and E. Yablonovitch. Maximizing spectral utilization in WDM systems by microwave domain filtering of tandem single sidebands; *T-MTT Oct 01* 2042-2047
- Nauwelaers, B.**, see Carchon, G., *MWSYM 01* 599-602 vol.1
- Nauwelaers, B.**, see Carchon, G., *MWSYM 01* 1539-1542 vol.3
- Nauwelaers, B.**, see Carchon, G., *RFIC 01* 295-298
- Nauwelaers, B.**, see Carchon, G., *T-MTT Oct 01* 1770-1776
- Nauwelaers, B.**, see Vandenberghe, S., *T-MTT Dec 01* 2573-2579
- Nauwelaers, B.K.J.C.**, see Carchon, G.J., *T-MTT Aug 01* 1374-1382
- Naylor, J.**, see Smith, M., *MWSYM 01* 2255-2258 vol.3
- Nebus, J.M.**, see Le Gallou, N., *MWSYM 01* 979-982 vol.2
- Nebus, J.M.**, see Le Gallou, N., *MWSYM 01* 983-986 vol.2
- Nebus, J.-M.**, see Barataud, D., *T-MTT Jun 01* 1107-1112
- Nenert, L.**, L. Billonnet, B. Jarry, P. Guillon, C. Quendo, E. Rius, and G. Tanne. Compact high-order planar ring-resonator filters optimized in noise in coplanar technology; *MWSYM 01* 1441-1444 vol.3
- Neri, B.**, see Albertoni, F., *RFIC 01* 83-86
- Neto, A.**, see van der Vorst, M.J.M., *T-MTT Jun 01* 1118-1125
- Neurauter, B.**, G. Marzinger, T. Luftner, R. Weigel, M. Scholz, V. Mutlu, and J. Fenk. GSM 900/DCS 1800 fractional-N frequency synthesizer with very fast settling time; *MWSYM 01* 705-708 vol.2
- Nevels, R.**, and J. Miller. A simple equation for analysis of nonuniform transmission lines; *T-MTT Apr 01* 721-724
- Newman, N.**, see Pond, J.M., *MWSYM 01* 1771-1774 vol.3
- Newman, N.**, see Pond, J.M., *T-MTT Dec 01* 2363-2368
- Newport, Y.**, see Garcia, J.A., *T-MTT Mar 01* 545-549
- Ney, M.**, see Quendo, C., *MWSYM 01* 1309-1312 vol.2
- Ney, M.**, see Quendo, C., *T-MTT Dec 01* 2376-2383
- Ng, G.I.**, see Xiong, Y.Z., *MWSYM 01* 1971-1974 vol.3
- Ng, G.I.**, see Halder, S., *MWSYM 01* 1885-1888 vol.3
- Ng, G.-I.**, see Halder, S., *T-MTT Dec 01* 2408-2412
- Ngoya, E.**, see Le Gallou, N., *MWSYM 01* 979-982 vol.2
- Ngoya, E.**, see Le Gallou, N., *MWSYM 01* 983-986 vol.2
- Ngoya, E.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Nguyen, C.**, see Lee, J.S., *T-MTT Feb 01* 390-392
- Nguyen, C.**, see Jeong Soo Lee, *T-MTT Jun 01* 1126-1129
- Nickel, J.G.**, see Jun Zou, *MWSYM 01* 193-196 vol.1
- Nii, M.**, see Miyaguchi, K., *MWSYM 01* 237-240 vol.1
- Nii, M.**, see Uchida, H., *MWSYM 01* 1349-1352 vol.2
- Nii, M.**, see Miyaguchi, K., *T-MTT Dec 01* 2446-2452
- Nikawa, Y.**, and D. Someya. Non-invasive measurement of blood sugar level by millimeter waves; *MWSYM 01* 171-174 vol.1
- Niknejad, A.M.**, and R.G. Meyer. Analysis of eddy-current losses over conductive substrates with applications to monolithic inductors and transformers; *T-MTT Jan 01* 166-176
- Nimmagadda, K.**, and G.M. Rebeiz. A 1.9 GHz double-balanced subharmonic mixer for direct conversion receivers; *RFIC 01* 253-256
- Ning Guan.** see Gaobiao Xiao, *T-MTT Jun 01* 1027-1031
- Ningsi You.** and R.A. Minasian. A novel tunable microwave optical notch filter; *T-MTT Oct 01* 2002-2005
- Nirmalathas, A.**, see Castleford, D., *MWSYM 01* 1001-1004 vol.2
- Nirmalathas, A.**, see Lim, C., *T-MTT Feb 01* 288-296
- Nirmalathas, A.**, D. Novak, C. Lim, and R.B. Waterhouse. Wavelength reuse in the WDM optical interface of a millimeter-wave fiber-wireless antenna base station; *T-MTT Oct 01* 2006-2012
- Nirmalathas, A.**, see Castleford, D., *T-MTT Oct 01* 2030-2035
- Nishikawa, K.**, see Piernas, B., *MWSYM 01* 189-192 vol.1
- Nishikawa, K.**, K. Kamogawa, T. Nakagawa, B. Piernas, and K. Araki. Broadband and compact SiBJT balanced up-converter MMIC using Si 3-D MMIC technology; *MWSYM 01* 87-90 vol.1
- Nishikawa, K.**, see Asano, Y., *MWSYM 01* 1111-1114 vol.2
- Nishikawa, K.**, S. Sugitani, K. Inoue, T. Ishii, K. Kamogawa, B. Piernas, and K. Araki. Low-loss passive components on BCB-based 3D MMIC technology; *MWSYM 01* 1881-1884 vol.3
- Nishikawa, K.**, see Nakatsugawa, M., *T-MTT Jun 01* 1187-1193
- Nishikawa, T.**, see Tsujiguchi, T., *T-MTT May 01* 879-885
- Nishimoto, M.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Nishimoto, M.**, see Huei Wang, *T-MTT Jan 01* 9-16
- Nishimura, K.**, see Nakamura, H., *T-MTT Apr 01* 761-768
- Nishimura, T.B.**, M. Tanomura, K. Azuma, K. Nakai, Y. Hasegawa, and H. Shimawaki. A 50% efficiency InGaP/GaAs HBT power amplifier module for 1.95 GHz wide-band CDMA handsets; *RFIC 01* 31-34
- Nishimura, T.B.**, see Hau, G., *T-MTT Jun 01* 1194-1201
- Niu, G.**, see Bary, L., *MWSYM 01* 1705-1708 vol.3
- Niu Dow-Chih.** see Yu-Jiu Wang, *MWSYM 01* 253-256 vol.1
- Niu Dow-Chih.** see Chi-Yang Chang, *T-MTT Jun 01* 1077-1085
- Niu Guofu.** see Guofu Niu, *RFIC 01* 147-150
- Niu Guofu.** see Guofu Niu, *T-MTT Sep 01* 1558-1565
- Niver, E.**, see Sanghoon Shin, *MWSYM 01* 303-306 vol.1
- Niwa, T.**, see Aoki, Y., *MWSYM 01* 289-292 vol.1
- Niwa, T.**, see Aoki, Y., *RFIC 01* 231-234
- Noblanc, O.**, see Temcamani, F., *MWSYM 01* 641-644 vol.2
- Nojima, K.**, see Oka, T., *RFIC 01* 199-202
- Nonaka, Y.**, see Abey, W., *MWSYM 01* 923-926 vol.2
- Nosal, Z.M.** Simple model for dynamic range estimate of GaAs amplifiers; *MWSYM 01* 1963-1966 vol.3
- Notaros, B.M.**, B.D. Popovic, J.P. Weem, R.A. Brown, and Z. Popovic. Efficient large-domain MoM solutions to electrically large practical EM problems; *T-MTT Jan 01* 151-159
- Novak, D.**, see Castleford, D., *MWSYM 01* 1001-1004 vol.2
- Novak, D.**, see Lim, C., *T-MTT Feb 01* 288-296
- Novak, D.**, see Matthews, P.J., *T-MTT Oct 01* 1829-1830
- Novak, D.**, see Islam, M.S., *T-MTT Oct 01* 1914-1920
- Novak, D.**, see Mathai, S., *T-MTT Oct 01* 1956-1961
- Novak, D.**, see Nirmalathas, A., *T-MTT Oct 01* 2006-2012
- Novak, D.**, see Castleford, D., *T-MTT Oct 01* 2030-2035
- Novotny, D.R.**, see Weil, C.M., *MWSYM 01* 1229-1232 vol.2
- Nozokido, T.**, J. Bae, and K. Mizuno. Scanning near-field millimeter-wave microscopy using a metal slit as a scanning probe; *T-MTT Mar 01* 491-499
- Nuechter, P.**, see Strohm, K.M., *MWSYM 01* 1563-1566 vol.3
- Nuteson, T.W.**, and G.S. Mitchell. Digital beamforming for smart antennas; *MWSYM 01* 125-128 vol.1
- Nuttinck, S.**, E. Gebara, J. Laskar, and M. Harris. Study of self-heating effects in GaN HEMTs; *MWSYM 01* 2151-2154 vol.3
- Nuttinck, S.**, E. Gebara, J. Laskar, and H. M. Harris. Study of self-heating effects, temperature-dependent modeling, and pulsed load-pull measurements on GaN HEMTs; *T-MTT Dec 01* 2413-2420
- Nuttinck, S.**, see Suh, Y., *MWSYM 01* 971-974 vol.2

O

- Oates, A.S.**, see Qiang Li, *RFIC 01* 139-142
- Oates, A.S.**, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Obatoyinbo, A.**, see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
- Oberschmidt, G.**, see Metz, C., *MWSYM 01* 1115-1118 vol.2
- Oberschmidt, G.**, see Metz, C., *T-MTT Dec 01* 2560-2566
- Obregon, J.**, see Bolcato, P., *MWSYM 01* 451-454 vol.1
- Obregon, J.**, see Laloue, A., *MWSYM 01* 423-426 vol.1
- Obregon, J.**, see Laloue, A., *MWSYM 01* 459-462 vol.1
- Oda, K.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Oda, K.**, see Washio, K., *T-MTT Jan 01* 3-8
- O'Donnell, F.J.**, see Juodawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Oehm, J.**, see Durdodt, C., *RFIC 01* 99-102
- Oehm, J.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Ofli, E.**, R. Vahldieck, and S. Amari. Analysis and design of mass-producible cross-coupled, folded E-plane filters; *MWSYM 01* 1775-1778 vol.3
- Ogasawara, Y.**, see Takenaka, I., *MWSYM 01* 645-648 vol.2
- Ogawa, M.**, see Asano, Y., *MWSYM 01* 1111-1114 vol.2
- Ogura, H.**, see Sangawa, U., *MWSYM 01* 389-392 vol.1
- Ogura, H.**, see Takahashi, K., *T-MTT Nov 01* 2099-2104

- Ohata, K.**, see Ito, M., *MWSYM 01* 1597-1600 vol.3
- Ohata, K.**, see Ito, M., *T-MTT Dec 01* 2431-2436
- Oh-Hashi, H.**, see Tahara, Y., *MWSYM 01* 39-42 vol.1
- Ohhata, K.**, F. Arakawa, T. Masuda, N. Shiramizu, and K. Washio. 40 Gb/s analog IC chipset for optical receivers-AGC amplifier, full-wave rectifier and decision circuit implemented using self-aligned SiGe HBTs; *MWSYM 01* 1701-1704 vol.3
- Ohhata, K.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Ohira, T.**, see Jun Cheng, *MWSYM 01* 133-136 vol.1
- Ohira, T.**, see Okazaki, H., *T-MTT Jun 01* 1167-1173
- Ohira, T.**, see Akiyama, T., *T-MTT Oct 01* 2055-2061
- Ohkawa, S.**, see Xiao, G., *T-MTT Feb 01* 369-376
- Ohkawa, S.**, see Gaobiao Xiao, *T-MTT Jun 01* 1027-1031
- Ohkubo, S.**, see Aoki, Y., *MWSYM 01* 289-292 vol.1
- Ohkubo, S.**, see Aoki, Y., *RFIC 01* 231-234
- Ohnishi, H.**, see Suzuki, T., *MWSYM 01* 595-598 vol.1
- Ohnishi, H.**, see Suzuki, T., *RFIC 01* 291-294
- Ohshima, S.**, see Asano, Y., *MWSYM 01* 1111-1114 vol.2
- Ohshima, S.**, see Seto, I., *T-MTT Oct 01* 2036-2041
- Oh Sung-Hoon.**, see Seung-June Yi, *T-MTT May 01* 938-946
- Ohta, I.**, see Kawai, T., *MWSYM 01* 47-50 vol.1
- Ohta, I.**, see Kishihara, M., *MWSYM 01* 627-630 vol.2
- Ohue, E.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Ohue, E.**, see Washio, K., *T-MTT Jan 01* 3-8
- Oikawa, S.**, see Ozeki, Y., *T-MTT Oct 01* 1986-1991
- Oka, S.**, see Uchida, K., *T-MTT May 01* 858-865
- Oka, T.**, T. Ikeda, K. Nojima, and K. Fujimoto. A 1-5 GHz low-power single-chip receiver IC for optical video distribution system; *RFIC 01* 199-202
- Okabe, H.**, see Kimishima, M., *MWSYM 01* 115-118 vol.1
- Okada, T.**, T. Makino, S. Shimura, S. Hino, T. Nakada, and H. Asai. An ultra miniature isolator with broadband isolation using ferrite gyrator; *MWSYM 01* 1183-1186 vol.2
- Okamoto, N.**, see Kandasamy, P., *T-MTT Jan 01* 111-118
- Okazaki, H.**, T. Ohira, and K. Araki. Efficient transmission-power-control scheme for Ku-band high-power amplifiers in portable user earth terminals; *T-MTT Jun 01* 1167-1173
- Okhmatovski, V.I.**, and A.C. Cangellaris. Fast electromagnetic analysis of dense shielded integrated circuits using the adaptive integral method (AIM); *MWSYM 01* 1929-1932 vol.3
- Okhmatovski, V.I.**, see Coperich, K.M., *T-MTT Oct 01* 1677-1685
- Oki, A.**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Oldenburg, M.**, see Lakshminarayanan, B., *MWSYM 01* 1305-1308 vol.2
- Oliner, A.A.**, see Burghignoli, P., *MWSYM 01* 719-722 vol.2
- Oliner, A.A.**, see Burghignoli, P., *T-MTT Dec 01* 2197-2205
- Oliveira, M.**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Oliver, S.A.**, P. Shi, N.E. McGruer, C. Vittoria, W. Hu, H. How, S.W. McKnight, and P.M. Zavracky. Integrated self-biased hexaferrite microstrip circulators for millimeter-wavelength applications; *T-MTT Feb 01* 385-387
- Olsson, T.**, see Jordan, U., *MWSYM 01* 2223-2226 vol.3
- Olyslager, F.**, see Bienstman, P., *T-MTT Feb 01* 349-354
- Omar, A.S.**, see Kamel, A.H., *MWSYM 01* 715-718 vol.2
- Omar, A.S.**, see Solano, M.C., *T-MTT Sep 01* 1663-1664
- Omiya, M.**, see Chirwa, L.C., *T-MTT May 01* 995-997
- Onoichin, V.**, see Tzontchev, R.I., *MWSYM 01* 1225-1228 vol.2
- Ooi, B.L.**, K. Lan, M.S. Leong, and K.S. Kooi. Large signal bias-dependent modeling of PHEMTs by pulsed measurements; *RFIC 01* 155-157
- Ooi, B.-L.**, P.-S. Kooi, and M.-S. Leong. Application of Sonie-Schafheitlin formula and sampling theorem in spectral-domain method; *T-MTT Jan 01* 210-213
- Ooi, B.L.**, T.S. Zhou, and P.S. Kooi. AlGaAs/GaAs HBT model estimation through the generalized pencil-of-function method; *T-MTT Jul 01* 1289-1294
- Oreans, L.**, see Reindl, L., *T-MTT Apr 01* 787-794
- Orlandi, A.**, see Medina, F., *T-MTT Aug 01* 1511-1513
- Orta, R.**, see Peverini, O.A., *T-MTT Oct 01* 1785-1791
- Ortega-Gonzalez, F.J.**, see Torregrosa-Penalva, G., *MWSYM 01* 953-956 vol.2
- Ortiz, S.**, see Xin Jiang, *MWSYM 01* 35-38 vol.1
- Ortiz, S.**, see Zhang Jin, *MWSYM 01* 233-236 vol.1
- Ortiz, S.**, M. Ozkar, A. Yakovlev, M. Steer, and A. Mortazawi. Fault tolerance analysis and measurement of a spatial power amplifier; *MWSYM 01* 1827-1830 vol.3
- Orzati, A.**, see Schreurs, D., *MWSYM 01* 827-830 vol.2
- Osgood, B.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Oshmyansky, Y.**, see Bradley, P., *MWSYM 01* 367-370 vol.1
- Osoorio, J.A.**, see Sieiro, J., *RFIC 01* 121-124
- Ostermayer, G.** On the noise behavior of a SAW convolver used as a matched filter; *T-MTT Apr 01* 779-786
- Ostermayer, G.** Correlative signal processing in wireless SAW sensor applications to provide multiple-access capability; *T-MTT Apr 01* 809-816
- Ostertag, T.**, see Schacherbauer, W., *MWSYM 01* 1085-1088 vol.2
- Ota, K.**, see Wakejima, A., *RFIC 01* 151-154
- Ouarch, Z.**, F. Arlot, M. Borgarino, M. Prigent, L. Bary, and M. Camiade. Low phase noise, fully integrated monolithic VCO in X band based on HBT technology; *MWSYM 01* 1415-1418 vol.3
- Owen, H.**, see Fathy, A., *MWSYM 01* 377-380 vol.1
- Ozeki, Y.**, K. Higuma, S. Oikawa, M. Kishi, and M. Tsuchiya. A 60-GHz optoelectronic mixing scheme of high image and carrier rejection ratios with an integrated optical single-sideband modulator employed; *T-MTT Oct 01* 1986-1991
- Ozkar, M.**, G. Lazzi, and A. Mortazawi. Study of design parameters in waveguide-based spatial power combining amplifier arrays using FDTD; *MWSYM 01* 1403-1406 vol.2
- Ozkar, M.**, see Ortiz, S., *MWSYM 01* 1827-1830 vol.3
- Ozme, M.**, see Toker, C., *T-MTT Apr 01* 718-721
- Ozme, M.**, see Vogel, R.W., *T-MTT Oct 01* 1824

P

- Pache, D.**, see Gerna, D., *RFIC 01* 191-194
- Pacheco, S.**, see Peroulis, D., *MWSYM 01* 341-344 vol.1
- Pacheco, S.P.**, D. Peroulis, and L.P.B. Katehi. MEMS single-pole double-throw (SPDT) X and K-band switching circuits; *MWSYM 01* 321-324 vol.1
- Pacheco, S.P.**, see Drayton, R.F., *T-MTT Feb 01* 308-314
- Padilla, M.**, see Garcia-Lamperez, A., *MWSYM 01* 2103-2106 vol.3
- Pan, M.**, see Darabi, H., *RFIC 01* 89-91
- Pan, S.-K.**, see Lauria, E.F., *MWSYM 01* 1645-1648 vol.3
- Pan, Y.C.**, W.C. Chew, and L.X. Wan. A fast multipole-method-based calculation of the capacitance matrix for multiple conductors above stratified dielectric media; *T-MTT Mar 01* 480-490
- Panariello, G.**, see Cassinese, A., *MWSYM 01* 491-494 vol.1
- Panariello, G.**, L. Verolino, and G. Vitolo. Efficient and accurate full-wave analysis of the open-ended coaxial cable; *T-MTT Jul 01* 1304-1309
- Pang-Shyan Kooi.** see Le-Wei Li, *T-MTT Mar 01* 532-541
- Panks, A.J.**, see Batty, W., *MWSYM 01* 667-670 vol.2
- Panks, A.J.**, see David, S., *MWSYM 01* 431-434 vol.1
- Pannier, P.**, see Tatinian, W., *MWSYM 01* 583-586 vol.1
- Pannier, P.**, see Tatinian, W., *RFIC 01* 279-282
- Panther, A.**, C. Glaser, M.G. Stubbs, and J.S. Wight. Vertical transitions in low temperature co-fired ceramics for LMDS applications; *MWSYM 01* 1907-1910 vol.3
- Papapolymerou, J.**, see Lange, K.L., *MWSYM 01* 337-340 vol.1
- Papapolymerou, J.**, see Ponchak, G.E., *MWSYM 01* 1723-1726 vol.3
- Papapolymerou, J.**, and G.E. Ponchak. Microwave filters on a low resistivity Si substrate with a polyimide interface layer for wireless circuits; *RFIC 01* 125-128
- Papenfuss, J.**, see Wickert, M.A., *T-MTT Aug 01* 1390-1397
- Pappert, S.A.**, see Li, G.L., *MWSYM 01* 61-64 vol.1
- Parfitt, A.** Guest editorial [intro. to special issue on the 2000 Asia-Pacific Microwave Conference]; *T-MTT Nov 01* 2065
- Park, J.-H.**, see Kim, H.-T., *T-MTT Dec 01* 2394-2400
- Park, J.-S.**, see Ahn, D., *T-MTT Jan 01* 86-93
- Park, J.-S.**, see Lew, D.-W., *T-MTT Jan 01* 220-224
- Park, J.W.**, P.P.M. So, and W.J.R. Hoefer. Lumped and distributed device embedding techniques in time domain TLM field models; *MWSYM 01* 2047-2050 vol.3
- Park, J.Y.**, Y.J. Yee, H.J. Nam, and J.U. Bu. Micromachined RF MEMS tunable capacitors using piezoelectric actuators; *MWSYM 01* 2111-2114 vol.3
- Park, M.Y.**, see Jin, W., *MWSYM 01* 1727-1730 vol.3
- Park, N.**, see Hung, C.-M., *T-MTT Jan 01* 17-22
- Park, W.S.**, see Chun, J.C., *MWSYM 01* 2251-2254 vol.3
- Park Byeong-Ha.** see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- Parker, A.E.**, and J.G. Rathmell. Measurement and characterization of HEMT dynamics; *T-MTT Nov 01* 2105-2111
- Park Jae-Hyoung.** see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
- Park Jae-Hyoung.** see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Park Jongkuk.** see Jongkuk Park, *T-MTT Nov 01* 2147-2151
- Park Joung-Woo.** see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Park Jun-Seok.** see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
- Park Jun-Seok.** see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
- Park Jun-Seok.** see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
- Park Myungkyu.** see Youngoo Yang, *T-MTT Mar 01* 568-571
- Park Piljae.** see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Park Yong-Hyun.** see Yong-Hyun Park, *MWSYM 01* 2191-2194 vol.3
- Park Young-Jin.** see Young-Jin Park, *T-MTT Oct 01* 1854-1859
- Parry, G.**, see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Parry, R.**, see Ernst, C., *MWSYM 01* 1631-1634 vol.3
- Parry, R.**, see Morelli, M., *MWSYM 01* 1623-1626 vol.3
- Pasalic, D.**, J. Bornemann, and R. Vahldieck. Absorbing boundary conditions in the frequency-domain TLM method and their application to planar circuits; *T-MTT Aug 01* 1469-1476
- Pascht, A.**, see Grozing, M., *MWSYM 01* 575-578 vol.1
- Pascht, A.**, see Grozing, M., *RFIC 01* 271-274
- Passiopoulos, G.**, see Al-Taei, S., *MWSYM 01* 51-54 vol.1
- Pastorino, M.**, see Caorsi, S., *T-MTT Oct 01* 1810-1817
- Paterson, D.**, see Schreier, R., *RFIC 01* 71-74
- Paul, C.R.**, see Medina, F., *T-MTT Aug 01* 1511-1513
- Paulsen, K.D.**, see Dun Li, *MWSYM 01* 563-566 vol.1
- Pavio, A.**, see Estes, J., *MWSYM 01* 1357-1358 vol.2
- Pavio, A.**, see Lucero, R., *RFIC 01* 213-216
- Pearson, L.W.**, see Shenouda, B.A., *T-MTT Apr 01* 724-727
- Peatman, B.**, see Miller, M., *MWSYM 01* 637-640 vol.2
- Peck, J.R.**, see Wichaidit, C., *MWSYM 01* 163-166 vol.1
- Pedro, J.C.**, see Borges de Carvalho, N., *MWSYM 01* 455-458 vol.1
- Pedro, J.C.**, and N.B. Carvalho. Analysis and measurement of multi-tone intermodulation distortion of microwave frequency converters; *MWSYM 01* 1671-1674 vol.3

- Pedro, J.C., *see* Garcia, J.A., *T-MTT Mar 01* 545-549
- Pedro, J.C., and N. Borges de Carvalho. Evaluating co-channel distortion ratio in microwave power amplifiers; *T-MTT Oct 01* 1777-1784
- Peng, K.R., *see* Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Pengcheng Jia, and R.A. York. A compact coaxial waveguide combiner design for broadband power amplifiers; *MWSYM 01* 43-46 vol.1
- Pengcheng Jia, Lee-Yin Chen, Nai-Shuo Cheng, and R.A. York. Design of waveguide finline arrays for spatial power combining; *T-MTT Apr 01* 609-614
- Peralta, A., *see* Huei Wang, *T-MTT Jan 01* 9-16
- Pereda, A., L.A. Vielva, A. Vegas, and A. Prieto. Analyzing the stability of the FDTD technique by combining the von Neumann method with the Routh-Hurwitz criterion; *T-MTT Feb 01* 377-381
- Perez, V.F., L.N. Fernandez, and J.V.B. Tejedor. Analysis of proposals to reduce SAR levels from GSM terminals; *MWSYM 01* 2227-2230 vol.3
- Pergola, L., *see* Schreurs, D., *MWSYM 01* 827-830 vol.2
- Perlow, S., *see* Fathy, A., *MWSYM 01* 377-380 vol.1
- Peroulis, D., *see* Pacheco, S.P., *MWSYM 01* 321-324 vol.1
- Peroulis, D., S. Pacheco, K. Sarabandi, and L.P.B. Katehi. Tunable lumped components with applications to reconfigurable MEMS filters; *MWSYM 01* 341-344 vol.1
- Perregrini, L., *see* Bozzi, M., *MWSYM 01* 1925-1928 vol.3
- Perregrini, L., *see* Bozzi, M., *T-MTT Dec 01* 2227-2234
- Person, C., *see* Le Nadan, T., *MWSYM 01* 957-960 vol.2
- Person, C., *see* Quendo, C., *MWSYM 01* 1309-1312 vol.2
- Person, C., *see* Toutain, Y., *MWSYM 01* 1589-1592 vol.3
- Person, C., *see* Quendo, C., *T-MTT Dec 01* 2376-2383
- Peschel, U., *see* Reynolds, A.L., *T-MTT Oct 01* 1860-1867
- Peterson, R.L., and R.F. Drayton. Dielectric properties of oxidized porous silicon in a low resistivity substrate; *MWSYM 01* 767-770 vol.2
- Petre, P., *see* Levy, R., *MWSYM 01* 1467-1470 vol.3
- Petre, P., *see* Levy, R., *T-MTT Dec 01* 2350-2356
- Peverini, O.A., R. Orta, and R. Tascone. A new reduced-order model of SAW interdigital transducers; *T-MTT Oct 01* 1785-1791
- Pham, A., R. Ramachandran, J. Laskar, V. Krishnamurthy, D. Bates, W. Marcinkewicz, B. Schmanski, P. Piacente, and L. Sprinceanu. Development of a millimeter-wave system-on-a-package utilizing MCM integration; *T-MTT Oct 01* 1747-1749
- Pham-Stabner, D., *see* Durdodt, C., *RFIC 01* 99-102
- Pham-Stabner, D., *see* Theil, D., *RFIC 01* 103-106
- Pham-Stabner, D., *see* Durdodt, C., *T-MTT Sep 01* 1531-1537
- Phillips, P., *see* Morgan, D.G., *MWSYM 01* 823-826 vol.2
- Piacente, P., *see* Pham, A., *T-MTT Oct 01* 1747-1749
- Piel, P., *see* Estes, J., *MWSYM 01* 1357-1358 vol.2
- Pierantoni, L., A. Camicia, and T. Rozzi. Explicit eigenvalue approach to the efficient determination of the hybrid spectrum of ferrite-loaded circular waveguide; *MWSYM 01* 735-738 vol.2
- Piernas, B., *see* Nishikawa, K., *MWSYM 01* 87-90 vol.1
- Piernas, B., K. Nishikawa, K. Kamogawa, T. Nakagawa, and K. Araki. Improved three-dimensional GaAs inductors; *MWSYM 01* 189-192 vol.1
- Piernas, B., *see* Nishikawa, K., *MWSYM 01* 1881-1884 vol.3
- Pieters, P., K. Vaesen, S. Brebels, S.F. Mahmoud, W. De Raedt, E. Beyne, and R.P. Mertens. Accurate modeling of high-Q spiral inductors in thin-film multilayer technology for wireless telecommunication applications; *T-MTT Apr 01* 589-599
- Piljae Park, *see* Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Pillans, B., *see* Goldsmith, C., *MWSYM 01* 227-230 vol.1
- Piloni, M., *see* Guglielmi, M., *MWSYM 01* 1787-1790 vol.3
- Pin-Fan Chen, *see* Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Ping Li, *see* Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Pingxi Ma, *see* Sining Zhou, *RFIC 01* 241-244
- Pirola, M., *see* Zandano, P., *MWSYM 01* 559-562 vol.1
- Pirola, M., *see* Bianco, P., *T-MTT Jun 01* 1073-1076
- Pisa, S., *see* Bernardi, P., *MWSYM 01* 151-154 vol.1
- Pisa, S., *see* Bernardi, P., *T-MTT Dec 01* 2539-2546
- Piton, G., *see* Laisne, A., *MWSYM 01* 893-896 vol.2
- Piton, G., *see* Loison, R., *T-MTT Jan 01* 119-127
- Pitschi, M., *see* Fischerauer, G., *MWSYM 01* 351-354 vol.1
- Pitts, B., *see* Lan, E., *MWSYM 01* 2155-2157 vol.3
- Piuze, E., *see* Bernardi, P., *MWSYM 01* 151-154 vol.1
- Piuze, E., *see* Bernardi, P., *T-MTT Dec 01* 2539-2546
- Pla, J.A., *see* Gaddi, R., *MWSYM 01* 399-402 vol.1
- Placidi, P., *see* Alimenti, F., *MWSYM 01* 1041-1044 vol.2
- Plana, R., *see* Bary, L., *MWSYM 01* 1705-1708 vol.3
- Plaza, G., F. Mesa, and F. Medina. On the use of SDA for the analysis of boxed planar lines with complex media; *T-MTT Jul 01* 1365-1368
- Pleskachev, V., *see* Vendik, I., *MWSYM 01* 1461-1464 vol.3
- Plett, C., *see* Rogers, J.W.M., *RFIC 01* 75-78
- Po-Chiun Huang, *see* Yi-Huei Chen, *RFIC 01* 111-114
- Pohl, A., *see* Hausleitner, C., *T-MTT Apr 01* 817-822
- Pollard, R.D., *see* Dixon, B.J., *T-MTT Aug 01* 1404-1409
- Pollard, R.D., *see* Dydik, M., *T-MTT Dec 01* 2176-2179
- Polo, V., *see* Martinez, A., *T-MTT Oct 01* 2018-2024
- Ponchak, G.E., E.M. Tentzeris, and J. Papapolymerou. Coupling between microstrip lines embedded in polyimide layers for 3D-MMICs on Si; *MWSYM 01* 1723-1726 vol.3
- Ponchak, G.E., *see* Lu, L.-H., *MWSYM 01* 1285-1288 vol.2
- Ponchak, G.E., *see* Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Ponchak, G.E., *see* Papapolymerou, J., *RFIC 01* 125-128
- Ponchak, G.E., A. Margomenos, and L.P.B. Katehi. Low-loss CPW on low-resistivity Si substrates with a micromachined polyimide interface layer for RFIC interconnects; *T-MTT May 01* 866-870
- Pond, J.M., Shaojun Liu, and N. Newman. Dual-mode and quad-mode Mobius bandpass filters; *MWSYM 01* 1771-1774 vol.3
- Pond, J.M., S. Liu, and N. Newman. Bandpass filters using dual-mode and quad-mode Mobius resonators; *T-MTT Dec 01* 2363-2368
- Pons, D., *see* Kurpas, P., *MWSYM 01* 633-636 vol.2
- Pons, D., *see* Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Poplavko, Yu.M., Yu.V. Prokopenko, V.I. Molchanov, and A. Dogan. Frequency-tunable microwave dielectric resonator; *T-MTT Jun 01* 1020-1026
- Popovic, B.D., *see* Notaros, B.M., *T-MTT Jan 01* 151-159
- Popovic, Z., *see* Vian, J., *MWSYM 01* 129-132 vol.1
- Popovic, Z., *see* Weem, J.P., *MWSYM 01* 271-274 vol.1
- Popovic, Z., *see* Forman, M., *MWSYM 01* 1831-1834 vol.3
- Popovic, Z., *see* Hagerty, J.A., *MWSYM 01* 1855-1858 vol.3
- Popovic, Z., *see* Notaros, B.M., *T-MTT Jan 01* 151-159
- Popovic, Z., *see* Yang, K., *T-MTT May 01* 849-857
- Popovic, Z., *see* Weiss, M.D., *T-MTT Jun 01* 1174-1179
- Posner, R., *see* Hassun, R., *MWSYM 01* 1683-1686 vol.3
- Pospieszalski, M.W., *see* Lauria, E.F., *MWSYM 01* 1645-1648 vol.3
- Postoyalko, V., *see* Ernst, C., *MWSYM 01* 1631-1634 vol.3
- Postoyalko, V., *see* Morelli, M., *MWSYM 01* 1623-1626 vol.3
- Postoyalko, V., *see* Ernst, C., *T-MTT Jan 01* 192-196
- Postoyalko, V., *see* Han, Y.K.G., *T-MTT Jan 01* 200-203
- Postoyalko, V., *see* Ernst, C., *T-MTT Sep 01* 1664
- Pottie, G.J., *see* Kondylis, G.D., *T-MTT Jul 01* 1310-1320
- Pouvil, P., *see* Temcamani, F., *MWSYM 01* 641-644 vol.2
- Pouvil, P., *see* Boudiaf, A., *MWSYM 01* 1559-1562 vol.3
- Pramanick, P., *see* Cargill, D.A., *MWSYM 01* 2107-2110 vol.3
- Pramanick, P., *see* Kirilenko, A., *MWSYM 01* 1257-1260 vol.2
- Pramanick, P., *see* Yue Yan, *T-MTT Sep 01* 1649-1657
- Prasad, S., *see* Garlapati, A., *T-MTT Jan 01* 186-191
- Prather, D.W., *see* Shouyuan Shi, *T-MTT Sep 01* 1614-1619
- Pregla, R., *see* Greda, L., *MWSYM 01* 1241-1244 vol.2
- Pretl, H., W. Schelmbauer, L. Maurer, H. Westermayr, R. Weigel, B.-U. Klepser, B. Adler, and J. Fenk. A W-CDMA zero-IF front-end for UMTS in a 75 GHz SiGe BiCMOS technology; *RFIC 01* 9-12
- Pribetich, J., *see* Vanoverschelde, C., *MWSYM 01* 155-158 vol.1
- Prieto, A., *see* Pereda, A., *T-MTT Feb 01* 377-381
- Prieto, A., *see* Solano, M.A., *T-MTT Sep 01* 1663-1664
- Prigent, J.P., *see* Temcamani, F., *MWSYM 01* 641-644 vol.2
- Prigent, M., *see* Bolcato, P., *MWSYM 01* 451-454 vol.1
- Prigent, M., *see* Laloue, A., *MWSYM 01* 423-426 vol.1
- Prigent, M., *see* Laloue, A., *MWSYM 01* 459-462 vol.1
- Prigent, M., *see* Ouarch, Z., *MWSYM 01* 1415-1418 vol.3
- Proakis, J.G., *see* Ziemer, R.E., *T-MTT Jan 01* 228-229
- Prokopenko, Yu.V., *see* Poplavko, Yu.M., *T-MTT Jun 01* 1020-1026
- Puech, J., *see* Lenoir, B., *MWSYM 01* 1479-1482 vol.3
- Pukala, D., *see* Maestrini, A., *MWSYM 01* 1657-1660 vol.3
- Pukala, D., *see* Schlecht, E., *MWSYM 01* 1649-1652 vol.3

Q

- Qian, Y., *see* Rennings, A., *MWSYM 01* 757-760 vol.2
- Qian, Y., *see* Sironen, M., *MWSYM 01* 547-550 vol.1
- Qian, Y., *see* Lin, S., *MWSYM 01* 1395-1398 vol.2
- Qian, Y., *see* Mori, K., *MWSYM 01* 1375-1378 vol.2
- Qian, Y., *see* Hang, C.Y., *MWSYM 01* 1079-1082 vol.2
- Qian, Y., *see* Ahn, D., *T-MTT Jan 01* 86-93
- Qian, Y., *see* Sironen, M., *T-MTT Mar 01* 442-450
- Qian, Y., *see* Sor, J., *T-MTT Dec 01* 2336-2341
- Qiang Chen, *see* Jaeyeung Jang, *MWSYM 01* 967-970 vol.2
- Qiang Li, Jinlong Zhang, Wei Li, J.S. Yuan, Yuan Chen, and A.S. Oates. RF circuit performance degradation due to soft breakdown and hot carrier effect in 0.18 μm CMOS technology; *RFIC 01* 139-142
- Qiang Li, Jinlong Zhang, Wei Li, J.S. Yuan, Yuan Chen, and A.S. Oates. RF circuit performance degradation due to soft breakdown and hot-carrier effect in deep-submicrometer CMOS technology; *T-MTT Sep 01* 1546-1551
- Qian Yongxi, *see* Seong-Sik Jeon, *MWSYM 01* 121-124 vol.1
- Qian Yongxi, *see* Sor, J., *MWSYM 01* 307-310 vol.1
- Qian Yongxi, *see* Chin-Chang Chang, *MWSYM 01* 2039-2042 vol.3
- Qian Yongxi, *see* Miyamoto, R.Y., *MWSYM 01* 1119-1122 vol.2
- Qian Yongxi, *see* Hang, C.Y., *T-MTT Jun 01* 1155-1161
- Qian Yongxi, *see* Miyamoto, R.Y., *T-MTT Sep 01* 1658-1662
- Qian Yu, *see* Adamczyk, O.H., *T-MTT Oct 01* 1962-1967
- Qi-Jun Zhang, *see* Jianjun Xu, *MWSYM 01* 1015-1018 vol.2
- Qi-Jun Zhang, *see* Devabhaktuni, V., *MWSYM 01* 2087-2090 vol.3
- Qingqing Liang, *see* Guofu Niu, *RFIC 01* 147-150
- Qingqing Liang, *see* Guofu Niu, *T-MTT Sep 01* 1558-1565
- Qing-Xiang Li, *see* Gandhi, O.P., *MWSYM 01* 147-150 vol.1
- Qing-Xiang Li, *see* Gandhi, O.P., *T-MTT Sep 01* 1607-1613
- Qi Sun, *see* Al-Zayed, A., *T-MTT Jun 01* 1067-1072
- Quendo, C., *see* Nenert, L., *MWSYM 01* 1441-1444 vol.3
- Quendo, C., C. Person, E. Rius, and M. Ney. Integration of optimized low-pass filters in band-pass filters for out-of-band improvement; *MWSYM 01* 1309-1312 vol.2

- Quendo, C.**, E. Rius, C. Person, and M. Ney. Integration of optimized low-pass filters in a bandpass filter for out-of-band improvement; *T-MTT Dec 01* 2376-2383
- Quere, R.**, see Augaudy, S., *MWSYM 01* 427-430 vol.1
- Quere, R.**, see Duperrier, C., *MWSYM 01* 1063-1066 vol.2
- Quere, R.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Quere, R.**, see Duperrier, C., *MWSYM 01* 2067-2070 vol.3
- Quere, R.**, see Duperrier, C., *T-MTT Dec 01* 2494-2500
- Quon, R.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Quttnenh, W.**, see Lucero, R., *RFIC 01* 213-216

R

- Raab, F.H.** Electronically tunable class-E power amplifier; *MWSYM 01* 1513-1516 vol.3
- Raab, F.H.** Maximum efficiency and output of class-F power amplifiers; *T-MTT Jun 01* 1162-1166
- Raab, F.H.**, see Weiss, M.D., *T-MTT Jun 01* 1174-1179
- Raab, F.H.** Class-E, Class-C, and Class-F power amplifiers based upon a finite number of harmonics; *T-MTT Aug 01* 1462-1468
- Radeva, E.I.**, see Avramov, I.D., *T-MTT Apr 01* 827-837
- Radhakrishnan, K.**, see Xiong, Y.Z., *MWSYM 01* 1971-1974 vol.3
- Radhakrishnan, K.**, see Halder, S., *MWSYM 01* 1885-1888 vol.3
- Radhakrishnan, K.**, and W.C. Chew. An efficient Krylov-subspace-based algorithm to solve the dielectric-waveguide problem; *T-MTT Jul 01* 1345-1348
- Radhakrishnan, K.**, see Halder, S., *T-MTT Dec 01* 2408-2412
- Rael, J.J.**, see Darabi, H., *RFIC 01* 89-91
- Rafii-El-Idrissi, R.**, R. Marques, and F. Medina. Comprehensive analysis of strip- and slot-line guided forward, backward, and complex magnetostatic waves; *T-MTT Sep 01* 1599-1606
- Raghavan, A.**, see Suh, Y., *MWSYM 01* 971-974 vol.2
- Raghavan, A.**, E. Gebara, C.-H. Lee, S. Chakraborty, D. Mukherjee, J. Bhattacharjee, D. Heo, and J. Laskar. A GaAs HBT 5.8 GHz OFDM transmitter MMIC chip set; *MWSYM 01* 571-574 vol.1
- Raghavan, A.**, see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
- Raghavan, A.**, E. Gebara, C.-H. Lee, S. Chakraborty, D. Mukherjee, J. Bhattacharjee, D. Heo, and J. Laskar. A GaAs HBT 5.8 GHz OFDM transmitter MMIC chip set; *RFIC 01* 267-270
- Rahkonen, T.**, see Vuolevi, J.H.K., *T-MTT Aug 01* 1383-1389
- Raihn, K.F.**, see Soares, E.R., *MWSYM 01* 1981-1984 vol.3
- Raja, R.**, M. Nishimoto, B. Osgood, M. Barsky, M. Sholley, R. Quon, G. Barber, P. Liu, R. Lai, F. Hinte, G. Haviland, and B. Vacek. A 183 GHz low noise amplifier module with 5.5 dB noise figure for the conical-scanning microwave imager sounder (CMIS) program; *MWSYM 01* 1955-1958 vol.3
- Ramachandran, R.**, see Pham, A., *T-MTT Oct 01* 1747-1749
- Raman, S.**, see Chapman, M.W., *MWSYM 01* 95-98 vol.1
- Raman, S.**, see Bunch, R., *RFIC 01* 49-52
- Ramos, F.**, J. Herrera, and J. Marti. Experimental reduction of dispersion-induced effects in microwave/millimeter-wave optical systems employing SOA boosters; *MWSYM 01* 77-79 vol.1
- Ramos, L.G.**, see Dayaratna, L., *MWSYM 01* 949-952 vol.2
- Rampmeier, K.**, B. Agarwal, P. Mudge, D. Yates, and T. Robinson. A versatile receiver IC supporting WCDMA, CDMA and AMPS cellular handset applications; *RFIC 01* 21-24
- Randa, J.** Noise characterization of multiport amplifiers; *T-MTT Oct 01* 1757-1763
- Randall, M.**, and T. Hock. General oscillator characterization using linear open-loop S-parameters; *T-MTT Jun 01* 1094-1100
- Ranev, V.Z.**, see Yanev, A.S., *T-MTT Jul 01* 1359-1361
- Rapp, M.**, see Avramov, I.D., *T-MTT Apr 01* 827-837
- Raptis, A.C.**, see Gopalsami, N., *T-MTT Apr 01* 646-653
- Rasshofer, R.H.**, see Kaleja, M.M., *MWSYM 01* 1653-1656 vol.3
- Rathmell, J.G.**, see Parker, A.E., *T-MTT Nov 01* 2105-2111
- Rauscher, C.** Varactor-tuned active notch filter with low passband noise and signal distortion; *T-MTT Aug 01* 1431-1437
- Ravanelli, R.**, see Cecchini, P., *T-MTT Apr 01* 730-733
- Ray, K.G.**, see Juodawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Rayas-Sanchez, J.E.**, see Bandler, J.W., *MWSYM 01* 1151-1154 vol.2
- Rayas-Sanchez, J.E.**, see Bakr, M.H., *MWSYM 01* 2083-2086 vol.3
- Rayas-Sanchez, J.E.**, see Bandler, J.W., *MWSYM 01* 1007-1010 vol.2
- Rayas-Sanchez, J.E.**, see Bandler, J.W., *T-MTT Jan 01* 67-79
- Reano, R.M.**, Kyoung Yang, J.F. Whitaker, and L.P.B. Katehi. Integrated electro-thermal probe; *MWSYM 01* 1523-1526 vol.3
- Reano, R.M.**, K. Yang, L.P.B. Katehi, and J.F. Whitaker. Simultaneous measurements of electric and thermal fields utilizing an electrooptic semiconductor probe; *T-MTT Dec 01* 2523-2531
- Rebeiz, G.M.**, see Guan-Leng Tan, *MWSYM 01* 325-328 vol.1
- Rebeiz, G.M.**, see Hayden, J.S., *MWSYM 01* 219-222 vol.1
- Rebeiz, G.M.**, see Muldavin, J.B., *MWSYM 01* 2119-2122 vol.3
- Rebeiz, G.M.**, see Nimmagadda, K., *RFIC 01* 253-256
- Rebeiz, G.M.**, see DiDomenico, L.D., *T-MTT Apr 01* 677-684
- Rebel, J.N.**, M. Aidam, and P. Russer. On the convergence of the classical symmetrical condensed node-TLM scheme; *T-MTT May 01* 954-963
- Redd, S.**, see Iskander, M.F., *T-MTT May 01* 1000-1003
- Redus, J.**, see Kinayman, N., *MWSYM 01* 2231-2234 vol.3
- Reeves, T.**, N. Van Stigt, and C. Rossiter. A method for the direct synthesis of general sections; *MWSYM 01* 1471-1474 vol.3
- Reindl, L.**, C.C.W. Ruppel, S. Berek, U. Knauer, M. Vossiek, P. Heide, and L. Oreams. Design, fabrication, and application of precise SAW delay lines used in an FMCW radar system; *T-MTT Apr 01* 787-794
- Reindl, L.**, C.C.W. Ruppel, A. Kirmayr, N. Stockhausen, M.A. Hilhorst, and J. Balendonck. Radio-requestable passive SAW water-content sensor; *T-MTT Apr 01* 803-808
- Reinert, J.**, and A.F. Jacob. Theoretical and experimental waveguide characterization of small wire scatterers; *T-MTT Jul 01* 1266-1269
- Rejaei, B.**, see van der Heijden, M.P., *MWSYM 01* 1679-1682 vol.3
- Remley, K.A.**, D.C. Degroot, J.A. Jargon, and K.C. Gupta. A method to compare vector nonlinear network analyzers; *MWSYM 01* 1667-1670 vol.3
- Remley, K.A.**, see Williams, D.F., *T-MTT Jun 01* 1013-1019
- Rennings, A.**, V. Toni, P. Waldow, Y. Qian, T. Itoh, and I. Wolff. A novel adaptivity for EM time domain methods: scale adaptive time steps (SATS); *MWSYM 01* 757-760 vol.2
- Resnati, G.**, see Fumagalli, M., *MWSYM 01* 1799-1802 vol.3
- Rest, M.**, see Ritzberger, G., *MWSYM 01* 701-704 vol.2
- Reuter, R.**, see Leven, A., *T-MTT Oct 01* 1908-1913
- Reynisson, R.V.**, T.E. Kolding, and T. Larsen. MOSFET bulk effect behaviour and estimation for microwave-frequency modeling; *MWSYM 01* 1273-1276 vol.2
- Reynolds, A.L.**, see van der Vorst, M.J.M., *T-MTT Jun 01* 1118-1125
- Reynolds, A.L.**, H.M.H. Chong, I.G. Thayne, J.M. Arnold, and P. De Maagt. Analysis of membrane support structures for integrated antenna usage on two-dimensional photonic-bandgap structures; *T-MTT Jul 01* 1254-1261
- Reynolds, A.L.**, U. Peschel, F. Lederer, P.J. Roberts, T.F. Krauss, and P.J.L. de Maagt. Coupled defects in photonic crystals; *T-MTT Oct 01* 1860-1867
- Rheinfelder, C.N.**, see Stroh, K.M., *MWSYM 01* 1563-1566 vol.3
- Rheinfelder, C.N.**, S. Lindenmeier, J.-F. Luy, C. Willner, and A. Schuppen. A sensor system based on SiGe MMICs for 24 GHz automotive applications; *MWSYM 01* 2239-2242 vol.3
- Richardson, J.R.**, see Han, Y.K.G., *T-MTT Jan 01* 200-203
- Riddle, B.F.**, see Weil, C.M., *MWSYM 01* 1229-1232 vol.2
- Riha, G.**, see Meier, H., *T-MTT Apr 01* 743-748
- Ritter, D.**, see Lasri, J., *T-MTT Oct 01* 1934-1939
- Ritzberger, G.**, H. Knapp, J. Bock, M. Rest, L. Treitinger, and A.L. Scholtz. 6.7 GHz frequency synthesizer in 0.8 μ m silicon bipolar production technology; *MWSYM 01* 701-704 vol.2
- Rius, E.**, see Nenert, L., *MWSYM 01* 1441-1444 vol.3
- Rius, E.**, see Quendo, C., *MWSYM 01* 1309-1312 vol.2
- Rius, E.**, see Quendo, C., *T-MTT Dec 01* 2376-2383
- Rivera-Juarez, J.M.**, see Tzontchev, R.I., *MWSYM 01* 1225-1228 vol.2
- Rizzoli, V.**, A. Lipparini, D. Masotti, and F. Mastri. Efficient circuit-level analysis of large microwave systems by Krylov-subspace harmonic balance; *MWSYM 01* 25-28 vol.1
- Rizzoli, V.**, F. Mastri, E. Furini, and A. Costanzo. A Krylov-subspace technique for the global stability analysis of large nonlinear microwave circuits; *MWSYM 01* 435-438 vol.1
- Roberts, P.J.**, see Reynolds, A.L., *T-MTT Oct 01* 1860-1867
- Robertson, I.D.**, see Dahmann, G.W., *MWSYM 01* 329-332 vol.1
- Robertson, I.D.**, see Siripon, N., *MWSYM 01* 1345-1348 vol.2
- Robertson, I.D.**, see Ang, K.S., *MWSYM 01* 1329-1332 vol.2
- Robertson, I.D.**, see Ang, K.S., *RFIC 01* 169-172
- Robertson, I.D.**, see Kian Sen Ang, *T-MTT Feb 01* 395-398
- Robertson, I.D.**, see Kian Sen Ang, *T-MTT Feb 01* 402-406
- Robertson, R.L.**, and L.P.B. Katehi. Analysis of lumped element transistor structures using MRTD: the equivalent source method; *MWSYM 01* 2015-2018 vol.3
- Robinson, T.**, see Rampmeier, K., *RFIC 01* 21-24
- Rodenbeck, C.T.**, Ming-Yi Li, and Kai Chang. A novel millimeter-wave beam-steering technique using a dielectric-image-line-fed grating film; *MWSYM 01* 267-270 vol.1
- Rodriguez-Tellez, J.**, T. Fernandez, A. Mediavilla, and A. Tazon. Characterization of thermal and frequency-dispersion effects in GaAs MESFET devices; *T-MTT Jul 01* 1352-1355
- Rodwell, M.J.W.**, see Urteaga, M., *MWSYM 01* 1713-1716 vol.3
- Roeder, B.**, see Smith, M., *MWSYM 01* 2255-2258 vol.3
- Rofougaran, A.**, see Darabi, H., *RFIC 01* 89-91
- Rofougaran, M.**, see Darabi, H., *RFIC 01* 89-91
- Rogeaux, E.**, J.-P. Frayssé, C. Schaffauser, S. George, D. Pons, P. Fellon, D. Geiger, D. Theron, N. Haese, S. Verdeyme, R. Quere, D. Baillargeat, E. Ngoya, S. Long, and L. Escotte. Ka band power pHEMT technology for space power flip-chip assembly; *MWSYM 01* 1895-1898 vol.3
- Rogers, J.W.M.**, and C. Plett. A completely integrated 1.8 volt 5 GHz tunable image reject notch filter; *RFIC 01* 75-78
- Rogier, H.**, and D. De Zutter. Berenger and leaky modes in microstrip substrates terminated by a perfectly matched layer; *T-MTT Apr 01* 712-715
- Rogues, D.**, H. Chane-Kee-Sheung, F. Dubos, B. Cogo, and J.-L. Cazaux. Ku-band Quadri-SSPA for Stentor satellite transmit active antenna; *MWSYM 01* 657-660 vol.2
- Rohde, D.**, see Grosskopf, G., *MWSYM 01* 1821-1824 vol.3
- Rohde, U.L.** Nonlinear effects in oscillators and synthesizers; *MWSYM 01* 689-692 vol.2
- Rohrer, E.**, see Siweris, H.J., *MWSYM 01* 1555-1558 vol.3
- Rohrer, E.**, see McNamara, B., *RFIC 01* 13-16
- Rolain, Y.**, see Geens, A., *MWSYM 01* 1675-1678 vol.3
- Rolain, Y.**, see Vael, P., *MWSYM 01* 2187-2190 vol.3
- Romanofsky, R.**, see Subramanyam, G., *MWSYM 01* 471-474 vol.1

- Rong, A.S.**, H. Yang, X.H. Chen, and A. Cangelaris. Efficient FDTD modeling of irises/slots in microwave structures and its application to the design of combline filters; *T-MTT Dec 01* 2266-2275
- Rong Ao Sheng**, see Ao Sheng Rong, *MWSYM 01* 1029-1032 vol.2
- Roquebrun, O.**, see Guglielmi, M., *MWSYM 01* 1787-1790 vol.3
- Roquebrun, O.**, see Guglielmi, M., *T-MTT Oct 01* 1764-1769
- Rose, F.**, see Stiebler, W., *MWSYM 01* 2071-2074 vol.3
- Roselli, L.**, see Alimenti, F., *MWSYM 01* 1041-1044 vol.2
- Roselli, L.**, see Alimenti, F., *T-MTT Jan 01* 142-150
- Roselli, L.**, see Cryan, M., *T-MTT Mar 01* 451-464
- Rosen, A.**, see Fathy, A., *MWSYM 01* 377-380 vol.1
- Rosen, A.**, see Vieira, A.J.C., *T-MTT Oct 01* 1882-1887
- Rosenberg, J.J.**, see Deckman, B., *MWSYM 01* 1843-1845 vol.3
- Rosenzweig, J.**, see Leven, A., *T-MTT Oct 01* 1908-1913
- Rossiter, C.**, see Reeves, T., *MWSYM 01* 1471-1474 vol.3
- Rouchaud, F.**, see Lascaux, C., *MWSYM 01* 487-490 vol.1
- Roussel, L.**, see Duperrier, C., *MWSYM 01* 1063-1066 vol.2
- Roussel, L.**, see Duperrier, C., *T-MTT Dec 01* 2494-2500
- Rousset, J.**, see Duperrier, C., *MWSYM 01* 2067-2070 vol.3
- Royter, Y.**, see Minotani, T., *MWSYM 01* 57-60 vol.1
- Royter, Y.**, see Nagatsuma, T., *T-MTT Oct 01* 1831-1839
- Rozzi, T.**, see Pierantoni, L., *MWSYM 01* 735-738 vol.2
- Rozzi, T.**, see Farina, M., *MWSYM 01* 1245-1248 vol.2
- Rozzi, T.**, see Morini, A., *T-MTT Jan 01* 160-165
- Rozzi, T.**, see Morini, A., *T-MTT Jan 01* 213-216
- Rozzi, T.**, see Farina, M., *T-MTT Apr 01* 624-628
- Rozzi, T.**, see Farina, M., *T-MTT Jul 01* 1355-1358
- Rozzi, T.**, see Farina, M., *T-MTT Aug 01* 1443-1450
- Rozzi, T.**, see Farina, M., *T-MTT Dec 01* 2235-2240
- Rubio, J.**, J. Arroyo, and J. Zapata. SFELP—an efficient methodology for microwave circuit analysis; *T-MTT Mar 01* 509-516
- Ruby, R.**, see Bradley, P., *MWSYM 01* 367-370 vol.1
- Rud, L.**, see Kirilenko, A., *MWSYM 01* 1257-1260 vol.2
- Rud, L.**, see Kirilenko, A., *MWSYM 01* 1317-1320 vol.2
- Rudge, P.J.**, R.E. Miles, M.B. Steer, and C.M. Snowden. Two-tone intermodulation distortion simulations in the time domain using a quasi-2D physical pHEMT model; *MWSYM 01* 439-442 vol.1
- Rudge, P.J.**, R.E. Miles, M.B. Steer, and C.M. Snowden. Investigation into intermodulation distortion in HEMTs using a quasi-2-D physical model; *T-MTT Dec 01* 2315-2321
- Rudolph, M.**, R. Doerner, and P. Heymann. On the Gunn effect in GaAs HBTs; *MWSYM 01* 683-686 vol.2
- Rudolph, M.**, see Heymann, P., *MWSYM 01* 1967-1970 vol.3
- Ruehli, A.E.**, see Coperich, K.M., *T-MTT Oct 01* 1677-1685
- Rumolo, C.**, see Bolcato, P., *MWSYM 01* 451-454 vol.1
- Runtao Ding**, see Jianjun Xu, *MWSYM 01* 1015-1018 vol.2
- Ruppel, C.C.W.**, see Schacherbauer, W., *MWSYM 01* 1085-1088 vol.2
- Ruppel, C.C.W.**, see Reindl, L., *T-MTT Apr 01* 787-794
- Ruppel, C.C.W.**, see Reindl, L., *T-MTT Apr 01* 803-808
- Ru-Shan Chen**, and Edward Kai-Ning Yung. An efficient method to analyze the H-plane waveguide junction circulator with a ferrite sphere; *T-MTT May 01* 928-937
- Russer, P.**, see Lindenmeier, S., *MWSYM 01* 393-396 vol.1
- Russer, P.**, see Dressel, W., *MWSYM 01* 1033-1036 vol.2
- Russer, P.**, see Chitchekatourov, V., *MWSYM 01* 1037-1040 vol.2
- Russer, P.**, see Do-Hong, T., *MWSYM 01* 1387-1390 vol.2
- Russer, P.**, see Heppenheimer, K.P., *MWSYM 01* 2027-2030 vol.3
- Russer, P.**, see Rebel, J.N., *T-MTT May 01* 954-963
- Rutledge, D.**, see Deckman, B., *MWSYM 01* 1843-1845 vol.3
- Rutledge, D.**, see Kee, S.D., *MWSYM 01* 1505-1508 vol.3
- Rutledge, D.** Editorial [Intro. to Mini-special issue on 2000 Radio-Frequency Integrated Circuits (RFIC) Conference and Automatic Radio Frequency Techniques Group (ARFTG) Meeting]; *T-MTT Jan 01* 2
- Ryu Gi-Hyon**, see Gi-Hyon Ryu, *MWSYM 01* 201-204 vol.1

S

- Sabido, D.J.**, IX, see Toledo, N., *MWSYM 01* 961-964 vol.2
- Sabido, D.J.M.**, and L.G. Kazovsky. Dynamic range of optically amplified RF optical links; *T-MTT Oct 01* 1950-1955
- Sabri, N.**, see Nagatsuma, T., *T-MTT Oct 01* 1831-1839
- Sadahiro, K.**, see Taniguchi, E., *MWSYM 01* 285-288 vol.1
- Sadahiro, K.**, see Taniguchi, E., *RFIC 01* 227-230
- Safar, H.**, see Herbsommer, J.A., *MWSYM 01* 2203-2206 vol.3
- Safavi-Nacini, S.**, see Majedi, A.H., *MWSYM 01* 1989-1992 vol.3
- Safavi-Nacini, S.**, see Borji, A., *MWSYM 01* 731-734 vol.2
- Safavi-Nacini, S.**, see Majedi, A.H., *T-MTT Oct 01* 1873-1881
- Safwata, A.M.E.**, K.A. Zaki, W. Johnson, and C.H. Lee. Novel design for coplanar waveguide to microstrip transition; *MWSYM 01* 607-610 vol.2
- Saglam, M.**, see Toker, C., *T-MTT Apr 01* 718-721
- Saglam, M.**, see Vogel, R.W., *T-MTT Oct 01* 1824
- Sahin, A.B.**, see Adamczyk, O.H., *T-MTT Oct 01* 1962-1967
- Sahu, D.**, see Dantoni, F., *RFIC 01* 93-96
- Saini, K.S.**, see Bryerton, E.W., *MWSYM 01* 1817-1820 vol.3
- Saito, K.**, see Kageyama, K., *MWSYM 01* 1445-1448 vol.3
- Saito, K.**, see Kageyama, K., *T-MTT Dec 01* 2421-2424
- Sakai, Y.**, see Horiguchi, K., *MWSYM 01* 797-800 vol.2
- Sakalas, P.**, see Zirath, H., *T-MTT Nov 01* 2086-2092
- Sakamoto, K.**, see Mimino, Y., *MWSYM 01* 2167-2170 vol.3
- Salama, C.A.T.**, see YuCai Zhang, *MWSYM 01* 2147-2150 vol.3
- Salama, C.A.T.**, see Djahanshahi, H., *RFIC 01* 161-164
- Salama, C.A.T.**, see Djahanshahi, H., *T-MTT Sep 01* 1566-1572
- Salazar-Palma, M.**, see Garcia-Lamperez, A., *MWSYM 01* 2103-2106 vol.3
- Salehi, H.**, R.R. Mansour, and V. Dokas. Modified conductor loaded cavity resonator with improved spurious performance; *MWSYM 01* 1779-1782 vol.3
- Salib, M.**, Hyo-Kun Hahn, J. Kositz, J. Zingaro, A. Ezis, and A. Gupta. A novel base feed design for high power, high frequency heterojunction bipolar transistors; *MWSYM 01* 1075-1078 vol.2
- Sam, B.**, see Schreier, R., *RFIC 01* 71-74
- Sam, B.**, and P. Halford. High-performance quadrature modulators for broadband wireless communication; *RFIC 01* 17-20
- Samitier, J.**, see Sieiro, J., *RFIC 01* 121-124
- Samoska, L.**, and Yoke Choy Leong. 65-145 GHz InP MMIC HEMT medium power amplifiers; *MWSYM 01* 1805-1808 vol.3
- Samoska, L.**, see Huei Wang, *T-MTT Jan 01* 9-16
- Sancho, S.**, S. Ver Hoeve, A. Suarez, J. Chuan, and A. Tazon. Nonlinear analysis of a microwave synthesizer based on a sampling-phase detector; *MWSYM 01* 443-446 vol.1
- Sancho, S.**, A. Suarez, and T. Fernandez. Nonlinear dynamics of microwave synthesizers—stability and noise; *T-MTT Oct 01* 1792-1803
- Sangawa, U.**, K. Takahashi, T. Urabe, H. Ogura, and H. Yabuki. A Ka-band high-efficiency dielectric lens antenna with a silicon micromachined microstrip patch radiator; *MWSYM 01* 389-392 vol.1
- Sangawa, U.**, see Takahashi, K., *T-MTT Nov 01* 2099-2104
- Sangeon Lee**, see Adamczyk, O.H., *T-MTT Oct 01* 1962-1967
- Sanghoon Kang**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Sanghoon Shin**, R.V. Snyder, and E. Niver. 360-degree linear analog phase shifter design using tunable short-circuit terminated combline filters; *MWSYM 01* 303-306 vol.1
- Sanghwa Jung**, Kyungteh Kang, Jae-Hyoung Park, Ki-Woong Chung, Yong-Kweon Kim, and Youngwoo Kwon. Micromachined frequency-variable impedance tuners using resonant unit cells; *MWSYM 01* 333-336 vol.1
- Sanghwa Jung**, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Sang-Won Yun**, see Hee Yong Hwang, *MWSYM 01* 1483-1486 vol.3
- Sangwook Nam**, see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Sangwook Nam**, see Seung-June Yi, *T-MTT May 01* 938-946
- Sangwook Nam**, see Jongkuk Park, *T-MTT Nov 01* 2147-2151
- Saniei, N.**, see Djahanshahi, H., *RFIC 01* 161-164
- Saniei, N.**, see Djahanshahi, H., *T-MTT Sep 01* 1566-1572
- Sano, S.**, see Yamamoto, T., *MWSYM 01* 1055-1058 vol.2
- Santos, C.G.**, see Toledo, N., *MWSYM 01* 961-964 vol.2
- Sarabandi, K.**, see Peroulis, D., *MWSYM 01* 341-344 vol.1
- Sarkar, T.K.**, see Chow, Y.L., *MWSYM 01* 1757-1760 vol.3
- Sarkar, T.K.**, see Jin-Lin Hu, *T-MTT Oct 01* 1725-1732
- Sarnowski, M.**, T. Vaupel, V. Hansen, E. Kreysa, and H.P. Gmuend. Characterization of diffraction anomalies in 2-D photonic bandgap structures; *T-MTT Oct 01* 1868-1872
- Sarris, C.D.**, and L.P.B. Katehi. Development and application of an efficient FDTD/Haar MRTD numerical interface; *MWSYM 01* 753-756 vol.2
- Sarris, C.D.**, and L.P.B. Katehi. Fundamental gridding related dispersion effects in multiresolution time domain schemes; *MWSYM 01* 749-752 vol.2
- Sarris, C.D.**, and L.P.B. Katehi. Fundamental gridding-related dispersion effects in multiresolution time-domain schemes; *T-MTT Dec 01* 2248-2257
- Sasaki, A.**, see Minotani, T., *MWSYM 01* 57-60 vol.1
- Sasaki, A.**, see Nagatsuma, T., *T-MTT Oct 01* 1831-1839
- Sasaki, Y.**, H. Kurusu, H. Hoshi, T. Hisaka, and Y. Mitsui. 20-30 GHz broadband MMIC power amplifiers with compact flat gain PHEMT cells; *MWSYM 01* 1067-1070 vol.2
- Sato, H.**, see Kuroki, F., *MWSYM 01* 1813-1816 vol.3
- Sato, K.**, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
- Sauer, M.**, see Kojucharow, K., *T-MTT Oct 01* 1977-1985
- Sawada, R.**, see Anada, T., *MWSYM 01* 1209-1212 vol.2
- Sawan, M.**, see Jeckeln, E.G., *MWSYM 01* 789-792 vol.2
- Schacherbauer, W.**, A. Springer, T. Ostertag, C.C.W. Ruppel, and R. Weigel. A flexible multiband frontend for software radios using high IF and active interference cancellation; *MWSYM 01* 1085-1088 vol.2
- Schaffauser, C.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Schaffer, C.**, see Kojucharow, K., *T-MTT Oct 01* 1977-1985
- Schallner, M.** Temperature compensated planar narrow-band notch filter with fully automated laser-trimming; *MWSYM 01* 1919-1922 vol.3
- Schallner, M.**, and W. Konrath. Adjustment of a temperature compensated Ka-band ring resonator VCO using fully automated laser-trimming; *MWSYM 01* 2179-2182 vol.3
- Schelmbauer, W.**, see Pretl, H., *RFIC 01* 9-12
- Schieber, K.**, see Vitusevich, S., *MWSYM 01* 1977-1980 vol.3
- Schimetta, G.**, F. Dollinger, G. Scholl, and R. Weigel. Optimized design and fabrication of a wireless pressure and temperature sensor unit based on SAW transponder technology; *MWSYM 01* 355-358 vol.1
- Schlecht, E.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Schlecht, E.**, G. Chattopadhyay, A. Maestrini, A. Fung, S. Martin, D. Pukala, J. Bruston, and I. Mehdi. 200, 400 and 800 GHz Schottky diode “substrateless” multipliers: design and results; *MWSYM 01* 1649-1652 vol.3
- Schlechtweg, M.**, see Kudszus, S., *MWSYM 01* 1571-1574 vol.3
- Schmanski, B.**, see Pham, A., *T-MTT Oct 01* 1747-1749
- Schmitt, D.**, see Guglielmi, M., *T-MTT Oct 01* 1764-1769

- Schmuckle, F.J.**, A. Jentzsch, W. Heinrich, J. Butz, and M. Spinnler. LTCC as MCM substrate: design of strip-line structures and flip-chip interconnects; *MWSYM 01* 1903-1906 vol.3
- Schneider, J.B.**, and R.J. Kruhlak. Dispersion of homogeneous and inhomogeneous waves in the Yee finite-difference time-domain grid; *T-MTT Feb 01* 280-287
- Schneider, F.**, and W. Heinrich. Model of thin-film microstrip line for circuit design; *T-MTT Jan 01* 104-110
- Scholl, G.**, see Schimetta, G., *MWSYM 01* 355-358 vol.1
- Scholtz, A.L.**, see Ritzberger, G., *MWSYM 01* 701-704 vol.2
- Scholtz, A.L.**, see Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Scholz, M.**, see Neurauder, B., *MWSYM 01* 705-708 vol.2
- Scholz, M.**, see Klepser, B.-U.H., *RFIC 01* 61-64
- Schreier, R.**, J. Lloyd, L. Singer, F. Weiss, B. Sam, D. Paterson, C. Jacobs, J. Steinheider, M. Timko, J. Zhou, and W. Martin. A flexible 10-300 MHz receiver IC employing a bandpass sigma-delta ADC; *RFIC 01* 71-74
- Schreurs, D.**, see Carchon, G., *MWSYM 01* 599-602 vol.1
- Schreurs, D.**, A. Orzati, L. Pergola, H. Benedickter, O. Homan, and W. Bachold. Large-signal look-up table model for InP HEMTs including non-quasi-static and impact ionisation effects; *MWSYM 01* 827-830 vol.2
- Schreurs, D.**, see Carchon, G., *RFIC 01* 295-298
- Schreurs, D.M.M.-P.**, see Carchon, G.J., *T-MTT Aug 01* 1374-1382
- Schreurs, D.M.M.-P.**, see Vandenbergh, S., *T-MTT Dec 01* 2573-2579
- Schroth, J.**, see Fillebock, M., *RFIC 01* 173-176
- Schuchter, W.**, G. Krasser, V. Schultheiss, and G. Hofer. A single chip FSK/ASK 900 MHz transceiver in a standard 0.25 μ m CMOS technology; *RFIC 01* 183-186
- Schuller, S.**, see Agethen, M., *MWSYM 01* 1765-1768 vol.3
- Schultheiss, V.**, see Schuchter, W., *RFIC 01* 183-186
- Schumacher, K.**, see Theil, D., *RFIC 01* 103-106
- Schuppen, A.**, see Rheinfelder, C.N., *MWSYM 01* 2239-2242 vol.3
- Schuppen, A.**, see Bischof, W., *RFIC 01* 35-38
- Schuppener, G.**, T. Harada, and Yinggang Li. A 23-GHz low-noise amplifier in SiGe heterojunction bipolar technology; *RFIC 01* 177-180
- Schutt-Aine, J.E.**, see Jun Zou, *MWSYM 01* 193-196 vol.1
- Scott, D.**, see Urteaga, M., *MWSYM 01* 1713-1716 vol.3
- Scott, J.** Nonlinear III-V HBT compact models: do we have what we need?; *MWSYM 01* 663-666 vol.2
- Scullion, T.**, see Jeong Soo Lee, *T-MTT Jun 01* 1126-1129
- Seeds, A.J.**, see Fukushima, S., *MWSYM 01* 69-72 vol.1
- Seeds, A.J.**, see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Seippel, D.**, see Durdodt, C., *RFIC 01* 99-102
- Seippel, D.**, see Theil, D., *RFIC 01* 103-106
- Seippel, D.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Seki, S.**, see Hirono, T., *T-MTT Sep 01* 1640-1648
- Seki, T.**, H. Yamamoto, T. Hori, and M. Nakatsugawa. Active antenna using multi-layer ceramic-polyimide substrates for wireless communication systems; *MWSYM 01* 385-388 vol.1
- Selin, J.**, see Stiebler, W., *MWSYM 01* 2071-2074 vol.3
- Semenov, V.E.**, see Jordan, U., *MWSYM 01* 2223-2226 vol.3
- Semouchkina, E.**, Wenwu Cao, and R. Mittra. FDTD study of resonance processes in microstrip ring resonators with different excitation geometries; *MWSYM 01* 2055-2058 vol.3
- Sen Ang Kian**, see Kian Sen Ang, *T-MTT Feb 01* 395-398
- Sen Ang Kian**, see Kian Sen Ang, *T-MTT Feb 01* 402-406
- Senda, H.**, see Horiguchi, K., *MWSYM 01* 797-800 vol.2
- Sentieri, E.**, see Albertoni, F., *RFIC 01* 83-86
- Seo, J.-H.**, Y.-K. Seo, and W.-Y. Choi. Nonlinear distortion suppression in directly modulated DFB lasers by sidemode optical injection; *MWSYM 01* 555-558 vol.1
- Seo, O.-K.**, see Yoon, S.-J., *MWSYM 01* 771-774 vol.2
- Seo, Y.-K.**, see Seo, J.-H., *MWSYM 01* 555-558 vol.1
- Seo Hwa-Chang**, see Ang, K.S., *MWSYM 01* 1329-1332 vol.2
- Seo Hwa-chang**, see Ang, K.S., *RFIC 01* 169-172
- Seo Jong-Wook**, see Yong-Hyun Park, *MWSYM 01* 2191-2194 vol.3
- Seo Kwang-Seok**, see Gi-Hyon Ryu, *MWSYM 01* 201-204 vol.1
- Seong-Hun Kim**, see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Seong-Sik Jeon**, Yuanxun Wang, Yongxi Qian, and T. Itoh. A novel planar array smart antenna system with hybrid analog-digital beamforming; *MWSYM 01* 121-124 vol.1
- Sercu, J.**, see Knockaert, L., *MWSYM 01* 1249-1252 vol.2
- Serrao, V.A.**, see Franco, M.A.R., *T-MTT Mar 01* 562-564
- Seto, I.**, H. Shoki, and S. Ohshima. Optical subcarrier multiplexing transmission for base station with adaptive array antenna; *T-MTT Oct 01* 2036-2041
- Seunghyun Song**, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Seung-June Yi**, Sangwook Nam, Sung-Hoon Oh, and Jae-Hee Han. Prediction of a CDMA output spectrum based on intermodulation products of two-tone test; *T-MTT May 01* 938-946
- Seungwon Choi**, see Heung-Jae Im, *T-MTT Nov 01* 2142-2146
- Sevic, J.**, see Steer, M., *T-MTT Jun 01* 1145-1147
- Sewell, P.**, see Anada, T., *MWSYM 01* 1209-1212 vol.2
- Sha Kan**, see Wenquan Che, *T-MTT Apr 01* 727-730
- Shamsaifar, K.**, see Jian Xu, *MWSYM 01* 1449-1452 vol.3
- Shan-Jia Xu**, see Xiang-Yin Zeng, *T-MTT Apr 01* 585-588
- Shaojun Liu**, see Pond, J.M., *MWSYM 01* 1771-1774 vol.3
- Shapiro, G.**, see Estes, J., *MWSYM 01* 1357-1358 vol.2
- Shealy, J.B.**, J.A. Smart, and J.R. Shealy. High-power AlGaIn/GaN FET-based VCO sources; *MWSYM 01* 1427-1430 vol.3
- Shealy, J.R.**, see Shealy, J.B., *MWSYM 01* 1427-1430 vol.3
- Shealy, J.R.**, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Shealy, J.R.**, see Green, B.M., *T-MTT Dec 01* 2486-2493
- Sheen, D.M.**, D.L. McMakin, and T.E. Hall. Three-dimensional millimeter-wave imaging for concealed weapon detection; *T-MTT Sep 01* 1581-1592
- Sheen, J.-W.**, see Tang, C.-W., *T-MTT Dec 01* 2342-2349
- Sheen Jyh-Wen**, see Jyh-Wen Sheen, *MWSYM 01* 315-318 vol.1
- Shen, T.**, K.A. Zaki, and T.G. Dolan. Circular-to-rectangular waveguide diplexers; *MWSYM 01* 1325-1328 vol.2
- Shenai, K.**, and E. McShane. Current status and emerging trends in RF power FET technologies; *MWSYM 01* 1501-1504 vol.3
- Shenai, K.**, see McShane, E., *MWSYM 01* 2135-2138 vol.3
- Shenghong Liu**, see Le-Wei Li, *T-MTT Jul 01* 1361-1364
- Sheng-Li Lin**, Le-Wei Li, Tat-Soon Yeo, and Mook-Seng Leong. Analysis of metallic waveguides of a large class of cross sections using polynomial approximation and superquadratic functions; *T-MTT Jun 01* 1136-1139
- Sheng Rong Ao**, see Ao Sheng Rong, *MWSYM 01* 1029-1032 vol.2
- Sheng-Yuan Lee**, see Chih-Ming Tsai, *MWSYM 01* 2175-2178 vol.3
- Shenouda, B.A.**, L.W. Pearson, and J.E. Harriss. Etched-silicon micromachined W-band waveguides and horn antennas; *T-MTT Apr 01* 724-727
- Shen Tao**, see Tao Shen, *MWSYM 01* 1491-1494 vol.3
- Shen Tao**, see Tao Shen, *MWSYM 01* 1487-1490 vol.3
- Shi, P.**, see Oliver, S.A., *T-MTT Feb 01* 385-387
- Shien, D.T.**, see Chan, K.T., *MWSYM 01* 763-766 vol.2
- Shigekawa, N.**, see Kamitsuna, H., *T-MTT Oct 01* 1921-1925
- Shigesawa, H.**, see Tsuji, M., *MWSYM 01* 863-866 vol.2
- Shigesawa, H.**, and M. Tsuji. Structural conditions for offering high-performance printed-circuit devices in millimeter-wave range; *MWSYM 01* 867-870 vol.2
- Shih-Cheng Yang**, see Chin-Wei Kuo, *RFIC 01* 165-168
- Shih-Cheng Yang**, see Hsien-Chin Chiu, *RFIC 01* 143-146
- Shih Eric**, see Jen-Tsai Kuo, *MWSYM 01* 1593-1596 vol.3
- Shim, J.I.**, see Jin, W., *MWSYM 01* 1727-1730 vol.3
- Shimamoto, H.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Shimamoto, H.**, see Washio, K., *T-MTT Jan 01* 3-8
- Shimawaki, H.**, see Nishimura, T.B., *RFIC 01* 31-34
- Shimizu, T.**, and Y. Kobayashi. Millimeter wave measurements of temperature dependence of complex permittivity of GaAs plates by a circular waveguide method; *MWSYM 01* 2195-2198 vol.3
- Shimozawa, M.**, see Itoh, K., *MWSYM 01* 1333-1336 vol.2
- Shimura, T.**, Y. Mimino, K. Nakamura, Y. Aoki, and S. Kuroda. High isolation V-band SPDT switch MMIC for high power use [HEMTs application]; *MWSYM 01* 245-248 vol.1
- Shimura, T.**, see Inoue, A., *MWSYM 01* 1687-1690 vol.3
- Shinagawa, M.**, see Nagatsuma, T., *T-MTT Oct 01* 1831-1839
- Shinke, S.**, see Kuroki, F., *MWSYM 01* 1813-1816 vol.3
- Shinmura, S.**, see Okada, T., *MWSYM 01* 1183-1186 vol.2
- Shinohara, K.**, T. Matsui, T. Mimura, and S. Hiayamizu. Novel asymmetric gate-recess engineering for sub-millimeter-wave InP-based HEMTs; *MWSYM 01* 2159-2162 vol.3
- Shin Sanghoon**, see Sanghoon Shin, *MWSYM 01* 303-306 vol.1
- Shiramizu, N.**, see Ohhata, K., *MWSYM 01* 1701-1704 vol.3
- Shiramizu, N.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Shirokov, M.S.**, see Cherepko, S.V., *MWSYM 01* 671-674 vol.2
- Shirokov, M.S.**, see Leoni, R.E., III, *T-MTT Jun 01* 1180-1186
- Shiroma, W.A.**, see Sung, K.Y., *MWSYM 01* 1399-1401 vol.2
- Shi Shouyuan**, see Shouyuan Shi, *T-MTT Sep 01* 1614-1619
- Shoki, H.**, see Seto, I., *T-MTT Oct 01* 2036-2041
- Sholley, M.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Shouyuan Shi**, Liqing Yang, and D.W. Prather. Numerical study of axisymmetric dielectric resonators; *T-MTT Sep 01* 1614-1619
- Shubov, A.G.**, see Denisenko, V.V., *MWSYM 01* 2247-2250 vol.3
- Shuyun Zhang**, see Zeji Gu, *MWSYM 01* 241-244 vol.1
- Shuyun Zhang**, Jiang Cao, and R. Mcmorrow. E-PHEMT, single supply, high efficient power amplifiers for GSM and DCS applications; *MWSYM 01* 927-930 vol.2
- Shyh-Chyi Wong**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Shyh-Jong Chung**, Ten-Chi Chou, and Yung-Nein Chin. A novel card-type transponder designed using retrodirective antenna array; *MWSYM 01* 1123-1126 vol.2
- Shyh-Yeong Ke**, and Yuan-Tung Cheng. Integration equation analysis on resonant frequencies and quality factors of rectangular dielectric resonators; *T-MTT Mar 01* 571-574
- Siefert, F.**, see Hausleitner, C., *T-MTT Apr 01* 817-822
- Siegel, P.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Siegel, P.H.**, see Maiwald, F., *MWSYM 01* 1637-1640 vol.3
- Sieiro, J.**, J.M. Lopez-Villegas, J. Cabanillas, J.A. Osorio, and J. Samitier. A complete physical frequency dependent lumped model for RF integrated inductors; *RFIC 01* 121-124
- Sievenpiper, D.**, see Kumar, K., *T-MTT Jan 01* 228
- Sievenpiper, D.F.**, see Broas, R.F.J., *T-MTT Jul 01* 1262-1265
- Sifen Luo**, and T. Sowlati. A monolithic Si PCS-CDMA power amplifier with an impedance-controllable biasing scheme; *RFIC 01* 217-220
- Sifen Luo**, and T. Sowlati. A monolithic Si PCS-CDMA power amplifier with 30% PAE at 1.9 GHz using a novel biasing scheme; *T-MTT Sep 01* 1552-1557
- Silva, C.F.C.**, see Fukushima, S., *MWSYM 01* 69-72 vol.1
- Silva, C.P.**, A.A. Moulthrop, M.S. Muha, and C.J. Clark. Application of polyspectral techniques to nonlinear modeling and compensation; *MWSYM 01* 13-16 vol.1

- Simons, R.N.**, Donghoon Chun, and L.P.B. Katehi. Microelectromechanical systems (MEMS) actuators for antenna reconfigurability; *MWSYM 01* 215-218 vol.1
- Sinderhauf, J.**, see Bischof, W., *RFIC 01* 35-38
- Singer, L.**, see Schreier, R., *RFIC 01* 71-74
- Sining Zhou**, Pingxi Ma, Liyang Zhang, P. Zampardi, Jiang Li, Y.S. Chang, and M.F. Chang. 1.8 V RF AGC and mixer implemented with a novel four-terminal HBT (FHBt); *RFIC 01* 241-244
- Sinsky, J.H.** An Internet controlled calibration system for TDMA smart antenna wireless base stations; *MWSYM 01* 141-144 vol.1
- Siripon, N.**, M. Chongcheawchamnan, and I.D. Robertson. Novel frequency doubler using feedforward for fundamental frequency component suppression; *MWSYM 01* 1345-1348 vol.2
- Sironen, M.**, Y. Qian, and T. Itoh. A 60 GHz conical horn antenna excited with quasi-Yagi antenna; *MWSYM 01* 547-550 vol.1
- Sironen, M.**, Y. Qian, and T. Itoh. A subharmonic self-oscillating mixer with integrated antenna for 60-GHz wireless applications; *T-MTT Mar 01* 442-450
- Sivco, D.**, see Mathai, S., *T-MTT Oct 01* 1956-1961
- Sivco, D.L.**, see Islam, M.S., *T-MTT Oct 01* 1914-1920
- Siweris, H.J.**, H. Tischer, and E. Rohrer. Monolithic 38 GHz coplanar feedback VCOs fabricated by a production PHEMT technology; *MWSYM 01* 1555-1558 vol.3
- Sjoman, P.**, see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
- Sloan, R.**, see Xu, X., *T-MTT Mar 01* 553-555
- Sloan, R.**, see Yong, C.K., *T-MTT Jun 01* 1101-1106
- Smart, J.A.**, see Shealy, J.B., *MWSYM 01* 1427-1430 vol.3
- Smart, J.A.**, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Smart, J.A.**, see Green, B.M., *T-MTT Dec 01* 2486-2493
- Smith, G.H.**, see Lim, C., *T-MTT Feb 01* 288-296
- Smith, H.K.**, see Abdul-Gaffoor, M.R., *MWSYM 01* 1933-1936 vol.3
- Smith, M.**, T. Weller, J. Culver, B. Roeder, C. Trent, and J. Naylor. K-band direct detect MMIC Si micromachined radiometer; *MWSYM 01* 2255-2258 vol.3
- Smith, P.**, see Martin, S., *MWSYM 01* 1641-1644 vol.3
- Smith, P.R.**, see Yoon, Y.J., *T-MTT Feb 01* 393-395
- Snowden, C.M.**, see Batty, W., *MWSYM 01* 667-670 vol.2
- Snowden, C.M.**, see David, S., *MWSYM 01* 431-434 vol.1
- Snowden, C.M.**, see Rudge, P.J., *MWSYM 01* 439-442 vol.1
- Snowden, C.M.**, see Rudge, P.J., *T-MTT Dec 01* 2315-2321
- Snyder, R.V.**, see Sanghoon Shin, *MWSYM 01* 303-306 vol.1
- So, P.P.M.**, see Wei Liu, *MWSYM 01* 2043-2046 vol.3
- So, P.P.M.**, see Park, J.W., *MWSYM 01* 2047-2050 vol.3
- So, P.P.M.**, and W.J.R. Hoefer. A multi-threaded time domain TLM algorithm for symmetric multi-processing computers; *MWSYM 01* 2007-2010 vol.3
- Soares, E.R.**, K.F. Raihn, and J.D. Fuller. Dual 5 MHz PCS receiver front end; *MWSYM 01* 1981-1984 vol.3
- Solano, M.A.**, J.S. Ipinia, A. Gomez, A. Prieto, A. Vegas, A.S. Omar, and G.V. Eleftheriades. Comments on "Some important properties of waveguide junction generalized scattering matrices in the context of the mode matching technique" [and reply]; *T-MTT Sep 01* 1663-1664
- Someya, D.**, see Nikawa, Y., *MWSYM 01* 171-174 vol.1
- Song, H.J.**, and M.E. Bialkowski. Transmit array of transistor amplifiers illuminated by a patch array in the reactive near-field region; *T-MTT Mar 01* 470-475
- Song, J.B.**, see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Song Seunghyun**, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Soo Kim Cheon**, see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Soo Lee Jeong**, see Jeong Soo Lee, *T-MTT Jun 01* 1126-1129
- Soon-Young Eom**, see Jong-Sik Lim, *MWSYM 01* 1301-1304 vol.2
- Sor, J.**, Yongxi Qian, and T. Itoh. A novel low-loss slow-wave CPW periodic structure for filter applications; *MWSYM 01* 307-310 vol.1
- Sor, J.**, Y. Qian, and T. Itoh. Miniature low-loss CPW periodic structures for filter applications; *T-MTT Dec 01* 2336-2341
- Sorolla, M.**, see Lopetegi, T., *T-MTT Sep 01* 1593-1598
- Sorrentino, R.**, see Alimenti, F., *MWSYM 01* 1041-1044 vol.2
- Sorrentino, R.**, see Alimenti, F., *T-MTT Jan 01* 142-150
- Sorrentino, R.**, see Cryan, M., *T-MTT Mar 01* 451-464
- Sottani, N.**, see Avitabile, G., *MWSYM 01* 2259-2262 vol.3
- Sovero, E.**, see Deckman, B., *MWSYM 01* 1843-1845 vol.3
- Sowlati, T.**, see Sifen Luo, *RFIC 01* 217-220
- Sowlati, T.**, see Sifen Luo, *T-MTT Sep 01* 1552-1557
- Sozanski, J.P.**, see Vanoverschelde, C., *MWSYM 01* 155-158 vol.1
- Spataro, A.**, see Deval, Y., *RFIC 01* 53-56
- Spataro, A.**, see Deval, Y., *T-MTT Sep 01* 1525-1530
- Speck, J.S.**, see Acikel, B., *MWSYM 01* 1191-1194 vol.2
- Spinnler, M.**, see Schmucke, F.J., *MWSYM 01* 1903-1906 vol.3
- Spinnler, M.**, see Vitusevich, S., *MWSYM 01* 1977-1980 vol.3
- Springeanu, L.**, see Pham, A., *T-MTT Oct 01* 1747-1749
- Springer, A.**, see Schacherbauer, W., *MWSYM 01* 1085-1088 vol.2
- Springer, A.**, W. Gugler, M. Huemer, R. Koller, and R. Weigel. A wireless spread-spectrum communication system using SAW chirped delay lines; *T-MTT Apr 01* 754-760
- Sprinkle, S.**, see Wei, C.-J., *MWSYM 01* 675-678 vol.2
- Staecker, P.**, see Gresham, I., *T-MTT Jan 01* 44-58
- Staecker, P.W.** 2001 MTT-s Awards; *T-MTT Dec 01* 2188-2196
- Stange, L.C.**, see Metz, C., *MWSYM 01* 275-278 vol.1
- Stange, L.C.**, see Metz, C., *MWSYM 01* 1115-1118 vol.2
- Stange, L.C.**, see Metz, C., *T-MTT Dec 01* 2560-2566
- Starski, J.P.**, see Moretti, P., *MWSYM 01* 1371-1374 vol.2
- Stauf, G.T.**, see Tombak, A., *MWSYM 01* 1453-1456 vol.3
- Stavrinou, P.**, see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Stenson, D.P.**, see Liu, W.Y., *MWSYM 01* 539-542 vol.1
- Steer, M.**, see Ortiz, S., *MWSYM 01* 1827-1830 vol.3
- Steer, M.**, J. Sevic, and B.D. Geller. Editorial [Intro. to the special issue on RF power amplification]; *T-MTT Jun 01* 1145-1147
- Steer, M.B.**, see Batty, W., *MWSYM 01* 667-670 vol.2
- Steer, M.B.**, see Christoffersen, C.E., *MWSYM 01* 447-450 vol.1
- Steer, M.B.**, see Gard, K., *MWSYM 01* 9-12 vol.1
- Steer, M.B.**, see Liu, W.Y., *MWSYM 01* 539-542 vol.1
- Steer, M.B.**, see Rudge, P.J., *MWSYM 01* 439-442 vol.1
- Steer, M.B.**, see Abdulla, M.N., *T-MTT Jan 01* 94-103
- Steer, M.B.**, see Rudge, P.J., *T-MTT Dec 01* 2315-2321
- Stefanou, S.**, J.S. Hamel, M. Bain, P. Baine, B.M. Armstrong, H.S. Gamble, R. Mauntel, and M. Haug. Physics and compact modeling of SOI substrates with buried ground plane (GPSOI) for substrate noise suppression; *MWSYM 01* 1877-1880 vol.3
- Steindl, R.**, see Hausleitner, C., *T-MTT Apr 01* 817-822
- Steinheider, J.**, see Schreier, R., *RFIC 01* 71-74
- Stenarson, J.**, K. Yhland, and C. Wingqvist. An in-circuit noncontacting measurement method for S-parameters and power in planar circuits; *T-MTT Dec 01* 1-
- Stevens, D.**, see Gippich, J., *MWSYM 01* 1719-1722 vol.3
- Steyaert, M.**, see Uyttenhove, K., *MWSYM 01* 2131-2134 vol.3
- Steyn, W.**, R. Lehmensiek, and P. Meyer. Integrated CAD procedure for iris design in a multi-mode waveguide environment; *MWSYM 01* 1163-1166 vol.2
- Stiebler, W.**, F. Rose, and J. Selin. Nonlinear statistical modeling of large-signal device behavior; *MWSYM 01* 2071-2074 vol.3
- Stitzer, S.N.**, see Adam, J.D., *MWSYM 01* 1173-1174 vol.2
- Stockhausen, N.**, see Reindl, L., *T-MTT Apr 01* 803-808
- Stohr, A.**, R. Einzelmann, A. Malcoci, and D. Jager. Optical heterodyne millimeter-wave generation using 1.55- μ m traveling-wave photodetectors; *T-MTT Oct 01* 1926-1933
- Stopponi, G.**, see Alimenti, F., *MWSYM 01* 1041-1044 vol.2
- Strassner, B.**, and Kai Chang. 5.8 GHz circular polarized rectifying antenna for microwave power transmission; *MWSYM 01* 1859-1862 vol.3
- Strassner, B.**, and K. Chang. Wide-band low-loss high-isolation microstrip periodic-stub diplexer for multiple-frequency applications; *T-MTT Oct 01* 1818-1820
- Strohm, K.M.**, C.N. Rheinfelder, J.-F. Luy, P. Nuechter, T. Hess, W. Heinrich, H. Kuhnert, M. Nadarassin, C. Warns, and W. Menzel. Coplanar and microstrip oscillators in SiGe SIMMWIC technology; *MWSYM 01* 1563-1566 vol.3
- Strohm, K.M.**, see Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Strutz, S.J.**, and K.J. Williams. An 8-18-GHz all-optical microwave downconverter with channelization; *T-MTT Oct 01* 1992-1995
- Stubbs, M.G.**, see Hettak, K., *MWSYM 01* 311-314 vol.1
- Stubbs, M.G.**, see Panther, A., *MWSYM 01* 1907-1910 vol.3
- Stubbs, M.G.**, see Hettak, K., *T-MTT Nov 01* 2112-2116
- Su, Q.-X.**, P. Kirby, E. Komuro, M. Imura, Q. Zhang, and R. Whatmore. Thin-film bulk acoustic resonators and filters using ZnO and lead-zirconium-titanate thin films; *T-MTT Apr 01* 769-778
- Suarez, A.**, see Sancho, S., *MWSYM 01* 443-446 vol.1
- Suarez, A.**, see Sancho, S., *T-MTT Oct 01* 1792-1803
- Subbanna, S.**, see Laney, D.C., *T-MTT Aug 01* 1507-1510
- Subramanyam, G.**, N. Mohsina, A. Al Zaman, F. Miranda, F. Van Keuls, R. Romanofsky, and J. Warner. Ferroelectric thin-film based electrically tunable Ku-band coplanar waveguide components; *MWSYM 01* 471-474 vol.1
- Suematsu, E.**, see Kuroki, F., *MWSYM 01* 1813-1816 vol.3
- Suematsu, N.**, see Taniguchi, E., *MWSYM 01* 285-288 vol.1
- Suematsu, N.**, see Taniguchi, E., *RFIC 01* 227-230
- Sugitani, S.**, see Nishikawa, K., *MWSYM 01* 1881-1884 vol.3
- Suh, Y.**, see Heo, D., *MWSYM 01* 915-918 vol.2
- Suh, Y.**, D. Heo, A. Raghavan, E. Gebara, S. Nuttnick, K. Lim, and J. Laskar. Direct extraction and modeling method for temperature dependent large signal CAD model of Si-BJT; *MWSYM 01* 971-974 vol.2
- Su Hieng Tiong**, see Hieng Tiong Su, *MWSYM 01* 1985-1988 vol.3
- Suh Young-Ho**, see Young-Ho Suh, *MWSYM 01* 611-614 vol.2
- Suidong Yang**, V.F. Fusco, and D.E.J. Humphrey. Ring-coupled-oscillator sequentially rotated active antenna; *T-MTT Aug 01* 1492-1497
- Sui Wenquan**, see Li, P., *MWSYM 01* 1891-1894 vol.3
- Sui Wenquan**, see Tong Li, *MWSYM 01* 1023-1026 vol.2
- Su Jiong-Guang**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Sullivan, D.B.** Primary frequency standards at NIST; *MWSYM 01* 849-852 vol.2
- Sumioka, A.**, see Kachi, T., *MWSYM 01* 359-362 vol.1
- Sun, C.K.**, see Li, G.L., *MWSYM 01* 61-64 vol.1
- Sun, D.-K.**, Z. Cendes, and J.-F. Lee. ALPS-A new fast frequency-sweep procedure for microwave devices; *T-MTT Feb 01* 398-402
- Sun, Y.C.**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Sun Choi Kwan**, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
- Sun Choi Kwan**, see Joon-Bum Kil, *MWSYM 01* 1293-1296 vol.2
- Sun Choi Kwan**, see Sung-Won Lee, *MWSYM 01* 1297-1300 vol.2
- Sundaram, V.**, see Davis, M.F., *MWSYM 01* 1731-1734 vol.3
- Sundaraman, V.**, see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Sung, K.Y.**, B. Elamaran, and W.A. Shiroma. A quasi-optical linearizer; *MWSYM 01* 1399-1401 vol.2
- Sung-Gi Yang**, see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- Sung-Hoon Oh**, see Seung-June Yi, *T-MTT May 01* 938-946
- Sung Hwan Min**, see Dalmia, S., *MWSYM 01* 1735-1738 vol.3

- Sungjae Lee**, see Jong-Wook Lee, *MWSYM 01* 679-682 vol.2
Sungjae Lee, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
Sung-Mao Wu, see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545
Sung-Won Lee, Chul-Soo Kim, Kwan Sun Choi, Jun-Seok Park, and Dal Ahn. A general design formula of multi-section power divider based on singly terminated filter design theory; *MWSYM 01* 1297-1300 vol.2
Sun Jia, see Jia Sun, *MWSYM 01* 809-812 vol.2
Sun Qi, see Al-Zayed, A., *T-MTT Jun 01* 1067-1072
Su-Tak Chad Lei, see Wenyan Ding, *MWSYM 01* 1851-1854 vol.3
Su-Tak Lei, see Guyette, A., *MWSYM 01* 1839-1842 vol.3
Sutono, A., see Heo, D., *MWSYM 01* 915-918 vol.2
Sutono, A., see Lee, C.-H., *MWSYM 01* 945-948 vol.2
Sutono, A., see Matinpour, B., *MWSYM 01* 567-570 vol.1
Sutono, A., see Davis, M.F., *MWSYM 01* 1731-1734 vol.3
Sutono, A., see Kyutae Lim, *MWSYM 01* 1739-1742 vol.3
Sutono, A., see Matinpour, B., *RFIC 01* 263-266
Sutono, A., D. Heo, Y.-J. Emery Chen, and J. Laskar. High-Q LTCC-based passive library for wireless system-on-package (SOP) module development; *T-MTT Oct 01* 1715-1724
Suwa, A., see Yamamoto, S., *RFIC 01* 195-198
Suzuki, H., see Madihian, M., *MWSYM 01* 1865-1868 vol.3
Suzuki, M., H. Miyashita, A. Kamo, T. Watanabe, and H. Asai. A synthesis technique of time-domain interconnect models by MIMO type of selective orthogonal least-square method; *T-MTT Oct 01* 1708-1714
Suzuki, S., see Inoue, A., *MWSYM 01* 1687-1690 vol.3
Suzuki, T., H. Kano, Y. Nakasha, T. Takahashi, K. Imanishi, H. Ohnishi, and Y. Watanabe. 40-Gbit/s D-type flip-flop and multiplexer circuits using InP HEMT; *MWSYM 01* 595-598 vol.1
Suzuki, T., H. Kano, Y. Nakasha, T. Takahashi, K. Imanishi, H. Ohnishi, and Y. Watanabe. 40-Gbit/s D-type flip-flop and multiplexer circuits using InP HEMT; *RFIC 01* 291-294
Suzuki, Y., see Yano, H., *T-MTT Jun 01* 1086-1093
Svensson, B.I., see Moretti, P., *MWSYM 01* 1371-1374 vol.2
Svishchev, A., see Vendik, I., *MWSYM 01* 1461-1464 vol.3
Swain, P.K., see Fathy, A., *MWSYM 01* 377-380 vol.1
Swaminathan, M., see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
Swaminathan, M., and R.W. Jackson. Guest editorial [intro. to the mini-special issue on Electrical Performance of Electronic Packaging (EPEP)]; *T-MTT Oct 01* 1669-1670
Swanson, D.G., Jr., see Wenzel, R.J., *MWSYM 01* 1619-1621 vol.3
Swanson, D.G., Jr., and R.J. Wenzel. Fast analysis and optimization of combine filters using FEM; *MWSYM 01* 1159-1162 vol.2
Sweeney, R., see Hassun, R., *MWSYM 01* 1683-1686 vol.3
Swisher, R., see Guyette, A., *MWSYM 01* 1839-1842 vol.3
Swisher, R.R., see Al-Zayed, A., *T-MTT Jun 01* 1067-1072
Syed, M., see Darabi, H., *RFIC 01* 89-91
Synowczynski, J., see Iskander, M.F., *MWSYM 01* 259-262 vol.1
Synowczynski, J., see Iskander, M.F., *T-MTT Dec 01* 2547-2553
Syrett, B., see Ibrahim, M., *MWSYM 01* 1277-1280 vol.2

T

- Tae Heung-Sik**, see Jae-Gon Lee, *MWSYM 01* 551-554 vol.1
Tae-Yeoul Yun, and Kai Chang. A bi-directionally steering phased array antenna controlled by dual piezoelectric transducers; *MWSYM 01* 263-265 vol.1
Tae-Yeoul Yun, Kai Chang, and R.S. Tahim. A wideband voltage-tunable dielectric resonator oscillator controlled by a piezoelectric transducer; *MWSYM 01* 1435-1437 vol.3
Tahara, Y., H. Oh-Hashi, T. Ban, K. Totani, and M. Miyazaki. A low-loss serial power combiner using novel suspended stripline couplers; *MWSYM 01* 39-42 vol.1
Tah-Hsiung Chu, see Wei-Kung Deng, *MWSYM 01* 1531-1534 vol.3
Tahim, R.S., see Tae-Yeoul Yun, *MWSYM 01* 1435-1437 vol.3
Tajima, K., H. Tsuru, H. Ikematsu, K. Itoh, Y. Isota, and O. Ishida. Phase decrement type direct frequency synthesizer driven by a DDS; *MWSYM 01* 709-712 vol.2
Takagi, E. Frequency dependence of Bloch impedance in a periodic transmission line structure; *MWSYM 01* 779-782 vol.2
Takagi, T., see Miyaguchi, K., *MWSYM 01* 237-240 vol.1
Takagi, T., see Nakahara, K., *MWSYM 01* 249-252 vol.1
Takagi, T., see Taniguchi, E., *MWSYM 01* 285-288 vol.1
Takagi, T., see Yamauchi, K., *MWSYM 01* 1071-1074 vol.2
Takagi, T., see Taniguchi, E., *RFIC 01* 227-230
Takagi, T., K. Yamauchi, Y. Itoh, S. Urasaki, M. Komaru, Y. Mitsui, H. Nakaguro, and Y. Kazekami. MMIC development for millimeter-wave space application; *T-MTT Nov 01* 2073-2079
Takagi, T., see Miyaguchi, K., *T-MTT Dec 01* 2446-2452
Takagi, T., see Hieda, M., *T-MTT Dec 01* 2453-2458
Takagi, T., see Yamauchi, K., *T-MTT Dec 01* 2501-2506
Takahashi, H., see Ebihara, K., *MWSYM 01* 649-652 vol.2
Takahashi, H., see Takenaka, I., *MWSYM 01* 645-648 vol.2
Takahashi, K., see Sangawa, U., *MWSYM 01* 389-392 vol.1
Takahashi, K., see Takenaka, I., *MWSYM 01* 645-648 vol.2
Takahashi, K., U. Sangawa, S. Fujita, M. Matsuo, T. Urabe, H. Ogura, and H. Yabuki. Packaging using microelectromechanical technologies and planar components; *T-MTT Nov 01* 2099-2104
Takahashi, T., see Suzuki, T., *MWSYM 01* 595-598 vol.1
Takahashi, T., see Suzuki, T., *RFIC 01* 291-294
Takeda, S., Y. Kishimoto, H. Itoh, and K. Ichikawa. Possibility of ultra fine isolator for portable phone; *MWSYM 01* 479-482 vol.1
Takenaka, I., K. Ishikura, K. Takahashi, K. Kishi, Y. Ogasawara, K. Hasegawa, H. Takahashi, F. Emori, and N. Iwata. A 240 W power heterojunction FET with high efficiency for W-CDMA base stations; *MWSYM 01* 645-648 vol.2
Takubo, C., see Hikita, M., *T-MTT Apr 01* 749-753
Tamazaki, T., see Madihian, M., *MWSYM 01* 1865-1868 vol.3
Tamen, B., see Llopis, O., *MWSYM 01* 831-834 vol.2
Tan, E.L., F. Mesa, and R. Marques. Comments on "On the computation of the complete spectral Green's dyadic for layered bianisotropic structures" [and reply]; *T-MTT Jun 01* 1140-1142
Tanabe, M., see Washio, K., *T-MTT Jan 01* 3-8
Tanbo, T., see Yamamoto, S., *RFIC 01* 195-198
Tang, C.-W., J.-W. Sheen, and C.-Y. Chang. Chip-type LTCC-MLC baluns using the stepped impedance method; *T-MTT Dec 01* 2342-2349
Tang, W.C., see Chow, Y.L., *T-MTT May 01* 947-953
Tang, W.C., see Chow, Y.L., *T-MTT Aug 01* 1483-1491
Tang Ching-Wen, see Jyh-Wen Sheen, *MWSYM 01* 315-318 vol.1
Tang Ching-Wen, see Chi-Yang Chang, *T-MTT Jun 01* 1077-1085
Tan Guan-Leng, see Guan-Leng Tan, *MWSYM 01* 325-328 vol.1
Taniguchi, E., K. Maeda, T. Ikushima, K. Sadahiro, K. Itoh, N. Suematsu, and T. Takagi. Dual bias feed SiGe HBT low noise linear amplifier; *MWSYM 01* 285-288 vol.1
Taniguchi, E., K. Maeda, T. Ikushima, K. Sadahiro, K. Itoh, N. Suematsu, and T. Takagi. Dual bias feed SiGe HBT low noise linear amplifier; *RFIC 01* 227-230
Tanne, G., see Nenert, L., *MWSYM 01* 1441-1444 vol.3
Tanomura, M., see Nishimura, T.B., *RFIC 01* 31-34
Tao Liang, J. Gillis, D. Wang, and P. Cooper. Design and modeling of compact on-chip transformer/balun using multi-level metal windings for RF integrated circuits; *RFIC 01* 117-120
Tao Shen, and K.A. Zaki. Length reduction of evanescent-mode ridge waveguide bandpass filters; *MWSYM 01* 1491-1494 vol.3
Tao Shen, K.A. Zaki, and A.E. Atia. Full-wave design of canonical waveguide filters by optimization; *MWSYM 01* 1487-1490 vol.3
Tara, K., see Yamamoto, S., *RFIC 01* 195-198
Tarricone, L., M. Mongiardo, and F. Cervelli. A quasi-one-dimensional integration technique for the analysis of planar microstrip circuits via MPIE/MoM; *T-MTT Mar 01* 517-523
Tarricone, L., and M. Mongiardo. A stable and efficient admittance method via adjacency graphs and recursive thresholding; *T-MTT Oct 01* 1750-1756
Tascone, R., see Peverini, O.A., *T-MTT Oct 01* 1785-1791
Tasker, P.J., see Gaddi, R., *MWSYM 01* 399-402 vol.1
Tasker, P.J., see Morgan, D.G., *MWSYM 01* 823-826 vol.2
Tatinian, W., P. Pannier, and R. Gillon. A new T circuit topology for the broadband modelling of symmetric inductors fabricated in CMOS technology; *MWSYM 01* 583-586 vol.1
Tatinian, W., P. Pannier, and R. Gillon. A new 'T' circuit topology for the broadband modeling of symmetric inductors fabricated in CMOS technology; *RFIC 01* 279-282
Tat-Soon Yeo, see Le-Wei Li, *T-MTT Mar 01* 532-541
Tat-Soon Yeo, see Sheng-Li Lin, *T-MTT Jun 01* 1136-1139
Tat-Soon Yeo, see Le-Wei Li, *T-MTT Jul 01* 1361-1364
Tatsuo Itoh, see Chin-Chang Chang, *MWSYM 01* 2039-2042 vol.3
Tatsuo Itoh, see Hsiao-Ping Tsai, *MWSYM 01* 2059-2062 vol.3
Tatu, S.O., E. Moldovan, Ke Wu, and R.G. Bosio. A new direct millimeter wave six-port receiver; *MWSYM 01* 1809-1812 vol.3
Tatu, S. O., E. Moldovan, K. Wu, and R. G. Bosio. A new direct millimeter-wave six-port receiver; *T-MTT Dec 01* 2517-2522
Taylor, G., see Fathy, A., *MWSYM 01* 377-380 vol.1
Taylor, T.R., see Acikel, B., *MWSYM 01* 1191-1194 vol.2
Tazon, A., see Sancho, S., *MWSYM 01* 443-446 vol.1
Tazon, A., see Garcia, J.A., *T-MTT Mar 01* 545-549
Tazon, A., see Rodriguez-Tellez, J., *T-MTT Jul 01* 1352-1355
Tegude, F.-J., see Agethen, M., *MWSYM 01* 1765-1768 vol.3
Tejedor, J.V.B., see Perez, V.F., *MWSYM 01* 2227-2230 vol.3
Temcamani, F., P. Pouvil, O. Noblanc, C. Brylinski, P. Bannelier, B. Darges, and J.P. Prigent. Silicon carbide MESFETs performances and application in broadcast power amplifiers; *MWSYM 01* 641-644 vol.2
Ten-Chi Chou, see Shyh-Jong Chung, *MWSYM 01* 1123-1126 vol.2
Tentzeris, E.M., see Heo, D., *MWSYM 01* 915-918 vol.2
Tentzeris, E.M., see Ponchak, G.E., *MWSYM 01* 1723-1726 vol.3
Tentzeris, M.M., see Bushyager, N., *MWSYM 01* 2003-2006 vol.3
Teppati, V., see Ferrero, A., *T-MTT Jan 01* 39-43
Tessmann, A., W.H. Haydl, T.v. Kerssenbrock, P. Heide, and S. Kudsus. Suppression of parasitic substrate modes in flip-chip packaged coplanar W-band amplifier MMICs; *MWSYM 01* 543-546 vol.1
Tessmann, A., see Kudsus, S., *MWSYM 01* 1571-1574 vol.3
Testa, O., see Bernardi, P., *MWSYM 01* 1101-1104 vol.2
Teyssier, J.P., see Augaudy, S., *MWSYM 01* 427-430 vol.1
Thacker, D.L., see Bryerton, E.W., *MWSYM 01* 1817-1820 vol.3
Thakur, K.P., and W.S. Holmes. An inverse technique to evaluate permittivity of material in a cavity; *T-MTT Jun 01* 1129-1132
Thayne, I.G., see Reynolds, A.L., *T-MTT Jul 01* 1254-1261
Theil, D., see Durdodt, C., *RFIC 01* 99-102
Theil, D., C. Durdodt, A. Hanke, S. Heinen, S. van Waasen, D. Seippel, D. Pham-Stabner, and K. Schumacher. A fully integrated CMOS frequency synthesizer for Bluetooth; *RFIC 01* 103-106
Theil, D., see Durdodt, C., *T-MTT Sep 01* 1531-1537
Theron, B., see Lascaux, C., *MWSYM 01* 487-490 vol.1
Theron, D., see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3

- Thiel, W.**, and W. Menzel. On the modeling of highly nonlinear circuits using total-variation-decreasing finite-difference schemes; *T-MTT Sep 01* 1620-1625
- Thomann, W.**, J. Fenk, R. Hagelauer, and R. Weigel. Fully integrated W-CDMA IF chip-set for UMTS mobiles; *RFIC 01* 25-28
- Thomas, D.G., Jr.**, and G.R. Branner. Single-ended HEMT multiplier design using reflector networks; *T-MTT May 01* 990-993
- Thomas, R.**, see Fischerauer, G., *MWSYM 01* 351-354 vol.1
- Thomy, V.**, see Vanoverschelde, C., *MWSYM 01* 155-158 vol.1
- Thumm, M.**, see Ederer, I., *T-MTT Apr 01* 637-645
- Tian Ling**, see Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
- Tikka, P.T.**, see Fattinger, G.G., *MWSYM 01* 371-374 vol.1
- Tilak, V.**, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Tilak, V.**, see Green, B.M., *T-MTT Dec 01* 2486-2493
- Timko, M.**, see Schreier, R., *RFIC 01* 71-74
- Tiong Su Hieng**, see Hieng Tiong Su, *MWSYM 01* 1985-1988 vol.3
- Tischer, H.**, see Werthof, A., *MWSYM 01* 107-109 vol.1
- Tischer, H.**, see Siweris, H.J., *MWSYM 01* 1555-1558 vol.3
- Tkachenko, V.**, see Kirilenko, A., *MWSYM 01* 1257-1260 vol.2
- Tkachenko, V.**, see Kirilenko, A., *MWSYM 01* 1317-1320 vol.2
- Tobar, M.E.**, E.N. Ivanov, J.G. Hartnett, and D. Cros. High-Q frequency stable dual-mode whispering gallery sapphire resonator; *MWSYM 01* 205-208 vol.1
- Toccafondi, C.**, see Cidronali, A., *MWSYM 01* 91-94 vol.1
- Toccafondi, C.**, see Cidronali, A., *MWSYM 01* 1269-1272 vol.2
- Todorov, B.N.**, see Yanev, A.S., *T-MTT Jul 01* 1359-1361
- Toker, C.**, M. Saglam, M. Ozme, and N. Gunalp. Branch-line couplers using unequal line lengths; *T-MTT Apr 01* 718-721
- Toker, C.**, see Vogel, R.W., *T-MTT Oct 01* 1824
- Tokumitsu, T.**, see Mimino, Y., *MWSYM 01* 2167-2170 vol.3
- Tokumitsu, T.** K-band and millimeter-wave MMICs for emerging commercial wireless applications; *T-MTT Nov 01* 2066-2072
- Toledo, N.**, C.G. Santos, A. Manlapat, B. Galang, Jr., A.A. Chio, I. Wong, R. Guevarra, and D.J. Sabido, IX. Design and characterization of a low cost ISM-band sub carrier multiplexed broadband digital microwave radio link; *MWSYM 01* 961-964 vol.2
- Tombak, A.**, F.T. Ayguavives, J.-P. Maria, G.T. Stauff, A.I. Kingon, and A. Mortazawi. Tunable RF filters using thin film barium strontium titanate based capacitors; *MWSYM 01* 1453-1456 vol.3
- Tomeh, M.M.**, see Goasguen, S., *MWSYM 01* 415-418 vol.1
- Tomeh, M.M.**, see Goasguen, S., *MWSYM 01* 897-900 vol.2
- Tomeh, M.M.**, S. Goasguen, and S.M. El-Ghazaly. Time domain optical response of electro-optic modulator using FDTD; *MWSYM 01* 1049-1052 vol.2
- Tomeh, M.M.**, see Goasguen, S., *T-MTT Dec 01* 2258-2265
- Tomeh, M. M.**, S. Goasguen, and S. M. El-Ghazaly. Time-domain optical response of an electrooptic modulator using FDTD; *T-MTT Dec 01* 2276-2281
- Tong Li**, see Li, P., *MWSYM 01* 1891-1894 vol.3
- Tong Li**, and Wenquan Sui. Extending Spice-like analog simulator with a time-domain full-wave field solver; *MWSYM 01* 1023-1026 vol.2
- Toni, V.**, see Rennings, A., *MWSYM 01* 757-760 vol.2
- Tony, E.S.**, and S.K. Chaudhuri. Analysis of shielded lossy multilayered-substrate microstrip discontinuities; *T-MTT Apr 01* 701-711
- Topacio, E.**, see Khanna, A.P.S., *MWSYM 01* 1567-1570 vol.3
- Tornblad, O.**, see Jaeeune Jang, *MWSYM 01* 967-970 vol.2
- Torregrasa-Penalva, G.**, A. Asensio-Lopez, F.J. Ortega-Gonzalez, and J. Lluich-Ladron-de-Guevara. Low cost Ka band transmitter modules for LMDs equipment mass production; *MWSYM 01* 953-956 vol.2
- Toscano, A.**, see Vegni, L., *T-MTT May 01* 970-978
- Totani, K.**, see Horiguchi, K., *MWSYM 01* 797-800 vol.2
- Totani, K.**, see Tahara, Y., *MWSYM 01* 39-42 vol.1
- Touchais, J.Y.**, see Darbandi, A., *MWSYM 01* 2211-2214 vol.3
- Toutain, Y.**, J.-P. Coupez, and C. Person. Microstrip miniaturized loop-filters with high out-of-band rejection for future 3G mobile terminals; *MWSYM 01* 1589-1592 vol.3
- Trainor, D.**, see Jun Zou, *MWSYM 01* 193-196 vol.1
- Treitinger, L.**, see Knapp, H., *MWSYM 01* 591-594 vol.1
- Treitinger, L.**, see Ritzberger, G., *MWSYM 01* 701-704 vol.2
- Treitinger, L.**, see Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Treitinger, L.**, see Knapp, H., *RFIC 01* 287-290
- Trent, C.**, see Smith, M., *MWSYM 01* 2255-2258 vol.3
- Tretyakov, S.A.**, and A.J. Viitanen. Waveguiding properties of a line of periodically arranged passive dipole scatterers; *MWSYM 01* 1201-1204 vol.2
- Tripathi, V.K.**, see Ji Zheng, *T-MTT Oct 01* 1733-1739
- Tripathi, V.K.**, see Kumar Settaluri, R., *T-MTT Oct 01* 1804-1809
- Truffer, P.**, and P.E. Leuthold. Wide-band channel sounding at 24 GHz based on a novel fiber-optic synchronization concept; *T-MTT Apr 01* 692-700
- Tsai Chao-Chieh**, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Tsai Chih-Ming**, see Chih-Ming Tsai, *MWSYM 01* 2175-2178 vol.3
- Tsai Chin-Chuan**, see Chih-Ming Tsai, *MWSYM 01* 2175-2178 vol.3
- Tsai Hsiao-Ping**, see Hsiao-Ping Tsai, *MWSYM 01* 2059-2062 vol.3
- Tsalamengas, J.L.** Rapidly converging direct singular integral-equation techniques in the analysis of open microstrip lines on layered substrates; *T-MTT Mar 01* 555-559
- Tsang, L.**, see Li, S.-Q., *T-MTT Jul 01* 1221-1228
- Tsiboukis, T.D.**, see Kantartzis, N.V., *MWSYM 01* 2051-2054 vol.3
- Tsuchiya, M.**, see Ozeki, Y., *T-MTT Oct 01* 1986-1991
- Tsui, J.B.Y.**, see Lin, D.M., *MWSYM 01* 2139-2142 vol.3
- Tsuji, M.**, see Shigesawa, H., *MWSYM 01* 867-870 vol.2
- Tsuji, M.**, and H. Shigesawa. Behavioral feature of fast-wave modes on printed-circuit transmission lines of open and packaged types; *MWSYM 01* 863-866 vol.2
- Tsujiguchi, T.**, H. Matsumoto, and T. Nishikawa. A miniaturized double-surface CPW bandpass filter improved spurious responses; *T-MTT May 01* 879-885
- Tsukahara, Y.**, see Uchida, H., *MWSYM 01* 1349-1352 vol.2
- Tsuru, H.**, see Tajima, K., *MWSYM 01* 709-712 vol.2
- Tucker, R.**, see Castleford, D., *MWSYM 01* 1001-1004 vol.2
- Tucker, R.S.**, see Castleford, D., *T-MTT Oct 01* 2030-2035
- Tulchinsky, D.A.**, and P.J. Matthews. Ultrawide-band fiber-optic control of a millimeter-wave transmit beamformer; *T-MTT Jul 01* 1248-1253
- Tummala, R.**, see Davis, M.F., *MWSYM 01* 1731-1734 vol.3
- Tummala, R.**, see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Tuovinen, J.**, see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
- Twichell, J.C.**, see Juodawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Twichell, J.C.**, see Williamson, R.C., *T-MTT Oct 01* 1945-1949
- Tzontchev, R.I.**, A.E. Chubykalo, J.M. Rivera-Juarez, and V. Onoichin. On the penetration of the longitudinal component of EM fields into metals; *MWSYM 01* 1225-1228 vol.2
- Tzuang, C.-K.C.**, see Ching-Kuo Wu, *MWSYM 01* 727-730 vol.2
- Tzuang, C.-K.C.**, see Cheng-Nan Hu, *T-MTT Apr 01* 629-636
- Tzzy-Sheng Horng**, Sung-Mao Wu, Hui-Hsiang Huang, Chi-Tsung Chiu, and Chih-Pin Hung. Modeling of lead-frame plastic CSPs for accurate prediction of their low-pass filter effects on RFICs; *T-MTT Sep 01* 1538-1545

U

- Uchida, H.**, M. Nii, Y. Tsukahara, M. Miyazaki, and Y. Itoh. A compact T/R switching circuit using quadrature couplers and drain-driven HPAs; *MWSYM 01* 1349-1352 vol.2
- Uchida, K.**, H. Matsuura, T. Yakihara, S. Kobayashi, S. Oka, T. Fujita, and A. Miura. A series of InGaP/InGaAs HBT oscillators up to D-band; *T-MTT May 01* 858-865
- Udvary, E.**, see Marozsak, T., *MWSYM 01* 997-1000 vol.2
- Underhill, M.J.**, see Kian Sen Ang, *T-MTT Feb 01* 395-398
- Urabe, T.**, see Sangawa, U., *MWSYM 01* 389-392 vol.1
- Urabe, T.**, see Takahashi, K., *T-MTT Nov 01* 2099-2104
- Urasaki, S.**, see Takagi, T., *T-MTT Nov 01* 2073-2079
- Urasaki, S.**, see Miyaguchi, K., *T-MTT Dec 01* 2446-2452
- Urasaki, S.**, see Hieda, M., *T-MTT Dec 01* 2453-2458
- Urasaki, S.**, see Yamauchi, K., *T-MTT Dec 01* 2501-2506
- Urteaga, M.**, D. Scott, T. Mathew, S. Krishnan, Y. Wei, and M.J.W. Rodwell. 185 GHz monolithic amplifier in InGaAs-InAlAs transferred-substrate HBT technology; *MWSYM 01* 1713-1716 vol.3
- Utaki, H.**, see Kageyama, K., *MWSYM 01* 1445-1448 vol.3
- Utaki, H.**, see Kageyama, K., *T-MTT Dec 01* 2421-2424
- Uyttenhove, K.**, and M. Steyaert. A CMOS 6-bit, 1 GHz ADC for IF sampling applications; *MWSYM 01* 2131-2134 vol.3

V

- Vacek, B.**, see Raja, R., *MWSYM 01* 1955-1958 vol.3
- Vael, P.**, Y. Rolain, C. Gaquiere, and H. Gerard. Calibrated linear and nonlinear pulsed RF measurements on an amplifier; *MWSYM 01* 2187-2190 vol.3
- Vaesen, K.**, see Pieters, P., *T-MTT Apr 01* 589-599
- Vaglio, R.**, see Cassinese, A., *MWSYM 01* 491-494 vol.1
- Vahldieck, R.**, see Hesselbarth, J., *MWSYM 01* 299-302 vol.1
- Vahldieck, R.**, see Hesselbarth, J., *MWSYM 01* 775-778 vol.2
- Vahldieck, R.**, see Harscher, P., *MWSYM 01* 1543-1546 vol.3
- Vahldieck, R.**, see Ofli, E., *MWSYM 01* 1775-1778 vol.3
- Vahldieck, R.**, see Amari, S., *T-MTT Mar 01* 413-421
- Vahldieck, R.**, see Pasalic, D., *T-MTT Aug 01* 1469-1476
- Vahldieck, R.**, see Harscher, P., *T-MTT Nov 01* 2125-2130
- Vahldieck, R.**, see Harscher, P., *T-MTT Dec 01* 2532-2538
- Vale, C.A.W.**, and P. Meyer. Automated intelligent mode selection for fast mode matching analysis of waveguide discontinuities; *MWSYM 01* 1949-1952 vol.3
- Valenza, M.**, see Laloue, A., *MWSYM 01* 423-426 vol.1
- Vandenbergh, S.**, D.M.M.-P Schreurs, G. Carchon, B. Nauwelaers, and W. De Raedt. Characteristic impedance extraction using calibration comparison; *T-MTT Dec 01* 2573-2579
- van der Heijden, M.P.**, H.C. de Graaff, L.C.N. de Vreede, J.R. Gajadharsing, and J.N. Burghartz. Ultra-linear distributed class-AB LDMOS RF power amplifier for base stations; *MWSYM 01* 1363-1366 vol.2
- van der Heijden, M.P.**, J.R. Gajadharsing, B. Rejaei, and L.C.N. de Vreede. Linearity optimization of a distributed base station amplifier using an automated high-speed measurement protocol; *MWSYM 01* 1679-1682 vol.3
- Vandersteen, G.**, see Dobrovolsky, P., *MWSYM 01* 419-422 vol.1
- van der Vorst, M.J.M.**, P.J.I. de Maagt, A. Neto, A.L. Reynolds, R.M. Heeres, W. Luinge, and M.H.A.J. Herben. Effect of internal reflections on the radiation properties and input impedance of integrated lens antennas-comparison between theory and measurements; *T-MTT Jun 01* 1118-1125
- Van Der Weide, D.W.**, see Wichaidit, C., *MWSYM 01* 163-166 vol.1
- van Deventer-Perkins, E.**, see Abhari, R., *MWSYM 01* 2031-2034 vol.3
- van Deventer-Perkins, E.**, see Abhari, R., *T-MTT Oct 01* 1697-1707

- van Deventer-Perkins, T.E.**, see Wu, X., *T-MTT Mar 01* 431-441
- Van Keuls, F.**, see Subramanyam, G., *MWSYM 01* 471-474 vol.1
- Van Loock, P.**, see Carchon, G., *MWSYM 01* 599-602 vol.1
- Van Loock, P.**, see Carchon, G., *RFIC 01* 295-298
- Van Loock, P.**, see Carchon, G.J., *T-MTT Aug 01* 1374-1382
- Van Moer, W.**, see Geens, A., *MWSYM 01* 1675-1678 vol.3
- Vanoverschelde, C.**, L. Dubois, V. Thomy, J.P. Sozanski, J.-C. Camart, M. Chive, and J. Pribetich. Miniature sensor for measurement and control of temperatures by microwave radiometry in medical applications; *MWSYM 01* 155-158 vol.1
- Van Stigt, N.**, see Reeves, T., *MWSYM 01* 1471-1474 vol.3
- van Waasen, S.**, see Durdodt, C., *RFIC 01* 99-102
- van Waasen, S.**, see Theil, D., *RFIC 01* 103-106
- Van Waasen, S.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Varadan, V.K.**, see Vinoy, K.J., *MWSYM 01* 381-384 vol.1
- Varadan, V.V.**, see Vinoy, K.J., *MWSYM 01* 381-384 vol.1
- Vassilakis, B.**, see Hassun, R., *MWSYM 01* 1683-1686 vol.3
- Vaudon, P.**, see Blondeaux, H., *MWSYM 01* 137-140 vol.1
- Vaupel, T.**, see Sarnowski, M., *T-MTT Oct 01* 1868-1872
- Vaz, J.C.**, and J.C. Freire. Millimeter-wave monolithic power amplifier for mobile broad-band systems; *T-MTT Jun 01* 1211-1215
- Vazquez-Castro, M.A.**, see Briso-Rodriguez, C., *MWSYM 01* 2207-2210 vol.3
- Vegas, A.**, see Pereda, A., *T-MTT Feb 01* 377-381
- Vegas, A.**, see Solano, M.A., *T-MTT Sep 01* 1663-1664
- Vegni, L.**, A. Toscano, and F. Bilotti. Tapered stripline embedded in inhomogeneous media as microwave matching line; *T-MTT May 01* 970-978
- Velling, P.**, see Agethen, M., *MWSYM 01* 1765-1768 vol.3
- Vendik, I.**, O. Vendik, V. Pleskachev, A. Svishchev, and R. Wordenweber. Design of tunable ferroelectric filters with a constant fractional band width; *MWSYM 01* 1461-1464 vol.3
- Vendik, O.**, see Vendik, I., *MWSYM 01* 1461-1464 vol.3
- Venkatraman, S.**, see Dantoni, F., *RFIC 01* 93-96
- Verdeyme, S.**, see Blondeaux, H., *MWSYM 01* 137-140 vol.1
- Verdeyme, S.**, see Rogeaux, E., *MWSYM 01* 1895-1898 vol.3
- Verdeyme, S.**, see Lenoir, B., *MWSYM 01* 1479-1482 vol.3
- Verghese, S.**, see Duffy, S.M., *T-MTT Jun 01* 1032-1038
- Vergnolle, C.**, see Wang, Q., *T-MTT Jan 01* 128-132
- Ver Hoeve, S.**, see Sancho, S., *MWSYM 01* 443-446 vol.1
- Verolino, L.**, see Panariello, G., *T-MTT Jul 01* 1304-1309
- Versleijen, M.P.J.G.**, see Heeres, R.M., *MWSYM 01* 975-978 vol.2
- Verver, C.J.**, see Hettak, K., *MWSYM 01* 311-314 vol.1
- Verweyen, L.**, see McNamara, B., *RFIC 01* 13-16
- Vian, J.**, and Z. Popovic. Smart lens antenna arrays; *MWSYM 01* 129-132 vol.1
- Vian, J.**, see Forman, M., *MWSYM 01* 1831-1834 vol.3
- Vieira, A.J.C.**, P.R. Herczfeld, A. Rosen, M. Ermold, E.E. Funk, W.D. Jemison, and K.J. Williams. A mode-locked microchip laser optical transmitter for fiber radio; *T-MTT Oct 01* 1882-1887
- Vieira, A.J.C.**, see Yifei Li, *T-MTT Oct 01* 2048-2054
- Vielva, L.A.**, see Pereda, A., *T-MTT Feb 01* 377-381
- Vietzorreck, L.**, see Dressel, W., *MWSYM 01* 1033-1036 vol.2
- Vietzorreck, L.**, see Heppenheimer, K.P., *MWSYM 01* 2027-2030 vol.3
- Viitanen, A.J.**, see Tretjakov, S.A., *MWSYM 01* 1201-1204 vol.2
- Vinoy, K.J.**, K.A. Jose, V.K. Varadan, and V.V. Varadan. Hilbert curve fractal antennas with reconfigurable characteristics; *MWSYM 01* 381-384 vol.1
- Vintola, V.**, M. Matilainen, S. Kalajo, and E. Jarvinen. Variable gain power amplifier for mobile WCDMA applications; *MWSYM 01* 919-922 vol.2
- Vintola, V.T.S.**, M.J. Matilainen, S.J.K. Kalajo, and E.A. Jarvinen. Variable-gain power amplifier for mobile WCDMA applications; *T-MTT Dec 01* 2464-2471
- Virdee, A.S.**, and B.S. Virdee. A novel high efficiency multioctave amplifier using cascaded reactively terminated single-stage distributed amplifiers for EW system applications; *MWSYM 01* 519-522 vol.1
- Virdee, B.S.**, see Virdee, A.S., *MWSYM 01* 519-522 vol.1
- Visser, H.A.**, see Heeres, R.M., *MWSYM 01* 975-978 vol.2
- Vitolo, G.**, see Panariello, G., *T-MTT Jul 01* 1304-1309
- Vittoria, C.**, see Oliver, S.A., *T-MTT Feb 01* 385-387
- Vitulli, F.**, see Alessandri, F., *MWSYM 01* 1615-1617 vol.3
- Vitusevich, S.**, K. Schieber, N. Klein, I.S. Ghosh, and M. Spinnler. An all-cryogenic low phase-noise hybrid K-band oscillator for satellite communications; *MWSYM 01* 1977-1980 vol.3
- Vogel, R.W.**, C. Toker, M. Saglam, M. Ozme, and N. Gunalp. Comments on "Branch-line couplers using unequal line lengths"; *T-MTT Oct 01* 1824
- Vogt, R.**, see Ellinger, F., *T-MTT May 01* 913-917
- Voinigescu, S.P.**, see Djahanshahi, H., *RFIC 01* 161-164
- Voinigescu, S.P.**, see Djahanshahi, H., *T-MTT Sep 01* 1566-1572
- Vojcic, B.R.**, see Ziemer, R.E., *T-MTT Jan 01* 228-229
- Volant, R.**, see Laney, D.C., *T-MTT Aug 01* 1507-1510
- Vossiek, M.**, see Reindl, L., *T-MTT Apr 01* 787-794
- Vuolevi, J.H.K.**, T. Rahkonen, and J.P.A. Manninen. Measurement technique for characterizing memory effects in RF power amplifiers; *T-MTT Aug 01* 1383-1389
- W**
- Wagner, E.**, see Durdodt, C., *RFIC 01* 99-102
- Wagner, E.**, see Durdodt, C., *T-MTT Sep 01* 1531-1537
- Wake, D.**, see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Wakejima, A.**, K. Ota, K. Matsunaga, W. Contrata, and M. Kuzuhara. Field-modulating plate (FP) InGaP MESFET with high breakdown voltage and low distortion; *RFIC 01* 151-154
- Waldow, P.**, see Rennings, A., *MWSYM 01* 757-760 vol.2
- Waldow, P.**, see Walter, M., *MWSYM 01* 2023-2026 vol.3
- Wa Leung Kwok**, see Kwok Wa Leung, *T-MTT Mar 01* 524-531
- Walker, D.K.**, see Cramer, N., *MWSYM 01* 483-486 vol.1
- Walkington, R.**, and P. Brennan. An agile stored $\Sigma\Delta$ sequence fractional-N synthesiser; *MWSYM 01* 697-700 vol.2
- Walter, M.**, P. Waldow, and I. Wolff. A wavelet-based FDTD-multigrid-method; *MWSYM 01* 2023-2026 vol.3
- Wambacq, P.**, see Dobrovolny, P., *MWSYM 01* 419-422 vol.1
- Wan, K.L.**, see Chow, Y.L., *MWSYM 01* 1757-1760 vol.3
- Wan, L.X.**, see Pan, Y.C., *T-MTT Mar 01* 480-490
- Wane, S.**, D. Bajon, H. Baudrand, and P. Gamand. Fullwave analysis of transverse and longitudinal couplings in silicon RFIC. Effect of buried diffusions; *MWSYM 01* 1233-1236 vol.2
- Wang, C.Y.**, see Green, H.E., *T-MTT Oct 01* 1821
- Wang, D.**, see Tao Liang, *RFIC 01* 117-120
- Wang, D.**, K. Krishnamurthi, S. Gibson, and J. Brunt. A 2.5 GHz low noise high linearity LNA/mixer IC in SiGe BiCMOS technology; *RFIC 01* 249-252
- Wang, F.**, W.D. Jemison, and J.C.M. Hwangy. A GaAs MESFET transient model capable of predicting trap-induced memory effects under complex digital modulation; *MWSYM 01* 815-818 vol.2
- Wang, H.**, see Xiong, Y.Z., *MWSYM 01* 1971-1974 vol.3
- Wang, H.**, see Halder, S., *MWSYM 01* 1885-1888 vol.3
- Wang, H.**, see Wu, K.-L., *T-MTT May 01* 893-901
- Wang, H.**, see Cai, W., *T-MTT Jul 01* 1295-1303
- Wang, H.**, see Halder, S., *T-MTT Dec 01* 2408-2412
- Wang, J.**, see Drayton, R.F., *T-MTT Feb 01* 308-314
- Wang, Q.**, M. Lecours, and C. Vergnolle. Criteria for wide-band radial switch design; *T-MTT Jan 01* 128-132
- Wang, Y.**, and T. Itoh. Envelope-finite-element (EVFE) technique - A more efficient time-domain scheme; *T-MTT Dec 01* 2241-2247
- Wang, Z.**, and R.W. Jackson. An algorithm for calculating the coupling between MMICs with block dielectric coverings; *T-MTT Jan 01* 133-141
- Wang Chengzhou**, see Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Wang Chengzhou**, see Chengzhou Wang, *RFIC 01* 39-42
- Wang Chi**, see Chi Wang, *MWSYM 01* 1611-1614 vol.3
- Wang Chi**, see Chi Wang, *MWSYM 01* 1783-1786 vol.3
- Wang Chi-Hsueh**, see Chi-Hsueh Wang, *MWSYM 01* 1937-1940 vol.3
- Wang Huei**, see Yu-Jiu Wang, *MWSYM 01* 253-256 vol.1
- Wang Huei**, see Chi-Hsueh Wang, *MWSYM 01* 1937-1940 vol.3
- Wang Huei**, see Huei Wang, *T-MTT Jan 01* 9-16
- Wang Wenshen**, see Wenshen Wang, *T-MTT Oct 01* 1996-2001
- Wang Ya Jun**, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Wang Yuanxun**, see Seong-Sik Jeon, *MWSYM 01* 121-124 vol.1
- Wang Yuanxun**, see Yuanxun Wang, *MWSYM 01* 741-744 vol.2
- Wang Yuanxun**, see Yuanxun Wang, *MWSYM 01* 805-808 vol.2
- Wang Yuanxun**, see Hsiao-Ping Tsai, *MWSYM 01* 2059-2062 vol.3
- Wang Yu-Jiu**, see Yu-Jiu Wang, *MWSYM 01* 253-256 vol.1
- Warble, K.**, J. Locke, and B. Bishop. Wireless aspects of broadband access; *MWSYM 01* 993-996 vol.2
- Warner, J.**, see Subramanyam, G., *MWSYM 01* 471-474 vol.1
- Warns, C.**, see Stroh, K.M., *MWSYM 01* 1563-1566 vol.3
- Washio, K.**, see Ohhata, K., *MWSYM 01* 1701-1704 vol.3
- Washio, K.**, see Masuda, T., *MWSYM 01* 1697-1700 vol.3
- Washio, K.**, R. Hayami, E. Ohue, K. Oda, M. Tanabe, H. Shimamoto, and M. Kondo. 67-GHz static frequency divider using 0.2- μ m self-aligned SiGe HBTs; *T-MTT Jan 01* 3-8
- Wassener, H.-J.**, see Bischof, W., *RFIC 01* 35-38
- Wasserman, J.L.**, see Juodawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Wasserman, J.L.**, see Williamson, R.C., *T-MTT Oct 01* 1945-1949
- Watanabe, T.**, see Suzuki, M., *T-MTT Oct 01* 1708-1714
- Watanabe, Y.**, see Suzuki, T., *MWSYM 01* 595-598 vol.1
- Watanabe, Y.**, see Suzuki, T., *RFIC 01* 291-294
- Waterhouse, R.B.**, see Islam, M.S., *T-MTT Oct 01* 1914-1920
- Waterhouse, R.B.**, see Mathai, S., *T-MTT Oct 01* 1956-1961
- Waterhouse, R.B.**, see Nirmalathas, A., *T-MTT Oct 01* 2006-2012
- Wayne Lui**, see Hirono, T., *T-MTT Sep 01* 1640-1648
- Webb, K.J.**, see Jong-Wook Lee, *MWSYM 01* 197-200 vol.1
- Webb, K.J.**, see Jong-Wook Lee, *MWSYM 01* 679-682 vol.2
- Webb, K.J.**, see Green, B.M., *MWSYM 01* 1059-1062 vol.2
- Webb, K.J.**, see Green, B.M., *T-MTT Dec 01* 2486-2493
- Weber, S.** Power controller for dual band TDMA power amplifiers; *RFIC 01* 205-208
- Webster, C.S.**, see Guofu Niu, *RFIC 01* 147-150
- Webster, C.S.**, see Guofu Niu, *T-MTT Sep 01* 1558-1565
- Webster, D.R.**, and D.G. Haigh. Low-distortion MMIC power amplifier using a new form of derivative superposition; *T-MTT Feb 01* 328-332
- Wee Jin Koh**, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Weem, J.P.**, and Z. Popovic. A method for determining noise coupling in a phased array antenna; *MWSYM 01* 271-274 vol.1
- Weem, J.P.**, see Notaros, B.M., *T-MTT Jan 01* 151-159
- Wei, C.-J.**, S. Sprinkle, J.T. Hu, H.-C. Chung, B. Mitchell, P. Dicarlo, and D. Bartle. Waveform characterization and modeling of dynamic charge behavior of InGaP-GaAs HBTs; *MWSYM 01* 675-678 vol.2
- Wei, Y.**, see Urteaga, M., *MWSYM 01* 1713-1716 vol.3
- Weigel, R.**, see Neurauder, B., *MWSYM 01* 705-708 vol.2
- Weigel, R.**, see Schimetta, G., *MWSYM 01* 355-358 vol.1

- Weigel, R., see Schacherbauer, W., *MWSYM 01* 1085-1088 vol.2
- Weigel, R., see Pretl, H., *RFIC 01* 9-12
- Weigel, R., see Thomann, W., *RFIC 01* 25-28
- Weigel, R., and K.-Y. Hashimoto. Guest editorial [intro. to the special issue on microwave acoustic wave devices for wireless communications and sensing]; *T-MTT Apr 01* 741-742
- Weigel, R., see Springer, A., *T-MTT Apr 01* 754-760
- Wei Hong, see Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
- Wei-Kung Deng, and Tah-Hsiung Chu. A three-port vector network analyzer - measurement system, calibration and results; *MWSYM 01* 1531-1534 vol.3
- Weil, C.M., B.F. Riddle, D.R. Novotny, and R.T. Johnk. Modal cutoff in coaxial transmission lines of conical and cylindrical geometries; *MWSYM 01* 1229-1232 vol.2
- Wei Li, see Qiang Li, *RFIC 01* 139-142
- Wei Li, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Wei Liu, P.P.M. So, and W.J.R. Hoefer. Coupled TLM-thermal analysis in the time domain; *MWSYM 01* 2043-2046 vol.3
- Weinreb, S., see Morgan, M., *MWSYM 01* 103-106 vol.1
- Weinreb, S., see Morgan, M., *MWSYM 01* 99-102 vol.1
- Weinreb, S., see Kangashlahti, P., *MWSYM 01* 1959-1962 vol.3
- Weinreb, S., see Hui Wang, *T-MTT Jan 01* 9-16
- Weinzierl, J., see Hoft, M., *MWSYM 01* 1407-1410 vol.2
- Weiss, F., see Schreier, R., *RFIC 01* 71-74
- Weiss, M., and R. Knochel. A sub-millimeter accurate microwave multilevel gauging system for liquids in tanks; *T-MTT Feb 01* 381-384
- Weiss, M.D., F.H. Raab, and Z. Popovic. Linearity of X-band class-F power amplifiers in high-efficiency transmitters; *T-MTT Jun 01* 1174-1179
- Weisshaar, A., and Hai Lan. Accurate closed-form expressions for the frequency-dependent line parameters of on-chip interconnects on lossy silicon substrate; *MWSYM 01* 1753-1756 vol.3
- Weisshaar, A., see Zheng, J., *MWSYM 01* 1265-1268 vol.2
- Weisshaar, A., see Ji Zheng, *T-MTT Oct 01* 1733-1739
- Weisshaar, A., see Kumar Settalur, R., *T-MTT Oct 01* 1804-1809
- Weitzel, C.E., see Nair, V.K., *T-MTT Dec 01* 2184-2187
- Weller, T., see Ketterl, T., *MWSYM 01* 345-348 vol.1
- Weller, T., see Lakshminarayanan, B., *MWSYM 01* 1305-1308 vol.2
- Weller, T., see Smith, M., *MWSYM 01* 2255-2258 vol.3
- Welly, A.R., and A.S. Mohan. Microwave filters with improved spurious performance based on sandwiched conductor dielectric resonators; *T-MTT Aug 01* 1501-1507
- Wen Junding, see Wenquan Che, *T-MTT Apr 01* 727-730
- Wenquan Che, Nai-Ning Yung, Wen Junding, and Kan Sha. Improved design of broad-band latching ferrite phase shifter in a reduced-size grooved waveguide; *T-MTT Apr 01* 727-730
- Wenquan Sui, see Li, P., *MWSYM 01* 1891-1894 vol.3
- Wenquan Sui, see Tong Li, *MWSYM 01* 1023-1026 vol.2
- Wenshen Wang, R.L. Davis, T.J. Jung, R. Lodenkamper, L.J. Lembo, J.C. Brock, and M.C. Wu. Characterization of a coherent optical RF channelizer based on a diffraction grating; *T-MTT Oct 01* 1996-2001
- Wenwu Cao, see Semouchkina, E., *MWSYM 01* 2055-2058 vol.3
- Wenyan Ding, Su-Tak Chad Lei, and M.P. DeLisio. A retrodirective diode grid array using four-wave mixing; *MWSYM 01* 1851-1854 vol.3
- Wenzel, R.J., see Swanson, D.G., Jr., *MWSYM 01* 1159-1162 vol.2
- Wenzel, R.J., and D.G. Swanson, Jr. Observations on the stopband performance of tapped line filters; *MWSYM 01* 1619-1621 vol.3
- Wen Zhongmin, see Zhongmin Wen, *MWSYM 01* 1097-1100 vol.2
- Werthof, A., H. Tischer, and T. Grave. High gain PHEMT frequency doubler for 76 GHz automotive radar; *MWSYM 01* 107-109 vol.1
- Westermayr, H., see Pretl, H., *RFIC 01* 9-12
- Westgate, C.R., see Lee, R.F., *MWSYM 01* 159-162 vol.1
- Whatmore, R., see Su, Q.-X., *T-MTT Apr 01* 769-778
- Whelan, C.S., see Matinpour, B., *MWSYM 01* 1337-1339 vol.2
- Whelan, C.S., see Matinpour, B., *T-MTT Dec 01* 2459-2463
- Whitaker, J.F., see Reano, R.M., *MWSYM 01* 1523-1526 vol.3
- Whitaker, J.F., see Yang, K., *T-MTT May 01* 849-857
- Whitaker, J.F., see Reano, R.M., *T-MTT Dec 01* 2523-2531
- White, G., see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- White, G.E., see Davis, M.F., *MWSYM 01* 1731-1734 vol.3
- White, M.J., Z. Yun, and M.F. Iskander. A new 3D FDTD multigrid technique with dielectric traverse capabilities; *T-MTT Mar 01* 422-430
- Whitehead, M., see Killey, R.I., *T-MTT Oct 01* 1888-1893
- Whittum, D.H., see Hill, M.E., *T-MTT May 01* 994-995
- Whittum, D.H., see Hill, M.E., *T-MTT May 01* 998-1000
- Wiar, J., see Bonilla, M., *MWSYM 01* 2035-2038 vol.3
- Wichaidit, C., J.R. Peck, Zhang Lin, R.J. Hamers, S.C. Hagness, and D.W. Van Der Weide. Resonant slot antennas as transducers of DNA hybridization: a computational feasibility study; *MWSYM 01* 163-166 vol.1
- Wickert, M.A., and J. Papenfuss. Implementation of a real-time frequency-selective RF channel simulator using a hybrid DSP-FPGA architecture; *T-MTT Aug 01* 1390-1397
- Wiesbeck, W., see Young-Jin Park, *T-MTT Oct 01* 1854-1859
- Wight, J.S., see Panther, A., *MWSYM 01* 1907-1910 vol.3
- Wilber, W., see Chi Wang, *MWSYM 01* 1783-1786 vol.3
- Wilkinson, A.J., and J.K.A. Everard. Transmission-line load-network topology for class-E power amplifiers; *T-MTT Jun 01* 1202-1210
- Williams, A., see Iwamoto, M., *MWSYM 01* 931-934 vol.2
- Williams, A., see Iwamoto, M., *T-MTT Dec 01* 2472-2479
- Williams, D.F., P.D. Hale, T.S. Clement, and J.M. Morgan. Calibrating electro-optic sampling systems; *MWSYM 01* 1527-1530 vol.3
- Williams, D.F., and B.K. Alpert. Causality and waveguide circuit theory; *T-MTT Apr 01* 615-623
- Williams, D.F., and K.A. Remley. Analytic sampling-circuit model; *T-MTT Jun 01* 1013-1019
- Williams, J.T., see Langston, W.L., *MWSYM 01* 875-878 vol.2
- Williams, J.T., see Langston, W.L., *T-MTT Dec 01* 2216-2226
- Williams, K.J., see Vieira, A.J.C., *T-MTT Oct 01* 1882-1887
- Williams, K.J., see Strutz, S.J., *T-MTT Oct 01* 1992-1995
- Williams, N.R., see Chakravarty, S., *T-MTT Jun 01* 1050-1059
- Williamson, R.C., see Juodawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Williamson, R.C., J.L. Wasserman, G.E. Betts, and J.C. Twichell. Sinusoidal drives for optical time demultiplexers; *T-MTT Oct 01* 1945-1949
- Willner, A.E., see Adamczyk, O.H., *T-MTT Oct 01* 1962-1967
- Willner, C., see Rheinfelder, C.N., *MWSYM 01* 2239-2242 vol.3
- Wingqvist, C., see Stenarson, J., *T-MTT Dec 01* 1-
- Wittwer, D.C., and R.W. Ziolkowski. The effect of dielectric loss in FDTD simulations of microstrip structures; *T-MTT Feb 01* 250-262
- Woelk, C., see Mutamba, K., *MWSYM 01* 2235-2238 vol.3
- Wojtasiak, W., and D. Gryglewski. Temperature-dependent modeling of high power MESFET using thermal FDTD method; *MWSYM 01* 411-414 vol.1
- Wolff, I., see Rennings, A., *MWSYM 01* 757-760 vol.2
- Wolff, I., see Walter, M., *MWSYM 01* 2023-2026 vol.3
- Wolff, I., see Ahn, H.-R., *T-MTT Jul 01* 1277-1288
- Wong, I., see Toledo, N., *MWSYM 01* 961-964 vol.2
- Wong, M.F., see Gati, A., *MWSYM 01* 1019-1022 vol.2
- Wong Man-Fai, see Bonilla, M., *MWSYM 01* 2035-2038 vol.3
- Wong Shyh-Chyi, see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Woonyun Kim, Sanghoon Kang, Kyungho Lee, Minchul Chung, Youngoo Yang, and Bumman Kim. The effects of C_{be} on the linearity of AlGaAs/GaAs power HBTs; *T-MTT Jul 01* 1270-1276
- Woopoung Kim, see Dalmia, S., *MWSYM 01* 1735-1738 vol.3
- Woo Young Yun, see Youngoo Yang, *MWSYM 01* 793-796 vol.2
- Woo Young Yun, see Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
- Woo Young Yun, see Youngoo Yang, *T-MTT Sep 01* 1626-1633
- Wordenweber, R., see Vendik, I., *MWSYM 01* 1461-1464 vol.3
- Wu, J.M., see Horng, T.S., *MWSYM 01* 1761-1764 vol.3
- Wu, J.-M., see Horng, T.-S., *T-MTT Dec 01* 2300-2305
- Wu, K., see Tatu, S. O., *T-MTT Dec 01* 2517-2522
- Wu, K.-L., and H. Wang. A rigorous modal analysis of H-plane waveguide T-junction loaded with a partial-height post for wide-band applications; *T-MTT May 01* 893-901
- Wu, M.C., see Islam, M.S., *T-MTT Oct 01* 1914-1920
- Wu, M.C., see Mathai, S., *T-MTT Oct 01* 1956-1961
- Wu, M.C., see Wenshen Wang, *T-MTT Oct 01* 1996-2001
- Wu, M.C., see Narasimha, A., *T-MTT Oct 01* 2042-2047
- Wu, S., see Darabi, H., *RFIC 01* 89-91
- Wu, S.M., see Horng, T.S., *RFIC 01* 133-136
- Wu, X., G.V. Eleftheriades, and T.E. van Deventer-Perkins. Design and characterization of single- and multiple-beam mm-wave circularly polarized substrate lens antennas for wireless communications; *T-MTT Mar 01* 431-441
- Wu Ching-Kuo, see Ching-Kuo Wu, *MWSYM 01* 727-730 vol.2
- Wu Hui, see Li, P., *MWSYM 01* 1891-1894 vol.3
- Wu Ke, see Deslandes, D., *MWSYM 01* 619-622 vol.2
- Wu Ke, see Ke Wu, *MWSYM 01* 723-726 vol.2
- Wu Ke, see Gagne, J.-F., *MWSYM 01* 1093-1096 vol.2
- Wu Ke, see Belaid, M., *MWSYM 01* 1835-1838 vol.3
- Wu Ke, see Tatu, S.O., *MWSYM 01* 1809-1812 vol.3
- Wu Ke-Li, see MacPhie, R.H., *T-MTT Jun 01* 1132-1136
- Wurfl, J., see Kurpas, P., *MWSYM 01* 633-636 vol.2
- Wurfl, J., see Kuhnert, H., *MWSYM 01* 1551-1554 vol.3
- Wurzer, M., see Hackl, S., *MWSYM 01* 1693-1696 vol.3
- Wu Sung-Mao, see Tzyy-Sheng Horng, *T-MTT Sep 01* 1538-1545

X

- Xiang-Yin Zeng, Kwai-Man Luk, and Shan-Jia Xu. A novel leaky NRD guide with a double-layer dielectric slab; *T-MTT Apr 01* 585-588
- Xiao, G., K. Yashiro, and S. Ohkawa. A new numerical method for synthesis of arbitrarily terminated lossless nonuniform transmission lines; *T-MTT Feb 01* 369-376
- Xiao Gaobiao, see Gaobiao Xiao, *T-MTT Jun 01* 1027-1031
- Xiao-Kang Kang, see Le-Wei Li, *T-MTT Mar 01* 532-541
- Xiao-Peng Liang, and Yongfei Zhu. Hybrid resonator microstrip line electrically tunable filter; *MWSYM 01* 1457-1460 vol.3
- Xiao-Peng Liang, see Jian Xu, *MWSYM 01* 1449-1452 vol.3
- Xiao-Wei Zhu, Wei Hong, Liu Jin, Ling Tian, and Jianyi Zhou. The RF module design for W-CDMA/GSM dual band and dual mode handset; *MWSYM 01* 2215-2218 vol.3
- Xin Jiang, S. Ortiz, and A. Mortazawi. A novel Ka-band 1 to 8 power divider/combiner; *MWSYM 01* 35-38 vol.1
- Xiong, Y.Z., G.I. Ng, H. Wang, C.L. Law, K. Radhakrishnan, and J.S. Fu. Microwave noise and small-signal parameters scaling of InP/InGaAs DHBT with high DC current gain; *MWSYM 01* 1971-1974 vol.3
- Xiong, Y.Z., see Halder, S., *MWSYM 01* 1885-1888 vol.3
- Xiong, Y.Z., see Halder, S., *T-MTT Dec 01* 2408-2412
- Xu, X., and R. Sloan. Improved tuning prediction for the microstrip coupled dielectric resonator using distributed coupling; *T-MTT Mar 01* 553-555
- Xuejun Meng, see Narasimha, A., *T-MTT Oct 01* 2042-2047

- Xuejun Zhang, P. Nanawa, L.E. Larson, and P.M. Asbeck. A gain/phase imbalance minimization technique for LINC transmitter; *MWSYM 01* 801-804 vol.2
- Xu Jian, see Jian Xu, *MWSYM 01* 1449-1452 vol.3
- Xu Jianjun, see Jianjun Xu, *MWSYM 01* 1015-1018 vol.2
- Xu Shan-Jia, see Xiang-Yin Zeng, *T-MTT Apr 01* 585-588

Y

- Yablonovitch, E., see Kumar, K., *T-MTT Jan 01* 228
- Yablonovitch, E., see Broas, R.F.J., *T-MTT Jul 01* 1262-1265
- Yablonovitch, E., see Narasimha, A., *T-MTT Oct 01* 2042-2047
- Yabuki, H., see Sangawa, U., *MWSYM 01* 389-392 vol.1
- Yabuki, H., see Matsuo, M., *T-MTT Jul 01* 1235-1240
- Yabuki, H., see Takahashi, K., *T-MTT Nov 01* 2099-2104
- Yagoub, M.C.E., see Jianjun Xu, *MWSYM 01* 1015-1018 vol.2
- Yagoub, M.C.E., see Devabhaktuni, V., *MWSYM 01* 2087-2090 vol.3
- Yagoub, M.C.E., see Devabhaktuni, V.K., *T-MTT Dec 01* 2282-2291
- Yajima, S., see Morkner, H., *MWSYM 01* 293-296 vol.1
- Yajima, S., see Morkner, H., *RFIC 01* 235-238
- Ya Jun Wang, Ching Kwang Lee, Wee Jin Koh, and Yeo Beng Gan. Design of small and broad-band internal antennas for IMT-2000 mobile handsets; *T-MTT Aug 01* 1398-1403
- Yakihara, T., see Uchida, K., *T-MTT May 01* 858-865
- Yakovlev, A., see Ortiz, S., *MWSYM 01* 1827-1830 vol.3
- Yamada, T., see Nakamura, H., *T-MTT Apr 01* 761-768
- Yamaguchi, M., R. Baba, and K. Arai. Sandwich type ferromagnetic RF integrated inductor; *MWSYM 01* 185-188 vol.1
- Yamaguchi, M., see Yamauchi, K., *MWSYM 01* 1071-1074 vol.2
- Yamaguchi, M., see Kuroki, F., *MWSYM 01* 1205-1208 vol.2
- Yamaguchi, M., M. Baba, and K.-I. Arai. Sandwich-type ferromagnetic RF integrated inductor; *T-MTT Dec 01* 2331-2335
- Yamaguchi, M., see Yamauchi, K., *T-MTT Dec 01* 2501-2506
- Yamahata, S., see Kamitsuna, H., *T-MTT Oct 01* 1921-1925
- Yamaki, F., see Ebihara, K., *MWSYM 01* 649-652 vol.2
- Yamamoto, H., see Seki, T., *MWSYM 01* 385-388 vol.1
- Yamamoto, K., see Inoue, A., *MWSYM 01* 1687-1690 vol.3
- Yamamoto, M., see Chirwa, L.C., *T-MTT May 01* 995-997
- Yamamoto, S., A. Suwa, T. Tanbo, T. Kitazawa, K. Tara, and M. Hagio. A 1-chip RF transceiver MMIC for ETC with surface via-hole isolation technique; *RFIC 01* 195-198
- Yamamoto, T., see Kageyama, K., *MWSYM 01* 1445-1448 vol.3
- Yamamoto, T., S. Sano, K. Naito, T. Igarashi, and J. Fukaya. A 6 GHz, 50 watt low distortion push-pull GaAs power FET optimized for 12 V class A-B operation; *MWSYM 01* 1055-1058 vol.2
- Yamamoto, T., see Kageyama, K., *T-MTT Dec 01* 2421-2424
- Yamane, K., see Kishihara, M., *MWSYM 01* 627-630 vol.2
- Yamauchi, K., Y. Iyama, M. Yamaguchi, Y. Ikeda, and T. Takagi. X-band MMIC power amplifier with an on-chip temperature compensation circuit; *MWSYM 01* 1071-1074 vol.2
- Yamauchi, K., see Takagi, T., *T-MTT Nov 01* 2073-2079
- Yamauchi, K., Y. Iyama, M. Yamaguchi, Y. Ikeda, S. Urasaki, and T. Takagi. X-band MMIC power amplifier with an on-chip temperature-compensation circuit; *T-MTT Dec 01* 2501-2506
- Yanev, A.S., B.N. Todorov, and V.Z. Ranev. Wide-band balanced active HEMT mixer; *T-MTT Jul 01* 1359-1361
- Yang, H., see Rong, A.S., *T-MTT Dec 01* 2266-2275
- Yang, H.Y.D., see Leone, R., *MWSYM 01* 1213-1216 vol.2
- Yang, K., T. Marshall, M. Forman, J. Hubert, L. Mirth, Z. Popovic, L.P.B. Katehi, and J.F. Whitaker. Active-amplifier-array diagnostics using high-resolution electrooptic field mapping; *T-MTT May 01* 849-857
- Yang, K., see Reano, R.M., *T-MTT Dec 01* 2523-2531
- Yang Heng, see Ao Sheng Rong, *MWSYM 01* 1029-1032 vol.2
- Yang Kyoung, see Reano, R.M., *MWSYM 01* 1523-1526 vol.3
- Yang Liuqing, see Shouyuan Shi, *T-MTT Sep 01* 1614-1619
- Yang Shih-Cheng, see Chin-Wei Kuo, *RFIC 01* 165-168
- Yang Shih-Cheng, see Hsien-Chin Chiu, *RFIC 01* 143-146
- Yang Suidong, see Suidong Yang, *T-MTT Aug 01* 1492-1497
- Yang Sung-Gi, see Jin-Su Ko, *MWSYM 01* 2219-2222 vol.3
- Yang Youngoo, see Youngoo Yang, *MWSYM 01* 793-796 vol.2
- Yang Youngoo, see Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
- Yang Youngoo, see Jaehyok Yi, *MWSYM 01* 1359-1362 vol.2
- Yang Youngoo, see Youngoo Yang, *T-MTT Feb 01* 387-390
- Yang Youngoo, see Youngoo Yang, *T-MTT Mar 01* 568-571
- Yang Youngoo, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Yang Youngoo, see Youngoo Yang, *T-MTT Sep 01* 1626-1633
- Yano, H., Y. Nakahara, T. Hirayama, Y. Suzuki, and A. Furukawa. Performance of Ku-band on-chip matched Si monolithic amplifiers using 0.18- μ m-gatelength MOSFETs; *T-MTT Jun 01* 1086-1093
- Yan Yue, see Yue Yan, *T-MTT Sep 01* 1649-1657
- Yao, H.-W., see El Sabbagh, M., *T-MTT Dec 01* 2384-2393
- Yao, Z., see Goldsmith, C., *MWSYM 01* 227-230 vol.1
- Yao Hui-Wen, see Heng-Tung Hsu, *MWSYM 01* 1603-1606 vol.3
- Yao Hui-Wen, see Hui-Wen Yao, *MWSYM 01* 1475-1478 vol.3
- Yarman, B.S., see Aksent, A., *MWSYM 01* 2075-2078 vol.3
- Yashchyshyn, Y., see Modelski, J., *MWSYM 01* 467-470 vol.1
- Yashiro, K., see Xiao, G., *T-MTT Feb 01* 369-376
- Yashiro, K., see Gaobiao Xiao, *T-MTT Jun 01* 1027-1031
- Yasunaga, T., S. Hirano, R. Maeda, Y. Hiraoka, T. Andou, and Y. Miyahara. A fully integrated PLL frequency synthesizer LSI for mobile communication system; *RFIC 01* 65-68
- Yates, D., see Rampmeier, K., *RFIC 01* 21-24
- Yeatman, E.M., see Dahlmann, G.W., *MWSYM 01* 329-332 vol.1
- Yee, Y.J., see Park, J.Y., *MWSYM 01* 2111-2114 vol.3
- Yeh, T.H., see Heng-Ming Hsu, *MWSYM 01* 1869-1872 vol.3
- Yeo, K.S.K., and M.J. Lancaster. The design of microstrip six-pole quasi-elliptic filter with linear phase response using extracted-pole technique; *T-MTT Feb 01* 321-327
- Yeo, S.P., and F.C. Choong. Matched symmetrical five-port microstrip coupler; *T-MTT Aug 01* 1498-1500
- Yeo Beng Gan, see Ya Jun Wang, *T-MTT Aug 01* 1398-1403
- Yeong-Lin Lai, and Cheng-Tsung Chen. A novel cold-FET method for determining extrinsic capacitances using a capacitive transmission line model; *MWSYM 01* 1261-1264 vol.2
- Yeong-Lin Lai, and Kuo-Hua Hsu. A new pinched-off cold-FET method to determine parasitic capacitances of FET equivalent circuits; *T-MTT Aug 01* 1410-1418
- Yeo Tat-Soon, see Le-Wei Li, *T-MTT Mar 01* 532-541
- Yeo Tat-Soon, see Sheng-Li Lin, *T-MTT Jun 01* 1136-1139
- Yeo Tat-Soon, see Le-Wei Li, *T-MTT Jul 01* 1361-1364
- Yhland, K., see Stenarson, J., *T-MTT Dec 01* 1-
- Yi-Chyun Chiang, and Chong-Yi Chen. Design of a wide-band lumped-element 3-dB quadrature coupler; *T-MTT Mar 01* 476-479
- Yifei Li, A.J.C. Vieira, S.M. Goldwasser, and P.R. Herzfeld. Rapidly tunable millimeter-wave optical transmitter for lidar-radar; *T-MTT Oct 01* 2048-2054
- Yi-Huei Chen, Jenn-Chyou Bor, and Po-Chiun Huang. A 2.5 V CMOS switched-capacitor channel-select filter with image rejection and automatic gain control; *RFIC 01* 111-114
- Yi Jaehyok, see Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
- Yi Jaehyok, see Jaehyok Yi, *MWSYM 01* 1359-1362 vol.2
- Yi Jaehyok, see Youngoo Yang, *T-MTT Feb 01* 387-390
- Yi Jaehyok, see Youngoo Yang, *T-MTT Sep 01* 1626-1633
- Yi Jaehyok, see Youngoo Yang, *T-MTT Mar 01* 568-571
- Yi-Jen Chan, see Chin-Wei Kuo, *RFIC 01* 165-168
- Yi-Jen Chan, see Hsien-Chin Chiu, *RFIC 01* 143-146
- Yinggang Li, see Schuppener, G., *RFIC 01* 177-180
- Yi Seung-June, see Seung-June Yi, *T-MTT May 01* 938-946
- Yoke Choy Leong, see Samoska, L., *MWSYM 01* 1805-1808 vol.3
- Yoneda, N., and M. Miyazaki. Analysis and design of grooved circular waveguide dual-mode filters; *MWSYM 01* 1791-1794 vol.3
- Yoneyama, T., see Kuroki, F., *MWSYM 01* 1813-1816 vol.3
- Yoneyama, T., see Kuroki, F., *MWSYM 01* 1205-1208 vol.2
- Yong, C.K., R. Sloan, and L.E. Davis. A Ka-band indium-antimonide junction circulator; *T-MTT Jun 01* 1101-1106
- Yongfei Zhu, see Xiao-Peng Liang, *MWSYM 01* 1457-1460 vol.3
- Yong Hwang Hee, see Hee Yong Hwang, *MWSYM 01* 1483-1486 vol.3
- Yong-Hyun Park, Jeong-Hae Lee, Jong-Wook Seo, and Heung-SikTae. Measurement of group velocities of various microwave transmission lines via FM reflectometry; *MWSYM 01* 2191-2194 vol.3
- Yong-Kweon Kim, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Yong-Kweon Kim, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
- Yong-Kweon Kim, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Yong Kyu Yoon, see Chen, Y.C., *MWSYM 01* 523-526 vol.1
- Yong-Sik Yoon, Cheon-Soo Kim, Nam-Soo Kim, and Hyun-Kyu Yu. A 1 GHz-band low distortion up-converter with a linear in dB control VGA for digital TV tuner; *RFIC 01* 257-260
- Yongxi Qian, see Seong-Sik Jeon, *MWSYM 01* 121-124 vol.1
- Yongxi Qian, see Sor, J., *MWSYM 01* 307-310 vol.1
- Yongxi Qian, see Chin-Chang Chang, *MWSYM 01* 2039-2042 vol.3
- Yongxi Qian, see Miyamoto, R.Y., *MWSYM 01* 1119-1122 vol.2
- Yongxi Qian, see Hang, C.Y., *T-MTT Jun 01* 1155-1161
- Yongxi Qian, see Miyamoto, R.Y., *T-MTT Sep 01* 1658-1662
- Yoo, C.S., see Lew, D.-W., *T-MTT Jan 01* 220-224
- Yoo, S., see Heo, D., *MWSYM 01* 915-918 vol.2
- Yoo, S., see Matinpour, B., *MWSYM 01* 1089-1091 vol.2
- Yook, J.-G., see Yoon, S.-J., *MWSYM 01* 771-774 vol.2
- Yook, J.-G., see Drayton, R.F., *T-MTT Feb 01* 308-314
- Yoon, S.-J., S.-H. Jeong, J.-G. Yook, Y.-J. Kim, S.-G. Lee, O.-K. Seo, K.-S. Lim, and D.-S. Kim. A novel CPW structure for high-speed interconnects; *MWSYM 01* 771-774 vol.2
- Yoon, Y.J., Y. Lu, R.C. Frye, and P.R. Smith. Modeling of monolithic RF spiral transmission-line balun; *T-MTT Feb 01* 393-395
- Yoon Yong Kyu, see Chen, Y.C., *MWSYM 01* 523-526 vol.1
- York, R.A., see Pengcheng Jia, *MWSYM 01* 43-46 vol.1
- York, R.A., see Acikel, B., *MWSYM 01* 1191-1194 vol.2
- York, R.A., see Lynch, J.J., *T-MTT Feb 01* 237-249
- York, R.A., see Pengcheng Jia, *T-MTT Apr 01* 609-614
- York, R.A. Some considerations for optimal efficiency and low noise in large power combiners; *T-MTT Aug 01* 1477-1482
- Yo-Shen Lin, and Chun Hsiung Chen. Novel lumped-element coplanar waveguide-to-coplanar stripline transitions; *MWSYM 01* 615-618 vol.2
- Yoshida, H., see Madhian, M., *MWSYM 01* 1865-1868 vol.3
- Yoshida, S., see Aoki, Y., *MWSYM 01* 289-292 vol.1
- Yoshida, S., see Aoki, Y., *RFIC 01* 231-234
- Yoshikuni, Y., see Hirano, T., *T-MTT Sep 01* 1640-1648
- Yost, T.A., A. Madjar, and P.R. Herzfeld. Frequency response mechanisms for the GaAs MSM photodetector and electron detector; *T-MTT Oct 01* 1900-1907
- You Chul Jeong, see Lee, J., *T-MTT Oct 01* 1740-1746
- Young, A.C., see Mahon, S.J., *T-MTT Jul 01* 1229-1234
- Young, P.R., see Dahlmann, G.W., *MWSYM 01* 329-332 vol.1

Z

- Young, P.R.**, see Ang, K.S., *RFIC 01* 169-172
- Young, R.M.**, see Adam, J.D., *MWSYM 01* 1173-1174 vol.2
- Younger, R.D.**, see Juodawlkis, P.W., *T-MTT Oct 01* 1840-1853
- Young-Ho Suh**, and Kai Chang. Microstrip fed coplanar stripline tee junction using coupled coplanar stripline; *MWSYM 01* 611-614 vol.2
- Young-Jin Park**, A. Herschlein, and W. Wiesbeck. A photonic bandgap (PBG) structure for guiding and suppressing surface waves in millimeter-wave antennas; *T-MTT Oct 01* 1854-1859
- Youngoo Yang**, Young Yun Woo, and Bumman Kim. Adaptive RF Cartesian predistorter based on the low frequency even order IM terms; *MWSYM 01* 793-796 vol.2
- Youngoo Yang**, Jaehyok Yi, Young Yun Woo, and Bumman Kim. Experimental investigation on efficiency and linearity of microwave Doherty amplifier; *MWSYM 01* 1367-1370 vol.2
- Youngoo Yang**, see Jaehyok Yi, *MWSYM 01* 1359-1362 vol.2
- Youngoo Yang**, Jaehyok Yi, and Bumman Kim. Accurate RF large-signal model of LDMOSFETs including self-heating effect; *T-MTT Feb 01* 387-390
- Youngoo Yang**, Jaehyok Yi, Joongjin Nam, Bumman Kim, and Myungkyu Park. Measurement of two-tone transfer characteristics of high-power amplifiers; *T-MTT Mar 01* 568-571
- Youngoo Yang**, see Woonyun Kim, *T-MTT Jul 01* 1270-1276
- Youngoo Yang**, Young Yun Woo, Jaehyok Yi, and Bumman Kim. A new empirical large-signal model of Si LDMOSFETs for high-power amplifier design; *T-MTT Sep 01* 1626-1633
- Young-Seok Chung**, and Changyul Cheon. Optimal shape design of dielectric structure using FDTD and topology optimization; *MWSYM 01* 2063-2066 vol.3
- Youngwoo Kwon**, see Chang-Wook Baek, *MWSYM 01* 211-214 vol.1
- Youngwoo Kwon**, see Sanghwa Jung, *MWSYM 01* 333-336 vol.1
- Youngwoo Kwon**, see Hong-Teuk Kim, *T-MTT Sep 01* 1634-1639
- Young Yun Woo**, see Youngoo Yang, *MWSYM 01* 793-796 vol.2
- Young Yun Woo**, see Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
- Young Yun Woo**, see Youngoo Yang, *T-MTT Sep 01* 1626-1633
- You Ningsi**, see Ningsi You, *T-MTT Oct 01* 2002-2005
- Youn Yong-Sik**, see Yong-Sik Youn, *RFIC 01* 257-260
- Yu, H.K.**, see Jin, W., *MWSYM 01* 1727-1730 vol.3
- Yu, M.**, see El Sabbagh, M., *MWSYM 01* 1313-1316 vol.2
- Yu, M.**, see El Sabbagh, M., *T-MTT Dec 01* 2384-2393
- Yu, P.K.L.**, see Li, G.L., *MWSYM 01* 61-64 vol.1
- Yu, T.**, see Cai, W., *T-MTT Jul 01* 1295-1303
- Yu, W.**, R. Mittra, and S. Dey. Application of the nonuniform FDTD technique to analysis of coaxial discontinuity structures; *T-MTT Jan 01* 207-209
- Yu, Y.**, see Li, S.-Q., *T-MTT Jul 01* 1221-1228
- Yu, Y.**, see Cai, W., *T-MTT Jul 01* 1295-1303
- Yuan, J.S.**, see Qiang Li, *RFIC 01* 139-142
- Yuan, J.S.**, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Yuan Chen**, see Qiang Li, *RFIC 01* 139-142
- Yuan Chen**, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Yuan-Tung Cheng**, see Shyh-Yeong Ke, *T-MTT Mar 01* 571-574
- Yuanxun Wang**, see Seong-Sik Jeon, *MWSYM 01* 121-124 vol.1
- Yuanxun Wang**, J.D. Fredrick, and T. Itoh. A novel DSP architecture of adaptive feedforward linearizer for RF amplifiers; *MWSYM 01* 805-808 vol.2
- Yuanxun Wang**, and T. Itoh. Envelope-finite element (EVFE) technique-2-D guided wave examples; *MWSYM 01* 741-744 vol.2
- Yuanxun Wang**, see Hsiao-Ping Tsai, *MWSYM 01* 2059-2062 vol.3
- Yucai Zhang**, and C.A.T. Salama. Multi-harmonic tuning behavior of MOSFET RF power amplifiers; *MWSYM 01* 2147-2150 vol.3
- Yue Yan**, and P. Pramanick. Finite-element analysis of generalized V- and W-shaped edge and broadside-edge-coupled shielded microstrip lines on anisotropic medium; *T-MTT Sep 01* 1649-1657
- Yuhua Cheng**, see Chih-Hung Chen, *MWSYM 01* 835-839 vol.2
- Yu Hyu Kyu**, see Cheon Soo Kim, *MWSYM 01* 1873-1876 vol.3
- Yu Hyun-Kyu**, see Yong-Sik Youn, *RFIC 01* 257-260
- Yu-Jiu Wang**, Kun-You Lin, Dow-Chih Niu, and Huei Wang. A V-Band MMIC SPDT passive HEMT switch using impedance transformation networks; *MWSYM 01* 253-256 vol.1
- Yu Liu**, see Acikel, B., *MWSYM 01* 1191-1194 vol.2
- Yun, T.-Y.**, and K. Chang. Uniplanar one-dimensional photonic-bandgap structures and resonators; *T-MTT Mar 01* 549-553
- Yun, Z.**, see Iskander, M.F., *MWSYM 01* 259-262 vol.1
- Yun, Z.**, see White, M.J., *T-MTT Mar 01* 422-430
- Yun, Z.**, see Iskander, M.F., *T-MTT May 01* 1000-1003
- Yun, Z.**, see Iskander, M.F., *T-MTT Dec 01* 2547-2553
- Yung Edward Kai-Ning**, see Ru-Shan Chen, *T-MTT May 01* 928-937
- Yung Nai-Ning**, see Wenquan Che, *T-MTT Apr 01* 727-730
- Yung-Nein Chin**, see Shyh-Jong Chung, *MWSYM 01* 1123-1126 vol.2
- Yun Jun-Sik**, see Jun-Sik Yun, *MWSYM 01* 2171-2174 vol.3
- Yun Sang-Won**, see Hee Yong Hwang, *MWSYM 01* 1483-1486 vol.3
- Yun Tae-Yeoul**, see Tae-Yeoul Yun, *MWSYM 01* 263-265 vol.1
- Yun Tae-Yeoul**, see Tae-Yeoul Yun, *MWSYM 01* 1435-1437 vol.3
- Yun Woo Young**, see Youngoo Yang, *MWSYM 01* 793-796 vol.2
- Yun Woo Young**, see Youngoo Yang, *MWSYM 01* 1367-1370 vol.2
- Yun Woo Young**, see Youngoo Yang, *T-MTT Sep 01* 1626-1633
- Yu Qian**, see Adamczyk, O.H., *T-MTT Oct 01* 1962-1967
- Yu Zhiping**, see Jaejune Jang, *MWSYM 01* 967-970 vol.2
- Zaitsev, A.**, B. Kapilevich, L. Billonnet, B. Jarry, and P. Guillon. Negative resistance optimized in noise for losses compensation in microstrip resonators; *MWSYM 01* 1577-1580 vol.3
- Zaki, A.**, see Heng-Tung Hsu, *MWSYM 01* 1603-1606 vol.3
- Zaki, K.**, see El Sabbagh, M., *MWSYM 01* 1313-1316 vol.2
- Zaki, K.A.**, see Safwata, A.M.E., *MWSYM 01* 607-610 vol.2
- Zaki, K.A.**, see Chi Wang, *MWSYM 01* 1611-1614 vol.3
- Zaki, K.A.**, see Tao Shen, *MWSYM 01* 1491-1494 vol.3
- Zaki, K.A.**, see Shen, T., *MWSYM 01* 1325-1328 vol.2
- Zaki, K.A.**, see Tao Shen, *MWSYM 01* 1487-1490 vol.3
- Zaki, K.A.**, see El Sabbagh, M., *T-MTT Dec 01* 2384-2393
- Zampardi, P.**, see Sining Zhou, *RFIC 01* 241-244
- Zanchi, C.**, see Lenoir, B., *MWSYM 01* 1479-1482 vol.3
- Zandano, P.**, M. Pirola, and G. Ghione. A new, compact model for high-speed electro-optic modulators fully integrated within a microwave CAD environment; *MWSYM 01* 559-562 vol.1
- Zapata, J.**, see Rubio, J., *T-MTT Mar 01* 509-516
- Zappelli, L.**, see Morini, A., *T-MTT Jan 01* 213-216
- Zavracky, P.M.**, see Oliver, S.A., *T-MTT Feb 01* 385-387
- Zehentner, J.**, J. Machac, and P. Lorenz. Space leakage of power from the slotline; *MWSYM 01* 1217-1220 vol.2
- Zeji Gu**, Shuyun Zhang, D. Johnson, S. Belletete, M. Ayyazian, and D. Fryklund. A high-performance GaAs SP3T switch for digital cellular systems; *MWSYM 01* 241-244 vol.1
- Zeng Xiang-Yin**, see Xiang-Yin Zeng, *T-MTT Apr 01* 585-588
- Zhang, L.**, see Kumar, K., *T-MTT Jan 01* 228
- Zhang, Q.**, see Su, Q.-X., *T-MTT Apr 01* 769-778
- Zhang, Q.J.**, see Bandler, J.W., *MWSYM 01* 1007-1010 vol.2
- Zhang, Q.-J.**, see Bandler, J.W., *T-MTT Jan 01* 67-79
- Zhang, Q.-J.**, see Devabhaktuni, V.K., *T-MTT Dec 01* 2282-2291
- Zhang, S.**, see Bary, L., *MWSYM 01* 1705-1708 vol.3
- Zhang, S.**, see McNamara, B., *RFIC 01* 13-16
- Zhang, X.**, L.E. Larson, P.M. Asbeck, and P. Nanawa. Gain/phase imbalance-minimization techniques for LINC transmitters; *T-MTT Dec 01* 2507-2516
- Zhang, Z.**, see Iskander, M.F., *T-MTT May 01* 1000-1003
- Zhang, Z.**, see Iskander, M.F., *T-MTT Dec 01* 2547-2553
- Zhang Jin**, S. Ortiz, and A. Mortazawi. Design of a novel digital phase shifter at X-band; *MWSYM 01* 233-236 vol.1
- Zhang Jinlong**, see Qiang Li, *RFIC 01* 139-142
- Zhang Jinlong**, see Qiang Li, *T-MTT Sep 01* 1546-1551
- Zhang Lin**, see Wichaidit, C., *MWSYM 01* 163-166 vol.1
- Zhang Liyang**, see Sining Zhou, *RFIC 01* 241-244
- Zhang Qi-Jun**, see Jianjun Xu, *MWSYM 01* 1015-1018 vol.2
- Zhang Qi-Jun**, see Devabhaktuni, V., *MWSYM 01* 2087-2090 vol.3
- Zhang Shuyun**, see Shuyun Zhang, *MWSYM 01* 927-930 vol.2
- Zhang Shuyun**, see Zeji Gu, *MWSYM 01* 241-244 vol.1
- Zhang Xuejun**, see Xuejun Zhang, *MWSYM 01* 801-804 vol.2
- Zhang Yucai**, see Yucai Zhang, *MWSYM 01* 2147-2150 vol.3
- Zhang Zhijun**, see Iskander, M.F., *MWSYM 01* 259-262 vol.1
- Zheng, F.**, and Z. Chen. Numerical dispersion analysis of the unconditionally stable 3-D ADI-FDTD method; *T-MTT May 01* 1006-1009
- Zheng, H.Q.**, see Halder, S., *MWSYM 01* 1885-1888 vol.3
- Zheng, H.Q.**, see Halder, S., *T-MTT Dec 01* 2408-2412
- Zheng, J.**, J.-P. Li, and A. Weissshaar. Modeling of 3-D planar conducting structures on lossy silicon substrate in high frequency integrated circuits; *MWSYM 01* 1265-1268 vol.2
- Zhenghe Feng**, see Gorur, A., *T-MTT Feb 01* 410-411
- Zheng Ji**, see Ji Zheng, *T-MTT Oct 01* 1733-1739
- Zhengwei Du**, see Gorur, A., *T-MTT Feb 01* 410-411
- Zhenqiang Ma**, see Liang-Hung Lu, *MWSYM 01* 1709-1712 vol.3
- Zhgon, S.A.**, see Barinov, A.E., *MWSYM 01* 499-501 vol.1
- Zhijun Zhang**, see Iskander, M.F., *MWSYM 01* 259-262 vol.1
- Zhiping Yu**, see Jaejune Jang, *MWSYM 01* 967-970 vol.2
- Zhongmin Wen**, M. Akiyama, and Y. Hase. A 156 Mbps compact FSK modulator module for 38 GHz wireless LANs; *MWSYM 01* 1097-1100 vol.2
- Zhou, J.**, see Schreier, R., *RFIC 01* 71-74
- Zhou, T.S.**, see Ooi, B.L., *T-MTT Jul 01* 1289-1294
- Zhou Jianyi**, see Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
- Zhou Sining**, see Sining Zhou, *RFIC 01* 241-244
- Zhu Anding**, see Anding Zhu, *MWSYM 01* 21-24 vol.1
- Zhu Xiaowei**, see Xiaowei Zhu, *MWSYM 01* 2215-2218 vol.3
- Zhu Yongfei**, see Xiao-Peng Liang, *MWSYM 01* 1457-1460 vol.3
- Ziegner, B.**, see Gresham, I., *T-MTT Jan 01* 44-58
- Ziemer, R.E.**, B.R. Vojcic, L.B. Milstein, and J.G. Proakis. Corrections to "Effects of carrier tracking in RAKE reception of wide-band DSSS in Rician fading" [Jun 99 681-686]; *T-MTT Jan 01* 228-229
- Ziemer, R.E.**, and L.B. Milstein. Comments on "Carrier tracking in RAKE reception of wide-band DSSS in Rician fading"; *T-MTT Oct 01* 1822-1823
- Zierdt, M.**, see Herbsommer, J.A., *MWSYM 01* 2203-2206 vol.3
- Zilaro, P.**, see Megahed, M., *MWSYM 01* 1899-1902 vol.3
- Zingaro, J.**, see Salib, M., *MWSYM 01* 1075-1078 vol.2
- Zingg, R.**, and K.C. Gupta. An approach for knowledge-aided-design (KAD) of microwave circuits using artificial neural networks; *MWSYM 01* 1011-1014 vol.2
- Ziolkowski, R.W.**, see Wittwer, D.C., *T-MTT Feb 01* 250-262
- Zirath, H.**, see Angelov, I., *MWSYM 01* 407-410 vol.1

- Zirath, H.**, C. Fager, M. Garcia, P. Sakalas, L. Landen, and A. Alping. Analog MMICs for millimeter-wave applications based on a commercial 0.14- μm pHEMT technology; *T-MTT Nov 01* 2086-2092
Zoschg, D., see Knapp, H., *MWSYM 01* 591-594 vol.1
Zoschg, D., see Knapp, H., *RFIC 01* 287-290
Zou Jun, see Jun Zou, *MWSYM 01* 193-196 vol.1
Zusmanovic, B., see Madjar, A., *MWSYM 01* 531-534 vol.1

SUBJECT INDEX

1/f noise

- GaInP/GaAs hetero-bipolar transistors, LF noise modeling, 1/f-noise model. *Heymann, P.*, +, *MWSYM 01* 1967-1970 vol.3
 SiGe HBTs, LF noise and phase noise behavior, Ge profile shape. *Bary, L.*, +, *MWSYM 01* 1705-1708 vol.3
 Si Schottky diode, flip-chip mounted, I-Q mixer. *Kaleja, M.M.*, +, *MWSYM 01* 1653-1656 vol.3

A

Absorbing media

- EM field, collinear vector pot. *Georgieva, N.*, *MWSYM 01* 2011-2014 vol.3
 lossy edge, EM field and elec. current. *Farina, M.*, +, *T-MTT Jul 01* 1355-1358

Absorption; cf. Electromagnetic wave absorption

Accelerator RF systems

- electron linac, microwave coupler, impedance matching and tuning. *Franco, M.A.R.*, +, *T-MTT Mar 01* 562-564

Access protocols; cf. Code division multiple access; Time division multiple access

Acoustic convolution; cf. Surface acoustic wave convolution

Acoustic delay lines; cf. Surface acoustic wave delay lines

Acoustic devices; cf. Bulk acoustic wave devices; Surface acoustic wave devices

Acoustic dispersion

- thin-film BAW device, laser interferometry. *Fattinger, G.G.*, +, *MWSYM 01* 371-374 vol.1

Acoustic filters; cf. Acoustic resonator filters; Surface acoustic wave filters

Acoustic resonator filters

- film bulk acoustic resonator duplexer for USPCS handset appl. *Bradley, P.*, +, *MWSYM 01* 367-370 vol.1
 ZnO thin-film bulk acoustic resonators and filters, ladder realizations. *Su, Q.-X.*, +, *T-MTT Apr 01* 769-778

Acoustic resonators; cf. Acoustic resonator filters; Surface acoustic wave resonators

Acoustic transducers; cf. Surface acoustic wave transducers; Ultrasonic transducers

Acoustic wave diffraction

- slanted-finger IDTs, diff. anal. *Martin, G.*, +, *T-MTT Apr 01* 838-843

Acoustoelectric transducers; cf. Microphones

Active antenna arrays

- act. integrated retrodirective transponder for rem. info. retrieval-on-demand. *Miyamoto, R.Y.*, +, *T-MTT Sep 01* 1658-1662
 amp. array, EO field mapping. *Yang, K.*, +, *T-MTT May 01* 849-857
 broadband arbitrarily-pol. planar rectenna array, charactn. *Hagerty, J.A.*, +, *MWSYM 01* 1855-1858 vol.3
 GaAs MMIC oscillator, act. patch antenna array. *Suidong Yang*, +, *T-MTT Aug 01* 1492-1497
 K-band full-duplex transmit-receive lens array, uniplanar circuitry. *Forman, M.*, +, *MWSYM 01* 1831-1834 vol.3
 microwave antenna arrays, small sig. and large sig. models. *Liu, K.*, +, *MWSYM 01* 1383-1386 vol.2
 reactive near-field region patch array, illum. of transmit array of transistor amps. *Song, H.J.*, +, *T-MTT Mar 01* 470-475
 reconfigurable retrodirective/direct conversion receiver array, wireless sens. *Miyamoto, R.Y.*, +, *MWSYM 01* 1119-1122 vol.2
 retrodirective diode grid array using FWM. *Wenyan Ding*, +, *MWSYM 01* 1851-1854 vol.3

Active antennas

- 2D photonic-bandgap structs., integrated antenna usage, membrane support. *Reynolds, A.L.*, +, *T-MTT Jul 01* 1254-1261
 C-band push-pull power amp. integrated with quasi-Yagi antenna. *Hang, C.Y.*, +, *T-MTT Jun 01* 1155-1161
 circ. pol. rectenna for microwave power transm. at 5.8 GHz. *Strassner, B.*, +, *MWSYM 01* 1859-1862 vol.3
 MLC-polyimide substr. *Seki, T.*, +, *MWSYM 01* 385-388 vol.1
 monopulse radar, low noise act. integrated antenna receiver. *Lin, S.*, +, *MWSYM 01* 1395-1398 vol.2
 planar antenna, MM-wave emitter, TLM anal. *Heppenheimer, K.P.*, +, *MWSYM 01* 2027-2030 vol.3
 Stentor satellite transmit act. antenna, Ku-band Quadri-SSPA. *Rogues, D.*, +, *MWSYM 01* 657-660 vol.2
 tunnel diode nonlin. model for microwave ccts. and act. antennas. *Deshpande, M.R.*, +, *MWSYM 01* 403-406 vol.1

Active antennas; cf. Active antenna arrays

Active filters

- CMOS bandpass amp., notch filter, wireless receiver. *Chunbing Guo*, +, *RFIC 01* 79-82

- GaAs MESFET act. inductor, independent voltage tunable inductance and series-loss resist. *Leifso, C.*, +, *T-MTT Apr 01* 671-676
 image reject notch filter, integrated tunable cct. *Rogers, J.W.M.*, +, *RFIC 01* 75-78
 microstrip resonator, neg. resist., act. bandpass filter. *Zaitsev, A.*, +, *MWSYM 01* 1577-1580 vol.3
 microwave act. notch filter, varactor tuning. *Rauscher, C.*, *T-MTT Aug 01* 1431-1437
 neg.-resist. compensated microwave bandpass act. filters, in-band noise perform. *Cheng, L.-K.M.*, +, *T-MTT May 01* 924-927
 tunable active filters having multilayer structure using LTCC. *Kageyama, K.*, +, *T-MTT Dec 01* 2421-2424
 tunable act. microwave filters having multilayer struct. using LTCC. *Kageyama, K.*, +, *MWSYM 01* 1445-1448 vol.3

Active networks

- decomp. synthesis approach to design of RF and microwave act. ccts. *Babak, L.I.*, *MWSYM 01* 1167-1170 vol.2
 doubly-bal. act. & pass. RF mixers, digital CMOS proc. *Geffroy, V.*, +, *MWSYM 01* 83-86 vol.1
 microwave act. cct., interactive visual design. *Babak, L.I.*, +, *MWSYM 01* 2095-2098 vol.3
 microwave act. nonlin. cct., FETD algm. *Hsiao-Ping Tsai*, +, *MWSYM 01* 2059-2062 vol.3
 MMIC varactor diode, neg. capacitance, tuning range. *Kolev, S.*, +, *MWSYM 01* 1581-1584 vol.3

Active networks; cf. Active filters; Gytrators; Impedance converters; Negative resistance circuits; RC circuits

Actuators; cf. Microactuators

Adaptive antenna arrays

- arbitrary antenna arrays for mm-wave direction-finding algms., spectral estim. *Do-Hong, T.*, +, *MWSYM 01* 1387-1390 vol.2
 digital phased array antenna syst. for cellular PCS band appl. *Nuteson, T.W.*, +, *MWSYM 01* 125-128 vol.1
 ESPAR antenna, adaptive beamforming using seq. perturb. *Jun Cheng*, +, *MWSYM 01* 133-136 vol.1
 ferroelec. smart antennas, null pattern synthesis. *Modelski, J.*, +, *MWSYM 01* 467-470 vol.1
 full duplex digital commun., self-phased microstrip retrodirective antenna array. *DiDomenico, L.D.*, +, *T-MTT Apr 01* 677-684
 GaAs MESFET MMIC antenna diversity vector modulator for HIPERLAN. *Ellinger, F.*, +, *T-MTT May 01* 964-969
 lens antenna arrays, design and appls. *Vian, J.*, +, *MWSYM 01* 129-132 vol.1
 mm-wave circ. polarized substr. lens antenna, single/multiple beam, wireless appls. *Wu, X.*, +, *T-MTT Mar 01* 431-441
 monopole antenna retro-transceiver array. *Karode, S.*, +, *T-MTT Mar 01* 565-568
 MTT-S International Microwave Symposium, Phoenix, AZ, USA (2001). *MWSYM-01* 3 vol.(lxiii+xxiv+xxiii+2262)
 opt. SCM transm. *Seto, I.*, +, *T-MTT Oct 01* 2036-2041
 planar array smart antenna syst. with hybrid analog-digital beamforming. *Seong-Sik Jeon*, +, *MWSYM 01* 121-124 vol.1
 smart antenna test-bed, W-CDMA WLL channel. *Heung-Jae Im*, +, *T-MTT Nov 01* 2142-2146
 TDMA smart antenna wireless base stations, Internet controlled calib. syst. *Sinsky, J.H.*, *MWSYM 01* 141-144 vol.1

Adaptive control

- ESPAR antenna, adaptive beamforming using seq. perturb. *Jun Cheng*, +, *MWSYM 01* 133-136 vol.1
 RF Cartesian predistorter for high power class-AB amp. *Youngoo Yang*, +, *MWSYM 01* 793-796 vol.2

Adaptive estimation

- multivariate adaptive sampling, comput. EM anal. minimis., interpolation. *Lehmensiek, R.*, +, *MWSYM 01* 1749-1752 vol.3

Adaptive signal processing

- adaptive digital predistortion, EDGE std. *Lee, K.C.*, +, *MWSYM 01* 1353-1356 vol.2
 feedforward lin. for RF amps., DSP archit. *Yuanxun Wang*, +, *MWSYM 01* 805-808 vol.2
 RF Cartesian predistorter for high power class-AB amp. *Youngoo Yang*, +, *MWSYM 01* 793-796 vol.2

Adjacent channel interference

- direct conversion digital six-port receiver, analog carrier recovery loop. *Gagne, J.-F.*, +, *MWSYM 01* 1093-1096 vol.2
 ISM-band sub carrier multiplexed broadband digital microwave radio link. *Toledo, N.*, +, *MWSYM 01* 961-964 vol.2
 MMIC power amp., IMD, derivative superposition. *Webster, D.R.*, +, *T-MTT Feb 01* 328-332

Aerospace instrumentation; cf. Space vehicle electronics

Agriculture

- radio-requestable pass. SAW water-content sens. for rem. meas. *Reindl, L.*, +, *T-MTT Apr 01* 803-808

Air pollution; cf. Air pollution measurement

Air pollution measurement

- mm-wave radar sens., airborne chem., environ. monitoring, arms-control treaty verif. *Gopalsami, N.*, +, *T-MTT Apr 01* 646-653
 plasma-polymer-coated SAW and STW resonators for chem. gas-sens. appls. *Avramov, I.D.*, +, *T-MTT Apr 01* 827-837