

2001 Index

IEEE Microwave and Wireless Components Letters

Vol. 11

This index covers all technical items - papers, correspondence, reviews, etc. that appeared in this periodical during 2001, and items from previous years that were commented upon or corrected in 2001. Departments and other items may be also covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

Ahn Dal, *see* Jeng-Sik Lim, *MWCL Mar 01* 124-126
Ahn Dal, *see* Jong-Sik Lim, *MWCL Apr 01* 170-172
Alterovitz, S.A., *see* Zhenqiang Ma, *MWCL Jul 01* 287-289
Alterovitz, S.A., *see* Zhenqiang Ma, *MWCL Oct 01* 401-403
Amari, S. Direct synthesis of folded symmetric resonator filters with source-load coupling; *MWCL Jun 01* 264-266
Ann Teo Swee, *see* Swee Ann Teo, *MWCL May 01* 226-228
Archer, J.W., R. Lai, R. Grundbacher, M. Barsky, R. Tsai, and P. Reid. An indium phosphide MMIC amplifier for 180-205 GHz; *MWCL Jan 01* 4-6
Arena, D., M. Ludovico, G. Manara, and A. Monorchio. Analysis of waveguide discontinuities using edge elements in a hybrid mode matching/finite elements approach; *MWCL Sep 01* 379-381
Arscott, S., *see* Fernandez, M., *MWCL Dec 01* 498-500
Arz, U., *see* Williams, D.F., *MWCL Jul 01* 299-301
Astafiev, K., *see* Sherman, V., *MWCL Oct 01* 407-409

B

Bachtold, W., *see* Ellinger, F., *MWCL Mar 01* 104-105
Balanis, C.A., *see* Georgakopoulos, S.V., *MWCL Nov 01* 462-464
Ban Leong Ooi, *see* Swee Ann Teo, *MWCL May 01* 226-228
Barboy, I., *see* Yassin, G., *MWCL Oct 01* 413-415
Barnwell, P.G., *see* Daiqing Li, *MWCL Mar 01* 118-120
Barsky, M., *see* Archer, J.W., *MWCL Jan 01* 4-6
Belitsky, V., *see* Vassilev, V., *MWCL Jan 01* 30-32
Benito, D., *see* Laso, M.A.G., *MWCL Dec 01* 486-488
Bennion, I., *see* Zhang, W., *MWCL May 01* 217-219
Bhattacharya, P., *see* Zhenqiang Ma, *MWCL Jul 01* 287-289
Bhattacharya, P., *see* Zhenqiang Ma, *MWCL Oct 01* 401-403
Bialkowski, M.E., *see* Karmakar, N.C., *MWCL Jan 01* 7-9
Birtcher, C.R., *see* Georgakopoulos, S.V., *MWCL Nov 01* 462-464
Bottger, U., *see* Sherman, V., *MWCL Oct 01* 407-409
Boudiaf, A., *see* Robriquez, A., *MWCL Mar 01* 115-117
Bouysse, P., *see* Collantes, J.M., *MWCL Jul 01* 296-298
Bozler, C., *see* Duffy, S., *MWCL Mar 01* 106-108
Byung-Sung Kim Existence of optimum cold FET intrinsic reference plane for active FET small signal modeling; *MWCL Jul 01* 302-304

C

Cam Nguyen, *see* Jeong Soo Lee, *MWCL May 01* 208-210
Cangellaris, A.C., *see* Yu Zhu, *MWCL May 01* 211-213
Cangellaris, A.C., *see* Kyu-Pyung Hwang, *MWCL Apr 01* 158-160
Cangellaris, A.C., *see* Yu Zhu, *MWCL Oct 01* 416-418
Cardwell, D.A., *see* Yassin, G., *MWCL Oct 01* 413-415
Chan, C.H., *see* Jin-Lin Hu, *MWCL Nov 01* 465-466
Chan Chi Hou, *see* Quan Xue, *MWCL May 01* 202-204

Chan Chi Hou, *see* Kam Man Shum, *MWCL Jun 01* 258-260
Chang Kai, *see* Young-Ho Suh, *MWCL Jan 01* 28-29
Chappell, J., M.P. Little, and L.P.B. Katehi. High isolation, planar filters using EBG substrates; *MWCL Jun 01* 246-248
Chen, E., *see* Heo, D., *MWCL Jun 01* 249-251
Chen Chun Hsiung, *see* Yu-Kang Kuo, *MWCL Feb 01* 65-67
Chen Chun Hsiung, *see* Chieng-Tang Lin, *MWCL Mar 01* 127-129
Cheng, K.-K.M., *see* Chun-Wah Fan, *MWCL Oct 01* 404-406
Chen Ming-Yi, *see* Shau-Gang Mao, *MWCL Jun 01* 261-263
Chen Zhizhang, *see* Zhizhang Chen, *MWCL Aug 01* 349-351
Chew Siou Teck, *see* Swee Ann Teo, *MWCL May 01* 226-228
Chew Siou Teck, *see* Siou Teck Chew, *MWCL Sep 01* 364-366
Chew Weng Cho, *see* Jiming Song, *MWCL Jul 01* 311-313
Chieng-Tang Lin, Chun-Lin Liao, and Chun Hsiung Chen. Finite-ground coplanar-waveguide branch-line couplers; *MWCL Mar 01* 127-129
Chi Hou Chan, *see* Quan Xue, *MWCL May 01* 202-204
Chi Hou Chan, *see* Kam Man Shum, *MWCL Jun 01* 258-260
Chi-Hsueh Wang, *see* Yu-Kang Kuo, *MWCL Feb 01* 65-67
Cho Chew Weng, *see* Jiming Song, *MWCL Jul 01* 311-313
Choi, D.H., *see* Freundorfer, A.P., *MWCL Jul 01* 293-295
Chow, D.H., *see* De Los Santos, H.J., *MWCL May 01* 193-195
Christoffersen, C.E., and M.B. Steer. State-variable-based transient circuit simulation using wavelets; *MWCL Apr 01* 161-163
Chuang Huey-Ru, *see* Liang-Chen Kuo, *MWCL Sep 01* 382-384
Chui, K.K., *see* De Los Santos, H.J., *MWCL May 01* 193-195
Chulhun Seo, *see* Jinho Yoon, *MWCL Nov 01* 450-452
Chul-Soo Kim, *see* Jeng-Sik Lim, *MWCL Mar 01* 124-126
Chun Hsiung Chen, *see* Yu-Kang Kuo, *MWCL Feb 01* 65-67
Chun Hsiung Chen, *see* Chieng-Tang Lin, *MWCL Mar 01* 127-129
Chun-Lin Liao, *see* Chieng-Tang Lin, *MWCL Mar 01* 127-129
Chun-Wah Fan, and K.-K.M. Cheng. Amplifier linearization using simultaneous harmonic and baseband injection; *MWCL Oct 01* 404-406
Collantes, J.M., P. Bouysse, J. Portilla, and R. Quere. A dynamical load-cycle charge model for RF power FETs; *MWCL Jul 01* 296-298
Costanzo, A., *see* Rizzoli, V., *MWCL Jul 01* 308-310
Croke, E.T., *see* Zhenqiang Ma, *MWCL Oct 01* 401-403

D

Daiqing Li, C.E. Free, K.E.G. Pitt, and P.G. Barnwell. A simple method for accurate loss tangent measurement of dielectrics using a microwave resonant cavity; *MWCL Mar 01* 118-120
Dal Ahn, *see* Jeng-Sik Lim, *MWCL Mar 01* 124-126
Dal Ahn, *see* Jong-Sik Lim, *MWCL Apr 01* 170-172
DeGroot, D.C., *see* Remley, K.A., *MWCL May 01* 196-198
del Alamo, J.A., *see* Wu, J.H., *MWCL Oct 01* 410-412
Delos, E., *see* Fernandez, M., *MWCL Dec 01* 498-500
De Los Santos, H.J., K.K. Chui, D.H. Chow, and H.L. Dunlap. An efficient HBT/RTD oscillator for wireless applications; *MWCL May 01* 193-195
DeNatale, J.F., *see* Mihailovich, R.E., *MWCL Feb 01* 53-55
DeNatale, J.F., *see* Kim, M., *MWCL Feb 01* 56-58
DeNatale, J.F., *see* Kim, M., *MWCL Jul 01* 285-286
Deshpande, M.R., *see* Kai Liu, *MWCL Aug 01* 331-333
Deslandes, D., and K. Wu. Integrated microstrip and rectangular waveguide in planar form; *MWCL Feb 01* 68-70
Dikovsky, V., *see* Yassin, G., *MWCL Oct 01* 413-415
Dong Xiaoting, Jiang Yansheng, and Wang Wenbing. The time-frequency interpretation for transient evolution of wave propagation through dispersive medium; *MWCL Jun 01* 267-269
Drewniak, J.L., *see* Ye, X., *MWCL Feb 01* 77-79
Dudorov, S., *see* Lioubtchenko, D., *MWCL Jun 01* 252-254
Duffy, S., C. Bozler, S. Rabe, J. Knecht, L. Travis, P. Wyatt, C. Keast, and M. Gouker. MEMS microswitches for reconfigurable microwave circuitry; *MWCL Mar 01* 106-108
Dunlap, H.L., *see* De Los Santos, H.J., *MWCL May 01* 193-195
Dunleavy, L.P., *see* Robriquez, A., *MWCL Mar 01* 115-117

E

Eleftheriades, G.V., *see* Hickey, M.A., *MWCL Nov 01* 459-461
El-Ghazaly, S.M., *see* Kai Liu, *MWCL Aug 01* 331-333

- Ellinger, F.**, R. Vogt, and W. Bachtold. Ultra compact, low loss, varactor tuned phase shifter MMIC at C-band; *MWCL Mar 01* 104-105
- El-Zein, N.**, see Kai Liu, *MWCL Aug 01* 331-333
- Erickson, N.R.** High performance dual directional couplers for near-mm wavelengths; *MWCL May 01* 205-207
- Erro, M.J.**, see Laso, M.A.G., *MWCL Dec 01* 486-488

F

- Fan Chun-Wah**, see Chun-Wah Fan, *MWCL Oct 01* 404-406
- Fernandez, M.**, E. Delos, X. Melique, S. Arscott, and D. Lippens. Monolithic coplanar transmission lines loaded by heterostructure barrier varactors for a 60 GHz tripler; *MWCL Dec 01* 498-500
- Free, C.E.**, see Daiqing Li, *MWCL Mar 01* 118-120
- Freundorfer, A.P.**, D.H. Choi, and Y. Jamani. Adaptive transversal preamplifier for high speed lightwave systems; *MWCL Jul 01* 293-295
- Fujii, M.**, and W.J.R. Hoefer. Application of biorthogonal interpolating wavelets to the Galerkin scheme of time dependent Maxwell's equations; *MWCL Jan 01* 22-24
- Furuta, H.**, M. Maeda, T. Nomoto, J. Kobayashi, and S. Kawasaki. Optical injection locking of a 38-GHz-band InP-based HEMT oscillator using a 1.55- μ m DSB-SC modulated lightwave; *MWCL Jan 01* 19-21
- Fu Yun-Qi**, see Yun-Qi Fu, *MWCL Nov 01* 447-449

G

- Garde, M.J.**, see Laso, M.A.G., *MWCL Dec 01* 486-488
- Georgakopoulos, S.V.**, R.A. Renaut, C.A. Balanis, and C.R. Birtcher. A hybrid fourth-order FDTD utilizing a second-order FDTD subgrid; *MWCL Nov 01* 462-464
- Goronkin, H.**, see Kai Liu, *MWCL Aug 01* 331-333
- Gouker, M.**, see Duffy, S., *MWCL Mar 01* 106-108
- Grabinski, H.**, see Williams, D.F., *MWCL Jul 01* 285-301
- Grischkowsky, D.**, see Mendis, R., *MWCL Nov 01* 444-446
- Grundbacher, R.**, see Archer, J.W., *MWCL Jan 01* 4-6
- Guan-Leng Tan**, see Rizk, J., *MWCL Jan 01* 10-12
- Guglielmi, M.**, see Laso, M.A.G., *MWCL Dec 01* 486-488
- Guo-Hua Zhang**, see Yun-Qi Fu, *MWCL Nov 01* 447-449
- Guoli Qu**, see Parker, A.E., *MWCL Mar 01* 109-111
- Guo Wei-Hua**, see Wei-Hua Guo, *MWCL May 01* 223-225
- Gutierrez-Aitken, A.**, see Kehias, L., *MWCL Sep 01* 361-363

H

- Hacker, J.B.**, see Mihailovich, R.E., *MWCL Feb 01* 53-55
- Hacker, J.B.**, see Kim, M., *MWCL Feb 01* 56-58
- Hacker, J.B.**, see Kim, M., *MWCL Jul 01* 285-286
- Hagness, S.C.**, see Xu Li, *MWCL Mar 01* 130-132
- Hau, G.**, T.B. Nishimura, and N. Iwata. High efficiency, wide dynamic range variable gain and power amplifier MMICs for wideband CDMA handsets; *MWCL Jan 01* 13-15
- Health, T.** Difference pattern beam steering of coupled, nonlinear oscillator arrays; *MWCL Aug 01* 343-345
- Heo, D.**, A. Sutono, E. Chen, Y. Suh, and J. Laskar. A 1.9-GHz DECT CMOS power amplifier with fully integrated multilayer LTCC passives; *MWCL Jun 01* 249-251
- Hickey, M.A.**, Meide Qiu, and G.V. Eleftheriades. A reduced surface-wave twin arc-slot antenna for millimeter-wave applications; *MWCL Nov 01* 459-461
- Higgins, J.A.**, see Mihailovich, R.E., *MWCL Feb 01* 53-55
- Hill, M.J.**, R.W. Ziolkowski, and J. Papapolymerou. A high-Q reconfigurable planar EBG cavity resonator; *MWCL Jun 01* 255-257
- Hinojosa, J.** S-parameter broadband measurements on-coplanar and fast extraction of the substrate intrinsic properties; *MWCL Feb 01* 80-82
- Hinojosa, J.** S-parameter broad-band measurements on-microstrip and fast extraction of the substrate intrinsic properties; *MWCL Jul 01* 305-307
- Hoefer, W.J.R.**, see Fujii, M., *MWCL Jan 01* 22-24
- Hoffmann-Eifert, S.**, see Sherman, V., *MWCL Oct 01* 407-409
- Hong, S.**, see Yoon, S.-W., *MWCL Dec 01* 495-497
- Hong-Teuk Kim**, see Youngwoo Kwon, *MWCL Feb 01* 59-61
- Hong-Teuk Kim**, Jae-Hyoung Park, Yong-Kweon Kim, and Youngwoo Kwon. Compact low-loss monolithic CPW filters using air-gap overlay structures; *MWCL Aug 01* 328-330
- Hong Wang Jun**, see Jun Hong Wang, *MWCL Aug 01* 346-348
- Ho-Sup Kim**, see Jong-Sik Lim, *MWCL Apr 01* 170-172
- Hou Chan Chi**, see Quan Xue, *MWCL May 01* 202-204
- Hou Chan Chi**, see Kam Man Shum, *MWCL Jun 01* 258-260

- Hsiung Chen Chun**, see Yu-Kang Kuo, *MWCL Feb 01* 65-67
- Hsiung Chen Chun**, see Chieng-Tang Lin, *MWCL Mar 01* 127-129
- Hu, M.**, see Radisic, V., *MWCL Jun 01* 241-243
- Huang Yong-Zhen**, see Wei-Hua Guo, *MWCL May 01* 223-225
- Huey-Ru Chuang**, see Liang-Chen Kuo, *MWCL Sep 01* 382-384
- Hu Jin-Lin**, see Jin-Lin Hu, *MWCL Nov 01* 465-466
- Hu Ming**, see Radisic, V., *MWCL Aug 01* 325-327
- Hwa-Chang Seo**, see McPherson, D.S., *MWCL Jan 01* 16-18
- Hwang Kyu-Pyung**, see Kyu-Pyung Hwang, *MWCL Apr 01* 158-160
- Hyeongdong Kim**, see Sachoon Ju, *MWCL Aug 01* 352-354

I

- Inagaki, K.**, see Ogusu, M., *MWCL Mar 01* 101-103
- Inagaki, K.**, see Ogusu, M., *MWCL Jul 01* 290-292
- Iskander, M.F.**, Z. Zhang, Z. Yun, and R. Isom. Coaxial continuous transverse stub (CTS) array; *MWCL Dec 01* 489-491
- Isom, R.**, see Iskander, M.F., *MWCL Dec 01* 489-491
- Itoh, T.**, see Leong, K.M.K.H., *MWCL Feb 01* 62-64
- Itoh, T.**, see Siou Teck Chew, *MWCL Sep 01* 364-366
- Iwata, N.**, see Hau, G., *MWCL Jan 01* 13-15

J

- Jackson, R.W.** A planar orthomode transducer; *MWCL Dec 01* 483-485
- Jae-Hyoung Park**, see Youngwoo Kwon, *MWCL Feb 01* 59-61
- Jae-Hyoung Park**, see Hong-Teuk Kim, *MWCL Aug 01* 328-330
- Jae-Sung Rieh**, see Zhenqiang Ma, *MWCL Oct 01* 401-403
- Jamani, Y.**, see Freundorfer, A.P., *MWCL Jul 01* 293-295
- Jang Yong-Woong**, see Yong-Woong Jang, *MWCL Oct 01* 425-427
- Janke, P.**, see Radisic, V., *MWCL Jun 01* 241-243
- Janke, P.**, see Radisic, V., *MWCL Aug 01* 325-327
- Jeng-Sik Lim**, Sung-Won Lee, Chul-Soo Kim, Jun-Seek Park, Dal Ahn, and Sangwook Nam. A 4.1 unequal Wilkinson power divider; *MWCL Mar 01* 124-126
- Jenkins, K.A.**, see Wu, J.H., *MWCL Oct 01* 410-412
- Jenkins, T.**, see Kehias, L., *MWCL Sep 01* 361-363
- Jeong Soo Lee**, and Cam Nguyen. Novel low-cost ultra-wideband, ultra-short-pulse transmitter with MESFET impulse-shaping circuitry for reduced distortion and improved pulse repetition rate; *MWCL May 01* 208-210
- Jiang Yansheng**, see Dong Xiaoting, *MWCL Jun 01* 267-269
- Jian-Ming Jin**, see Jiao, D., *MWCL May 01* 220-222
- Jiao, D.**, and Jian-Ming Jin. Time-domain finite-element modeling of dispersive media; *MWCL May 01* 220-222
- Jiazong Zhang**, see Zhizhang Chen, *MWCL Aug 01* 349-351
- Jiming Song**, and Weng Cho Chew. Error analysis for the truncation of multipole expansion of vector Green's functions [EM scattering]; *MWCL Jul 01* 311-313
- Jingook Kim**, see Jongjoo Lee, *MWCL Nov 01* 453-455
- Jing Young-Lae**, see McPherson, D.S., *MWCL Jan 01* 16-18
- Jinho Yoon**, and Chulhun Seo. Improvement of broadband feedforward amplifier using photonic bandgap; *MWCL Nov 01* 450-452
- Jin Jian-Ming**, see Jiao, D., *MWCL May 01* 220-222
- Jin-Lin Hu**, C.H. Chan, and Yuan Xu. A new temporal basis function for the time-domain integral equation method; *MWCL Nov 01* 465-466
- Jongjoo Lee**, Jingook Kim, Sungkyu Yu, and Joungho Kim. Picosecond time-domain characterization of CPW bends using a photoconductive near-field mapping probe; *MWCL Nov 01* 453-455
- Jong-Sik Lim**, Ho-Sup Kim, Jun-Seek Park, Dal Ahn, and Sangwook Nam. A power amplifier with efficiency improved using defected ground structure; *MWCL Apr 01* 170-172
- Jong-Sung Kim**, and Wee Sang Park. Efficient analysis of microstrip lines including edge singularities in spatial domains; *MWCL Jun 01* 270-272
- Jong-Wook Lee**, and K.J. Webb. Broadband GaN HEMT push-pull microwave power amplifier; *MWCL Sep 01* 367-369
- Jou, C.F.**, see Wang, C.-J., *MWCL Dec 01* 492-494
- Joungho Kim**, see Jongjoo Lee, *MWCL Nov 01* 453-455
- Jun-Fa Mao**, Xiaoning Qian, and Zhengyu Yuan. Characteristic analysis of coupled HTS interconnects with two-dimensional FDTD; *MWCL Jan 01* 33-35
- Jung, G.**, see Yassin, G., *MWCL Oct 01* 413-415
- Jun Hong Wang** Leaky coaxial cable with adjustable coupling loss for mobile communications in complex environments; *MWCL Aug 01* 346-348
- Jun-Seek Park**, see Jeng-Sik Lim, *MWCL Mar 01* 124-126
- Jun-Seek Park**, see Jong-Sik Lim, *MWCL Apr 01* 170-172
- Juntunen, J.**, see Mäkinen, R., *MWCL Feb 01* 74-76
- Juntunen, J.S.**, N.V. Kantartzis, and T.D. Tsiboukis. Zero reflection coefficient in discretized PML; *MWCL Apr 01* 155-157

Ju Saehoon, *see* Saehoon Ju, *MWCL Aug 01* 352-354

K

- Kai Chang**, *see* Young-Ho Suh, *MWCL Jan 01* 28-29
Kai Liu, S.M. El-Ghazaly, M.R. Deshpande, V. Nair, N. El-Zein, and H. Goronkin. Active antennas incorporating tunnel diodes-large signal model approach; *MWCL Aug 01* 331-333
Kambara, M., *see* Yassin, G., *MWCL Oct 01* 413-415
Kam Man Shum, *see* Quan Xue, *MWCL May 01* 202-204
Kam Man Shum, Quan Xue, and Chi Hou Chan. A novel microstrip ring hybrid incorporating a PBG cell; *MWCL Jun 01* 258-260
Kaneshiro, E., *see* Kehias, L., *MWCL Sep 01* 361-363
Kantartzis, N.V., *see* Juntunen, J.S., *MWCL Apr 01* 155-157
Karmakar, N.C., and M.E. Bialkowski. A beam-forming network for a circular switched-beam phased array antenna; *MWCL Jan 01* 7-9
Katehi, L.P.B., *see* Sarri, C.D., *MWCL Feb 01* 71-73
Katehi, L.P.B., *see* Chappell, J., *MWCL Jun 01* 246-248
Katehi, L.P.B., *see* Zhenqiang Ma, *MWCL Jul 01* 287-289
Katehi, P.B., *see* Yang, K., *MWCL Apr 01* 164-166
Kawasaki, S., *see* Furuta, H., *MWCL Jan 01* 19-21
Keast, C., *see* Duffy, S., *MWCL Mar 01* 106-108
Kehias, L., T. Jenkins, T. Quach, P. Watson, R. Welch, R. Worley, A.K. Oki, H.C. Yen, A. Gutierrez-Aitken, W. Okamura, and E. Kaneshiro. Highest efficiency, linear X-band performance using InP DHBTS - 48% PAE at 30 dB C/IM3; *MWCL Sep 01* 361-363
Kerley, J., *see* Remley, K.A., *MWCL May 01* 196-198
Kim, M., *see* Mihailovich, R.E., *MWCL Feb 01* 53-55
Kim, M., J.B. Hacker, R.E. Mihailovich, and J.F. DeNatale. A DC-to-40 GHz four-bit RF MEMS true-time delay network; *MWCL Feb 01* 56-58
Kim, M., J.B. Hacker, R.E. Mihailovich, and J.F. DeNatale. A monolithic MEMS switched dual-path power amplifier; *MWCL Jul 01* 285-286
Kim Byung-Sung, *see* Byung-Sung Kim, *MWCL Jul 01* 302-304
Kim Chul-Soo, *see* Jeng-Sik Lim, *MWCL Mar 01* 124-126
Kim Hong-Teuk, *see* Youngwoo Kwon, *MWCL Feb 01* 59-61
Kim Hong-Teuk, *see* Hong-Teuk Kim, *MWCL Aug 01* 328-330
Kim Ho-Sup, *see* Jong-Sik Lim, *MWCL Apr 01* 170-172
Kim Hyeongdong, *see* Saehoon Ju, *MWCL Aug 01* 352-354
Kim Jingook, *see* Jongjoo Lee, *MWCL Nov 01* 453-455
Kim Jong-Sung, *see* Jong-Sung Kim, *MWCL Jun 01* 270-272
Kim Joungho, *see* Jongjoo Lee, *MWCL Nov 01* 453-455
Kim Yong-Kweon, *see* Youngwoo Kwon, *MWCL Feb 01* 59-61
Kim Yong-Kweon, *see* Hong-Teuk Kim, *MWCL Aug 01* 328-330
Kivikoski, M., *see* Makinen, R., *MWCL Feb 01* 74-76
Knecht, J., *see* Duffy, S., *MWCL Mar 01* 106-108
Kobayashi, J., *see* Furuta, H., *MWCL Jan 01* 19-21
Koshiba, M., Y. Tsuji, and S. Sasaki. High-performance absorbing boundary conditions for photonic crystal waveguide simulations; *MWCL Apr 01* 152-154
Kovtonyuk, S., *see* Vassilev, V., *MWCL Jan 01* 30-32
Kulas, L., and M. Morozowski. Reduced-order models in FDTD; *MWCL Oct 01* 422-424
Kuo Liang-Chen, *see* Liang-Chen Kuo, *MWCL Sep 01* 382-384
Kuo Yu-Kang, *see* Yu-Kang Kuo, *MWCL Feb 01* 65-67
Kwon Youngwoo, *see* Youngwoo Kwon, *MWCL Feb 01* 59-61
Kwon Youngwoo, *see* Hong-Teuk Kim, *MWCL Aug 01* 328-330
Kyu-Pyung Hwang, and A.C. Cangellaris. Effective permittivities for second-order accurate FDTD equations at dielectric interfaces; *MWCL Apr 01* 158-160

L

- Lacaita, A.L.**, *see* Samori, C., *MWCL May 01* 199-201
Lai, R., *see* Archer, J.W., *MWCL Jan 01* 4-6
Laskar, J., *see* Heo, D., *MWCL Jun 01* 249-251
Laskar, J., *see* Yoon, S.-W., *MWCL Dec 01* 495-497
Laso, M.A.G., T. Lopetegi, M.J. Erro, D. Benito, M.J. Garde, M.A. Muriel, M. Sorolla, and M. Guglielmi. Chirped delay lines in microstrip technology; *MWCL Dec 01* 486-488
Lazzi, G. Unconditionally stable D-H FDTD formulation with anisotropic PML boundary conditions; *MWCL Apr 01* 149-151
Lee, C.-H., *see* Yoon, S.-W., *MWCL Dec 01* 495-497
Lee, S.-G., *see* Yoon, S.-W., *MWCL Dec 01* 495-497
Lee Jeong Soo, *see* Jeong Soo Lee, *MWCL May 01* 208-210
Lee Jongjoo, *see* Jongjoo Lee, *MWCL Nov 01* 453-455
Lee Jong-Wook, *see* Jong-Wook Lee, *MWCL Sep 01* 367-369
Lee Sung-Won, *see* Jeng-Sik Lim, *MWCL Mar 01* 124-126
Leong, K.M.K.H., Y. Qian, and T. Itoh. Surface wave enhanced broadband planar antenna for wireless applications; *MWCL Feb 01* 62-64

- Leong Mook-Seng**, *see* Sheng-Li Lin, *MWCL May 01* 214-216
Leong Mook-Seng, *see* Sheng-Li Lin, *MWCL Sep 01* 388-390
Leong Ooi Ban, *see* Swee Ann Teo, *MWCL May 01* 226-228
Leon Mook Seng, *see* Swee Ann Teo, *MWCL May 01* 226-228
Levantino, S., *see* Samori, C., *MWCL May 01* 199-201
Le-Wei Li, *see* Sheng-Li Lin, *MWCL May 01* 214-216
Le-Wei Li, *see* Sheng-Li Lin, *MWCL Sep 01* 388-390
Liang-Chen Kuo, Meng-Chung Tsai, and Huey-Ru Chuang. 3-D FDTD design simulation and experimental measurement of a Ka-band planar antipodal linearly-tapered slot antenna (ALISA); *MWCL Sep 01* 382-384
Liang-Hung Lu, *see* Zhenqiang Ma, *MWCL Jul 01* 287-289
Liao Chun-Lin, *see* Chieng-Tang Lin, *MWCL Mar 01* 127-129
Li Daiqing, *see* Daiqing Li, *MWCL Mar 01* 118-120
Li Le-Wei, *see* Sheng-Li Lin, *MWCL May 01* 214-216
Li Le-Wei, *see* Sheng-Li Lin, *MWCL Sep 01* 388-390
Lim Jeng-Sik, *see* Jeng-Sik Lim, *MWCL Mar 01* 124-126
Lim Jong-Sik, *see* Jong-Sik Lim, *MWCL Apr 01* 170-172
Lin Chieng-Tang, *see* Chieng-Tang Lin, *MWCL Mar 01* 127-129
Lin Sheng-Li, *see* Sheng-Li Lin, *MWCL May 01* 214-216
Lin Sheng-Li, *see* Sheng-Li Lin, *MWCL Sep 01* 388-390
Lin Ting-Huei, *see* Ting-Huei Lin, *MWCL Jul 01* 314-316
Lioubtchenko, D., S. Dudorov, J. Mallat, J. Tuovinen, and A.V. Raisanen. Low-loss sapphire waveguides for 75-110 GHz frequency range; *MWCL Jun 01* 252-254
Lippens, D., *see* Fernandez, M., *MWCL Dec 01* 498-500
Little, M.P., *see* Chappell, J., *MWCL Jun 01* 246-248
Liu, W.Y., D. Steenson, and M.B. Steer. Membrane-supported CPW with mounted active devices; *MWCL Apr 01* 167-169
Liu Kai, *see* Kai Liu, *MWCL Aug 01* 331-333
Li Wei-Jun, *see* Wei-Hua Guo, *MWCL May 01* 223-225
Li Xu, *see* Xu Li, *MWCL Mar 01* 130-132
Lopetegi, T., *see* Laso, M.A.G., *MWCL Dec 01* 486-488
Lucyszyn, S., *see* McPherson, D.S., *MWCL Jan 01* 16-18
Ludovico, M., *see* Arena, D., *MWCL Sep 01* 379-381
Lu Liang-Hung, *see* Zhenqiang Ma, *MWCL Jul 01* 287-289

M

- Maeda, M.**, *see* Furuta, H., *MWCL Jan 01* 19-21
Makinen, R., J. Juntunen, and M. Kivikoski. An accurate 2-D hard-source model for FDTD; *MWCL Feb 01* 74-76
Mallat, J., *see* Lioubtchenko, D., *MWCL Jun 01* 252-254
Manara, G., *see* Arena, D., *MWCL Sep 01* 379-381
Man Shum Kam, *see* Quan Xue, *MWCL May 01* 202-204
Man Shum Kam, *see* Kam Man Shum, *MWCL Jun 01* 258-260
Mao Jun-Fa, *see* Jun-Fa Mao, *MWCL Jan 01* 33-35
Mao Shau-Gang, *see* Shau-Gang Mao, *MWCL Jun 01* 261-263
Marques, R., *see* Rafii-El-Idrissi, R., *MWCL Apr 01* 176-178
Marques, R., F. Mesa, and F. Medina. Correction to "Generalized quasi-TEM approximation and telegrapher equations for nonreciprocal ferrite-loaded transmission lines" [June 00 225-227]; *MWCL Nov 01* 467
Mastri, F., *see* Rizzoli, V., *MWCL Jul 01* 308-310
Ma Zhenqiang, *see* Zhenqiang Ma, *MWCL Jul 01* 287-289
Ma Zhenqiang, *see* Zhenqiang Ma, *MWCL Oct 01* 401-403
McPherson, D.S., Hwa-Chang Seo, Young-Lae Jing, and S. Lucyszyn. 110 GHz vector modulator for adaptive software-controlled transmitters; *MWCL Jan 01* 16-18
Medina, F., *see* Rafii-El-Idrissi, R., *MWCL Apr 01* 176-178
Medina, F., *see* Marques, R., *MWCL Nov 01* 467
Meide Qiu, *see* Hickey, M.A., *MWCL Nov 01* 459-461
Melique, X., *see* Fernandez, M., *MWCL Dec 01* 498-500
Mendis, R., and D. Grischkowsky. THz interconnect with low-loss and low-group velocity dispersion; *MWCL Nov 01* 444-446
Meng-Chung Tsai, *see* Liang-Chen Kuo, *MWCL Sep 01* 382-384
Mesa, F., *see* Marques, R., *MWCL Nov 01* 467
Micovic, M., *see* Radisic, V., *MWCL Jun 01* 241-243
Micovic, M., *see* Radisic, V., *MWCL Aug 01* 325-327
Mihailovich, R.E., M. Kim, J.B. Hacker, E.A. Sovero, J. Studer, J.A. Higgins, and J.F. DeNatale. MEM relay for reconfigurable RF circuits; *MWCL Feb 01* 53-55
Mihailovich, R.E., *see* Kim, M., *MWCL Feb 01* 56-58
Mihailovich, R.E., *see* Kim, M., *MWCL Jul 01* 285-286
Ming Hu, *see* Radisic, V., *MWCL Aug 01* 325-327
Ming-Yi Chen, *see* Shau-Gang Mao, *MWCL Jun 01* 261-263
Mittra, R., *see* Wenhua Yu, *MWCL Jan 01* 25-27
Mizuguchi, Y., *see* Ogusu, M., *MWCL Mar 01* 101-103
Mizuguchi, Y., *see* Ogusu, M., *MWCL Jul 01* 290-292
Mohammadi, S., *see* Zhenqiang Ma, *MWCL Jul 01* 287-289
Monorchio, A., *see* Arena, D., *MWCL Sep 01* 379-381
Mook Seng Leon, *see* Swee Ann Teo, *MWCL May 01* 226-228
Mook-Seng Leong, *see* Sheng-Li Lin, *MWCL May 01* 214-216

Mook-Seng Leong, see Sheng-Li Lin, *MWCL Sep 01* 388-390
Morgan, M., see Radisic, V., *MWCL Jun 01* 241-243
Morozowski, M., see Kulas, L., *MWCL Oct 01* 422-424
Mottonen, V.S., P. Piironen, and A.V. Raisanen. Novel tunable waveguide backshort for millimeter and submillimeter wavelengths; *MWCL Sep 01* 370-372
Muldavin, J.B., see Rizk, J., *MWCL Jan 01* 10-12
Muldavin, J.B., and G.M. Rebeiz. Inline capacitive and DC-contact MEMS shunt switches; *MWCL Aug 01* 334-336
Muldavin, J.B., and G.M. Rebeiz. All-metal high-isolation series and series/shunt MEMS switches; *MWCL Sep 01* 373-375
Muriel, M.A., see Laso, M.A.G., *MWCL Dec 01* 486-488

N

Nai-Chang Yuan, see Yun-Qi Fu, *MWCL Nov 01* 447-449
Nair, V., see Kai Liu, *MWCL Aug 01* 331-333
Nam Sangwook, see Jeng-Sik Lim, *MWCL Mar 01* 124-126
Nam Sangwook, see Jong-Sik Lim, *MWCL Apr 01* 170-172
Nasimuddin, see Verma, A.K., *MWCL Sep 01* 385-387
Ngo, C., see Radisic, V., *MWCL Jun 01* 241-243
Ngo, C., see Radisic, V., *MWCL Aug 01* 325-327
Nguyen, L., see Radisic, V., *MWCL Jun 01* 241-243
Nguyen, L., see Radisic, V., *MWCL Aug 01* 325-327
Nguyen Cam, see Jeong Soo Lee, *MWCL May 01* 208-210
Nishimura, T.B., see Hau, G., *MWCL Jan 01* 13-15
Nomoto, T., see Furuta, H., *MWCL Jan 01* 19-21

O

Ogusu, M., K. Inagaki, and Y. Mizuguchi. 60 GHz millimeter-wave source using two-mode injection-locking of a Fabry-Perot slave laser; *MWCL Mar 01* 101-103
Ogusu, M., K. Inagaki, Y. Mizuguchi, and T. Ohira. IF signal transmission at 60 GHz-band using direct modulation of a two-mode locked Fabry-Perot slave laser; *MWCL Jul 01* 290-292
Ohira, T., see Ogusu, M., *MWCL Jul 01* 290-292
Okamura, W., see Kehias, L., *MWCL Sep 01* 361-363
Ok, A.K., see Kehias, L., *MWCL Sep 01* 361-363
Ooi Ban Leong, see Swee Ann Teo, *MWCL May 01* 226-228

P

Papapolymerou, J., see Hill, M.J., *MWCL Jun 01* 255-257
Park, E.-C., see Yoon, S.-W., *MWCL Dec 01* 495-497
Parker, A.E., and Guoli Qu. Intermodulation nulling in HEMT common source amplifiers; *MWCL Mar 01* 109-111
Park Jae-Hyoung, see Youngwoo Kwon, *MWCL Feb 01* 59-61
Park Jae-Hyoung, see Hong-Teuk Kim, *MWCL Aug 01* 328-330
Park Jun-Seek, see Jeng-Sik Lim, *MWCL Mar 01* 124-126
Park Jun-Seek, see Jong-Sik Lim, *MWCL Apr 01* 170-172
Park Wee Sang, see Jong-Sung Kim, *MWCL Jun 01* 270-272
Pearson, L.W., see Wenzhang Wang, *MWCL Nov 01* 441-443
Pierantoni, L., and T. Rozzi. Accurate modeling of metal plate-loaded loop-coupled cavities with slots; *MWCL Apr 01* 173-175
Piironen, P., see Mottonen, V.S., *MWCL Sep 01* 370-372
Pitt, K.E.G., see Daiqing Li, *MWCL Mar 01* 118-120
Ponchak, G.E., see Zhenqiang Ma, *MWCL Jul 01* 287-289
Ponchak, G.E., see Zhenqiang Ma, *MWCL Oct 01* 401-403
Portilla, J., see Collantes, J.M., *MWCL Jul 01* 296-298

Q

Qian, Y., see Leong, K.M.K.H., *MWCL Feb 01* 62-64
Qian Xiaoning, see Jun-Fa Mao, *MWCL Jan 01* 33-35
Qiu Meide, see Hickey, M.A., *MWCL Nov 01* 459-461
Quach, T., see Kehias, L., *MWCL Sep 01* 361-363
Quan Xue, Kam Man Shum, and Chi Hou Chan. Novel oscillator incorporating a compact microstrip resonant cell; *MWCL May 01* 202-204
Quan Xue, see Kam Man Shum, *MWCL Jun 01* 258-260
Quere, R., see Collantes, J.M., *MWCL Jul 01* 296-298
Qu Guoli, see Parker, A.E., *MWCL Mar 01* 109-111

R

Rabe, S., see Duffy, S., *MWCL Mar 01* 106-108
Radisic, V., M. Micovic, M. Hu, P. Janke, C. Ngo, L. Nguyen, L. Samoska, and M. Morgan. 164-GHz MMIC HEMT doubler; *MWCL Jun 01* 241-243
Radisic, V., L. Samoska, M. Micovic, Ming Hu, P. Janke, C. Ngo, and L. Nguyen. 80 GHz MMIC HEMT VCO; *MWCL Aug 01* 325-327
Rafii-El-Idrissi, R., R. Marques, and F. Medina. Efficient analysis of magnetostatic surface waves in printed and suspended ferrite loaded strip lines; *MWCL Apr 01* 176-178
Raisanen, A.V., see Lioubtchenko, D., *MWCL Jun 01* 252-254
Raishanen, A.V., see Mottonen, V.S., *MWCL Sep 01* 370-372
Rebeiz, G.M., see Rizk, J., *MWCL Jan 01* 10-12
Rebeiz, G.M., see Muldavin, J.B., *MWCL Aug 01* 334-336
Rebeiz, G.M., see Muldavin, J.B., *MWCL Sep 01* 373-375
Reid, P., see Archer, J.W., *MWCL Jan 01* 4-6
Remley, K.A., D.F. Williams, D.C. DeGroot, J. Verspecht, and J. Kerley. Effects of nonlinear diode junction capacitance on the nose-to-nose calibration; *MWCL May 01* 196-198
Renaut, R.A., see Georgakopoulos, S.V., *MWCL Nov 01* 462-464
Rieh Jae-Sung, see Zhenqiang Ma, *MWCL Oct 01* 401-403
Rizk, J., Guan-Leng Tan, J.B. Muldavin, and G.M. Rebeiz. High-isolation W-band MEMS switches; *MWCL Jan 01* 10-12
Rizzoli, V., A. Costanzo, and F. Mastroi. Efficient Krylov-subspace simulation of autonomous RF/microwave circuits driven by digitally modulated carriers; *MWCL Jul 01* 308-310
Robriguez, A., L.P. Dunleavy, and A. Boudiaf. Use of induced noise to calibrate injection-locked phase noise measurements; *MWCL Mar 01* 115-117
Rozzi, T., see Pierantoni, L., *MWCL Apr 01* 173-175
Ruey-Beei Wu, see Ting-Huei Lin, *MWCL Jul 01* 314-316

S

Saecheon Ju, Youngboon Vin, and Hyeongdong Kim. Modal MRTD approaches for the efficient analysis of waveguide discontinuities; *MWCL Aug 01* 352-354
Samori, C., A. Zanchi, S. Levantino, and A.L. Lacaita. A fully-integrated low-power low-noise 2.6-GHz bipolar VCO for wireless applications; *MWCL May 01* 199-201
Samoska, L., see Radisic, V., *MWCL Jun 01* 241-243
Samoska, L., see Radisic, V., *MWCL Aug 01* 325-327
Sancho, S., see Ver Hoeve, S., *MWCL Sep 01* 376-378
Sang Park Wee, see Jong-Sung Kim, *MWCL Jun 01* 270-272
Sangwook Nam, see Jeng-Sik Lim, *MWCL Mar 01* 124-126
Sangwook Nam, see Jong-Sik Lim, *MWCL Apr 01* 170-172
Sarris, C.D., and L.P.B. Katehi. On the existence of spurious modes in Battle-Lemarie based MRTD; *MWCL Feb 01* 71-73
Sasaki, S., see Koshiba, M., *MWCL Apr 01* 152-154
Scholvin, J., see Wu, J.H., *MWCL Oct 01* 410-412
Seager, R.D., and J.C. Vardaxoglou. Close coupled resonant aperture inserts for waveguide filtering applications; *MWCL Mar 01* 112-114
Seng Leon Mook, see Swee Ann Teo, *MWCL May 01* 226-228
Seo Chulhun, see Jinho Yoon, *MWCL Nov 01* 450-452
Seo Hwa-Chang, see McPherson, D.S., *MWCL Jan 01* 16-18
Setter, N., see Sherman, V., *MWCL Oct 01* 407-409
Shau-Gang Mao, and Ming-Yi Chen. A novel periodic electromagnetic bandgap structure for finite-width conductor-backed coplanar waveguides; *MWCL Jun 01* 261-263
Shealy, J.B., J.A. Smart, and J.R. Shealy. Low-phase noise AlGaIn/GaN FET-based voltage controlled oscillators (VCOs); *MWCL Jun 01* 244-245
Shealy, J.R., see Shealy, J.B., *MWCL Jun 01* 244-245
Sheng-Li Lin, Le-Wei Li, Tat-Soon Yeo, and Mook-Seng Leong. Cutoff wavenumbers in truncated waveguides; *MWCL May 01* 214-216
Sheng-Li Lin, Le-Wei Li, Tai-Soon Yeo, and Mook-Seng Leong. A unified modal analysis of off-centered waveguide junctions with thick iris; *MWCL Sep 01* 388-390
Sherman, V., K. Astafiev, N. Setter, A. Tagantsev, O. Vendik, I. Vendik, S. Hoffmann-Eifert, U. Bottger, and R. Waser. Digital reflection-type phase shifter based on a ferroelectric planar capacitor; *MWCL Oct 01* 407-409
Shen, Y.-H., see Wang, C.-J., *MWCL Dec 01* 492-494
Shum Kam Man, see Quan Xue, *MWCL May 01* 202-204
Shum Kam Man, see Kam Man Shum, *MWCL Jun 01* 258-260
Sim, S., see Yoon, S.-W., *MWCL Dec 01* 495-497
Siou Teck Chew, see Swee Ann Teo, *MWCL May 01* 226-228
Siou Teck Chew, and T. Itoh. PBG-excited split-mode resonator bandpass filter; *MWCL Sep 01* 364-366
Smart, J.A., see Shealy, J.B., *MWCL Jun 01* 244-245
Song Jiming, see Jiming Song, *MWCL Jul 01* 311-313

Soo Lee Jeong, see Jeong Soo Lee, *MWCL May 01* 208-210
Sorolla, M., see Laso, M.A.G., *MWCL Dec 01* 486-488
Sovero, E.A., see Mihailovich, R.E., *MWCL Feb 01* 53-55
Stenson, D., see Liu, W.Y., *MWCL Apr 01* 167-169
Steer, M.B., see Christoffersen, C.E., *MWCL Apr 01* 161-163
Steer, M.B., see Liu, W.Y., *MWCL Apr 01* 167-169
Studer, J., see Mihailovich, R.E., *MWCL Feb 01* 53-55
Suarez, A., see ver Hoeys, S., *MWCL Aug 01* 337-339
Suarez, A., see Ver Hoeys, S., *MWCL Sep 01* 376-378
Suh, Y., see Heo, D., *MWCL Jun 01* 249-251
Suh Young-Ho, see Young-Ho Suh, *MWCL Jan 01* 28-29
Sungkyu Yu, see Jongjoo Lee, *MWCL Nov 01* 453-455
Sung-Won Lee, see Jeng-Sik Lim, *MWCL Mar 01* 124-126
Sutono, A., see Heo, D., *MWCL Jun 01* 249-251
Swee Ann Teo, Ban Leong Ooi, Siou Teck Chew, and Mook Seng Leon. A fast PEEC technique for full-wave parameters extraction of distributed elements; *MWCL May 01* 226-228

T

Tagantsev, A., see Sherman, V., *MWCL Oct 01* 407-409
Tai-Soon Yeo, see Sheng-Li Lin, *MWCL Sep 01* 388-390
Tan Guan-Leng, see Rizk, J., *MWCL Jan 01* 10-12
Tat-Soon Yeo, see Sheng-Li Lin, *MWCL May 01* 214-216
Teck Chew Siou, see Swee Ann Teo, *MWCL May 01* 226-228
Teck Chew Siou, see Siou Teck Chew, *MWCL Sep 01* 364-366
Teo Swee Ann, see Swee Ann Teo, *MWCL May 01* 226-228
Thakur, K.P., and A.G. Williamson. Multiple dielectric slabs in waveguide cell; *MWCL Mar 01* 121-123
Ting-Huei Lin, and Ruey-Beei Wu. CPW to waveguide transition with tapered slotline probe; *MWCL Jul 01* 314-316
Travis, L., see Duffy, S., *MWCL Mar 01* 106-108
Tsai, R., see Archer, J.W., *MWCL Jan 01* 4-6
Tsai Meng-Chung, see Liang-Chen Kuo, *MWCL Sep 01* 382-384
Tsiboukis, T.D., see Juntunen, J.S., *MWCL Apr 01* 155-157
Tsiboukis, T.D., see Yioultsis, T.V., *MWCL Oct 01* 419-421
Tsuji, Y., see Koshiba, M., *MWCL Apr 01* 152-154
Tuovinen, J., see Lioubtchenko, D., *MWCL Jun 01* 252-254

U

Ulker, S., and R.M. Weikle, II. A millimeter-wave six-port reflectometer based on the sampled-transmission line architecture; *MWCL Aug 01* 340-342
Urbain, D., see Vassilev, V., *MWCL Jan 01* 30-32

V

Vardaxoglou, J.C., see Seager, R.D., *MWCL Mar 01* 112-114
Vassilev, V., V. Belitsky, D. Urbain, and S. Kovtonyuk. A new 3-dB power divider for millimeter-wavelengths; *MWCL Jan 01* 30-32
Vendik, I., see Sherman, V., *MWCL Oct 01* 407-409
Vendik, O., see Sherman, V., *MWCL Oct 01* 407-409
ver Hoeys, S., L. Zurdo, and A. Suarez. New nonlinear design tools for self-oscillating mixers; *MWCL Aug 01* 337-339
Ver Hoeys, S., A. Suarez, and S. Sancho. Analysis of noise effects on the nonlinear dynamics of synchronized oscillators; *MWCL Sep 01* 376-378
Verma, A.K., and Nasimuddin. Propagation characteristics of Schottky contact suspended slow-wave microstrip line; *MWCL Sep 01* 385-387
Verma, A.K. Input impedance of rectangular microstrip patch antenna with iso/anisotropic substrate-superstrate; *MWCL Nov 01* 456-458
Verspecht, J., see Remley, K.A., *MWCL May 01* 196-198
Vin Youngboon, see Saehoon Ju, *MWCL Aug 01* 352-354
Vogt, R., see Ellinger, F., *MWCL Mar 01* 104-105

W

Wang, C.-J., Y.-H. Sheu, and C.F. Jou. A dual-beam asymmetrically scanning leaky-wave antenna by utilizing a HEMT resistive upconverter; *MWCL Dec 01* 492-494
Wang Chi-Hsueh, see Yu-Kang Kuo, *MWCL Feb 01* 65-67
Wang Jun Hong, see Jun Hong Wang, *MWCL Aug 01* 346-348
Wang Wenbing, see Dong Xiaoting, *MWCL Jun 01* 267-269
Wang Wenzhang, see Wenzhang Wang, *MWCL Nov 01* 441-443
Waser, R., see Sherman, V., *MWCL Oct 01* 407-409

Watson, P., see Kehias, L., *MWCL Sep 01* 361-363
Webb, K.J., see Jong-Wook Lee, *MWCL Sep 01* 367-369
Wee Sang Park, see Jong-Sung Kim, *MWCL Jun 01* 270-272
Wei-Hua Guo, Wei-Jun Li, and Yong-Zhen Huang. Computation of resonant frequencies and quality factors of cavities by FDTD technique and Pade approximation; *MWCL May 01* 223-225
Wei-Jun Li, see Wei-Hua Guo, *MWCL May 01* 223-225
Weikle, R.M., II., see Ulker, S., *MWCL Aug 01* 340-342
Welch, R., see Kehias, L., *MWCL Sep 01* 361-363
Wenbing Wang, see Dong Xiaoting, *MWCL Jun 01* 267-269
Weng Cho Chew, see Jiming Song, *MWCL Jul 01* 311-313
Wenhua Yu, and R. Mittra. A conformal finite difference time domain technique for modeling curved dielectric surfaces; *MWCL Jan 01* 25-27
Wenzhang Wang, and L.W. Pearson. Phase modulation of a loop phase-locked grid oscillator array; *MWCL Nov 01* 441-443
Whitaker, J.F., see Yang, K., *MWCL Apr 01* 164-166
Williams, D.F., see Remley, K.A., *MWCL May 01* 196-198
Williams, D.F., U. Arz, and H. Grabinski. Characteristic-impedance measurement error on lossy substrates; *MWCL Jul 01* 299-301
Williams, J.A.R., see Zhang, W., *MWCL May 01* 217-219
Williamson, A.G., see Thakur, K.P., *MWCL Mar 01* 121-123
Withington, S., see Yassin, G., *MWCL Oct 01* 413-415
Worley, R., see Kehias, L., *MWCL Sep 01* 361-363
Wu, J.H., J. Scholvin, J.A. del Alamo, and K.A. Jenkins. A Faraday cage isolation structure for substrate crosstalk suppression; *MWCL Oct 01* 410-412
Wu, K., see Deslandes, D., *MWCL Feb 01* 68-70
Wu Ruey-Beei, see Ting-Huei Lin, *MWCL Jul 01* 314-316
Wyatt, P., see Duffy, S., *MWCL Mar 01* 106-108

X

Xiaoning Qian, see Jun-Fa Mao, *MWCL Jan 01* 33-35
Xiaoting Dong, see Dong Xiaoting, *MWCL Jun 01* 267-269
Xue Quan, see Quan Xue, *MWCL May 01* 202-204
Xue Quan, see Kam Man Shum, *MWCL Jun 01* 258-260
Xu Li, and S.C. Hagness. A confocal microwave imaging algorithm for breast cancer detection; *MWCL Mar 01* 130-132
Xu Yuan, see Jin-Lin Hu, *MWCL Nov 01* 465-466

Y

Yang, K., P.B. Katehi, and J.F. Whitaker. Electric field mapping system using an optical-fiber-based electrooptic probe; *MWCL Apr 01* 164-166
Yansheng Jiang, see Dong Xiaoting, *MWCL Jun 01* 267-269
Yassin, G., G. Jung, V. Dikovskiy, I. Barbov, M. Kambara, D.A. Cardwell, and S. Withington. Investigation of microwave propagation in high-temperature superconducting waveguides; *MWCL Oct 01* 413-415
Ye, X., and J.L. Drewniak. Incorporating two-port networks with S-parameters into FDTD; *MWCL Feb 01* 77-79
Yen, H.C., see Kehias, L., *MWCL Sep 01* 361-363
Yeo Tai-Soon, see Sheng-Li Lin, *MWCL Sep 01* 388-390
Yeo Tat-Soon, see Sheng-Li Lin, *MWCL May 01* 214-216
Yioultsis, T.V., and T.D. Tsiboukis. Convergence-optimized, higher order vector finite elements for microwave simulations; *MWCL Oct 01* 419-421
Yong-Kweon Kim, see Youngwoo Kwon, *MWCL Feb 01* 59-61
Yong-Kweon Kim, see Hong-Teuk Kim, *MWCL Aug 01* 328-330
Yong-Woong Jang Experimental study of large bandwidth three-offset microstripline-fed slot antenna; *MWCL Oct 01* 425-427
Yong-Zhen Huang, see Wei-Hua Guo, *MWCL May 01* 223-225
Yoon, E., see Yoon, S.-W., *MWCL Dec 01* 495-497
Yoon, S.-W., E.-C. Park, C.-H. Lee, S. Sim, S.-G. Lee, E. Yoon, J. Laskar, and S. Hong. 5-6 GHz-band GaAs MESFET-based cross-coupled differential oscillator MMICs with low phase-noise performance; *MWCL Dec 01* 495-497
Yoon Jinho, see Jinho Yoon, *MWCL Nov 01* 450-452
Youngboon Vin, see Saehoon Ju, *MWCL Aug 01* 352-354
Young-Ho Suh, and Kai Chang. A wideband coplanar stripline to microstrip transition; *MWCL Jan 01* 28-29
Young-Lae Jing, see McPherson, D.S., *MWCL Jan 01* 16-18
Youngwoo Kwon, Hong-Teuk Kim, Jae-Hyoung Park, and Yong-Kweon Kim. Low-loss micromachined inverted overlay CPW lines with wide impedance ranges and inherent airbridge connection capability; *MWCL Feb 01* 59-61
Youngwoo Kwon, see Hong-Teuk Kim, *MWCL Aug 01* 328-330
Yuan Nai-Chang, see Yun-Qi Fu, *MWCL Nov 01* 447-449
Yuan Xu, see Jin-Lin Hu, *MWCL Nov 01* 465-466
Yuan Zhengyu, see Jun-Fa Mao, *MWCL Jan 01* 33-35

- Yu-Kang Kuo**, Chi-Hsueh Wang, and Chun Hsiung Chen. Novel reduced-size coplanar-waveguide bandpass filters; *MWCL Feb 01* 65-67
- Yun, Z.**, see Iskander, M.F., *MWCL Dec 01* 489-491
- Yun-Qi Fu**, Guo-Hua Zhang, and Nai-Chang Yuan. A novel PBG coplanar waveguide; *MWCL Nov 01* 447-449
- Yu Sungkyu**, see Jongjoo Lee, *MWCL Nov 01* 453-455
- Yu Wenhua**, see Wenhua Yu, *MWCL Jan 01* 25-27
- Yu Zhu**, and A.C. Cangellaris. A new finite element model for reduced order electromagnetic modeling; *MWCL May 01* 211-213
- Yu Zhu**, and A.C. Cangellaris. Robust multigrid preconditioner for fast finite element modeling of microwave devices; *MWCL Oct 01* 416-418

Z

- Zanchi, A.**, see Samori, C., *MWCL May 01* 199-201
- Zhang, W.**, J.A.R. Williams, and I. Bennion. Optical fiber recirculating delay line incorporating a fiber grating array; *MWCL May 01* 217-219
- Zhang, Z.**, see Iskander, M.F., *MWCL Dec 01* 489-491
- Zhang Guo-Hua**, see Yun-Qi Fu, *MWCL Nov 01* 447-449
- Zhang Jiazong**, see Zhizhang Chen, *MWCL Aug 01* 349-351
- Zhengyu Yuan**, see Jun-Fa Mao, *MWCL Jan 01* 33-35
- Zhenqiang Ma**, S. Mohammadi, Liang-Hung Lu, P. Bhattacharya, L.P.B. Katehi, S.A. Alterovitz, and G.E. Ponchak. An X-band high-power amplifier using SiGe/Si HBT and lumped passive components; *MWCL Jul 01* 287-289
- Zhenqiang Ma**, P. Bhattacharya, Jae-Sung Rieh, G.E. Ponchak, S.A. Alterovitz, and E.T. Croke. Reliability of microwave SiGe/Si heterojunction bipolar transistors; *MWCL Oct 01* 401-403
- Zhizhang Chen**, and Jiazong Zhang. An unconditionally stable 3-D ADI-MRTD method free of the CFL stability condition; *MWCL Aug 01* 349-351
- Zhu Yu**, see Yu Zhu, *MWCL May 01* 211-213
- Zhu Yu**, see Yu Zhu, *MWCL Oct 01* 416-418
- Ziolkowski, R.W.**, see Hill, M.J., *MWCL Jun 01* 255-257
- Zurdo, L.**, see ver Hoeye, S., *MWCL Aug 01* 337-339

SUBJECT INDEX

B

- 1/f noise**
5~6 GHz-band GaAs MESFET-based cross-coupled differential oscillator MMICs with low phase-noise performance. *Yoon, S.-W.*, + , *MWCL Dec 01* 495-497

A

- Access protocols; cf.** Code division multiple access
- Active antenna arrays**
2D coupled oscillator array. *MWCL Sep 01* 391
injection-locked act. antenna arrays, heterostruct. interband tunnel diodes, model. *Kai Liu*, + , *MWCL Aug 01* 331-333
- Active antennas; cf.** Active antenna arrays
- Adaptive systems**
vector modulator for adaptive software-controlled transmitters, 110 GHz. *McPherson, D.S.*, + , *MWCL Jan 01* 16-18
- Adjacent channel interference**
W-CDMA handset lin. variable gain/power amp., large dyn. range. *Hau, G.*, + , *MWCL Jan 01* 13-15
- Algorithm theory; cf.** Computational complexity
- Aluminium compounds**
AlGaIn/GaN HEMT-based VCOs, varactor-tuned with low phase noise. *Shealy, J.B.*, + , *MWCL Jun 01* 244-245
- Aluminum compounds; cf.** Sapphire
- Amplifiers**
HEMT common source amp., intermodulation nulling. *Parker, A.E.*, + , *MWCL Mar 01* 109-111
- Amplifiers; cf.** Distributed amplifiers; Preamplifiers; Wideband amplifiers
- Amplitude shift keying; cf.** Quadrature amplitude modulation
- Anisotropic media**
rect. microstrip patch antenna with iso/anisotropic substr.-superstrate, modified Wolff model. *Verma, A.K.*, *MWCL Nov 01* 456-458

+ Check author entry for coauthors

- Antenna accessories**
circ. switched-beam phased array antenna, BFN, mobile satellite comms. *Karmakar, N.C.*, + , *MWCL Jan 01* 7-9
- Antenna arrays**
coaxial continuous transverse stub (CTS) array. *Iskander, M.F.*, + , *MWCL Dec 01* 489-491
- Antenna arrays; cf.** Active antenna arrays; Antenna phased arrays; Millimeter wave antenna arrays
- Antenna feeds**
three-offset microstripline-fed slot antenna, bandwidth. *Yong-Woong Jang*, *MWCL Oct 01* 425-427
- Antenna phased arrays**
circ. switched-beam phased array antenna, BFN, mobile satellite comms. *Karmakar, N.C.*, + , *MWCL Jan 01* 7-9
inline capacitive and DC-contact MEMS shunt switches. *Muldavin, J.B.*, + , *MWCL Aug 01* 334-336
- Antenna radiation patterns**
reduced surface-wave twin arc-slot antenna for MM-wave appls. *Hickey, M.A.*, + , *MWCL Nov 01* 459-461
surface wave enhanced broadband planar antenna for WLAN appls. *Leong, K.M.K.H.*, + , *MWCL Feb 01* 62-64
three-offset microstripline-fed slot antenna, bandwidth. *Yong-Woong Jang*, *MWCL Oct 01* 425-427
- Antennas; cf.** Antenna accessories; Antenna arrays; Antenna radiation patterns; Dipole antennas; Directive antennas; Leaky wave antennas; Reflector antennas
- Antenna theory**
monopole antennas, S params., hybrid fourth-order FDTD utilizing second-order FDTD subgrid. *Georgakopoulos, S.V.*, + , *MWCL Nov 01* 462-464
rect. microstrip patch antenna with iso/anisotropic substr.-superstrate, modified Wolff model. *Verma, A.K.*, *MWCL Nov 01* 456-458
- Arrays; cf.** Antenna arrays; Optical arrays
- Array signal processing**
circ. switched-beam phased array antenna, BFN, mobile satellite comms. *Karmakar, N.C.*, + , *MWCL Jan 01* 7-9
- Arsenic compounds; cf.** Gallium arsenide
- Astronomy; cf.** Radioastronomy
- Automatic gain control**
GaAs MESFET MMIC adaptive transversal preamplifier for high speed lightwave systs. *Freundorfer, A.P.*, + , *MWCL Jul 01* 293-295

Backscatter

- breast cancer detect., confocal microwave imaging algm., image reconstruction. *Xu Li*, + , *MWCL Mar 01* 130-132

Baluns

- GaN HEMT, broadband push-pull microwave power amp. *Jong-Wook Lee*, + , *MWCL Sep 01* 367-369
wideband CPS to microstrip transit., develop. *Young-Ho Suh*, + , *MWCL Jan 01* 28-29

Band-pass filters

- air-gap overlay struct. low-loss monolithic CPW filters. *Hong-Teuk Kim*, + , *MWCL Aug 01* 328-330
close coupled reson. aperture insert, waveguide filter. *Seager, R.D.*, + , *MWCL Mar 01* 112-114
CPW band pass filters, reduced-size design. *Yu-Kang Kuo*, + , *MWCL Feb 01* 65-67
folded symmetric resonator filters with source-load coupling, direct synthesis. *Amari, S.*, *MWCL Jun 01* 264-266
high isolation planar filters using EM bandgap substs. *Chappell, J.*, + , *MWCL Jun 01* 246-248
split-mode resonator bandpass filter, PBG excitation. *Siou Teck Chew*, + , *MWCL Sep 01* 364-366

Band-stop filters

- periodic EM bandgap struct. for finite-width conductor-backed CPWs. *Shau-Gang Mao*, + , *MWCL Jun 01* 261-263

Barium compounds

- (Ba,Sr)TiO₃ ferroelec. capacitor, microwave phase shifter. *Sherman, V.*, + , *MWCL Oct 01* 407-409

Beam steering

- coupled nonlin. oscillator arrays, difference pattern beam steering. *Health, T.*, *MWCL Aug 01* 343-345

Bifurcation

- self-oscillating mixers, nonlin. design tools. *ver Hoeye, S.*, + , *MWCL Aug 01* 337-339
synchronized oscillators, nonlin. dyn., noise effects. *Ver Hoeye, S.*, + , *MWCL Sep 01* 376-378