

2002 Combined Index

IEEE Transactions on Microwave Theory and Techniques, Vol. 50 and IEEE MTT-S Sponsored Conferences

The indexed papers are identified by the acronyms:

RFIC 02	2002 IEEE Radio Frequency Integrated Circuits (RFIC) Symposium
MWSYM 02	2002 IEEE MTT-S International Microwave Symposium Digest
T-MTT	IEEE Transactions on Microwave Theory and Techniques

This index covers all technical items - papers, correspondence, reviews, etc. that appeared in this periodical during 2002, and items from previous years that were commented upon or corrected in 2002. In the case of magazines, departments and other items may be also covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

- Abbaspour-Tamijani, A.**, and K. Sarabandi. Planar implementation of the partially overlapped subarrays for millimeterwave beam steerable antenna applications; *MWSYM 02* 53-56 vol.1
- Abdi, B.**, and E. Maass. The world-wide wireless web; *RFIC 02* 3-6
- Abdul-Gaffoor, M.R.**, H.K. Smith, A.A. Kishk, and A.W. Glisson. Simple and efficient full-wave modeling of electromagnetic coupling in realistic RF multilayer PCB layouts; *T-MTT Jun 02* 1445-1457
- Abe, D.**, see Qiu, J., *MWSYM 02* 457-460 vol.1
- Abele, P.**, M. Birk, D. Behammer, H. Kibbel, A. Trasser, P. Maier, K.-B. Schad, E. Sonmez, and H. Schumacher. Sampling circuit on silicon substrate for frequencies beyond 50 GHz; *MWSYM 02* 1681-1684 vol.3
- Abele, R.**, see Sonmez, E., *RFIC 02* 159-162
- Abhari, R.**, and G.V. Eleftheriades. Suppression of the parallel-plate noise in high-speed circuits using a metallic electromagnetic band-gap structure; *MWSYM 02* 493-496 vol.1
- Abrams, R.H., Jr.**, see Parker, R.K., *T-MTT Mar 02* 835-845
- Abubakar, A.**, P.M. van den Berg, and J.J. Mallorqui. Imaging of biomedical data using a multiplicative regularized contrast source inversion method; *T-MTT Jul 02* 1761-1771
- Accatino, L.**, G. Bertin, M. Mongiardo, and G. Resnati. Dual-mode filters with grooved dielectric resonators for cellular-radio base stations; *MWSYM 02* 1453-1456 vol.3
- Accatino, L.**, see Ludovico, M., *MWSYM 02* 2077-2080 vol.3
- Accatino, L.**, see Bertin, G., *T-MTT Apr 02* 1077-1083
- Accatino, L.**, and M. Mongiardo. Hybrid circuit-full-wave computer-aided design of a manifold multiplexers without tuning elements; *T-MTT Sep 02* 2044-2047
- Accatino, L.**, G. Bertin, M. Mongiardo, and G. Resnati. Dual-mode filters with grooved/splitted dielectric resonators for cellular-radio base stations; *T-MTT Dec 02* 2882-2889
- Achar, R.**, see Dounavis, A., *MWSYM 02* 975-978 vol.2
- Achar, R.**, see Dounavis, A., *T-MTT Dec 02* 2759-2768
- Acher, O.**, see Salahun, E., *MWSYM 02* 1185-1188 vol.2
- Acikel, B.**, T.R. Taylor, P.J. Hansen, J.S. Speck, and R.A. York. A new X-band 180° high performance phase shifter using (Ba, Sr)TiO₃ thin films; *MWSYM 02* 1467-1469 vol.3
- Adair, E.R.**, and R.C. Petersen. Biological effects of radiofrequency/microwave radiation; *T-MTT Mar 02* 953-962
- Adair, E.R.**, see King, R.W.P., *T-MTT Aug 02* 2032-2033
- Adam, J.D.**, L.E. Davis, G.F. Dionne, E.F. Schloemann, and S.N. Stitzer. Ferrite devices and materials; *T-MTT Mar 02* 721-737
- Adamski, M.**, see Fujii, K., *MWSYM 02* 1725-1728 vol.3
- Adan, A.O.**, see Higashi, K., *MWSYM 02* 31-34 vol.1
- Adan, A.O.**, M. Fukumi, K. Higashi, T. Suyama, M. Miyamoto, and M. Hayashi. Electromagnetic coupling effects in RFCMOS circuits; *MWSYM 02* 39-42 vol.1
- Adan, A.O.**, see Higashi, K., *RFIC 02* 285-288
- Adan, A.O.**, M. Fukumi, K. Higashi, T. Suyama, M. Miyamoto, and M. Hayashi. Electromagnetic coupling effects in RFCMOS circuits; *RFIC 02* 293-296
- Adane, Y.**, A. Gati, M.F. Wong, and V.F. Hanna. Frequency parameterization of open structures by modal decomposition using finite elements and spherical modes; *MWSYM 02* 2017-2020 vol.3
- Adenot, A.-L.**, see Salahun, E., *MWSYM 02* 1185-1188 vol.2
- Adesida, I.**, see Fay, P., *T-MTT Jan 02* 62-67
- Adesida, I.**, see Lu, W., *T-MTT Nov 02* 2499-2504
- Adler, B.**, see Schelmbauer, W., *MWSYM 02* 13-16 vol.1
- Adler, B.**, see Schelmbauer, W., *RFIC 02* 267-270
- Aftanasar, M.S.**, see Ng, C.Y., *MWSYM 02* 2209-2212 vol.3
- Agarwal, B.**, see Peihua Ye, *MWSYM 02* 175-178 vol.1
- Agarwal, B.**, see Peihua Ye, *RFIC 02* 329-332
- Agarwal, B.**, see Reddy, M., *RFIC 02* 35-38
- Ahlgren, D.**, see Subbanna, S., *MWSYM 02* 401-404 vol.1
- Ahn Dal**, see Jong-Sik Lim, *MWSYM 02* 1153-1156 vol.2
- Ahn Dal**, see Chul-Soo Kim, *MWSYM 02* 2125-2128 vol.3
- Ahn Dal**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Ahn Dal**, see Jun-Seok Park, *T-MTT Sep 02* 2037-2043
- Ahn Hee-Ran**, see Hee-Ran Ahn, *T-MTT Apr 02* 1146-1155
- Ahn Tae-Won**, see Bonkee Kim, *RFIC 02* 137-140
- Aikawa, M.**, see Kawahata, K.I., *MWSYM 02* 699-702 vol.2
- Aikio, J.**, see Vuolevi, J., *MWSYM 02* 2157-2160 vol.3
- Aitchison, C.S.**, M. Mbabele, M.R. Moazzam, D. Budimir, and F. Ali. Corrections on "Improvement of third-order intermodulation product of RF and microwave amplifiers by injection" [Jun 01 1148-1154]; *T-MTT Jan 02* 229
- Ai-Zayed, A.**, S. Ortiz, and A. Mortazawi. Bandwidth improvement in a tile based spatial power amplifier; *MWSYM 02* 1313-1316 vol.2
- Ajjikuttira, A.B.**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Ajjikuttira, A.B.**, see Doan, M.T., *RFIC 02* 415-418
- Akahori, M.**, see Ratanadecho, P., *T-MTT Jun 02* 1495-1502
- Akaike, M.**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Akhtar, M.J.**, and A.S. Omar. An analytical method for the microwave imaging of cylindrically stratified media; *MWSYM 02* 2005-2008 vol.3
- Akhtar, S.**, P. Roblin, Sunyoung Lee, Xiaohui Ding, Shuang Yu, J. Kasick, and J. Strahler. RF electro-thermal modeling of LDMOSFETs for power-amplifier design; *T-MTT Jun 02* 1561-1570
- Akima, H.**, see Goto, K., *MWSYM 02* 2109-2112 vol.3
- Aksun, M.I.**, F. Caliskan, and L. Gurel. An efficient method for electromagnetic characterization of 2-D geometries in stratified media; *T-MTT May 02* 1264-1274
- Ala-Laurinaho, J.**, see Meltaus, J., *MWSYM 02* 1305-1308 vol.2
- Albares, D.J.**, see Jacobs, E.W., *T-MTT Feb 02* 413-419
- Alexanian, A.**, M. Wu, A. Burgess, Y. Wei, and X. Zhang. A SiGe transceiver chipset for 100 Mbps/1 Gbps digital communication over cable system; *RFIC 02* 119-122
- Alexanian, A.**, see Pengcheng Jia, *T-MTT May 02* 1355-1360
- Alfredsson, M.**, see Malmqvist, R., *MWSYM 02* 1431-1434 vol.3
- Alfredsson, M.**, see Malmqvist, R., *MWSYM 02* 1907-1910 vol.3
- Ali, F.** Direct conversion receiver design for mobile phone systems - challenges, status and trends; *RFIC 02* 21-22
- Ali, F.**, see Aitchison, C.S., *T-MTT Jan 02* 229
- Ali, F.**, see Loke, A., *T-MTT Nov 02* 2422-2435
- Ali, S.**, and F. Jain. A low jitter 5.3-GHz 0.18-μm CMOS PLL based frequency synthesizer; *RFIC 02* 173-176

- Alimenti, F.**, V. Palazzari, P. Placidi, G. Stopponi, A. Scorzoni, and L. Roselli. Analysis of CMOS interconnections combining LE-FDTD method and SOC procedure; *MWSYM* 02 879-881 vol.2
- Alimenti, F.**, see El Mrabet, O., *T-MTT Oct* 02 2411-2412
- Alipov, A.**, and V. Kozyrev. Push/pull class-DE switching power amplifier; *MWSYM* 02 1635-1638 vol.3
- Alipov, E.D.**, see Osepchuk, J.M., *T-MTT Jul* 02 1856-1858
- Al-Kuran, S.**, see Huang, C.-W.P., *RFIC* 02 97-100
- Allen, M.G.**, see Dongsu Kim, *MWSYM* 02 1471-1474 vol.3
- Allen, M.G.**, see Yeun-Ho Joung, *MWSYM* 02 1409-1412 vol.3
- Allen, M.G.**, see Kim, D., *T-MTT Dec* 02 2903-2909
- Allen, S.T.**, see Pribble, W.L., *MWSYM* 02 1819-1822 vol.3
- Alonso, J.I.**, see Torregrosa-Penalva, G., *T-MTT Jan* 02 172-177
- Altenhain, L.**, see Schild, A., *RFIC* 02 89-92
- Alterovitz, S.A.**, see Mohammadi, S., *MWSYM* 02 289-292 vol.1
- Alterovitz, S.A.**, see Mohammadi, S., *RFIC* 02 373-376
- Alterovitz, S.A.**, see Zhenqiang Ma, *T-MTT Apr* 02 1101-1108
- Alvarez Melcon, A.**, see Mostig, J.R., *T-MTT Jan* 02 215-218
- Aly, A.H.**, and E.-B. El-Sharawy. Modeling and optimization of parallel line edge mode microstrip isolators; *MWSYM* 02 1479-1482 vol.3
- Al-Zayed, A.**, see Ortiz, S., *MWSYM* 02 1519-1522 vol.3
- Al-Zayed, A.**, see Batty, W., *T-MTT Dec* 02 2820-2833
- Amamiya, Y.**, Y. Suzuki, M. Kawanaka, K. Hosoya, Z. Yamazaki, M. Mamada, H. Takahashi, S. Wada, T. Kato, Y. Ikenaga, S. Tanaka, T. Takeuchi, and H. Hida. 40-Gb/s optical receiver IC chipset - including a transimpedance amplifier, a differential amplifier, and a decision circuit - using GaAs-based HBT technology; *MWSYM* 02 87-90 vol.1
- Amano, M.**, and Y. Kotsuka. A novel microwave absorber with surface-printed conductive line patterns; *MWSYM* 02 1193-1196 vol.2
- Amano, Y.**, see Yamada, A., *MWSYM* 02 1733-1736 vol.3
- Amari, S.**, see Rosenberg, U., *MWSYM* 02 1605-1608 vol.3
- Amari, S.**, see Harscher, P., *T-MTT Feb* 02 433-439
- Amari, S.**, U. Rosenberg, and J. Bornemann. Adaptive synthesis and design of resonator filters with source/load-multiresonator coupling; *T-MTT Aug* 02 1969-1978
- Amari, S.**, see Rosenberg, U., *T-MTT Dec* 02 2896-2902
- Amaya, C.**, and D.V. Rogers. Characteristics of rain fading on Ka-band satellite-earth links in a Pacific maritime climate; *T-MTT Jan* 02 41-45
- Ameen, D.B.**, and G.B. Tait. Convolution-based global simulation technique for millimeter-wave photodetector and photomixer circuits; *T-MTT Oct* 02 2253-2258
- Amendola, G.**, see Boccia, L., *MWSYM* 02 69-73 vol.1
- Anakabe, A.**, J.-M. Collantes, J. Portilla, J. Jugo, A. Mallet, L. Lapierre, and J.-P. Frayssie. Analysis and elimination of parametric oscillations in monolithic power amplifiers; *MWSYM* 02 2181-2184 vol.3
- Andersen, J.B.**, see Sorrentino, R., *T-MTT Mar* 02 1056-1072
- Anderson, J.P.**, M.A. Shapiro, R.J. Temkin, and D.R. Denison. Phase retrieval of gyrotron beams based on irradiance moments; *T-MTT Jun* 02 1526-1535
- Anding Zhu, and T.J. Brazil.** An adaptive Volterra predistorter for the linearization of RF high power amplifiers; *MWSYM* 02 461-464 vol.1
- Andre, P.**, see Kasbari, A.-E., *MWSYM* 02 1057-1060 vol.2
- Andre, P.**, see Kasbari, A.-E., *T-MTT Dec* 02 3064-3069
- Andres, M.V.**, see Monsorriu, J.A., *T-MTT Nov* 02 2545-2552
- Andrews, J.W.**, and P.S. Hall. Phase-locked-loop control of active microstrip patch antennas; *T-MTT Jan* 02 201-206
- Andrus, C.W.**, see Lakin, K.M., *MWSYM* 02 1487-1490 vol.3
- Angelov, I.**, K. Choumei, and A. Inoue. An empirical HBT Large Signal Model for CAD; *MWSYM* 02 2137-2140 vol.3
- Angelov, L.**, N. Wadefalk, J. Stenarson, E.L. Kollberg, P. Starski, and H. Zirath. On the performance of low-noise low-DC-power-consumption cryogenic amplifiers; *T-MTT Jun* 02 1480-1486
- Ang Kian Sen**, see Yoke Choy Leong, *MWSYM* 02 1165-1168 vol.2
- Ang Kian Sen**, see Kian Sen Ang, *T-MTT Aug* 02 1990-1995
- Ang Kian Sen**, see Kian Sen Ang, *T-MTT Sep* 02 2147-2152
- An-ping Zhao**, see Changning Ma, *MWSYM* 02 2049-2052 vol.3
- An Ping Zhao** Analysis of the numerical dispersion of the 2D alternating-direction implicit FDTD method; *T-MTT Apr* 02 1156-1164
- Antar, Y.M.M.**, see Frank, B.M., *T-MTT May* 02 1433-1435
- Antonini, G.**, J.L. Drewniak, A. Orlandi, and V. Ricchiuti. Eye pattern evaluation in high-speed digital systems analysis by using MTL modeling; *T-MTT Jul* 02 1807-1815
- Antonsen, T.M., Jr.**, see Legarra, J.R., *MWSYM* 02 625-628 vol.2
- Antonsen, T.M., Jr.**, see Qiu, J., *MWSYM* 02 457-460 vol.1
- Anwar, A.**, and B. Nabet. Barrier enhancement mechanisms in heterodimensional contacts and their effect on current transport; *T-MTT Jan* 02 68-71
- Anwar, A.F.M.**, see Islam, S.S., *MWSYM* 02 267-270 vol.1
- Anwar, A.F.M.**, see Islam, S.S., *RFIC* 02 351-354
- Anwar, A.F.M.**, see Islam, S.S., *T-MTT Nov* 02 2474-2479
- Aoki, I.**, S.D. Kee, D.B. Rutledge, and A. Hajimiri. Distributed active transformer-a new power-combining and impedance-transformation technique; *T-MTT Jan* 02 316-331
- Aoki, K.**, see Ratanadecho, P., *T-MTT Jun* 02 1495-1502
- Aoki, Y.**, see Mimino, Y., *MWSYM* 02 1721-1724 vol.3
- Aparin, V.**, E. Zeisel, and P. Gazzarro. Highly linear SiGe BiCMOS LNA and mixer for cellular CDMA/AMPS applications; *RFIC* 02 129-132
- Apollonio, F.**, M. Liberti, and G. D'Inzeo. Theoretical evaluation of UMTS/GSM electromagnetic fields on neuronal network response; *MWSYM* 02 1751-1754 vol.3
- Apollonio, F.**, M. Liberti, and G. D'Inzeo. Theoretical evaluation of GSM/UMTS electromagnetic fields on neuronal network response; *T-MTT Dec* 02 3029-3035
- Apostolidou, M.**, see Vaucher, C.S., *RFIC* 02 235-238
- Apu Sivasadas**, see Ke-Li Wu, *T-MTT Feb* 02 465-473
- Arai, K.-I.**, see Yarnaguchi, M., *MWSYM* 02 197-200 vol.1
- Araín, M.A.**, see Riza, N.A., *MWSYM* 02 1941-1944 vol.3
- Araki, K.**, see Kaho, T., *MWSYM* 02 781-784 vol.2
- Araki, K.**, see Kawashima, M., *MWSYM* 02 927-930 vol.2
- Araki, K.**, see Nishikawa, K., *MWSYM* 02 351-354 vol.1
- Araki, K.**, see Nishikawa, K., *MWSYM* 02 1717-1720 vol.3
- Araki, K.**, see Hayashi, H., *T-MTT Jan* 02 150-154
- Araki, K.**, see Piernas, B., *T-MTT Apr* 02 1120-1126
- Araki, K.**, see Piernas, B., *T-MTT Aug* 02 1942-1949
- Araki, K.**, see Kaho, T., *T-MTT Nov* 02 2505-2512
- Araki, K.**, see Kaho, T., *T-MTT Dec* 02 2987-2994
- Argento, D.**, see Costantini, A., *MWSYM* 02 857-860 vol.2
- Arnari, S.**, see Harscher, P., *MWSYM* 02 1113-1116 vol.2
- Arndt, F.**, and J. Brandt. Direct EM based optimization of advanced waffle-iron and rectangular combline filters; *MWSYM* 02 2053-2056 vol.3
- Asada, T.**, see Yamamoto, K., *RFIC* 02 245-248
- Asbeck, P.**, see Raab, F.H., *T-MTT Mar* 02 814-826
- Asbeck, P.**, I. Galton, Keh-Chung Wang, J.F. Jensen, A.K. Oki, and C.T.M. Chang. Digital signal processing - up to microwave frequencies; *T-MTT Mar* 02 900-909
- Asbeck, P.M.**, see Iwamoto, M., *MWSYM* 02 901-904 vol.2
- Asbeck, P.M.**, see Keyzer, J., *MWSYM* 02 397-400 vol.1
- Asbeck, P.M.**, H. Kobayashi, M. Iwamoto, G. Hanington, S. Nam, and L.E. Larson. Augmented behavioral characterization for modeling the nonlinear response of power amplifiers; *MWSYM* 02 135-138 vol.1
- Asbeck, P.M.**, see Kobayashi, H., *MWSYM* 02 1647-1650 vol.3
- Asbeck, P.M.**, see Iwamoto, M., *T-MTT Dec* 02 2954-2962
- Atia, A.E.**, see Heng-Tung Hsu, *MWSYM* 02 1445-1448 vol.3
- Atia, A.E.**, see Heng-Tung Hsu, *T-MTT Apr* 02 1137-1145
- Atia, A.E.**, see Heng-Tung Hsu, *T-MTT Aug* 02 1960-1968
- Atia, A.E.**, see Hsu, H.-T., *T-MTT Dec* 02 2971-2978
- Aubourg, M.**, see Thon, B., *MWSYM* 02 1889-1892 vol.3
- Aufinger, K.**, see Knapp, H., *RFIC* 02 239-242
- Aust, M.**, see Samoska, L., *MWSYM* 02 429-432 vol.1
- Austin, M.W.**, see Mitchell, A., *T-MTT May* 02 1297-1302
- Auxemery, P.**, see Frayssie, J.P., *MWSYM* 02 441-444 vol.1
- Auxemery, P.**, see Heckmann, S., *MWSYM* 02 1001-1004 vol.2
- Auxemery, P.**, see Vendier, O., *MWSYM* 02 1389-1392 vol.3
- Auxemery, P.**, see Heckmann, S., *T-MTT Dec* 02 2811-2819
- Avrillon, S.**, A. Chousseaud, and S. Toutain. Dividing and filtering function integration for the development of a band-pass filtering power amplifier; *MWSYM* 02 1173-1176 vol.2
- Awai, I.**, see Sanada, A., *MWSYM* 02 385-388 vol.1
- Awai, I.**, see Sanada, A., *T-MTT Dec* 02 2856-2861
- Ayazi, F.**, see Balaraman, D., *MWSYM* 02 1225-1228 vol.2
- Ayazi, F.**, see Dalmia, S., *MWSYM* 02 1405-1408 vol.3
- Ayazi, F.**, see Lee, S.H., *MWSYM* 02 2229-2232 vol.3
- Azaro, R.**, S. Caorsi, M. Donelli, and G.L. Gragnani. A circuital approach to evaluating the electromagnetic field on rectangular apertures backed by rectangular cavities; *T-MTT Oct* 02 2259-2266

B

- Baccarelli, P.**, P. Burghignoli, F. Frezza, A. Galli, G. Lovat, and D.R. Jackson. Approximate analytical evaluation of the continuous spectrum in a substrate-superstrate dielectric waveguide; *MWSYM* 02 953-956 vol.2
- Baccarelli, P.**, P. Burghignoli, F. Frezza, A. Galli, G. Lovat, and D.R. Jackson. Approximate analytical evaluation of the continuous spectrum in a substrate-superstrate dielectric waveguide; *T-MTT Dec* 02 2690-2701
- Bachman, M.**, see Chang, C.H., *MWSYM* 02 231-234 vol.1
- Bachman, M.**, see Cetiner, B.A., *MWSYM* 02 1333-1336 vol.2
- Bachtold, W.**, see Beffa, F., *MWSYM* 02 501-504 vol.1
- Bachtold, W.**, see Beffa, F., *RFIC* 02 391-394
- Bachtold, W.**, see Ellinger, F., *T-MTT Jan* 02 178-182
- Bacon, P.**, see Joba, H., *RFIC* 02 27-30
- Baek Dong-Hyun**, see Dong-Hyun Baek, *MWSYM* 02 847-850 vol.2
- Bahl, I.J.**, see Niehenke, E.C., *T-MTT Mar* 02 846-857
- Bahr, A.**, see Gustrau, F., *T-MTT Oct* 02 2393-2400
- Baican, R.**, see Megej, A., *MWSYM* 02 643-646 vol.2

- Baican, R.**, see Megej, A., *T-MTT Dec 02* 3070-3076
- Baillargeat, D.**, see Bariant, D., *MWSYM 02* 979-982 vol.2
- Baillargeat, D.**, see Bariant, D., *MWSYM 02* 1461-1464 vol.3
- Baillargeat, D.**, see Lenoir, B., *MWSYM 02* 1923-1926 vol.3
- Baillargeat, D.**, see Byk, E., *MWSYM 02* 2085-2088 vol.3
- Baillargeat, D.**, see Saboureux, C., *MWSYM 02* 2089-2092 vol.3
- Baillargeat, D.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Bajon, D.**, S. Wane, H. Baudrand, and P. Gamand. Full wave analysis of isolated pockets to improve isolation performances in silicon based technology; *MWSYM 02* 987-990 vol.2
- Bakalski, W.**, W. Simburger, H. Knapp, H.-D. Wohlmuth, and A.L. Scholtz. Lumped and distributed lattice-type LC-baluns; *MWSYM 02* 209-212 vol.1
- Baker-Jarvis, J.**, see Geyer, R.G., *MWSYM 02* 1657-1660 vol.3
- Bakr, M.H.**, see Georgieva, N.K., *MWSYM 02* 971-974 vol.2
- Bakr, M.H.**, see Bandler, J.W., *MWSYM 02* 2101-2104 vol.3
- Bakr, M.H.**, P.P.M. So, and W.J.R. Hoefer. Time domain field synthesis with 3D symmetric condensed node TLM; *MWSYM 02* 1131-1134 vol.2
- Bakr, M.H.**, P.P.M. So, and W.J.R. Hoefer. The generation of optimal microwave topologies using time-domain field synthesis; *T-MTT Nov 02* 2537-2544
- Bakr, M.H.**, see Bandler, J.W., *T-MTT Dec 02* 2741-2750
- Bakr, M.H.**, see Georgieva, N.K., *T-MTT Dec 02* 2751-2758
- Balaraman, D.**, S.K. Bhattacharya, F. Ayazi, and J. Papapolymerou. Low-cost low actuation voltage copper RF MEMS switches; *MWSYM 02* 1225-1228 vol.2
- Ballato, A.**, see Weigel, R., *T-MTT Mar 02* 738-749
- Bandler, J.W.**, see Georgieva, N.K., *MWSYM 02* 971-974 vol.2
- Bandler, J.W.**, Qingsha Cheng, N. Georgieva, and M.A. Ismail. Implicit space mapping EM-based modeling and design exploiting preassigned parameters; *MWSYM 02* 713-716 vol.2
- Bandler, J.W.**, A.S. Mohamed, M.H. Bakr, K. Madsen, and J. Sondergaard. EM-based optimization exploiting partial space mapping and exact sensitivities; *MWSYM 02* 2101-2104 vol.3
- Bandler, J.W.**, see Steer, M.B., *T-MTT Mar 02* 996-1005
- Bandler, J.W.**, A.S. Mohamed, M.H. Bakr, K. Madsen, and J. Sondergaard. EM-based optimization exploiting partial space mapping and exact sensitivities; *T-MTT Dec 02* 2741-2750
- Bandler, J.W.**, see Georgieva, N.K., *T-MTT Dec 02* 2751-2758
- Banerjee, S.R.**, and R.F. Drayton. Micromachined low dispersion interconnects for optoelectronic array packaging; *MWSYM 02* 1565-1568 vol.3
- Banham, M.**, see Torrese, G., *T-MTT Nov 02* 2553-2557
- Banky, T.**, see Csornyei, M., *MWSYM 02* 1377-1380 vol.2
- Ban-Leong Ooi**, see Swee-Ann Teo, *T-MTT Feb 02* 440-445
- Ban-Leong Ooi**, J.Y. Ma, and M.S. Leong. A novel drain current I-V model for MESFET; *T-MTT Apr 02* 1188-1192
- Ban-Leong Ooi**, W. Palei, and M.S. Leong. Broad-banding technique for in-phase hybrid ring equal power divider; *T-MTT Jul 02* 1790-1794
- Ban-Leong Ooi**, Dao-Xian Xu, Pang-Shyan Kooi, and Fu-jiang Lin. An improved prediction of series resistance in spiral inductor modeling with eddy-current effect; *T-MTT Sep 02* 2202-2206
- Bannister, D.C.**, C.A. Zelle, and A.R. Barnes. A 2-18 GHz wideband high dynamic range receiver MMIC; *RFIC 02* 147-149
- Banoo, K.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Banoo, K.**, see Ivanov, T., *RFIC 02* 337-340
- Bao Jian-Wen**, see Huang, C.-W.P., *RFIC 02* 97-100
- Baoxin Gao**, see Yunbo Pang, *MWSYM 02* 1157-1160 vol.2
- Baoyong Chi**, and Bingxue Shi. Integrated 2.4 GHz CMOS quadrature VCO with symmetrical spiral inductors and differential varactors; *MWSYM 02* 561-564 vol.1
- Baoyong Chi**, and Bingxue Shi. Integrated 2.4 GHz CMOS quadrature VCO with symmetrical spiral inductors and differential varactors; *RFIC 02* 451-454
- Barataud, S.T.D.**, see Launay, F., *MWSYM 02* 865-868 vol.2
- Barelaud, B.**, see Bazzi, H., *MWSYM 02* 421-424 vol.1
- Bariant, D.**, S. Bila, D. Baillargeat, S. Verdeyme, and P. Guillon. Fast and accurate C.A.D. of narrow band waveguide filters applying an electromagnetic segmentation method; *MWSYM 02* 979-982 vol.2
- Bariant, D.**, S. Bila, D. Baillargeat, S. Verdeyme, P. Guillon, D. Pacaud, and J.-J. Herren. Method of spurious mode compensation applied to manifold multiplexer design; *MWSYM 02* 1461-1464 vol.3
- Bariant, D.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Barnes, A.R.**, P. Munday, R. Jennings, and M.T. Moore. A comparison of W-band monolithic resistive mixer architectures; *MWSYM 02* 1867-1870 vol.3
- Barnes, A.R.**, see Bannister, D.C., *RFIC 02* 147-149
- Barros, M.R.X.**, see Rocha, M.L., *T-MTT Jan 02* 88-93
- Bartle, D.**, see Wei, C.J., *MWSYM 02* 2133-2136 vol.3
- Bartle, D.**, see Ce-Jun Wei, *T-MTT Jan 02* 57-61
- Bary, L.**, G. Cibiel, I. Telliez, J. Rayssac, A. Rennane, C. Boulanger, O. Llopis, M. Borgarino, R. Plana, and J. Graffeuil. Low frequency noise characterization and modeling of microwave bipolar devices: application to the design of low phase noise oscillator; *MWSYM 02* 275-278 vol.1
- Bary, L.**, G. Cibiel, I. Telliez, J. Rayssac, A. Rennane, C. Boulanger, O. Llopis, M. Borgarino, R. Plana, and J. Graffeuil. Low frequency noise characterization and modeling of microwave bipolar devices: application to the design of low phase noise oscillator; *RFIC 02* 359-362
- Basten, M.**, D. Whaley, J. Duthie, V. Heinen, K. Kreischer, J. Tucek, A. Ferek, F. Trimble, and B. Gannon. High performance microwave power modules for military and commercial systems; *MWSYM 02* 629-632 vol.2
- Bateman, D.**, S. Simoens, M. de Courville, and G. Julien. Power-amplifier transient tracking in OFDM; *MWSYM 02* 803-806 vol.2
- Batra, R.**, see Habermann, T., *MWSYM 02* 633-636 vol.2
- Batty, W.**, C.E. Christoffersen, A.B. Yakovlev, J.F. Whitaker, M. Ozkar, S. Ortiz, A. Mortazawi, R. Reano, K. Yang, L.P.B. Katehi, C.M. Snowden, and M.B. Steer. Global coupled EM-electrical-thermal simulation and experimental validation for a spatial power combining MMIC array; *MWSYM 02* 2177-2180 vol.3
- Batty, W.**, C.E. Christoffersen, A.B. Yakovlev, J.F. Whitaker, A. Mortazawi, A. Al-Zayed, M. Ozkar, S.C. Ortiz, R.M. Reano, K. Yang, L.P.B. Katehi, C.M. Snowden, and M.B. Steer. Global coupled EM-electrical-thermal simulation and experimental validation for a spatial power combining MMIC array; *T-MTT Dec 02* 2820-2833
- Baudrand, H.**, see Bajon, D., *MWSYM 02* 987-990 vol.2
- Baudrand, H.**, see Zeid, A., *T-MTT Apr 02* 1198-1206
- Baureis, P.**, see Peter, M., *MWSYM 02* 2001-2004 vol.3
- Bazzi, H.**, F. Biron, S. Bosse, L. Delage, B. Barelaud, L. Billonnet, and B. Jarry. Microwave planar active filters in GaAs and SiGe technologies; *MWSYM 02* 421-424 vol.1
- Beasley, P.D.L.**, see Devlin, L.M., *MWSYM 02* 257-261 vol.1
- Beck, E.**, see Lubecke, V., *MWSYM 02* 1767-1770 vol.3
- Becker, J.P.**, see Yongshik Lee, *MWSYM 02* 1871-1874 vol.3
- Bee Yen Toh**, see Fusco, V.F., *T-MTT Jul 02* 1772-1778
- Beffa, F.**, R. Vogt, W. Bachtold, E. Zellweger, and U. Lott. A 6.5-mW receiver front-end for Bluetooth in 0.18- m CMOS; *MWSYM 02* 501-504 vol.1
- Beffa, F.**, R. Vogt, W. Bachtold, E. Zellweger, and U. Lott. A 6.5-mW receiver front-end for Bluetooth in 0.18- m CMOS; *RFIC 02* 391-394
- Begum, R.**, see Habermann, T., *MWSYM 02* 633-636 vol.2
- Behammer, D.**, see Abele, P., *MWSYM 02* 1681-1684 vol.3
- Behnia, B.**, see Scott, J., *MWSYM 02* 1669-1672 vol.3
- Behnia, B.**, see Scott, J.B., *T-MTT Dec 02* 3022-3028
- Beilenhoff, K.**, see Megej, A., *MWSYM 02* 643-646 vol.2
- Beilenhoff, K.**, see Rudolph, M., *T-MTT Jul 02* 1747-1751
- Beilenhoff, K.**, see Megej, A., *T-MTT Dec 02* 3070-3076
- Bellaouar, A.**, see Dulger, F., *RFIC 02* 177-180
- Belot, D.** 4G RF systems on chip or on module?; *RFIC 02* 199-202
- Belsick, J.R.**, see Lakin, K.M., *MWSYM 02* 1487-1490 vol.3
- Belyaev, I.Y.**, see Osepchuk, J.M., *T-MTT Jul 02* 1856-1858
- Benelbar, R.**, see Virk, R.S., *MWSYM 02* 91-95 vol.1
- Bengtsson, O.**, see Litwin, A., *RFIC 02* 289-292
- Bengtsson, Z.**, see Litwin, A., *MWSYM 02* 35-38 vol.1
- Benlarbi-Delai, A.**, see Ghis, A., *MWSYM 02* 1673-1676 vol.3
- Ben-Qing Gao**, see Yan Zhang, *T-MTT Nov 02* 2519-2526
- Berceli, T.**, see Csornyei, M., *MWSYM 02* 1377-1380 vol.2
- Berceli, T.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Berg, H.**, see Jacobsson, H., *MWSYM 02* 577-580 vol.1
- Berg, H.**, see Jacobsson, H., *RFIC 02* 467-470
- Bergamaschi, C.**, see Huber, A., *T-MTT Jul 02* 1675-1682
- Bergeault, E.**, see Romdane, H., *MWSYM 02* 597-599 vol.1
- Bergeault, E.**, see Romdane, H., *RFIC 02* 487-489
- Bergholm, P.**, see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Berkowitz, S.**, see Tsuzuki, G., *MWSYM 02* 1963-1966 vol.3
- Berkowitz, S.**, see Tsuzuki, G., *T-MTT Dec 02* 2924-2929
- Bermani, E.**, see Caorsi, S., *T-MTT Oct 02* 2346-2352
- Bernal, J.**, F. Mesa, and F. Medina. 2-D analysis of leakage in printed-circuit lines using discrete complex-images technique; *T-MTT Aug 02* 1895-1900
- Bernardi, P.**, M. Cavnano, S. Pisa, and E. Piuze. Evaluation of human exposure in the vicinity of a base-station antenna using the multiple-region/FDTD hybrid method; *MWSYM 02* 1747-1750 vol.3
- Berthold, M.**, see Pascht, A., *T-MTT Aug 02* 1927-1934
- Bertazzi, F.**, F. Carbonera, M. Goano, and G. Ghione. FEM-based reduced-order model for steady-state skin-effect analysis in lossy lines; *MWSYM 02* 2025-2028 vol.3
- Bertazzi, F.**, O.A. Peverini, M. Goano, G. Ghione, R. Orta, and R. Tascone. A fast reduced-order model for the full-wave FEM analysis of lossy inhomogeneous anisotropic waveguides; *T-MTT Sep 02* 2108-2114
- Bertin, G.**, see Accatino, L., *MWSYM 02* 1453-1456 vol.3
- Bertin, G.**, B. Piovano, L. Accatino, and M. Mongiardo. Full-wave design and optimization of circular waveguide polarizers with elliptical irises; *T-MTT Apr 02* 1077-1083
- Bertin, G.**, see Accatino, L., *T-MTT Dec 02* 2882-2889
- Besser, L.** Microwave industry outlook - who will develop the wireless communication products of the 21st century?; *T-MTT Mar 02* 1042-1043

- Beukema, T.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Beyer, R.**, see Reiter, J.M., *MWSYM 02* 2081-2084 vol.3
- Beyne, E.**, see Carchon, G., *MWSYM 02* 1837-1840 vol.3
- Bhat, B.**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Bhattia, R.**, see Pintel, S., *MWSYM 02* 1053-1056 vol.2
- Bhattachajee, J.**, D. Mukherjee, E. Gebara, S. Nuttinck, and J. Laskar. A 5.8 GHz fully integrated low power low phase noise CMOS LC VCO for WLAN applications; *RFIC 02* 475-478
- Bhattacharjee, J.**, see Mukherjee, D., *MWSYM 02* 707-710 vol.2
- Bhattacharjee, J.**, D. Mukherjee, E. Gebara, S. Nuttinck, and J. Laskar. A 5.8 GHz fully integrated low power low phase noise CMOS LC VCO for WLAN applications; *MWSYM 02* 585-588 vol.1
- Bhattacharjee, S.**, see Kory, C.L., *MWSYM 02* 1265-1268 vol.2
- Bhattacharya, P.**, see Mohammadi, S., *MWSYM 02* 289-292 vol.1
- Bhattacharya, P.**, see Mohammadi, S., *RFIC 02* 373-376
- Bhattacharya, P.**, see Zhenqiang Ma, *T-MTT Apr 02* 1101-1108
- Bhattacharya, S.**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- Bhattacharya, S.**, see Lee, S.H., *MWSYM 02* 2229-2232 vol.3
- Bhattacharya, S.K.**, see Balaraman, D., *MWSYM 02* 1225-1228 vol.2
- Bianco, P.**, see Fujii, K., *MWSYM 02* 1725-1728 vol.3
- Bila, S.**, see Bariant, D., *MWSYM 02* 979-982 vol.2
- Bila, S.**, see Bariant, D., *MWSYM 02* 1461-1464 vol.3
- Bila, S.**, see Saboureau, C., *MWSYM 02* 2089-2092 vol.3
- Bila, S.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Billonet, L.**, see Hunter, I.C., *T-MTT Mar 02* 794-805
- Billonnet, L.**, see Bazzi, H., *MWSYM 02* 421-424 vol.1
- Binari, S.C.**, P.B. Klein, and T.E. Kazior. Trapping effects in wide-bandgap microwave FETs; *MWSYM 02* 1823-1826 vol.3
- Bingle, M.**, D.B. Davidson, and J.H. Cloete. Scattering and absorption by thin metal wires in rectangular waveguide-FDTD simulation and physical experiments; *T-MTT Jun 02* 1621-1627
- Bingxue Shi**, see Baoyong Chi, *MWSYM 02* 561-564 vol.1
- Bingxue Shi**, see Baoyong Chi, *RFIC 02* 451-454
- Biondi, T.**, see Carrara, F., *T-MTT Dec 02* 2963-2970
- Birafane, A.**, see Ouslimani, A., *T-MTT Jan 02* 218-221
- Bird, T.S.**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Birk, M.**, see Abele, P., *MWSYM 02* 1681-1684 vol.3
- Biron, F.**, see Bazzi, H., *MWSYM 02* 421-424 vol.1
- Blair, C.**, see Tomblad, O., *MWSYM 02* 861-864 vol.2
- Blanck, H.**, see Vendier, O., *MWSYM 02* 1389-1392 vol.3
- Blank, J.**, see Schild, A., *RFIC 02* 89-92
- Blas, A.S.**, see Esteban, H., *T-MTT Apr 02* 1219-1224
- Blayac, S.**, see Kasbari, A.-E., *MWSYM 02* 1057-1060 vol.2
- Blayac, S.**, see Kasbari, A.-E., *T-MTT Dec 02* 3064-3069
- Blondy, P.**, see Lenoir, B., *MWSYM 02* 1923-1926 vol.3
- Blondy, P.**, see Paillot, T., *MWSYM 02* 1793-1796 vol.3
- Blonski, J.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Blumenthal, D.J.**, see Sangwoo Han, *T-MTT Apr 02* 1173-1179
- Boccia, L.**, F. Venneri, G. Amendola, and G. Di Massa. Experimental investigation of a varactor loaded reflectarray antenna; *MWSYM 02* 69-73 vol.1
- Bock, G.**, see Rudolph, M., *T-MTT Feb 02* 461-464
- Bock, J.**, see Ritzberger, G., *MWSYM 02* 831-834 vol.2
- Bock, J.**, see Hackl, S., *MWSYM 02* 1241-1244 vol.2
- Bock, J.**, see Knapp, H., *RFIC 02* 239-242
- Bohn, F.**, S. Kee, and A. Hajimiri. Demonstration of a switchless Class E/ F_{odd} dual-band power amplifier; *MWSYM 02* 1631-1634 vol.3
- Boix, R.R.**, see Leon, G., *T-MTT Jun 02* 1510-1519
- Boix, R.R.**, see Shuley, N.V., *T-MTT Sep 02* 2185-2192
- Bolivar, P.H.**, see Gonzalo, R., *T-MTT Oct 02* 2384-2392
- Bona, M.**, L. Manholm, J.P. Starski, and B. Svensson. Low-loss compact Butler matrix for a microstrip antenna; *T-MTT Sep 02* 2069-2075
- Bongki Mheen**, Dongwoo Suh, Hong Seung Kim, Seung-Yun Lee, Chan Woo Park, Sang Hoon Kim, Kyu-Hwan Shim, and Jin-Yeong Kang. RF performance tradeoffs of SiGe HBT fabricated by reduced pressure chemical vapor deposition; *MWSYM 02* 413-416 vol.1
- Bonkee Kim**, Kyung-Suc Nah, Tae-Won Ahn, Han-Il Lee, Je-Kwang Cho, and Byeong-Ha Park. A 2.6 V GSM/PCN dual band variable gain low noise RF down conversion mixer; *RFIC 02* 137-140
- Boon Ping Koh**, I.J. Craddock, P. Urwin-Wright, and C.J. Railton. Lumped device modeling with FDTD including packaging effects; *MWSYM 02* 1139-1142 vol.2
- Booske, J.H.**, see Kory, C.L., *MWSYM 02* 1265-1268 vol.2
- Bordonalli, A.C.**, see Hernandez-Figueroa, H.E., *T-MTT Jan 02* 1-3
- Bordonalli, A.C.**, see Conforti, E., *T-MTT Jan 02* 77-81
- Borgarino, M.**, see Bary, L., *MWSYM 02* 275-278 vol.1
- Borgarino, M.**, see Bary, L., *RFIC 02* 359-362
- Borges, B.-H.V.**, see Bulla, D.A.P., *T-MTT Jan 02* 9-12
- Borges, R.**, see Manohar, S., *MWSYM 02* 449-452 vol.1
- Borges de Carvalho, N.**, and J.C. Pedro. A comprehensive explanation of distortion sideband asymmetries; *T-MTT Sep 02* 2090-2101
- Borgioni, V.**, see Roselli, L., *MWSYM 02* 1711-1714 vol.3
- Boria, V.E.**, M. Bozzi, F. Bruni, S. Cogollos, G. Conciauro, B. Gimeno, and L. Perregrini. Efficient analysis of waveguide filters by the integral equation technique and the BI-RME method; *MWSYM 02* 393-396 vol.1
- Boria, V.E.**, see Esteban, H., *T-MTT Apr 02* 1219-1224
- Boric-Lubecke, O.**, see Lubecke, V., *MWSYM 02* 1767-1770 vol.3
- Boric-Lubecke, O.**, J. Lin, and P. Gould. DCS 1800 base station receiver integrated in 0.25 μm CMOS; *MWSYM 02* 1049-1052 vol.2
- Boric-Lubecke, O.**, see Gould, P., *T-MTT Jan 02* 369-376
- Borji, A.**, D. Busuioc, S. Safavi-Naeini, and S.K. Chaudhuri. ANN and EM based models for fast and accurate modeling of excitation loops in combline-type filters; *MWSYM 02* 2105-2108 vol.3
- Borkowski, M.**, see Kopp, B.A., *T-MTT Mar 02* 827-834
- Bornemann, J.**, see Rambabu, K., *MWSYM 02* 97-100 vol.1
- Bornemann, J.**, see Amari, S., *T-MTT Aug 02* 1969-1978
- Borremans, M.**, see Steyaert, M.S.J., *T-MTT Jan 02* 281-287
- Bos, T.A.**, and E. Camargo. A balanced resistive mixer avoiding an IF balun; *MWSYM 02* 245-248 vol.1
- Bosco, B.**, see Escalera, N., *MWSYM 02* 1031-1034 vol.2
- Bosisio, G.**, see Schiel, J.-C., *MWSYM 02* 931-934 vol.2
- Bosisio, R.G.**, see Mireux, O., *MWSYM 02* 497-500 vol.1
- Bosisio, R.G.**, see Ovidiu Tatu, S., *RFIC 02* 155-158
- Bosisio, R.G.**, see Tatu, S.O., *T-MTT Nov 02* 2436-2442
- Bossche, M.V.**, see Scott, J., *MWSYM 02* 1669-1672 vol.3
- Bosse, S.**, see Bazzi, H., *MWSYM 02* 421-424 vol.1
- Bost, J.**, see Lucero, R., *MWSYM 02* 1545-1548 vol.3
- Boudiaf, A.**, see Weatherspoon, M.H., *MWSYM 02* 2253-2256 vol.3
- Boulanger, C.**, see Bary, L., *MWSYM 02* 275-278 vol.1
- Boulanger, C.**, see Dubuc, D., *MWSYM 02* 193-196 vol.1
- Boulanger, C.**, see Bary, L., *RFIC 02* 359-362
- Boumaiza, S.**, and F.M. Ghannouchi. An accurate complex behavior test bed suitable for 3G power amplifiers characterization; *MWSYM 02* 2241-2244 vol.3
- Boumaiza, S.**, and F.M. Ghannouchi. Realistic power-amplifiers characterization with application to baseband digital predistortion for 3G base stations; *T-MTT Dec 02* 3016-3021
- Bousnina, S.**, C. Falt, P. Mandeville, A.B. Kouki, and F.M. Ghannouchi. An accurate on-wafer deembedding technique with application to HBT devices characterization; *T-MTT Feb 02* 420-424
- Bousnina, S.**, P. Mandeville, A.B. Kouki, R. Surridge, and F.M. Ghannouchi. Direct parameter-extraction method for HBT small-signal model; *T-MTT Feb 02* 529-536
- Bouthellier, N.**, P. Jarry, E. Kerherve, J.-M. Pham, and S. Vigneron. A two zero fourth order microwave waveguide filter using a simple rectangular quadruple-mode cavity; *MWSYM 02* 1777-1780 vol.3
- Bo Xia**, see Wenjun Sheng, *RFIC 02* 107-110
- Boyette, B.**, see Zhang Jin, *MWSYM 02* 1201-1204 vol.2
- Bozzi, M.**, see Boria, V.E., *MWSYM 02* 393-396 vol.1
- Bozzi, M.**, G. Conciauro, and L. Perregrini. On the evaluation of modal coupling coefficients by contour integrals; *T-MTT Jul 02* 1853-1855
- Brabetz, T.**, see Buchanan, N.B., *MWSYM 02* 315-318 vol.1
- Brandt, J.**, see Arndt, F., *MWSYM 02* 2053-2056 vol.3
- Brault, J.-J.**, see Mireux, O., *MWSYM 02* 497-500 vol.1
- Brazil, T.J.**, see Anding Zhu, *MWSYM 02* 461-464 vol.1
- Brehm, G.**, see Ovidiu Tatu, S., *RFIC 02* 155-158
- Brehm, G.**, see Tatu, S.O., *T-MTT Nov 02* 2436-2442
- Bridges, D.**, see Pla, J.A., *MWSYM 02* 263-266 vol.1
- Bridges, D.**, see Pla, J.A., *RFIC 02* 347-350
- Bright, V.M.**, see Ramadoss, R., *MWSYM 02* 1233-1236 vol.2
- Bright, V.M.**, see Hoivik, N., *MWSYM 02* 1229-1232 vol.2
- Brown, E.**, see Katehi, L.P.B., *T-MTT Mar 02* 858-866
- Brown, E.R.**, D.L. Woolard, A.C. Samuels, T. Globus, and B. Gelmont. Remote detection of bioparticles in the THz region; *MWSYM 02* 1591-1594 vol.3
- Brown, J.**, see Manohar, S., *MWSYM 02* 449-452 vol.1
- Brunel, D.**, C. Caron, C. Cordier, and E. Soudee. A highly integrated 0.25 μm BiCMOS chipset for 3G UMTS/WCDMA handset RF sub-system; *RFIC 02* 191-194
- Bruni, F.**, see Boria, V.E., *MWSYM 02* 393-396 vol.1
- Bryan, J.A.**, see Qing Huo Liu, *T-MTT Jan 02* 123-133
- Buchanan, N.B.**, T. Brabetz, and V.F. Fusco. A 62/66 GHz frequency offset retrodirective array; *MWSYM 02* 315-318 vol.1
- Buchanan, N.B.**, V.F. Fusco, and J.A.C. Stewart. A 7.5-GHz super regenerative detector; *T-MTT Sep 02* 2198-2202
- Buckwalter, J.**, and R.A. York. Time delay considerations in high-frequency phase-locked loops; *RFIC 02* 181-184
- Budimir, D.**, see Aitchison, C.S., *T-MTT Jan 02* 229
- Buesnel, G.R.**, see Cryan, M.J., *T-MTT Nov 02* 2639-2646
- Bulla, D.A.P.**, B.-H.V. Borges, M.A. Romero, N.I. Morimoto, and L.G. Neto. Design and fabrication of $\text{SiO}_2/\text{Si}_3\text{N}_4$ integrated-optics waveguides on silicon substrates; *T-MTT Jan 02* 9-12
- Bumman, K.**, see Darwish, A., *MWSYM 02* 109-112 vol.1
- Bumman Kim**, see Sanghoon Kang, *MWSYM 02* 279-283 vol.1
- Bumman Kim**, see Young Yun Woo, *MWSYM 02* 769-772 vol.2

- Bumman Kim**, see Youngoo Yang, *MWSYM* 02 777-780 vol.2
Bumman Kim, see Sungmin Ock, *MWSYM* 02 1423-1426 vol.3
Bumman Kim, see Sanghoon Kang, *RFIC* 02 363-366
Bumman Kim, see Youngoo Yang, *T-MTT Feb* 02 446-452
Bumman Kim, see Woonyun Kim, *T-MTT Jul* 02 1714-1722
Bunnjaweh, S., see Chongcheawchamnan, M., *T-MTT Jun* 02 1642-1646
Burger, K., see Fowler, T., *RFIC* 02 41-44
Burgess, A., see Alexanian, A., *RFIC* 02 119-122
Burghartz, J.N., see Ng, K.T., *T-MTT Jan* 02 377-383
Burghartz, J.N., see van der Heijden, M.P., *T-MTT Sep* 02 2176-2184
Burghignoli, P., see Baccarelli, P., *MWSYM* 02 953-956 vol.2
Burghignoli, P., see Baccarelli, P., *T-MTT Dec* 02 2690-2701
Bushyager, N., K. Lange, M. Tentzeris, and J. Papapolymerou. Modeling and optimization of RF reconfigurable tuners with computationally efficient time-domain techniques; *MWSYM* 02 883-886 vol.2
Bushyager, N., see Davis, M.F., *MWSYM* 02 2217-2220 vol.3
Busuio, D., see Borji, A., *MWSYM* 02 2105-2108 vol.3
Butler, B.K., King-Chung Lai, K. Saints, and B. Meagher. The MSM5100™ cdma2000 + AMPS + gpsOne™ + Bluetooth multimode ASIC for 3G handsets; *RFIC* 02 186A-186F
Butz, J., M. Spinnler, J. Christ, and U. Mahr. Highly integrated RF-modules for Ka-Band multiple-beam active phased array antennas; *MWSYM* 02 61-64 vol.1
Byeong-Ha Park, see Bonkee Kim, *RFIC* 02 137-140
Byk, E., D. Lopez, D. Baillargeat, S. Verdeyme, R. Quere, R. Sommet, P. Guillon, E. Laporte, and M. Souldard. Electrothermal modeling of multi-fingered PHEMTs applying a global approach; *MWSYM* 02 2085-2088 vol.3
Byounggi Choi, see Sanghoon Kang, *MWSYM* 02 279-283 vol.1
Byounggi Choi, see Sanghoon Kang, *RFIC* 02 363-366
Byung-Jun Jang, see Jin-Cheol Jeong, *MWSYM* 02 1257-1260 vol.2
- C**
- Cabanillas, J.**, L. Dussopt, J.M. Lopez-Villegas, and G.M. Rebeiz. A 900 MHz low phase noise CMOS quadrature oscillator; *RFIC* 02 63-66
Cabanillas, J., see Sieto, J., *T-MTT Jan* 02 384-392
Cabon, B., V. Girod, and G. Maury. Optical mixing of antenna signals in WDM systems; *MWSYM* 02 1953-1956 vol.3
Caillas-Devignes, N., see Vendier, O., *MWSYM* 02 1389-1392 vol.3
Cai Shujun, see Younkyu Chung, *MWSYM* 02 433-436 vol.1
Cai Yongming, see Yongming Cai, *MWSYM* 02 1221-1224 vol.2
Caliskan, F., see Aksun, M.I., *T-MTT May* 02 1264-1274
Callin, R.S., see Hill, M.E., *T-MTT May* 02 1437-1441
Caloz, C., and T. Itoh. A super-compact super-broadband tapered uniplanar PBG structure for microwave and millimeter-wave applications; *MWSYM* 02 1919-1922 vol.3
Caloz, C., A.K. Skrivervik, and F.E. Gardiol. An efficient method to determine Green's functions of a two-dimensional photonic crystal excited by a line source - the phased-array method; *T-MTT May* 02 1380-1391
Caloz, C., and T. Itoh. Multilayer and anisotropic planar compact PBG structures for microstrip applications; *T-MTT Sep* 02 2206-2208
Cam, H., see Cordeau, D., *MWSYM* 02 565-568 vol.1
Cam, H., see Cordeau, D., *RFIC* 02 455-458
Camargo, E., see Bos, T.A., *MWSYM* 02 245-248 vol.1
Camargo, E., see Virk, R.S., *MWSYM* 02 91-95 vol.1
Camart, J.-C., see Carlier, J., *MWSYM* 02 1771-1774 vol.3
Camart, J.-C., see Carlier, J., *T-MTT Dec* 02 3036-3042
Cameron, R.J., A.R. Harish, and C.J. Radcliffe. Synthesis of advanced microwave filters without diagonal cross-couplings; *MWSYM* 02 1437-1440 vol.3
Cameron, R.J., A.R. Harish, and C.J. Radcliffe. Synthesis of advanced microwave filters without diagonal cross-couplings; *T-MTT Dec* 02 2862-2872
Campbell, C.F., see Carroll, J.M., *MWSYM* 02 489-492 vol.1
Campbell, C.F., M.S. Heins, M.Y. Kao, M.E. Muir, and J.M. Carroll. A 0.15- m GaAs MHEMT transimpedance amplifier IC for 40-Gb/s applications; *MWSYM* 02 79-82 vol.1
Campbell, C.F., see Heins, M.S., *MWSYM* 02 1061-1064 vol.2
Campbell, R., see Raab, F.H., *T-MTT Mar* 02 888-899
Campillo, A.L., see Funk, E.E., *MWSYM* 02 1691-1693 vol.3
Campos, A.L.P.S., A.G. d'Assuncao, and L.M. de Mendonca. Scattering by FSS on anisotropic substrate for TE and TM excitation; *T-MTT Jan* 02 72-76
Camprini, M., see Cidronali, A., *MWSYM* 02 43-47 vol.1
Camprini, M., see Cidronali, A., *RFIC* 02 297-300
Camprini, M., see Cidronali, A., *T-MTT Dec* 02 2938-2946
Caneau, C., see Fay, P., *T-MTT Jan* 02 62-67
Cangellaris, A., see Tentzeris, E.M., *T-MTT Feb* 02 501-516
Cangellaris, A.C., see Rong, A., *MWSYM* 02 1893-1896 vol.3
Cangellaris, A.C., see Okhmatovski, V.I., *MWSYM* 02 1897-1900 vol.3
Cangellaris, A.C., see Yu Zhu, *T-MTT Aug* 02 1984-1989
Cangellaris, A.C., see Yu Zhu, *T-MTT Oct* 02 2331-2338
Cao Qunsheng, see Qunsheng Cao, *T-MTT Jun* 02 1578-1589
Caorsi, S., see Azaro, R., *T-MTT Oct* 02 2259-2266
Caorsi, S., E. Bermani, and A. Massa. A finite-element procedure based on a boundary-value approach for the evaluation of the electromagnetic exposure in biological phantoms; *T-MTT Oct* 02 2346-2352
Cao Wenwu, see Semouchkina, E., *MWSYM* 02 1127-1130 vol.2
Cappelli, M., and L. Tarricone. A bioelectromagnetic overview of the Universal Mobile Telecommunication System (UMTS); *MWSYM* 02 2265-2268 vol.3
Carbonera, F., see Bertazzi, F., *MWSYM* 02 2025-2028 vol.3
Carchon, G., W. de Raedt, and E. Beyne. Compensating differences between measurement and calibration wafer in probe-tip calibrations; *MWSYM* 02 1837-1840 vol.3
Carin, L., J. Sichina, and J.F. Harvey. Microwave underground propagation and detection; *T-MTT Mar* 02 945-952
Carin, L., see Dogaru, T., *T-MTT Jul* 02 1752-1760
Carley, L.R., see Gang Zhang, *RFIC* 02 125-128
Carlier, J., V. Thomy, J.-C. Camart, L. Dubois, and J. Pribetich. Modeling of planar annular applicators for microwave thermotherapy; *MWSYM* 02 1771-1774 vol.3
Carlier, J., V. Thomy, J.-C. Camart, L. Dubois, and J. Pribetich. Modeling of planar applicators for microwave thermotherapy; *T-MTT Dec* 02 3036-3042
Caron, C., see Brunel, D., *RFIC* 02 191-194
Carrara, F., A. Castorina, A. Scuderi, and G. Palmisano. High performance silicon bipolar power amplifier for 1.8 GHz applications; *MWSYM* 02 1015-1018 vol.2
Carrara, F., A. Scuderi, T. Biondi, and G. Palmisano. A 1.8-GHz high-efficiency 34-dBm silicon bipolar power amplifier; *T-MTT Dec* 02 2963-2970
Carroll, J.M., see Campbell, C.F., *MWSYM* 02 79-82 vol.1
Carroll, J.M., A. Coutant, M.S. Heins, C.F. Campbell, and E. Reese. 0.25 m PHEMT 40Gb/s E/O modulator drivers; *MWSYM* 02 489-492 vol.1
Carroll, J.M., see Heins, M.S., *MWSYM* 02 1061-1064 vol.2
Carroll, M., see Ivanov, T., *MWSYM* 02 183-186 vol.1
Carroll, M., see Ivanov, T., *RFIC* 02 337-340
Carvalho, M.C.R., see Torres, P., *T-MTT Jan* 02 13-16
Carvalho, N.B., see Pedro, J.C., *MWSYM* 02 2173-2176 vol.3
Casanueva, A., and J.L. Garcia. An innovative fast powerful method for tackling electromagnetic eigenvalue problems for multistrip transmission lines; *T-MTT Jan* 02 36-40
Casanueva, A., see Mrozowski, M., *T-MTT Oct* 02 2409-2411
Cascio, L., M. Randall, and T. Hock. Comments on "General oscillator characterization using linear open-loop S-parameters" [with reply]; *T-MTT Jan* 02 226-228
Casini, A., see Roselli, L., *MWSYM* 02 1711-1714 vol.3
Cassivi, Y., D. Deslandes, and K. Wu. Design considerations of engraved NRD guide for millimeter-wave integrated circuits; *T-MTT Jan* 02 165-171
Cassivi, Y., and Ke Wu. Hybrid planar NRD-guide magic-tee junction; *T-MTT Oct* 02 2405-2408
Castaneda, J.A., see Yang, H.Y.D., *MWSYM* 02 601-604 vol.1
Castaneda, J.A., see Yang, H.Y.D., *RFIC* 02 491-494
Castello, R., see Svelto, F., *T-MTT Jan* 02 403-407
Castorina, A., see Carrara, F., *MWSYM* 02 1015-1018 vol.2
Catarinucci, L., P. Palazzari, and L. Tarricone. A parallel FDTD tool for the solution of large dosimetric problems: an application to the interaction between humans and radiobase antennas; *MWSYM* 02 1755-1758 vol.3
Cavagnaro, M., see Bernardi, P., *MWSYM* 02 1747-1750 vol.3
Caverly, R., see Raab, F.H., *T-MTT Mar* 02 888-899
Caverly, R.H., see Drozdovski, N.V., *T-MTT Jan* 02 4-8
Cazaux, J.-L., see Vendier, O., *MWSYM* 02 1389-1392 vol.3
Ce-Jun Wei, Y.A. Tkachenko, and D. Bartle. A new model for enhancement-mode power PHEMT; *T-MTT Jan* 02 57-61
Celuch-Marcysiak, M. Demonstration and suppression of numerical divergence errors in FDTD analysis of practical microwave problems; *MWSYM* 02 751-754 vol.2
Cetiner, B.A., see Chang, C.H., *MWSYM* 02 231-234 vol.1
Cetiner, B.A., L. Jofre, C.H. Chang, J.Y. Qian, M. Bachman, G.P. Li, and F. De Flaviis. Integrated MEM antenna system for wireless communications; *MWSYM* 02 1333-1336 vol.2
Chaiban, E., see Rizk, J.B., *MWSYM* 02 239-243 vol.1
Chain-Tin Wu, see Jia-Liang Chen, *MWSYM* 02 101-104 vol.1
Cha Jeong Hyeon, see Young Yun Woo, *MWSYM* 02 769-772 vol.2
Cha Jeonghyeon, see Youngoo Yang, *MWSYM* 02 777-780 vol.2
Chakraborty, S., see Yoon, S.-W., *MWSYM* 02 703-706 vol.2
Chakraborty, S., see Pinel, S., *MWSYM* 02 1053-1056 vol.2
Chakraborty, S., see Pinel, S., *MWSYM* 02 1553-1556 vol.3
Chakraborty, S., Ching-Lang Lin, B. Matinpour, and J. Laskar. Harmonic boosting for high performance mixers; *MWSYM* 02 1253-1256 vol.2

- Chakraborty, S.**, see Lee, C.-H., *MWSYM* 02 1045-1048 vol.2
- Cham Kiong Queck**, and L.E. Davis. Bandwidth and losses of 4-port ferrite coupled line circulators; *MWSYM* 02 1475-1478 vol.3
- Chan, C.H.**, see Ru-Shan Chen, *T-MTT Apr* 02 1165-1172
- Chan, K.-P.**, see Wu, J., *MWSYM* 02 323-326 vol.1
- Chan, P.C.H.**, see Xiao Huo, *MWSYM* 02 513-516 vol.1
- Chan, P.C.H.**, see Xiao Huo, *RFIC* 02 403-406
- Chan Chi Hou**, see Chung-Chi Huang, *MWSYM* 02 2045-2048 vol.3
- Chandramouli, S.**, W.D. Jimison, and E. Funk. Direct carrier modulation for wireless digital communications using an improved microwave-photonics vector modulator (MPVM) approach; *MWSYM* 02 1293-1296 vol.2
- Chang, C.H.**, J.Y. Qian, B.A. Cetiner, Q. Xu, M. Bachman, H.K. Kim, Y. Ra, F. De Flaviis, and G.P. Li. RF MEMS capacitive switches fabricated with HDICP CVD SiN_x; *MWSYM* 02 231-234 vol.1
- Chang, C.H.**, see Meng, C.C., *MWSYM* 02 2161-2164 vol.3
- Chang, C.H.**, see Cetiner, B.A., *MWSYM* 02 1333-1336 vol.2
- Chang, C.T.**, see Jacobs, E.W., *T-MTT Feb* 02 413-419
- Chang, C.T.M.**, see Asbeck, P., *T-MTT Mar* 02 900-909
- Chang, D.**, see Fetterman, H., *MWSYM* 02 1937-1940 vol.3
- Chang, K.**, R.A. York, P.S. Hall, and T. Itoh. Active integrated antennas; *T-MTT Mar* 02 937-944
- Chang, K.**, see Strassner, B., *T-MTT May* 02 1431-1432
- Chang, M.F.**, see Hyunchol Shin, *MWSYM* 02 477-480 vol.1
- Chang, M.F.**, see Hyunchol Shin, *RFIC* 02 71-74
- Chang Chin-Chang**, see Sor, J., *T-MTT Aug* 02 1877-1884
- Chang Chi-Yang**, see Ching-Wen Tang, *MWSYM* 02 2201-2204 vol.3
- Chang Chi-Yang**, see Chi-Yang Chang, *MWSYM* 02 1609-1612 vol.3
- Chang Chi-Yang**, see Chi-Yang Chang, *T-MTT Nov* 02 2527-2536
- Chang Chun-Yen**, see Kun-Ming Chen, *MWSYM* 02 405-408 vol.1
- Chang Da-Chiang**, see Da-Chiang Chang, *T-MTT Apr* 02 1114-1119
- Chang Ho Lee**, see Sangwoo Han, *T-MTT Apr* 02 1173-1179
- Chang-Hyeon Lee**, see Reddy, M., *RFIC* 02 35-38
- Chang Jae-Hong**, see Jae-Hong Chang, *MWSYM* 02 529-532 vol.1
- Chang Jae-Hong**, see Yong-Sik Youn, *MWSYM* 02 17-20 vol.1
- Chang Jae-Hong**, see Jae-Hong Chang, *RFIC* 02 419-422
- Chang Jae-Hong**, see Yong-Sik Youn, *RFIC* 02 271-274
- Chang Jia-Xian**, see Wei-Zen Chen, *RFIC* 02 169-172
- Chang Kai**, see Rodenbeck, C.T., *MWSYM* 02 57-60 vol.1
- Chang Kai**, see Young-Ho Suh, *MWSYM* 02 1321-1324 vol.2
- Chang Kai**, see Chunlei Wang, *MWSYM* 02 1325-1328 vol.2
- Chang Kai**, see Strassner, B., *MWSYM* 02 1535-1538 vol.3
- Chang Kai**, see Young-Ho Suh, *MWSYM* 02 1297-1300 vol.2
- Chang Kai**, see Tae-Yeoul Yun, *T-MTT Jan* 02 105-111
- Chang Kai**, see Lung-Hwa Hsieh, *T-MTT Feb* 02 453-460
- Chang Kai**, see Young-Ho Suh, *T-MTT May* 02 1289-1296
- Chang Kai**, see Tae-Yeoul Yun, *T-MTT May* 02 1303-1310
- Chang Kai**, see Lung-Hwa Hsieh, *T-MTT May* 02 1340-1345
- Chang Kai**, see Young-Ho Suh, *T-MTT Jul* 02 1784-1789
- Chang Kai**, see Lung-Hwa Hsieh, *T-MTT Jul* 02 1795-1800
- Chang Kai**, see Strassner, B., *T-MTT Aug* 02 1870-1876
- Chang Kai**, see Chih-Hung Tsai, *T-MTT Aug* 02 1919-1926
- Changning Ma**, Zhizhang Chen, and An-ping Zhao. Development of an unconditionally stable full-wave 2D ADI-FDTD method for analysis of arbitrary waveguiding structures; *MWSYM* 02 2049-2052 vol.3
- Chang Sheng-Fuh**, see Jia-Liang Chen, *MWSYM* 02 101-104 vol.1
- Chang-Yul Cheon**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Changyul Cheon**, see No-Weon Kang, *MWSYM* 02 1143-1146 vol.2
- Chan Mansun**, see Sang Lam, *MWSYM* 02 677-680 vol.2
- Chan Woo Park**, see Bongki Mheen, *MWSYM* 02 413-416 vol.1
- Chan Yi-Jen**, see Hsien-Chin Chiu, *MWSYM* 02 521-524 vol.1
- Chan Yi-Jen**, see Shih-Cheng Yang, *MWSYM* 02 2153-2156 vol.3
- Chan Yi-Jen**, see Hsien-Chin Chiu, *RFIC* 02 411-414
- Chao, C.-J.**, Shyh-Chyi Wong, Chia-Jen Hsu, Ming-Jer Chen, and Len-Yi Leu. Characterization and modeling of on-chip inductor substrate coupling effect; *MWSYM* 02 157-160 vol.1
- Chao Chuan-Jane**, see Chuan-Jane Chao, *RFIC* 02 311-314
- Chao Pane-Chane**, see Tzeng, B., *T-MTT Nov* 02 2564-2568
- Chapman, M.W.**, and S. Raman. A 60-GHz uniplanar MMIC 4 x subharmonic mixer; *T-MTT Nov* 02 2580-2588
- Chappell, W.J.**, see Xun Gong, *MWSYM* 02 1091-1094 vol.2
- Chattaraj, B.**, see Devabhaktuni, V., *MWSYM* 02 1097-1100 vol.2
- Chaubet, M.**, see Cibiel, G., *MWSYM* 02 691-694 vol.2
- Chaudhuri, S.K.**, see Lan, K., *MWSYM* 02 887-890 vol.2
- Chaudhuri, S.K.**, see Yaxun Liu, *MWSYM* 02 1901-1904 vol.3
- Chaudhuri, S.K.**, see Borji, A., *MWSYM* 02 2105-2108 vol.3
- Chaudhuri, S.K.**, see Shams-Zadeh-Amiri, A.M., *T-MTT Nov* 02 2480-2490
- Chaudhuri, S.K.**, see Shams-Zadeh-Amiri, A.M., *T-MTT Nov* 02 2491-2498
- Chavez-Cerda, S.**, see Gutierrez-Vega, J.C., *T-MTT Apr* 02 1095-1100
- Chebolu, S.**, see Kishk, A.A., *T-MTT Oct* 02 2287-2293
- Chee How Lee**, see Yoke Choy Leong, *MWSYM* 02 1165-1168 vol.2
- Chee How Lee**, see Kian Sen Ang, *T-MTT Sep* 02 2147-2152
- Chee Leong Tan**, see Yong Zhong Xiong, *T-MTT Apr* 02 1109-1113
- Chen, A.**, see Ivanov, T., *MWSYM* 02 183-186 vol.1
- Chen, A.**, see Ivanov, T., *RFIC* 02 337-340
- Chen, C.**, see Feng, H., *MWSYM* 02 553-556 vol.1
- Chen, C.**, see Feng, H., *RFIC* 02 443-446
- Chen, C.H.**, see Hsu, H.-M., *T-MTT Dec* 02 2873-2881
- Chen, C.-W.**, see Hsu, H.-M., *T-MTT Dec* 02 2873-2881
- Chen, K.J.**, see Xiao Huo, *MWSYM* 02 513-516 vol.1
- Chen, K.J.**, see Xiao Huo, *RFIC* 02 403-406
- Chen, S.B.**, C.H. Lai, A. Chin, J.C. Hsieh, and J. Liu. RF MIM capacitors using high-K Al₂O₃ and AlTiO_x dielectrics; *MWSYM* 02 201-204 vol.1
- Chen, Y.C.**, C.K. Wu, and C.K.C. Tzuang. Dual-frequency electric-magnetic-electric microstrip leaky-mode antenna of a single fan beam; *T-MTT Dec* 02 2713-2720
- Chen Cheng-Chung**, see Chi-Yang Chang, *MWSYM* 02 1609-1612 vol.3
- Chen Chia-Pei**, see Ming-Dou Ker, *MWSYM* 02 537-540 vol.1
- Chen Chia-Pei**, see Ming-Dou Ker, *RFIC* 02 427-430
- Chen Chih-Wei**, see Heng-Ming Hsu, *MWSYM* 02 1027-1030 vol.2
- Chen Chung-Hsu**, see Tzeng, B., *T-MTT Nov* 02 2564-2568
- Chen Chun Hsiung**, see Yo-Shen Lin, *MWSYM* 02 2213-2216 vol.3
- Chen Chun Hsiung**, see Heng-Ming Hsu, *MWSYM* 02 1027-1030 vol.2
- Cheng, J.**, see Peihua Ye, *MWSYM* 02 175-178 vol.1
- Cheng, J.**, see Peihua Ye, *RFIC* 02 329-332
- Cheng, K.-K.M.**, see Wu, J., *MWSYM* 02 323-326 vol.1
- Cheng, K.-K.M.**, see Chun-Wah Fan, *T-MTT Jul* 02 1801-1806
- Cheng, K.-K.M.**, see Yong-Jiu Zhao, *T-MTT Jul* 02 1844-1848
- Cheng-Chung Chen**, see Chi-Yang Chang, *MWSYM* 02 1609-1612 vol.3
- Chenghao Yuan**, and Zhizhang Chen. Towards accurate time-domain simulation of highly conductive materials; *MWSYM* 02 1135-1138 vol.2
- Chenghao Yuan**, and Zhizhang Chen. A three-dimensional unconditionally stable ADI-FDTD method in the cylindrical coordinate system; *T-MTT Oct* 02 2401-2405
- Cheng-Kuo Lin**, see Shih-Cheng Yang, *MWSYM* 02 2153-2156 vol.3
- Cheng Nai-Shuo**, see Fowler, T., *RFIC* 02 41-44
- Cheng Qingsha**, see Bandler, J.W., *MWSYM* 02 713-716 vol.2
- Chen Houfei**, see Houfei Chen, *MWSYM* 02 983-986 vol.2
- Chen Ji**, see Feng Liu, *T-MTT Feb* 02 570-577
- Chen Jia-Liang**, see Jia-Liang Chen, *MWSYM* 02 101-104 vol.1
- Chen Kun-Ming**, see Kun-Ming Chen, *MWSYM* 02 405-408 vol.1
- Chen Lee-Yin**, see Pengcheng Jia, *T-MTT May* 02 1355-1360
- Chen Ming-Jer**, see Chao, C.-J., *MWSYM* 02 157-160 vol.1
- Chen Ming-Jer**, see Chuan-Jane Chao, *RFIC* 02 311-314
- Chen Ming-Yi**, see Shau-Gang Mao, *T-MTT Nov* 02 2624-2628
- Chen Ru-Shan**, see Ru-Shan Chen, *T-MTT Apr* 02 1165-1172
- Chen Shyue-Dar**, see Shyue-Dar Chen, *T-MTT May* 02 1370-1379
- Chen Suibing**, see Wenquan Che, *T-MTT Aug* 02 1912-1918
- Chen Tong**, see Tong Chen, *MWSYM* 02 773-776 vol.2
- Chen Wei-Zen**, see Wei-Zen Chen, *RFIC* 02 169-172
- Chen Xiyang**, see Xiyang Chen, *MWSYM* 02 1281-1284 vol.2
- Chen Yinchao**, see Qunsheng Cao, *T-MTT Jun* 02 1578-1589
- Chen Yu-Chiao**, see Ching-Kuo Wu, *MWSYM* 02 1083-1086 vol.2
- Chen Yung-Jinn**, see Gould, P., *T-MTT Jan* 02 369-376
- Chen Zhizhang**, see Chenghao Yuan, *MWSYM* 02 1135-1138 vol.2
- Chen Zhizhang**, see Changning Ma, *MWSYM* 02 2049-2052 vol.3
- Chen Zhizhang**, see Chenghao Yuan, *T-MTT Oct* 02 2401-2405
- Cheon, C.**, see Kang, N.-W., *T-MTT Dec* 02 2734-2740
- Cheon Chang-Yul**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Cheon Changyul**, see No-Weon Kang, *MWSYM* 02 1143-1146 vol.2
- Cherepko, S.V.**, see Shirokov, M.S., *T-MTT Apr* 02 1084-1094
- Cheung Chun-Tung**, see Chun-Tung Cheung, *MWSYM* 02 1523-1526 vol.3
- Chew, W.C.**, see Teixeira, F.L., *T-MTT Jan* 02 30-35
- Che Wenquan**, see Wenquan Che, *T-MTT Aug* 02 1912-1918
- Chew Siou-Teck**, see Swee-Ann Teo, *T-MTT Feb* 02 440-445
- Chia-Cheng Chuang**, see Chih-Ming Tsai, *MWSYM* 02 1927-1930 vol.3
- Chia-Jen Hsu**, see Chao, C.-J., *MWSYM* 02 157-160 vol.1
- Chia-Jen Hsu**, see Chuan-Jane Chao, *RFIC* 02 311-314
- Chia-Pei Chen**, see Ming-Dou Ker, *MWSYM* 02 537-540 vol.1
- Chia-Pei Chen**, see Ming-Dou Ker, *RFIC* 02 427-430
- Chi Baoyong**, see Baoyong Chi, *MWSYM* 02 561-564 vol.1
- Chi Baoyong**, see Baoyong Chi, *RFIC* 02 451-454
- Chien-Liang Kuo**, see Wei-Zen Chen, *RFIC* 02 169-172
- Chien-Ming Lee**, see Ming-Dou Ker, *MWSYM* 02 537-540 vol.1
- Chien-Ming Lee**, see Ming-Dou Ker, *RFIC* 02 427-430
- Chih-Hung Tsai**, Y.A. Yang, Shyh-Jong Chung, and Kai Chang. A novel amplifying antenna array using patch-antenna couplers-design and measurement; *T-MTT Aug* 02 1919-1926
- Chih-Ming Tsai**, Sheng-Yuan Lee, Chia-Cheng Chuang, and Chin-Chuan Tsai. A folded coupled-line structure and its application to filter and diplexer design; *MWSYM* 02 1927-1930 vol.3
- Chih-Ming Tsai**, Sheng-Yuan Lee, and Chin-Chuan Tsai. Performance of a planar filter using a 0 feed structure; *T-MTT Oct* 02 2362-2367
- Chi Hou Chan**, see Chung-Chi Huang, *MWSYM* 02 2045-2048 vol.3
- Chih-Wei Chen**, see Heng-Ming Hsu, *MWSYM* 02 1027-1030 vol.2
- Chih-Wei Chen**, see Shih-Cheng Yang, *MWSYM* 02 2153-2156 vol.3
- Chin, A.**, see Chen, S.B., *MWSYM* 02 201-204 vol.1

- Chin-Chang Chang**, see Sor, J., *T-MTT Aug 02* 1877-1884
- Chin-Chuan Tsai**, see Chih-Ming Tsai, *MWSYM 02* 1927-1930 vol.3
- Chin-Chuan Tsai**, see Chih-Ming Tsai, *T-MTT Oct 02* 2362-2367
- Ching-Kuang Cliver Tzuang**, see Ching-Kuo Wu, *T-MTT Aug 02* 1996-2004
- Ching-Kuo Wu**, Yu-Chiao Chen, and C.-K.C. Tzuang. Dispersion characteristics of EME microstrip at first higher order; *MWSYM 02* 1083-1086 vol.2
- Ching-Kuo Wu**, Hsien-Shun Wu, and Ching-Kuang Cliver Tzuang. Electric-magnetic-electric slow-wave microstrip line and bandpass filter of compressed size; *T-MTT Aug 02* 1996-2004
- Ching-Lang Lin**, see Chakraborty, S., *MWSYM 02* 1253-1256 vol.2
- Ching-Wen Hsue**, see Da-Chiang Chang, *T-MTT Apr 02* 1114-1119
- Ching-Wen Hsue**, see Te-Wen Pan, *T-MTT Nov 02* 2558-2563
- Ching-Wen Tang**, and Chi-Yang Chang. A semi-lumped balun fabricated by low temperature co-fired ceramic; *MWSYM 02* 2201-2204 vol.3
- Chiu Hsien-Chin**, see Hsien-Chin Chiu, *MWSYM 02* 521-524 vol.1
- Chiu Hsien-Chin**, see Shih-Cheng Yang, *MWSYM 02* 2153-2156 vol.3
- Chiu Hsien-Chin**, see Hsien-Chin Chiu, *RFIC 02* 411-414
- Chi-Yang Chang**, see Ching-Wen Tang, *MWSYM 02* 2201-2204 vol.3
- Chi-Yang Chang**, Cheng-Chung Chen, and Hong-Jie Huang. Folded quarter-wave resonator filters with Chebyshev, flat group delay, or quasi-elliptical function response; *MWSYM 02* 1609-1612 vol.3
- Chi-Yang Chang**, and Wei-Chen Hsu. Novel planar, square-shaped, dielectric-waveguide, single-, and dual-mode filters; *T-MTT Nov 02* 2527-2536
- Cho, M.**, see Han, H., *MWSYM 02* 1075-1078 vol.2
- Cho, Y.H.**, and H.J. Eom. Analysis of a ridge waveguide using overlapping T-blocks; *T-MTT Oct 02* 2368-2373
- Choi, D.K.**, and S.I. Long. Finite DC feed inductor in class E power amplifiers-a simplified approach; *MWSYM 02* 1643-1646 vol.3
- Choi, S.C.**, D.H. Kwon, K.H. Kim, and S.W. Hwang. Quantitative extraction and compensation of excess inductance: case study of a digital attenuator chip; *MWSYM 02* 2249-2252 vol.3
- Choi, Y.**, see Kim, D., *T-MTT Dec 02* 2903-2909
- Choi Byounggi**, see Sanghoon Kang, *MWSYM 02* 279-283 vol.1
- Choi Byounggi**, see Sanghoon Kang, *RFIC 02* 363-366
- Choi Jae Ick**, see Soon Ik Jeon, *MWSYM 02* 1341-1343 vol.2
- Choi Jae-Ick**, see Young-Bae Jung, *MWSYM 02* 1337-1340 vol.2
- Choi Yoonsu**, see Dongsu Kim, *MWSYM 02* 1471-1474 vol.3
- Choi Young Kyun**, see Soon Ik Jeon, *MWSYM 02* 1341-1343 vol.2
- Choi Young-Wan**, see Soon-Cheol Kong, *T-MTT Nov 02* 2589-2597
- Cho Je-Kwang**, see Bonkee Kim, *RFIC 02* 137-140
- Chongcheawchamnan, M.**, see Ng, C.Y., *MWSYM 02* 113-116 vol.1
- Chongcheawchamnan, M.**, S. Bunnjaweht, D. Kpogla, D. Lee, and I.D. Robertson. Microwave I-Q vector modulator using a simple technique for compensation of FET parasitics; *T-MTT Jun 02* 1642-1646
- Chongcheawchamnan, M.**, see Ng, C.Y., *MWSYM 02* 2209-2212 vol.3
- Choong-Ki Kim**, see Jae-Hong Chang, *MWSYM 02* 529-532 vol.1
- Choong-Ki Kim**, see Jae-Hong Chang, *RFIC 02* 419-422
- Choong-Mo Nam**, see Inho Jeong, *MWSYM 02* 661-664 vol.2
- Choong-Mo Nam**, see Dong-Wook Kim, *MWSYM 02* 1561-1564 vol.3
- Chopra, S.**, A. Pham, J. Gaillard, and A.M. Rao. Development of RF carbon nanotube resonant circuit sensors for gas remote sensing applications; *MWSYM 02* 639-642 vol.2
- Chorng-Kuang Wang**, see Ren-Chieh Liu, *RFIC 02* 221-224
- Chou, C.K.**, see Richard, M., *MWSYM 02* 1743-1746 vol.3
- Choumei, K.**, see Angelov, I., *MWSYM 02* 2137-2140 vol.3
- Chousseaud, A.**, see Avrillon, S., *MWSYM 02* 1173-1176 vol.2
- Chow, J.**, see Liyang Zhang, *RFIC 02* 85-88
- Chow, Y.L.**, see Tang, W.C., *MWSYM 02* 2069-2072 vol.3
- Choy Leong Yoke**, see Yoke Choy Leong, *MWSYM 02* 1165-1168 vol.2
- Choy Leong Yoke**, see Kian Sen Ang, *T-MTT Aug 02* 1990-1995
- Choy Leong Yoke**, see Kian Sen Ang, *T-MTT Sep 02* 2147-2152
- Christ, J.**, see Butz, J., *MWSYM 02* 61-64 vol.1
- Christoffersen, C.E.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Christoffersen, C.E.**, S. Velu, and M.B. Steer. A universal parameterized nonlinear device model formulation for microwave circuit simulation; *MWSYM 02* 2189-2192 vol.3
- Christoffersen, C.E.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- Chuan, J.**, see Sancho, S., *MWSYM 02* 2185-2188 vol.3
- Chuang Chia-Cheng**, see Chih-Ming Tsai, *MWSYM 02* 1927-1930 vol.3
- Chuan-Jane Chao**, Shyh-Chyi Wong, Chia-Jen Hsu, Ming-Jer Chen, and Len-Yi Leu. Characterization and modeling of on-chip inductor substrate coupling effect; *RFIC 02* 311-314
- Chu Duc**, see Yuen, C., *MWSYM 02* 481-484 vol.1
- Chul-Dong Kim**, see Si-Gyun Jeong, *MWSYM 02* 1161-1164 vol.2
- Chul Ho Kim**, see Jae Hyuk Jang, *MWSYM 02* 673-676 vol.2
- Chulhun Seo**, see Serksoun Im, *MWSYM 02* 1801-1804 vol.3
- Chul-Soo Kim**, Jong-Sik Lim, Sangwook Nam, Kwang-Yong Kang, Jong-Im Park, Geun-Young Kim, and Dal Ahn. The equivalent circuit modeling of defected ground structure with spiral shape; *MWSYM 02* 2125-2128 vol.3
- Chumachenko, V.P.**, and V.P. Pyankov. Corrections to "Numerical analysis of complicated waveguide circuits on the basis on generalized scattering matrices and domain product technique" [Feb 00 305-308]; *T-MTT Jun 02* 1652
- Chung, H.-Y.R.**, see Nickel, J.G., *T-MTT May 02* 1392-1399
- Chung, W.-K.**, see Wu, J., *MWSYM 02* 323-326 vol.1
- Chung, Y.H.**, see Yang, J.M., *MWSYM 02* 65-68 vol.1
- Chung, Y.-S.**, see Kang, N.-W., *T-MTT Dec 02* 2734-2740
- Chung-Chi Huang**, Leung Tsang, and Chi Hou Chan. Multiple scattering among vias in planar waveguides using SMCG method; *MWSYM 02* 2045-2048 vol.3
- Chun Geik Tan**, see Dasgupta, U., *RFIC 02* 195-198
- Chun Geik Tan**, see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Chung-Hsu Chen**, see Tzeng, B., *T-MTT Nov 02* 2564-2568
- Chung Minchul**, see Woonyun Kim, *T-MTT Jul 02* 1714-1722
- Chung-Rung Lee**, see Ren-Chieh Liu, *RFIC 02* 221-224
- Chung Shyh-Jong**, see Chih-Hung Tsai, *T-MTT Aug 02* 1919-1926
- Chung Young-Seek**, see No-Weon Kang, *MWSYM 02* 1143-1146 vol.2
- Chung Younkyyu**, see Younkyyu Chung, *MWSYM 02* 433-436 vol.1
- Chung Yun-Ho**, see Samoska, L., *MWSYM 02* 429-432 vol.1
- Chun-Hsien Lien**, see Tzeng, B., *T-MTT Nov 02* 2564-2568
- Chun Hsiung Chen**, see Yo-Shen Lin, *MWSYM 02* 2213-2216 vol.3
- Chun Hsiung Chen**, see Heng-Ming Hsu, *MWSYM 02* 1027-1030 vol.2
- Chunlei Wang**, C.T. Rodenbeck, M.R. Coutant, and Kai Chang. A novel broadband T/R module for phased array applications in wireless communications; *MWSYM 02* 1325-1328 vol.2
- Chun-Long Wang**, and Ruey-Beei Wu. A locally matching technique for broadband flip-chip transition design; *MWSYM 02* 1397-1400 vol.3
- Chun-Tung Cheung**, J.B. Hacker, G. Nagy, and D.B. Rutledge. A waveguide mode-converter feed for a 5-W, 34-GHz grid amplifier; *MWSYM 02* 1523-1526 vol.3
- Chun-Wah Fan**, and K.-K.M. Cheng. Theoretical and experimental study of amplifier linearization based on harmonic and baseband signal injection technique; *T-MTT Jul 02* 1801-1806
- Chun-Yen Chang**, see Kun-Ming Chen, *MWSYM 02* 405-408 vol.1
- Chun Young-Hoon**, see Young-Hoon Chun, *MWSYM 02* 1911-1914 vol.3
- Chunyu Xin**, see Wenjun Sheng, *RFIC 02* 107-110
- Cibiel, G.**, see Bary, L., *MWSYM 02* 275-278 vol.1
- Cibiel, G.**, M. Regis, O. Llopis, Y. Kersale, V. Giordano, H. Lafontaine, R. Plana, and M. Chaubet. Ultra low phase noise SiGe HBT. Application to a C band sapphire resonator oscillator; *MWSYM 02* 691-694 vol.2
- Cibiel, G.**, see Bary, L., *RFIC 02* 359-362
- Cidronali, A.**, G. Collodi, M. Camprini, V. Nair, G. Manes, J. Lewis, and H. Goronkin. Ultra low-power VCO based on InP-HEMT and heterojunction interband tunnel diode for wireless application; *MWSYM 02* 43-47 vol.1
- Cidronali, A.**, G. Collodi, M. Camprini, V. Nair, G. Manes, J. Lewis, and H. Goronkin. Ultra low-power VCO based on InP-HEMT and heterojunction interband tunnel diode for wireless application; *RFIC 02* 297-300
- Cidronali, A.**, G. Collodi, A. Santarelli, G. Vannini, and G. Manes. Millimeter-wave FET modeling using on-wafer measurements and EM simulation; *T-MTT Feb 02* 425-432
- Cidronali, A.**, G. Collodi, M. Camprini, V. Nair, G. Manes, J. Lewis, and H. Goronkin. Ultralow DC power VCO based on InP-HEMT and heterojunction interband tunnel diode for wireless applications; *T-MTT Dec 02* 2938-2946
- Civitanes, L.**, see Lacava, J.C.D.S., *T-MTT Jan 02* 22-26
- Clark, C.J.**, C.P. Silva, A.A. Moulthrop, and M.S. Muha. Power-amplifier characterization using a two-tone measurement technique; *T-MTT Jun 02* 1590-1602
- Clark, J.S., IV**, see Nuteson, T.W., *MWSYM 02* 307-310 vol.1
- Clark, J.S., IV**, see Nuteson, T.W., *T-MTT Dec 02* 3043-3051
- Cliver Tzuang Ching-Kuang**, see Ching-Kuo Wu, *T-MTT Aug 02* 1996-2004
- Cloete, J.H.**, see Bingle, M., *T-MTT Jun 02* 1621-1627
- Cocchetti, F.**, see Pierantoni, L., *MWSYM 02* 891-894 vol.2
- Cochran, W.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Cochran, W.**, see Ivanov, T., *RFIC 02* 337-340
- Cognata, A.**, see Scott, J., *MWSYM 02* 1669-1672 vol.3
- Cognata, A.**, see Scott, J.B., *T-MTT Dec 02* 3022-3028
- Cogollos, S.**, see Boria, V.E., *MWSYM 02* 393-396 vol.1
- Cogollos, S.**, see Esteban, H., *T-MTT Apr 02* 1219-1224
- Cohen, S.**, see Wasige, E., *MWSYM 02* 733-736 vol.2
- Cohen, S.**, see Sheinman, B., *T-MTT Dec 02* 2804-2810
- Cola, A.**, see Xiyang Chen, *MWSYM 02* 1281-1284 vol.2
- Colantonio, P.**, F. Giannini, G. Leuzzi, and E. Limiti. Harmonic tuned PAs design criteria; *MWSYM 02* 1639-1642 vol.3
- Collantes, J.-M.**, see Anakabe, A., *MWSYM 02* 2181-2184 vol.3
- Collins, O.M.**, see Vasudev, N., *T-MTT Sep 02* 2083-2089
- Collins, O.M.**, see Vasudev, N., *T-MTT Nov 02* 2569-2575
- Collodi, G.**, see Cidronali, A., *MWSYM 02* 43-47 vol.1
- Collodi, G.**, see Cidronali, A., *RFIC 02* 297-300
- Collodi, G.**, see Cidronali, A., *T-MTT Feb 02* 425-432
- Collodi, G.**, see Cidronali, A., *T-MTT Dec 02* 2938-2946
- Comez, M.**, see Roselli, L., *MWSYM 02* 1711-1714 vol.3

- Conciauro, G.**, see Boria, V.E., *MWSYM 02* 393-396 vol.1
- Conciauro, G.**, see Bozzi, M., *T-MTT Jul 02* 1853-1855
- Condon, M.** Efficient transient simulation of transmission lines; *MWSYM 02* 2065-2068 vol.3
- Conforti, E.**, C.M. Gallep, S.H. Ho, A.C. Bordonalli, and Sung-Mo Kang. Carrier reuse with gain compression and feed-forward semiconductor optical amplifiers; *T-MTT Jan 02* 77-81
- Consonni, D.**, see Viveiros, D., Jr., *T-MTT Aug 02* 1885-1889
- Cook, J.**, see Darwish, A., *MWSYM 02* 109-112 vol.1
- Coolbaugh, D.**, E. Eshun, R. Groves, D. Hararnel, J. Johnson, A. Harnmad, Z. He, V. Ramachandran, K. Stein, S. St Onge, S. Subbanna, D. Wang, R. Volant, X. Wang, and K. Watson. Advanced passive devices for enhanced integrated RF circuit performance; *MWSYM 02* 187-191 vol.1
- Coolbaugh, D.**, E. Eshun, R. Groves, D. Harame, J. Johnson, M. Hammad, Z. He, V. Ramachandran, K. Stein, S. St Onge, S. Subbanna, D. Wang, R. Volant, X. Wang, and K. Watson. Advanced passive devices for enhanced integrated RF circuit performance; *RFIC 02* 341-344
- Coral, C.**, see Rocha, M.L., *T-MTT Jan 02* 88-93
- Corbella, I.**, A.J. Gasiewski, M. Klein, V. Leuski, A.J. Francavilla, and J.R. Piepmeier. On-board accurate calibration of dual-channel radiometers using internal and external references; *T-MTT Jul 02* 1816-1820
- Cordeau, D.**, J.-M. Paillot, H. Cam, G. De Astis, and L. Dascalescu. A fully monolithic SiGe quadrature voltage controlled oscillator design for GSM/DCS-PCS applications; *MWSYM 02* 565-568 vol.1
- Cordeau, D.**, J.-M. Paillot, H. Cam, G. De Astis, and L. Dascalescu. A fully monolithic SiGe quadrature voltage controlled oscillator design for GSM/DCS-PCS applications; *RFIC 02* 455-458
- Cordier, C.**, see Brunel, D., *RFIC 02* 191-194
- Corral, J.L.**, see Madrid, D., *MWSYM 02* 1945-1948 vol.3
- Corral, J.L.**, see Vidal, B., *MWSYM 02* 1949-1952 vol.3
- Cosentino, S.**, see Das, A., *MWSYM 02* 171-174 vol.1
- Cosentino, S.**, see Das, A., *RFIC 02* 325-328
- Costa, J.C.W.A.**, see Dmitriev, V.A., *T-MTT Jan 02* 27-29
- Costa Freire, J.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Costantini, A.**, R.P. Paganelli, P.A. Traverso, D. Argento, G. Favre, M. Pagani, A. Santarelli, G. Vannini, and F. Filicori. Accurate prediction of PHEMT intermodulation distortion using the nonlinear discrete convolution model; *MWSYM 02* 857-860 vol.2
- Costanzo, A.**, see Rizzoli, V., *MWSYM 02* 123-126 vol.1
- Coulombe, M.**, J. Waldman, R. Giles, A. Gatesman, T. Goyette, and W. Nixon. Submillimeter-wave polarimetric compact ranges for scale-model radar measurements; *MWSYM 02* 1583-1586 vol.3
- Coutant, A.**, see Carroll, J.M., *MWSYM 02* 489-492 vol.1
- Coutant, M.R.**, see Chunlei Kang, *MWSYM 02* 1325-1328 vol.2
- Craddock, I.J.**, see Boon Ping Koh, *MWSYM 02* 1139-1142 vol.2
- Crama, P.**, Y. Rolain, W. Van Moer, and J. Schoukens. Separation of the nonlinear source-pull from the nonlinear system behavior; *T-MTT Aug 02* 1890-1894
- Crescenzi, E.J., Jr.** A 20 W 2080-2200 MHz hybrid power amplifier optimized for error amplifier applications; *MWSYM 02* 613-616 vol.2
- Crescenzi, E.J., Jr.** An inverted coplanar coupler with integral microstrip interfaces and bias crossover; *MWSYM 02* 1169-1172 vol.2
- Cressler, J.D.**, see Jin Tang, *MWSYM 02* 179-182 vol.1
- Cressler, J.D.**, see Qingqing Liang, *MWSYM 02* 517-520 vol.1
- Cressler, J.D.**, see Jeiyoun Lee, *MWSYM 02* 1261-1264 vol.2
- Cressler, J.D.**, see Jin Tang, *RFIC 02* 333-336
- Cressler, J.D.**, see Qingqing Liang, *RFIC 02* 407-410
- Cressler, J.D.**, see Jin Tang, *T-MTT Nov 02* 2467-2473
- Crino, V.**, C. Tomassoni, and M. Mongiardo. Line-integral formulation of the hybrid MM/FEM technique; *MWSYM 02* 2033-2036 vol.3
- Cripps, S.**, see Raab, F.H., *T-MTT Mar 02* 814-826
- Cros, D.**, see Paillot, T., *MWSYM 02* 1793-1796 vol.3
- Cros, D.**, see Piquet, O., *MWSYM 02* 1993-1996 vol.3
- Crowe, T.W.**, see Kurtz, D.S., *T-MTT Nov 02* 2610-2617
- Cryan, M.J.**, G.R. Buesnel, and P.S. Hall. Analysis and control of harmonic radiation from active integrated oscillator antennas; *T-MTT Nov 02* 2639-2646
- Csornyei, M.**, T. Berceli, T. Banky, T. Marozsak, and P.R. Herczföld. A new approach for RIN peak and phase noise suppression in microchip lasers; *MWSYM 02* 1377-1380 vol.2
- Culver, J.**, see Naylor, J., *MWSYM 02* 669-672 vol.2
- Cuoco, V.**, M.P. van den Heijden, and L.C.N. de Vreede. The "Smoothie" data base model for the correct modeling of non-linear distortion in FET devices; *MWSYM 02* 2149-2152 vol.3
- Currie, M.**, see Xiyang Chen, *MWSYM 02* 1281-1284 vol.2
- D**
- Da-Chiang Chang**, and Ching-Wen Hsue. Wide-band equal-ripple filters in nonuniform transmission lines; *T-MTT Apr 02* 1114-1119
- Da Gang Fang**, see Ru-Shan Chen, *T-MTT Apr 02* 1165-1172
- Dahlstrom, M.**, see Yun Wei, *MWSYM 02* 917-920 vol.2
- Dal Ahn**, see Jong-Sik Lim, *MWSYM 02* 1153-1156 vol.2
- Dal Ahn**, see Chul-Soo Kim, *MWSYM 02* 2125-2128 vol.3
- Dal Ahn**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Dal Ahn**, see Jun-Seok Park, *T-MTT Sep 02* 2037-2043
- Dale, I.**, see Priestley, N., *MWSYM 02* 1863-1866 vol.3
- Dalmia, S.**, F. Ayazi, M. Swaminathan, Sung Hwan Min, Seock Hee Lee, Woopoung Kim, Dongsu Kim, S. Bhattacharya, V. Sundaram, G. White, and R. Tummala. Design of inductors in organic substrates for 1-3 GHz wireless applications; *MWSYM 02* 1405-1408 vol.3
- Dalmia, S.**, see Lee, S.H., *MWSYM 02* 2229-2232 vol.3
- Dalton, E.**, see Ponchak, G.E., *MWSYM 02* 2221-2224 vol.3
- Dana, S.K.**, H. Shimasaki, and M. Tsutsumi. Efficient optical control of millimeter waves in a slot line on semiconductor plasma substrate; *T-MTT Jan 02* 207-210
- Danesh, M.**, and J.R. Long. Differentially driven symmetric microstrip inductors; *T-MTT Jan 02* 332-341
- Daniel, M.**, see Krowne, C.M., *T-MTT Feb 02* 537-548
- Danly, B.G.**, see Qiu, J., *MWSYM 02* 457-460 vol.1
- Danly, B.G.**, see Parker, R.K., *T-MTT Mar 02* 835-845
- Dao Xiang Wang**, see Ru-Shan Chen, *T-MTT Apr 02* 1165-1172
- Dao-Xian Xu**, see Ban-Leong Ooi, *T-MTT Sep 02* 2202-2206
- Darwish, A.**, see Huang, H.C., *MWSYM 02* 27-30 vol.1
- Darwish, A.**, A. Ezzeddine, H.C. Huang, K. Bumman, L. Joonyoul, Y. Sungwhan, M. Mah, and J. Cook. Vertical balun and Wilkinson divider; *MWSYM 02* 109-112 vol.1
- Darwish, A.**, see Huang, H.C., *RFIC 02* 281-284
- Daryoush, A.S.**, see Tofighi, M.R., *MWSYM 02* 1763-1766 vol.3
- Daryoush, A.S.**, see Tofighi, M.-R., *T-MTT Oct 02* 2217-2225
- Das, A.**, M. Huang, J. Mondal, D. Kaczman, C. Shurboff, and S. Cosentino. Review of SiGe process technology and its impact on RFIC design; *MWSYM 02* 171-174 vol.1
- Das, A.**, M. Huang, J. Mondal, D. Kaczman, C. Shurboff, and S. Cosentino. Review of SiGe process technology and its impact on RFIC design; *RFIC 02* 325-328
- Das, N.K.**, see Kwan, G.K.C., *T-MTT Jun 02* 1609-1620
- Dascalescu, L.**, see Cordeau, D., *MWSYM 02* 565-568 vol.1
- Dascalescu, L.**, see Cordeau, D., *RFIC 02* 455-458
- Dasgupta, U.**, Wooi Gan Yeoh, Chun Geik Tan, Sheng Jau Wong, H. Mori, R. Singh, and M. Itoh. A CMOS transmit/receive IF chip-set for WCDMA mobiles; *RFIC 02* 195-198
- Dasgupta, U.**, Wooi Gan Yeoh, Chun Geik Tan, Sheng Jau Wong, H. Mori, R. Singh, and M. Itoh. A transmit/receive IF chip set for WCDMA mobiles in 0.35- μ m CMOS; *T-MTT Nov 02* 2443-2452
- da Silva, C.R.C.M.**, and M.D. Yacoub. A generalized solution for diversity combining techniques in fading channels; *T-MTT Jan 02* 46-50
- d'Assuncao, A.G.**, see Campos, A.L.P.S., *T-MTT Jan 02* 72-76
- D'Avanzo, D.C.**, see Iwamoto, M., *MWSYM 02* 901-904 vol.2
- D'Avanzo, D.C.**, see Iwamoto, M., *T-MTT Dec 02* 2954-2962
- Davidson, D.B.**, see Bingle, M., *T-MTT Jun 02* 1621-1627
- Davis, L.E.**, see Cham Kiong Queck, *MWSYM 02* 1475-1478 vol.3
- Davis, L.E.**, see Ng, Z.M., *MWSYM 02* 1189-1192 vol.2
- Davis, L.E.**, see Adam, J.D., *T-MTT Mar 02* 721-737
- Davis, L.E.**, see Queck, C.K., *T-MTT Dec 02* 2910-2917
- Davis, M.F.**, see Yoon, S.-W., *MWSYM 02* 703-706 vol.2
- Davis, M.F.**, S.-W. Yoon, S. Mandal, N. Bushyager, M. Maeng, K. Lim, S. Pinel, A. Sutono, J. Laskar, M. Tentzeris, T. Nonaka, V. Sundaram, F. Liu, and R. Tummala. RF-microwave multi-band design solutions for multilayer organic system on package integrated passives; *MWSYM 02* 2217-2220 vol.3
- Dawson, D.**, see Samoska, L., *MWSYM 02* 429-432 vol.1
- Dearn, A.W.**, see Devlin, L.M., *MWSYM 02* 257-261 vol.1
- De Astis, G.**, see Cordeau, D., *MWSYM 02* 565-568 vol.1
- De Astis, G.**, see Cordeau, D., *RFIC 02* 455-458
- Dec, A.**, see Ionis, G.V., *MWSYM 02* 345-348 vol.1
- Dec, A.**, see Goto, K., *MWSYM 02* 2109-2112 vol.3
- de Carvalho, N.B.**, see Fager, C., *MWSYM 02* 131-134 vol.1
- de Carvalho, N.B.**, see Fager, C., *T-MTT Dec 02* 2834-2842
- deCarvalho, P.H.P.**, see Hernandez-Figueroa, H.E., *T-MTT Jan 02* 1-3
- de Ceuninck, W.**, see Vendier, O., *MWSYM 02* 1389-1392 vol.3
- Decker, K.**, see Smith, D.G., *MWSYM 02* 1245-1247 vol.2
- de Cos, E.**, see Ramirez, F., *MWSYM 02* 127-130 vol.1
- de Courville, M.**, see Bateman, D., *MWSYM 02* 803-806 vol.2
- De Flaviis, F.**, see Chang, C.H., *MWSYM 02* 231-234 vol.1
- De Flaviis, F.**, see Yoo Jin Kim, *MWSYM 02* 651-654 vol.2
- De Flaviis, F.**, see Gye-An Lee, *MWSYM 02* 1621-1624 vol.3
- De Flaviis, F.**, see Cetiner, B.A., *MWSYM 02* 1333-1336 vol.2
- De Geest, J.**, see Dhaene, T., *MWSYM 02* 2113-2116 vol.3
- de Graaff, H.C.**, see van der Heijden, M.P., *T-MTT Sep 02* 2176-2184
- DeGroot, D.C.**, see Remley, K.A., *MWSYM 02* 2169-2172 vol.3
- Dehe, A.**, K. Fricke-Neudert, and V. Krozer. Broadband thermoelectric microwave power sensors using GaAs foundry process; *MWSYM 02* 1829-1832 vol.3
- Delage, L.**, see Bazzi, H., *MWSYM 02* 421-424 vol.1

- De la Torre, A.V.P.**, see Lacava, J.C.D.S., *T-MTT Jan 02* 22-26
- Del Checcolo, M.J.**, see Russell, M.E., *T-MTT Mar 02* 674-677
- Deleniv, A.**, A. Eriksson, and S. Gevorgian. Design of narrow-band tunable band-pass filters based on dual mode SrTiO₃ disc resonators; *MWSYM 02* 1197-1200 vol.2
- Deleniv, A.**, see Eriksson, A., *MWSYM 02* 2009-2012 vol.3
- Deleniv, A.N.**, M.S. Gashinova, I.B. Vendik, and A. Eriksson. Design of an interdigital hairpin bandpass filter utilizing a model of coupled slots; *T-MTT Sep 02* 2153-2158
- DeLisio, M.P.**, and R.A. York. Quasi-optical and spatial power combining; *T-MTT Mar 02* 929-936
- Delisle, J.T.**, see Gouker, M.A., *T-MTT Jan 02* 17-21
- Della, B.**, see Vourc'h, E., *T-MTT Dec 02* 3009-3015
- De Lucia, F.C.** THz spectroscopy - techniques and applications; *MWSYM 02* 1579-1582 vol.3
- de Maagt, P.**, see Gonzalo, R., *T-MTT Oct 02* 2384-2392
- de Mendonca, L.M.**, see Campos, A.L.P.S., *T-MTT Jan 02* 72-76
- Demir, S.**, see Turan, E., *MWSYM 02* 105-108 vol.1
- De Muer, B.**, see Steyaert, M.S.J., *T-MTT Jan 02* 281-287
- Demuyne, F.**, see Sercu, J., *MWSYM 02* 2073-2076 vol.3
- DeNatale, J.F.**, see Tan, G.L., *MWSYM 02* 333-335 vol.1
- den Besten, J.H.**, see Vidal, B., *MWSYM 02* 1949-1952 vol.3
- Deng, B.H.**, C.W. Domier, A.J.H. Donne, K.C. Lee, N.C. Luhmann, Jr., E. Mazzucato, T. Munsat, H. Park, and M. van de Pol. THz techniques in plasma diagnostics; *MWSYM 02* 1587-1590 vol.3
- Dengi, A.**, see Gang Zhang, *RFIC 02* 125-128
- Deng Kuo-Liang**, see Kuo-Liang Deng, *RFIC 02* 151-154
- Denison, D.R.**, see Anderson, J.P., *T-MTT Jun 02* 1526-1535
- Denny, P.**, see Wu, G.C., *RFIC 02* 165-168
- de Raedt, W.**, see Carchon, G., *MWSYM 02* 1837-1840 vol.3
- Deslandes, D.**, see Cassivi, Y., *T-MTT Jan 02* 165-171
- Deukhyoun Heo**, see Raghavan, A., *MWSYM 02* 1019-1022 vol.2
- Devabhaktuni, V.**, B. Chatteraj, M.C.E. Yagoub, and Q.J. Zhang. Advanced microwave modeling framework exploiting automatic model generation, knowledge neural networks and space mapping; *MWSYM 02* 1097-1100 vol.2
- Devlin, L.M.**, A.W. Dearn, G.A. Pearson, P.D.L. Beasley, and G.D. Morgan. A monolithic, 2 to 18 GHz upconverter; *MWSYM 02* 257-261 vol.1
- de Vreede, L.C.N.**, see Cuoco, V., *MWSYM 02* 2149-2152 vol.3
- de Vreede, L.C.N.**, see van der Heijden, M.P., *T-MTT Sep 02* 2176-2184
- De Zutter, D.**, see Dhaene, T., *MWSYM 02* 2113-2116 vol.3
- De Zutter, D.**, see Rogier, H., *T-MTT Jul 02* 1696-1704
- Dhaene, T.**, J. De Geest, and D. De Zutter. Constrained EM-based modeling of passive components; *MWSYM 02* 2113-2116 vol.3
- Dib, N.**, and A. Omar. Dispersion analysis of multilayer cylindrical transmission lines containing magnetized ferrite substrates; *T-MTT Jul 02* 1730-1736
- Dijkmans, C.**, see Leenaerts, D., *RFIC 02* 67-70
- Di Massa, G.**, see Boccia, L., *MWSYM 02* 69-73 vol.1
- DiNallo, C.**, see Richard, M., *MWSYM 02* 1743-1746 vol.3
- Ding, R.**, see Xu, J., *T-MTT Dec 02* 2769-2780
- Ding Runtao**, see Jianjun Xu, *MWSYM 02* 1101-1104 vol.2
- Ding Xiaohui**, see Akhtar, S., *T-MTT Jun 02* 1561-1570
- D'Inzeo, G.**, see Apollonio, F., *MWSYM 02* 1751-1754 vol.3
- D'Inzeo, G.**, see Apollonio, F., *T-MTT Dec 02* 3029-3035
- Dionigi, M.**, see Fratticcioli, E., *MWSYM 02* 647-650 vol.2
- Dionigi, M.**, see Gatti, R.V., *MWSYM 02* 871-874 vol.2
- Dionne, G.F.**, see Adam, J.D., *T-MTT Mar 02* 721-737
- Diskus, C.G.**, see Ettinger, K., *MWSYM 02* 835-838 vol.2
- Dmitriev, V.A.**, and J.C.W.A. Costa. Theoretical investigation of compact microstrip resonators with stubs for patch antennas; *T-MTT Jan 02* 27-29
- Doan, M.T.**, Q. Yin, K.E. Sze, P.B. Khannur, S.C. Rustagi, S. Jinglin, Pang, D. Foo, and A.B. Ajikuttira. Performance of a CMOS Bluetooth transceiver IC with copper RF passives; *RFIC 02* 415-418
- Doan My The**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Dobes, J.** Smoothing gate capacitance models for CMOS radio frequency and microwave integrated circuits CAD; *MWSYM 02* 605-608 vol.1
- Dobes, J.** Smoothing gate capacitance models for CMOS radio frequency and microwave integrated circuits CAD; *RFIC 02* 495-498
- Dobrowolski, A.**, see Stec, B., *MWSYM 02* 2261-2264 vol.3
- Doerner, R.**, see Rudolph, M., *MWSYM 02* 997-1000 vol.2
- Doerner, R.**, see Rudolph, M., *MWSYM 02* 1737-1740 vol.3
- Doerner, R.**, see Rudolph, M., *T-MTT Feb 02* 461-464
- Doerner, R.**, see Rudolph, M., *T-MTT Jul 02* 1747-1751
- Doerner, R.**, see Sheinman, B., *T-MTT Dec 02* 2804-2810
- Dogaru, T.**, and L. Carin. Scattering analysis by the multiresolution time-domain method using compactly supported wavelet systems; *T-MTT Jul 02* 1752-1760
- Dokas, V.**, see Salehi, H., *MWSYM 02* 1601-1604 vol.3
- Do-Kyeong Hwang**, see Si-Gyun Jeong, *MWSYM 02* 1161-1164 vol.2
- Dolan, T.**, see El Sabbagh, M.A., *MWSYM 02* 1805-1808 vol.3
- Domen, K.**, see Kikkawa, T., *MWSYM 02* 1815-1818 vol.3
- Domier, C.W.**, see Zhang, W.-K., *MWSYM 02* 1531-1534 vol.3
- Domier, C.W.**, see Deng, B.H., *MWSYM 02* 1587-1590 vol.3
- Donelli, M.**, see Azaro, R., *T-MTT Oct 02* 2259-2266
- Dong-Hoon Kim**, see Jun-Goo Kim, *MWSYM 02* 825-828 vol.2
- Dong-Hyun Baek**, Jeong-Geun Kim, and Songcheol Hong. A Ku band InGaP/GaAs HBT MMIC VCO with a balanced and a differential topologies; *MWSYM 02* 847-850 vol.2
- Dong-Jun Yang**, see O, K.K., *RFIC 02* 59-62
- Dongsu Kim**, Yoonsu Choi, M.G. Allen, J.S. Kenney, and D. Kiesling. A wide bandwidth monolithic BST reflection-type phase shifter using a coplanar waveguide Lange coupler; *MWSYM 02* 1471-1474 vol.3
- Dongsu Kim**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- Dong-Wook Kim**, see Inho Jeong, *MWSYM 02* 661-664 vol.2
- Dong-Wook Kim**, In-Ho Jeong, Ho-Sung Sung, Tong-Ook Kong, Jong-Soo Lee, Choong-Mo Nam, and Young-Se Kwon. High performance RF passive integration on Si smart substrate; *MWSYM 02* 1561-1564 vol.3
- Dongwoo Suh**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Donne, A.J.H.**, see Deng, B.H., *MWSYM 02* 1587-1590 vol.3
- Dounavis, A.**, R. Achar, and M. Nakhla. On passive time-domain macromodels of distributed transmission line networks; *MWSYM 02* 975-978 vol.2
- Dounavis, A.**, R. Achar, and M.S. Nakhla. Addressing transient errors in passive macromodels of distributed transmission-line networks; *T-MTT Dec 02* 2759-2768
- Douseki, T.**, see Kodate, J., *MWSYM 02* 1419-1422 vol.3
- Dow Foo Pang**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Draxler, P.** CAD of integrated passives on printed circuit boards through utilization of multiple material domains; *MWSYM 02* 2097-2100 vol.3
- Drayton, R.F.**, see Itotia, I.K., *MWSYM 02* 681-684 vol.2
- Drayton, R.F.**, see Banerjee, S.R., *MWSYM 02* 1565-1568 vol.3
- Dreher, A.**, see Thiel, M., *T-MTT Nov 02* 2576-2579
- Dressel, W.**, see Pierantoni, L., *MWSYM 02* 891-894 vol.2
- Drevon, C.**, see Vendier, O., *MWSYM 02* 1389-1392 vol.3
- Drewniak, J.L.**, see Antonini, G., *T-MTT Jul 02* 1807-1815
- Drozdzowski, N.V.**, and R.H. Caverly. GaN-based high electron-mobility transistors for microwave and RF control applications; *T-MTT Jan 02* 4-8
- Drubin, C.A.**, see Russell, M.E., *T-MTT Mar 02* 674-677
- Dubois, L.**, see Carlier, J., *MWSYM 02* 1771-1774 vol.3
- Dubois, L.**, see Carlier, J., *T-MTT Dec 02* 3036-3042
- Dubuc, D.**, T. Tournier, I. Telliez, T. Parra, C. Boulanger, and J. Graffeuil. High quality factor and high self-resonant frequency monolithic inductor for millimeter-wave Si-based IC's; *MWSYM 02* 193-196 vol.1
- Duc Chu**, see Yuen, C., *MWSYM 02* 481-484 vol.1
- Duchamp, J.M.**, P. Ferrari, J.W. Tao, and D. Lippens. Some rules for the choice of the C(V) characteristic for the design of frequency triplers with symmetrical varactors; *MWSYM 02* 359-362 vol.1
- Dudorov, S.N.**, D.V. Lioubtchenko, and A.V. Raisanen. Modification of Marcattili's method for the calculation of anisotropic rectangular dielectric waveguides; *T-MTT Jun 02* 1640-1642
- Duffy, S.M.**, see Gouker, M.A., *T-MTT Jan 02* 17-21
- Duixian Liu**, see Fong, N., *RFIC 02* 75-78
- Dulger, F.**, E. Sanchez-Sinencio, and A. Bellaouar. Design considerations in a BiCMOS dual-modulus prescaler; *RFIC 02* 177-180
- Dunleavy, L.P.**, see Weatherspoon, M.H., *MWSYM 02* 2253-2256 vol.3
- Dunsmore, J.** Novel method for vector mixer characterization and mixer test system vector error correction; *MWSYM 02* 1833-1836 vol.3
- Durak, T.**, see Naishadham, K., *T-MTT Oct 02* 2276-2286
- Dusopt, L.**, D. Guillois, and G.M. Rebeiz. A low phase noise silicon 9 GHz VCO and an 18 GHz push-push oscillator; *MWSYM 02* 695-698 vol.2
- Dusopt, L.**, and G.M. Rebeiz. High-Q millimeter-wave MEMS varactors: extended tuning range and discrete-position designs; *MWSYM 02* 1205-1208 vol.2
- Dusopt, L.**, see Cabanillas, J., *RFIC 02* 63-66
- Duthie, J.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Dutton, R.W.**, see Gaofeng Wang, *T-MTT Apr 02* 1127-1136
- Du Xiaohang**, see Shirokov, M.S., *T-MTT Apr 02* 1084-1094
- Dwarakanath, N.**, see Huang, C.-W.P., *RFIC 02* 97-100

E

- East, J.R.**, see Yongshik Lee, *MWSYM 02* 1871-1874 vol.3
- Eastman, L.F.**, see Sungjae Lee, *MWSYM 02* 1415-1418 vol.3
- Eberly, M.**, see Pillans, B., *MWSYM 02* 329-332 vol.1
- Ebling, J.P.**, see Schoenlinner, B., *T-MTT Sep 02* 2166-2175
- Edward Kai-Ning Yung**, see Ru-Shan Chen, *T-MTT Apr 02* 1165-1172
- Ee Sze Khoo**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Eid, E.E.**, see Yakabe, T., *T-MTT Apr 02* 1237-1239
- Einat, M.**, E. Jerby, and G. Rosenman. A microwave gyro amplifier with a ferroelectric cathode; *T-MTT Apr 02* 1227-1230
- Elam, J.W.**, see Hoivik, N., *MWSYM 02* 1229-1232 vol.2
- Eleftheriades, G.V.**, see Abhari, R., *MWSYM 02* 493-496 vol.1
- Eleftheriades, G.V.**, see Iyer, A.K., *MWSYM 02* 1067-1070 vol.2
- Eleftheriades, G.V.**, see Ip, K.H.Y., *T-MTT Feb 02* 481-486

- Eleftheriades, G.V.**, see Meide Qiu, *T-MTT Feb 02* 517-528
- Eleftheriades, G.V.**, see Schoenlinner, B., *T-MTT Sep 02* 2166-2175
- Eleftheriades, G.V.**, A.K. Iyer, and P.C. Kremer. Planar negative refractive index media using periodically L-C loaded transmission lines; *T-MTT Dec 02* 2702-2712
- El-Gamal, M.N.**, see Tsang, T.K.K., *RFIC 02* 205-208
- El-Ghazaly, S.M.**, see Hussein, Y.A., *MWSYM 02* 743-746 vol.2
- El-Ghazaly, S.M.**, see Waliullah, M., *MWSYM 02* 2145-2148 vol.3
- Ellinger, F.**, R. Vogt, and W. Bachtold. Compact monolithic integrated resistive mixers with low distortion for HIPERLAN; *T-MTT Jan 02* 178-182
- Ellis, D.J.P.**, see Parker, N.J., *MWSYM 02* 1971-1974 vol.3
- El Mrabet, O.**, M. Essaaidi, G. Emili, F. Alimenti, P. Mezzanotte, L. Roselli, and R. Sorrentino. Comments on "Rigorous modeling of packaged Schottky diodes by the nonlinear lumped network (NL²N)-FDTD approach" [and reply]; *T-MTT Oct 02* 2411-2412
- El Sabbagh, M.A.**, Heng-Tung Hsu, K.A. Zaki, P. Pramanick, and T. Dolan. Full wave optimization of stripline tapped-in ridge waveguide bandpass filters; *MWSYM 02* 1805-1808 vol.3
- El-Sharawy, E.-B.**, see Aly, A.H., *MWSYM 02* 1479-1482 vol.3
- Emili, G.**, see El Mrabet, O., *T-MTT Oct 02* 2411-2412
- Emira, A.**, see Wenjun Sheng, *RFIC 02* 107-110
- Emrick, R.**, see Escalera, N., *MWSYM 02* 1031-1034 vol.2
- Enjun Xiao, and J.S. Yuan.** Hot carrier and soft breakdown effects on VCO performance; *RFIC 02* 459-462
- Enjun Xiao, J.S. Yuan, and Hong Yang.** Hot-carrier and soft-breakdown effects on VCO performance; *T-MTT Nov 02* 2453-2458
- Enobakhare, E.**, see Fowler, T., *RFIC 02* 41-44
- Enoki, T.**, see Nosaka, H., *MWSYM 02* 83-86 vol.1
- Enokihara, A.**, H. Nanba, T. Nakamura, T. Ishizaki, and T. Uwano. 26 GHz TM₁₁ mode dielectric resonator filter and duplexer with high-Q performance and compact configuration; *MWSYM 02* 1781-1784 vol.3
- Enz, C.** An MOS transistor model for RF IC design valid in all regions of operation; *T-MTT Jan 02* 342-359
- Eom, H.J.**, see Cho, Y.H., *T-MTT Oct 02* 2368-2373
- Eom Soon-Young**, see Young-Bae Jung, *MWSYM 02* 1337-1340 vol.2
- Eremenko, Z.E.**, Y.F. Filipov, S.N. Kharkovsky, V.V. Kutuzov, and A.E. Kogut. Whispering-gallery modes in shielded hemispherical dielectric resonators; *T-MTT Nov 02* 2647-2649
- Eriksson, A.**, see Deleniv, A., *MWSYM 02* 1197-1200 vol.2
- Eriksson, A.**, A. Deleniv, and S. Gevorgian. Resonant tunneling of microwave energy in thin film multilayer metal/dielectric structures; *MWSYM 02* 2009-2012 vol.3
- Eriksson, A.**, see Deleniv, A.N., *T-MTT Sep 02* 2153-2158
- Erlig, H.**, see Fetterman, H., *MWSYM 02* 1937-1940 vol.3
- Ermolov, V.**, see Vejola, T., *MWSYM 02* 1213-1216 vol.2
- Eron, M.**, see Raab, F.H., *T-MTT Mar 02* 888-899
- Escalera, N.**, R. Emrick, S. Franson, B. Farber, G. Garrison, J. Holmes, S. Rockwell, and B. Bosco. Performance of GaAs on silicon power amplifier for wireless handset applications; *MWSYM 02* 1031-1034 vol.2
- Escotte, L.**, see Sadowy, J., *RFIC 02* 217-220
- Eshun, E.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- Eshun, E.**, see Coolbaugh, D., *RFIC 02* 341-344
- Esposito, A.**, F. Malucelli, and L. Tarricone. An optimized parallel admittance matrix approach using the adjacence-graph recursive-thresholding technique; *T-MTT Sep 02* 2102-2107
- Esry, T.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Esry, T.**, see Ivanov, T., *RFIC 02* 337-340
- Essaaidi, M.**, see El Mrabet, O., *T-MTT Oct 02* 2411-2412
- Esselle, K.P.**, see Yuehe Ge, *T-MTT Jun 02* 1556-1560
- Esteban, H.**, S. Cogollos, V.E. Boria, A.S. Blas, and M. Ferrando. A new hybrid mode-matching/numerical method for the analysis of arbitrarily shaped inductive obstacles and discontinuities in rectangular waveguides; *T-MTT Apr 02* 1219-1224
- Estes, J.**, see Piel, P.-M., *MWSYM 02* 1557-1560 vol.3
- Ettinger, K.**, A. Stelzer, C.G. Diskus, W. Thomann, J. Fenk, and R. Weigel. Single-chip 20-GHz VCO and frequency divider in SiGe technology; *MWSYM 02* 835-838 vol.2
- Eun-Tae Lee**, see Jun-Goo Kim, *MWSYM 02* 825-828 vol.2
- Ezzeddine, A.**, see Darwish, A., *MWSYM 02* 109-112 vol.1
- Ezzeddine, A.**, see Huang, H.C., *MWSYM 02* 27-30 vol.1
- Ezzeddine, A.**, see Huang, H.C., *RFIC 02* 281-284
- F**
- Faccin, P.**, see Roselli, L., *MWSYM 02* 1711-1714 vol.3
- Fager, C.**, N.B. de Carvalho, J.C. Pedro, and H. Zirath. Intermodulation distortion behavior in LDMOS transistor amplifiers; *MWSYM 02* 131-134 vol.1
- Fager, C.**, P. Linner, and J.C. Pedro. Uncertainty estimation and optimal extraction of intrinsic FET small signal model parameters; *MWSYM 02* 729-732 vol.2
- Fager, C.**, K. Yhland, and H. Zirath. A balanced FET FMCW radar transceiver with improved AM noise performance; *T-MTT Apr 02* 1224-1227
- Fager, C.**, L.J.P. Linner, and J.C. Pedro. Optimal parameter extraction and uncertainty estimation in intrinsic FET small-signal models; *T-MTT Dec 02* 2797-2803
- Fager, C.**, J.C. Pedro, N.B. de Carvalho, and H. Zirath. Prediction of IMD in LDMOS transistor amplifiers using a new large-signal model; *T-MTT Dec 02* 2834-2842
- Falt, C.**, see Bousnina, S., *T-MTT Feb 02* 420-424
- Fan Chun-Wah**, see Chun-Wah Fan, *T-MTT Jul 02* 1801-1806
- Fang Da Gang**, see Ru-Shan Chen, *T-MTT Apr 02* 1165-1172
- Fang Qianqian**, see Meaney, P.M., *MWSYM 02* 2269-2272 vol.3
- Fan Jiang**, see Zhang, W.-K., *MWSYM 02* 1531-1534 vol.3
- Farber, B.**, see Escalera, N., *MWSYM 02* 1031-1034 vol.2
- Farina, M.**, see Pierantoni, L., *MWSYM 02* 891-894 vol.2
- Fathy, A.E.**, V.A. Pendrick, B.D. Geller, S.M. Perlow, E.S. Tormey, A. Prabhu, and S. Tani. An innovative semianalytical technique for ceramic evaluation at microwave frequencies; *T-MTT Oct 02* 2247-2252
- Favre, G.**, see Costantini, A., *MWSYM 02* 857-860 vol.2
- Fay, P.**, C. Caneau, and I. Adesida. High-speed MSM/HEMT and p-i-n/HEMT monolithic photoreceivers; *T-MTT Jan 02* 62-67
- Fear, E.C.**, and M. Okoniewski. Confocal microwave imaging for breast tumor detection: application to a hemispherical breast model; *MWSYM 02* 1759-1762 vol.3
- Feinaugle, R.**, H.-W. Hubers, H.P. Roser, and J.L. Hesler. On the effect of IF power nulls in Schottky diode harmonic mixers; *T-MTT Jan 02* 134-142
- Feltgen, T.**, see Tessmann, A., *MWSYM 02* 1851-1854 vol.3
- Feltgen, T.**, see Tessmann, A., *T-MTT Dec 02* 2995-3001
- Feng, H.**, G. Jelodin, K. Gong, R. Zhan, Q. Wu, C. Chen, and A. Wang. Super compact RFIC inductors in 0.18 μ m CMOS with copper interconnects; *MWSYM 02* 553-556 vol.1
- Feng, H.**, G. Jelodin, K. Gong, R. Zhan, Q. Wu, C. Chen, and A. Wang. Super compact RFIC inductors in 0.18 μ m CMOS with copper interconnects; *RFIC 02* 443-446
- Feng, M.Q.**, see Yoo Jin Kim, *MWSYM 02* 651-654 vol.2
- Feng Haigang**, see Ke Gong, *T-MTT Jan 02* 393-402
- Feng-Jung Huang**, see O, K.K., *RFIC 02* 103-106
- Feng Ling**, see Kamgaing, T., *MWSYM 02* 205-208 vol.1
- Feng Ling**, Jian Liu, and Jian-Ming Jin. Efficient electromagnetic modeling of three-dimensional multilayer microstrip antennas and circuits; *T-MTT Jun 02* 1628-1635
- Feng Liu, J.E. Schutt-Aine, and Ji Chen.** Full-wave analysis and modeling of multiconductor transmission lines via 2-D-FDTD and signal-processing techniques; *T-MTT Feb 02* 570-577
- Feng Wu**, see Whites, K.W., *T-MTT Jul 02* 1723-1729
- Feng Xu, Wei Hong, and Xiaowei Zhu.** A new time domain near field to far field transformation for FDTD in two dimensions; *MWSYM 02* 2057-2060 vol.3
- Feng Zhenghe**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Fenk, J.**, see Ettinger, K., *MWSYM 02* 835-838 vol.2
- Fenk, J.**, see Schelmbauer, W., *MWSYM 02* 13-16 vol.1
- Fenk, J.**, see Schelmbauer, W., *RFIC 02* 267-270
- Ferek, A.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Fernandez-Barciela, M.**, see Tasker, P.J., *MWSYM 02* 2129-2132 vol.3
- Ferrando, A.**, see Monsoriu, J.A., *T-MTT Nov 02* 2545-2552
- Ferrando, M.**, see Esteban, H., *T-MTT Apr 02* 1219-1224
- Ferrari, P.**, see Duchamp, J.M., *MWSYM 02* 359-362 vol.1
- Ferrero, A.**, see Madonna, G., *T-MTT Feb 02* 564-569
- Ferrero, A.**, see Teppati, V., *T-MTT Oct 02* 2339-2345
- Fetterman, H.**, Jeehoon Han, Hua Zhang, H. Erlig, D. Chang, Min-Cheol Oh, and W. Steier. Multiple output photonic RF phase shifters for optically controlled radar systems; *MWSYM 02* 1937-1940 vol.3
- Fiedziuszko, S.J.**, I.C. Hunter, T. Itoh, Y. Kobayashi, T. Nishikawa, S.N. Stitzer, and K. Wakino. Dielectric materials, devices, and circuits; *T-MTT Mar 02* 706-720
- Figlia, G.**, and G.G. Gentili. On the line-integral formulation of mode-matching technique; *T-MTT Feb 02* 578-580
- Filicori, F.**, see Costantini, A., *MWSYM 02* 857-860 vol.2
- Filipov, Y.F.**, see Eremenko, Z.E., *T-MTT Nov 02* 2647-2649
- Fitzpatrick, W.**, see Ming Yu, *MWSYM 02* 1457-1460 vol.3
- Floriot, D.**, see Heckmann, S., *MWSYM 02* 1001-1004 vol.2
- Floriot, D.**, see Vendier, O., *MWSYM 02* 1389-1392 vol.3
- Floriot, D.**, see Heckmann, S., *T-MTT Dec 02* 2811-2819
- Floyd, B.A.**, L. Shi, Yuan Taur, I. Lagnado, and K.K. O. A 23.8-GHz SOI CMOS tuned amplifier; *T-MTT Sep 02* 2193-2196
- Focardi, P.**, A. Neto, and W.R. McGrath. Coplanar-waveguide-based terahertz hot-electron-bolometer mixers mproved embedding circuit description; *T-MTT Oct 02* 2374-2383
- Fogliatti, D.W.**, see Jacobs, E.W., *T-MTT Feb 02* 413-419
- Foley, W.**, see O, K.K., *RFIC 02* 103-106
- Folgero, K.**, see Kocbach, J., *MWSYM 02* 1449-1452 vol.3

- Fong, N.**, J.-O. Plouchart, N. Zamdmer, Duixian Liu, L. Wagner, C. Plett, and G. Tarr. A 1 V 3.8-5.7 GHz differentially-tuned VCO in SOI CMOS; *RFIC 02* 75-78
- Fontana, E.** A novel gold-coated multimode fiber sensor; *T-MTT Jan 02* 82-87
- Foo, D.**, see Doan, M.T., *RFIC 02* 415-418
- Foo Pang Dow**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Fowler, T.**, K. Burger, Nai-Shuo Cheng, A. Samelis, E. Enobakhare, and S. Rohlfing. Efficiency improvement techniques at low power levels for linear CDMA and WCDMA power amplifiers; *RFIC 02* 41-44
- Francavilla, A.J.**, see Corbella, I., *T-MTT Jul 02* 1816-1820
- Francis, P.**, see Melendy, D., *MWSYM 02* 717-720 vol.2
- Frank, B.M.**, A.P. Freundorfer, and Y.M.M. Antar. A novel common-gate mixer for wireless applications; *T-MTT May 02* 1433-1435
- Franson, S.**, see Escalera, N., *MWSYM 02* 1031-1034 vol.2
- Fratticcioli, E.**, M. Dionigi, and R. Sorrentino. A planar resonant sensor for the complex permittivity characterization of materials; *MWSYM 02* 647-650 vol.2
- Frayse, J.P.**, O. Vendier, M. Soulard, and P. Auxemery. 2W Ku-band coplanar MMIC HPA using HBT for flip-chip assembly; *MWSYM 02* 441-444 vol.1
- Frayse, J.-P.**, see Anakabe, A., *MWSYM 02* 2181-2184 vol.3
- Frayse, J.-P.**, see Vendier, O., *MWSYM 02* 1389-1392 vol.3
- Fredrick, J.D.**, Yuanxun Wang, Seong-Sik Jeon, and T. Itoh. A smart antenna receiver array using a single RF channel and digital beamforming; *MWSYM 02* 311-314 vol.1
- Fredrick, J.D.**, Y. Wang, and T. Itoh. A smart antenna receiver array using a single RF channel and digital beamforming; *T-MTT Dec 02* 3052-3058
- Freeman, G.**, see Subbanna, S., *MWSYM 02* 401-404 vol.1
- Frei, A.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Frei, A.**, see Ivanov, T., *RFIC 02* 337-340
- Freire, J.C.**, see Torres, J.A., *T-MTT Jan 02* 51-56
- Freire, M.J.**, see Mesa, F., *T-MTT Jan 02* 94-104
- Freund, H.P.**, see Legarra, J.R., *MWSYM 02* 625-628 vol.2
- Freundorfer, A.P.**, see Frank, B.M., *T-MTT May 02* 1433-1435
- Frezza, F.**, see Baccarelli, P., *MWSYM 02* 953-956 vol.2
- Frezza, F.**, see Baccarelli, P., *T-MTT Dec 02* 2690-2701
- Fricke-Neuderth, K.**, see Dehe, A., *MWSYM 02* 1829-1832 vol.3
- Fried, R.**, see Jerng, A., *RFIC 02* 111-114
- Frye, L.**, see Staudinger, J., *MWSYM 02* 617-620 vol.2
- Fu, J.S.**, see Yong Zhong Xiong, *T-MTT Apr 02* 1109-1113
- Fu-jiang Lin**, see Ban-Leong Ooi, *T-MTT Sep 02* 2202-2206
- Fujii, K.**, M. Adamski, P. Bianco, D. Gunyan, J. Hall, R. Kishimura, C. Lesko, M. Schefer, S. Hessel, H. Morkner, and A. Niedzwiecki. A 60 GHz MMIC chipset for 1-Gbit/s wireless links; *MWSYM 02* 1725-1728 vol.3
- Fujii, K.**, see Yakabe, T., *T-MTT Apr 02* 1237-1239
- Fujikake, H.**, see Kuki, T., *MWSYM 02* 363-366 vol.1
- Fujikake, H.**, see Kuki, T., *T-MTT Nov 02* 2604-2609
- Fujita, S.**, see Takahashi, K., *MWSYM 02* 787-790 vol.2
- Fukae, J.**, see Watanabe, M., *MWSYM 02* 791-794 vol.2
- Fukuda, T.**, see Tanabe, M., *RFIC 02* 209-212
- Fukumi, M.**, see Adan, A.O., *MWSYM 02* 39-42 vol.1
- Fukumi, M.**, see Higashi, K., *MWSYM 02* 31-34 vol.1
- Fukumi, M.**, see Adan, A.O., *RFIC 02* 293-296
- Fukumi, M.**, see Higashi, K., *RFIC 02* 285-288
- Fukuura, A.**, see Nakayama, A., *T-MTT Jul 02* 1665-1674
- Funk, E.**, see Chandramouli, S., *MWSYM 02* 1293-1296 vol.2
- Funk, E.E.**, A.L. Campillo, and D.A. Tulchinsky. Nonlinear distortion and crosstalk in microwave fiber-radio links; *MWSYM 02* 1691-1693 vol.3
- Funk, G.**, see Piel, P.-M., *MWSYM 02* 1557-1560 vol.3
- Furukawa, Y.**, see Uchida, H., *MWSYM 02* 1785-1787 vol.3
- Fusco, V.F.**, see Buchanan, N.B., *MWSYM 02* 315-318 vol.1
- Fusco, V.F.**, and Bee Yen Toh. Retrodirective array augmentation for electronic RCS modification; *T-MTT Jul 02* 1772-1778
- Fusco, V.F.**, see Buchanan, N.B., *T-MTT Sep 02* 2198-2202

G

- Gagne, D.**, see Tong Chen, *MWSYM 02* 773-776 vol.2
- Gaillard, J.**, see Chopra, S., *MWSYM 02* 639-642 vol.2
- Gajadharsing, J.R.**, see van der Heijden, M.P., *T-MTT Sep 02* 2176-2184
- Gallagher, D.**, see Torrese, G., *T-MTT Nov 02* 2553-2557
- Gallagher, S.**, see Kory, C.L., *MWSYM 02* 1265-1268 vol.2
- Gallep, C.M.**, see Conforti, E., *T-MTT Jan 02* 77-81
- Galli, A.**, see Baccarelli, P., *MWSYM 02* 953-956 vol.2
- Galli, A.**, see Baccarelli, P., *T-MTT Dec 02* 2690-2701
- Galton, I.**, see Keyzer, J., *MWSYM 02* 397-400 vol.1
- Galton, I.** Delta-sigma data conversion in wireless transceivers; *T-MTT Jan 02* 302-315
- Galton, I.**, see Asbeck, P., *T-MTT Mar 02* 900-909
- Gamand, P.**, see Bajon, D., *MWSYM 02* 987-990 vol.2
- Gang Fang Da**, see Ru-Shan Chen, *T-MTT Apr 02* 1165-1172
- Gang Wu**, see Takahashi, K., *MWSYM 02* 787-790 vol.2
- Gang Zhang, A.** Dengi, and L.R. Carley. Automatic synthesis of a 2.1 GHz SiGe low noise amplifier; *RFIC 02* 125-128
- Gannon, B.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Gan Yeoh Wooi**, see Dasgupta, U., *RFIC 02* 195-198
- Gan Yeoh Wooi**, see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Gao Baoxin**, see Yunbo Pang, *MWSYM 02* 1157-1160 vol.2
- Gao Ben-Qing**, see Yan Zhang, *T-MTT Nov 02* 2519-2526
- Gaobiao Xiao**, and K. Yashiro. Impedance matching for complex loads through nonuniform transmission lines; *T-MTT Jun 02* 1520-1525
- Gaofeng Wang**, R.W. Dutton, and C.S. Rafferty. Device-level simulation of wave propagation along metal-insulator-semiconductor interconnects; *T-MTT Apr 02* 1127-1136
- Garcia, J.L.**, see Casanueva, A., *T-MTT Jan 02* 36-40
- Garcia, J.L.**, see Navarro, C., *T-MTT Apr 02* 1193-1197
- Garcia, J.L.**, see Mrozowski, M., *T-MTT Oct 02* 2409-2411
- Gard, K.**, see Gharaibeh, K.M., *MWSYM 02* 143-147 vol.1
- Gardioli, F.E.**, see Caloz, C., *T-MTT May 02* 1380-1391
- Garrison, G.**, see Escalera, N., *MWSYM 02* 1031-1034 vol.2
- Gashinova, M.S.**, see Deleniv, A.N., *T-MTT Sep 02* 2153-2158
- Gasiewski, A.J.**, see Corbella, I., *T-MTT Jul 02* 1816-1820
- Gatesman, A.**, see Coulombe, M., *MWSYM 02* 1583-1586 vol.3
- Gati, A.**, see Adane, Y., *MWSYM 02* 2017-2020 vol.3
- Gatti, R.V.**, R. Sorrentino, and M. Dionigi. Equivalent circuit of radiating longitudinal slots in dielectric filled rectangular waveguides obtained with FDTD method; *MWSYM 02* 871-874 vol.2
- Gaubert, J.**, see Ouslimani, A., *T-MTT Jan 02* 218-221
- Gavrilovic, M.M.**, and J.P. Webb. Accuracy control in the optimization of microwave devices by finite-element methods; *T-MTT Aug 02* 1901-1911
- Gazzerro, P.**, see Aparin, V., *RFIC 02* 129-132
- Gebara, E.**, see Bhattacharjee, J., *MWSYM 02* 585-588 vol.1
- Gebara, E.**, see Nuttinck, S., *MWSYM 02* 921-924 vol.2
- Gebara, E.**, see Bhattacharjee, J., *RFIC 02* 475-478
- Geik Tan Chun**, see Dasgupta, U., *RFIC 02* 195-198
- Geik Tan Chun**, see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Geimer, S.D.**, see Meaney, P.M., *MWSYM 02* 2269-2272 vol.3
- Gelin, P.**, see Salahun, E., *MWSYM 02* 1185-1188 vol.2
- Geller, B.D.**, see Fathy, A.E., *T-MTT Oct 02* 2247-2252
- Gelmont, B.**, see Brown, E.R., *MWSYM 02* 1591-1594 vol.3
- Gentili, G.G.**, see Figlia, G., *T-MTT Feb 02* 578-580
- Geok-Ing Ng**, see Yong Zhong Xiong, *T-MTT Apr 02* 1109-1113
- George, S.M.**, see Hoivik, N., *MWSYM 02* 1229-1232 vol.2
- Georgieva, N.**, see Bandler, J.W., *MWSYM 02* 713-716 vol.2
- Georgieva, N.K.**, S. Glavic, M.H. Bakr, and J.W. Bandler. Feasible adjoint sensitivity technique for EM design optimization; *MWSYM 02* 971-974 vol.2
- Georgieva, N.K.** Construction of solutions to electromagnetic problems in terms of two collinear vector potentials; *T-MTT Aug 02* 1950-1959
- Georgieva, N.K.**, S. Glavic, M.H. Bakr, and J.W. Bandler. Feasible adjoint sensitivity technique for EM design optimization; *T-MTT Dec 02* 2751-2758
- Gering, J.**, see Wei, C.J., *MWSYM 02* 2133-2136 vol.3
- Gerosa, G.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Geshiro, M.**, see Kitamura, T., *T-MTT Apr 02* 1216-1219
- Geunho Lee**, see Jeiyong Lee, *MWSYM 02* 1261-1264 vol.2
- Geun-Young Kim**, see Chul-Soo Kim, *MWSYM 02* 2125-2128 vol.3
- Geun-Young Kim**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Gevorgian, S.**, see Jacobsson, H., *MWSYM 02* 577-580 vol.1
- Gevorgian, S.**, see Deleniv, A., *MWSYM 02* 1197-1200 vol.2
- Gevorgian, S.**, see Eriksson, A., *MWSYM 02* 2009-2012 vol.3
- Gevorgian, S.**, see Jacobsson, H., *RFIC 02* 467-470
- Geyer, R.G.**, P. Kabos, and J. Baker-Jarvis. Dielectric sleeve resonator techniques for variable-temperature microwave characterization of ferroelectric materials; *MWSYM 02* 1657-1660 vol.3
- Ge Yuehe**, see Yuehe Ge, *T-MTT Jun 02* 1556-1560
- Ghannouchi, F.M.**, see Boumaiza, S., *MWSYM 02* 2241-2244 vol.3
- Ghannouchi, F.M.**, see Bousnina, S., *T-MTT Feb 02* 420-424
- Ghannouchi, F.M.**, see Bousnina, S., *T-MTT Feb 02* 529-536
- Ghannouchi, F.M.**, see Yakabe, T., *T-MTT Apr 02* 1237-1239
- Ghannouchi, F.M.**, see Boumaiza, S., *T-MTT Dec 02* 3016-3021
- Gharaibeh, K.M.**, K. Gard, and M.B. Steer. Statistical modeling of the interaction of multiple signals in nonlinear RF systems; *MWSYM 02* 143-147 vol.1
- Gheorma, I.-L.**, see Savi, P., *T-MTT Feb 02* 495-500
- Ghione, G.**, see Bertazzi, F., *MWSYM 02* 2025-2028 vol.3
- Ghione, G.**, see Bertazzi, F., *T-MTT Sep 02* 2108-2114
- Ghis, A.**, P. Ouvrier-Buffet, N. Rolland, A. Benlarbi-Delai, P.A. Rolland, D. Glay, and D. Jaeger. Solid-state 8 GHz transient signal digitizer characterization; *MWSYM 02* 1673-1676 vol.3
- Ghosh, B.**, N.R.S. Simons, L. Shafai, A. Ittipiboon, and A. Petosa. TLM-based modal-extraction approach for the investigation of discontinuities in the rectangular waveguide and the NRD; *T-MTT Oct 02* 2294-2304
- Giannini, F.**, see Colantonio, P., *MWSYM 02* 1639-1642 vol.3

- Gibbons, S., see Jerng, A., *RFIC* 02 111-114
- Gielen, G.G.E. Modeling and analysis techniques for system-level architectural design of telecom front-ends; *T-MTT Jan* 02 360-368
- Giles, R., see Coulombe, M., *MWSYM* 02 1583-1586 vol.3
- Gillon, R., see Tatinian, W., *MWSYM* 02 165-169 vol.1
- Gillon, R., see Tatinian, W., *RFIC* 02 319-322
- Gimeno, B., see Boria, V.E., *MWSYM* 02 393-396 vol.1
- Gimeno, B., see Monsoriu, J.A., *T-MTT Nov* 02 2545-2552
- Giordano, V., see Cibieli, G., *MWSYM* 02 691-694 vol.2
- Girod, V., see Cabon, B., *MWSYM* 02 1953-1956 vol.3
- Gizard, F., see Mallet, A., *MWSYM* 02 2245-2248 vol.3
- Glass, E., M. Shields, and A. Reyes. High performance single supply power amplifiers for GSM and DCS applications using true enhancement mode FET technology; *MWSYM* 02 557-560 vol.1
- Glass, E., M. Shields, and A. Reyes. High performance single supply power amplifiers for GSM and DCS applications using true enhancement mode FET technology; *RFIC* 02 447-450
- Glavic, S., see Georgieva, N.K., *MWSYM* 02 971-974 vol.2
- Glavic, S., see Georgieva, N.K., *T-MTT Dec* 02 2751-2758
- Glav, D., see Ghis, A., *MWSYM* 02 1673-1676 vol.3
- Glisson, A.W., see Abdul-Gaffoor, M.R., *T-MTT Jun* 02 1445-1457
- Globus, T., see Brown, E.R., *MWSYM* 02 1591-1594 vol.3
- Go, J.-H., see Jeong, I., *T-MTT Dec* 02 2850-2855
- Goano, M., see Bertazzi, F., *MWSYM* 02 2025-2028 vol.3
- Goano, M., see Bertazzi, F., *T-MTT Sep* 02 2108-2114
- Goano, M., see Teppati, V., *T-MTT Oct* 02 2339-2345
- Godin, J., see Kasbari, A.-E., *MWSYM* 02 1057-1060 vol.2
- Godin, J., see Kasbari, A.-E., *T-MTT Dec* 02 3064-3069
- Go Ju-Hyun, see Inho Jeong, *MWSYM* 02 661-664 vol.2
- Goldsmith, C., see Pillans, B., *MWSYM* 02 329-332 vol.1
- Gong, K., see Feng, H., *MWSYM* 02 553-556 vol.1
- Gong, K., see Feng, H., *RFIC* 02 443-446
- Gong Ke, see Ke Gong, *T-MTT Jan* 02 393-402
- Gong Xun, see Xun Gong, *MWSYM* 02 1091-1094 vol.2
- Gonya, D., see Lie, D.Y.C., *RFIC* 02 31-34
- Gonzalo, R., B. Martinez, C.M. Mann, H. Pellemans, P.H. Bolivar, and P. de Maagt. A low-cost fabrication technique for symmetrical and asymmetrical layer-by-layer photonic crystals at submillimeter-wave frequencies; *T-MTT Oct* 02 2384-2392
- Goodnick, S., see Waliullah, M., *MWSYM* 02 2145-2148 vol.3
- Goodyear, S.W., see Parker, N.J., *MWSYM* 02 1971-1974 vol.3
- Goren, Y., see Tong Chen, *MWSYM* 02 773-776 vol.2
- Goronkin, H., see Cidronali, A., *MWSYM* 02 43-47 vol.1
- Goronkin, H., see Cidronali, A., *RFIC* 02 297-300
- Goronkin, H., see Cidronali, A., *T-MTT Dec* 02 2938-2946
- Goto, K., A. Dec, Y. Horio, K. Suyama, and H. Akima. IC package and bonding wire modeling software and its application to RFIC design; *MWSYM* 02 2109-2112 vol.3
- Gouker, M.A., J.T. Delisle, and S.M. Duffy. A circuit-fed tile-approach configuration for millimeter-wave spatial power combining; *T-MTT Jan* 02 17-21
- Gould, P., see Boric-Lubecke, O., *MWSYM* 02 1049-1052 vol.2
- Gould, P., Jenshan Lin, O. Boric-Lubecke, C. Zelle, Yung-Jinn Chen, and Ran-Hong Yan. 0.25- m BiCMOS receivers for normal and micro GSM900 and DCS 1800 base stations; *T-MTT Jan* 02 369-376
- Goverdhanam, K. Effect of substrate modes in 40 Gbit travelling wave LiNbO₃ modulators; *MWSYM* 02 1285-1288 vol.2
- Goyette, T., see Coulombe, M., *MWSYM* 02 1583-1586 vol.3
- Graffeuil, J., see Bary, L., *MWSYM* 02 275-278 vol.1
- Graffeuil, J., see Dubuc, D., *MWSYM* 02 193-196 vol.1
- Graffeuil, J., see Bary, L., *RFIC* 02 359-362
- Graffeuil, J., see Sadowy, J., *RFIC* 02 217-220
- Graffeuil, J., see Tournier, E., *RFIC* 02 227-230
- Graglia, R.D., see Savi, P., *T-MTT Feb* 02 495-500
- Gragnani, G.L., see Azaro, R., *T-MTT Oct* 02 2259-2266
- Grave, T., see Werthof, A., *MWSYM* 02 1855-1858 vol.3
- Grebennikov, A., see Jager, H., *MWSYM* 02 1035-1038 vol.2
- Grebennikov, A.V., and H. Jaeger. Class E with parallel circuit - a new challenge for high-efficiency RF and microwave power amplifiers; *MWSYM* 02 1627-1630 vol.3
- Grebennikov, A.V. Switched-mode tuned high-efficiency power amplifiers: historical aspect and future prospect; *RFIC* 02 49-52
- Greda, L.A., and R. Pregla. Hybrid analysis of three-dimensional structures by the method of lines using novel nonequidistant discretization; *MWSYM* 02 1877-1880 vol.3
- Green, R., see Hyun-Min Park, *MWSYM* 02 1009-1012 vol.2
- Greenberg, D., see Subbanna, S., *MWSYM* 02 401-404 vol.1
- Groves, R., see Coolbaugh, D., *MWSYM* 02 187-191 vol.1
- Groves, R., see Subbanna, S., *MWSYM* 02 401-404 vol.1
- Groves, R., see Coolbaugh, D., *RFIC* 02 341-344
- Grozing, M., see Pascht, A., *T-MTT Aug* 02 1927-1934
- Gu, M.G., see Kim, K.W., *MWSYM* 02 1181-1184 vol.2
- Guillois, D., see Dussopt, L., *MWSYM* 02 695-698 vol.2
- Guillon, P., see Bariant, D., *MWSYM* 02 979-982 vol.2
- Guillon, P., see Bariant, D., *MWSYM* 02 1461-1464 vol.3
- Guillon, P., see Lenoir, B., *MWSYM* 02 1923-1926 vol.3
- Guillon, P., see Piquet, O., *MWSYM* 02 1993-1996 vol.3
- Guillon, P., see Byk, E., *MWSYM* 02 2085-2088 vol.3
- Guillon, P., see Saboureaux, C., *MWSYM* 02 2089-2092 vol.3
- Guillon, P., see Thon, B., *MWSYM* 02 1889-1892 vol.3
- Guillon, P., see Hunter, I.C., *T-MTT Mar* 02 794-805
- Guillon, P.-Y., see Paillot, T., *MWSYM* 02 1793-1796 vol.3
- Gun-Sik Park, see Sun-Shin Jung, *T-MTT Sep* 02 2196-2198
- Gunyan, D., see Fujii, K., *MWSYM* 02 1725-1728 vol.3
- Guofen Yu, Wenxiang Wang, Yanyu Wei, and Shenggang Liu. Analysis of the coaxial helical-groove slow-wave structure; *T-MTT Jan* 02 191-200
- Guofu Niu, see Jin Tang, *MWSYM* 02 179-182 vol.1
- Guofu Niu, see Qingqing Liang, *MWSYM* 02 517-520 vol.1
- Guofu Niu, see Jeiyong Lee, *MWSYM* 02 1261-1264 vol.2
- Guofu Niu, see Jin Tang, *RFIC* 02 333-336
- Guofu Niu, see Qingqing Liang, *RFIC* 02 407-410
- Guofu Niu, see Jin Tang, *T-MTT Nov* 02 2467-2473
- Guo-Wei Huang, see Kun-Ming Chen, *MWSYM* 02 405-408 vol.1
- Gupta, K.C., see Ramadoss, R., *MWSYM* 02 1233-1236 vol.2
- Gupta, K.C., see Hoivik, N., *MWSYM* 02 1229-1232 vol.2
- Gupta, K.C., see Remley, K.A., *MWSYM* 02 2169-2172 vol.3
- Gupta, K.C., T. Itoh, and A.A. Oliner. Microwave and RF education-past, present, and future; *T-MTT Mar* 02 1006-1014
- Gurel, L., see Aksun, M.I., *T-MTT May* 02 1264-1274
- Gurvich, M., see Khanifar, A., *MWSYM* 02 473-475 vol.1
- Gustafsson, A., see Malmqvist, R., *MWSYM* 02 1431-1434 vol.3
- Gustafsson, A., see Malmqvist, R., *MWSYM* 02 1907-1910 vol.3
- Gustaf, F., and A. Bahr. W-band investigation of material parameters, SAR distribution, and thermal response in human tissue; *T-MTT Oct* 02 2393-2400
- Gutierrez-Vega, J.C., R.M. Rodriguez-Dagnino, and S. Chavez-Cerda. Attenuation characteristics in confocal annular elliptic waveguides and resonators; *T-MTT Apr* 02 1095-1100
- Gye-An Lee, M. Megahed, and F. De Flaviis. Design and analysis of novel compact inductor resonator filter; *MWSYM* 02 1621-1624 vol.3

H

- Haala, J., and W. Wiesbeck. Modeling microwave and hybrid heating processes including heat radiation effects; *T-MTT May* 02 1346-1354
- Haala, J., see Zwick, T., *T-MTT Apr* 02 1180-1187
- Habermann, T., R. Batra, R. Begum, E.W. McCune, and E.L. Wright. Production and operation of a high-efficiency DBS-band klystron utilizing a multistage depressed collector; *MWSYM* 02 633-636 vol.2
- Hacker, J.B., see Tan, G.L., *MWSYM* 02 333-335 vol.1
- Hacker, J.B., see Chun-Tung Cheung, *MWSYM* 02 1523-1526 vol.3
- Hackl, S., J. Bock, M. Wurzer, and A.L. Scholtz. 40 GHz monolithic integrated mixer in SiGe bipolar technology; *MWSYM* 02 1241-1244 vol.2
- Hackner, M., see Weber, N., *MWSYM* 02 2233-2235 vol.3
- Haddad, G.I., and R.J. Trew. Microwave solid-state active devices; *T-MTT Mar* 02 760-779
- Haese, N., see Vendier, O., *MWSYM* 02 1389-1392 vol.3
- Hafallah, H., see Ouslimani, A., *T-MTT Jan* 02 218-221
- Hagelauer, R., see Schelmbauer, W., *MWSYM* 02 13-16 vol.1
- Hagelauer, R., see Schelmbauer, W., *RFIC* 02 267-270
- Hagerty, J.A., and Z. Popovic. A 10 GHz integrated class-E oscillating annular ring element for high-efficiency transmitting arrays; *MWSYM* 02 1317-1320 vol.2
- Haigang Feng, see Ke Gong, *T-MTT Jan* 02 393-402
- Hajimiri, A., see Bohn, F., *MWSYM* 02 1631-1634 vol.3
- Hajimiri, A., and T.H. Lee. Guest editorial [intro. to the special issue on silicon-based RF and microwave integrated circuits]; *T-MTT Jan* 02 233-234
- Hajimiri, A., see Hashemi, H., *T-MTT Jan* 02 288-301
- Hajimiri, A., see Aoki, I., *T-MTT Jan* 02 316-331
- Hajji, R., see Virk, R.S., *MWSYM* 02 91-95 vol.1
- Hakli, J., see Meltaus, J., *MWSYM* 02 1305-1308 vol.2
- Hall, J., see Fujii, K., *MWSYM* 02 1725-1728 vol.3
- Hall, P.S., see Andrews, J.W., *T-MTT Jan* 02 201-206
- Hall, P.S., see Chang, K., *T-MTT Mar* 02 937-944
- Hall, P.S., see Cryan, M.J., *T-MTT Nov* 02 2639-2646
- Halonen, K., see Stadius, K., *MWSYM* 02 581-584 vol.1
- Halonen, K., see Stadius, K., *RFIC* 02 471-474
- Hamad, A., see Ivanov, T., *MWSYM* 02 183-186 vol.1
- Hamad, A., see Ivanov, T., *RFIC* 02 337-340
- Hamaguchi, K., see Shoji, Y., *T-MTT Jun* 02 1458-1468
- Hamann, C.D., see Megej, A., *MWSYM* 02 643-646 vol.2
- Hamann, C.D., see Megej, A., *T-MTT Dec* 02 3070-3076
- Hammad, M., see Coolbaugh, D., *RFIC* 02 341-344

- Hampson, M.D.**, see Nickel, J.G., *T-MTT May 02* 1392-1399
- Han, H.**, H. Park, M. Cho, J. Kim, I. Park, and H. Lim. Terahertz pulse propagation in plastic photonic crystal fibers; *MWSYM 02* 1075-1078 vol.2
- Hancock, T.**, see Wilz, L., *RFIC 02* 115-118
- Hang, C.Y.**, see Younkyu Chung, *MWSYM 02* 433-436 vol.1
- Hang, C.Y.**, Y. Wang, and T. Itoh. A new amplifier power combining scheme with optimum efficiency under variable outputs; *MWSYM 02* 913-916 vol.2
- Han-II Lee**, see Bonkee Kim, *RFIC 02* 137-140
- Hanington, G.**, see Asbeck, P.M., *MWSYM 02* 135-138 vol.1
- Han Jae-Hee**, see Jong-Sik Lim, *MWSYM 02* 1153-1156 vol.2
- Han Jeehoon**, see Fetterman, H., *MWSYM 02* 1937-1940 vol.3
- Han Jin-Won**, see Ki Young Kim, *MWSYM 02* 1149-1152 vol.2
- Han Kichon**, see Sungmin Ock, *MWSYM 02* 1423-1426 vol.3
- Han-Kyu Park**, see Young-Bae Jung, *MWSYM 02* 1337-1340 vol.2
- Hanna, V.F.**, see Adane, Y., *MWSYM 02* 2017-2020 vol.3
- Han Sangwoo**, see Sangwoo Han, *T-MTT Apr 02* 1173-1179
- Hansen, P.J.**, see Acikel, B., *MWSYM 02* 1467-1469 vol.3
- Hanson, G.W.**, see Yakovlev, A.B., *MWSYM 02* 2021-2024 vol.3
- Hansson, B.**, see Jacobsson, H., *MWSYM 02* 577-580 vol.1
- Hansson, B.**, see Jacobsson, H., *RFIC 02* 467-470
- Haq, D.S.**, see Nuteson, T.W., *MWSYM 02* 307-310 vol.1
- Haq, D.S.**, see Nuteson, T.W., *T-MTT Dec 02* 3043-3051
- Hara, N.**, see Kikkawa, T., *MWSYM 02* 1815-1818 vol.3
- Harame, D.**, see Coolbaugh, D., *RFIC 02* 341-344
- Harame, D.L.**, see Jin Tang, *MWSYM 02* 179-182 vol.1
- Harame, D.L.**, see Qingqing Liang, *MWSYM 02* 517-520 vol.1
- Harame, D.L.**, see Ramana Murty, M., *MWSYM 02* 2165-2168 vol.3
- Harame, D.L.**, see Jin Tang, *RFIC 02* 333-336
- Harame, D.L.**, see Qingqing Liang, *RFIC 02* 407-410
- Harame, D.L.**, see Jin Tang, *T-MTT Nov 02* 2467-2473
- Hararnel, D.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- Harish, A.R.**, see Cameron, R.J., *MWSYM 02* 1437-1440 vol.3
- Harish, A.R.**, see Cameron, R.J., *T-MTT Dec 02* 2862-2872
- Harle, L.**, and L.P.B. Katehi. A vertically integrated micromachined filter; *T-MTT Sep 02* 2063-2068
- Harnmad, A.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- Harris, M.**, see Nuttinck, S., *MWSYM 02* 921-924 vol.2
- Harscher, P.**, E. Ofli, R. Vahldieck, and S. Arnari. EM-simulator based parameter extraction and optimization technique for microwave and millimeter wave filters; *MWSYM 02* 1113-1116 vol.2
- Harscher, P.**, S. Amari, and R. Vahldieck. A fast finite-element-based field optimizer using analytically calculated gradients; *T-MTT Feb 02* 433-439
- Hartnagel, H.L.**, see Megej, A., *MWSYM 02* 643-646 vol.2
- Hartnagel, H.L.**, see Megej, A., *T-MTT Dec 02* 3070-3076
- Harvey, J.**, see Tentzeris, E.M., *T-MTT Feb 02* 501-516
- Harvey, J.F.**, see Katehi, L.P.B., *T-MTT Mar 02* 858-866
- Harvey, J.F.**, see Carin, L., *T-MTT Mar 02* 945-952
- Hasegawa, Y.**, see Mimino, Y., *MWSYM 02* 1721-1724 vol.3
- Hashemi, H.**, and A. Hajimiri. Concurrent multiband low-noise amplifiers-theory, design, and applications; *T-MTT Jan 02* 288-301
- Hashiguchi, T.**, see Ito, M., *MWSYM 02* 1789-1792 vol.3
- Hashimoto, K.**, see Weigel, R., *T-MTT Mar 02* 738-749
- Hashimoto, T.**, and Y. Kobayashi. Design of sapphire rod resonators to measure the surface resistance of high temperature superconductor films; *MWSYM 02* 1975-1978 vol.3
- Haslinger, F.**, see Neumayer, R., *MWSYM 02* 721-724 vol.2
- Haslinger, F.**, see Neumayer, R., *T-MTT Dec 02* 2789-2796
- Hatsugai, T.**, see Kusunoki, S., *MWSYM 02* 765-768 vol.2
- Hatsugai, T.**, see Kusunoki, S., *T-MTT Dec 02* 2979-2986
- Hattori, R.**, see Inoue, A., *MWSYM 02* 1023-1026 vol.2
- Hattori, R.**, see Yamamoto, K., *RFIC 02* 245-248
- Hayashi, H.**, see Kawashima, M., *MWSYM 02* 927-930 vol.2
- Hayashi, H.**, T. Nakagawa, and K. Araki. A miniaturized MMIC analog phase shifter using two quarter-wave-length transmission lines; *T-MTT Jan 02* 150-154
- Hayashi, H.**, see Piernas, B., *T-MTT Apr 02* 1120-1126
- Hayashi, M.**, see Adan, A.O., *MWSYM 02* 39-42 vol.1
- Hayashi, M.**, see Higashi, K., *MWSYM 02* 31-34 vol.1
- Hayashi, M.**, see Adan, A.O., *RFIC 02* 293-296
- Hayashi, M.**, see Higashi, K., *RFIC 02* 285-288
- Hayashi, R.**, see Itoh, K., *MWSYM 02* 9-12 vol.1
- Hayashi, R.**, see Itoh, K., *RFIC 02* 263-266
- Hayden, J.S.**, and G.M. Rebeiz. A low-loss Ka-band distributed MEMS 2-bit phase shifter using metal-air-metal capacitors; *MWSYM 02* 337-340 vol.1
- Hayden, L.**, see Safwat, A.M.E., *MWSYM 02* 2257-2260 vol.3
- Haydl, W.H.**, see Tessmann, A., *MWSYM 02* 1851-1854 vol.3
- Haydl, W.H.** On the use of vias in conductor-backed coplanar circuits; *T-MTT Jun 02* 1571-1577
- Haydl, W.H.**, see Tessmann, A., *T-MTT Dec 02* 2995-3001
- He, Z.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- He, Z.**, see Coolbaugh, D., *RFIC 02* 341-344
- Heaney, E.**, see Jager, H., *MWSYM 02* 1035-1038 vol.2
- Hecht, J.B.**, see Raab, F.H., *T-MTT Mar 02* 888-899
- Heckmann, S.**, J.-M. Nebus, R. Quere, J.-C. Jacquet, D. Floriot, and P. Auxemery. Measurement and modelling of static and dynamic breakdowns of power GaInP/GaAs HBTs; *MWSYM 02* 1001-1004 vol.2
- Heckmann, S.**, R. Sommet, J.-M. Nebus, J.-C. Jacquet, D. Floriot, P. Auxemery, and R. Quere. Characterization and modeling of bias dependent breakdown and self-heating in GaInP/GaAs power HBT to improve high power amplifier design; *T-MTT Dec 02* 2811-2819
- Hee Lee Seock**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- Hee-Ran Ahn**, and I. Wolff. Asymmetric ring-hybrid phase shifters and attenuators; *T-MTT Apr 02* 1146-1155
- Hee Yong Hwang**, and Sang-Won Yun. Novel TE₁₀ rectangular-waveguide-type resonators and their bandpass filter applications; *T-MTT Jul 02* 1821-1831
- Hei Lim Yong**, see Jin-Cheol Jeong, *MWSYM 02* 1257-1260 vol.2
- Heimer, B.**, see Smith, D.G., *MWSYM 02* 1245-1247 vol.2
- Hein, H.**, see Peter, M., *MWSYM 02* 2001-2004 vol.3
- Heinen, V.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Heinrich, W.**, see Schott, A., *MWSYM 02* 839-842 vol.2
- Heinrich, W.**, see Kunze, M., *MWSYM 02* 1881-1884 vol.3
- Heinrich, W.**, see Schmuckle, F.J., *MWSYM 02* 1393-1396 vol.3
- Heinrich, W.**, see Tischler, T., *MWSYM 02* 1885-1888 vol.3
- Heinrich, W.**, see Strohm, K.M., *MWSYM 02* 1209-1212 vol.2
- Heinrich, W.**, see Kunze, M., *T-MTT May 02* 1275-1279
- Heins, M.S.**, see Campbell, C.F., *MWSYM 02* 79-82 vol.1
- Heins, M.S.**, see Carroll, J.M., *MWSYM 02* 489-492 vol.1
- Heins, M.S.**, C.F. Campbell, M.-Y. Kao, M.E. Muir, and J.M. Carroll. A GaAs MHEMT distributed amplifier with 300-GHz gain-bandwidth product for 40-Gb/s optical applications; *MWSYM 02* 1061-1064 vol.2
- Heiter, G.L.**, see Weisshaar, A., *T-MTT Dec 02* 2660-2663
- Henderson, R.M.**, see Tavernier, C.A., *T-MTT Oct 02* 2305-2314
- Hendrick, L.W.**, see Levy, R., *MWSYM 02* 809-811 vol.2
- Heng-Ming Hsu**, Chih-Wei Chen, Jiong-Guang Su, Ta-Hsun Yeh, J.C.-H. Lin, J.Y.-C. Sun, and Chun Hsiung Chen. Implementation of RF power MOS in 0.18 μ m CMOS technology for single chip solution; *MWSYM 02* 1027-1030 vol.2
- Heng-Tung Hsu**, see El Sabbagh, M.A., *MWSYM 02* 1805-1808 vol.3
- Heng-Tung Hsu**, Zhenyu Zhang, K.A. Zaki, and A.E. Atia. Parameter extraction for symmetric coupled-resonator filters; *MWSYM 02* 1445-1448 vol.3
- Heng-Tung Hsu**, Hui-Wen Yao, K.A. Zaki, and A.E. Atia. Computer-aided diagnosis and tuning of cascaded coupled resonators filters; *T-MTT Apr 02* 1137-1145
- Heng-Tung Hsu**, Hui-Wen Yao, K.A. Zaki, and A.E. Atia. Synthesis of coupled-resonators group-delay equalizers; *T-MTT Aug 02* 1960-1968
- Heo, D.**, see Lee, C.-H., *MWSYM 02* 1045-1048 vol.2
- Heo Deukhyoun**, see Raghavan, A., *MWSYM 02* 1019-1022 vol.2
- Herczfeld, P.R.**, see Csornyei, M., *MWSYM 02* 1377-1380 vol.2
- Herman, D.**, see Subbanna, S., *MWSYM 02* 401-404 vol.1
- Hernandez-Figueroa, H.E.**, P.H.P. deCarvalho, A.C. Bordonalli, and F.J.S. Moreira. Guest Editors' Overview [intro. to mini-special issue on the 1999 International Microwave and Optoelectronics Conference (IMOC'99)]; *T-MTT Jan 02* 1-3
- Herren, J.-J.**, see Bariant, D., *MWSYM 02* 1461-1464 vol.3
- Herrick, K.J.**, and L.P.B. Katehi. W-band micromachined circuit combining networks; *T-MTT Jun 02* 1647-1651
- Herve, D.**, see Vourch, E., *MWSYM 02* 1703-1706 vol.3
- Herve, D.**, see Vourch, E., *T-MTT Dec 02* 3009-3015
- Hesler, J.L.**, see Feinaugle, R., *T-MTT Jan 02* 134-142
- Hesler, J.L.**, see Kurtz, D.S., *T-MTT Nov 02* 2610-2617
- Hessel, S.**, see Fujii, K., *MWSYM 02* 1725-1728 vol.3
- Heston, D.D.**, see Smith, D.G., *MWSYM 02* 1245-1247 vol.2
- Heston, J.**, see Smith, D.G., *MWSYM 02* 1245-1247 vol.2
- Heung-Sik Tae**, see Ki Young Kim, *MWSYM 02* 1149-1152 vol.2
- Heyen, J.**, J. Schroeder, and A.F. Jacob. Low-cost flip-chip alternatives for millimeter wave applications; *MWSYM 02* 2205-2208 vol.3
- Heymann, P.**, see Rudolph, M., *MWSYM 02* 997-1000 vol.2
- Heymann, P.**, see Rudolph, M., *MWSYM 02* 1737-1740 vol.3
- Heymann, P.**, see Rudolph, M., *T-MTT Feb 02* 461-464
- Heymann, P.**, see Rudolph, M., *T-MTT Jul 02* 1747-1751
- Hey-Shipton, G.L.**, see Raihn, K.F., *MWSYM 02* 1959-1962 vol.3
- Hida, H.**, see Amamiya, Y., *MWSYM 02* 87-90 vol.1
- Hida, H.**, see Numata, K., *RFIC 02* 141-144
- Hie Tan Soon**, see Shiwen Yang, *T-MTT Jul 02* 1849-1852
- Higashi, K.**, see Adan, A.O., *MWSYM 02* 39-42 vol.1
- Higashi, K.**, A.O. Adan, M. Fukumi, N. Tanba, T. Yoshimasu, and M. Hayashi. ESD protection of RF circuits in standard CMOS process; *MWSYM 02* 31-34 vol.1
- Higashi, K.**, see Adan, A.O., *RFIC 02* 293-296
- Higashi, K.**, A.O. Adan, M. Fukumi, N. Tanba, T. Yoshimasu, and M. Hayashi. ESD protection of RF circuits in standard CMOS process; *RFIC 02* 285-288

- Higgins, J.A., H. Xin, and A. Sailer. Characteristics of Ka band waveguide using electromagnetic crystal sidewalls; *MWSYM 02* 1071-1074 vol.2
- Hikita, M., N. Matsuura, K. Yokoyama, N. Shibagaki, and K. Sakiyama. SAW FEMs for GSM-based multi-band cellular phones with direct-conversion demodulation; *MWSYM 02* 1483-1486 vol.3
- Hikita, M., N. Matsuura, K. Yokoyama, N. Shibagaki, and K. Sakiyama. SAW front-end module for GSM-based dual-band cellular phones with direct-conversion demodulation; *T-MTT Nov 02* 2629-2638
- Hill, M.E., R.S. Callin, M. Seidel, and D.H. Whittum. High-power squeeze-type phase shifter at W-band; *T-MTT May 02* 1437-1441
- Hilsenbeck, J., see Schott, A., *MWSYM 02* 839-842 vol.2
- Hirata, A., see Nagatsuma, T., *MWSYM 02* 1497-1500 vol.3
- Hirose, T., see Kano, H., *MWSYM 02* 75-78 vol.1
- Hirvilampi, M., see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Hisaka, T., see Kanaya, K., *MWSYM 02* 1249-1252 vol.2
- HJ Siweris, see Werthof, A., *MWSYM 02* 1855-1858 vol.3
- Ho, S.H., see Conforti, E., *T-MTT Jan 02* 77-81
- Hock, T., see Cascio, L., *T-MTT Jan 02* 226-228
- Hofer, W.J.R., see Bakr, M.H., *MWSYM 02* 1131-1134 vol.2
- Hofer, W.J.R., see So, P.P.M., *MWSYM 02* 1123-1126 vol.2
- Hofer, W.J.R., see Bakr, M.H., *T-MTT Nov 02* 2537-2544
- Hofer, W.J.R., see Weisshaar, A., *T-MTT Dec 02* 2660-2663
- Hofer, W.J.R., see So, P.P.M., *T-MTT Dec 02* 2728-2733
- Hoft, M., see Schumann, B., *MWSYM 02* 1539-1542 vol.3
- Hoivik, N., J.W. Elam, S.M. George, K.C. Gupta, V.M. Bright, and Y.C. Lee. Atomic layer deposition (ALD) technology for reliable RF MEMS; *MWSYM 02* 1229-1232 vol.2
- Hokanson, E., see Hoton How, *T-MTT May 02* 1280-1288
- Ho Kim Chul, see Jae Hyuk Jang, *MWSYM 02* 673-676 vol.2
- Ho Lee Chang, see Sangwoo Han, *T-MTT Apr 02* 1173-1179
- Holmes, J., see Escalera, N., *MWSYM 02* 1031-1034 vol.2
- Hongfu Li, see Shiwen Yang, *T-MTT Jul 02* 1849-1852
- Hong-Jie Huang, see Chi-Yang Chang, *MWSYM 02* 1609-1612 vol.3
- Hong Seung Kim, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Hong-Sing Kao, see Ming-Dou Ker, *MWSYM 02* 537-540 vol.1
- Hong-Sing Kao, see Ming-Dou Ker, *RFIC 02* 427-430
- Hong Songcheol, see Dong-Hyun Baek, *MWSYM 02* 847-850 vol.2
- Hong Songcheol, see Jiyou Lim, *MWSYM 02* 1707-1710 vol.3
- Hong Songcheol, see Hyun-Min Park, *MWSYM 02* 1009-1012 vol.2
- Hong Songcheol, see Kyoungmin Koh, *T-MTT Nov 02* 2598-2603
- Hong-Teuk Kim, Jae-Hyoung Park, Yong-Kweon Kim, and Youngwoo Kwon. V-band low-loss and low-voltage distributed MEMS digital phase shifter using metal-air-metal capacitors; *MWSYM 02* 341-344 vol.1
- Hong Wang, see Yong Zhong Xiong, *T-MTT Apr 02* 1109-1113
- Hong Wei, see Feng Xu, *MWSYM 02* 2057-2060 vol.3
- Hong Wei, see Zhenhai Shao, *T-MTT Jan 02* 222-225
- Hong Wei, see Lei Yin, *T-MTT Aug 02* 2011-2017
- Hongwei Wu, see Zhenhai Shao, *T-MTT Jan 02* 222-225
- Hong Yang, see Enjun Xiao, *T-MTT Nov 02* 2453-2458
- Hong Ying-Jen, see Wei-Zen Chen, *RFIC 02* 169-172
- Hoon Kim Sang, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Horie, T., see Yoneda, N., *MWSYM 02* 821-824 vol.2
- Horii, Y., see Kitamura, T., *T-MTT Apr 02* 1216-1219
- Horikawa, K., see Kaho, T., *T-MTT Nov 02* 2505-2512
- Horikawa, K., see Kaho, T., *T-MTT Dec 02* 2987-2994
- Horino, K., see Kikkawa, T., *MWSYM 02* 1815-1818 vol.3
- Horio, Y., see Goto, K., *MWSYM 02* 2109-2112 vol.3
- Horn Tzyy-Sheng, see Kang-Chun Peng, *MWSYM 02* 1651-1654 vol.3
- Horn Tzyy-Sheng, see Tzyy-Sheng Horng, *T-MTT Aug 02* 2005-2010
- Horno, M., see Shuley, N.V., *T-MTT Sep 02* 2185-2192
- Hosoya, K., see Amamiya, Y., *MWSYM 02* 87-90 vol.1
- Ho-Sung Sung, see Dong-Wook Kim, *MWSYM 02* 1561-1564 vol.3
- Hoton How, Xu Zuo, E. Hokanson, L.C. Kempel, and C. Vittoria. Calculated and measured characteristics of a microstrip line fabricated on a Y-type hexaferrite substrate; *T-MTT May 02* 1280-1288
- Hou Chan Chi, see Chung-Chi Huang, *MWSYM 02* 2045-2048 vol.3
- Houfei Chen, Qin Li, Leung Tsang, and V. Jandhyala. Coupling of large number of vias in electronic packaging structures and differential signaling; *MWSYM 02* 983-986 vol.2
- Howard, L.C., and D.J. Rabideau. Correlation of nonlinear distortion in digital phased arrays: measurement and mitigation; *MWSYM 02* 49-52 vol.1
- How Hoton, see Hoton How, *T-MTT May 02* 1280-1288
- How Lee Chee, see Yoke Choy Leong, *MWSYM 02* 1165-1168 vol.2
- How Lee Chee, see Kian Sen Ang, *T-MTT Sep 02* 2147-2152
- Hsiang-Jen Huang, see Kun-Ming Chen, *MWSYM 02* 405-408 vol.1
- Hsiao-Bin Liang, see Yo-Sheng Lin, *MWSYM 02* 161-164 vol.1
- Hsiao-Bin Liang, see Yo-Sheng Lin, *RFIC 02* 315-318
- Hsiao-Ping Tsai, Yuanxun Wang, and Tatsuo Itoh. Analysis of guided wave structures using 3-D envelope-finite element (EVFE) technique; *MWSYM 02* 755-758 vol.2
- Hsiao-Ping Tsai, Yuanxun Wang, and T. Itoh. An unconditionally stable extended (USE) finite-element time-domain solution of active nonlinear microwave circuits using perfectly matched layers; *T-MTT Oct 02* 2226-2232
- Hsieh, J.C., see Chen, S.B., *MWSYM 02* 201-204 vol.1
- Hsieh Lung-Hwa, see Lung-Hwa Hsieh, *T-MTT Feb 02* 453-460
- Hsieh Lung-Hwa, see Lung-Hwa Hsieh, *T-MTT May 02* 1340-1345
- Hsieh Lung-Hwa, see Lung-Hwa Hsieh, *T-MTT Jul 02* 1795-1800
- Hsien-Chin Chiu, Ming-Jyh Hwu, Shih-Cheng Yang, and Yi-Jen Chan. High linearity low-k BCB-bridged AlGaAs/InGaAs power HFETs; *MWSYM 02* 521-524 vol.1
- Hsien-Chin Chiu, see Shih-Cheng Yang, *MWSYM 02* 2153-2156 vol.3
- Hsien-Chin Chiu, Ming-Jyh Hwu, Shih-Cheng Yang, and Yi-Jen Chan. High linearity low-k BCB-bridged AlGaAs/InGaAs power HFETs; *RFIC 02* 411-414
- Hsien-Shun Wu, and C.-K.C. Tzuang. PBG-enhanced inductor; *MWSYM 02* 1087-1090 vol.2
- Hsien-Shun Wu, see Ching-Kuo Wu, *T-MTT Aug 02* 1996-2004
- Hsiung Chen Chun, see Yo-Shen Lin, *MWSYM 02* 2213-2216 vol.3
- Hsiung Chen Chun, see Heng-Ming Hsu, *MWSYM 02* 1027-1030 vol.2
- Hsu, B., see Huang, H.C., *MWSYM 02* 27-30 vol.1
- Hsu, B., see Huang, H.C., *RFIC 02* 281-284
- Hsu, H.-M., J.-G. Su, C.-W. Chen, D.D. Tang, C.H. Chen, and J.-Y.C. Sun. Integrated power transistor in 0.18- μ m CMOS technology for RF system-on-chip applications; *T-MTT Dec 02* 2873-2881
- Hsu, H.-T., Z. Zhang, K.A. Zaki, and A.E. Atia. Parameter extraction for symmetric coupled-resonator filters; *T-MTT Dec 02* 2971-2978
- Hsu Chia-Jen, see Chao, C.-J., *MWSYM 02* 157-160 vol.1
- Hsu Chia-Jen, see Chuan-Jane Chao, *RFIC 02* 311-314
- Hsue Ching-Wen, see Da-Chiang Chang, *T-MTT Apr 02* 1114-1119
- Hsue Ching-Wen, see Te-Wen Pan, *T-MTT Nov 02* 2558-2563
- Hsu Heng-Ming, see Heng-Ming Hsu, *MWSYM 02* 1027-1030 vol.2
- Hsu Heng-Tung, see El Sabbagh, M.A., *MWSYM 02* 1805-1808 vol.3
- Hsu Heng-Tung, see Heng-Tung Hsu, *MWSYM 02* 1445-1448 vol.3
- Hsu Heng-Tung, see Heng-Tung Hsu, *T-MTT Apr 02* 1137-1145
- Hsu Heng-Tung, see Heng-Tung Hsu, *T-MTT Aug 02* 1960-1968
- Hsu Wei-Chen, see Chi-Yang Chang, *T-MTT Nov 02* 2527-2536
- Huang, C.-W.P., Jian-Wen Bao, N. Dwarakanath, and S. Al-Kuran. Application of quasi-static method of moments for the design of OC-192 and OC-768 fiber optic integrated circuits; *RFIC 02* 97-100
- Huang, G.W., see Meng, C.C., *MWSYM 02* 2161-2164 vol.3
- Huang, H.C., see Darwish, A., *MWSYM 02* 109-112 vol.1
- Huang, H.C., A. Ezzeddine, A. Darwish, B. Hsu, J. Williams, and S. Peak. Ku-band MMIC's in low-cost, SMT compatible packages; *MWSYM 02* 27-30 vol.1
- Huang, H.C., A. Ezzeddine, A. Darwish, B. Hsu, J. Williams, and S. Peak. Ku-band MMIC's in low-cost, SMT compatible packages; *RFIC 02* 281-284
- Huang, M., see Das, A., *MWSYM 02* 171-174 vol.1
- Huang, M., see Das, A., *RFIC 02* 325-328
- Huang Chung-Chi, see Chung-Chi Huang, *MWSYM 02* 2045-2048 vol.3
- Huang Feng-Jung, see O, K.K., *RFIC 02* 103-106
- Huang Guo-Wei, see Kun-Ming Chen, *MWSYM 02* 405-408 vol.1
- Huang Hong-Jie, see Chi-Yang Chang, *MWSYM 02* 1609-1612 vol.3
- Huang Hsiang-Jen, see Kun-Ming Chen, *MWSYM 02* 405-408 vol.1
- Huang Jhin-Fang, see Te-Wen Pan, *T-MTT Nov 02* 2558-2563
- Hua Zhang, see Fetterman, H., *MWSYM 02* 1937-1940 vol.3
- Huber, A., D. Huber, C. Bergamaschi, T. Morf, and H. Jackel. Noise model of InP-InGaAs SHBTs for RF circuit design; *T-MTT Jul 02* 1675-1682
- Huber, D., see Huber, A., *T-MTT Jul 02* 1675-1682
- Hubers, H.-W., see Feinaugle, R., *T-MTT Jan 02* 134-142
- Hubert, J., see Ortiz, S.C., *T-MTT Feb 02* 487-494
- Huei Wang, see Samoska, L., *MWSYM 02* 429-432 vol.1
- Huei Wang, see Kuo-Liang Deng, *RFIC 02* 151-154
- Huei Wang, see Ren-Chieh Liu, *RFIC 02* 221-224
- Huei Wang, see Tzeng, B., *T-MTT Nov 02* 2564-2568
- Hui Liew Yew, see Yew Hui Liew, *T-MTT Sep 02* 2056-2062
- Hui-Wen Yao, see Heng-Tung Hsu, *T-MTT Apr 02* 1137-1145
- Hui-Wen Yao, see Heng-Tung Hsu, *T-MTT Aug 02* 1960-1968
- Humphreys, R.G., see Parker, N.J., *MWSYM 02* 1971-1974 vol.3
- Hung Ki Wing, see Sang Lam, *MWSYM 02* 677-680 vol.2
- Hun Jeong Sung, see Youngju Lee, *MWSYM 02* 1329-1332 vol.2
- Hunter, I., see Rooney, J.-P., *MWSYM 02* 1915-1918 vol.3
- Hunter, I., see Morelli, M., *T-MTT Jul 02* 1657-1664
- Hunter, I., see Rooney, J.-P., *T-MTT Dec 02* 2947-2953
- Hunter, I.C., see Fiedziuszko, S.J., *T-MTT Mar 02* 706-720
- Hunter, I.C., L. Billonnet, B. Jarry, and P. Guillon. Microwave filters-applications and technology; *T-MTT Mar 02* 794-805
- Huo Liu Qing, see Qing Huo Liu, *T-MTT Jan 02* 123-133
- Huo Xiao, see Xiao Huo, *MWSYM 02* 513-516 vol.1
- Huo Xiao, see Xiao Huo, *RFIC 02* 403-406
- Hurley, R., and G. Sloan. An L-band, LTCC frequency doubler using embedded lumped element filters; *MWSYM 02* 1549-1552 vol.3
- Hussein, A.I., see Kuhn, W.B., *MWSYM 02* 301-305 vol.1
- Hussein, A.I., see Kuhn, W.B., *RFIC 02* 385-388

- Hussein, Y.A.**, and S.M. El-Ghazaly. Global modeling of active microwave devices incorporating a novel large-signal time-domain full-hydrodynamic physical simulator using wavelet-based adaptive grids; *MWSYM 02* 743-746 vol.2
- Hutchinson, C.P.**, see Iwamoto, M., *MWSYM 02* 901-904 vol.2
- Hutchinson, C.P.**, see Iwamoto, M., *T-MTT Dec 02* 2954-2962
- Huyart, B.**, see Romdane, H., *MWSYM 02* 597-599 vol.1
- Huyart, B.**, see Romdane, H., *RFIC 02* 487-489
- Huynen, I.**, see Torrese, G., *T-MTT Nov 02* 2553-2557
- Hwang, S.W.**, see Choi, S.C., *MWSYM 02* 2249-2252 vol.3
- Hwang Do-Kyeong**, see Si-Gyun Jeong, *MWSYM 02* 1161-1164 vol.2
- Hwang Hee Yong**, see Hee Yong Hwang, *T-MTT Jul 02* 1821-1831
- Hwang Kyuwoon**, see Melendy, D., *MWSYM 02* 717-720 vol.2
- Hwang Sung-Sik**, see Reddy, M., *RFIC 02* 35-38
- Hwan Min Sung**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- Hwu Ming-Jyh**, see Hsien-Chin Chiu, *MWSYM 02* 521-524 vol.1
- Hwu Ming-Jyh**, see Hsien-Chin Chiu, *RFIC 02* 411-414
- Hyeon Cha Jeong**, see Young Yun Woo, *MWSYM 02* 769-772 vol.2
- Hyeong-Seok Kim**, see Jun-Goo Kim, *MWSYM 02* 825-828 vol.2
- Hyeub Oh Seung**, see Soon Ik Jeon, *MWSYM 02* 1341-1343 vol.2
- Hyo-Jong Lee**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Hyuk Jang Jae**, see Jae Hyuk Jang, *MWSYM 02* 673-676 vol.2
- Hyunchol Shin**, Zhiwei Xu, and M.F. Chang. RF-interconnect for multi-Gb/s digital interface based on 10 GHz RF-modulation in 0.18 μ m CMOS; *MWSYM 02* 477-480 vol.1
- Hyunchol Shin**, Zhiwei Xu, and M.F. Chang. A 1.8-V 6/9-GHz switchable dual-band quadrature LC VCO in SiGe BiCMOS technology; *RFIC 02* 71-74
- Hyunchul Ku**, M.D. McKinley, and J.S. Kenney. Extraction of accurate behavioral models for power amplifiers with memory effects using two-tone measurements; *MWSYM 02* 139-142 vol.1
- Hyungcheol Shin**, see Ickjin Kwon, *T-MTT Jun 02* 1503-1509
- Hyung-Sik Park**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Hyunil Kang**, see Moon-Suk Jeon, *RFIC 02* 253-256
- Hyun Ju Seo**, see Ki Young Kim, *MWSYM 02* 1149-1152 vol.2
- Hyun-Kyo Jung**, see No-Weon Kang, *MWSYM 02* 1143-1146 vol.2
- Hyun-Kyu Yu**, see Jae-Hong Chang, *MWSYM 02* 529-532 vol.1
- Hyun-Kyu Yu**, see Yong-Sik Youn, *MWSYM 02* 17-20 vol.1
- Hyun-Kyu Yu**, see Jae-Hong Chang, *RFIC 02* 419-422
- Hyun-Kyu Yu**, see Yong-Sik Youn, *RFIC 02* 271-274
- Hyun-Min Park**, R. Green, and Songcheol Hong. A novel extraction method for a fully electro-thermal large-signal model of HBT; *MWSYM 02* 1009-1012 vol.2
- Hyun-Min Park**, see Kyoungmin Koh, *T-MTT Nov 02* 2598-2603
- I**
- Ick Choi Jae**, see Soon Ik Jeon, *MWSYM 02* 1341-1343 vol.2
- Ickjin Kwon**, Minkyu Je, Kwiro Lee, and Hyungcheol Shin. A simple and analytical parameter-extraction method of a microwave MOSFET; *T-MTT Jun 02* 1503-1509
- Ida, M.**, see Nosaka, H., *MWSYM 02* 83-86 vol.1
- Ida, M.**, see Kamitsuna, H., *MWSYM 02* 1699-1702 vol.3
- Ida, M.**, see Kamitsuna, H., *T-MTT Dec 02* 3002-3008
- Iguchi, S.**, see Okiura, M., *MWSYM 02* 485-488 vol.1
- Iida, T.**, see Kusunoki, S., *MWSYM 02* 765-768 vol.2
- Iida, T.**, see Kusunoki, S., *T-MTT Dec 02* 2979-2986
- Ikawa, K.**, see Oshima, K., *MWSYM 02* 1569-1572 vol.3
- Ikeda, Y.**, see Yamanaka, K., *MWSYM 02* 1427-1430 vol.3
- Ikematsu, H.**, K. Kawakami, T. Katoh, and K. Itoh. A 40 GHz-band fully monolithic VCO with a one-wave length microstrip resonator for accurate oscillation frequency; *MWSYM 02* 843-846 vol.2
- Ikematsu, H.**, see Ohwada, T., *MWSYM 02* 1617-1620 vol.3
- Ikematsu, H.**, see Yamanaka, K., *MWSYM 02* 1427-1430 vol.3
- Ikenaga, Y.**, see Amamiya, Y., *MWSYM 02* 87-90 vol.1
- Ik Jeon Soon**, see Soon Ik Jeon, *MWSYM 02* 1341-1343 vol.2
- Ik Jeon Soon**, see Youngju Lee, *MWSYM 02* 1329-1332 vol.2
- Ikuina, K.**, see Ito, M., *MWSYM 02* 1789-1792 vol.3
- Ikushima, T.**, see Itoh, K., *MWSYM 02* 9-12 vol.1
- Ikushima, T.**, see Shimozawa, M., *MWSYM 02* 253-256 vol.1
- Ikushima, T.**, see Nishino, T., *MWSYM 02* 1385-1388 vol.3
- Ikushima, T.**, see Itoh, K., *RFIC 02* 263-266
- Ikushima, T.**, see Taniguchi, E., *RFIC 02* 133-136
- Imai, Y.**, see Kimura, S., *T-MTT Jun 02* 1603-1608
- Im Serkssoon**, see Serkssoon Im, *MWSYM 02* 1801-1804 vol.3
- Inagaki, K.**, see Shibata, O., *T-MTT May 02* 1425-1430
- In-Bok Yom**, see Jin-Cheol Jeong, *MWSYM 02* 1257-1260 vol.2
- In-Bok Yom**, see Moon-Que Lee, *MWSYM 02* 1797-1800 vol.3
- Inho Jeong**, Seong-Ho Shin, Ju-Hyun Go, Joong-Soo Lee, Choong-Mo Nam, Dong-Wook Kim, and Young-Se Kwon. High performance air gap transmission lines for millimeter wave applications; *MWSYM 02* 661-664 vol.2
- In-Ho Jeong**, see Dong-Wook Kim, *MWSYM 02* 1561-1564 vol.3
- Inoue, A.**, S. Nakatsuka, R. Hattori, and Y. Matsuda. The maximum operating region in SiGe HBTs for RF power amplifiers; *MWSYM 02* 1023-1026 vol.2
- Inoue, A.**, see Angelov, I., *MWSYM 02* 2137-2140 vol.3
- Inoue, A.**, see Yamamoto, K., *RFIC 02* 245-248
- Inoue, M.**, see Takahashi, K., *MWSYM 02* 787-790 vol.2
- Ionis, G.V.**, A. Dec, and K. Suyama. Differential multi-finger MEMS tunable capacitors for RF integrated circuits; *MWSYM 02* 345-348 vol.1
- Ip, K.H.Y.**, and G.V. Eleftheriades. A compact CPW-based single-layer injection-locked active antenna for array applications; *T-MTT Feb 02* 481-486
- Ishida, H.**, see Young Yun, *MWSYM 02* 409-412 vol.1
- Ishida, H.**, see Yun, Y., *T-MTT Dec 02* 2930-2937
- Ishida, O.**, see Itoh, K., *MWSYM 02* 9-12 vol.1
- Ishida, O.**, see Nishino, T., *MWSYM 02* 1385-1388 vol.3
- Ishida, O.**, see Itoh, K., *RFIC 02* 263-266
- Ishida, O.**, see Taniguchi, E., *RFIC 02* 133-136
- Ishida, S.**, see Ohwada, T., *MWSYM 02* 1617-1620 vol.3
- Ishii, K.**, see Nosaka, H., *MWSYM 02* 83-86 vol.1
- Ishikawa, T.**, see Kanaya, K., *MWSYM 02* 1249-1252 vol.2
- Ishitobi, N.**, see Jae Hyuk Jang, *MWSYM 02* 673-676 vol.2
- Ishizaki, T.**, see Enokihara, A., *MWSYM 02* 1781-1784 vol.3
- Ishizu, F.**, see Itoh, K., *MWSYM 02* 9-12 vol.1
- Ishizu, F.**, see Itoh, K., *RFIC 02* 263-266
- Iskander, M.F.**, and Zhengqing Yun. Propagation prediction models for wireless communication systems; *T-MTT Mar 02* 662-673
- Iskander, M.F.** Technology-based electromagnetic education; *T-MTT Mar 02* 1015-1020
- Islam, S.S.**, and A.F.M. Anwar. Large-signal modeling of GaN FET and nonlinearity analysis using Volterra series; *MWSYM 02* 267-270 vol.1
- Islam, S.S.**, and A.F.M. Anwar. Large-signal modeling of GaN FET and nonlinearity analysis using Volterra series; *RFIC 02* 351-354
- Islam, S.S.**, and A.F.M. Anwar. Nonlinear analysis of GaN MESFETs with Volterra series using large-signal models including trapping effects; *T-MTT Nov 02* 2474-2479
- Ismail, M.A.**, see Bandler, J.W., *MWSYM 02* 713-716 vol.2
- Isota, Y.**, see Shimozawa, M., *MWSYM 02* 253-256 vol.1
- Ito, M.**, K. Maruhashi, K. Ikuina, T. Hashiguchi, S. Iwanaga, and K. Ohata. 60-GHz-band dielectric waveguide filters with cross-coupling for flip-chip modules; *MWSYM 02* 1789-1792 vol.3
- Itoh, K.**, see Ikematsu, H., *MWSYM 02* 843-846 vol.2
- Itoh, K.**, see Shimozawa, M., *MWSYM 02* 253-256 vol.1
- Itoh, K.**, T. Yamaguchi, T. Katsura, K. Sadahiro, T. Ikushima, R. Hayashi, F. Ishizu, E. Taniguchi, T. Nishino, M. Shimozawa, N. Suematsu, T. Takagi, and O. Ishida. Integrated even harmonic type direct conversion receiver for W-CDMA mobile terminals; *MWSYM 02* 9-12 vol.1
- Itoh, K.**, see Nishino, T., *MWSYM 02* 1385-1388 vol.3
- Itoh, K.**, see Joba, H., *RFIC 02* 27-30
- Itoh, K.**, see Taniguchi, E., *RFIC 02* 133-136
- Itoh, K.**, T. Yamaguchi, T. Katsura, K. Sadahiro, T. Ikushima, R. Hayashi, F. Ishizu, E. Taniguchi, T. Nishino, M. Shimozawa, N. Suematsu, T. Takagi, and O. Ishida. Integrated even harmonic type direct conversion receiver for W-CDMA mobile terminals; *RFIC 02* 263-266
- Itoh, M.**, see Dasgupta, U., *RFIC 02* 195-198
- Itoh, M.**, see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Itoh, T.**, see Fredrick, J.D., *MWSYM 02* 311-314 vol.1
- Itoh, T.**, see Hang, C.Y., *MWSYM 02* 913-916 vol.2
- Itoh, T.**, see Jin Park, *MWSYM 02* 939-942 vol.2
- Itoh, T.**, see Nishio, T., *MWSYM 02* 1345-1348 vol.2
- Itoh, T.**, see Ji-Yong Park, *MWSYM 02* 1277-1280 vol.2
- Itoh, T.**, see Seong-Sik Jeon, *MWSYM 02* 1357-1360 vol.2
- Itoh, T.**, see Caloz, C., *MWSYM 02* 1919-1922 vol.3
- Itoh, T.**, see Leong, K.M.K.H., *MWSYM 02* 1349-1352 vol.2
- Itoh, T.**, see Miyamoto, R.Y., *MWSYM 02* 1369-1372 vol.2
- Itoh, T.**, see Fiedziuszko, S.J., *T-MTT Mar 02* 706-720
- Itoh, T.**, see Chang, K., *T-MTT Mar 02* 937-944
- Itoh, T.**, see Gupta, K.C., *T-MTT Mar 02* 1006-1014
- Itoh, T.**, see Sor, J., *T-MTT Aug 02* 1877-1884
- Itoh, T.**, see Nishino, T., *T-MTT Sep 02* 2048-2055
- Itoh, T.**, see Caloz, C., *T-MTT Sep 02* 2206-2208
- Itoh, T.**, see Hsiao-Ping Tsai, *T-MTT Oct 02* 2226-2232
- Itoh, T.**, see Tsai, H.-P., *T-MTT Dec 02* 2721-2727
- Itoh, T.**, see Fredrick, J.D., *T-MTT Dec 02* 3052-3058
- Itoh, T.**, see Park, J., *T-MTT Dec 02* 3059-3063
- Itoh Tatsuo**, see Hsiao-Ping Tsai, *MWSYM 02* 755-758 vol.2
- Itoh Tatsuo**, see Weijun Yao, *MWSYM 02* 2061-2064 vol.3
- Itotia, I.K.**, and R.F. Drayton. Porosity effects on coplanar waveguide porous silicon interconnects; *MWSYM 02* 681-684 vol.2
- Ittipiboon, A.**, see Ghosh, B., *T-MTT Oct 02* 2294-2304

- Ivanov, T.**, M. Carroll, S. Moinian, M. Mastrapasqua, A. Frei, A. Chen, C. King, A. Hamad, E. Martin, S. Shive, T. Esry, C. Lee, R. Johnson, T. Sorsch, M. Carroll, K. Banoo, P. Smith, and W. Cochran. COM2 enhanced graded base SiGe technology for high speed applications; *MWSYM* 02 183-186 vol.1
- Ivanov, T.**, M. Carroll, S. Moinian, M. Mastrapasqua, A. Frei, A. Chen, C. King, A. Hamad, E. Martin, S. Shive, T. Esry, C. Lee, R. Johnson, T. Sorsch, M. Carroll, K. Banoo, P. Smith, and W. Cochran. COM2 enhanced graded base SiGe technology for high speed applications; *RFIC* 02 337-340
- Iwamoto, M.**, see Asbeck, P.M., *MWSYM* 02 135-138 vol.1
- Iwamoto, M.**, see Keyzer, J., *MWSYM* 02 397-400 vol.1
- Iwamoto, M.**, C.P. Hutchinson, J.B. Scott, T.S. Low, M. Vaidyanathan, P.M. Asbeck, and D.C. D'Avanzo. Optimum bias conditions for linear broadband InGaP/GaAs HBT power amplifiers; *MWSYM* 02 901-904 vol.2
- Iwamoto, M.**, C.P. Hutchinson, J.B. Scott, T.S. Low, M. Vaidyanathan, P.M. Asbeck, and D.C. D'Avanzo. Optimum bias conditions for linear broad-band InGaP/GaAs HBT power amplifiers; *T-MTT Dec* 02 2954-2962
- Iwamoto, N.**, see Matsuno, T., *MWSYM* 02 293-295 vol.1
- Iwamoto, N.**, see Matsuno, T., *RFIC* 02 377-379
- Iwanaga, S.**, see Ito, M., *MWSYM* 02 1789-1792 vol.3
- Iyer, A.K.**, and G.V. Eleftheriades. Negative refractive index metamaterials supporting 2-D waves; *MWSYM* 02 1067-1070 vol.2
- Iyer, A.K.**, see Eleftheriades, G.V., *T-MTT Dec* 02 2702-2712

J

- Jackel, H.**, see Willen, B., *T-MTT Feb* 02 580-583
- Jackel, H.**, see Huber, A., *T-MTT Jul* 02 1675-1682
- Jackson, D.R.**, see Baccarelli, P., *MWSYM* 02 953-956 vol.2
- Jackson, D.R.**, see Langston, W.L., *MWSYM* 02 949-952 vol.2
- Jackson, D.R.**, see Mesa, F., *MWSYM* 02 945-948 vol.2
- Jackson, D.R.**, see Mesa, F., *T-MTT Jan* 02 94-104
- Jackson, D.R.**, see Mesa, F., *T-MTT Oct* 02 2267-2275
- Jackson, D.R.**, see Mesa, F., *T-MTT Dec* 02 2679-2689
- Jackson, D.R.**, see Baccarelli, P., *T-MTT Dec* 02 2690-2701
- Jacob, A.F.**, see Heyen, J., *MWSYM* 02 2205-2208 vol.3
- Jacob, M.V.**, see Leong, K., *MWSYM* 02 1665-1668 vol.3
- Jacob, M.V.**, J. Mazierska, K. Leong, and J. Krupka. Microwave properties of low-loss polymers at cryogenic temperatures; *T-MTT Feb* 02 474-480
- Jacobs, E.W.**, D.W. Fogliatti, H. Nguyen, D.J. Albares, C.T. Chang, and C.K. Sun. Photo-injection p-i-n diode switch for high-power RF switching; *T-MTT Feb* 02 413-419
- Jacobsen, S.**, and P.R. Stauffer. Multifrequency radiometric determination of temperature profiles in a lossy homogeneous phantom using a dual-mode antenna with integral water bolus; *T-MTT Jul* 02 1737-1746
- Jacobsson, H.**, B. Hansson, H. Berg, and S. Gevorgian. Very low phase-noise fully-integrated coupled VCOs; *MWSYM* 02 577-580 vol.1
- Jacobsson, H.**, B. Hansson, H. Berg, and S. Gevorgian. Very low phase-noise fully-integrated coupled VCOs; *RFIC* 02 467-470
- Jacomb-Hood, A.**, see Kornrumpf, W., *MWSYM* 02 319-322 vol.1
- Jaconelli, P.**, see Spann, J., *MWSYM* 02 533-536 vol.1
- Jaconelli, P.**, see Spann, J., *RFIC* 02 423-426
- Jacquet, J.-C.**, see Heckmann, S., *MWSYM* 02 1001-1004 vol.2
- Jacquet, J.-C.**, see Heckmann, S., *T-MTT Dec* 02 2811-2819
- Jae-Bong Lim**, see Taek-Young Song, *MWSYM* 02 213-217 vol.1
- Jaeger, D.**, see Ghis, A., *MWSYM* 02 1673-1676 vol.3
- Jaeger, G.**, see Werthof, A., *MWSYM* 02 1855-1858 vol.3
- Jaeger, H.**, see Grebennikov, A.V., *MWSYM* 02 1627-1630 vol.3
- Jachak Lee**, see Moon-Suk Jeon, *RFIC* 02 253-256
- Jaehak Lee**, see Junghyun Kim, *T-MTT Nov* 02 2459-2466
- Jae-Hee Han**, see Jong-Sik Lim, *MWSYM* 02 1153-1156 vol.2
- Jae-Ho Kim**, see Jun-Seok Park, *MWSYM* 02 417-420 vol.1
- Jae-Ho Kim**, see Taek-Young Song, *MWSYM* 02 213-217 vol.1
- Jae-Hong Chang**, see Yong-Sik Youn, *MWSYM* 02 17-20 vol.1
- Jae-Hong Chang**, Yong-Sik Youn, Hyun-Kyu Yu, and Choong-Ki Kim. Effects of dummy patterns and substrate on spiral inductors for sub-micron RF ICs; *MWSYM* 02 529-532 vol.1
- Jae-Hong Chang**, see Yong-Sik Youn, *RFIC* 02 271-274
- Jae-Hong Chang**, Yong-Sik Youn, Hyun-Kyu Yu, and Choong-Ki Kim. Effects of dummy patterns and substrate on spiral inductors for sub-micron RF ICs; *RFIC* 02 419-422
- Jaehoon Kim**, see Serksoun Im, *MWSYM* 02 1801-1804 vol.3
- Jaehoon Park**, see Mohammadi, S., *MWSYM* 02 289-292 vol.1
- Jaehoon Park**, see Mohammadi, S., *RFIC* 02 373-376
- Jaehyok Yi**, see Young Yun Woo, *MWSYM* 02 769-772 vol.2
- Jaehyok Yi**, see Youngoo Yang, *MWSYM* 02 777-780 vol.2
- Jae-Hyoung Park**, see Hong-Teuk Kim, *MWSYM* 02 341-344 vol.1
- Jae Hyuk Jang**, N. Ishitobi, and Chul Ho Kim. Modeling of real-shaped LTCC stripline structure having sharpened edges and embedded pores; *MWSYM* 02 673-676 vol.2
- Jae Ick Choi**, see Soon Ik Jeon, *MWSYM* 02 1341-1343 vol.2
- Jae-Ick Choi**, see Young-Bae Jung, *MWSYM* 02 1337-1340 vol.2
- Jae Seung Yun**, see Youngju Lee, *MWSYM* 02 1329-1332 vol.2
- Jaganathan, S.**, see Liyang Zhang, *RFIC* 02 85-88
- Jagannathan, B.**, see Subbanna, S., *MWSYM* 02 401-404 vol.1
- Jager, H.**, A. Grebennikov, E. Heaney, and R. Weigel. Broadband high-efficiency monolithic InGaP/GaAs HBT power amplifiers for 3G handset applications; *MWSYM* 02 1035-1038 vol.2
- Jaggard, D.L.**, see Wu, T.X., *T-MTT Oct* 02 2320-2330
- Jain, F.**, see Ali, S., *RFIC* 02 173-176
- Jakoby, R.**, see Weil, C., *MWSYM* 02 367-371 vol.1
- Jandhyala, V.**, see Houfei Chen, *MWSYM* 02 983-986 vol.2
- Jang Byung-Jun**, see Jin-Cheol Jeong, *MWSYM* 02 1257-1260 vol.2
- Jang Jae Hyuk**, see Jae Hyuk Jang, *MWSYM* 02 673-676 vol.2
- Jargon, J.A.**, see Remley, K.A., *MWSYM* 02 2169-2172 vol.3
- Jarry, B.**, see Bazzi, H., *MWSYM* 02 421-424 vol.1
- Jarry, B.**, see Hunter, I.C., *T-MTT Mar* 02 794-805
- Jarry, P.**, see Bouthieiller, N., *MWSYM* 02 1777-1780 vol.3
- Jastrzebski, A.K.**, see Viveiros, D., Jr., *T-MTT Aug* 02 1885-1889
- Jau Je-Kuan**, see Kang-Chun Peng, *MWSYM* 02 1651-1654 vol.3
- Jau Wong Sheng**, see Dasgupta, U., *RFIC* 02 195-198
- Jau Wong Sheng**, see Dasgupta, U., *T-MTT Nov* 02 2443-2452
- Jeehoon Han**, see Fetterman, H., *MWSYM* 02 1937-1940 vol.3
- Jeha Kim**, see Jiyoun Lim, *MWSYM* 02 1707-1710 vol.3
- Jeiyoun Lee**, Geunho Lee, Guofu Niu, J.D. Cressler, J.H. Kim, J.C. Lee, B. Lee, and N.Y. Kim. The design of SiGe HBT LNA for IMT-2000 mobile application; *MWSYM* 02 1261-1264 vol.2
- Je-Kuan Jau**, see Kang-Chun Peng, *MWSYM* 02 1651-1654 vol.3
- Je-Kwang Cho**, see Bonkee Kim, *RFIC* 02 137-140
- Jelodin, G.**, see Feng, H., *MWSYM* 02 553-556 vol.1
- Jelodin, G.**, see Feng, H., *RFIC* 02 443-446
- Je Minkyu**, see Ickjin Kwon, *T-MTT Jun* 02 1503-1509
- Jemison, W.D.** Analysis of the AO-FDPC optical heterodyne technique for microwave time delay and phased array beamsteering applications; *T-MTT Jul* 02 1832-1843
- Jennings, R.**, see Barnes, A.R., *MWSYM* 02 1867-1870 vol.3
- Jensen, C.**, see Tong Chen, *MWSYM* 02 773-776 vol.2
- Jensen, J.F.**, see Asbeck, P., *T-MTT Mar* 02 900-909
- Jenshan Lin**, see Gould, P., *T-MTT Jan* 02 369-376
- Jen-Tsai Kuo**, and E. Shih. Stepped impedance resonator bandpass filters with tunable transmission zeros and its application to wide stopband design; *MWSYM* 02 1613-1616 vol.3
- Jen-Tsai Kuo**, and Ke-Ying Su. Analytical evaluation of the MoM matrix elements for the capacitance of a charged plate; *T-MTT May* 02 1435-1436
- Jentzsch, A.**, see Schmuckle, F.J., *MWSYM* 02 1393-1396 vol.3
- Jeong, I.**, S.H. Shin, J.-H. Go, J.S. Lee, C.M. Nam, D.W. Kim, and Y.S. Kwon. High-performance air-gap transmission lines and inductors for millimeter-wave applications; *T-MTT Dec* 02 2850-2855
- Jeong-Geun Kim**, see Dong-Hyun Back, *MWSYM* 02 847-850 vol.2
- Jeong-Hae Lee**, see Ki Young Kim, *MWSYM* 02 1149-1152 vol.2
- Jeong Hyeon Cha**, see Young Yun Woo, *MWSYM* 02 769-772 vol.2
- Jeonghyeon Cha**, see Youngoo Yang, *MWSYM* 02 777-780 vol.2
- Jeong Inho**, see Inho Jeong, *MWSYM* 02 661-664 vol.2
- Jeong In-Ho**, see Dong-Wook Kim, *MWSYM* 02 1561-1564 vol.3
- Jeong Jin-Cheol**, see Jin-Cheol Jeong, *MWSYM* 02 1257-1260 vol.2
- Jeong Phill Kim**, and Wee Sang Park. Novel configurations of planar multilayer magic-T using microstrip-slotline transitions; *T-MTT Jul* 02 1683-1688
- Jeong Si-Gyun**, see Si-Gyun Jeong, *MWSYM* 02 1161-1164 vol.2
- Jeong Soo Lee**, C. Nguyen, and T. Scullion. Impulse ground penetrating radar for nondestructive evaluation of pavements; *MWSYM* 02 1361-1363 vol.2
- Jeong Sung Hun**, see Youngju Lee, *MWSYM* 02 1329-1332 vol.2
- Jeong Yong-Chae**, see Si-Gyun Jeong, *MWSYM* 02 1161-1164 vol.2
- Jeong Yong-Woo**, see Jung-Hyun Sung, *MWSYM* 02 1177-1180 vol.2
- Jeon Moon-Suk**, see Moon-Suk Jeon, *RFIC* 02 253-256
- Jeon Moon-Suk**, see Junghyun Kim, *T-MTT Nov* 02 2459-2466
- Jeon Sanghoon**, see Jiyoun Lim, *MWSYM* 02 1707-1710 vol.3
- Jeon Seong-Sik**, see Fredrick, J.D., *MWSYM* 02 311-314 vol.1
- Jeon Seong-Sik**, see Ji-Yong Park, *MWSYM* 02 1277-1280 vol.2
- Jeon Seong-Sik**, see Seong-Sik Jeon, *MWSYM* 02 1357-1360 vol.2
- Jeon Seong-Sik**, see Leong, K.M.K.H., *MWSYM* 02 1349-1352 vol.2
- Jeon Seong-Sik**, see Miyamoto, R.Y., *MWSYM* 02 1369-1372 vol.2
- Jeon Soon Ik**, see Soon Ik Jeon, *MWSYM* 02 1341-1343 vol.2
- Jeon Soon-Ik**, see Young-Bae Jung, *MWSYM* 02 1337-1340 vol.2
- Jeon Soon Ik**, see Youngju Lee, *MWSYM* 02 1329-1332 vol.2
- Jerby, E.**, see Einat, M., *T-MTT Apr* 02 1227-1230
- Jerinic, G.**, see Kopp, B.A., *T-MTT Mar* 02 827-834

- Jerng, A.**, A. Truong, D. Wolday, E. Unruh, E. Landi, L. Wong, R. Fried, and S. Gibbons. Integrated CMOS transceivers using single-conversion standard IF or low IF RX for digital narrowband cordless systems; *RFIC* 02 111-114
- Jessie, D.**, and L. Larson. Design techniques for improved microwave performance of small outline packages; *MWSYM* 02 297-300 vol.1
- Jessie, D.**, and L. Larson. Design techniques for improved microwave performance of small outline packages; *RFIC* 02 381-384
- Jhin-Fang Huang**, see Te-Wen Pan, *T-MTT Nov* 02 2558-2563
- Jia-Liang Chen**, Sheng-Fuh Chang, and Chain-Tin Wu. A high-directivity microstrip directional coupler with feedback compensation; *MWSYM* 02 101-104 vol.1
- Jiang Fan**, see Zhang, W.-K., *MWSYM* 02 1531-1534 vol.3
- Jian-Guo Ma** TE-mode propagation properties of the coupled planar Kerr-like nonlinear waveguides; *MWSYM* 02 1985-1988 vol.3
- Jianjun Xu**, M.C.E. Yagoub, Runtao Ding, and Q.J. Zhang. Neural based dynamic modeling of nonlinear microwave circuits; *MWSYM* 02 1101-1104 vol.2
- Jian Liu**, see Feng Ling, *T-MTT Jun* 02 1628-1635
- Jian-Ming Jin**, see Feng Ling, *T-MTT Jun* 02 1628-1635
- Jianming Li**, see Kuhn, W.B., *MWSYM* 02 301-305 vol.1
- Jianming Li**, see Kuhn, W.B., *RFIC* 02 385-388
- Jian-Wen Bao**, see Huang, C.-W.P., *RFIC* 02 97-100
- Jia Pengcheng**, see Pengcheng Jia, *T-MTT May* 02 1355-1360
- Jia-Xian Chang**, see Wei-Zen Chen, *RFIC* 02 169-172
- Ji Chen**, see Feng Liu, *T-MTT Feb* 02 570-577
- Jie Wang**, see Lei Yin, *T-MTT Aug* 02 2011-2017
- Jimison, W.D.**, see Chandramouli, S., *MWSYM* 02 1293-1296 vol.2
- Jin-Cheol Jeong**, Yong Hei Lim, Byung-Jun Jang, In-Bok Yom, and Seong-Pal Lee. Development of Ku-band Receiver/Downconverter for satellite transponders; *MWSYM* 02 1257-1260 vol.2
- Jinglin, S.**, see Doan, M.T., *RFIC* 02 415-418
- Jinglin Shi**, see My The Doan, *MWSYM* 02 525-528 vol.1
- Jinhwan Koh**, see Sarakr, T.K., *T-MTT May* 02 1408-1416
- Jin Jian-Ming**, see Feng Ling, *T-MTT Jun* 02 1628-1635
- Jinjin Shen**, and L.W. Pearson. How to increase locking range of coupled oscillator cells without lowering Q; *MWSYM* 02 1309-1312 vol.2
- Jin Kim Yoo**, see Yoo Jin Kim, *MWSYM* 02 651-654 vol.2
- Jin-Koo Rhee**, see Young-Hoon Chun, *MWSYM* 02 1911-1914 vol.3
- Jinlong Zhang**, see Qiang Li, *MWSYM* 02 509-512 vol.1
- Jinlong Zhang**, see Qiang Li, *RFIC* 02 399-402
- Jinman Yang**, see Spann, J., *MWSYM* 02 533-536 vol.1
- Jinman Yang**, see Spann, J., *RFIC* 02 423-426
- Jin Park**, Yuanxun Wang, and T. Itoh. A microwave communication link with self-heterodyne direct down conversion and system predistortion; *MWSYM* 02 939-942 vol.2
- Jin Tang**, Guofu Niu, Zhenrong Jin, J.D. Cressler, Shiming Zhang, A.J. Joseph, and D.L. Hareme. Low-frequency noise figures-of-merit in RF SiGe HBT technology; *MWSYM* 02 179-182 vol.1
- Jin Tang**, Guofu Niu, Zhenrong Jin, J.D. Cressler, Shiming Zhang, A.J. Joseph, and D.L. Hareme. Low-frequency noise figures-of-merit in RF SiGe HBT technology; *RFIC* 02 333-336
- Jin Tang**, Guofu Niu, Zhenrong Jin, J.D. Cressler, Shiming Zhang, A.J. Joseph, and D.L. Hareme. Modeling and characterization of SiGe HBT low-frequency noise figures-of-merit for RFIC applications; *T-MTT Nov* 02 2467-2473
- Jin-Won Han**, see Ki Young Kim, *MWSYM* 02 1149-1152 vol.2
- Jin-Yeong Kang**, see Bongki Mheen, *MWSYM* 02 413-416 vol.1
- Jin Zhang**, see Zhang Jin, *MWSYM* 02 1201-1204 vol.2
- Jin Zhenrong**, see Jin Tang, *MWSYM* 02 179-182 vol.1
- Jin Zhenrong**, see Jin Tang, *RFIC* 02 333-336
- Jin Zhenrong**, see Jin Tang, *T-MTT Nov* 02 2467-2473
- Jiong-Guang Su**, see Heng-Ming Hsu, *MWSYM* 02 1027-1030 vol.2
- Ji-Yong Park**, Seong-Sik Jeon, Yuanxun Wang, and T. Itoh. Millimeter wave direct quadrature converter integrated with antenna for broad-band wireless communications; *MWSYM* 02 1277-1280 vol.2
- Jiyoun Lim**, Sanghoon Jeon, Jeha Kim, and Songcheol Hong. A circuit model of traveling wave electroabsorption modulator; *MWSYM* 02 1707-1710 vol.3
- Joba, H.**, Y. Takahashi, Y. Matsunami, K. Itoh, S. Shinjo, N. Suematsu, D.S. Malhi, D. Wang, K. Schelkle, and P. Bacon. W-CDMA SiGe TX-IC with high dynamic range and high power control accuracy; *RFIC* 02 27-30
- Joe Jurianto**, see Yew Hui Liew, *T-MTT Sep* 02 2056-2062
- Jofre, L.**, see Yoo Jin Kim, *MWSYM* 02 651-654 vol.2
- Jofre, L.**, see Cetiner, B.A., *MWSYM* 02 1333-1336 vol.2
- Johansson, L.A.**, and A.J. Seeds. Optical delivery of modulated millimetre-wave signals using free-running laser heterodyne with frequency drift cancellation; *MWSYM* 02 1695-1697 vol.3
- Johnson, D.**, see Svitek, R., *MWSYM* 02 505-508 vol.1
- Johnson, D.**, see Svitek, R., *RFIC* 02 395-398
- Johnson, E.**, see Lan, E., *MWSYM* 02 1039-1042 vol.2
- Johnson, J.**, see Coolbaugh, D., *MWSYM* 02 187-191 vol.1
- Johnson, J.**, see Willis, J., *MWSYM* 02 2093-2095 vol.3
- Johnson, J.**, see Coolbaugh, D., *RFIC* 02 341-344
- Johnson, R.**, see Ivanov, T., *MWSYM* 02 183-186 vol.1
- Johnson, R.**, see Ivanov, T., *RFIC* 02 337-340
- Joines, W.T.**, see Qing Huo Liu, *T-MTT Jan* 02 123-133
- Jongchan Kang**, see Woonyun Kim, *T-MTT Jul* 02 1714-1722
- Jong-Hun Lee**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Jong-Hun Lee**, see Jun-Seok Park, *MWSYM* 02 417-420 vol.1
- Jong-Im Park**, see Chul-Soo Kim, *MWSYM* 02 2125-2128 vol.3
- Jongjoo Lee**, and Joungho Kim. Electric-field observation of pico-pulse propagation on right-angle bends by miniature photoconductive near-field probe; *MWSYM* 02 1509-1512 vol.3
- Jong-Ryul Lee**, see Sungmin Ock, *MWSYM* 02 1423-1426 vol.3
- Jong Ryul Sohn**, see Ki Young Kim, *MWSYM* 02 1149-1152 vol.2
- Jong-Sik Lim**, Young-Taek Lee, Jae-Hee Han, Jun-Seok Park, Dal Ahn, and Sangwook Nam. A technique for reducing the size of amplifiers using defected ground structure; *MWSYM* 02 1153-1156 vol.2
- Jong-Sik Lim**, see Chul-Soo Kim, *MWSYM* 02 2125-2128 vol.3
- Jong-Soo Lee**, see Dong-Wook Kim, *MWSYM* 02 1561-1564 vol.3
- Jong-Wook Lee**, and K.J. Webb. Analysis and design of low-loss planar microwave baluns having three symmetric coupled lines; *MWSYM* 02 117-121 vol.1
- Joodaki, M.**, and G. Komp. A systematic approach to a reliable neural model for pHEMT using different numbers of training data; *MWSYM* 02 1105-1108 vol.2
- Joongjin Nam**, see Young Yun Woo, *MWSYM* 02 769-772 vol.2
- Joong-Soo Lee**, see Inho Jeong, *MWSYM* 02 661-664 vol.2
- Joonyoul, L.**, see Darwish, A., *MWSYM* 02 109-112 vol.1
- Jose, K.A.**, G. Sunil, V.K. Varadan, and V.V. Varadan. Wireless IDT ice sensor; *MWSYM* 02 655-658 vol.2
- Joseph, A.J.**, see Jin Tang, *MWSYM* 02 179-182 vol.1
- Joseph, A.J.**, see Jin Tang, *RFIC* 02 333-336
- Joseph, A.J.**, see Jin Tang, *T-MTT Nov* 02 2467-2473
- Joshin, K.**, see Kikkawa, T., *MWSYM* 02 1815-1818 vol.3
- Joungho Kim**, see Jongjoo Lee, *MWSYM* 02 1509-1512 vol.3
- Joung Yeun-Ho**, see Yeun-Ho Joung, *MWSYM* 02 1409-1412 vol.3
- Judaschke, R.**, see Luschas, M., *MWSYM* 02 1269-1272 vol.2
- Judaschke, R.**, see Schumann, B., *MWSYM* 02 1539-1542 vol.3
- Jugo, J.**, see Anakabe, A., *MWSYM* 02 2181-2184 vol.3
- Ju-Hyun Go**, see Inho Jeong, *MWSYM* 02 661-664 vol.2
- Jui-Feng Kuan**, see Kun-Ming Chen, *MWSYM* 02 405-408 vol.1
- Julien, G.**, see Bateman, D., *MWSYM* 02 803-806 vol.2
- Junding Wen**, see Wenquan Che, *T-MTT Aug* 02 1912-1918
- Jung, H.-K.**, see Kang, N.-W., *T-MTT Dec* 02 2734-2740
- Jung-Hoon Lee**, see Soon-Cheol Kong, *T-MTT Nov* 02 2589-2597
- Junghyun Kim**, see Moon-Suk Jeon, *RFIC* 02 253-256
- Junghyun Kim**, and Youngwoo Kwon. Intermodulation analysis of dual-gate FET mixers; *T-MTT Jun* 02 1544-1555
- Junghyun Kim**, Moon-Suk Jeon, Jaechan Lee, and Youngwoo Kwon. A new "active" predistorter with high gain and programmable gain and phase characteristics using cascode-FET structures; *T-MTT Nov* 02 2459-2466
- Jung Hyun-Kyo**, see No-Weon Kang, *MWSYM* 02 1143-1146 vol.2
- Jung-Hyun Sung**, Geun-Young Kim, Seok-Ho Son, Hyo-Jong Lee, Young-Joo Song, Yong-Woo Jeong, Hyung-Sik Park, and Dal Ahn. Design method of a dual band balun and divider; *MWSYM* 02 1177-1180 vol.2
- Jun-Goo Kim**, Eun-Tae Lee, Dong-Hoon Kim, Jong-Hun Lee, Sun-Young Lee, Hyeon-Seok Kim, Jun-Seok Park, and Chang-Yul Cheon. Analysis of coupling characteristics between transmission lines with a buried meshed-ground in LTCC-MCMs; *MWSYM* 02 825-828 vol.2
- Jung Sanghwa**, see Moon-Suk Jeon, *RFIC* 02 253-256
- Jung Sun-Shin**, see Sun-Shin Jung, *T-MTT Sep* 02 2196-2198
- Jung-Woong Ra**, see Yamashita, E., *T-MTT Mar* 02 1046-1055
- Jung Young-Bae**, see Young-Bae Jung, *MWSYM* 02 1337-1340 vol.2
- Jun-Seok Park**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Jun-Seok Park**, see Taek-Young Song, *MWSYM* 02 213-217 vol.1
- Jun-Seok Park**, Jae-Ho Kim, Jong-Hun Lee, Sang-Hyuk Kim, and Sung-Ho Myung. A novel equivalent circuit and modeling method for defected ground structure and its application to optimization of a DGS lowpass filter; *MWSYM* 02 417-420 vol.1
- Jun-Seok Park**, see Jong-Sik Lim, *MWSYM* 02 1153-1156 vol.2
- Jun-Seok Park**, Jun-Sik Yun, and Dal Ahn. A design of the novel coupled-line bandpass filter using defected ground structure with wide stopband performance; *T-MTT Sep* 02 2037-2043
- Jun-Sik Yun**, see Jun-Seok Park, *T-MTT Sep* 02 2037-2043
- Juntunen, J.S.**, see Makinen, R.M., *T-MTT May* 02 1245-1255
- Jun Zhang**, see Kuhn, W.B., *MWSYM* 02 301-305 vol.1
- Jun Zhang**, see Kuhn, W.B., *RFIC* 02 385-388
- Jurianto Joe**, see Yew Hui Liew, *T-MTT Sep* 02 2056-2062
- Ju Seo Hyun**, see Ki Young Kim, *MWSYM* 02 1149-1152 vol.2

K

- Kabos, P.**, see Geyer, R.G., *MWSYM 02* 1657-1660 vol.3
- Kaczman, D.**, see Das, A., *MWSYM 02* 171-174 vol.1
- Kaczman, D.**, see Das, A., *RFIC 02* 325-328
- Kagiwada, R.**, see Yang, J.M., *MWSYM 02* 65-68 vol.1
- Kaho, T.**, T. Nakagawa, and K. Araki. Reduction of intermodulation distortion in active phased array antenna systems using a distortion controller; *MWSYM 02* 781-784 vol.2
- Kaho, T.**, Y. Nakasuga, H. Okazaki, K. Araki, and K. Horikawa. A distortion control technique for achieving high power efficiency in an HPA array; *T-MTT Nov 02* 2505-2512
- Kaho, T.**, T. Nakagawa, K. Araki, and K. Horikawa. Carrier power to intermodulation-distortion power-ratio-increasing technique in active phased-array antenna systems; *T-MTT Dec 02* 2987-2994
- Kai Chang**, see Rodenbeck, C.T., *MWSYM 02* 57-60 vol.1
- Kai Chang**, see Young-Ho Suh, *MWSYM 02* 1321-1324 vol.2
- Kai Chang**, see Chunlei Wang, *MWSYM 02* 1325-1328 vol.2
- Kai Chang**, see Strassner, B., *MWSYM 02* 1535-1538 vol.3
- Kai Chang**, see Young-Ho Suh, *MWSYM 02* 1297-1300 vol.2
- Kai Chang**, see Tae-Yeoul Yun, *T-MTT Jan 02* 105-111
- Kai Chang**, see Lung-Hwa Hsieh, *T-MTT Feb 02* 453-460
- Kai Chang**, see Young-Ho Suh, *T-MTT May 02* 1289-1296
- Kai Chang**, see Tae-Yeoul Yun, *T-MTT May 02* 1303-1310
- Kai Chang**, see Lung-Hwa Hsieh, *T-MTT May 02* 1340-1345
- Kai Chang**, see Young-Ho Suh, *T-MTT Jul 02* 1784-1789
- Kai Chang**, see Lung-Hwa Hsieh, *T-MTT Jul 02* 1795-1800
- Kai Chang**, see Strassner, B., *T-MTT Aug 02* 1870-1876
- Kai Chang**, see Chih-Hung Tsai, *T-MTT Aug 02* 1919-1926
- Kai-Ning Yung Edward**, see Ru-Shan Chen, *T-MTT Apr 02* 1165-1172
- Kajfez, D.**, see Kishk, A.A., *T-MTT Oct 02* 2287-2293
- Kamgaing, T.**, T. Myers, Feng Ling, M. Petras, M. Miller, and O. Ramahi. Performance analysis of monolithic RF transformers by experimental characterization; *MWSYM 02* 205-208 vol.1
- Kamgaing, T.**, T. Myers, M. Petras, and M. Miller. Modeling of frequency dependent losses in two-port and three-port inductors on silicon; *MWSYM 02* 153-156 vol.1
- Kamgaing, T.**, T. Myers, M. Petras, and M. Miller. Modeling of frequency dependent losses in two-port and three-port inductors on silicon; *RFIC 02* 307-310
- Kamitsuna, H.**, T. Shibata, K. Kurishima, and M. Ida. 10- and 39-GHz-band InP/InGaAs HPT direct optical injection-locked oscillator ICs for optoelectronic clock recovery circuits; *MWSYM 02* 1699-1702 vol.3
- Kamitsuna, H.**, T. Shibata, K. Kurishima, and M. Ida. Direct optical injection locking of InP/InGaAs HPT oscillator ICs for microwave photonics and 40-Gbit/s-class optoelectronic clock recovery; *T-MTT Dec 02* 3002-3008
- Kamoda, H.**, see Kuki, T., *MWSYM 02* 363-366 vol.1
- Kamogawa, K.**, see Nishikawa, K., *MWSYM 02* 1717-1720 vol.3
- Kamogawa, K.**, see Piernas, B., *T-MTT Aug 02* 1942-1949
- Kanaya, K.**, K. Kawakami, T. Hisaka, T. Ishikawa, and S. Sakamoto. A 94 GHz high performance quadruple subharmonic mixer MMIC; *MWSYM 02* 1249-1252 vol.2
- Kanda, M.**, see Richard, M., *MWSYM 02* 1743-1746 vol.3
- Kang, N.-W.**, Y.-S. Chung, C. Cheon, and H.-K. Jung. A new 2-D image reconstruction algorithm based on FDTD and design sensitivity analysis; *T-MTT Dec 02* 2734-2740
- Kangaslahti, P.**, see Karkkainen, M., *MWSYM 02* 1273-1276 vol.2
- Kang-Chun Peng**, Je-Kuan Jau, and Tzyy-Sheng Horng. A novel EER transmitter using two-point delta-sigma modulation scheme for WLAN and 3G applications; *MWSYM 02* 1651-1654 vol.3
- Kang Hyunil**, see Moon-Suk Jeon, *RFIC 02* 253-256
- Kang Jin-Yeong**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Kang Jongchan**, see Woonyun Kim, *T-MTT Jul 02* 1714-1722
- Kang Kwang-Yong**, see Chul-Soo Kim, *MWSYM 02* 2125-2128 vol.3
- Kang No-Weon**, see No-Weon Kang, *MWSYM 02* 1143-1146 vol.2
- Kang Sanghoon**, see Sanghoon Kang, *MWSYM 02* 279-283 vol.1
- Kang Sanghoon**, see Sanghoon Kang, *RFIC 02* 363-366
- Kang Sanghoon**, see Woonyun Kim, *T-MTT Jul 02* 1714-1722
- Kang Sung-Mo**, see Conforti, E., *T-MTT Jan 02* 77-81
- Kano, H.**, T. Suzuki, S. Yamaura, Y. Nakasha, K. Sawada, T. Takahashi, K. Makiyama, T. Hirose, and Y. Watanabe. A 50-Gbit/s 1:4 demultiplexer IC in InP-based HEMT technology; *MWSYM 02* 75-78 vol.1
- Kao, M.Y.**, see Campbell, C.F., *MWSYM 02* 79-82 vol.1
- Kao, M.-Y.**, see Heins, M.S., *MWSYM 02* 1061-1064 vol.2
- Kao Hong-Sing**, see Ming-Dou Ker, *MWSYM 02* 537-540 vol.1
- Kao Hong-Sing**, see Ming-Dou Ker, *RFIC 02* 427-430
- Kapetanac, P.**, see Martens, J., *T-MTT Dec 02* 2076-2082
- Karaaslan, M.**, see Yildirim, N., *T-MTT Jun 02* 1536-1543
- Karasawa, Y.**, see Shibata, O., *T-MTT May 02* 1425-1430
- Karkkainen, M.**, M. Varonen, J. Riska, P. Kangaslahti, and V. Porra. A set of integrated circuits for 60 GHz radio front-end; *MWSYM 02* 1273-1276 vol.2
- Kasbari, A.-E.**, P. Andre, A. Konczykowska, M. Riet, S. Blayac, H. Ouslimani, and J. Godin. Design of high speed master-slave D-type flip-flop in InP DHBT technology; *MWSYM 02* 1057-1060 vol.2
- Kasbari, A.-E.**, P. Andre, A. Konczykowska, M. Riet, S. Blayac, H. Ouslimani, and J. Godin. Design of high-speed master-slave D-Type flip-flop in InP DHBT technology; *T-MTT Dec 02* 3064-3069
- Kashyap, R.**, see Rocha, M.L., *T-MTT Jan 02* 88-93
- Kasick, J.**, see Akhtar, S., *T-MTT Jun 02* 1561-1570
- Kasper, E.**, see Zhao, W., *T-MTT Jan 02* 407-410
- Katehi, L.P.B.**, see Mohammadi, S., *MWSYM 02* 289-292 vol.1
- Katehi, L.P.B.**, see Peroulis, D., *MWSYM 02* 223-226 vol.1
- Katehi, L.P.B.**, see Sarris, C.D., *MWSYM 02* 747-750 vol.2
- Katehi, L.P.B.**, see Thiel, W., *MWSYM 02* 235-238 vol.1
- Katehi, L.P.B.**, see Thiel, W., *MWSYM 02* 759-762 vol.2
- Katehi, L.P.B.**, see Xun Gong, *MWSYM 02* 1091-1094 vol.2
- Katehi, L.P.B.**, see Yongshik Lee, *MWSYM 02* 1871-1874 vol.3
- Katehi, L.P.B.**, see Reano, R.M., *MWSYM 02* 1513-1516 vol.3
- Katehi, L.P.B.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Katehi, L.P.B.**, see Mohammadi, S., *RFIC 02* 373-376
- Katehi, L.P.B.**, see Tentzeris, E.M., *T-MTT Feb 02* 501-516
- Katehi, L.P.B.**, J.F. Harvey, and E. Brown. MEMS and Si micromachined circuits for high-frequency applications; *T-MTT Mar 02* 858-866
- Katehi, L.P.B.**, see Zhenqiang Ma, *T-MTT Apr 02* 1101-1108
- Katehi, L.P.B.**, see Herrick, K.J., *T-MTT Jun 02* 1647-1651
- Katehi, L.P.B.**, see Harle, L., *T-MTT Sep 02* 2063-2068
- Katehi, L.P.B.**, see Thiel, W., *T-MTT Sep 02* 2159-2165
- Katehi, L.P.B.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- Katehi, P.B.**, see Yongming Cai, *MWSYM 02* 1221-1224 vol.2
- Kato, S.**, see Kikkawa, T., *MWSYM 02* 1815-1818 vol.3
- Kato, T.**, see Amamiya, Y., *MWSYM 02* 87-90 vol.1
- Katoh, T.**, see Ikematsu, H., *MWSYM 02* 843-846 vol.2
- Katsuno, M.**, see Young Yun, *MWSYM 02* 409-412 vol.1
- Katsuno, M.**, see Yun, Y., *T-MTT Dec 02* 2930-2937
- Katsura, T.**, see Itoh, K., *MWSYM 02* 9-12 vol.1
- Katsura, T.**, see Shimozawa, M., *MWSYM 02* 253-256 vol.1
- Katsura, T.**, see Nishino, T., *MWSYM 02* 1385-1388 vol.3
- Katsura, T.**, see Itoh, K., *RFIC 02* 263-266
- Katsura, T.**, see Taniguchi, E., *RFIC 02* 133-136
- Kawaguchi, N.**, see Okiura, M., *MWSYM 02* 485-488 vol.1
- Kawahata, K.I.**, N. Miyayoshi, and M. Aikawa. A novel microwave oscillator using double-sided MIC; *MWSYM 02* 699-702 vol.2
- Kawakami, K.**, see Ikematsu, H., *MWSYM 02* 843-846 vol.2
- Kawakami, K.**, see Kanaya, K., *MWSYM 02* 1249-1252 vol.2
- Kawanaka, M.**, see Amamiya, Y., *MWSYM 02* 87-90 vol.1
- Kawano, H.**, M. Nishizawa, S. Matsumoto, S. Mitani, M. Tanaka, N. Nakayama, H. Ueno, M. Miura-Mattausch, and H.J. Mattausch. A practical small-signal equivalent circuit model for RF-MOSFETs valid up to the cut-off frequency; *MWSYM 02* 2121-2124 vol.3
- Kawasaki, S.**, see Oshima, K., *MWSYM 02* 1569-1572 vol.3
- Kawashima, M.**, H. Hayashi, T. Nakagawa, K. Nishikawa, and K. Araki. A 0.9-2.6 GHz broadband RF front-end for direct conversion transceivers; *MWSYM 02* 927-930 vol.2
- Kazior, T.E.**, see Binari, S.C., *MWSYM 02* 1823-1826 vol.3
- Kee, S.**, see Bohn, F., *MWSYM 02* 1631-1634 vol.3
- Kee, S.D.**, see Aoki, I., *T-MTT Jan 02* 316-331
- Keelhong Um**, see Snyder, R.V., *MWSYM 02* 1597-1600 vol.3
- Keerti, A.**, see Manohar, S., *MWSYM 02* 449-452 vol.1
- Ke Gong**, Haigang Feng, Rouying Zhan, and A.Z.H. Wang. A study of parasitic effects of ESD protection on RF ICs; *T-MTT Jan 02* 393-402
- Keh-Chung Wang**, see Asbeck, P., *T-MTT Mar 02* 900-909
- Kehrer, D.**, see Wohlmuth, H.-D., *RFIC 02* 231-234
- Ke-Li Wu**, Ming Yu, and Apu Sivasdas. Novel modal analysis of a circular-to-rectangular waveguide T-junction and its application to design of circular waveguide dual-mode filters; *T-MTT Feb 02* 465-473
- Ke-Li Wu**, see Yong-Jiu Zhao, *T-MTT Jul 02* 1844-1848
- Kelly, D.**, and F. Wright. Improvements to performance of spiral inductors on insulators; *MWSYM 02* 541-543 vol.1
- Kelly, D.**, see Wu, G.C., *RFIC 02* 165-168
- Kelly, D.**, and F. Wright. Improvements to performance of spiral inductors on insulators; *RFIC 02* 431-433
- Kempel, L.C.**, see Hoton How, *T-MTT May 02* 1280-1288
- Kenington, P.B.**, see Raab, F.H., *T-MTT Mar 02* 814-826
- Kennedy, J.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Kenney, J.S.**, see Hyunchul Ku, *MWSYM 02* 139-142 vol.1
- Kenney, J.S.**, see Dongsu Kim, *MWSYM 02* 1471-1474 vol.3
- Kenney, J.S.**, see Lee, S.H., *MWSYM 02* 2229-2232 vol.3
- Kenney, J.S.**, see Ku, H., *T-MTT Dec 02* 2843-2849
- Kenney, J.S.**, see Kim, D., *T-MTT Dec 02* 2903-2909
- Kerherve, E.**, see Boutheiller, N., *MWSYM 02* 1777-1780 vol.3
- Ker Ming-Dou**, see Ming-Dou Ker, *MWSYM 02* 537-540 vol.1
- Ker Ming-Dou**, see Ming-Dou Ker, *RFIC 02* 427-430
- Kersale, Y.**, see Cibiel, G., *MWSYM 02* 691-694 vol.2
- Keun-Kwan Ryu**, see Moon-Que Lee, *MWSYM 02* 1797-1800 vol.3

- Ke Wu**, see Schiel, J.-C., *MWSYM* 02 931-934 vol.2
- Ke Wu**, see Ovidiu Tatu, S., *RFIC* 02 155-158
- Ke Wu**, see Lei Zhu, *T-MTT Feb* 02 549-557
- Ke Wu**, see Xiang-yin Zeng, *T-MTT May* 02 1417-1424
- Ke Wu**, see Lei Zhu, *T-MTT Apr* 02 1207-1215
- Ke Wu**, see Lei Zhu, *T-MTT Aug* 02 1861-1869
- Ke Wu**, see Cassivi, Y., *T-MTT Oct* 02 2405-2408
- Ke Wu**, see Lei Zhu, *T-MTT Oct* 02 2412-2413
- Ke-Ying Su**, see Jen-Tsai Kuo, *T-MTT May* 02 1435-1436
- Keyzer, J.**, R. Uang, Y. Sugiyama, M. Iwamoto, I. Galton, and P.M. Asbeck. Generation of RF pulsewidth modulated microwave signals using delta-sigma modulation; *MWSYM* 02 397-400 vol.1
- Khan, S.A.**, see Riza, N.A., *MWSYM* 02 1941-1944 vol.3
- Khanifar, A.**, M. Gurvich, and B. Vassilakis. Error signal reuse in a feedforward amplifier; *MWSYM* 02 473-475 vol.1
- Khannur, P.B.**, see My The Doan, *MWSYM* 02 525-528 vol.1
- Khannur, P.B.**, and Koh Soo Ling. A 2.45GHz fully-differential CMOS image-reject mixer for Bluetooth application; *MWSYM* 02 549-552 vol.1
- Khannur, P.B.**, see Doan, M.T., *RFIC* 02 415-418
- Khannur, P.B.**, and Koh Soo Ling. A 2.45GHz fully-differential CMOS image-reject mixer for Bluetooth application; *RFIC* 02 439-442
- Kharkovsky, S.N.**, see Eremenko, Z.E., *T-MTT Nov* 02 2647-2649
- Khoo Ee Sze**, see My The Doan, *MWSYM* 02 525-528 vol.1
- Kian Sen Ang**, see Yoke Choy Leong, *MWSYM* 02 1165-1168 vol.2
- Kian Sen Ang**, and Yoke Choy Leong. Converting baluns into broad-band impedance-transforming 180 hybrids; *T-MTT Aug* 02 1990-1995
- Kian Sen Ang**, Yoke Choy Leong, and Chee How Lee. A new class of multisection 180 hybrids based on cascaded hybrid-ring couplers; *T-MTT Sep* 02 2147-2152
- Kibbel, H.**, see Abele, P., *MWSYM* 02 1681-1684 vol.3
- Kichon Han**, see Sungmin Ock, *MWSYM* 02 1423-1426 vol.3
- Kidera, N.**, see Oshima, K., *MWSYM* 02 1569-1572 vol.3
- Kiesling, D.**, see Dongsu Kim, *MWSYM* 02 1471-1474 vol.3
- Kiesling, D.**, see Kim, D., *T-MTT Dec* 02 2903-2909
- Kikkawa, T.**, M. Nagahara, T. Kimura, S. Yokokawa, S. Kato, M. Yokoyama, Y. Tateno, K. Horino, K. Domen, Y. Yamaguchi, N. Hara, and K. Joshin. A 36 W CW AlGaIn/GaN-power HEMT using surface-charge-controlled structure; *MWSYM* 02 1815-1818 vol.3
- Kikuchi, H.**, see Kimura, S., *T-MTT Jun* 02 1603-1608
- Kim, C.S.**, see Kim, T.H., *MWSYM* 02 437-440 vol.1
- Kim, D.**, see Lee, S.H., *MWSYM* 02 2229-2232 vol.3
- Kim, D.**, Y. Choi, M.G. Allen, J.S. Kenney, and D. Kiesling. A wide-band reflection-type phase shifter at S-band using BST coated substrate; *T-MTT Dec* 02 2903-2909
- Kim, D.W.**, see Jeong, I., *T-MTT Dec* 02 2850-2855
- Kim, H.K.**, see Chang, C.H., *MWSYM* 02 231-234 vol.1
- Kim, H.-T.**, J.-H. Park, S. Lee, S. Kim, J.-M. Kim, Y.-K. Kim, and Y. Kwon. V-Band 2-b and 4-b low-loss and low-voltage distributed MEMS digital phase shifter using metal-air-metal capacitors; *T-MTT Dec* 02 2918-2923
- Kim, J.**, see Han, H., *MWSYM* 02 1075-1078 vol.2
- Kim, J.H.**, see Kim, T.H., *MWSYM* 02 437-440 vol.1
- Kim, J.H.**, see Jeiyong Lee, *MWSYM* 02 1261-1264 vol.2
- Kim, J.-M.**, see Kim, H.-T., *T-MTT Dec* 02 2918-2923
- Kim, K.H.**, see Choi, S.C., *MWSYM* 02 2249-2252 vol.3
- Kim, K.W.**, J.G. Yook, M.G. Gu, W.Y. Song, Y.J. Yoon, and H.K. Park. TFBAR filters for 2 GHz wireless applications; *MWSYM* 02 1181-1184 vol.2
- Kim, N.Y.**, see Kim, T.H., *MWSYM* 02 437-440 vol.1
- Kim, N.Y.**, see Jeiyong Lee, *MWSYM* 02 1261-1264 vol.2
- Kim, S.**, see Kim, H.-T., *T-MTT Dec* 02 2918-2923
- Kim, T.H.**, C.S. Kim, K.Y. Lee, J.H. Moon, J.C. Lee, J.H. Kim, B. Lee, and N.Y. Kim. An advanced 2 watt high power amplifier for CDMA 900 MHz system; *MWSYM* 02 437-440 vol.1
- Kim, W.**, see Lee, S.H., *MWSYM* 02 2229-2232 vol.3
- Kim, Y.-K.**, see Kim, H.-T., *T-MTT Dec* 02 2918-2923
- Kim Bonkee**, see Bonkee Kim, *RFIC* 02 137-140
- Kim Bumman**, see Sanghoon Kang, *MWSYM* 02 279-283 vol.1
- Kim Bumman**, see Young Yun Woo, *MWSYM* 02 769-772 vol.2
- Kim Bumman**, see Youngoo Yang, *MWSYM* 02 777-780 vol.2
- Kim Bumman**, see Sungmin Ock, *MWSYM* 02 1423-1426 vol.3
- Kim Bumman**, see Sanghoon Kang, *RFIC* 02 363-366
- Kim Bumman**, see Youngoo Yang, *T-MTT Feb* 02 446-452
- Kim Bumman**, see Woonyun Kim, *T-MTT Jul* 02 1714-1722
- Kim Choong-Ki**, see Jae-Hong Chang, *MWSYM* 02 529-532 vol.1
- Kim Choong-Ki**, see Jae-Hong Chang, *RFIC* 02 419-422
- Kim Chul-Dong**, see Si-Gyun Jeong, *MWSYM* 02 1161-1164 vol.2
- Kim Chul Ho**, see Jae Hyuk Jang, *MWSYM* 02 673-676 vol.2
- Kim Chul-Soo**, see Chul-Soo Kim, *MWSYM* 02 2125-2128 vol.3
- Kim Dong-Hoon**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Kim Dongsu**, see Dongsu Kim, *MWSYM* 02 1471-1474 vol.3
- Kim Dongsu**, see Dalmia, S., *MWSYM* 02 1405-1408 vol.3
- Kim Dong-Wook**, see Inho Jeong, *MWSYM* 02 661-664 vol.2
- Kim Dong-Wook**, see Dong-Wook Kim, *MWSYM* 02 1561-1564 vol.3
- Kim Geun-Young**, see Chul-Soo Kim, *MWSYM* 02 2125-2128 vol.3
- Kim Geun-Young**, see Jung-Hyun Sung, *MWSYM* 02 1177-1180 vol.2
- Kim Hong Seung**, see Bongki Mheen, *MWSYM* 02 413-416 vol.1
- Kim Hong-Teuk**, see Hong-Teuk Kim, *MWSYM* 02 341-344 vol.1
- Kim Hyeong-Seok**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Kim Jae-Ho**, see Jun-Seok Park, *MWSYM* 02 417-420 vol.1
- Kim Jae-Ho**, see Taek-Young Song, *MWSYM* 02 213-217 vol.1
- Kim Jaehoon**, see Serkssoon Im, *MWSYM* 02 1801-1804 vol.3
- Kim Jeha**, see Jiyou Lim, *MWSYM* 02 1707-1710 vol.3
- Kim Jeong-Geun**, see Dong-Hyun Baek, *MWSYM* 02 847-850 vol.2
- Kim Jeong Phill**, see Jeong Phill Kim, *T-MTT Jul* 02 1683-1688
- Kim Jounggho**, see Jongjoo Lee, *MWSYM* 02 1509-1512 vol.3
- Kim Junghyun**, see Moon-Suk Jeon, *RFIC* 02 253-256
- Kim Junghyun**, see Junghyun Kim, *T-MTT Jun* 02 1544-1555
- Kim Junghyun**, see Junghyun Kim, *T-MTT Nov* 02 2459-2466
- Kim Jun-Goo**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Kim Ki Young**, see Ki Young Kim, *MWSYM* 02 1149-1152 vol.2
- Kim Naesoo**, see Serkssoon Im, *MWSYM* 02 1801-1804 vol.3
- Kim Nam-Soo**, see Yong-Sik Youn, *MWSYM* 02 17-20 vol.1
- Kim Nam-Soo**, see Yong-Sik Youn, *RFIC* 02 271-274
- Kim Sang Hoon**, see Bongki Mheen, *MWSYM* 02 413-416 vol.1
- Kim Sang-Hyuk**, see Jun-Seok Park, *MWSYM* 02 417-420 vol.1
- Kim Sang-Hyuk**, see Taek-Young Song, *MWSYM* 02 213-217 vol.1
- Kim Taeho**, see Taeho Kim, *MWSYM* 02 2141-2144 vol.3
- Kimura, M.**, see Sanada, A., *T-MTT Dec* 02 2856-2861
- Kimura, S.**, Y. Imai, S. Yamaguchi, K. Onodera, and H. Kikuchi. Artificial-line-division distributed ICs with 0.1- μ m-gate-length GaAs MESFET and three-dimensional transmission lines; *T-MTT Jun* 02 1603-1608
- Kimura, T.**, see Kikkawa, T., *MWSYM* 02 1815-1818 vol.3
- Kim Woonyun**, see Woonyun Kim, *T-MTT Jul* 02 1714-1722
- Kim Woopoung**, see Dalmia, S., *MWSYM* 02 1405-1408 vol.3
- Kim Yong-Kweon**, see Hong-Teuk Kim, *MWSYM* 02 341-344 vol.1
- Kim Yoo Jin**, see Yoo Jin Kim, *MWSYM* 02 651-654 vol.2
- Kim Youngjin**, see Youngjin Kim, *MWSYM* 02 799-802 vol.2
- Kim Youngwan**, see Serkssoon Im, *MWSYM* 02 1801-1804 vol.3
- King, C.**, see Ivanov, T., *MWSYM* 02 183-186 vol.1
- King, C.**, see Ivanov, T., *RFIC* 02 337-340
- King, R.W.P.**, E.R. Adair, and R.C. Petersen. Comments on "Biological effects of radio-frequency/microwave radiation" [and reply]; *T-MTT Aug* 02 2032-2033
- King-Chung Lai**, see Butler, B.K., *RFIC* 02 186A-186F
- Kingon, A.I.**, see Zhang Jin, *MWSYM* 02 1201-1204 vol.2
- Kiong Queck Cham**, see Cham Kiong Queck, *MWSYM* 02 1475-1478 vol.3
- Kirchoefer, S.W.**, see Krown, C.M., *T-MTT Feb* 02 537-548
- Kirilenko, A.**, and L. Mospan. Harmonic rejection filters for the dominant and the higher waveguide modes based on the slotted strips; *MWSYM* 02 373-376 vol.1
- Kirilenko, A.**, L. Rud, V. Tkachenko, and D. Kulik. Evanescent-mode ridged waveguide bandpass filters with improved performance; *T-MTT May* 02 1324-1327
- Kishimura, R.**, see Fujii, K., *MWSYM* 02 1725-1728 vol.3
- Kishk, A.A.**, see Abdul-Gaffoor, M.R., *T-MTT Jun* 02 1445-1457
- Kishk, A.A.**, D. Kajfez, and S. Chebolu. Resonant frequency and Q factor of axisymmetric composite microwave cavities; *T-MTT Oct* 02 2287-2293
- Kitamura, T.**, Y. Horii, M. Geshiro, and S. Sawa. A dual-plane comb-line filter having plural attenuation poles; *T-MTT Apr* 02 1216-1219
- Kivikoski, M.A.**, see Makinen, R.M., *T-MTT May* 02 1245-1255
- Ki Wing Hung**, see Sang Lam, *MWSYM* 02 677-680 vol.2
- Ki Young Kim**, Jong Ryul Sohn, Hyun Ju Seo, Jin-Won Han, Heung-Sik Tae, and Jeong-Hae Lee. Measurements on dielectric and radiation loss of flexible circular dielectric waveguides in Q-band; *MWSYM* 02 1149-1152 vol.2
- Kiziloglu, K.**, see Petersen, A.K., *RFIC* 02 93-96
- Klapproth, L.**, see Rudolph, M., *T-MTT Feb* 02 461-464
- Kleber, J.**, see Pillans, B., *MWSYM* 02 329-332 vol.1
- Klein, M.**, see Corbella, I., *T-MTT Jul* 02 1816-1820
- Klein, P.B.**, see Binari, S.C., *MWSYM* 02 1823-1826 vol.3
- Knapp, H.**, see Bakalski, W., *MWSYM* 02 209-212 vol.1
- Knapp, H.**, M. Wurzer, J. Bock, T.F. Meister, G. Ritzberger, and K. Aufinger. 36 GHz dual-modulus prescaler in SiGe bipolar technology; *RFIC* 02 239-242
- Knappenberger, B.**, see Lan, E., *MWSYM* 02 1039-1042 vol.2
- Kobayashi, H.**, see Asbeck, P.M., *MWSYM* 02 135-138 vol.1
- Kobayashi, H.**, and P.M. Asbeck. Active cancellation of switching noise for DC-DC converter-driven RF power amplifiers; *MWSYM* 02 1647-1650 vol.3
- Kobayashi, Y.**, see Ma, Z., *MWSYM* 02 1661-1664 vol.3
- Kobayashi, Y.**, see Hashimoto, T., *MWSYM* 02 1975-1978 vol.3
- Kobayashi, Y.**, see Zhewang Ma, *MWSYM* 02 1967-1970 vol.3
- Kobayashi, Y.**, see Fiedziuszko, S.J., *T-MTT Mar* 02 706-720
- Kochbach, J.**, and K. Folgero. Design procedure for waveguide filters with cross-couplings; *MWSYM* 02 1449-1452 vol.3

- Kodate, J.**, M. Ugajin, T. Tsukahara, T. Douseki, N. Sato, T. Okabe, K. Ohmi, and T. Yonehara. A 2.4-GHz/5-GHz CMOS low noise amplifier with high-resistivity ELTRAN(R) SOI-EpiTM wafers; *MWSYM 02* 1419-1422 vol.3
- Kogut, A.E.**, see Eremenko, Z.E., *T-MTT Nov 02* 2647-2649
- Koh, J.**, see Sarkar, T.K., *MWSYM 02* 1989-1992 vol.3
- Koh Boon Ping**, see Boon Ping Koh, *MWSYM 02* 1139-1142 vol.2
- Koh Jinhwan**, see Sarakr, T.K., *T-MTT May 02* 1408-1416
- Koh Kyoungmin**, see Kyoungmin Koh, *T-MTT Nov 02* 2598-2603
- Kohno, M.**, see Minamide, H., *MWSYM 02* 621-623 vol.2
- Koh Soo Ling**, see Khannur, P.B., *MWSYM 02* 549-552 vol.1
- Koh Soo Ling**, see Khannur, P.B., *RFIC 02* 439-442
- Koivisto, M.**, see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Kokotoff, D.M.**, see Mitchell, A., *T-MTT May 02* 1297-1302
- Kolda, P.E.**, see Legarra, J.R., *MWSYM 02* 625-628 vol.2
- Kollberg, E.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Kollberg, E.L.**, see Angelov, L., *T-MTT Jun 02* 1480-1486
- Komiak, J.J.**, Wendell Kong, and K. Nichols. High efficiency wideband 6 to 18 GHz PHEMT power amplifier MMIC; *MWSYM 02* 905-907 vol.2
- Kompa, G.**, see Joodaki, M., *MWSYM 02* 1105-1108 vol.2
- Konczykowska, A.**, see Kasbari, A.-E., *MWSYM 02* 1057-1060 vol.2
- Konczykowska, A.**, see Kasbari, A.-E., *T-MTT Dec 02* 3064-3069
- Kong, J.A.**, see Teixeira, F.L., *T-MTT Jan 02* 30-35
- Kong Soon-Cheol**, see Soon-Cheol Kong, *T-MTT Nov 02* 2589-2597
- Kong Tong-Ook**, see Dong-Wook Kim, *MWSYM 02* 1561-1564 vol.3
- Kong Wendell**, see Komiak, J.J., *MWSYM 02* 905-907 vol.2
- Konno, K.**, and M. Kubota. A stepped cavity resonator with optimized spurious performance and its applications to BPFs; *MWSYM 02* 389-392 vol.1
- Kooi Pang-Shyan**, see Ban-Leong Ooi, *T-MTT Sep 02* 2202-2206
- Kopp, B.A.**, M. Borkowski, and G. Jerinic. Transmit/receive modules; *T-MTT Mar 02* 827-834
- Kornrumpf, W.**, A. Jacomb-Hood, and R. Melcher. A compact beamforming matrix module for use in multibeam communication satellites; *MWSYM 02* 319-322 vol.1
- Kory, C.L.**, J.H. Booske, W.-J. Lee, S. Gallagher, D.W. van der Weide, S. Limbach, and S. Bhattacharjee. THz radiation using high power, microfabricated, wideband TWTs; *MWSYM 02* 1265-1268 vol.2
- Koskinen, T.**, see Meltaus, J., *MWSYM 02* 1305-1308 vol.2
- Kotsuka, Y.**, see Amano, M., *MWSYM 02* 1193-1196 vol.2
- Kouki, A.B.**, see Bousnina, S., *T-MTT Feb 02* 420-424
- Kouki, A.B.**, see Bousnina, S., *T-MTT Feb 02* 529-536
- Kozyrev, V.**, see Alipov, A., *MWSYM 02* 1635-1638 vol.3
- Kpogla, D.**, see Chongcheawchamnan, M., *T-MTT Jun 02* 1642-1646
- Krairiksh, M.**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Kreischer, K.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Kremer, P.C.**, see Eleftheriades, G.V., *T-MTT Dec 02* 2702-2712
- Krowne, C.M.** Dyadic Green's function modifications for obtaining attenuation in microstrip transmission layered structures with complex media; *T-MTT Jan 02* 112-122
- Krowne, C.M.**, M. Daniel, S.W. Kirchoefer, and J.A. Pond. Anisotropic permittivity and attenuation extraction from propagation constant measurements using an anisotropic full-wave Green's function solver for coplanar ferroelectric thin-film devices; *T-MTT Feb 02* 537-548
- Krozer, V.**, see Dehe, A., *MWSYM 02* 1829-1832 vol.3
- Krug, F.**, and P. Russer. Ultra-fast broadband EMI measurement in time domain using classical spectral estimation; *MWSYM 02* 2237-2240 vol.3
- Krupka, J.**, see Jacob, M.V., *T-MTT Feb 02* 474-480
- Ku, H.**, M.D. McKinley, and J.S. Kenney. Quantifying memory effects in RF power amplifiers; *T-MTT Dec 02* 2843-2849
- Kuan, J.F.**, see Meng, C.C., *MWSYM 02* 2161-2164 vol.3
- Kuan Jui-Feng**, see Kun-Ming Chen, *MWSYM 02* 405-408 vol.1
- Kubo, H.**, and M. Tahara. Numerical analysis of dielectric-rod waveguides with deep corrugation; *T-MTT May 02* 1256-1263
- Kubota, M.**, see Konno, K., *MWSYM 02* 389-392 vol.1
- Kudszus, S.**, see Tessmann, A., *MWSYM 02* 1851-1854 vol.3
- Kudszus, S.**, see Tessmann, A., *T-MTT Dec 02* 2995-3001
- Kuga, Y.**, see Sangil Lee, *MWSYM 02* 1289-1292 vol.2
- Kuhn, W.B.**, A.W. Orsborn, M.C. Peterson, S.R. Kythakyapuzha, A.I. Hussein, Jun Zhang, Jianming Li, E.A. Shumaker, and N.C. Nair. Spiral inductor performance in deep-submicron bulk-CMOS with copper interconnects; *MWSYM 02* 301-305 vol.1
- Kuhn, W.B.**, A.W. Orsborn, M.C. Peterson, S.R. Kythakyapuzha, A.I. Hussein, Jun Zhang, Jianming Li, E.A. Shumaker, and N.C. Nair. Spiral inductor performance in deep-submicron bulk-CMOS with copper interconnects; *RFIC 02* 385-388
- Kuhnert, H.**, see Schott, A., *MWSYM 02* 839-842 vol.2
- Ku Hunchul**, see Hunchul Ku, *MWSYM 02* 139-142 vol.1
- Kuki, T.**, H. Fujikake, H. Kamada, and T. Nomoto. Microwave variable delay line using a membrane impregnated with liquid crystal; *MWSYM 02* 363-366 vol.1
- Kuki, T.**, H. Fujikake, and T. Nomoto. Microwave variable delay line using dual-frequency switching-mode liquid crystal; *T-MTT Nov 02* 2604-2609
- Kulik, D.**, see Kirilenko, A., *T-MTT May 02* 1324-1327
- Kumar, S.**, M. Vice, H. Morkner, and L. Wayne. Enhancement mode PHEMT low noise amplifier with LNA linearity control (IP3) and mitigated bypass switch; *RFIC 02* 213-216
- Kumar, V.**, see Lu, W., *T-MTT Nov 02* 2499-2504
- Kundu, A.C.** Broadband TEM-mode planar-rectangular dielectric waveguide bandpass filter and its miniaturization; *MWSYM 02* 381-384 vol.1
- Kun-Ming Chen**, Guo-Wei Huang, Jui-Feng Kuan, Hsiang-Jen Huang, Chun-Yen Chang, and Tsung-His Yang. Low frequency noise in boron doped poly-SiGe resistors; *MWSYM 02* 405-408 vol.1
- Kun-You Lin**, see Samoska, L., *MWSYM 02* 429-432 vol.1
- Kunze, M.**, and W. Heinrich. 3D hybrid finite-difference method for lossy structures based on quasi-static field solutions; *MWSYM 02* 1881-1884 vol.3
- Kunze, M.**, and W. Heinrich. Analytical description of metal loss in finite-difference transmission-line analysis; *T-MTT May 02* 1275-1279
- Kunze, R.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Kuo Chien-Liang**, see Wei-Zen Chen, *RFIC 02* 169-172
- Kuo Jen-Tsai**, see Jen-Tsai Kuo, *MWSYM 02* 1613-1616 vol.3
- Kuo Jen-Tsai**, see Jen-Tsai Kuo, *T-MTT May 02* 1435-1436
- Kuo-Liang Deng**, and Huei Wang. A 3-33 GHz PHEMT MMIC distributed drain mixer; *RFIC 02* 151-154
- Kuribara, T.**, see Yarnaguchi, M., *MWSYM 02* 197-200 vol.1
- Kurishima, K.**, see Nosaka, H., *MWSYM 02* 83-86 vol.1
- Kurishima, K.**, see Kamitsuna, H., *MWSYM 02* 1699-1702 vol.3
- Kurishima, K.**, see Kamitsuna, H., *T-MTT Dec 02* 3002-3008
- Kuroda, S.**, see Mimino, Y., *MWSYM 02* 1721-1724 vol.3
- Kurtz, D.S.**, J.L. Hesler, T.W. Crowe, and R.M. Weikle, II. Submillimeter-wave sideband generation using varactor Schottky diodes; *T-MTT Nov 02* 2610-2617
- Kusunoki, S.**, K. Yamamoto, T. Hatsugai, K. Tagami, H. Nagaoka, N. Tominaga, K. Osawa, K. Tanabe, S. Sakurai, and T. Iida. Power amplifier module with digital adaptive predistortion for cellular phone; *MWSYM 02* 765-768 vol.2
- Kusunoki, S.**, K. Yamamoto, T. Hatsugai, H. Nagaoka, K. Tagami, N. Tominaga, K. Osawa, K. Tanabe, S. Sakurai, and T. Iida. Power-amplifier module with digital adaptive predistortion for cellular phones; *T-MTT Dec 02* 2979-2986
- Kutuzov, V.V.**, see Eremenko, Z.E., *T-MTT Nov 02* 2647-2649
- Kwai-Man Luk**, see Xiang-yin Zeng, *T-MTT May 02* 1417-1424
- Kwai-Man Luk**, see Xiang-Yin Zeng, *T-MTT Jun 02* 1636-1639
- Kwan, G.K.C.**, and N.K. Das. Excitation of a parallel-plate dielectric waveguide using a coaxial probe-basic characteristics and experiments; *T-MTT Jun 02* 1609-1620
- Kwang, J.C.M.**, see Shirokov, M.S., *T-MTT Apr 02* 1084-1094
- Kwang-Yong Kang**, see Chul-Soo Kim, *MWSYM 02* 2125-2128 vol.3
- Kwon, D.H.**, see Choi, S.C., *MWSYM 02* 2249-2252 vol.3
- Kwon, Y.**, see Kim, H.-T., *T-MTT Dec 02* 2918-2923
- Kwon, Y.S.**, see Jeong, I., *T-MTT Dec 02* 2850-2855
- Kwon Ickjin**, see Ickjin Kwon, *T-MTT Jun 02* 1503-1509
- Kwon Young-Se**, see Inho Jeong, *MWSYM 02* 661-664 vol.2
- Kwon Young-Se**, see Dong-Wook Kim, *MWSYM 02* 1561-1564 vol.3
- Kwon Youngwoo**, see Hong-Teuk Kim, *MWSYM 02* 341-344 vol.1
- Kwon Youngwoo**, see Moon-Suk Jeon, *RFIC 02* 253-256
- Kwon Youngwoo**, see Junghyun Kim, *T-MTT Jun 02* 1544-1555
- Kwon Youngwoo**, see Junghyun Kim, *T-MTT Nov 02* 2459-2466
- Kwyro Lee**, see Youngjin Kim, *MWSYM 02* 799-802 vol.2
- Kwyro Lee**, see Ickjin Kwon, *T-MTT Jun 02* 1503-1509
- Kyounghoon Yang**, see Taeho Kim, *MWSYM 02* 2141-2144 vol.3
- Kyoungmin Koh**, Hyun-Min Park, and Songcheol Hong. A spline large-signal FET model based on bias-dependent pulsed I-V measurement; *T-MTT Nov 02* 2598-2603
- Kythakyapuzha, S.R.**, see Kuhn, W.B., *MWSYM 02* 301-305 vol.1
- Kythakyapuzha, S.R.**, see Kuhn, W.B., *RFIC 02* 385-388
- Kyu-Hwan Shim**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Kyun Choi Young**, see Soon Ik Jeon, *MWSYM 02* 1341-1343 vol.2
- Kyungho Lee**, see Woonyun Kim, *T-MTT Jul 02* 1714-1722
- Kyung-Suc Nah**, see Bonkee Kim, *RFIC 02* 137-140
- Kyutae Lim**, see Raghavan, A., *MWSYM 02* 1019-1022 vol.2
- Kyuwoon Hwang**, see Melendy, D., *MWSYM 02* 717-720 vol.2

- Lacava, J.C.D.S.**, A.V.P. De la Torre, and L. Cividanés. A dynamic model for printed apertures in anisotropic stripline structures; *T-MTT Jan 02* 22-26
- Lafontaine, H.**, see Cibiel, G., *MWSYM 02* 691-694 vol.2
- Lagnado, I.**, see Floyd, B.A., *T-MTT Sep 02* 2193-2196
- Lai, C.H.**, see Chen, S.B., *MWSYM 02* 201-204 vol.1
- Lai, R.**, see Yang, J.M., *MWSYM 02* 65-68 vol.1

- Lai King-Chung**, see Butler, B.K., *RFIC 02* 186A-186F
- Lakin, K.M.**, J.R. Belsick, J.P. McDonald, K.T. McCarron, and C.W. Andrus. Bulk acoustic wave resonators and filters for applications above 2 GHz; *MWSYM 02* 1487-1490 vol.3
- Lakin, K.M.**, see Weigel, R., *T-MTT Mar 02* 738-749
- Lakshminarayanan, B.**, and T. Weller. Distributed MEMS phase shifters on silicon using tapered impedance unit cells; *MWSYM 02* 1237-1240 vol.2
- Lal, N.**, see Sangwoo Han, *T-MTT Apr 02* 1173-1179
- Lally, P.**, see Tong Chen, *MWSYM 02* 773-776 vol.2
- Lamacraft, K.**, see Passiopoulos, G., *MWSYM 02* 249-252 vol.1
- Lam Sang**, see Sang Lam, *MWSYM 02* 677-680 vol.2
- Lan, E.**, E. Johnson, B. Knappenberger, and M. Miller. InGaP PHEMTs for 3.5GHz W-CDMA applications; *MWSYM 02* 1039-1042 vol.2
- Lan, K.**, S.K. Chaudhuri, and S. Safavi-Naeini. Application of C-COM for microwave integrated-circuit modeling; *MWSYM 02* 887-890 vol.2
- Lancaster, M.J.**, see Yeo, K.S.K., *T-MTT Apr 02* 1230-1232
- Landi, E.**, see Jerng, A., *RFIC 02* 111-114
- Lange, K.**, see Bushyager, N., *MWSYM 02* 883-886 vol.2
- Langston, W.L.**, J.T. Williams, D.R. Jackson, and F. Mesa. Frequency dependent characteristics of radiation from a voltage source on a covered microstrip line; *MWSYM 02* 949-952 vol.2
- Lapierre, L.**, see Anakabe, A., *MWSYM 02* 2181-2184 vol.3
- Lapierre, L.**, see Mallet, A., *MWSYM 02* 2245-2248 vol.3
- Lapierre, L.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Laporte, E.**, see Byk, E., *MWSYM 02* 2085-2088 vol.3
- Larson, B.**, see Pinel, S., *MWSYM 02* 1053-1056 vol.2
- Larson, L.**, see Jessie, D., *MWSYM 02* 297-300 vol.1
- Larson, L.**, see Jessie, D., *RFIC 02* 381-384
- Larson, L.E.**, see Asbeck, P.M., *MWSYM 02* 135-138 vol.1
- Larson, L.E.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Laskar, J.**, see Bhattacharjee, J., *MWSYM 02* 585-588 vol.1
- Laskar, J.**, see Mukherjee, D., *MWSYM 02* 707-710 vol.2
- Laskar, J.**, see Nuttink, S., *MWSYM 02* 921-924 vol.2
- Laskar, J.**, see Chakraborty, S., *MWSYM 02* 1253-1256 vol.2
- Laskar, J.**, see Pinel, S., *MWSYM 02* 1053-1056 vol.2
- Laskar, J.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Laskar, J.**, see Lee, C.-H., *MWSYM 02* 1045-1048 vol.2
- Laskar, J.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3
- Laskar, J.**, see Raghavan, A., *MWSYM 02* 1019-1022 vol.2
- Laskar, J.**, see Yeun-Ho Joung, *MWSYM 02* 1409-1412 vol.3
- Laskar, J.**, see Bhattacharjee, J., *RFIC 02* 475-478
- Laskar, J.**, see Sangwoo Han, *T-MTT Apr 02* 1173-1179
- Lauer, A.**, A. Wien, P. Waldow, and I. Wolff. Enhanced PML-like ABCs for layered media transmission line termination; *MWSYM 02* 739-742 vol.2
- Launay, F.**, Y. Wang, S. Toutain, S.T.D. Barataud, J.M. Nebus, and R. Quere. Nonlinear amplifier modeling taking into account HF memory frequency; *MWSYM 02* 865-868 vol.2
- Launay, F.**, Y. Wang, and S. Toutain. M-ary PSK signal power spectrum at the output of a nonlinear power amplifier; *MWSYM 02* 2197-2200 vol.3
- Laursen, K.**, see Yuen, C., *MWSYM 02* 481-484 vol.1
- Le Berre, D.**, see Vourch, E., *MWSYM 02* 1703-1706 vol.3
- Le Berre, D.**, see Vourch, E., *T-MTT Dec 02* 3009-3015
- Leckey, J.**, see Williams, D.J., *MWSYM 02* 1841-1844 vol.3
- Ledenyov, D.**, see Leong, K., *MWSYM 02* 1665-1668 vol.3
- Lederer, D.**, and J.-P. Raskin. Substrate loss mechanisms for microstrip and CPW transmission lines on lossy silicon wafers; *MWSYM 02* 685-688 vol.2
- Lee, B.**, see Kim, T.H., *MWSYM 02* 437-440 vol.1
- Lee, B.**, see Jeiyoun Lee, *MWSYM 02* 1261-1264 vol.2
- Lee, C.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Lee, C.**, see Ivanov, T., *RFIC 02* 337-340
- Lee, C.-H.**, see Yoon, S.-W., *MWSYM 02* 703-706 vol.2
- Lee, C.-H.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Lee, C.-H.**, S. Chakraborty, A. Sutono, S. Yoo, D. Heo, and J. Laskar. Broadband highly integrated LTCC front-end module for IEEE 802.11a WLAN applications; *MWSYM 02* 1045-1048 vol.2
- Lee, D.**, see Chongcheawchamnan, M., *T-MTT Jun 02* 1642-1646
- Lee, J.C.**, see Kim, T.H., *MWSYM 02* 437-440 vol.1
- Lee, J.C.**, see Jeiyoun Lee, *MWSYM 02* 1261-1264 vol.2
- Lee, J.S.**, see Jeong, I., *T-MTT Dec 02* 2850-2855
- Lee, K.C.**, see Deng, B.H., *MWSYM 02* 1587-1590 vol.3
- Lee, K.Y.**, see Kim, T.H., *MWSYM 02* 437-440 vol.1
- Lee, S.**, see Ramadoss, R., *MWSYM 02* 1233-1236 vol.2
- Lee, S.**, see Kim, H.-T., *T-MTT Dec 02* 2918-2923
- Lee, S.H.**, S. Min, D. Kim, S. Dalmia, W. Kim, V. Sundaram, S. Bhattacharya, G. White, F. Ayazi, J.S. Kenney, M. Swaminathan, and R.R. Tummala. High performance spiral inductors embedded on organic substrates for SOP applications; *MWSYM 02* 2229-2232 vol.3
- Lee, T.H.**, see Hajimiri, A., *T-MTT Jan 02* 233-234
- Lee, T.H.**, H. Samavati, and H.R. Rategh. 5-GHz CMOS wireless LANs; *T-MTT Jan 02* 268-280
- Lee, W.-J.**, see Kory, C.L., *MWSYM 02* 1265-1268 vol.2
- Lee, Y.C.**, see Ramadoss, R., *MWSYM 02* 1233-1236 vol.2
- Lee, Y.C.**, see Hoivik, N., *MWSYM 02* 1229-1232 vol.2
- Lee Chang Ho**, see Sangwoo Han, *T-MTT Apr 02* 1173-1179
- Lee Chang-Hyeon**, see Reddy, M., *RFIC 02* 35-38
- Lee Chee How**, see Yoke Choy Leong, *MWSYM 02* 1165-1168 vol.2
- Lee Chee How**, see Kian Sen Ang, *T-MTT Sep 02* 2147-2152
- Lee Chien-Ming**, see Ming-Dou Ker, *MWSYM 02* 537-540 vol.1
- Lee Chien-Ming**, see Ming-Dou Ker, *RFIC 02* 427-430
- Lee Chung-Rung**, see Ren-Chieh Liu, *RFIC 02* 221-224
- Lee Eun-Tae**, see Jun-Goo Kim, *MWSYM 02* 825-828 vol.2
- Lee Geunho**, see Jeiyoun Lee, *MWSYM 02* 1261-1264 vol.2
- Lee Gye-An**, see Gye-An Lee, *MWSYM 02* 1621-1624 vol.3
- Lee Han-Il**, see Bonkee Kim, *RFIC 02* 137-140
- Lee Hyo-Jong**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Lee Jaehak**, see Moon-Suk Jeon, *RFIC 02* 253-256
- Lee Jaehak**, see Junghyun Kim, *T-MTT Nov 02* 2459-2466
- Lee Jeiyoun**, see Jeiyoun Lee, *MWSYM 02* 1261-1264 vol.2
- Lee Jeong-Hae**, see Ki Young Kim, *MWSYM 02* 1149-1152 vol.2
- Lee Jeong Soo**, see Jeong Soo Lee, *MWSYM 02* 1361-1363 vol.2
- Lee Jong-Hun**, see Jun-Goo Kim, *MWSYM 02* 825-828 vol.2
- Lee Jong-Hun**, see Jun-Seok Park, *MWSYM 02* 417-420 vol.1
- Lee Jongjoo**, see Jongjoo Lee, *MWSYM 02* 1509-1512 vol.3
- Lee Jong-Ryul**, see Sungmin Ock, *MWSYM 02* 1423-1426 vol.3
- Lee Jong-Soo**, see Dong-Wook Kim, *MWSYM 02* 1561-1564 vol.3
- Lee Jong-Wook**, see Jong-Wook Lee, *MWSYM 02* 117-121 vol.1
- Lee Joong-Soo**, see Inho Jeong, *MWSYM 02* 661-664 vol.2
- Lee Jung-Hoon**, see Soon-Cheol Kong, *T-MTT Nov 02* 2589-2597
- Lee Kwyro**, see Youngjin Kim, *MWSYM 02* 799-802 vol.2
- Lee Kwyro**, see Ickjin Kwon, *T-MTT Jun 02* 1503-1509
- Lee Kyungho**, see Woonyun Kim, *T-MTT Jul 02* 1714-1722
- Lee Moon-Que**, see Moon-Que Lee, *MWSYM 02* 1797-1800 vol.3
- Leenaerts, D.**, C. Dijkmans, and M. Thompson. A 0.18 μ m CMOS 2.45 GHz, low-power quadrature VCO with 15% tuning range; *RFIC 02* 67-70
- Lee Sangil**, see Sangil Lee, *MWSYM 02* 1289-1292 vol.2
- Lee Sangmin**, see Yun Wei, *MWSYM 02* 917-920 vol.2
- Lee Seock Hee**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- Lee Seong-Pal**, see Jin-Cheol Jeong, *MWSYM 02* 1257-1260 vol.2
- Lee Seung-Jin**, see Soon-Cheol Kong, *T-MTT Nov 02* 2589-2597
- Lee Seung-Pal**, see Moon-Que Lee, *MWSYM 02* 1797-1800 vol.3
- Lee Seung-Yun**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Lee Sheng-Yuan**, see Chih-Ming Tsai, *MWSYM 02* 1927-1930 vol.3
- Lee Sheng-Yuan**, see Chih-Ming Tsai, *T-MTT Oct 02* 2362-2367
- Lee Sungjae**, see Sungjae Lee, *MWSYM 02* 1415-1418 vol.3
- Lee Sun-Young**, see Jun-Goo Kim, *MWSYM 02* 825-828 vol.2
- Lee Sunyoung**, see Akhtar, S., *T-MTT Jun 02* 1561-1570
- Lee Tai-Hsing**, see Yo-Sheng Lin, *MWSYM 02* 161-164 vol.1
- Lee Tai-Hsing**, see Yo-Sheng Lin, *RFIC 02* 315-318
- Lee-Yin Chen**, see Pengcheng Jia, *T-MTT May 02* 1355-1360
- Lee Yongshik**, see Yongshik Lee, *MWSYM 02* 1871-1874 vol.3
- Lee Young-Jae**, see Yong-Sik Youn, *MWSYM 02* 17-20 vol.1
- Lee Young-Jae**, see Yong-Sik Youn, *RFIC 02* 271-274
- Lee Youngju**, see Youngju Lee, *MWSYM 02* 1329-1332 vol.2
- Lee Young-Tack**, see Jong-Sik Lim, *MWSYM 02* 1153-1156 vol.2
- Lefebvre, B.**, see Vaudecal, O., *MWSYM 02* 1729-1732 vol.3
- LeFloc'h, M.**, see Queffelec, P., *T-MTT Sep 02* 2128-2134
- Legarra, J.R.**, P.E. Kolda, H.P. Freund, T.M. Antonsen, Jr., and B. Levush. Ka-band coupled-cavity TWT amplifiers for military radar and commercial satellite communication; *MWSYM 02* 625-628 vol.2
- Lehoue, V.**, see Vaudecal, O., *MWSYM 02* 1729-1732 vol.3
- Leier, H.**, see Ouslimani, A., *T-MTT Jan 02* 218-221
- Lei Yin**, Jie Wang, and Wei Hong. A novel algorithm based on the domain-decomposition method for the full-wave analysis of 3-D electromagnetic problems; *T-MTT Aug 02* 2011-2017
- Lei Zhao**, A. Pavia, B. Stengel, and B. Thompson. A 6 watt LDMOS broadband high efficiency distributed power amplifier fabricated using LTCC technology; *MWSYM 02* 897-900 vol.2
- Lei Zhu**, and Ke Wu. Characterization of finite-ground CPW reactive series-connected elements for innovative design of uniplanar M(H)MICs; *T-MTT Feb 02* 549-557
- Lei Zhu**, and Ke Wu. Field-extracted lumped-element models of coplanar stripline circuits and discontinuities for accurate radiofrequency design and optimization; *T-MTT Apr 02* 1207-1215
- Lei Zhu**, and Ke Wu. Short-open calibration technique for field theory-based parameter extraction of lumped elements of planar integrated circuits; *T-MTT Aug 02* 1861-1869
- Lei Zhu**, and Ke Wu. Corrections to "Accurate circuit model of interdigital capacitor and its application to design of new quasi-lumped miniaturized filters with suppression of harmonic resonance" [Mar 00 347-356]; *T-MTT Oct 02* 2412-2413
- Lenk, F.**, see Rudolph, M., *MWSYM 02* 997-1000 vol.2
- Lenk, F.**, see Schott, A., *MWSYM 02* 839-842 vol.2
- Lenk, F.**, and M. Rudolph. New extraction algorithm for GaAs-HBTs with low intrinsic base resistance; *MWSYM 02* 725-728 vol.2

- Lenoir, B.**, P. Blondy, D. Baillargeat, S. Verdeyme, P. Guillon, E. Zheng, C. Tavernier, and J. Papapolymerou. A novel planar silicon waveguide filter at 45 GHz based on a periodic structure; *MWSYM 02* 1923-1926 vol.3
- Len-Yi Leu**, see Chao, C.-J., *MWSYM 02* 157-160 vol.1
- Len-Yi Leu**, see Chuan-Jane Chao, *RFIC 02* 311-314
- Leon, G.**, R.R. Boix, and F. Medina. Full-wave analysis of a wide class of microstrip resonators fabricated on magnetized ferrites with arbitrarily oriented bias magnetic field; *T-MTT Jun 02* 1510-1519
- Leong, K.**, J. Mazierska, M.V. Jacob, and D. Ledenyov. Comparing unloaded Q-factor of a high-Q dielectric resonator measured using the transmission mode and reflection mode methods involving S-parameter circle fitting; *MWSYM 02* 1665-1668 vol.3
- Leong, K.**, see Jacob, M.V., *T-MTT Feb 02* 474-480
- Leong, K.**, and J. Mazierska. Precise measurements of the Q factor of dielectric resonators in the transmission mode-accounting for noise, crosstalk, delay of uncalibrated lines, coupling loss, and coupling reactance; *T-MTT Sep 02* 2115-2127
- Leong, K.M.K.H.**, see Miyamoto, R.Y., *MWSYM 02* 1369-1372 vol.2
- Leong, K.M.K.H.**, R.Y. Miyamoto, Seong-Sik Jeon, Yuanxun Wang, and T. Itoh. A frequency autonomous retrodirective array transponder; *MWSYM 02* 1349-1352 vol.2
- Leong, M.S.**, see Ban-Leong Ooi, *T-MTT Apr 02* 1188-1192
- Leong, M.S.**, see Ban-Leong Ooi, *T-MTT Jul 02* 1790-1794
- Leong Mook-Seng**, see Swee-Ann Teo, *T-MTT Feb 02* 440-445
- Leong Mook Seng**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Leong Tan Chee**, see Yong Zhong Xiong, *T-MTT Apr 02* 1109-1113
- Leong Yoke Choy**, see Yoke Choy Leong, *MWSYM 02* 1165-1168 vol.2
- Leong Yoke Choy**, see Kian Sen Ang, *T-MTT Aug 02* 1990-1995
- Leong Yoke Choy**, see Kian Sen Ang, *T-MTT Sep 02* 2147-2152
- Leo Young** Electromagnetic units and equations; *T-MTT Mar 02* 1021-1027
- Leroux, P.**, see Steyaert, M.S.J., *T-MTT Jan 02* 281-287
- Lesko, C.**, see Fujii, K., *MWSYM 02* 1725-1728 vol.3
- Leu Len-Yi**, see Chao, C.-J., *MWSYM 02* 157-160 vol.1
- Leu Len-Yi**, see Chuan-Jane Chao, *RFIC 02* 311-314
- Leung Tsang**, see Houfei Chen, *MWSYM 02* 983-986 vol.2
- Leung Tsang**, see Chung-Chi Huang, *MWSYM 02* 2045-2048 vol.3
- Leuski, V.**, see Corbella, I., *T-MTT Jul 02* 1816-1820
- Leuzzi, G.**, see Colantonio, P., *MWSYM 02* 1639-1642 vol.3
- Leviatan, Y.**, see Shifman, Y., *T-MTT Aug 02* 2018-2022
- Levush, B.**, see Legarra, J.R., *MWSYM 02* 625-628 vol.2
- Levush, B.**, see Qiu, J., *MWSYM 02* 457-460 vol.1
- Levush, B.**, see Parker, R.K., *T-MTT Mar 02* 835-845
- Levy, R.**, and L.W. Hendrick. Analysis and synthesis of in-line coaxial-to-waveguide adapters; *MWSYM 02* 809-811 vol.2
- Levy, R.**, R.V. Snyder, and G. Matthaei. Design of microwave filters; *T-MTT Mar 02* 783-793
- Lewis, J.**, see Cidronali, A., *MWSYM 02* 43-47 vol.1
- Lewis, J.**, see Cidronali, A., *RFIC 02* 297-300
- Lewis, J.**, see Cidronali, A., *T-MTT Dec 02* 2938-2946
- Li, G.P.**, see Chang, C.H., *MWSYM 02* 231-234 vol.1
- Li, G.P.**, see Cetiner, B.A., *MWSYM 02* 1333-1336 vol.2
- Li, L.**, see Peihua Ye, *MWSYM 02* 175-178 vol.1
- Li, L.**, see Peihua Ye, *RFIC 02* 329-332
- Li, L.**, see Reddy, M., *RFIC 02* 35-38
- Li, M.**, see Rodenbeck, C.T., *MWSYM 02* 57-60 vol.1
- Li, R.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Liang, H.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Liang Hsiao-Bin**, see Yo-Sheng Lin, *MWSYM 02* 161-164 vol.1
- Liang Hsiao-Bin**, see Yo-Sheng Lin, *RFIC 02* 315-318
- Liang Qingqing**, see Qingqing Liang, *MWSYM 02* 517-520 vol.1
- Liang Qingqing**, see Qingqing Liang, *RFIC 02* 407-410
- Liberti, M.**, see Apollonio, F., *MWSYM 02* 1751-1754 vol.3
- Liberti, M.**, see Apollonio, F., *T-MTT Dec 02* 3029-3035
- Lie, D.Y.C.**, J. Kennedy, D. Livezey, B. Yang, T. Robinson, N. Sornin, T. Beukema, L.E. Larson, A. Senior, C. Saint, J. Blonski, N. Swanberg, P. Pawlowski, D. Gonya, X. Yuan, and H. Zamat. A direct-conversion W-CDMA front-end SiGe receiver chip; *RFIC 02* 31-34
- Liebl, W.**, see Werthof, A., *MWSYM 02* 1855-1858 vol.3
- Lien Chun-Hsien**, see Tzeng, B., *T-MTT Nov 02* 2564-2568
- Liew Yew Hui**, see Yew Hui Liew, *T-MTT Sep 02* 2056-2062
- Lighthart, L.P.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Li Hongfu**, see Shiwen Yang, *T-MTT Jul 02* 1849-1852
- Li Jianming**, see Kuhn, W.B., *MWSYM 02* 301-305 vol.1
- Li Jianming**, see Kuhn, W.B., *RFIC 02* 385-388
- Lim, H.**, see Han, H., *MWSYM 02* 1075-1078 vol.2
- Lim, K.**, see Yoon, S.-W., *MWSYM 02* 703-706 vol.2
- Lim, K.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Lim, K.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3
- Limbach, S.**, see Kory, C.L., *MWSYM 02* 1265-1268 vol.2
- Limiti, E.**, see Colantonio, P., *MWSYM 02* 1639-1642 vol.3
- Lim Jae-Bong**, see Taek-Young Song, *MWSYM 02* 213-217 vol.1
- Lim Jiyoun**, see Jiyoun Lim, *MWSYM 02* 1707-1710 vol.3
- Lim Jong-Sik**, see Jong-Sik Lim, *MWSYM 02* 1153-1156 vol.2
- Lim Jong-Sik**, see Chul-Soo Kim, *MWSYM 02* 2125-2128 vol.3
- Lim Kyutae**, see Raghavan, A., *MWSYM 02* 1019-1022 vol.2
- Lim Yong Hei**, see Jin-Cheol Jeong, *MWSYM 02* 1257-1260 vol.2
- Lin, J.**, see Boric-Lubecke, O., *MWSYM 02* 1049-1052 vol.2
- Lin, J.C.-H.**, see Heng-Ming Hsu, *MWSYM 02* 1027-1030 vol.2
- Lin Cheng-Kuo**, see Shih-Cheng Yang, *MWSYM 02* 2153-2156 vol.3
- Lin Ching-Lang**, see Chakraborty, S., *MWSYM 02* 1253-1256 vol.2
- Lin Fu-jiang**, see Ban-Leong Ooi, *T-MTT Sep 02* 2202-2206
- Ling Feng**, see Kamgaing, T., *MWSYM 02* 205-208 vol.1
- Ling Feng**, see Feng Ling, *T-MTT Jun 02* 1628-1635
- Ling Koh Soo**, see Khannur, P.B., *MWSYM 02* 549-552 vol.1
- Ling Koh Soo**, see Khannur, P.B., *RFIC 02* 439-442
- Lin Jenshan**, see Gould, P., *T-MTT Jan 02* 369-376
- Lin Kun-You**, see Samoska, L., *MWSYM 02* 429-432 vol.1
- Linner, L.J.P.**, see Fager, C., *T-MTT Dec 02* 2797-2803
- Linner, P.**, see Fager, C., *MWSYM 02* 729-732 vol.2
- Linthicum, K.**, see Manohar, S., *MWSYM 02* 449-452 vol.1
- Lin Yo-Shen**, see Yo-Shen Lin, *MWSYM 02* 2213-2216 vol.3
- Lin Yo-Sheng**, see Yo-Sheng Lin, *MWSYM 02* 161-164 vol.1
- Lin Yo-Sheng**, see Yo-Sheng Lin, *RFIC 02* 315-318
- Lioubtchenko, D.V.**, see Dudorov, S.N., *T-MTT Jun 02* 1640-1642
- Lippens, D.**, see Duchamp, J.M., *MWSYM 02* 359-362 vol.1
- Li Qiang**, see Qiang Li, *MWSYM 02* 509-512 vol.1
- Li Qiang**, see Qiang Li, *RFIC 02* 399-402
- Li Qin**, see Houfei Chen, *MWSYM 02* 983-986 vol.2
- Litwin, A.**, Z. Bengtsson, and J. Olsson. Novel BiCMOS compatible, short channel LDMOS technology for medium voltage RF and power applications; *MWSYM 02* 35-38 vol.1
- Litwin, A.**, O. Bengtsson, and J. Olsson. Novel BiCMOS compatible, short channel LDMOS technology for medium voltage RF & power applications; *RFIC 02* 289-292
- Liu, F.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3
- Liu, J.**, see Chen, S.B., *MWSYM 02* 201-204 vol.1
- Liu Duixian**, see Fong, N., *RFIC 02* 75-78
- Liu Feng**, see Feng Liu, *T-MTT Feb 02* 570-577
- Liu Jian**, see Feng Ling, *T-MTT Jun 02* 1628-1635
- Liu Qing Huo**, see Qing Huo Liu, *T-MTT Jan 02* 123-133
- Liu Ren-Chieh**, see Ren-Chieh Liu, *RFIC 02* 221-224
- Liu Shenggang**, see Guofen Yu, *T-MTT Jan 02* 191-200
- Liu Yaxun**, see Yaxun Liu, *MWSYM 02* 1901-1904 vol.3
- Liu Yu**, see Yu Liu, *MWSYM 02* 227-230 vol.1
- Livezey, D.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Li Wei**, see Qiang Li, *MWSYM 02* 509-512 vol.1
- Li Wei**, see Qiang Li, *RFIC 02* 399-402
- Li Wei-Ming**, see Yan Zhang, *T-MTT Nov 02* 2519-2526
- Li Xi**, see O, K.K., *RFIC 02* 103-106
- Liyang Zhang**, R. Pullala, C. Winczewski, J. Chow, D. Mensa, S. Jaganathan, and Ruai Yu. A 37-50 GHz InP HBT VCO IC for OC-768 fiber optic communication applications; *RFIC 02* 85-88
- Llopis, O.**, see Bary, L., *MWSYM 02* 275-278 vol.1
- Llopis, O.**, see Cibiel, G., *MWSYM 02* 691-694 vol.2
- Llopis, O.**, see Bary, L., *RFIC 02* 359-362
- Lloyd, S.** Guest editorial [intro. to mini-special issue on the 2002 IEEE Radio Frequency Integrated Circuit (RFIC) Symposium]; *T-MTT Nov 02* 2421
- Lloyd, S.L.**, see Peihua Ye, *MWSYM 02* 175-178 vol.1
- Lloyd, S.L.**, see Peihua Ye, *RFIC 02* 329-332
- Loke, A.**, and F. Ali. Direct conversion radio for digital mobile phones - Design issues, status, and trends; *T-MTT Nov 02* 2422-2435
- Lomer, M.**, see Navarro, C., *T-MTT Apr 02* 1193-1197
- Long, J.R.**, see Danesh, M., *T-MTT Jan 02* 332-341
- Long, S.I.**, see Choi, D.K., *MWSYM 02* 1643-1646 vol.3
- Lonnqvist, A.**, see Meltaus, J., *MWSYM 02* 1305-1308 vol.2
- Lopez, D.**, see Byk, E., *MWSYM 02* 2085-2088 vol.3
- Lopez-Higuera, J.M.**, see Navarro, C., *T-MTT Apr 02* 1193-1197
- Lopez-Risueno, G.**, see Torregrosa-Penalva, G., *T-MTT Jan 02* 172-177
- Lopez-Villegas, J.M.**, see Cabanillas, J., *RFIC 02* 63-66
- Lopez-Villegas, J.M.**, see Sicero, J., *T-MTT Jan 02* 384-392
- Lott, U.**, see Beffa, F., *MWSYM 02* 501-504 vol.1
- Lott, U.**, see Beffa, F., *RFIC 02* 391-394
- Louhi, J.T.**, H. Somerma, K. Nikkanen, M. Koivisto, N. Nordman, T. Tuoriniemi, M. Hirvilampi, M. Pehkonen, K. Vepsalainen, P. Bergholm, P. Ruhanen, M. Platan, J. Rantala, P. Mikkonen, and J. Makinen. Highly integrated microwave point-to-point outdoor unit optimized for ultra high volume manufacturing; *MWSYM 02* 795-798 vol.2
- Lovat, G.**, see Baccarelli, P., *MWSYM 02* 953-956 vol.2
- Lovat, G.**, see Baccarelli, P., *T-MTT Dec 02* 2690-2701
- Low, T.S.**, see Iwamoto, M., *MWSYM 02* 901-904 vol.2
- Low, T.S.**, see Iwamoto, M., *T-MTT Dec 02* 2954-2962
- Lo Wen-Yu**, see Ming-Dou Ker, *MWSYM 02* 537-540 vol.1
- Lo Wen-Yu**, see Ming-Dou Ker, *RFIC 02* 427-430
- Ltoh, T.**, see Sor, J., *MWSYM 02* 665-668 vol.2

- Lu, W.**, V. Kumar, R. Schwindt, E. Piner, and I. Adesida. DC, RF, and microwave noise performances of AlGaIn/GaN HEMTs on sapphire substrates; *T-MTT Nov 02* 2499-2504
- Lubecke, V.**, O. Boric-Lubecke, and E. Beck. A compact low-cost add-on module for Doppler radar sensing of vital signs using a wireless communications terminal; *MWSYM 02* 1767-1770 vol.3
- Lucero, R.**, A. Pavo, D. Penunuri, and J. Bost. Design of an LTCC integrated tri-band direct conversion receiver front-end module; *MWSYM 02* 1545-1548 vol.3
- Ludovico, M.**, L. Accatino, G. Zarba, and M. Mongiardo. CAD of multipactor-free waveguide components for communication satellites; *MWSYM 02* 2077-2080 vol.3
- Luessem, G.**, see Weil, C., *MWSYM 02* 367-371 vol.1
- Luhmann, N.C., Jr.**, see Zhang, W.-K., *MWSYM 02* 1531-1534 vol.3
- Luhmann, N.C., Jr.**, see Deng, B.H., *MWSYM 02* 1587-1590 vol.3
- Luk Kwai-Man**, see Xiang-yin Zeng, *T-MTT May 02* 1417-1424
- Luk Kwai-Man**, see Xiang-Yin Zeng, *T-MTT Jun 02* 1636-1639
- Lung-Hwa Hsieh**, and Kai Chang. Equivalent lumped elements G, L, C, and unloaded Q's of closed- and open-loop ring resonators; *T-MTT Feb 02* 453-460
- Lung-Hwa Hsieh**, and Kai Chang. Dual-mode quasi-elliptic-function bandpass filters using ring resonators with enhanced-coupling tuning stubs; *T-MTT May 02* 1340-1345
- Lung-Hwa Hsieh**, and Kai Chang. Slow-wave bandpass filters using ring or stepped-impedance hairpin resonators; *T-MTT Jul 02* 1795-1800
- Luong, H.C.**, see Wong, J.M.C., *MWSYM 02* 573-576 vol.1
- Luong, H.C.**, see Wong, J.M.C., *RFIC 02* 463-466
- Luscas, M.**, R. Judaschke, and J.-F. Luy. Simulation and measurement results of 150 GHz integrated silicon IMPATT diodes; *MWSYM 02* 1269-1272 vol.2
- Lu Shey-shi**, see Yo-Sheng Lin, *MWSYM 02* 161-164 vol.1
- Lu Shey-Shi**, see Yo-Sheng Lin, *RFIC 02* 315-318
- Luy, J.-F.**, see Mohammadi, S., *MWSYM 02* 289-292 vol.1
- Luy, J.-F.**, see Schauwecker, B., *MWSYM 02* 219-222 vol.1
- Luy, J.-F.**, see Luscas, M., *MWSYM 02* 1269-1272 vol.2
- Luy, J.-F.**, see Strohm, K.M., *MWSYM 02* 1209-1212 vol.2
- Luy, J.-F.**, see Mohammadi, S., *RFIC 02* 373-376
- M**
- Ma, J.Y.**, see Ban-Leong Ooi, *T-MTT Apr 02* 1188-1192
- Ma, Z.**, and Y. Kobayashi. Error analysis of the unloaded Q-factors of a transmission-type resonator measured by the insertion loss method and the return loss method; *MWSYM 02* 1661-1664 vol.3
- Maass, E.**, see Abdi, B., *RFIC 02* 3-6
- Macchiarella, G.** Accurate synthesis of inline prototype filters using cascaded triplet and quadruplet sections; *T-MTT Jul 02* 1779-1783
- Macedo, J.A.**, see Rogers, J.W.M., *T-MTT Jan 02* 210-215
- Machac, J.**, see Zehentner, J., *MWSYM 02* 961-964 vol.2
- Machac, J.**, and J. Zehentner. Comments on representation of surface leaky waves on uniplanar transmission lines; *T-MTT Feb 02* 583-585
- Ma Changning**, see Changning Ma, *MWSYM 02* 2049-2052 vol.3
- Mader, T.** Design of high-speed fiber optic datalinks; *RFIC 02* 81-84
- Madjar, A.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Madonna, G.**, and A. Ferrero. Simple technique for measuring source reflection coefficient while characterizing active devices; *T-MTT Feb 02* 564-569
- Madrid, D.**, B. Vidal, A. Martinez, V. Polo, J.L. Corral, and J. Marti. A novel 2N beams heterodyne optical beamforming architecture based on NxN optical Butler matrices; *MWSYM 02* 1945-1948 vol.3
- Madrid, D.**, see Vidal, B., *MWSYM 02* 1949-1952 vol.3
- Madsen, K.**, see Bandler, J.W., *MWSYM 02* 2101-2104 vol.3
- Madsen, K.**, see Bandler, J.W., *T-MTT Dec 02* 2741-2750
- Maeda, K.**, see Shimozawa, M., *MWSYM 02* 253-256 vol.1
- Maeda, K.**, see Nishino, T., *MWSYM 02* 1385-1388 vol.3
- Maeda, K.**, see Taniguchi, E., *RFIC 02* 133-136
- Maeda, T.**, see Numata, K., *RFIC 02* 141-144
- Maeng, M.**, see Yoon, S.-W., *MWSYM 02* 703-706 vol.2
- Maeng, M.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3
- Maeng Moonkyun**, see Raghavan, A., *MWSYM 02* 1019-1022 vol.2
- Magoon, R.**, and A. Molnar. RF local oscillator path for GSM direct conversion transceiver with true 50% duty cycle divide by three and active third harmonic cancellation; *RFIC 02* 23-26
- Mah, M.**, see Darwish, A., *MWSYM 02* 109-112 vol.1
- Mahr, U.**, see Butz, J., *MWSYM 02* 61-64 vol.1
- Maier, P.**, see Abele, P., *MWSYM 02* 1681-1684 vol.3
- Ma Jian-Guo**, see Jian-Guo Ma, *MWSYM 02* 1985-1988 vol.3
- Makinen, J.**, see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Makinen, R.M.**, J.S. Juntunen, and M.A. Kivikoski. An improved thin-wire model for FDTD; *T-MTT May 02* 1245-1255
- Makiyama, K.**, see Kano, H., *MWSYM 02* 75-78 vol.1
- Malhi, D.S.**, see Joba, H., *RFIC 02* 27-30
- Mallat, J.**, see Meltaus, J., *MWSYM 02* 1305-1308 vol.2
- Mallegol, S.**, see Queffelec, P., *T-MTT Sep 02* 2128-2134
- Mallet, A.**, see Anakabe, A., *MWSYM 02* 2181-2184 vol.3
- Mallet, A.**, F. Gizard, T. Reveyard, L. Lapiere, and J. Sombrin. A new satellite repeater amplifier characterization system for large bandwidth NPR and modulated signals measurements; *MWSYM 02* 2245-2248 vol.3
- Mallorqui, J.J.**, see Abubakar, A., *T-MTT Jul 02* 1761-1771
- Malmqvist, R.**, M. Alfredsson, A. Gustafsson, and A. Ouacha. A 7.9-9.7 GHz on-chip radar receiver front-end for future adaptive X-band smart skin array antennas; *MWSYM 02* 1431-1434 vol.3
- Malmqvist, R.**, A. Gustafsson, M. Alfredsson, and A. Ouacha. A tunable active MMIC filter for on-chip X-band radar receiver front-ends; *MWSYM 02* 1907-1910 vol.3
- Malucelli, F.**, see Esposito, A., *T-MTT Sep 02* 2102-2107
- Mamada, M.**, see Amamiya, Y., *MWSYM 02* 87-90 vol.1
- Mandal, S.**, see Pinel, S., *MWSYM 02* 1053-1056 vol.2
- Mandal, S.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Mandal, S.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3
- Mandeville, P.**, see Bousnina, S., *T-MTT Feb 02* 420-424
- Mandeville, P.**, see Bousnina, S., *T-MTT Feb 02* 529-536
- Manes, G.**, see Cidronali, A., *T-MTT Dec 02* 2938-2946
- Manes, G.**, see Cidronali, A., *RFIC 02* 297-300
- Manes, G.**, see Cidronali, A., *T-MTT Feb 02* 425-432
- Manes, G.**, see Cidronali, A., *T-MTT Dec 02* 2938-2946
- Manholm, L.**, see Bona, M., *T-MTT Sep 02* 2069-2075
- Mann, C.M.**, see Gonzalo, R., *T-MTT Oct 02* 2384-2392
- Manohar, S.**, A. Narayanan, A. Keerti, A. Pham, J. Brown, R. Borges, and K. Linthicum. Characteristics of microwave power GaN HEMTs on 4-inch Si wafers; *MWSYM 02* 449-452 vol.1
- Mansour, R.R.**, see Salehi, H., *MWSYM 02* 1601-1604 vol.3
- Mansour, R.R.**, see Mirafteb, V., *MWSYM 02* 1117-1120 vol.2
- Mansour, R.R.**, see Peik, S.F., *MWSYM 02* 1109-1112 vol.2
- Mansour, R.R.** Microwave superconductivity; *T-MTT Mar 02* 750-759
- Mansour, R.R.**, see Mirafteb, V., *T-MTT Dec 02* 2781-2788
- Mansun Chan**, see Sang Lam, *MWSYM 02* 677-680 vol.2
- Mao Shau-Gang**, see Shau-Gang Mao, *T-MTT Nov 02* 2624-2628
- Mar, K.**, see Yuen, C., *MWSYM 02* 481-484 vol.1
- Maria, J.-P.**, see Zhang Jin, *MWSYM 02* 1201-1204 vol.2
- Marinilli, A.S.**, see Russell, M.E., *T-MTT Mar 02* 674-677
- Marozsak, T.**, see Csornyei, M., *MWSYM 02* 1377-1380 vol.2
- Marques, R.**, R. Rafii-El-Idrissi, F. Mesa, and F. Medina. Analysis of the propagation of leaky magnetostatic modes in normally magnetized microstrip and slot lines; *T-MTT Aug 02* 1935-1941
- Marshall, S.**, see Piel, P.-M., *MWSYM 02* 1557-1560 vol.3
- Martens, J.**, and P. Kapetanac. Probe-tone S-parameter measurements; *T-MTT Sep 02* 2076-2082
- Marti, J.**, see Madrid, D., *MWSYM 02* 1945-1948 vol.3
- Marti, J.**, see Vidal, B., *MWSYM 02* 1949-1952 vol.3
- Martin, B.**, see Subbanna, S., *MWSYM 02* 401-404 vol.1
- Martin, E.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Martin, E.**, see Ivanov, T., *RFIC 02* 337-340
- Martinez, A.**, see Madrid, D., *MWSYM 02* 1945-1948 vol.3
- Martinez, A.**, see Vidal, B., *MWSYM 02* 1949-1952 vol.3
- Martinez, B.**, see Gonzalo, R., *T-MTT Oct 02* 2384-2392
- Maruhashi, K.**, see Ito, M., *MWSYM 02* 1789-1792 vol.3
- Marzinger, G.**, see Neurauder, B., *MWSYM 02* 425-428 vol.1
- Massa, A.**, see Caorsi, S., *T-MTT Oct 02* 2346-2352
- Mastrapasqua, M.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Mastrapasqua, M.**, see Ivanov, T., *RFIC 02* 337-340
- Matinpour, B.**, see Chakraborty, S., *MWSYM 02* 1253-1256 vol.2
- Matinpour, B.**, see Sangwoo Han, *T-MTT Apr 02* 1173-1179
- Matsuda, Y.**, see Inoue, A., *MWSYM 02* 1023-1026 vol.2
- Matsumoto, K.**, see Okiura, M., *MWSYM 02* 485-488 vol.1
- Matsumoto, S.**, see Kawano, H., *MWSYM 02* 2121-2124 vol.3
- Matsunami, Y.**, see Joba, H., *RFIC 02* 27-30
- Matsuno, T.**, K. Nishii, S. Sonetaka, Y. Toyoda, and N. Iwamoto. RF power characteristics of SiGe heterojunction bipolar transistor with high breakdown voltage structures; *MWSYM 02* 293-295 vol.1
- Matsuno, T.**, K. Nishii, S. Sonetaka, Y. Toyoda, and N. Iwamoto. RF power characteristics of SiGe heterojunction bipolar transistor with high breakdown voltage structures; *RFIC 02* 377-379
- Matsuura, N.**, see Hikita, M., *MWSYM 02* 1483-1486 vol.3
- Matsuura, N.**, see Hikita, M., *T-MTT Nov 02* 2629-2638
- Matsuzawa, A.** RF-SoC-expectations and required conditions; *T-MTT Jan 02* 245-253
- Mattausch, H.J.**, see Kawano, H., *MWSYM 02* 2121-2124 vol.3
- Matthaei, G.**, see Levy, R., *T-MTT Mar 02* 783-793
- Matthaei, G.L.** Narrow-band, band-pass filters with zig-zag, hairpin-comb resonators; *MWSYM 02* 1931-1934 vol.3
- Maurer, L.**, see Schelmbauer, W., *MWSYM 02* 13-16 vol.1
- Maurer, L.**, see Schelmbauer, W., *RFIC 02* 267-270
- Maurer, L.**, see Springer, A., *T-MTT Jan 02* 254-267
- Maury, G.**, see Cabon, B., *MWSYM 02* 1953-1956 vol.3

- Ma Zhenqiang**, see Mohammadi, S., *MWSYM* 02 289-292 vol.1
- Ma Zhenqiang**, see Mohammadi, S., *RFIC* 02 373-376
- Ma Zhenqiang**, see Zhenqiang Ma, *T-MTT Apr* 02 1101-1108
- Ma Zhewang**, see Zhewang Ma, *MWSYM* 02 1967-1970 vol.3
- Mazierska, J.**, see Leong, K., *MWSYM* 02 1665-1668 vol.3
- Mazierska, J.**, see Jacob, M.V., *T-MTT Feb* 02 474-480
- Mazierska, J.**, see Leong, K., *T-MTT Sep* 02 2115-2127
- Mazumder, P.**, see Qinwei Xu, *T-MTT Oct* 02 2233-2246
- Mazur, J.**, M. Mazur, and J. Michalski. Coupled-mode design of ferrite-loaded coupled-microstrip-lines section; *T-MTT Jun* 02 1487-1494
- Mazur, M.**, see Mazur, J., *T-MTT Jun* 02 1487-1494
- Mazzucato, E.**, see Deng, B.H., *MWSYM* 02 1587-1590 vol.3
- Mbabele, M.**, see Aitchison, C.S., *T-MTT Jan* 02 229
- McCarron, K.T.**, see Lakin, K.M., *MWSYM* 02 1487-1490 vol.3
- McCarthy, E.**, see Peihua Ye, *MWSYM* 02 175-178 vol.1
- McCarthy, E.**, see Peihua Ye, *RFIC* 02 329-332
- McCune, E.W.**, see Habermann, T., *MWSYM* 02 633-636 vol.2
- McDonald, J.P.**, see Lakin, K.M., *MWSYM* 02 1487-1490 vol.3
- McGrath, W.R.**, see Focardi, P., *T-MTT Oct* 02 2374-2383
- McKinley, M.D.**, see Hyunchul Ku, *MWSYM* 02 139-142 vol.1
- McKinley, M.D.**, see Ku, H., *T-MTT Dec* 02 2843-2849
- McMacken, J.**, see Xiaomin Yang, *MWSYM* 02 589-592 vol.1
- McMacken, J.**, see Xiaomin Yang, *RFIC* 02 479-482
- Mc Manus, M.K.**, and P. Song. Picosecond imaging circuit analysis of ULSI microprocessors; *MWSYM* 02 1505-1508 vol.3
- McNeff, J.G.** The global positioning system; *T-MTT Mar* 02 645-652
- Meagher, B.**, see Butler, B.K., *RFIC* 02 186A-186F
- Meaney, P.M.**, Qianqian Fang, S.D. Geimer, A.V. Streltsov, and K.D. Paulsen. 3D scalar microwave image reconstruction algorithm; *MWSYM* 02 2269-2272 vol.3
- Mediano, A.**, see Raab, F.H., *T-MTT Mar* 02 888-899
- Medina, F.**, see Leon, G., *T-MTT Jun* 02 1510-1519
- Medina, F.**, see Bernal, J., *T-MTT Aug* 02 1895-1900
- Medina, F.**, see Marques, R., *T-MTT Aug* 02 1935-1941
- Medina, F.**, see Mesa, F., *T-MTT Sep* 02 2142-2146
- Medina, F.**, see Shuley, N.V., *T-MTT Sep* 02 2185-2192
- Megahed, M.**, see Gye-An Lee, *MWSYM* 02 1621-1624 vol.3
- Megej, A.**, K. Beilenhoff, M. Schussler, A. Ziroff, B. Mottet, O. Yilmazoglu, K. Mutamba, C.D. Hamann, R. Baican, and H.L. Hartnagel. Integrated microwave sensor for cavity-length measurement with sub-millimeter accuracy; *MWSYM* 02 643-646 vol.2
- Megej, A.**, K. Beilenhoff, M. Schussler, A. Ziroff, B. Mottet, O. Yilmazoglu, K. Mutamba, C.D. Hamann, R. Baican, and H.L. Hartnagel. Integrated microwave sensors for cavity-length measurement in machine engineering; *T-MTT Dec* 02 3070-3076
- Mehner, J.**, see Schauwecker, B., *MWSYM* 02 219-222 vol.1
- Meide Qiu, M.** Simcoe, and G.V. Eleftheriades. High-gain meanderless slot arrays on electrically thick substrates at millimeter-wave frequencies; *T-MTT Feb* 02 517-528
- Meister, T.F.**, see Knapp, H., *RFIC* 02 239-242
- Mekela, S.**, see Yoon, S.-W., *MWSYM* 02 703-706 vol.2
- Melcher, R.**, see Kornrumpf, W., *MWSYM* 02 319-322 vol.1
- Melendy, D.**, P. Francis, C. Pichler, Kyuwoon Hwang, G. Srinivasan, and A. Weisshaar. Wide-band compact modeling of spiral inductors in RFICs; *MWSYM* 02 717-720 vol.2
- Meltaus, J.**, J. Salo, E. Noponen, M.M. Salomaa, V. Viikari, A. Lonnqvist, T. Koskinen, J. Saily, J. Hakli, J. Ala-Laurinaho, J. Mallat, and A.V. Raisanen. Radio-wave beam shaping using holograms; *MWSYM* 02 1305-1308 vol.2
- Meng, C.C.**, C.H. Chang, J.F. Kuan, and G.W. Huang. Direct observation of loadlines in MESFET by using average RF gate and drain currents; *MWSYM* 02 2161-2164 vol.3
- Meng-Tzer Wong**, see Wei-Zen Chen, *RFIC* 02 169-172
- Mensa, D.**, see Liyang Zhang, *RFIC* 02 85-88
- Merkle, T.**, see Ramberger, S., *MWSYM* 02 967-970 vol.2
- Merkle, T.**, A. Tessmann, and S. Ramberger. Intercept point behavior of Ka-band GaAs high power amplifiers; *MWSYM* 02 453-456 vol.1
- Merlin, W.** Contactless probing of high-frequency electrical signals with scanning probe microscopy; *MWSYM* 02 1493-1496 vol.3
- Mertens, K.**, see Steyaert, M.S.J., *T-MTT Jan* 02 281-287
- Mesa, F.**, see Langston, W.L., *MWSYM* 02 949-952 vol.2
- Mesa, F.**, and D.R. Jackson. The danger of high-frequency spurious effects on wide microstrip line; *MWSYM* 02 945-948 vol.2
- Mesa, F.**, D.R. Jackson, and M.J. Freire. Evolution of leaky modes on printed-circuit lines; *T-MTT Jan* 02 94-104
- Mesa, F.**, see Bernal, J., *T-MTT Aug* 02 1895-1900
- Mesa, F.**, see Marques, R., *T-MTT Aug* 02 1935-1941
- Mesa, F.**, G. Plaza, and F. Medina. Efficient evaluation of reaction integrals in the EFIE analysis of planar layered structures with uniaxial anisotropy; *T-MTT Sep* 02 2142-2146
- Mesa, F.**, and D.R. Jackson. Investigation of integration paths in the spectral-domain analysis of leaky modes on printed circuit lines; *T-MTT Oct* 02 2267-2275
- Mesa, F.**, and D.R. Jackson. The danger of high-frequency spurious effects on wide microstrip line; *T-MTT Dec* 02 2679-2689
- Meyerson, B.**, see Subbanna, S., *MWSYM* 02 401-404 vol.1
- Mezzanotte, P.**, see El Mrabet, O., *T-MTT Oct* 02 2411-2412
- Mheen Bongki**, see Bongki Mheen, *MWSYM* 02 413-416 vol.1
- Michalski, J.**, see Mazur, J., *T-MTT Jun* 02 1487-1494
- Mielewski, J.**, see Przybyszewski, P., *T-MTT Feb* 02 558-563
- Mihailovich, R.E.**, see Tan, G.L., *MWSYM* 02 333-335 vol.1
- Mikkonen, P.**, see Louhi, J.T., *MWSYM* 02 795-798 vol.2
- Miller, M.**, see Kamgaing, T., *MWSYM* 02 153-156 vol.1
- Miller, M.**, see Kamgaing, T., *MWSYM* 02 205-208 vol.1
- Miller, M.**, see Staudinger, J., *MWSYM* 02 617-620 vol.2
- Miller, M.**, see Lan, E., *MWSYM* 02 1039-1042 vol.2
- Miller, M.**, see Kamgaing, T., *RFIC* 02 307-310
- Milligan, J.W.**, see Pribble, W.L., *MWSYM* 02 1819-1822 vol.3
- Mimino, Y.**, K. Nakamura, Y. Hasegawa, Y. Aoki, S. Kuroda, and T. Tokumitsu. A 60 GHz millimeter-wave MMIC chipset for broadband wireless access system front-end; *MWSYM* 02 1721-1724 vol.3
- Mimura, T.** The early history of the high electron mobility transistor (HEMT); *T-MTT Mar* 02 780-782
- Min, S.**, see Lee, S.H., *MWSYM* 02 2229-2232 vol.3
- Minagawa, K.**, see Young Yun, *MWSYM* 02 409-412 vol.1
- Minagawa, K.**, see Yun, Y., *T-MTT Dec* 02 2930-2937
- Minalgene, J.**, see Ng, C.Y., *MWSYM* 02 2209-2212 vol.3
- Minamide, H.**, M. Kohno, N. Yoshida, K. Yajima, K. Mori, T. Ogata, and T. Sonoda. 70% high efficient C-band 27 W hetero-structure FET for space application; *MWSYM* 02 621-623 vol.2
- Min-Cheol Oh**, see Fetterman, H., *MWSYM* 02 1937-1940 vol.3
- Minchul Chung**, see Woonyun Kim, *T-MTT Jul* 02 1714-1722
- Ming-Chuan Yang**, and K.J. Webb. High functionality mode transformers with bandwidth control and mode selectivity; *MWSYM* 02 2013-2016 vol.3
- Ming-Dou Ker**, Wen-Yu Lo, Chien-Ming Lee, Chia-Pei Chen, and Hong-Sing Kao. ESD protection design for 900-MHz RF receiver with 8-kV HBM ESD robustness; *MWSYM* 02 537-540 vol.1
- Ming-Dou Ker**, Wen-Yu Lo, Chien-Ming Lee, Chia-Pei Chen, and Hong-Sing Kao. ESD protection design for 900-MHz RF receiver with 8-kV HBM ESD robustness; *RFIC* 02 427-430
- Ming-Jer Chen**, see Chao, C.-J., *MWSYM* 02 157-160 vol.1
- Ming-Jer Chen**, see Chuan-Jane Chao, *RFIC* 02 311-314
- Ming-Jyh Hwu**, see Hsien-Chin Chiu, *MWSYM* 02 521-524 vol.1
- Ming-Jyh Hwu**, see Hsien-Chin Chiu, *RFIC* 02 411-414
- Ming-Yi Chen**, see Shau-Gang Mao, *T-MTT Nov* 02 2624-2628
- Ming Yu**, D.J. Smith, A. Sivasadas, and W. Fitzpatrick. A dual mode filter with trifurcated iris and reduced footprint; *MWSYM* 02 1457-1460 vol.3
- Ming Yu**, see Ke-Li Wu, *T-MTT Feb* 02 465-473
- Mink, J.W.**, see Trew, R.J., *T-MTT Mar* 02 1028-1033
- Minkyu Je**, see Ickjin Kwon, *T-MTT Jun* 02 1503-1509
- Minnis, B.**, and P. Moore. A re-configurable receiver architecture for 3G mobiles; *RFIC* 02 187-190
- Min Sung Hwan**, see Dalmia, S., *MWSYM* 02 1405-1408 vol.3
- Miraftab, V.**, and R.R. Mansour. Computer-aided tuning of microwave filters using fuzzy logic; *MWSYM* 02 1117-1120 vol.2
- Miraftab, V.**, and R.R. Mansour. Computer-aided tuning of microwave filters using fuzzy logic; *T-MTT Dec* 02 2781-2788
- Mireux, O.**, J.-J. Brault, and R.G. Bosio. Results on a direct digital receiver operated with fast learning networks; *MWSYM* 02 497-500 vol.1
- Mirth, L.**, see Ortiz, S.C., *T-MTT Feb* 02 487-494
- Mitani, S.**, see Kawano, H., *MWSYM* 02 2121-2124 vol.3
- Mitchell, A.**, D.M. Kokotoff, and M.W. Austin. Improvement to the PML boundary condition in the FEM using mesh compression; *T-MTT May* 02 1297-1302
- Mitchell, G.S.**, see Nuteson, T.W., *MWSYM* 02 307-310 vol.1
- Mitchell, G.S.**, see Nuteson, T.W., *T-MTT Dec* 02 3043-3051
- Mittleman, D.M.** T-ray imaging: new possibilities in the far infrared; *MWSYM* 02 1575-1578 vol.3
- Mittra, R.**, see Prakash, V.V.S., *MWSYM* 02 2041-2044 vol.3
- Mittra, R.**, see Semouchkina, E., *MWSYM* 02 1127-1130 vol.2
- Mittra, R.**, see Qunsheng Cao, *T-MTT Jun* 02 1578-1589
- Miura, T.**, see Yamamoto, K., *RFIC* 02 245-248
- Miura-Mattausch, M.**, see Kawano, H., *MWSYM* 02 2121-2124 vol.3
- Miyakuni, S.**, see Yamamoto, K., *RFIC* 02 245-248
- Miyamoto, M.**, see Adan, A.O., *MWSYM* 02 39-42 vol.1
- Miyamoto, M.**, see Adan, A.O., *RFIC* 02 293-296
- Miyamoto, R.Y.**, see Leong, K.M.K.H., *MWSYM* 02 1349-1352 vol.2
- Miyamoto, R.Y.**, K.M.K.H. Leong, Seong-Sik Jeon, Yuanxun Wang, and T. Itoh. An adaptive multi-functional array for wireless sensor systems; *MWSYM* 02 1369-1372 vol.2
- Miyayoshi, N.**, see Kawahata, K.I., *MWSYM* 02 699-702 vol.2
- Miyazaki, M.**, see Yoneda, N., *MWSYM* 02 821-824 vol.2

- Miyazaki, Y., see Yamamoto, K., *RFIC 02* 245-248
- Mizuguchi, Y., see Shibata, O., *T-MTT May 02* 1425-1430
- Moazzam, M.R., see Aitchison, C.S., *T-MTT Jan 02* 229
- Modelski, J., see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Moedl, S., see Weber, N., *MWSYM 02* 2233-2235 vol.3
- Mohamed, A.S., see Bandler, J.W., *MWSYM 02* 2101-2104 vol.3
- Mohamed, A.S., see Bandler, J.W., *T-MTT Dec 02* 2741-2750
- Mohammadi, S., Zhenqiang Ma, Jaehoon Park, P. Bhattacharya, L.P.B. Katehi, G.E. Ponchak, S.A. Alterovitz, K.M. Strohm, and J.-F. Luy. SiGe/Si power HBTs for X- to K-band applications; *MWSYM 02* 289-292 vol.1
- Mohammadi, S., Zhenqiang Ma, Jaehoon Park, P. Bhattacharya, L.P.B. Katehi, G.E. Ponchak, S.A. Alterovitz, K.M. Strohm, and J.-F. Luy. SiGe/Si power HBTs for X- to K-band applications; *RFIC 02* 373-376
- Mohammadi, S., see Zhenqiang Ma, *T-MTT Apr 02* 1101-1108
- Moinian, S., see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Moinian, S., see Ivanov, T., *RFIC 02* 337-340
- Moldovan, E., see Ovidiu Tatu, S., *RFIC 02* 155-158
- Moldovan, E., see Tatu, S.O., *T-MTT Nov 02* 2436-2442
- Molnar, A., see Magoon, R., *RFIC 02* 23-26
- Momose, M., see Okiura, M., *MWSYM 02* 485-488 vol.1
- Mondal, J., see Das, A., *MWSYM 02* 171-174 vol.1
- Mondal, J., see Das, A., *RFIC 02* 325-328
- Mongiardo, M., see Accatino, L., *MWSYM 02* 1453-1456 vol.3
- Mongiardo, M., see Crino, V., *MWSYM 02* 2033-2036 vol.3
- Mongiardo, M., see Ludovico, M., *MWSYM 02* 2077-2080 vol.3
- Mongiardo, M., see Bertin, G., *T-MTT Apr 02* 1077-1083
- Mongiardo, M., see Accatino, L., *T-MTT Sep 02* 2044-2047
- Mongiardo, M., see Accatino, L., *T-MTT Dec 02* 2882-2889
- Monseriu, J.A., M.V. Andres, E. Silvestre, A. Ferrando, and B. Gimeno. Analysis of dielectric-loaded cavities using an orthonormal-basis method; *T-MTT Nov 02* 2545-2552
- Montanari, E., see Rizzoli, V., *MWSYM 02* 123-126 vol.1
- Mook-Seng Leong, see Swee-Ann Teo, *T-MTT Feb 02* 440-445
- Mook Seng Leong, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Moon, J.H., see Kim, T.H., *MWSYM 02* 437-440 vol.1
- Moonyun Maeng, see Raghavan, A., *MWSYM 02* 1019-1022 vol.2
- Moon-Que Lee, Keun-Kwan Ryu, In-Bok Yom, and Seung-Pal Lee. Novel low-pass filter for broad-band spurious suppression; *MWSYM 02* 1797-1800 vol.3
- Moon-Suk Jeon, Junghyun Kim, Hyunil Kang, Sanghwa Jung, Jaehak Lee, and Youngwoo Kwon. A new "active" predistorter with high gain using cascode-FET structures; *RFIC 02* 253-256
- Moon-Suk Jeon, see Junghyun Kim, *T-MTT Nov 02* 2459-2466
- Moon Sung Tae, see Wenjun Sheng, *RFIC 02* 107-110
- Moore, M.T., see Barnes, A.R., *MWSYM 02* 1867-1870 vol.3
- Moore, P., see Minnis, B., *RFIC 02* 187-190
- Moreira, F.J.S., see Hernandez-Figueroa, H.E., *T-MTT Jan 02* 1-3
- Morelli, M., I. Hunter, R. Parry, and V. Postoyalko. Stopband performance improvement of rectangular waveguide filters using stepped-impedance resonators; *T-MTT Jul 02* 1657-1664
- Morf, T., see Huber, A., *T-MTT Jul 02* 1675-1682
- Morgan, D.P., see Weigel, R., *T-MTT Mar 02* 738-749
- Morgan, G.D., see Devlin, L.M., *MWSYM 02* 257-261 vol.1
- Morgan, M., and S. Weinreb. A millimeter-wave perpendicular coax-to-microstrip transition; *MWSYM 02* 817-820 vol.2
- Morgan, M., S. Weinreb, N. Wadefalk, and L. Samoska. A MMIC-based 75-110 GHz signal source; *MWSYM 02* 1859-1862 vol.3
- Mori, H., see Dasgupta, U., *RFIC 02* 195-198
- Mori, H., see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Mori, K., see Minamide, H., *MWSYM 02* 621-623 vol.2
- Mori, K., see Yamanaka, K., *MWSYM 02* 1427-1430 vol.3
- Mori, K., see Shinjo, S., *RFIC 02* 249-252
- Morimoto, N.I., see Bulla, D.A.P., *T-MTT Jan 02* 9-12
- Morkner, H., see Fujii, K., *MWSYM 02* 1725-1728 vol.3
- Morkner, H., see Kumar, S., *RFIC 02* 213-216
- Morsey, J., see Okhmatovski, V.I., *MWSYM 02* 1897-1900 vol.3
- Mortazawi, A., see Ozkar, M., *MWSYM 02* 1301-1304 vol.2
- Mortazawi, A., see Zhang Jin, *MWSYM 02* 1201-1204 vol.2
- Mortazawi, A., see Ai-Zayed, A., *MWSYM 02* 1313-1316 vol.2
- Mortazawi, A., see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Mortazawi, A., see Ortiz, S., *MWSYM 02* 1519-1522 vol.3
- Mortazawi, A., see Ortiz, S.C., *T-MTT Feb 02* 487-494
- Mortazawi, A., see Batty, W., *T-MTT Dec 02* 2820-2833
- Mosig, J.R., and A. Alvarez Melcon. The summation-by-parts algorithm-a new efficient technique for the rapid calculation of certain series arising in shielded planar structures; *T-MTT Jan 02* 215-218
- Mospan, L., see Kirilenko, A., *MWSYM 02* 373-376 vol.1
- Moss, C.D., see Teixeira, F.L., *T-MTT Jan 02* 30-35
- Motouchi, Y., see Yamada, A., *MWSYM 02* 1733-1736 vol.3
- Mottet, B., see Megej, A., *MWSYM 02* 643-646 vol.2
- Mottet, B., see Megej, A., *T-MTT Dec 02* 3070-3076
- Moulthrop, A.A., see Clark, C.J., *T-MTT Jun 02* 1590-1602
- Mrkovic, J., see Zehentner, J., *MWSYM 02* 961-964 vol.2
- Mrozowski, M., see Przybyszewski, P., *T-MTT Feb 02* 558-563
- Mrozowski, M., A. Casanueva, and J.L. Garcia. Comments on "An innovative fast powerful method for tackling electromagnetic eigenvalue problems for multistrip transmission lines" [and reply]; *T-MTT Oct 02* 2409-2411
- Mudge, P., see Reddy, M., *RFIC 02* 35-38
- Mudge, P.C., see Peihua Ye, *MWSYM 02* 175-178 vol.1
- Mudge, P.C., see Peihua Ye, *RFIC 02* 329-332
- Muha, M.S., see Clark, C.J., *T-MTT Jun 02* 1590-1602
- Muir, M.E., see Campbell, C.F., *MWSYM 02* 79-82 vol.1
- Muir, M.E., see Heins, M.S., *MWSYM 02* 1061-1064 vol.2
- Mukhejee, D., see Bhattachajee, J., *RFIC 02* 475-478
- Mukherjee, D., see Bhattacharjee, J., *MWSYM 02* 585-588 vol.1
- Mukherjee, D., J. Bhattacharjee, and J. Laskar. A differentially-tuned CMOS LC VCO for low-voltage full-rate 10 Gb/s CDR circuit; *MWSYM 02* 707-710 vol.2
- Mullen, R.A., see Sangil Lee, *MWSYM 02* 1289-1292 vol.2
- Mullrich, J., see Schild, A., *RFIC 02* 89-92
- Munday, P., see Barnes, A.R., *MWSYM 02* 1867-1870 vol.3
- Munsat, T., see Deng, B.H., *MWSYM 02* 1587-1590 vol.3
- Mutamba, K., see Megej, A., *MWSYM 02* 643-646 vol.2
- Mutamba, K., see Megej, A., *T-MTT Dec 02* 3070-3076
- Myer, D.P., see Raab, F.H., *T-MTT Mar 02* 888-899
- Myers, T., see Kamgaing, T., *MWSYM 02* 153-156 vol.1
- Myers, T., see Kamgaing, T., *MWSYM 02* 205-208 vol.1
- Myers, T., see Kamgaing, T., *RFIC 02* 307-310
- My The Doan, Qian Yin, Khoo Ee Sze, P.B. Khannur, S.C. Rustagi, Shi Jinglin, Pang Dow Foo, and A.B. Ajikuttira. Performance of a CMOS Bluetooth transceiver IC with copper RF passives; *MWSYM 02* 525-528 vol.1
- Myung Sung-Ho, see Jun-Seok Park, *MWSYM 02* 417-420 vol.1

N

- Nam Sangwook**, see Jong-Sik Lim, *MWSYM* 02 1153-1156 vol.2
- Nam Sangwook**, see Chul-Soo Kim, *MWSYM* 02 2125-2128 vol.3
- Nam-Soo Kim**, see Yong-Sik Youn, *MWSYM* 02 17-20 vol.1
- Nam-Soo Kim**, see Yong-Sik Youn, *RFIC* 02 271-274
- Nanba, H.**, see Enokihara, A., *MWSYM* 02 1781-1784 vol.3
- Narahashi, S.**, see Zhewang Ma, *MWSYM* 02 1967-1970 vol.3
- Narayanan, A.**, see Manohar, S., *MWSYM* 02 449-452 vol.1
- Navarro, C.**, J.-M. Zamanillo, A.M. Sanchez, A.T. Puente, J.L. Garcia, M. Lomer, and J.M. Lopez-Higuera. An accurate photonic capacitance model for GaAs MESFETs; *T-MTT Apr* 02 1193-1197
- Naylor, J.**, T. Weller, J. Culver, and M. Smith. Miniaturized slow-wave coplanar waveguide circuits on high-resistivity silicon; *MWSYM* 02 669-672 vol.2
- Nebus, J.M.**, see Launay, F., *MWSYM* 02 865-868 vol.2
- Nebus, J.M.**, see Soury, A., *MWSYM* 02 853-856 vol.2
- Nebus, J.-M.**, see Heckmann, S., *MWSYM* 02 1001-1004 vol.2
- Nebus, J.-M.**, see Heckmann, S., *T-MTT Dec* 02 2811-2819
- Neto, A.**, see Focardi, P., *T-MTT Oct* 02 2374-2383
- Neto, L.G.**, see Bulla, D.A.P., *T-MTT Jan* 02 9-12
- Neumayer, R.**, F. Haslinger, A. Stelzer, and R. Weigel. On the synthesis of equivalent circuit models for multiports characterized by frequency-dependent parameters; *MWSYM* 02 721-724 vol.2
- Neumayer, R.**, A. Stelzer, F. Haslinger, and R. Weigel. On the synthesis of equivalent-circuit models for multiports characterized by frequency-dependent parameters; *T-MTT Dec* 02 2789-2796
- Neurauter, B.**, G. Marzinger, A. Schwarz, and R. Vuketich. GSM 900/DCS 1800 fractional-N modulator with two-point-modulation; *MWSYM* 02 425-428 vol.1
- Newsome, K.**, see Priestley, N., *MWSYM* 02 1863-1866 vol.3
- Newton, K.M.**, see Ramana Murty, M., *MWSYM* 02 2165-2168 vol.3
- Ng, C.Y.**, M. Chongcheawchamnan, and I.D. Robertson. Analysis and design of a high-performance planar Marchand balun; *MWSYM* 02 113-116 vol.1
- Ng, C.Y.**, M. Chongcheawchamnan, M.S. Aftanasar, I.D. Robertson, and J. Minalgiene. X-band microstrip bandpass filter using photoimageable thick-film materials; *MWSYM* 02 2209-2212 vol.3
- Ng, K.T.**, B. Rejaei, and J.N. Burghartz. Substrate effects in monolithic RF transformers on silicon; *T-MTT Jan* 02 377-383
- Ng, Z.M.**, L.E. Davis, and R. Sloan. Field distributions in six-port gyroelectric semiconductor circulators with coplanar waveguide (CPW) feeders; *MWSYM* 02 1189-1192 vol.2
- Ng Geok-Ing**, see Yong Zhong Xiong, *T-MTT Apr* 02 1109-1113
- Ngoya, E.**, see Soury, A., *MWSYM* 02 853-856 vol.2
- Nguyen, C.**, see Jeong Soo Lee, *MWSYM* 02 1361-1363 vol.2
- Nguyen, H.**, see Jacobs, E.W., *T-MTT Feb* 02 413-419
- Nichols, K.**, see Komiak, J.J., *MWSYM* 02 905-907 vol.2
- Nickel, J.G.**, and J.E. Schutt-Aine. Investigation of the longitudinal multiconductor transmission line functions for symmetric coupled-microstrip systems; *T-MTT Jan* 02 183-190
- Nickel, J.G.**, M.D. Hampson, H.-Y.R. Chung, and J.E. Schutt-Aine. Narrow-band matching networks for quasi-TEM coupled microstrip lines; *T-MTT May* 02 1392-1399
- Niedzwiecki, A.**, see Fujii, K., *MWSYM* 02 1725-1728 vol.3
- Niehenke, E.C.**, R.A. Pucel, and I.J. Bahl. Microwave and millimeter-wave integrated circuits; *T-MTT Mar* 02 846-857
- Nieminen, H.**, see Veijola, T., *MWSYM* 02 1213-1216 vol.2
- Nikkanen, K.**, see Louhi, J.T., *MWSYM* 02 795-798 vol.2
- Niknejad, A.M.** Modeling of passive elements with ASITIC; *MWSYM* 02 149-152 vol.1
- Niknejad, A.M.** Modeling of passive elements with ASITIC; *RFIC* 02 303-306
- Nishii, K.**, see Matsuno, T., *MWSYM* 02 293-295 vol.1
- Nishii, K.**, see Matsuno, T., *RFIC* 02 377-379
- Nishii, K.**, see Tanabe, M., *RFIC* 02 209-212
- Nishijima, M.**, see Young Yun, *MWSYM* 02 409-412 vol.1
- Nishijima, M.**, see Yun, Y., *T-MTT Dec* 02 2930-2937
- Nishikawa, K.**, see Kawashima, M., *MWSYM* 02 927-930 vol.2
- Nishikawa, K.**, B. Piernas, T. Nakagawa, and K. Araki. Miniaturized and broadband V-band balanced frequency doubler for highly integrated 3-D MMIC; *MWSYM* 02 351-354 vol.1
- Nishikawa, K.**, B. Piernas, K. Kamogawa, T. Nakagawa, and K. Araki. Compact LNA and VCO 3-D MMICs using commercial GaAs PHEMT technology for V-band single-chip TRX MMIC; *MWSYM* 02 1717-1720 vol.3
- Nishikawa, K.**, see Piernas, B., *T-MTT Apr* 02 1120-1126
- Nishikawa, K.**, see Piernas, B., *T-MTT Aug* 02 1942-1949
- Nishikawa, T.**, see Fiedziuszko, S.J., *T-MTT Mar* 02 706-720
- Nishimoto, M.**, see Yang, J.M., *MWSYM* 02 65-68 vol.1
- Nishino, T.**, see Itoh, K., *MWSYM* 02 9-12 vol.1
- Nishino, T.**, K. Maeda, M. Shimozawa, T. Ikushima, K. Sadahiro, T. Katsura, N. Suematsu, K. Itoh, H. Oohashi, T. Takagi, and O. Ishida. Suppression of multi-path couplings in MCM with a flip-chipped SiGe-MMIC; *MWSYM* 02 1385-1388 vol.3
- Nishino, T.**, see Itoh, K., *RFIC* 02 263-266
- Nishino, T.**, and T. Itoh. Evolutionary generation of microwave line-segment circuits by genetic algorithms; *T-MTT Sep* 02 2048-2055
- Nishio, T.**, Yuanxun Wang, Yongxi Qian, and T. Itoh. A novel K-band frequency-controlled beam-steering quasi-Yagi array with mixing frequency compensation; *MWSYM* 02 1345-1348 vol.2
- Nishizawa, M.**, see Kawano, H., *MWSYM* 02 2121-2124 vol.3
- Niu Guofu**, see Jin Tang, *MWSYM* 02 179-182 vol.1
- Niu Guofu**, see Qingqing Liang, *MWSYM* 02 517-520 vol.1
- Niu Guofu**, see Jeilyoung Lee, *MWSYM* 02 1261-1264 vol.2
- Niu Guofu**, see Jin Tang, *RFIC* 02 333-336
- Niu Guofu**, see Qingqing Liang, *RFIC* 02 407-410
- Niu Guofu**, see Jin Tang, *T-MTT Nov* 02 2467-2473
- Niver, E.**, see Snyder, R.V., *MWSYM* 02 1597-1600 vol.3
- Niver, E.**, see Snyder, R.V., *T-MTT Dec* 02 2890-2895
- Niwano, K.**, see Oshima, K., *MWSYM* 02 1569-1572 vol.3
- Nixon, W.**, see Coulombe, M., *MWSYM* 02 1583-1586 vol.3
- Nobusada, T.**, see Young Yun, *MWSYM* 02 409-412 vol.1
- Nobusada, T.**, see Yun, Y., *T-MTT Dec* 02 2930-2937
- Noguchi, T.**, see Takeda, M., *T-MTT Nov* 02 2618-2623
- Nojima, T.**, see Zhewang Ma, *MWSYM* 02 1967-1970 vol.3
- Nolte, L.W.**, see Qing Huo Liu, *T-MTT Jan* 02 123-133
- Nomoto, T.**, see Kuki, T., *MWSYM* 02 363-366 vol.1
- Nomoto, T.**, see Kuki, T., *T-MTT Nov* 02 2604-2609
- Nonaka, T.**, see Davis, M.F., *MWSYM* 02 2217-2220 vol.3
- Noponen, E.**, see Meltaus, J., *MWSYM* 02 1305-1308 vol.2
- Nordman, N.**, see Louhi, J.T., *MWSYM* 02 795-798 vol.2
- Norton, P.**, see Priestley, N., *MWSYM* 02 1863-1866 vol.3
- Nosaka, H.**, E. Sano, K. Ishii, M. Ida, K. Kurishima, T. Enoki, and T. Shibata. A fully integrated 40-Gbit/s clock and data recovery circuit using InP/InGaAs HBTs; *MWSYM* 02 83-86 vol.1
- Notomi, S.**, see Virk, R.S., *MWSYM* 02 91-95 vol.1
- No-Weon Kang**, Young-Seek Chung, Changyul Cheon, and Hyun-Kyo Jung. A new 2-D image reconstruction algorithm based on FDTD and design sensitivity analysis; *MWSYM* 02 1143-1146 vol.2
- Numata, K.**, Y. Takahashi, T. Maeda, and H. Hida. A +2.4/0 V controlled high power GaAs SPDT antenna switch IC for GSM application; *RFIC* 02 141-144
- Nuteson, T.W.**, J.S. Clark, IV, D.S. Haque, and G.S. Mitchell. Digital beamforming and calibration for smart antennas using real-time FPGA processing; *MWSYM* 02 307-310 vol.1
- Nuteson, T.W.**, J.E. Stocker, J.S. Clark, IV, D.S. Haque, and G.S. Mitchell. Performance characterization of FPGA techniques for calibration and beamforming in smart antenna applications; *T-MTT Dec* 02 3043-3051
- Nuttinck, S.**, see Bhattacharjee, J., *MWSYM* 02 585-588 vol.1
- Nuttinck, S.**, E. Gebara, J. Laskar, B. Wagner, and M. Harris. RF performance and thermal analysis of AlGaIn/GaN power HEMTs in presence of self-heating effects; *MWSYM* 02 921-924 vol.2
- Nuttinck, S.**, see Pinel, S., *MWSYM* 02 1053-1056 vol.2
- Nuttinck, S.**, see Yeun-Ho Joung, *MWSYM* 02 1409-1412 vol.3
- Nuttinck, S.**, see Bhattacharjee, J., *RFIC* 02 475-478

O

- O, K.K.**, Namkyu Park, and Dong-Jun Yang. 1/f noise of NMOS and PMOS transistors and their implications to design of voltage controlled oscillators; *RFIC* 02 59-62
- O, K.K.**, Xi Li, Feng-Jung Huang, and W. Foley. CMOS components for 802.11b wireless LAN applications; *RFIC* 02 103-106
- O, K.K.**, see Floyd, B.A., *T-MTT Sep* 02 2193-2196
- Ock Sungmin**, see Sungmin Ock, *MWSYM* 02 1423-1426 vol.3
- O'Dell, C.W.**, D.S. Swetz, and P.T. Timbie. Calibration of millimeter-wave polarimeters using a thin dielectric sheet; *T-MTT Sep* 02 2135-2141
- Oehler, F.**, see Peter, M., *MWSYM* 02 2001-2004 vol.3
- Ofli, E.**, and R. Vahldieck. A novel compact millimeter wave diplexer; *MWSYM* 02 377-380 vol.1
- Ofli, E.**, see Harscher, P., *MWSYM* 02 1113-1116 vol.2
- Ogata, T.**, see Minamide, H., *MWSYM* 02 621-623 vol.2
- Ogawa, H.**, see Shoji, Y., *T-MTT Jun* 02 1458-1468
- Ohata, K.**, see Ito, M., *MWSYM* 02 1789-1792 vol.3
- Oh-hashi, H.**, see Ohwada, T., *MWSYM* 02 1617-1620 vol.3
- Ohmi, K.**, see Kodate, J., *MWSYM* 02 1419-1422 vol.3
- Oh Min-Cheol**, see Fetterman, H., *MWSYM* 02 1937-1940 vol.3
- Ohnishi, H.**, see Virk, R.S., *MWSYM* 02 91-95 vol.1
- Oh Seung Hyeub**, see Soon Ik Jeon, *MWSYM* 02 1341-1343 vol.2
- Ohta, A.**, see Shinjo, S., *RFIC* 02 249-252
- Ohwada, T.**, see Uchida, H., *MWSYM* 02 1785-1787 vol.3
- Ohwada, T.**, H. Ikematsu, H. Oh-hashi, T. Takagi, and S. Ishida. A Ku-band low-loss stripline low-pass filter for LTCC modules with low-impedance lines to obtain plural transmission zeros; *MWSYM* 02 1617-1620 vol.3
- Okabe, T.**, see Kodate, J., *MWSYM* 02 1419-1422 vol.3
- Okazaki, H.**, see Kaho, T., *T-MTT Nov* 02 2505-2512

- Okazaki, K.**, see Watanabe, M., *MWSYM 02* 791-794 vol.2
- Okhmatovski, V.I.**, J. Morsey, and A.C. Cangellaris. An efficient integral equation solver for the electromagnetic modeling of highly-integrated planar RF/microwave circuits; *MWSYM 02* 1897-1900 vol.3
- Oki, A.K.**, see Asbeck, P., *T-MTT Mar 02* 900-909
- Okiura, M.**, S. Iguchi, S.K. Okumura, M. Momose, K. Matsumoto, and N. Kawaguchi. Development of 4-Gbps 2-bit ADC with GaAs ICs for radio astronomy; *MWSYM 02* 485-488 vol.1
- Okoniewski, M.**, see Fear, E.C., *MWSYM 02* 1759-1762 vol.3
- Okoniewski, M.M.**, see Schneider, R.N., *MWSYM 02* 875-878 vol.2
- Okumura, S.K.**, see Okiura, M., *MWSYM 02* 485-488 vol.1
- Olavsbraten, M.** A simple practical technique for estimating the junction temperature and the thermal resistance of a GaAs HBT; *MWSYM 02* 1005-1008 vol.2
- Oliner, A.A.**, see Gupta, K.C., *T-MTT Mar 02* 1006-1014
- Olsson, J.**, see Litwin, A., *MWSYM 02* 35-38 vol.1
- Olsson, J.**, see Litwin, A., *RFIC 02* 289-292
- Omar, A.**, see Dib, N., *T-MTT Jul 02* 1730-1736
- Omar, A.S.**, see Akhtar, M.J., *MWSYM 02* 2005-2008 vol.3
- Onodera, K.**, see Kimura, S., *T-MTT Jun 02* 1603-1608
- Oohashi, H.**, see Nishino, T., *MWSYM 02* 1385-1388 vol.3
- Ooi Ban-Leong**, see Swee-Ann Teo, *T-MTT Feb 02* 440-445
- Ooi Ban-Leong**, see Ban-Leong Ooi, *T-MTT Apr 02* 1188-1192
- Ooi Ban-Leong**, see Ban-Leong Ooi, *T-MTT Jul 02* 1790-1794
- Ooi Ban-Leong**, see Ban-Leong Ooi, *T-MTT Sep 02* 2202-2206
- Oppermann, H.**, see Schmuckle, F.J., *MWSYM 02* 1393-1396 vol.3
- Op't Eynde, F.**, see Sevenhans, J., *T-MTT Jan 02* 235-244
- Orlandi, A.**, see Antonini, G., *T-MTT Jul 02* 1807-1815
- Orsborn, A.W.**, see Kuhn, W.B., *MWSYM 02* 301-305 vol.1
- Orsborn, A.W.**, see Kuhn, W.B., *RFIC 02* 385-388
- Orta, R.**, see Bertazzi, F., *T-MTT Sep 02* 2108-2114
- Ortiz, S.**, see Ai-Zayed, A., *MWSYM 02* 1313-1316 vol.2
- Ortiz, S.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Ortiz, S.**, A. Al-Zayed, and A. Mortazawi. A Ka-band perpendicularly-fed patch array for spatial power combining; *MWSYM 02* 1519-1522 vol.3
- Ortiz, S.C.**, J. Hubert, L. Mirth, E. Schlecht, and A. Mortazawi. A high-power Ka-band quasi-optical amplifier array; *T-MTT Feb 02* 487-494
- Ortiz, S.C.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- Osawa, K.**, see Kusunoki, S., *MWSYM 02* 765-768 vol.2
- Osawa, K.**, see Kusunoki, S., *T-MTT Dec 02* 2979-2986
- Osepchuk, J.M.** Microwave power applications; *T-MTT Mar 02* 975-985
- Osepchuk, J.M.**, R.C. Petersen, I.Y. Belyaev, E.D. Alipov, and V.L. Ushakov. Comments on "Nonthermal effects of extremely high-frequency microwaves on chromatin conformation in cells in vitro-dependence on physical, physiological, and genetic factors" [comment and reply]; *T-MTT Jul 02* 1856-1858
- Oshima, K.**, N. Kidera, K. Niwano, K. Ikawa, R. Sonoda, and S. Kawasaki. Use of a transparent conductive thin-film on a glass substrate in active integrated antenna arrays with double strong coupling; *MWSYM 02* 1569-1572 vol.3
- Osorio, J.A.**, see Sieiro, J., *T-MTT Jan 02* 384-392
- Otsuji, J.**, see Yamamoto, K., *RFIC 02* 245-248
- Ouacha, A.**, see Malmqvist, R., *MWSYM 02* 1431-1434 vol.3
- Ouacha, A.**, see Malmqvist, R., *MWSYM 02* 1907-1910 vol.3
- Ouslimani, A.**, J. Gaubert, H. Hafidallah, A. Birafane, P. Pouvil, and H. Leier. Direct extraction of linear HBT-model parameters using nine analytical expression blocks; *T-MTT Jan 02* 218-221
- Ouslimani, H.**, see Kasbari, A.-E., *MWSYM 02* 1057-1060 vol.2
- Ouslimani, H.**, see Kasbari, A.-E., *T-MTT Dec 02* 3064-3069
- Ouvrier-Buffet, P.**, see Ghis, A., *MWSYM 02* 1673-1676 vol.3
- Ovidiu Tatu, S.**, E. Moldovan, G. Brehm, Ke Wu, and R.G. Bosio. Ka-band direct digital receiver using 0.25 μ m GaAs PHEMTs; *RFIC 02* 155-158
- Owens, J.M.**, see Weigel, R., *T-MTT Mar 02* 738-749
- Oxley, T.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Oxley, T.H.** 50 years development of the microwave mixer for heterodyne reception; *T-MTT Mar 02* 867-876
- Ozkar, M.**, and A. Mortazawi. Optimization of the array parameters in waveguide-based spatial power combiners with hard horn feeds; *MWSYM 02* 1301-1304 vol.2
- Ozkar, M.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Ozkar, M.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- P**
- Pacaud, D.**, see Bariant, D., *MWSYM 02* 1461-1464 vol.3
- Paganelli, R.P.**, see Costantini, A., *MWSYM 02* 857-860 vol.2
- Pagani, M.**, see Costantini, A., *MWSYM 02* 857-860 vol.2
- Paillard, M.**, see Vendier, O., *MWSYM 02* 1389-1392 vol.3
- Paillot, J.-M.**, see Cordeau, D., *MWSYM 02* 565-568 vol.1
- Paillot, J.-M.**, see Cordeau, D., *RFIC 02* 455-458
- Paillot, T.**, P. Blondy, D. Cros, and P.-Y. Guillon. A novel compact coplanar filter; *MWSYM 02* 1793-1796 vol.3
- Paji, S.**, and Z. Popovi. A 10-GHz high-efficiency active antenna sub-array; *MWSYM 02* 1527-1530 vol.3
- Palazzari, P.**, see Catarinucci, L., *MWSYM 02* 1755-1758 vol.3
- Palazzari, V.**, see Alimenti, F., *MWSYM 02* 879-881 vol.2
- Palei, W.**, see Ban-Leong Ooi, *T-MTT Jul 02* 1790-1794
- Palmisano, G.**, see Carrara, F., *MWSYM 02* 1015-1018 vol.2
- Palmisano, G.**, see Carrara, F., *T-MTT Dec 02* 2963-2970
- Palmour, J.W.**, see Pribble, W.L., *MWSYM 02* 1819-1822 vol.3
- Pane-Chane Chao**, see Tzeng, B., *T-MTT Nov 02* 2564-2568
- Pang**, see Doan, M.T., *RFIC 02* 415-418
- Pang Dow Foo**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Pang-Shyan Kooi**, see Ban-Leong Ooi, *T-MTT Sep 02* 2202-2206
- Pang Yunbo**, see Yunbo Pang, *MWSYM 02* 1157-1160 vol.2
- Pannier, P.**, see Tatinian, W., *MWSYM 02* 165-169 vol.1
- Pannier, P.**, see Tatinian, W., *RFIC 02* 319-322
- Pan Te-Wen**, see Te-Wen Pan, *T-MTT Nov 02* 2558-2563
- Papapolymerou, J.**, see Bushyager, N., *MWSYM 02* 883-886 vol.2
- Papapolymerou, J.**, G.E. Ponchak, and E.M. Tentzeris. A Wilkinson power divider on a low resistivity Si substrate with a polyimide interface layer for wireless circuits; *MWSYM 02* 593-596 vol.1
- Papapolymerou, J.**, see Ponchak, G.E., *MWSYM 02* 2221-2224 vol.3
- Papapolymerou, J.**, see Balaraman, D., *MWSYM 02* 1225-1228 vol.2
- Papapolymerou, J.**, G.E. Ponchak, and E.M. Tentzeris. A Wilkinson power divider on a low resistivity Si substrate with a polyimide interface layer for wireless circuits; *RFIC 02* 483-486
- Papapolymerou, J.**, see Tavernier, C.A., *T-MTT Oct 02* 2305-2314
- Papapolymerou, J.**, see Lenoir, B., *MWSYM 02* 1923-1926 vol.3
- Paradisi, A.**, see Rocha, M.L., *T-MTT Jan 02* 88-93
- Park, H.**, see Han, H., *MWSYM 02* 1075-1078 vol.2
- Park, H.**, see Deng, B.H., *MWSYM 02* 1587-1590 vol.3
- Park, H.K.**, see Kim, K.W., *MWSYM 02* 1181-1184 vol.2
- Park, I.**, see Han, H., *MWSYM 02* 1075-1078 vol.2
- Park, J.**, Y. Wang, and T. Itoh. A microwave communication link with self-heterodyne direct down conversion and system predistortion; *T-MTT Dec 02* 3059-3063
- Park, J.-H.**, see Kim, H.-T., *T-MTT Dec 02* 2918-2923
- Park Byeong-Ha**, see Bonkee Kim, *RFIC 02* 137-140
- Park Chan Woo**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Parker, A.E.**, and J.G. Rathmell. Novel technique for determining bias, temperature and frequency dependence of FET characteristics; *MWSYM 02* 993-996 vol.2
- Parker, D.**, and D.C. Zimmermann. Phased arrays - part 1: theory and architectures; *T-MTT Mar 02* 678-687
- Parker, D.**, and D.C. Zimmermann. Phased arrays-part II: implementations, applications, and future trends; *T-MTT Mar 02* 688-698
- Parker, D.** Microwave industry outlook - defense applications; *T-MTT Mar 02* 1039-1041
- Parker, N.J.**, S.W. Goodyear, D.J.P. Ellis, and R.G. Humphreys. Tuning superconducting microwave filters by laser trimming; *MWSYM 02* 1971-1974 vol.3
- Parker, R.K.**, R.H. Abrams, Jr., B.G. Danly, and B. Levush. Vacuum electronics; *T-MTT Mar 02* 835-845
- Parker, S.**, see Virk, R.S., *MWSYM 02* 91-95 vol.1
- Park Gun-Sik**, see Sun-Shin Jung, *T-MTT Sep 02* 2196-2198
- Park Han-Kyu**, see Young-Bae Jung, *MWSYM 02* 1337-1340 vol.2
- Park Hyung-Sik**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Park Hyun-Min**, see Hyun-Min Park, *MWSYM 02* 1009-1012 vol.2
- Park Hyun-Min**, see Kyoungmin Koh, *T-MTT Nov 02* 2598-2603
- Park Jaehoon**, see Mohammadi, S., *MWSYM 02* 289-292 vol.1
- Park Jaehoon**, see Mohammadi, S., *RFIC 02* 373-376
- Park Jae-Hyoung**, see Hong-Teuk Kim, *MWSYM 02* 341-344 vol.1
- Park Jin**, see Jin Park, *MWSYM 02* 939-942 vol.2
- Park Ji-Yong**, see Ji-Yong Park, *MWSYM 02* 1277-1280 vol.2
- Park Jong-Im**, see Chul-Soo Kim, *MWSYM 02* 2125-2128 vol.3
- Park Jun-Seok**, see Jun-Goo Kim, *MWSYM 02* 825-828 vol.2
- Park Jun-Seok**, see Jun-Seok Park, *MWSYM 02* 417-420 vol.1
- Park Jun-Seok**, see Taek-Young Song, *MWSYM 02* 213-217 vol.1
- Park Jun-Seok**, see Jong-Sik Lim, *MWSYM 02* 1153-1156 vol.2
- Park Jun-Seok**, see Jun-Seok Park, *T-MTT Sep 02* 2037-2043
- Park Namkyu**, see O, K.K., *RFIC 02* 59-62
- Park Wee Sang**, see Youngju Lee, *MWSYM 02* 1329-1332 vol.2
- Park Wee Sang**, see Jeong Phill Kim, *T-MTT Jul 02* 1683-1688
- Parra, T.**, see Dubuc, D., *MWSYM 02* 193-196 vol.1
- Parry, R.**, see Rooney, J.-P., *MWSYM 02* 1915-1918 vol.3
- Parry, R.**, see Morelli, M., *T-MTT Jul 02* 1657-1664
- Parry, R.**, see Rooney, J.-P., *T-MTT Dec 02* 2947-2953
- Pascht, A.**, M. Grozing, D. Wiegner, and M. Berroth. Small-signal and temperature noise model for MOSFETs; *T-MTT Aug 02* 1927-1934
- Passiopoulos, G.**, and K. Lamacraft. A compact L-band LTCC mixer with high image rejection; *MWSYM 02* 249-252 vol.1
- Paulsen, K.D.**, see Meaney, P.M., *MWSYM 02* 2269-2272 vol.3

- Pavio, A.**, see Lei Zhao, *MWSYM* 02 897-900 vol.2
- Pavio, A.**, see Lucero, R., *MWSYM* 02 1545-1548 vol.3
- Pavio, A.**, see Piel, P.-M., *MWSYM* 02 1557-1560 vol.3
- Pawlowski, P.**, see Lie, D.Y.C., *RFIC* 02 31-34
- Peak, S.**, see Huang, H.C., *MWSYM* 02 27-30 vol.1
- Peak, S.**, see Huang, H.C., *RFIC* 02 281-284
- Pearson, G.A.**, see Devlin, L.M., *MWSYM* 02 257-261 vol.1
- Pearson, L.W.**, see Jinjin Shen, *MWSYM* 02 1309-1312 vol.2
- Pearson, L.W.**, see Wenzhang Wang, *T-MTT May* 02 1400-1407
- Pedro, J.C.**, see Fager, C., *MWSYM* 02 131-134 vol.1
- Pedro, J.C.**, see Fager, C., *MWSYM* 02 729-732 vol.2
- Pedro, J.C.**, and N.B. Carvalho. Simulation of RF circuits driven by modulated signals without bandwidth constraints; *MWSYM* 02 2173-2176 vol.3
- Pedro, J.C.**, see Borges de Carvalho, N., *T-MTT Sep* 02 2090-2101
- Pedro, J.C.**, see Fager, C., *T-MTT Dec* 02 2797-2803
- Pedro, J.C.**, see Fager, C., *T-MTT Dec* 02 2834-2842
- Pehkonen, M.**, see Louhi, J.T., *MWSYM* 02 795-798 vol.2
- Peihua Ye, B.** Agarwal, M. Reddy, L. Li, J. Cheng, P.C. Mudge, E. McCarthy, and S.L. Lloyd. High performance circuits in 0.18 μ m SiGe BiCMOS process for wireless applications; *MWSYM* 02 175-178 vol.1
- Peihua Ye, B.** Agarwal, M. Reddy, L. Li, J. Cheng, P.C. Mudge, E. McCarthy, and S.L. Lloyd. High performance circuits in 0.18 μ m SiGe BiCMOS process for wireless applications; *RFIC* 02 329-332
- Peik, S.F.**, and R.R. Mansour. A novel design approach for microwave planar filters; *MWSYM* 02 1109-1112 vol.2
- Pellemans, H.**, see Gonzalo, R., *T-MTT Oct* 02 2384-2392
- Pelosi, G.**, see Sorrentino, R., *T-MTT Mar* 02 1056-1072
- Pelz, D.**, see Yildirim, N., *T-MTT Jun* 02 1536-1543
- Pendrick, V.A.**, see Fathy, A.E., *T-MTT Oct* 02 2247-2252
- Pengcheng Jia, Lee-Yin Chen, A. Alexanian, and R.A. York.** Multioctave spatial power combining in oversized coaxial waveguide; *T-MTT May* 02 1355-1360
- Pengg, F.X.** Direct parameter extraction on RF-CMOS; *MWSYM* 02 271-274 vol.1
- Pengg, F.X.** Direct parameter extraction on RF-CMOS; *RFIC* 02 355-358
- Peng Kang-Chun.** see Kang-Chun Peng, *MWSYM* 02 1651-1654 vol.3
- Peng Song Tsueng.** see Yamashita, E., *T-MTT Mar* 02 1046-1055
- Pennunuri, D.**, see Lucero, R., *MWSYM* 02 1545-1548 vol.3
- Pereda, J.A.**, A. Vegas, and A. Prieto. FDTD modeling of wave propagation in dispersive media by using the Mobius transformation technique; *T-MTT Jul* 02 1689-1695
- Perlow, S.M.**, see Fathy, A.E., *T-MTT Oct* 02 2247-2252
- Peroulis, D.**, K. Sarabandi, and L.P.B. Katehi. Low contact resistance series MEMS switches; *MWSYM* 02 223-226 vol.1
- Perregrini, L.**, see Boria, V.E., *MWSYM* 02 393-396 vol.1
- Perregrini, L.**, see Bozzi, M., *T-MTT Jul* 02 1853-1855
- Peter, M.**, H. Hein, F. Oehler, and P. Baureis. New transmission line structure with suppressed eddy current effects; *MWSYM* 02 2001-2004 vol.3
- Petersen, A.K.**, K. Kiziloglu, Ty Yoon, F. Williams, Jr., and M.R. Sandor. Front-end CMOS chipset for 10 Gb/s communication; *RFIC* 02 93-96
- Petersen, R.**, see Vendier, O., *MWSYM* 02 1389-1392 vol.3
- Petersen, R.C.**, see Adair, E.R., *T-MTT Mar* 02 953-962
- Petersen, R.C.**, see Osepchuk, J.M., *T-MTT Jul* 02 1856-1858
- Petersen, R.C.**, see King, R.W.P., *T-MTT Aug* 02 2032-2033
- Peterson, M.C.**, see Kuhn, W.B., *MWSYM* 02 301-305 vol.1
- Peterson, M.C.**, see Kuhn, W.B., *RFIC* 02 385-388
- Petosa, A.**, see Ghosh, B., *T-MTT Oct* 02 2294-2304
- Petras, M.**, see Kamgaing, T., *MWSYM* 02 153-156 vol.1
- Petras, M.**, see Kamgaing, T., *MWSYM* 02 205-208 vol.1
- Petras, M.**, see Kamgaing, T., *RFIC* 02 307-310
- Petrovich Gorbachev, A.** The reentrant wide-band directional filter; *T-MTT Aug* 02 2028-2031
- Pezerini, O.A.**, see Bertazzi, F., *T-MTT Sep* 02 2108-2114
- Pfost, M.**, see Steiner, W., *T-MTT Jul* 02 1705-1713
- Pham, A.**, see Chopra, S., *MWSYM* 02 639-642 vol.2
- Pham, A.**, see Manohar, S., *MWSYM* 02 449-452 vol.1
- Pham, A.**, see Thumaty, S., *MWSYM* 02 935-938 vol.2
- Pham, A.**, see Ramachandran, R., *MWSYM* 02 1401-1404 vol.3
- Pham, J.-M.**, see Bouthellier, N., *MWSYM* 02 1777-1780 vol.3
- Phill Kim Jeong.** see Jeong Phill Kim, *T-MTT Jul* 02 1683-1688
- Pichler, C.**, see Melendy, D., *MWSYM* 02 717-720 vol.2
- Piel, P.-M.**, J. Estes, S. Marshall, G. Funk, and A. Pavio. Low temperature cofired ceramic: an enabler of high power RF integrated amplifiers; *MWSYM* 02 1557-1560 vol.3
- Piepmeyer, J.R.**, see Corbella, I., *T-MTT Jul* 02 1816-1820
- Pierantoni, L.**, M. Farina, T. Rozzi, F. Coccetti, W. Dressler, and P. Russer. Comparison of the efficiency of electromagnetic solvers in the time- and frequency-domain for the accurate modeling of planar circuits and MEMS; *MWSYM* 02 891-894 vol.2
- Pierantoni, L.**, C. Tomassoni, and T. Rozzi. A new termination condition for the application of the TLM method to discontinuity problems in closed homogeneous waveguide; *T-MTT Nov* 02 2513-2518
- Piernas, B.**, see Nishikawa, K., *MWSYM* 02 351-354 vol.1
- Piernas, B.**, see Nishikawa, K., *MWSYM* 02 1717-1720 vol.3
- Piernas, B.**, K. Nishikawa, T. Nagagawa, H. Hayashi, and K. Araki. Analysis of balanced active doubler for broad-band operation - the frequency-tuning concept; *T-MTT Apr* 02 1120-1126
- Piernas, B.**, K. Nishikawa, K. Kamogawa, T. Nakagawa, and K. Araki. High-Q factor three-dimensional inductors; *T-MTT Aug* 02 1942-1949
- Pillans, B.**, J. Kleber, C. Goldsmith, and M. Eberly. RF power handling of capacitive RF MEMS devices; *MWSYM* 02 329-332 vol.1
- Pinel, S.**, see Yoon, S.-W., *MWSYM* 02 703-706 vol.2
- Pinel, S.**, S. Chakraborty, M. Roellig, R. Kunze, S. Mandal, H. Liang, C.-H. Lee, R. Li, K. Lim, G. White, M. Tentzeris, and J. Laskar. 3D integrated LTCC module using BGA technology for compact C-band RF front-end module; *MWSYM* 02 1553-1556 vol.3
- Pinel, S.**, S. Chakraborty, S. Venkataraman, R. Bhatia, S. Mandal, S. Nuttinck, B. Larson, and J. Laskar. Development of SOI based MMICs for wireless LAN applications; *MWSYM* 02 1053-1056 vol.2
- Pinel, S.**, see Davis, M.F., *MWSYM* 02 2217-2220 vol.3
- Piner, E.**, see Lu, W., *T-MTT Nov* 02 2499-2504
- Ping Koh Boon.** see Boon Ping Koh, *MWSYM* 02 1139-1142 vol.2
- Ping Zhao An.** see An Ping Zhao, *T-MTT Apr* 02 1156-1164
- Piovano, B.**, see Bertin, G., *T-MTT Apr* 02 1077-1083
- Piquet, O.**, D. Cros, S. Verdeyme, P. Guillon, and M.E. Tobar. New design of high-Q sapphire resonator with distributed Bragg reflector; *MWSYM* 02 1993-1996 vol.3
- Pisa, S.**, see Bernardi, P., *MWSYM* 02 1747-1750 vol.3
- Pizzui, E.**, see Bernardi, P., *MWSYM* 02 1747-1750 vol.3
- Pla, J.A.**, and D. Bridges. A robust high voltage Si LDMOS model extraction process to achieve first pass linear RFIC amplifier design success; *MWSYM* 02 263-266 vol.1
- Pla, J.A.**, and D. Bridges. A robust high voltage Si LDMOS model extraction process to achieve first pass linear RFIC amplifier design success; *RFIC* 02 347-350
- Placidi, P.**, see Alimenti, F., *MWSYM* 02 879-881 vol.2
- Plana, R.**, see Bary, L., *MWSYM* 02 275-278 vol.1
- Plana, R.**, see Cibiel, G., *MWSYM* 02 691-694 vol.2
- Plana, R.**, see Bary, L., *RFIC* 02 359-362
- Plana, R.**, see Sadowy, J., *RFIC* 02 217-220
- Platan, M.**, see Louhi, J.T., *MWSYM* 02 795-798 vol.2
- Plaza, G.**, see Mesa, F., *T-MTT Sep* 02 2142-2146
- Plett, C.**, see Fong, N., *RFIC* 02 75-78
- Plett, C.**, see Rogers, J.W.M., *T-MTT Jan* 02 210-215
- Plouchart, J.-O.**, see Fong, N., *RFIC* 02 75-78
- Pogorzelski, R.J.** Experimental confirmation of the dynamics of coupled-oscillator arrays and implications for angle-based modulation; *T-MTT Jan* 02 143-149
- Pollard, R.D.**, see Rooney, J.-P., *MWSYM* 02 1915-1918 vol.3
- Pollard, R.D.**, see Rooney, J.-P., *T-MTT Dec* 02 2947-2953
- Polo, V.**, see Madrid, D., *MWSYM* 02 1945-1948 vol.3
- Polo, V.**, see Vidal, B., *MWSYM* 02 1949-1952 vol.3
- Ponchak, G.E.**, see Mohammadi, S., *MWSYM* 02 289-292 vol.1
- Ponchak, G.E.**, see Papapolymerou, J., *MWSYM* 02 593-596 vol.1
- Ponchak, G.E.**, E. Dalton, E.M. Tentzeris, and J. Papapolymerou. Coupling between microstrip lines with finite width ground plane embedded in polyimide layers for 3D-MMICs on Si; *MWSYM* 02 2221-2224 vol.3
- Ponchak, G.E.**, see Mohammadi, S., *RFIC* 02 373-376
- Ponchak, G.E.**, see Papapolymerou, J., *RFIC* 02 483-486
- Ponchak, G.E.**, see Zhenqiang Ma, *T-MTT Apr* 02 1101-1108
- Pond, J.A.**, see Krowne, C.M., *T-MTT Feb* 02 537-548
- Pontalti, R.**, J. Nadobny, P. Wust, A. Vaccari, and D. Sullivan. Investigation of static and quasi-static fields inherent to the pulsed FDTD method; *T-MTT Aug* 02 2022-2025
- Popovi, Z.**, see Paji, S., *MWSYM* 02 1527-1530 vol.3
- Popovic, Z.**, see Hagerty, J.A., *MWSYM* 02 1317-1320 vol.2
- Popovic, Z.**, see Shino, N., *MWSYM* 02 1079-1082 vol.2
- Popovic, Z.B.**, see Raab, F.H., *T-MTT Mar* 02 814-826
- Porra, V.**, see Karkkainen, M., *MWSYM* 02 1273-1276 vol.2
- Portilla, J.**, see Anakabe, A., *MWSYM* 02 2181-2184 vol.3
- Portilla, J.**, see Suarez, A., *T-MTT Oct* 02 2353-2361
- Pospieszalski, M.W.**, see Webber, J.C., *T-MTT Mar* 02 986-995
- Postoyalko, V.**, see Morelli, M., *T-MTT Jul* 02 1657-1664
- Pothecary, N.**, see Raab, F.H., *T-MTT Mar* 02 814-826
- Potter, C.** System analysis of a W-CDMA base-station PA employing adaptive digital predistortion; *MWSYM* 02 21-25 vol.1
- Potter, C.** System analysis of a W-CDMA base-station PA employing adaptive digital predistortion; *RFIC* 02 275-278
- Pouvil, P.**, see Ouslimani, A., *T-MTT Jan* 02 218-221
- Prabhu, A.**, see Fathy, A.E., *T-MTT Oct* 02 2247-2252
- Prakash, V.V.S.**, and R. Mittra. An efficient technique for the iterative solution of large dense matrices arising in method of moments simulation of MMIC problems; *MWSYM* 02 2041-2044 vol.3
- Pramanick, P.**, see El Sabbagh, M.A., *MWSYM* 02 1805-1808 vol.3
- Pregla, R.**, see Greda, L.A., *MWSYM* 02 1877-1880 vol.3

- Pregla, R.** Efficient and accurate modeling of planar anisotropic microwave structures by the method of lines; *T-MTT Jun 02* 1469-1479
- Pretl, H.**, see Schelmbauer, W., *MWSYM 02* 13-16 vol.1
- Pretl, H.**, see Schelmbauer, W., *RFIC 02* 267-270
- Pribble, W.L.**, J.W. Palmour, S.T. Sheppard, R.P. Smith, S.T. Allen, T.J. Smith, Z. Ring, J.J. Sumakeris, A.W. Saxler, and J.W. Milligan. Applications of SiC MESFETs and GaN HEMTs in power amplifier design; *MWSYM 02* 1819-1822 vol.3
- Pribetich, J.**, see Carlier, J., *MWSYM 02* 1771-1774 vol.3
- Pribetich, J.**, see Carlier, J., *T-MTT Dec 02* 3036-3042
- Priestley, N.**, K. Newsome, I. Dale, and P. Norton. A Gunn diode based surface mount 77 GHz oscillator for automotive applications; *MWSYM 02* 1863-1866 vol.3
- Prieto, A.**, see Pereda, J.A., *T-MTT Jul 02* 1689-1695
- Przybyszewski, P.**, J. Mielewski, and M. Mrozowski. A new class of eigenfunction expansion methods for fast frequency-domain analysis of waveguides; *T-MTT Feb 02* 558-563
- Pucel, R.A.**, see Niehenke, E.C., *T-MTT Mar 02* 846-857
- Puech, J.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Puente, A.T.**, see Navarro, C., *T-MTT Apr 02* 1193-1197
- Pullela, R.**, see Liyang Zhang, *RFIC 02* 85-88
- Pursley, M.B.** Direct-sequence spread-spectrum communications for multipath channels; *T-MTT Mar 02* 653-661
- Pyankov, V.P.**, see Chumachenko, V.P., *T-MTT Jun 02* 1652

Q

- Qian, J.Y.**, see Chang, C.H., *MWSYM 02* 231-234 vol.1
- Qian, J.Y.**, see Cetiner, B.A., *MWSYM 02* 1333-1336 vol.2
- Qiang Li, Wei Li, Jinlong Zhang, and J.S. Yuan.** Soft breakdown and hot carrier reliability of CMOS RF mixer and redesign; *MWSYM 02* 509-512 vol.1
- Qiang Li, Wei Li, Jinlong Zhang, and J.S. Yuan.** Soft breakdown and hot carrier reliability of CMOS RF mixer and redesign; *RFIC 02* 399-402
- Qianqian Fang**, see Meaney, P.M., *MWSYM 02* 2269-2272 vol.3
- Qian Yin**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Qian Yongxi**, see Younkyu Chung, *MWSYM 02* 433-436 vol.1
- Qian Yongxi**, see Nishio, T., *MWSYM 02* 1345-1348 vol.2
- Qian Yongxi**, see Sor, J., *T-MTT Aug 02* 1877-1884
- Qing Huo Liu, Zhong Qing Zhang, T.T. Wang, J.A. Bryan, G.A. Ybarra, L.W. Nolte, and W.T. Joines.** Active microwave imaging. I. 2-D forward and inverse scattering methods; *T-MTT Jan 02* 123-133
- Qingqing Liang, Guofu Niu, J.D. Cressler, S. Taylor, and D.L. Hareme.** Geometry and bias current optimization for SiGe HBT cascode low-noise amplifiers; *MWSYM 02* 517-520 vol.1
- Qingqing Liang, Guofu Niu, J.D. Cressler, S. Taylor, and D.L. Hareme.** Geometry and bias current optimization for SiGe HBT cascode low-noise amplifiers; *RFIC 02* 407-410
- Qingsha Cheng**, see Bandler, J.W., *MWSYM 02* 713-716 vol.2
- Qing Zhang Zhong**, see Qing Huo Liu, *T-MTT Jan 02* 123-133
- Qin Li**, see Houfei Chen, *MWSYM 02* 983-986 vol.2
- Qinwei Xu, and P. Mazumder.** Accurate modeling of lossy nonuniform transmission lines by using differential quadrature methods; *T-MTT Oct 02* 2233-2246
- Qiu, J.**, D. Abe, T.M. Antonsen, Jr., B.G. Danly, and B. Levush. Traveling-wave tube amplifier performance evaluation and design optimization for applications in multi-level digital communications; *MWSYM 02* 457-460 vol.1
- Qiu Meide**, see Meide Qiu, *T-MTT Feb 02* 517-528
- Quach, T.**, see Staudinger, J., *MWSYM 02* 617-620 vol.2
- Quaranta, F.**, see Xiyang Chen, *MWSYM 02* 1281-1284 vol.2
- Queck, C.K.**, and L.E. Davis. Microstrip and stripline ferrite-coupled-line (FCL) circulators; *T-MTT Dec 02* 2910-2917
- Queck Cham Kiong**, see Cham Kiong Queck, *MWSYM 02* 1475-1478 vol.3
- Queffelec, P.**, see Salahun, E., *MWSYM 02* 1185-1188 vol.2
- Queffelec, P.**, S. Malleol, and M. LeFloc'h. Automatic measurement of complex tensorial permeability of magnetized materials in a wide microwave frequency range; *T-MTT Sep 02* 2128-2134
- Quentin, P.**, see Vaudecal, O., *MWSYM 02* 1729-1732 vol.3
- Quere, R.**, see Launay, F., *MWSYM 02* 865-868 vol.2
- Quere, R.**, see Heckmann, S., *MWSYM 02* 1001-1004 vol.2
- Quere, R.**, see Byk, E., *MWSYM 02* 2085-2088 vol.3
- Quere, R.**, see Heckmann, S., *T-MTT Dec 02* 2811-2819
- Qunsheng Cao, Yinchao Chen, and R. Mittra.** Multiple image technique (MIT) and anisotropic perfectly matched layer (APML) in implementation of MRTD scheme for boundary truncations of microwave structures; *T-MTT Jun 02* 1578-1589

R

- Ra, Y.**, see Chang, C.H., *MWSYM 02* 231-234 vol.1
- Raab, F.H.**, P. Asbeck, S. Cripps, P.B. Kenington, Z.B. Popovic, N. Potheary, J.F. Sevic, and N.O. Sokal. Power amplifiers and transmitters for RF and microwave; *T-MTT Mar 02* 814-826
- Raab, F.H.**, R. Caverly, R. Campbell, M. Eron, J.B. Hecht, A. Mediano, D.P. Myer, and J.L.B. Walker. HF, VHF, and UHF systems and technology; *T-MTT Mar 02* 888-899
- Rabideau, D.J.**, see Howard, L.C., *MWSYM 02* 49-52 vol.1
- Radcliffe, C.J.**, see Cameron, R.J., *MWSYM 02* 1437-1440 vol.3
- Radcliffe, C.J.**, see Cameron, R.J., *T-MTT Dec 02* 2862-2872
- Rafferty, C.S.**, see Gaofeng Wang, *T-MTT Apr 02* 1127-1136
- Rafii-El-Idrissi, R.**, see Marques, R., *T-MTT Aug 02* 1935-1941
- Raghavan, A.**, Deukhyoun Heo, Moonkyun Maeng, A. Sutono, Kyutae Lim, and J. Laskar. A 2.4 GHz high efficiency SiGe HBT power amplifier with high-QLTCC harmonic suppression filter; *MWSYM 02* 1019-1022 vol.2
- Rahkonen, T.**, see Vuolevi, J., *MWSYM 02* 2157-2160 vol.3
- Rahkonen, T.**, see Vuolevi, J.H.K., *T-MTT May 02* 1311-1315
- Raihn, K.F.**, and G.L. Hey-Shipton. Folded dual-mode HTS microstrip band pass filter; *MWSYM 02* 1959-1962 vol.3
- Railton, C.J.**, see Boon Ping Koh, *MWSYM 02* 1139-1142 vol.2
- Raisanen, A.V.**, see Meltaus, J., *MWSYM 02* 1305-1308 vol.2
- Raisanen, A.V.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Raisanen, A.V.**, see Dudorov, S.N., *T-MTT Jun 02* 1640-1642
- Ra Jung-Woong**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Ramachandran, R.**, and A. Pham. Development of an organic wafer-level packaging platform for highly integrated RF transceivers; *MWSYM 02* 1401-1404 vol.3
- Ramachandran, V.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- Ramachandran, V.**, see Coolbaugh, D., *RFIC 02* 341-344
- Ramadoss, R.**, S. Lee, V.M. Bright, Y.C. Lee, and K.C. Gupta. Polyimide film based RF MEMS capacitive switches; *MWSYM 02* 1233-1236 vol.2
- Ramahi, O.**, see Kamgaing, T., *MWSYM 02* 205-208 vol.1
- Raman, S.**, see Svitek, R., *MWSYM 02* 505-508 vol.1
- Raman, S.**, see Svitek, R., *RFIC 02* 395-398
- Raman, S.**, see Chapman, M.W., *T-MTT Nov 02* 2580-2588
- Ramana Murty, M.**, K.M. Newton, S.L. Sweeney, D.C. Sheridan, and D.L. Hareme. Implementation of a scalable and statistical VBIC model for large-signal and intermodulation distortion analysis of SiGe HBTs; *MWSYM 02* 2165-2168 vol.3
- Rambabu, K.**, and J. Bornemann. Design of a miniaturized stripline-to-microstrip-line coupler; *MWSYM 02* 97-100 vol.1
- Ramberger, S.**, see Merkle, T., *MWSYM 02* 453-456 vol.1
- Ramberger, S.**, and T. Merkle. A symmetry device to speed up circuit simulation and stability tests; *MWSYM 02* 967-970 vol.2
- Ramirez, F.**, E. de Cos, and A. Suarez. Analog frequency divider by variable order 6 to 9; *MWSYM 02* 127-130 vol.1
- Randa, J.**, see Weatherspoon, M.H., *MWSYM 02* 2253-2256 vol.3
- Randa, J.** Simulations of noise-parameter uncertainties; *MWSYM 02* 1845-1848 vol.3
- Randall, M.**, see Cascio, L., *T-MTT Jan 02* 226-228
- Ran-Hong Yan**, see Gould, P., *T-MTT Jan 02* 369-376
- Rantiala, J.**, see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Rao, A.M.**, see Chopra, S., *MWSYM 02* 639-642 vol.2
- Raskin, J.-P.**, see Lederer, D., *MWSYM 02* 685-688 vol.2
- Ratanadecho, P.**, K. Aoki, and M. Akahori. The characteristics of microwave melting of frozen packed beds using a rectangular waveguide; *T-MTT Jun 02* 1495-1502
- Rategh, H.R.**, see Lee, T.H., *T-MTT Jan 02* 268-280
- Rathmell, J.G.**, see Parker, A.E., *MWSYM 02* 993-996 vol.2
- Rayssac, J.**, see Bary, L., *MWSYM 02* 275-278 vol.1
- Rayssac, J.**, see Bary, L., *RFIC 02* 359-362
- Reano, R.**, see Thiel, W., *MWSYM 02* 235-238 vol.1
- Reano, R.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Reano, R.M.**, J.F. Whitaker, and L.P.B. Katehi. Field-tunable probe for combined electric and magnetic field measurements; *MWSYM 02* 1513-1516 vol.3
- Reano, R.M.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- Rebeiz, G.M.**, see Dussopt, L., *MWSYM 02* 695-698 vol.2
- Rebeiz, G.M.**, see Hayden, J.S., *MWSYM 02* 337-340 vol.1
- Rebeiz, G.M.**, see Rizk, J.B., *MWSYM 02* 239-243 vol.1
- Rebeiz, G.M.**, see Tan, G.L., *MWSYM 02* 333-335 vol.1
- Rebeiz, G.M.**, see Schoenlinner, B., *MWSYM 02* 1373-1376 vol.2
- Rebeiz, G.M.**, see Dussopt, L., *MWSYM 02* 1205-1208 vol.2
- Rebeiz, G.M.**, see Rizk, J.B., *MWSYM 02* 1217-1220 vol.2
- Rebeiz, G.M.**, see Cabanillas, J., *RFIC 02* 63-66
- Rebeiz, G.M.** Phase-noise analysis of MEMS-based circuits and phase shifters; *T-MTT May 02* 1316-1323
- Rebeiz, G.M.**, see Schoenlinner, B., *T-MTT Sep 02* 2166-2175
- Reddy, M.**, see Peihua Ye, *MWSYM 02* 175-178 vol.1
- Reddy, M.**, see Peihua Ye, *RFIC 02* 329-332

- Reddy, M.**, D. Yates, Chang-Hyeon Lee, G. Taskov, P. Mudge, T. Robinson, L. Li, B. Agarwal, and Sung-Sik Hwang. Highly integrated, dual band/tri-mode SiGe BiCMOS transmitter IC for CDMA wireless applications; *RFIC 02* 35-38
- Reese, E.**, see Carroll, J.M., *MWSYM 02* 489-492 vol.1
- Reeves, T.**, and N. van Stigt. A method for the direct synthesis of cascaded quintuplets; *MWSYM 02* 1441-1444 vol.3
- Regis, M.**, see Cibiel, G., *MWSYM 02* 691-694 vol.2
- Rein, H.-M.**, see Schild, A., *RFIC 02* 89-92
- Rein, H.-M.**, see Steiner, W., *T-MTT Jul 02* 1705-1713
- Reiter, J.M.**, R. Beyer, and U. Rosenberg. CAD of waveguide structures with production based radii at arbitrary double (E-H) plane steps and junction ports; *MWSYM 02* 2081-2084 vol.3
- Rejaei, B.**, see Ng, K.T., *T-MTT Jan 02* 377-383
- Remley, K.A.**, J.A. Jargon, D. Schreurs, D.C. DeGroot, and K.C. Gupta. Repeat measurements and metrics for nonlinear model development; *MWSYM 02* 2169-2172 vol.3
- Ren-Chieh Liu**, Chung-Rung Lee, Huei Wang, and Chorng-Kuang Wang. A 5.8-GHz two-stage high-linearity low-voltage low noise amplifier in a 0.35- μ m CMOS technology [WLANs]; *RFIC 02* 221-224
- Rennane, A.**, see Bary, L., *MWSYM 02* 275-278 vol.1
- Rennane, A.**, see Bary, L., *RFIC 02* 359-362
- Ren Wu**, see Yan Zhang, *T-MTT Nov 02* 2519-2526
- Resnati, G.**, see Accatino, L., *MWSYM 02* 1453-1456 vol.3
- Resnati, G.**, see Accatino, L., *T-MTT Dec 02* 2882-2889
- Reusens, P.**, see Sevenhans, J., *T-MTT Jan 02* 235-244
- Reveyard, T.**, see Mallet, A., *MWSYM 02* 2245-2248 vol.3
- Reyes, A.**, see Glass, E., *MWSYM 02* 557-560 vol.1
- Reyes, A.**, see Glass, E., *RFIC 02* 447-450
- Rhee Jin-Koo**, see Young-Hoon Chun, *MWSYM 02* 1911-1914 vol.3
- Ricchiuti, V.**, see Antonini, G., *T-MTT Jul 02* 1807-1815
- Richard, M.**, M. Kanda, C. DiNallo, and C.K. Chou. A rugged microstrip tapered balun printed dipole reference for SAR system verification; *MWSYM 02* 1743-1746 vol.3
- Riepe, K.**, see Schmuckle, F.J., *MWSYM 02* 1393-1396 vol.3
- Riessle, M.**, see Tessmann, A., *MWSYM 02* 1851-1854 vol.3
- Riessle, M.**, see Tessmann, A., *T-MTT Dec 02* 2995-3001
- Riet, M.**, see Kasbari, A.-E., *MWSYM 02* 1057-1060 vol.2
- Riet, M.**, see Kasbari, A.-E., *T-MTT Dec 02* 3064-3069
- Ring, Z.**, see Pribble, W.L., *MWSYM 02* 1819-1822 vol.3
- Riska, J.**, see Karkkainen, M., *MWSYM 02* 1273-1276 vol.2
- Ritter, D.**, see Wasige, E., *MWSYM 02* 733-736 vol.2
- Ritter, D.**, see Sheinman, B., *T-MTT Dec 02* 2804-2810
- Ritzberger, G.**, J. Bock, and A.L. Scholtz. 45 GHz highly integrated phase-locked loop frequency synthesizer in SiGe bipolar technology; *MWSYM 02* 831-834 vol.2
- Ritzberger, G.**, see Knapp, H., *RFIC 02* 239-242
- Riza, N.A.**, S.A. Khan, and M.A. Arain. Flexible beamformer and remoting head for optically controlled phased array antennas; *MWSYM 02* 1941-1944 vol.3
- Rizk, J.B.**, E. Chaiban, and G.M. Rebeiz. Steady state thermal analysis and high-power reliability considerations of RF MEMS capacitive switches; *MWSYM 02* 239-243 vol.1
- Rizk, J.B.**, and G.M. Rebeiz. Digital-type RF MEMS switched capacitors; *MWSYM 02* 1217-1220 vol.2
- Rizzoli, V.**, A. Costanzo, and E. Montanari. Coupled electromagnetic/nonlinear optimization of self-oscillating microstrip antennas with far-field performance specifications; *MWSYM 02* 123-126 vol.1
- Robertson, I.D.**, see Ng, C.Y., *MWSYM 02* 113-116 vol.1
- Robertson, I.D.**, see Ng, C.Y., *MWSYM 02* 2209-2212 vol.3
- Robertson, I.D.**, see Chongcheawchannan, M., *T-MTT Jun 02* 1642-1646
- Robinson, T.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Robinson, T.**, see Reddy, M., *RFIC 02* 35-38
- Roblin, P.**, see Akhtar, S., *T-MTT Jun 02* 1561-1570
- Rocha, M.L.**, R. Kashyap, R.F. Souza, A. Paradisi, M.R.X. Barros, and C. Coral. System impact of the physical length of unapodized chirped fiber Bragg gratings on dispersion compensation; *T-MTT Jan 02* 88-93
- Rochette, M.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Rockwell, S.**, see Escalera, N., *MWSYM 02* 1031-1034 vol.2
- Roddie, A.G.**, see Smith, A.J.A., *MWSYM 02* 1501-1504 vol.3
- Rodenbeck, C.T.**, M. Li, and Kai Chang. A novel multibeam grating antenna with applications to low-cost millimeter-wave beam-steering; *MWSYM 02* 57-60 vol.1
- Rodenbeck, C.T.**, see Chunlei Wang, *MWSYM 02* 1325-1328 vol.2
- Rodriguez-Dagnino, R.M.**, see Gutierrez-Vega, J.C., *T-MTT Apr 02* 1095-1100
- Rodwell, M.**, see Yun Wei, *MWSYM 02* 917-920 vol.2
- Roellig, M.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- Rogers, D.V.**, see Amaya, C., *T-MTT Jan 02* 41-45
- Rogers, J.W.M.**, J.A. Macedo, and C. Plett. A completely integrated 1.9-GHz receiver front-end with monolithic image-reject filter and VCO; *T-MTT Jan 02* 210-215
- Rogier, H.**, and D. De Zutter. Convergence behavior and acceleration of the Berenger and leaky modes series composing the 2-D Green's function for the microstrip substrate; *T-MTT Jul 02* 1696-1704
- Rohde, U.L.** Requirements for high performance RF/UHF ICs and possible solutions; *RFIC 02* 13-17
- Rohlfing, S.**, see Fowler, T., *RFIC 02* 41-44
- Rohner, M.**, see Willen, B., *T-MTT Feb 02* 580-583
- Rolain, Y.**, see Crama, P., *T-MTT Aug 02* 1890-1894
- Rolland, N.**, see Ghis, A., *MWSYM 02* 1673-1676 vol.3
- Rolland, P.A.**, see Ghis, A., *MWSYM 02* 1673-1676 vol.3
- Rolland, P.-A.**, see Vendier, O., *MWSYM 02* 1389-1392 vol.3
- Romdane, H.**, E. Bergeault, and B. Huyart. Development and verification of a new non-linear MOSFET model; *MWSYM 02* 597-599 vol.1
- Romdane, H.**, E. Bergeault, and B. Huyart. Development and verification of a new non-linear MOSFET model; *RFIC 02* 487-489
- Romero, M.A.**, see Bulla, D.A.P., *T-MTT Jan 02* 9-12
- Romodín, V.B.**, and L.V. Shebalkova. Reentrant resonators for microwave measurement units; *MWSYM 02* 1365-1368 vol.2
- Rong, A.**, and A.C. Cangellaris. Electromagnetic modeling of interconnects for mixed-signal integrated circuits from DC to multi-GHz frequencies; *MWSYM 02* 1893-1896 vol.3
- Rooney, J.-P.**, R. Parry, I. Hunter, and R.D. Pollard. A filter synthesis technique applied to the design of multistage broadband microwave amplifiers; *MWSYM 02* 1915-1918 vol.3
- Rooney, J.-P.**, R. Parry, I. Hunter, and R.D. Pollard. A filter synthesis technique applied to the design of multistage broad-band microwave amplifiers; *T-MTT Dec 02* 2947-2953
- Roselli, L.**, see Alimenti, F., *MWSYM 02* 879-881 vol.2
- Roselli, L.**, V. Borgioni, F. Zepparelli, M. Comez, P. Faccin, and A. Casini. Predistortion circuit design for II and III order simultaneous linearization in multiservice telecommunications apparatuses; *MWSYM 02* 1711-1714 vol.3
- Roselli, L.**, see El Mrabet, O., *T-MTT Oct 02* 2411-2412
- Rosen, A.**, M.A. Stuchly, and A. Vander Vorst. Applications of RF/microwaves in medicine; *T-MTT Mar 02* 963-974
- Rosen, A.**, see Schepps, J., *T-MTT Mar 02* 1044-1045
- Rosenberg, U.**, see Reiter, J.M., *MWSYM 02* 2081-2084 vol.3
- Rosenberg, U.**, and S. Amari. Novel coupling schemes for microwave resonator filters; *MWSYM 02* 1605-1608 vol.3
- Rosenberg, U.**, see Amari, S., *T-MTT Apr 02* 1969-1978
- Rosenberg, U.**, and S. Amari. Novel coupling schemes for microwave resonator filters; *T-MTT Dec 02* 2896-2902
- Rosenman, G.**, see Einat, M., *T-MTT Apr 02* 1227-1230
- Roser, H.P.**, see Feinaugle, R., *T-MTT Jan 02* 134-142
- Rouying Zhan**, see Ke Gong, *T-MTT Jan 02* 393-402
- Royter, Y.**, see Nagatsuma, T., *MWSYM 02* 1497-1500 vol.3
- Rozzi, T.**, see Pierantoni, L., *MWSYM 02* 891-894 vol.2
- Rozzi, T.**, see Pierantoni, L., *T-MTT Nov 02* 2513-2518
- Ruai Yu**, see Liyang Zhang, *RFIC 02* 85-88
- Rud, L.**, see Kirilenko, A., *T-MTT May 02* 1324-1327
- Rudolph, D.** Out-of-band emissions of digital transmissions using Kahn EER technique; *T-MTT Aug 02* 1979-1983
- Rudolph, M.**, see Lenk, F., *MWSYM 02* 725-728 vol.2
- Rudolph, M.**, F. Lenk, R. Doerner, and P. Heymann. Towards a unified method to implement transit-time effects in Pi-topology HBT compact models; *MWSYM 02* 997-1000 vol.2
- Rudolph, M.**, R. Doerner, and P. Heymann. GaAs HBT operating as integrated V- to W-band Gunn oscillator; *MWSYM 02* 1737-1740 vol.3
- Rudolph, M.**, R. Doerner, P. Heymann, L. Klapproth, and G. Bock. Direct extraction of FET noise models from noise figure measurements; *T-MTT Feb 02* 461-464
- Rudolph, M.**, R. Doerner, K. Beilenhoff, and P. Heymann. Unified model for collector charge in heterojunction bipolar transistors; *T-MTT Jul 02* 1747-1751
- Rudolph, M.**, see Sheinman, B., *T-MTT Dec 02* 2804-2810
- Ruey-Beei Wu**, see Chun-Long Wang, *MWSYM 02* 1397-1400 vol.3
- Ruhanen, P.**, see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Runtao Ding**, see Jianjun Xu, *MWSYM 02* 1101-1104 vol.2
- Ruppel, C.C.W.**, see Weigel, R., *T-MTT Mar 02* 738-749
- Ru-Shan Chen**, Edward Kai-Ning Yung, C.H. Chan, Dao Xiang Wang, and Da Gang Fang. Application of the SSOR preconditioned CG algorithm to the vector FEM for 3D full-wave analysis of electromagnetic-field boundary-value problems; *T-MTT Apr 02* 1165-1172
- Russell, M.E.**, C.A. Drubin, A.S. Marinilli, W.G. Woodington, and M.J. Del Checcolo. Integrated automotive sensors; *T-MTT Mar 02* 674-677
- Russer, P.**, see Pierantoni, L., *MWSYM 02* 891-894 vol.2
- Russer, P.**, see Krug, F., *MWSYM 02* 2237-2240 vol.3
- Russer, P.**, see Sorrentino, R., *T-MTT Mar 02* 1056-1072
- Rustagi, S.C.**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Rustagi, S.C.**, see Doan, M.T., *RFIC 02* 415-418
- Rutledge, D.B.**, see Chun-Tung Cheung, *MWSYM 02* 1523-1526 vol.3
- Rutledge, D.B.**, see Aoki, I., *T-MTT Jan 02* 316-331
- Ryhanen, T.**, see Veijola, T., *MWSYM 02* 1213-1216 vol.2

Ryu Keun-Kwan, *see* Moon-Que Lee, *MWSYM 02 1797-1800* vol.3
 Ryul Sohn Jong, *see* Ki Young Kim, *MWSYM 02 1149-1152* vol.2

S

- Saad, T.S., and J.C. Wiltse. 50 years of the IEEE Microwave Theory and Techniques Society; *T-MTT Mar 02 612-624*
- Saboureau, C., S. Bila, D. Baillargeat, S. Verdeyme, and P. Guillon. Accurate computer aided design of interdigital filters applying a coupling identification method; *MWSYM 02 2089-2092* vol.3
- Sabry, R., *see* Yaxun Liu, *MWSYM 02 1901-1904* vol.3
- Sabry, R., *see* Shams-Zadeh-Amiri, A.M., *T-MTT Nov 02 2480-2490*
- Sabry, R., *see* Shams-Zadeh-Amiri, A.M., *T-MTT Nov 02 2491-2498*
- Sachse, K., *see* Sawicki, A., *MWSYM 02 2225-2228* vol.3
- Sadahiro, K., *see* Itoh, K., *MWSYM 02 9-12* vol.1
- Sadahiro, K., *see* Nishino, T., *MWSYM 02 1385-1388* vol.3
- Sadahiro, K., *see* Itoh, K., *RFIC 02 263-266*
- Sadahiro, K., *see* Taniguchi, E., *RFIC 02 133-136*
- Sadowy, J., I. Telliez, J. Graffeuil, E. Tournier, L. Escotte, and R. Plana. Low noise, high linearity, wide bandwidth amplifier using a 0.35 μ m SiGe BiCMOS for WLAN applications; *RFIC 02 217-220*
- Safavi-Naeini, S., *see* Lan, K., *MWSYM 02 887-890* vol.2
- Safavi-Naeini, S., *see* Yaxun Liu, *MWSYM 02 1901-1904* vol.3
- Safavi-Naeini, S., *see* Borji, A., *MWSYM 02 2105-2108* vol.3
- Safavi-Naeini, S., *see* Shams-Zadeh-Amiri, A.M., *T-MTT Nov 02 2480-2490*
- Safavi-Naeini, S., *see* Shams-Zadeh-Amiri, A.M., *T-MTT Nov 02 2491-2498*
- Safwat, A.M.E., and L. Hayden. Sensitivity analysis of calibration standards for fixed probe spacing on-wafer calibration techniques [vector network analyzers]; *MWSYM 02 2257-2260* vol.3
- Sahri, N., *see* Nagatsuma, T., *MWSYM 02 1497-1500* vol.3
- Sailer, A., *see* Higgins, J.A., *MWSYM 02 1071-1074* vol.2
- Saily, J., *see* Meltaus, J., *MWSYM 02 1305-1308* vol.2
- Saint, C., *see* Lie, D.Y.C., *RFIC 02 31-34*
- Saints, K., *see* Butler, B.K., *RFIC 02 186A-186F*
- Sakalas, P., M. Schroter, P. Zampardi, H. Zirath, and R. Welse. Microwave noise sources in AlGaAs/GaAs HBTs; *MWSYM 02 2117-2120* vol.3
- Sakamoto, S., *see* Kanaya, K., *MWSYM 02 1249-1252* vol.2
- Sakiyama, K., *see* Hikita, M., *MWSYM 02 1483-1486* vol.3
- Sakiyama, K., *see* Hikita, M., *T-MTT Nov 02 2629-2638*
- Sakurai, S., *see* Kusunoki, S., *MWSYM 02 765-768* vol.2
- Sakurai, S., *see* Kusunoki, S., *T-MTT Dec 02 2979-2986*
- Salahun, E., G. Tanne, P. Queffelec, P. Gelin, A.-L. Adenot, and O. Acher. Ferromagnetic composite-based and magnetically-tunable microwave devices; *MWSYM 02 1185-1188* vol.2
- Salazar-Pahna, M., *see* Sarkar, T.K., *MWSYM 02 1989-1992* vol.3
- Salazar-Palma, M., *see* Sorrentino, R., *T-MTT Mar 02 1056-1072*
- Salehi, H., R.R. Mansour, and V. Dokas. Lumped-element conductor-loaded cavity resonators; *MWSYM 02 1601-1604* vol.3
- Salmer, G., *see* Sorrentino, R., *T-MTT Mar 02 1056-1072*
- Salo, J., *see* Meltaus, J., *MWSYM 02 1305-1308* vol.2
- Salomaa, M.M., *see* Meltaus, J., *MWSYM 02 1305-1308* vol.2
- Samavati, H., *see* Lee, T.H., *T-MTT Jan 02 268-280*
- Samelis, A., *see* Fowler, T., *RFIC 02 41-44*
- Samitser, J., *see* Sieto, J., *T-MTT Jan 02 384-392*
- Samoska, L., Kun-You Lin, Huei Wang, Yun-Ho Chung, M. Aust, S. Weinreb, and D. Dawson. On the stability of millimeter-wave power amplifiers; *MWSYM 02 429-432* vol.1
- Samoska, L., *see* Morgan, M., *MWSYM 02 1859-1862* vol.3
- Samuels, A.C., *see* Brown, E.R., *MWSYM 02 1591-1594* vol.3
- Sanada, A., H. Takehara, T. Yamamoto, and I. Awai. /4 stepped-impedance resonator bandpass filters fabricated on coplanar waveguide; *MWSYM 02 385-388* vol.1
- Sanada, A., M. Kimura, T. Yamamoto, and I. Awai. Fabrication of MOD-derived YBCO films on (001)LaAlO₃ and their application to /4 CPW SIR BPFs; *T-MTT Dec 02 2856-2861*
- Sanchez, A.M., *see* Navarro, C., *T-MTT Apr 02 1193-1197*
- Sanchez-Sinencio, E., *see* Dulger, F., *RFIC 02 177-180*
- Sanchez-Sinencio, E., *see* Wenjun Sheng, *RFIC 02 107-110*
- Sancho, S., J. Chuan, and A. Suarez. Nonlinear analysis of a microwave fractional synthesizer; *MWSYM 02 2185-2188* vol.3
- Sancho, S., *see* Suarez, A., *T-MTT Oct 02 2353-2361*
- Sandor, M.R., *see* Petersen, A.K., *RFIC 02 93-96*
- Sanduleanu, M.A.T., D. van Goor, and H. Veenstra. Octave tunable, highly linear, RC-ring oscillator with differential fine-coarse tuning, quadrature outputs and amplitude control for fiber optic transceivers; *MWSYM 02 545-548* vol.1
- Sanduleanu, M.A.T., D. van Goor, and H. Veenstra. Octave tunable, highly linear, RC-ring oscillator with differential fine-coarse tuning, quadrature outputs and amplitude control for fiber optic transceivers; *RFIC 02 435-438*
- Sanghoon Jeon, *see* Jiyoun Lim, *MWSYM 02 1707-1710* vol.3
- Sanghoon Kang, Byounggi Choi, and Bumman Kim. Linearity analysis of CMOS for RF application; *MWSYM 02 279-283* vol.1
- Sanghoon Kang, Byounggi Choi, and Bumman Kim. Linearity analysis of CMOS for RF application; *RFIC 02 363-366*
- Sanghoon Kang, *see* Woonyun Kim, *T-MTT Jul 02 1714-1722*
- Sang Hoon Kim, *see* Bongki Mheen, *MWSYM 02 413-416* vol.1
- Sanghoon Shin, *see* Snyder, R.V., *MWSYM 02 1597-1600* vol.3
- Sangho Shin, *see* Youngjin Kim, *MWSYM 02 799-802* vol.2
- Sanghwa Jung, *see* Moon-Suk Jeon, *RFIC 02 253-256*
- Sang-Hyuk Kim, *see* Jun-Seok Park, *MWSYM 02 417-420* vol.1
- Sang-Hyuk Kim, *see* Taek-Young Song, *MWSYM 02 213-217* vol.1
- Sangil Lee, Y. Kuga, and R.A. Mullen. Experimental results for a CW-mode optically controlled microwave switch with a carrier-confinement structure; *MWSYM 02 1289-1292* vol.2
- Sang Lam, Wing Hung Ki, and Mansun Chan. High-isolation bonding pad with depletion-insulation structure for RF/microwave integrated circuits on bulk silicon CMOS; *MWSYM 02 677-680* vol.2
- Sangmin Lee, *see* Yun Wei, *MWSYM 02 917-920* vol.2
- Sang Park Wee, *see* Youngju Lee, *MWSYM 02 1329-1332* vol.2
- Sang Park Wee, *see* Jeong Phill Kim, *T-MTT Jul 02 1683-1688*
- Sang-Won Yun, *see* Young-Hoon Chun, *MWSYM 02 1911-1914* vol.3
- Sang-Won Yun, *see* Hee Yong Hwang, *T-MTT Jul 02 1821-1831*
- Sangwoo Han, N. Lal, Chang Ho Lee, B. Matinpour, J. Laskar, and D.J. Blumenthal. Single-MMIC four-channel transmitter module for multichannel RF/optical subcarrier multiplexed communications applications; *T-MTT Apr 02 1173-1179*
- Sangwook Nam, *see* Jong-Sik Lim, *MWSYM 02 1153-1156* vol.2
- Sangwook Nam, *see* Chul-Soo Kim, *MWSYM 02 2125-2128* vol.3
- Sang-Woong Yoon, *see* Yeun-Ho Joung, *MWSYM 02 1409-1412* vol.3
- Sano, E., *see* Nosaka, H., *MWSYM 02 83-86* vol.1
- Sano, K., and T. Yoneyama. A transition from microstrip to dielectric-filled rectangular waveguide in surface mounting; *MWSYM 02 813-816* vol.2
- Santarelli, A., *see* Costantini, A., *MWSYM 02 857-860* vol.2
- Santarelli, A., *see* Cidronali, A., *T-MTT Feb 02 425-432*
- Sarabandi, K., *see* Abbaspour-Tamijani, A., *MWSYM 02 53-56* vol.1
- Sarabandi, K., *see* Peroulis, D., *MWSYM 02 223-226* vol.1
- Sarakar, T.K., and Jinhwan Koh. Generation of a wide-band electromagnetic response through a Laguerre expansion using early-time and low-frequency data; *T-MTT May 02 1408-1416*
- Sarkar, T.K., J. Koh, and M. Salazar-Pahna. Generation of wideband electromagnetic response through a Laguerre expansion using early time and low frequency data; *MWSYM 02 1989-1992* vol.3
- Sarris, C.D., and L.P.B. Katehi. Coupling front tracking and wavelet techniques for fast time domain simulations; *MWSYM 02 747-750* vol.2
- Sasaki, A., *see* Nagatsuma, T., *MWSYM 02 1497-1500* vol.3
- Sato, H., *see* Yamada, A., *MWSYM 02 1733-1736* vol.3
- Sato, N., *see* Kodate, J., *MWSYM 02 1419-1422* vol.3
- Satoh, K., *see* Zhewang Ma, *MWSYM 02 1967-1970* vol.3
- Satou, H., *see* Yoneda, N., *MWSYM 02 821-824* vol.2
- Savi, P., I.-L. Gheorma, and R.D. Graglia. Full-wave high-order FEM model for lossy anisotropic waveguides; *T-MTT Feb 02 495-500*
- Sawa, S., *see* Kitamura, T., *T-MTT Apr 02 1216-1219*
- Sawada, K., *see* Kano, H., *MWSYM 02 75-78* vol.1
- Sawicki, A., and K. Sachse. A novel directional coupler for PCB and LTCC applications; *MWSYM 02 2225-2228* vol.3
- Saxler, A.W., *see* Pribble, W.L., *MWSYM 02 1819-1822* vol.3
- Schad, K.-B., *see* Abele, P., *MWSYM 02 1681-1684* vol.3
- Schad, K.-B., *see* Sonmez, E., *RFIC 02 159-162*
- Schaffauser, C., *see* Vendier, O., *MWSYM 02 1389-1392* vol.3
- Schauwecker, B., K.M. Strohm, W. Simon, J. Mehner, and J.-F. Luy. Toggle-switch - a new type of RF MEMS switch for power applications; *MWSYM 02 219-222* vol.1
- Schauwecker, B., *see* Strohm, K.M., *MWSYM 02 1209-1212* vol.2
- Schefer, M. Integrated quadrupler circuit in coplanar technology for 60 GHz wireless applications; *MWSYM 02 355-358* vol.1
- Schefer, M., *see* Fujii, K., *MWSYM 02 1725-1728* vol.3
- Schellke, K., *see* Joba, H., *RFIC 02 27-30*
- Schellenberg, J.M. 1 and 2 watt MMIC power amplifiers for commercial K/Ka-band applications; *MWSYM 02 445-448* vol.1
- Schellenberg, J.M. A broadband, push-pull power MMIC operating at K/Ka-band frequencies; *MWSYM 02 909-912* vol.2
- Schelmbauer, W., H. Pretl, L. Maurer, B. Adler, R. Weigel, R. Hagelauer, and J. Fenk. An analog baseband chain for a UMTS zero-IF receiver in a 75 GHz SiGe BiCMOS technology; *MWSYM 02 13-16* vol.1
- Schelmbauer, W., H. Pretl, L. Maurer, B. Adler, R. Weigel, R. Hagelauer, and J. Fenk. An analog baseband chain for a UMTS zero-IF receiver in a 75 GHz SiGe BiCMOS technology; *RFIC 02 267-270*
- Schepps, J., and A. Rosen. Microwave industry outlook - wireless communications in healthcare; *T-MTT Mar 02 1044-1045*
- Scherrer, D.R., *see* Scott, J., *MWSYM 02 1669-1672* vol.3
- Scherrer, D.R., *see* Scott, J.B., *T-MTT Dec 02 3022-3028*

- Schiel, J.-C.**, S.O. Tatu, Ke Wu, and G. Bosisio. Six-port direct digital receiver (SPDR) and standard direct receiver (SDR) results for QPSK modulation at high speeds; *MWSYM 02* 931-934 vol.2
- Schild, A.**, H.-M. Rein, J. Mullrich, L. Altenhain, J. Blank, and K. Schrodinger. Amplifier array for 12 parallel 10 Gb/s optical-fiber links fabricated in a SiGe production technology; *RFIC 02* 89-92
- Schlecht, E.**, see Ortiz, S.C., *T-MTT Feb 02* 487-494
- Schloemann, E.F.**, see Adam, J.D., *T-MTT Mar 02* 721-737
- Schmuckle, F.J.**, A. Jentsch, H. Oppermann, K. Riepe, and W. Heinrich. W-band flip-chip interconnects on thin-film substrate; *MWSYM 02* 1393-1396 vol.3
- Schmuckle, F.J.**, see Stroh, K.M., *MWSYM 02* 1209-1212 vol.2
- Schneider, R.N.**, M.M. Okoniewski, and L.E. Turner. Custom hardware implementation of the finite-difference time-domain (FDTD) method; *MWSYM 02* 875-878 vol.2
- Schnyder, L.**, see Willen, B., *T-MTT Feb 02* 580-583
- Schoenlinner, B.**, and G.M. Rebeiz. Compact multibeam imaging antenna for automotive radars; *MWSYM 02* 1373-1376 vol.2
- Schoenlinner, B.**, Xidong Wu, J.P. Ebling, G.V. Eleftheriades, and G.M. Rebeiz. Wide-scan spherical-lens antennas for automotive radars; *T-MTT Sep 02* 2166-2175
- Schollhorn, C.**, see Zhao, W., *T-MTT Jan 02* 407-410
- Scholtz, A.L.**, see Bakalski, W., *MWSYM 02* 209-212 vol.1
- Scholtz, A.L.**, see Ritzberger, G., *MWSYM 02* 831-834 vol.2
- Scholtz, A.L.**, see Hackl, S., *MWSYM 02* 1241-1244 vol.2
- Schott, A.**, H. Kuhnert, F. Lenk, J. Hilsenbeck, J. Wurfl, and W. Heinrich. 38 GHz push-push GaAs-HBT MMIC oscillator; *MWSYM 02* 839-842 vol.2
- Schoukens, J.**, see Crama, P., *T-MTT Aug 02* 1890-1894
- Schreurs, D.**, see Remley, K.A., *MWSYM 02* 2169-2172 vol.3
- Schreurs, D.M.M.-P.**, J. Verspecht, S. Vandenberghe, and E. Vandamme. Straightforward and accurate nonlinear device model parameter-estimation method based on vectorial large-signal measurements; *T-MTT Oct 02* 2315-2319
- Schrodinger, K.**, see Schild, A., *RFIC 02* 89-92
- Schroeder, J.**, see Heyen, J., *MWSYM 02* 2205-2208 vol.3
- Schroter, M.**, see Sakalas, P., *MWSYM 02* 2117-2120 vol.3
- Schuhmann, R.**, and T. Weiland. Efficient calculation of effective material parameters in metamaterials using FDTD and a modal approach; *MWSYM 02* 2037-2040 vol.3
- Schumacher, H.**, see Abele, P., *MWSYM 02* 1681-1684 vol.3
- Schumacher, H.**, see Sonmez, E., *RFIC 02* 159-162
- Schumann, B.**, M. Hoft, and R. Judaschke. A multi-element 150/300 GHz spatial power dividing/combining frequency doubler; *MWSYM 02* 1539-1542 vol.3
- Schuppen, A.**, see Steiner, W., *T-MTT Jul 02* 1705-1713
- Schussler, M.**, see Megej, A., *MWSYM 02* 643-646 vol.2
- Schuszler, M.**, see Megej, A., *T-MTT Dec 02* 3070-3076
- Schutt-Aine, J.E.**, see Nickel, J.G., *T-MTT Jan 02* 183-190
- Schutt-Aine, J.E.**, see Feng Liu, *T-MTT Feb 02* 570-577
- Schutt-Aine, J.E.**, see Nickel, J.G., *T-MTT May 02* 1392-1399
- Schwarz, A.**, see Neurauter, B., *MWSYM 02* 425-428 vol.1
- Schwindt, R.**, see Lu, W., *T-MTT Nov 02* 2499-2504
- Scorzonni, A.**, see Alimenti, F., *MWSYM 02* 879-881 vol.2
- Scott, J.**, B. Behnia, M.V. Bossche, A. Cognata, J. Verspecht, F. Verbeyst, M. Thorn, and D.R. Scherrer. Removal of cable and connector dispersion in time-domain waveform measurements on 40 Gb integrated circuits; *MWSYM 02* 1669-1672 vol.3
- Scott, J.B.**, see Iwamoto, M., *MWSYM 02* 901-904 vol.2
- Scott, J.B.**, see Iwamoto, M., *T-MTT Dec 02* 2954-2962
- Scott, J.B.**, J. Verspecht, B. Behnia, M. Vanden Bossche, A. Cognata, F. Verbeyst, M.L. Thorn, and D.R. Scherrer. Enhanced on-wafer time-domain waveform measurement through removal of interconnect dispersion and measurement instrument jitter; *T-MTT Dec 02* 3022-3028
- Scuderi, A.**, see Carrara, F., *MWSYM 02* 1015-1018 vol.2
- Scuderi, A.**, see Carrara, F., *T-MTT Dec 02* 2963-2970
- Scullion, T.**, see Jeong Soo Lee, *MWSYM 02* 1361-1363 vol.2
- Seeds, A.J.**, see Johansson, L.A., *MWSYM 02* 1695-1697 vol.3
- Seeds, A.J.** Microwave photonics; *T-MTT Mar 02* 877-887
- Seidel, M.**, see Hill, M.E., *T-MTT May 02* 1437-1441
- Seki, H.**, see Shinjo, S., *RFIC 02* 249-252
- Semouchkin, G.**, see Semouchkina, E., *MWSYM 02* 1127-1130 vol.2
- Semouchkina, E.**, G. Semouchkin, Wenwu Cao, and R. Mittra. FDTD study of surface waves in microstrip and patch structures; *MWSYM 02* 1127-1130 vol.2
- Sen, O.A.**, see Yildirim, N., *T-MTT Jun 02* 1536-1543
- Sen, Y.**, see Yildirim, N., *T-MTT Jun 02* 1536-1543
- Sen Ang Kian**, see Yoke Choy Leong, *MWSYM 02* 1165-1168 vol.2
- Sen Ang Kian**, see Kian Sen Ang, *T-MTT Aug 02* 1990-1995
- Sen Ang Kian**, see Kian Sen Ang, *T-MTT Sep 02* 2147-2152
- Seng Leong Mook**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Senior, A.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Seo Chulhun**, see Serksoo Im, *MWSYM 02* 1801-1804 vol.3
- Seock Hee Lee**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- Seo Hyun Ju**, see Ki Young Kim, *MWSYM 02* 1149-1152 vol.2
- Seok-Ho Son**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Seong-Ho Shin**, see Inho Jeong, *MWSYM 02* 661-664 vol.2
- Seong-Pal Lee**, see Jin-Cheol Jeong, *MWSYM 02* 1257-1260 vol.2
- Seong-Sik Jeon**, see Fredrick, J.D., *MWSYM 02* 311-314 vol.1
- Seong-Sik Jeon**, see Ji-Yong Park, *MWSYM 02* 1277-1280 vol.2
- Seong-Sik Jeon**, Yuanxun Wang, and T. Itoh. A balanced adaptive beamforming system for broadband wireless communications; *MWSYM 02* 1357-1360 vol.2
- Seong-Sik Jeon**, see Leong, K.M.K.H., *MWSYM 02* 1349-1352 vol.2
- Seong-Sik Jeon**, see Miyamoto, R.Y., *MWSYM 02* 1369-1372 vol.2
- Sercu, J.**, and F. Demuyne. Electromagnetic/Circuit co-optimization of lumped component and physical layout parameters using generalized layout components; *MWSYM 02* 2073-2076 vol.3
- Serksoo Im**, Chulhun Seo, Jaehoon Kim, Youngwan Kim, and Naesoo Kim. Improvement of microstrip open loop resonator filter using aperture; *MWSYM 02* 1801-1804 vol.3
- Serres, M.**, see Torrese, G., *T-MTT Nov 02* 2553-2557
- Seung Hyeub Oh**, see Soon Ik Jeon, *MWSYM 02* 1341-1343 vol.2
- Seung-Jin Lee**, see Soon-Cheol Kong, *T-MTT Nov 02* 2589-2597
- Seung Kim Hong**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Seung-Pal Lee**, see Moon-Que Lee, *MWSYM 02* 1797-1800 vol.3
- Seung Yun Jae**, see Youngju Lee, *MWSYM 02* 1329-1332 vol.2
- Seung-Yun Lee**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Sevenhans, J.**, F. Op't Eynde, and P. Reusens. The silicon radio decade; *T-MTT Jan 02* 235-244
- Sevic, J.F.**, see Raab, F.H., *T-MTT Mar 02* 814-826
- Shafai, L.**, see Ghosh, B., *T-MTT Oct 02* 2294-2304
- Shafii, J.**, and R.J. Vernon. Investigation of mode coupling due to ohmic wall losses in overmoded uniform and varying-radius circular waveguides by the method of cross sections; *T-MTT May 02* 1361-1369
- Shams-Zadeh-Amiri, A.M.**, S. Safavi-Naeini, S.K. Chaudhuri, and R. Sabry. Generalized reaction and unrestricted variational formulation of cavity resonators - Part I: Basic theory; *T-MTT Nov 02* 2480-2490
- Shams-Zadeh-Amiri, A.M.**, S. Safavi-Naeini, S.K. Chaudhuri, and R. Sabry. Generalized reaction and unrestricted variational formulation of cavity resonators - Part II: Nonorthogonal and free-boundary mode-matching method; *T-MTT Nov 02* 2491-2498
- Shan-jia Xu**, see Xiang-yin Zeng, *T-MTT May 02* 1417-1424
- Shan-Jia Xu**, see Xiang-Yin Zeng, *T-MTT Jun 02* 1636-1639
- Shan Weiyun**, see Weiyun Shan, *MWSYM 02* 469-472 vol.1
- Shao Zhenhai**, see Zhenhai Shao, *T-MTT Jan 02* 222-225
- Shapiro, M.A.**, see Anderson, J.P., *T-MTT Jun 02* 1526-1535
- Shau-Gang Mao**, and Ming-Yi Chen. Propagation characteristics of finite-width conductor-backed coplanar waveguides with periodic electromagnetic bandgap cells; *T-MTT Nov 02* 2624-2628
- Shebalkova, L.V.**, see Romodin, V.B., *MWSYM 02* 1365-1368 vol.2
- Sheinman, B.**, see Wasige, E., *MWSYM 02* 733-736 vol.2
- Sheinman, B.**, E. Wasige, M. Rudolph, R. Doerner, V. Sidorov, S. Cohen, and D. Ritter. A peeling algorithm for extraction of the HBT small-signal equivalent circuit; *T-MTT Dec 02* 2804-2810
- Sheng, W.-X.**, see Wu, J., *MWSYM 02* 323-326 vol.1
- Sheng-Fuh Chang**, see Jia-Liang Chen, *MWSYM 02* 101-104 vol.1
- Shenggang Liu**, see Guofen Yu, *T-MTT Jan 02* 191-200
- Sheng Jau Wong**, see Dasgupta, U., *RFIC 02* 195-198
- Sheng Jau Wong**, see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Sheng Wenjun**, see Wenjun Sheng, *RFIC 02* 107-110
- Sheng-Yuan Lee**, see Chih-Ming Tsai, *MWSYM 02* 1927-1930 vol.3
- Sheng-Yuan Lee**, see Chih-Ming Tsai, *T-MTT Oct 02* 2362-2367
- Shen Jinjin**, see Jinjin Shen, *MWSYM 02* 1309-1312 vol.2
- Shen Ye**, see Tsuzuki, G., *MWSYM 02* 1963-1966 vol.3
- Shen Ye Shunt** capacitor approximation for HTS microstrip circuit design; *MWSYM 02* 1979-1982 vol.3
- Sheppard, S.T.**, see Pribble, W.L., *MWSYM 02* 1819-1822 vol.3
- Sheridan, D.C.**, see Ramana Murty, M., *MWSYM 02* 2165-2168 vol.3
- Sherman, R.**, see Staudinger, J., *MWSYM 02* 617-620 vol.2
- Shey-shi Lu**, see Yo-Sheng Lin, *MWSYM 02* 161-164 vol.1
- Shey-Shi Lu**, see Yo-Sheng Lin, *RFIC 02* 315-318
- Shi, L.**, see Floyd, B.A., *T-MTT Sep 02* 2193-2196
- Shibagaki, N.**, see Hikita, M., *MWSYM 02* 1483-1486 vol.3
- Shibagaki, N.**, see Hikita, M., *T-MTT Nov 02* 2629-2638
- Shibata, O.**, K. Inagaki, Y. Karasawa, and Y. Mizuguchi. Spatial optical beam-forming network for receiving-mode multibeam array antenna - proposal and experiment; *T-MTT May 02* 1425-1430
- Shibata, T.**, see Nosaka, H., *MWSYM 02* 83-86 vol.1
- Shibata, T.**, see Kamitsuna, H., *MWSYM 02* 1699-1702 vol.3
- Shibata, T.**, see Kamitsuna, H., *T-MTT Dec 02* 3002-3008
- Shi Bingxue**, see Baoyong Chi, *MWSYM 02* 561-564 vol.1
- Shi Bingxue**, see Baoyong Chi, *RFIC 02* 451-454
- Shie, T.**, see Wilz, L., *RFIC 02* 115-118
- Shields, M.**, see Glass, E., *MWSYM 02* 557-560 vol.1
- Shields, M.**, see Glass, E., *RFIC 02* 447-450

- Shifman, Y.**, and Y. Leviatan. Analysis of transient interaction of electromagnetic pulse with an air layer in a dielectric medium using wavelet-based implicit TDIE formulation; *T-MTT Aug 02* 2018-2022
- Shigesawa, H.**, see Tsuji, M., *MWSYM 02* 957-960 vol.2
- Shih, E.**, see Jen-Tsai Kuo, *MWSYM 02* 1613-1616 vol.3
- Shih-Cheng Yang**, see Hsien-Chin Chiu, *MWSYM 02* 521-524 vol.1
- Shih-Cheng Yang**, Chih-Wei Wang, Cheng-Kuo Lin, Hsien-Chin Chiu, and Yi-Jen Chan. The assessment of output digital spectra in quasi enhancement-mode pHEMTs by a modified large-signal model; *MWSYM 02* 2153-2156 vol.3
- Shih-Cheng Yang**, see Hsien-Chin Chiu, *RFIC 02* 411-414
- Shi Jinglin**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Shimasaki, H.**, see Dana, S.K., *T-MTT Jan 02* 207-210
- Shiming Zhang**, see Jin Tang, *MWSYM 02* 179-182 vol.1
- Shiming Zhang**, see Jin Tang, *RFIC 02* 333-336
- Shiming Zhang**, see Jin Tang, *T-MTT Nov 02* 2467-2473
- Shim Kyu-Hwan**, see Bongki Mheen, *MWSYM 02* 413-416 vol.1
- Shimozawa, M.**, see Itoh, K., *MWSYM 02* 9-12 vol.1
- Shimozawa, M.**, T. Katsura, K. Maeda, E. Taniguchi, T. Ikushima, N. Suematsu, K. Itoh, Y. Isota, and T. Takagi. An even harmonic mixer using self-biased anti-parallel diode pair; *MWSYM 02* 253-256 vol.1
- Shimozawa, M.**, see Nishino, T., *MWSYM 02* 1385-1388 vol.3
- Shimozawa, M.**, see Itoh, K., *RFIC 02* 263-266
- Shimozawa, M.**, see Taniguchi, E., *RFIC 02* 133-136
- Shimura, T.**, see Yamamoto, K., *RFIC 02* 245-248
- Shin, S.**, see Snyder, R.V., *T-MTT Dec 02* 2890-2895
- Shin, S.H.**, see Jeong, I., *T-MTT Dec 02* 2850-2855
- Shin Hyunchol**, see Hyunchol Shin, *MWSYM 02* 477-480 vol.1
- Shin Hyunchol**, see Hyunchol Shin, *RFIC 02* 71-74
- Shin Hyungcheol**, see Ickjin Kwon, *T-MTT Jun 02* 1503-1509
- Shinjo, S.**, see Joba, H., *RFIC 02* 27-30
- Shinjo, S.**, K. Mori, H. Ueda, A. Ohta, H. Seki, N. Suematsu, and T. Takagi. A 20 mA quiescent current CV/CC parallel operation HBT power amplifier for W-CDMA terminals; *RFIC 02* 249-252
- Shino, N.**, and Z. Popovic. Radiation from ground plane photonic bandgap microstrip waveguides; *MWSYM 02* 1079-1082 vol.2
- Shin Sangho**, see Youngjin Kim, *MWSYM 02* 799-802 vol.2
- Shin Sanghoon**, see Snyder, R.V., *MWSYM 02* 1597-1600 vol.3
- Shin Seong-Ho**, see Inho Jeong, *MWSYM 02* 661-664 vol.2
- Shirokov, M.S.**, S.V. Cherepko, Xiaohang Du, J.C.M. Kwang, and D.A. Teeter. Large-signal modeling and characterization of high-current effects in InGaP/GaAs HBTs; *T-MTT Apr 02* 1084-1094
- Shive, S.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Shive, S.**, see Ivanov, T., *RFIC 02* 337-340
- Shiwen Yang**, Soon Hie Tan, and Hongfu Li. A new method for the design of a quasi-optical mode converter with a special reflector; *T-MTT Jul 02* 1849-1852
- Shlepnev, Y.O.** Trefftz finite elements for electromagnetics; *T-MTT May 02* 1328-1339
- Shoji, Y.**, K. Hamaguchi, and H. Ogawa. Millimeter-wave remote self-heterodyne system for extremely stable and low-cost broad-band signal transmission; *T-MTT Jun 02* 1458-1468
- Shuang Yu**, see Akhtar, S., *T-MTT Jun 02* 1561-1570
- Shujun Cai**, see Younkyu Chung, *MWSYM 02* 433-436 vol.1
- Shuley, N.V.**, R.R. Boix, F. Medina, and M. Horno. On the fast approximation of Green's functions in MPIE formulations for planar layered media; *T-MTT Sep 02* 2185-2192
- Shumaker, E.A.**, see Kuhn, W.B., *MWSYM 02* 301-305 vol.1
- Shumaker, E.A.**, see Kuhn, W.B., *RFIC 02* 385-388
- Shurboff, C.**, see Das, A., *MWSYM 02* 171-174 vol.1
- Shurboff, C.**, see Das, A., *RFIC 02* 325-328
- Shyh-Chyi Wong**, see Chao, C.-J., *MWSYM 02* 157-160 vol.1
- Shyh-Chyi Wong**, see Chuan-Jane Chao, *RFIC 02* 311-314
- Shyh-Jong Chung**, see Chih-Hung Tsai, *T-MTT Aug 02* 1919-1926
- Shyue-Dar Chen**, and C.-K.C. Tzuang. Characteristic impedance and propagation of the first higher order microstrip mode in frequency and time domain; *T-MTT May 02* 1370-1379
- Sichina, J.**, see Carin, L., *T-MTT Mar 02* 945-952
- Sidorov, V.**, see Wasige, E., *MWSYM 02* 733-736 vol.2
- Sidorov, V.**, see Sheinman, B., *T-MTT Dec 02* 2804-2810
- Sie, M.**, see Tournier, E., *RFIC 02* 227-230
- Siegel, P.H.** Terahertz technology; *T-MTT Mar 02* 910-928
- Sieiro, J.**, J.M. Lopez-Villegas, J. Cabanillas, J.A. Osorio, and J. Samitier. A physical frequency-dependent compact model for RF integrated inductors; *T-MTT Jan 02* 384-392
- Si-Gyun Jeong**, Do-Kyeong Hwang, Yong-Chae Jeong, and Chul-Dong Kim. Amplifier design using γ high impedance bias line with defect ground structure (DGS); *MWSYM 02* 1161-1164 vol.2
- Silva, C.P.**, see Clark, C.J., *T-MTT Jun 02* 1590-1602
- Silvestre, E.**, see Monsoriu, J.A., *T-MTT Nov 02* 2545-2552
- Simburger, W.**, see Bakalski, W., *MWSYM 02* 209-212 vol.1
- Simburger, W.**, see Wohlmuth, H.-D., *RFIC 02* 231-234
- Simcoe, M.**, see Meide Qiu, *T-MTT Feb 02* 517-528
- Simoens, S.**, see Bateman, D., *MWSYM 02* 803-806 vol.2
- Simon, P.S.** Modified RWG basis functions for analysis of periodic structures; *MWSYM 02* 2029-2032 vol.3
- Simon, W.**, see Schauwecker, B., *MWSYM 02* 219-222 vol.1
- Simons, N.R.S.**, see Ghosh, B., *T-MTT Oct 02* 2294-2304
- Singh, R.**, see Dasgupta, U., *RFIC 02* 195-198
- Singh, R.**, see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Siou-Teck Chew**, see Swee-Ann Teo, *T-MTT Feb 02* 440-445
- Sivadas, A.**, see Ming Yu, *MWSYM 02* 1457-1460 vol.3
- Sivadas Apu**, see Ke-Li Wu, *T-MTT Feb 02* 465-473
- Siweris HJ**, see Werthof, A., *MWSYM 02* 1855-1858 vol.3
- Sklarczyk, C.**, see Tessmann, A., *MWSYM 02* 1851-1854 vol.3
- Sklarczyk, C.**, see Tessmann, A., *T-MTT Dec 02* 2995-3001
- Skolnik, M.** Role of radar in microwaves; *T-MTT Mar 02* 625-632
- Skrivervik, A.K.**, see Caloz, C., *T-MTT May 02* 1380-1391
- Slade, G.W.** Effects of local oscillator phase noise on interference rejection capability of CDMA receivers using adaptive antenna arrays; *MWSYM 02* 1353-1356 vol.2
- Sloan, G.**, see Hurley, R., *MWSYM 02* 1549-1552 vol.3
- Sloan, R.**, see Ng, Z.M., *MWSYM 02* 1189-1192 vol.2
- Smit, M.K.**, see Vidal, B., *MWSYM 02* 1949-1952 vol.3
- Smith, A.J.A.**, A.G. Roddie, and P.D. Woolliams. Optoelectronic techniques for improved high speed electrical risetime; *MWSYM 02* 1501-1504 vol.3
- Smith, D.G.**, D.D. Heston, J. Heston, B. Heimer, and K. Decker. Designing reliable high-power limiter circuits with GaAs PIN diodes; *MWSYM 02* 1245-1247 vol.2
- Smith, D.J.**, see Ming Yu, *MWSYM 02* 1457-1460 vol.3
- Smith, H.K.**, see Abdul-Gaffoor, M.R., *T-MTT Jun 02* 1445-1457
- Smith, M.**, see Naylor, J., *MWSYM 02* 669-672 vol.2
- Smith, P.**, see Ivanov, T., *MWSYM 02* 183-186 vol.1
- Smith, P.**, see Ivanov, T., *RFIC 02* 337-340
- Smith, R.P.**, see Pribble, W.L., *MWSYM 02* 1819-1822 vol.3
- Smith, T.J.**, see Pribble, W.L., *MWSYM 02* 1819-1822 vol.3
- Snowden, C.M.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Snowden, C.M.**, see Steer, M.B., *T-MTT Mar 02* 996-1005
- Snowden, C.M.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- Snyder, R.V.**, E. Niver, Keehong Um, and Sanghoon Shin. Suspended resonators for filters-reduced γ excitation of evanescent cavities using high dielectric constant feedlines; *MWSYM 02* 1597-1600 vol.3
- Snyder, R.V.**, see Levy, R., *T-MTT Mar 02* 783-793
- Snyder, R.V.**, E. Niver, K. Um, and S. Shin. Suspended resonators for filters-reduced γ excitation of evanescent cavities using high dielectric constant feedlines; *T-MTT Dec 02* 2890-2895
- So, P.P.M.**, see Bakr, M.H., *MWSYM 02* 1131-1134 vol.2
- So, P.P.M.**, and W.J.R. Hoefer. A general framework for SPICE-TLM interconnection; *MWSYM 02* 1123-1126 vol.2
- So, P.P.M.**, see Bakr, M.H., *T-MTT Nov 02* 2537-2544
- So, P.P.M.**, and W.J.R. Hoefer. A TLM-SPICE interconnection framework for coupled field and circuit analysis in the time domain; *T-MTT Dec 02* 2728-2733
- Soares, F.**, see Vidal, B., *MWSYM 02* 1949-1952 vol.3
- Sobol, H.**, and K. Tomiyasu. Milestones of microwaves; *T-MTT Mar 02* 594-611
- Sobol, H.** Microwave industry outlook - microwaves for telecommunication systems; *T-MTT Mar 02* 1037-1038
- Sohn Jong Ryul**, see Ki Young Kim, *MWSYM 02* 1149-1152 vol.2
- Sokal, N.O.**, see Raab, F.H., *T-MTT Mar 02* 814-826
- Sombrin, J.**, see Mallet, A., *MWSYM 02* 2245-2248 vol.3
- Sombrin, J.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Somerma, H.**, see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Sommet, R.**, see Byk, E., *MWSYM 02* 2085-2088 vol.3
- Sommet, R.**, see Heckmann, S., *T-MTT Dec 02* 2811-2819
- Sondergaard, J.**, see Bandler, J.W., *MWSYM 02* 2101-2104 vol.3
- Sondergaard, J.**, see Bandler, J.W., *T-MTT Dec 02* 2741-2750
- Sonetaka, S.**, see Matsuno, T., *MWSYM 02* 293-295 vol.1
- Sonetaka, S.**, see Matsuno, T., *RFIC 02* 377-379
- Song, P.**, see Mc Manus, M.K., *MWSYM 02* 1505-1508 vol.3
- Song, W.Y.**, see Kim, K.W., *MWSYM 02* 1181-1184 vol.2
- Songcheol Hong**, see Dong-Hyun Baek, *MWSYM 02* 847-850 vol.2
- Songcheol Hong**, see Jiyoung Lim, *MWSYM 02* 1707-1710 vol.3
- Songcheol Hong**, see Hyun-Min Park, *MWSYM 02* 1009-1012 vol.2
- Songcheol Hong**, see Kyoungmin Koh, *T-MTT Nov 02* 2598-2603
- Song Taek-Young**, see Taek-Young Song, *MWSYM 02* 213-217 vol.1
- Song Tsueng Peng**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Song Young-Joo**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Sonmez, E.**, see Abele, P., *MWSYM 02* 1681-1684 vol.3
- Sonmez, E.**, A. Trasser, K.-B. Schad, R. Abele, and H. Schumacher. A single-chip 24 GHz receiver front-end using a commercially available SiGe HBT foundry process; *RFIC 02* 159-162
- Sonoda, R.**, see Oshima, K., *MWSYM 02* 1569-1572 vol.3
- Sonoda, T.**, see Minamide, H., *MWSYM 02* 621-623 vol.2
- Son Seok-Ho**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Soo Lee Jeong**, see Jeong Soo Lee, *MWSYM 02* 1361-1363 vol.2

- Soo Ling Koh**, see Khannur, P.B., *MWSYM* 02 549-552 vol.1
- Soo Ling Koh**, see Khannur, P.B., *RFIC* 02 439-442
- Soon-Cheol Kong**, Seung-Jin Lee, Jung-Hoon Lee, and Young-Wan Choi. Numerical analysis of traveling-wave photodetectors' bandwidth using the finite-difference time-domain method; *T-MTT Nov* 02 2589-2597
- Soon Hie Tan**, see Shiwen Yang, *T-MTT Jul* 02 1849-1852
- Soon Ik Jeon**, Jae Ick Choi, Young Kyun Choi, and Seung Hyeub Oh. Experimental APAA for satellite communications; *MWSYM* 02 1341-1343 vol.2
- Soon-Ik Jeon**, see Young-Bae Jung, *MWSYM* 02 1337-1340 vol.2
- Soon Ik Jeon**, see Youngju Lee, *MWSYM* 02 1329-1332 vol.2
- Soon-Young Eom**, see Young-Bae Jung, *MWSYM* 02 1337-1340 vol.2
- Sor, J.**, Yuanxun Wang, and T. Ltoh. Reconfigurable quasi-fractal transmission line structures; *MWSYM* 02 665-668 vol.2
- Sor, J.**, Chin-Chang Chang, Yongxi Qian, and T. Itoh. A reconfigurable leaky-wave/patch microstrip aperture for phased-array applications; *T-MTT Aug* 02 1877-1884
- Sornin, N.**, see Lie, D.Y.C., *RFIC* 02 31-34
- Sorrentino, R.**, see Fratticcioli, E., *MWSYM* 02 647-650 vol.2
- Sorrentino, R.**, see Gatti, R.V., *MWSYM* 02 871-874 vol.2
- Sorrentino, R.**, T. Oxley, G. Salmer, A.V. Vorst, L.P. Ligthart, P. Russer, G. Gerosa, G. Pelosi, J.B. Andersen, A.V. Raisanen, E. Kollberg, J. Modelski, O.G. Vendik, I.B. Vendik, T. Berceci, M. Salazar-Palma, J. Costa Freire, N. Uzunoglu, and A. Madjar. Microwaves in Europe; *T-MTT Mar* 02 1056-1072
- Sorrentino, R.**, see El Mrabet, O., *T-MTT Oct* 02 2411-2412
- Sorsch, T.**, see Ivanov, T., *MWSYM* 02 183-186 vol.1
- Sorsch, T.**, see Ivanov, T., *RFIC* 02 337-340
- Soudee, E.**, see Brunel, D., *RFIC* 02 191-194
- Soukhov, A.V.**, see Sun-Shin Jung, *T-MTT Sep* 02 2196-2198
- Soulard, M.**, see Fraysse, J.P., *MWSYM* 02 441-444 vol.1
- Soulard, M.**, see Byk, E., *MWSYM* 02 2085-2088 vol.3
- Soury, A.**, E. Ngoya, and J.M. Nebus. A new behavioral model taking into account nonlinear memory effects and transient behaviors in wideband SSPAs; *MWSYM* 02 853-856 vol.2
- Souza, R.F.**, see Rocha, M.L., *T-MTT Jan* 02 88-93
- Spann, J.**, Zhiyuan Wu, P. Jaconelli, Jinman Yang, and T.J. Thornton. Schottky Junction Transistors for micropower RFICs; *MWSYM* 02 533-536 vol.1
- Spann, J.**, Zhiyuan Wu, P. Jaconelli, Jinman Yang, and T.J. Thornton. Schottky junction transistors for micropower RFICs; *RFIC* 02 423-426
- Speck, J.S.**, see Yu Liu, *MWSYM* 02 227-230 vol.1
- Speck, J.S.**, see Acikel, B., *MWSYM* 02 1467-1469 vol.3
- Spezio, A.E.** Electronic warfare systems; *T-MTT Mar* 02 633-644
- Spinnler, M.**, see Butz, J., *MWSYM* 02 61-64 vol.1
- Springer, A.**, L. Maurer, and R. Weigel. RF system concepts for highly integrated RFICs for W-CDMA mobile radio terminals; *T-MTT Jan* 02 254-267
- Srinivasan, G.**, see Melendy, D., *MWSYM* 02 717-720 vol.2
- Staah, D.**, see Wu, G.C., *RFIC* 02 165-168
- Stadius, K.**, and K. Halonen. Wide-tuning-range dual-VCOs for cable modem receivers; *MWSYM* 02 581-584 vol.1
- Stadius, K.**, and K. Halonen. Wide-tuning-range dual-VCOs for cable modem receivers; *RFIC* 02 471-474
- Staecker, P.** Microwave industry outlook - overview; *T-MTT Mar* 02 1034-1036
- Staecker, P.W.** 2002 MTT-s awards; *T-MTT Dec* 02 2671-2678
- Starski, J.P.**, see Bona, M., *T-MTT Sep* 02 2069-2075
- Starski, P.**, see Angelov, L., *T-MTT Jun* 02 1480-1486
- Staudinger, J.**, R. Sherman, T. Quach, M. Miller, and L. Frye. A 15 watt PFP GaAs PHEMT MMIC power amplifier for 3G wireless transmitter applications; *MWSYM* 02 617-620 vol.2
- Staudinger, J.** An overview of efficiency enhancements with application to linear handset power amplifiers; *RFIC* 02 45-48
- Stauf, G.T.**, see Zhang Jin, *MWSYM* 02 1201-1204 vol.2
- Stauffer, P.R.**, see Jacobsen, S., *T-MTT Jul* 02 1737-1746
- Stec, B.**, A. Dobrowolski, and W. Susek. Estimation of deep-seated profile of temperature distribution inside biological tissues by means of multifrequency microwave thermograph; *MWSYM* 02 2261-2264 vol.3
- Steer, M.B.**, see Gharabeh, K.M., *MWSYM* 02 143-147 vol.1
- Steer, M.B.**, see Batty, W., *MWSYM* 02 2177-2180 vol.3
- Steer, M.B.**, see Christoffersen, C.E., *MWSYM* 02 2189-2192 vol.3
- Steer, M.B.**, J.W. Bandler, and C.M. Snowden. Computer-aided design of RF and microwave circuits and systems; *T-MTT Mar* 02 996-1005
- Steer, M.B.**, see Batty, W., *T-MTT Dec* 02 2820-2833
- Steier, W.**, see Fetterman, H., *MWSYM* 02 1937-1940 vol.3
- Stein, K.**, see Coolbaugh, D., *MWSYM* 02 187-191 vol.1
- Stein, K.**, see Subbanna, S., *MWSYM* 02 401-404 vol.1
- Stein, K.**, see Coolbaugh, D., *RFIC* 02 341-344
- Steiner, W.**, M. Pfost, H.-M. Rein, A. Sturmer, and A. Schuppen. Methods for measurement and simulation of weak substrate coupling in high-speed bipolar ICs; *T-MTT Jul* 02 1705-1713
- Stelzer, A.**, see Ettinger, K., *MWSYM* 02 835-838 vol.2
- Stelzer, A.**, see Neumayer, R., *MWSYM* 02 721-724 vol.2
- Stelzer, A.**, see Neumayer, R., *T-MTT Dec* 02 2789-2796
- Stenarson, J.**, see Angelov, L., *T-MTT Jun* 02 1480-1486
- Stengel, B.**, see Lei Zhao, *MWSYM* 02 897-900 vol.2
- Stengel, B.**, and B. Thompson. Integrated distributed amplifier with passive-free input driver; *RFIC* 02 257-260
- Stephens, J.P., Sr.**, see Tsui, J.B.Y., *T-MTT Mar* 02 699-705
- Stewart, J.A.C.**, see Buchanan, N.B., *T-MTT Sep* 02 2198-2202
- Steyaert, M.S.J.**, B. De Muer, P. Leroux, M. Borremans, and K. Mertens. Low-voltage low-power CMOS-RF transceiver design; *T-MTT Jan* 02 281-287
- Stitzer, S.N.**, see Fiedziuszko, S.J., *T-MTT Mar* 02 706-720
- Stitzer, S.N.**, see Adam, J.D., *T-MTT Mar* 02 721-737
- Stocker, J.E.**, see Nuteson, T.W., *T-MTT Dec* 02 3043-3051
- St Onge, S.**, see Coolbaugh, D., *RFIC* 02 341-344
- St Onge, S.**, see Coolbaugh, D., *MWSYM* 02 187-191 vol.1
- Stopponi, G.**, see Alimenti, F., *MWSYM* 02 879-881 vol.2
- Strahler, J.**, see Akhtar, S., *T-MTT Jun* 02 1561-1570
- Strassner, B.**, and Kai Chang. A circularly polarized rectifying antenna array for wireless microwave power transmission with over 78% efficiency; *MWSYM* 02 1535-1538 vol.3
- Strassner, B.**, and K. Chang. New wide-band DC-block cymbal bandpass filter; *T-MTT May* 02 1431-1432
- Strassner, B.**, and Kai Chang. 5.8-GHz circularly polarized rectifying antenna for wireless microwave power transmission; *T-MTT Aug* 02 1870-1876
- Streltsov, A.V.**, see Meaney, P.M., *MWSYM* 02 2269-2272 vol.3
- Strohm, K.M.**, see Schauwecker, B., *MWSYM* 02 219-222 vol.1
- Strohm, K.M.**, see Mohammadi, S., *MWSYM* 02 289-292 vol.1
- Strohm, K.M.**, F.J. Schmucke, B. Schauwecker, J.-F. Luy, and W. Heinrich. Silicon micromachined RF MEMS resonators; *MWSYM* 02 1209-1212 vol.2
- Strohm, K.M.**, see Mohammadi, S., *RFIC* 02 373-376
- Stuchly, M.A.**, see Rosen, A., *T-MTT Mar* 02 963-974
- Sturmer, A.**, see Steiner, W., *T-MTT Jul* 02 1705-1713
- Su, J.-G.**, see Hsu, H.-M., *T-MTT Dec* 02 2873-2881
- Suarez, A.**, see Ramirez, F., *MWSYM* 02 127-130 vol.1
- Suarez, A.**, see Sancho, S., *MWSYM* 02 2185-2188 vol.3
- Suarez, A.**, S. Sancho, S. Ver Hoeye, and J. Portilla. Analytical comparison between time- and frequency-domain techniques for phase-noise analysis; *T-MTT Oct* 02 2353-2361
- Subbanna, S.**, see Coolbaugh, D., *MWSYM* 02 187-191 vol.1
- Subbanna, S.**, R. Groves, B. Jagannathan, D. Greenberg, G. Freeman, R. Volant, D. Ahlgren, B. Martin, K. Stein, D. Herman, and B. Meyerson. Using silicon-germanium mainstream BiCMOS technology for X-band and LMDS (25-30 GHz) microwave applications; *MWSYM* 02 401-404 vol.1
- Subbanna, S.**, see Coolbaugh, D., *RFIC* 02 341-344
- Suematsu, E.**, see Yamada, A., *MWSYM* 02 1733-1736 vol.3
- Suematsu, N.**, see Itoh, K., *MWSYM* 02 9-12 vol.1
- Suematsu, N.**, see Shimozawa, M., *MWSYM* 02 253-256 vol.1
- Suematsu, N.**, see Nishino, T., *MWSYM* 02 1385-1388 vol.3
- Suematsu, N.**, see Itoh, K., *RFIC* 02 263-266
- Suematsu, N.**, see Joba, H., *RFIC* 02 27-30
- Suematsu, N.**, see Shinjo, S., *RFIC* 02 249-252
- Suematsu, N.**, see Taniguchi, E., *RFIC* 02 133-136
- Sugiyama, Y.**, see Keyzer, J., *MWSYM* 02 397-400 vol.1
- Suh Dongwoo**, see Bongki Mheen, *MWSYM* 02 413-416 vol.1
- Suh Young-Ho**, see Young-Ho Suh, *MWSYM* 02 1321-1324 vol.2
- Suh Young-Ho**, see Young-Ho Suh, *MWSYM* 02 1297-1300 vol.2
- Suh Young-Ho**, see Young-Ho Suh, *T-MTT May* 02 1289-1296
- Suh Young-Ho**, see Young-Ho Suh, *T-MTT Jul* 02 1784-1789
- Suibing Chen**, see Wenquan Che, *T-MTT Aug* 02 1912-1918
- Su Jiong-Guang**, see Heng-Ming Hsu, *MWSYM* 02 1027-1030 vol.2
- Su Ke-Ying**, see Jen-Tsai Kuo, *T-MTT May* 02 1435-1436
- Sullivan, D.**, see Pontalti, R., *T-MTT Aug* 02 2022-2025
- Sumakeris, J.J.**, see Pribble, W.L., *MWSYM* 02 1819-1822 vol.3
- Sun, C.K.**, see Jacobs, E.W., *T-MTT Feb* 02 413-419
- Sun, J.Y.-C.**, see Heng-Ming Hsu, *MWSYM* 02 1027-1030 vol.2
- Sun, J.-Y.C.**, see Hsu, H.-M., *T-MTT Dec* 02 2873-2881
- Sundaram, V.**, see Dalmia, S., *MWSYM* 02 1405-1408 vol.3
- Sundaram, V.**, see Davis, M.F., *MWSYM* 02 2217-2220 vol.3
- Sundaram, V.**, see Lee, S.H., *MWSYM* 02 2229-2232 vol.3
- Sundararajan, K.**, see Yun Wei, *MWSYM* 02 917-920 vol.2
- Sundstrom, L.**, see Weiyn Shan, *MWSYM* 02 469-472 vol.1
- Sung-Ho Myung**, see Jun-Seok Park, *MWSYM* 02 417-420 vol.1
- Sung Ho-Sung**, see Dong-Wook Kim, *MWSYM* 02 1561-1564 vol.3
- Sung Hun Jeong**, see Youngju Lee, *MWSYM* 02 1329-1332 vol.2
- Sung Hwan Min**, see Dalmia, S., *MWSYM* 02 1405-1408 vol.3
- Sungjae Lee**, V. Tilak, K.J. Webb, and L.F. Eastman. Intrinsic noise characteristics of AlGaIn/GaN HEMTs; *MWSYM* 02 1415-1418 vol.3
- Sung Jung-Hyun**, see Jung-Hyun Sung, *MWSYM* 02 1177-1180 vol.2
- Sung-Mao Wu**, see Tzyy-Sheng Horng, *T-MTT Aug* 02 2005-2010

- Sungmin Ock**, Kichon Han, Jong-Ryul Lee, and Bumman Kim. A modified cascode type low noise amplifier using dual common source transistors; *MWSYM* 02 1423-1426 vol.3
- Sung-Mo Kang**, see Conforti, E., *T-MTT Jan* 02 77-81
- Sung-Sik Hwang**, see Reddy, M., *RFIC* 02 35-38
- Sung Tae Moon**, see Wenjun Sheng, *RFIC* 02 107-110
- Sungwhan, Y.**, see Darwish, A., *MWSYM* 02 109-112 vol.1
- Sunil, G.**, see Jose, K.A., *MWSYM* 02 655-658 vol.2
- Sun-Shin Jung**, A.V. Soukhov, and Gun-Sik Park. Effect of conductive perturber diameter on nonresonant measurement of interaction impedance for helical slow-wave structures; *T-MTT Sep* 02 2196-2198
- Sun-Young Lee**, see Jun-Goo Kim, *MWSYM* 02 825-828 vol.2
- Sunyoung Lee**, see Akhtar, S., *T-MTT Jun* 02 1561-1570
- Surrridge, R.**, see Bousnina, S., *T-MTT Feb* 02 529-536
- Susek, W.**, see Stec, B., *MWSYM* 02 2261-2264 vol.3
- Sutono, A.**, see Lee, C.-H., *MWSYM* 02 1045-1048 vol.2
- Sutono, A.**, see Davis, M.F., *MWSYM* 02 2217-2220 vol.3
- Sutono, A.**, see Raghavan, A., *MWSYM* 02 1019-1022 vol.2
- Suyama, K.**, see Ionis, G.V., *MWSYM* 02 345-348 vol.1
- Suyama, K.**, see Goto, K., *MWSYM* 02 2109-2112 vol.3
- Suyama, T.**, see Adan, A.O., *MWSYM* 02 39-42 vol.1
- Suyama, T.**, see Adan, A.O., *RFIC* 02 293-296
- Suzuki, H.**, see Zhewang Ma, *MWSYM* 02 1967-1970 vol.3
- Suzuki, S.**, see Yamamoto, K., *RFIC* 02 245-248
- Suzuki, T.**, see Kano, H., *MWSYM* 02 75-78 vol.1
- Suzuki, Y.**, see Amamiya, Y., *MWSYM* 02 87-90 vol.1
- Svelto, F.**, and R. Castello. A bond-wire inductor-MOS varactor VCO tunable from 1.8 to 2.4 GHz; *T-MTT Jan* 02 403-407
- Svensson, B.**, see Bona, M., *T-MTT Sep* 02 2069-2075
- Svitek, R.**, D. Johnson, and S. Raman. An active SiGe sub-harmonic direct-conversion receiver front-end design for 5-6 GHz band applications; *MWSYM* 02 505-508 vol.1
- Svitek, R.**, D. Johnson, and S. Raman. An active SiGe sub-harmonic direct-conversion receiver front-end design for 5-6 GHz band applications; *RFIC* 02 395-398
- Swaminathan, M.**, see Dalmia, S., *MWSYM* 02 1405-1408 vol.3
- Swaminathan, M.**, see Lee, S.H., *MWSYM* 02 2229-2232 vol.3
- Swanberg, N.**, see Lie, D.Y.C., *RFIC* 02 31-34
- Swee-Ann Teo**, Mook-Seng Leong, Siou-Teck Chew, and Ban-Leong Ooi. Complete location of poles for thick lossy grounded dielectric slab; *T-MTT Feb* 02 440-445
- Sweeney, S.L.**, see Ramana Murty, M., *MWSYM* 02 2165-2168 vol.3
- Swetz, D.S.**, see O'Dell, C.W., *T-MTT Sep* 02 2135-2141
- Sze, K.E.**, see Doan, M.T., *RFIC* 02 415-418
- Sze Khoo Ee**, see My The Doan, *MWSYM* 02 525-528 vol.1
- T**
- Tae Heung-Sik**, see Ki Young Kim, *MWSYM* 02 1149-1152 vol.2
- Taeho Kim**, and Kyounghoon Yang. A new large-signal InP/InGaAs single HBT model including self-heating and impact ionization effects; *MWSYM* 02 2141-2144 vol.3
- Taek-Young Song**, Jae-Ho Kim, Sang-Hyuk Kim, Jae-Bong Lim, and Jun-Seok Park. Design of a novel lumped element backward directional coupler based on parallel coupled-line theory; *MWSYM* 02 213-217 vol.1
- Tae Moon Sung**, see Wenjun Sheng, *RFIC* 02 107-110
- Tae-Won Ahn**, see Bonkee Kim, *RFIC* 02 137-140
- Tae-Yeoul Yun**, and Kai Chang. Analysis and optimization of a phase shifter controlled by a piezoelectric transducer; *T-MTT Jan* 02 105-111
- Tae-Yeoul Yun**, and Kai Chang. Piezoelectric-transducer-controlled tunable microwave circuits; *T-MTT May* 02 1303-1310
- Tagami, K.**, see Kusunoki, S., *MWSYM* 02 765-768 vol.2
- Tagami, K.**, see Kusunoki, S., *T-MTT Dec* 02 2979-2986
- Tahara, M.**, see Kubo, H., *T-MTT May* 02 1256-1263
- Ta-Hsun Yeh**, see Heng-Ming Hsu, *MWSYM* 02 1027-1030 vol.2
- Tai-Hsing Lee**, see Yo-Sheng Lin, *MWSYM* 02 161-164 vol.1
- Tai-Hsing Lee**, see Yo-Sheng Lin, *RFIC* 02 315-318
- Tait, G.B.**, see Ameen, D.B., *T-MTT Oct* 02 2253-2258
- Takagi, T.**, see Itoh, K., *MWSYM* 02 9-12 vol.1
- Takagi, T.**, see Shimozawa, M., *MWSYM* 02 253-256 vol.1
- Takagi, T.**, see Nishino, T., *MWSYM* 02 1385-1388 vol.3
- Takagi, T.**, see Ohwada, T., *MWSYM* 02 1617-1620 vol.3
- Takagi, T.**, see Yamanaka, K., *MWSYM* 02 1427-1430 vol.3
- Takagi, T.**, see Itoh, K., *RFIC* 02 263-266
- Takagi, T.**, see Shinjo, S., *RFIC* 02 249-252
- Takagi, T.**, see Taniguchi, E., *RFIC* 02 133-136
- Takahashi, H.**, see Amamiya, Y., *MWSYM* 02 87-90 vol.1
- Takahashi, K.**, S. Fujita, M. Inoue, Gang Wu, and H. Yabuki. A compact Ka-band 156 Mbps transceiver for a wireless LAN system using PTFE/FR-4 laminated MCMs; *MWSYM* 02 787-790 vol.2
- Takahashi, N.**, see Yamada, A., *MWSYM* 02 1733-1736 vol.3
- Takahashi, T.**, see Kano, H., *MWSYM* 02 75-78 vol.1
- Takahashi, Y.**, see Joba, H., *RFIC* 02 27-30
- Takahashi, Y.**, see Numata, K., *RFIC* 02 141-144
- Takeda, M.**, and T. Noguchi. A 200-285-GHz waveguide SIS mixer with an inhomogeneous distributed junction array; *T-MTT Nov* 02 2618-2623
- Takehara, H.**, see Sanada, A., *MWSYM* 02 385-388 vol.1
- Takeuchi, T.**, see Amamiya, Y., *MWSYM* 02 87-90 vol.1
- Tamiya, N.**, see Watanabe, M., *MWSYM* 02 791-794 vol.2
- Tan, G.L.**, R.E. Mihailovich, J.B. Hacker, J.F. DeNatale, and G.M. Rebeiz. A very-low-loss 2-bit X-band RF MEMS phase shifter; *MWSYM* 02 333-335 vol.1
- Tanabe, K.**, see Kusunoki, S., *MWSYM* 02 765-768 vol.2
- Tanabe, K.**, see Kusunoki, S., *T-MTT Dec* 02 2979-2986
- Tanabe, M.**, T. Fukuda, and K. Nishii. Step gain amplifier with impedance unchanged in gain control; *RFIC* 02 209-212
- Tanahashi, N.**, see Yamanaka, K., *MWSYM* 02 1427-1430 vol.3
- Tanaka, M.**, see Kawano, H., *MWSYM* 02 2121-2124 vol.3
- Tanaka, S.**, see Amamiya, Y., *MWSYM* 02 87-90 vol.1
- Tanaka, T.**, see Young Yun, *MWSYM* 02 409-412 vol.1
- Tanaka, T.**, see Yun, Y., *T-MTT Dec* 02 2930-2937
- Tanba, N.**, see Higashi, K., *MWSYM* 02 31-34 vol.1
- Tanba, N.**, see Higashi, K., *RFIC* 02 285-288
- Tan Chee Leong**, see Yong Zhong Xiong, *T-MTT Apr* 02 1109-1113
- Tan Chun Geik**, see Dasgupta, U., *RFIC* 02 195-198
- Tan Chun Geik**, see Dasgupta, U., *T-MTT Nov* 02 2443-2452
- Tang, D.D.**, see Hsu, H.-M., *T-MTT Dec* 02 2873-2881
- Tang, W.C.**, and Y.L. Chow. Inductance formula of a square spiral inductor on grounded substrate by duality and synthetic asymptote; *MWSYM* 02 2069-2072 vol.3
- Tang Ching-Wen**, see Ching-Wen Tang, *MWSYM* 02 2201-2204 vol.3
- Tang Jin**, see Jin Tang, *MWSYM* 02 179-182 vol.1
- Tang Jin**, see Jin Tang, *RFIC* 02 333-336
- Tang Jin**, see Jin Tang, *T-MTT Nov* 02 2467-2473
- Tani, S.**, see Fathy, A.E., *T-MTT Oct* 02 2247-2252
- Taniguchi, E.**, see Itoh, K., *MWSYM* 02 9-12 vol.1
- Taniguchi, E.**, see Shimozawa, M., *MWSYM* 02 253-256 vol.1
- Taniguchi, E.**, see Itoh, K., *RFIC* 02 263-266
- Taniguchi, E.**, M. Shimozawa, T. Ikushima, K. Sadahiro, T. Katsura, K. Maeda, K. Itoh, N. Suematsu, T. Takagi, and O. Ishida. An even harmonic type direct conversion SiGe-MMIC receiver for W-CDMA mobile terminals; *RFIC* 02 133-136
- Tanne, G.**, see Salahun, E., *MWSYM* 02 1185-1188 vol.2
- Tan Soon Hie**, see Shiwen Yang, *T-MTT Jul* 02 1849-1852
- Tao, J.W.**, see Duchamp, J.M., *MWSYM* 02 359-362 vol.1
- Tarr, G.**, see Fong, N., *RFIC* 02 75-78
- Tarricone, L.**, see Cappelli, M., *MWSYM* 02 2265-2268 vol.3
- Tarricone, L.**, see Catarinucci, L., *MWSYM* 02 1755-1758 vol.3
- Tarricone, L.**, see Esposito, A., *T-MTT Sep* 02 2102-2107
- Tascone, R.**, see Bertazzi, F., *T-MTT Sep* 02 2108-2114
- Tasker, P.J.**, see Williams, D.J., *MWSYM* 02 1841-1844 vol.3
- Tasker, P.J.**, and M. Fernandez-Barciela. HBT small signal T and model extraction using a simple, robust and fully analytical procedure; *MWSYM* 02 2129-2132 vol.3
- Taskov, G.**, see Reddy, M., *RFIC* 02 35-38
- Tateno, Y.**, see Kikkawa, T., *MWSYM* 02 1815-1818 vol.3
- Tatinian, W.**, P. Pannier, and R. Gillon. A new methodology for the computation of the substrate parasitics of octagonal inductors; *MWSYM* 02 165-169 vol.1
- Tatinian, W.**, P. Pannier, and R. Gillon. A new methodology for the computation of the substrate parasitics of octagonal inductors; *RFIC* 02 319-322
- Tatsuo Itoh**, see Hsiao-Ping Tsai, *MWSYM* 02 755-758 vol.2
- Tatsuo Itoh**, see Weijun Yao, *MWSYM* 02 2061-2064 vol.3
- Tatu, S.O.**, see Schiel, J.-C., *MWSYM* 02 931-934 vol.2
- Tatu, S.O.**, E. Moldovan, G. Brehm, K. Wu, and R.G. Bosio. Ka-band direct digital receiver; *T-MTT Nov* 02 2436-2442
- Taur Yuan**, see Floyd, B.A., *T-MTT Sep* 02 2193-2196
- Tavernier, C.**, see Lenoir, B., *MWSYM* 02 1923-1926 vol.3
- Tavernier, C.A.**, R.M. Henderson, and J. Papapolymerou. A reduced-size silicon micromachined high-Q resonator at 5.7 GHz; *T-MTT Oct* 02 2305-2314
- Taylor, S.**, see Qingqing Liang, *MWSYM* 02 517-520 vol.1
- Taylor, S.**, see Qingqing Liang, *RFIC* 02 407-410
- Taylor, T.R.**, see Yu Liu, *MWSYM* 02 227-230 vol.1
- Taylor, T.R.**, see Acikel, B., *MWSYM* 02 1467-1469 vol.3
- Tayrani, R.** A broadband monolithic S-band class-E power amplifier; *RFIC* 02 53-56
- Teeter, D.A.**, see Shirokov, M.S., *T-MTT Apr* 02 1084-1094
- Teixeira, F.L.**, C.D. Moss, W.C. Chew, and J.A. Kong. Split-field and anisotropic-medium PML-FDTD implementations for inhomogeneous media; *T-MTT Jan* 02 30-35
- Telliez, I.**, see Bary, L., *MWSYM* 02 275-278 vol.1
- Telliez, I.**, see Dubuc, D., *MWSYM* 02 193-196 vol.1
- Telliez, I.**, see Bary, L., *RFIC* 02 359-362

- Telliez, I.**, see Sadowy, J., *RFIC 02* 217-220
- Temkin, R.J.**, see Anderson, J.P., *T-MTT Jun 02* 1526-1535
- Tentzeris, E.M.**, see Papapolymerou, J., *MWSYM 02* 593-596 vol.1
- Tentzeris, E.M.**, see Ponchak, G.E., *MWSYM 02* 2221-2224 vol.3
- Tentzeris, E.M.**, see Papapolymerou, J., *RFIC 02* 483-486
- Tentzeris, E.M.**, A. Cangelaris, L.P.B. Katehi, and J. Harvey. Multiresolution time-domain (MRTD) adaptive schemes using arbitrary resolutions of wavelets; *T-MTT Feb 02* 501-516
- Tentzeris, M.**, see Bushyager, N., *MWSYM 02* 883-886 vol.2
- Tentzeris, M.**, see Pintel, S., *MWSYM 02* 1553-1556 vol.3
- Tentzeris, M.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3
- Teo Swee-Ann**, see Swee-Ann Teo, *T-MTT Feb 02* 440-445
- Teppati, V.**, M. Goano, and A. Ferrero. Conformal-mapping design tools for coaxial couplers with complex cross section; *T-MTT Oct 02* 2339-2345
- Terashi, Y.**, see Nakayama, A., *T-MTT Jul 02* 1665-1674
- Tessmann, A.**, see Merkle, T., *MWSYM 02* 453-456 vol.1
- Tessmann, A.**, S. Kudszus, T. Feltgen, M. Riessle, C. Sklarczyk, and W.H. Haydl. A 94 GHz single-chip FMCW radar module for commercial sensor applications; *MWSYM 02* 1851-1854 vol.3
- Tessmann, A.**, S. Kudszus, T. Feltgen, M. Riessle, C. Sklarczyk, and W.H. Haydl. Compact single-chip W-band FMCW radar modules for commercial high-resolution sensor applications; *T-MTT Dec 02* 2995-3001
- Te-Wen Pan**, Ching-Wen Hsue, and Jhin-Fang Huang. Time-domain reflectometry using arbitrary incident waveforms; *T-MTT Nov 02* 2558-2563
- The Doan My**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Thevenon, F.**, see Thon, B., *MWSYM 02* 1889-1892 vol.3
- Thiel, M.**, and A. Dreher. Dyadic Green's function of multilayer cylindrical closed and sector structures for waveguide, microstrip-antenna, and network analysis; *T-MTT Nov 02* 2576-2579
- Thiel, W.**, K. Tornquist, R. Reano, and L.P.B. Katehi. A study of thermal effects in RF-MEM-switches using a time domain approach; *MWSYM 02* 235-238 vol.1
- Thiel, W.**, and L.P.B. Katehi. A surface impedance approach for modeling multilayer conductors in FDTD; *MWSYM 02* 759-762 vol.2
- Thiel, W.**, and L.P.B. Katehi. Some aspects of stability and numerical dissipation of the finite-difference time-domain (FDTD) technique including passive and active lumped elements; *T-MTT Sep 02* 2159-2165
- Thomann, W.**, see Ettinger, K., *MWSYM 02* 835-838 vol.2
- Thompson, B.**, see Lei Zhao, *MWSYM 02* 897-900 vol.2
- Thompson, B.**, see Stengel, B., *RFIC 02* 257-260
- Thompson, M.**, see Leenaerts, D., *RFIC 02* 67-70
- Thomy, V.**, see Carlier, J., *MWSYM 02* 1771-1774 vol.3
- Thomy, V.**, see Carlier, J., *T-MTT Dec 02* 3036-3042
- Thon, B.**, D. Bariant, S. Bila, D. Baillargeat, M. Aubourg, S. Verdeyme, P. Guillon, F. Thevenon, M. Rochette, J. Puech, L. Lapierre, and J. Sombrin. Coupled Pade approximation-finite element method applied to microwave device design; *MWSYM 02* 1889-1892 vol.3
- Thorn, M.**, see Scott, J., *MWSYM 02* 1669-1672 vol.3
- Thorn, M.L.**, see Scott, J.B., *T-MTT Dec 02* 3022-3028
- Thornton, T.J.**, see Spann, J., *MWSYM 02* 533-536 vol.1
- Thornton, T.J.**, see Spann, J., *RFIC 02* 423-426
- Thumaty, S.**, A. Pham, and H. van Wyk. Development of a low-IF receiver and a fixed wireless utility network; *MWSYM 02* 935-938 vol.2
- Tilak, V.**, see Sungjae Lee, *MWSYM 02* 1415-1418 vol.3
- Timbie, P.T.**, see O'Dell, C.W., *T-MTT Sep 02* 2135-2141
- Tintunen, T.**, see Veijola, T., *MWSYM 02* 1213-1216 vol.2
- Tischer, H.**, see Werthof, A., *MWSYM 02* 1855-1858 vol.3
- Tischler, T.**, and W. Heinrich. Accuracy limitations of perfectly matched layers in 3D finite-difference frequency-domain method; *MWSYM 02* 1885-1888 vol.3
- Tkachenko, V.**, see Kirilenko, A., *T-MTT May 02* 1324-1327
- Tkachenko, Y.A.**, see Wei, C.J., *MWSYM 02* 2133-2136 vol.3
- Tkachenko, Y.A.**, see Ce-Jun Wei, *T-MTT Jan 02* 57-61
- Tobar, M.E.**, see Piquet, O., *MWSYM 02* 1993-1996 vol.3
- Tofighi, M.R.**, and A.S. Daryoush. Study of the activity of neurological cell solutions using complex permittivity measurement; *MWSYM 02* 1763-1766 vol.3
- Tofighi, M.-R.**, and A.S. Daryoush. Characterization of the complex permittivity of brain tissues up to 50 GHz utilizing a two-port microstrip test fixture; *T-MTT Oct 02* 2217-2225
- Toh, T.**, see Younkyu Chung, *MWSYM 02* 433-436 vol.1
- Toh Bee Yen**, see Fusco, V.F., *T-MTT Jul 02* 1772-1778
- Tokumitsu, T.**, see Mimino, Y., *MWSYM 02* 1721-1724 vol.3
- Tomassoni, C.**, see Crino, V., *MWSYM 02* 2033-2036 vol.3
- Tomassoni, C.**, see Pierantoni, L., *T-MTT Nov 02* 2513-2518
- Tombak, A.**, see Zhang Jin, *MWSYM 02* 1201-1204 vol.2
- Tomblad, O.**, and C. Blair. An electrothermal BSIM3 model for large-signal operation of RF power LDMOS devices; *MWSYM 02* 861-864 vol.2
- Tominaga, N.**, see Kusunoki, S., *MWSYM 02* 765-768 vol.2
- Tominaga, N.**, see Kusunoki, S., *T-MTT Dec 02* 2979-2986
- Tomiya, K.**, see Sobol, H., *T-MTT Mar 02* 594-611
- Tong Chen, Y.** Goren, C. Jensen, P. Lally, and D. Gagne. A novel technology for linearizing traveling wave tube amplifiers; *MWSYM 02* 773-776 vol.2
- Tong-Ook Kong**, see Dong-Wook Kim, *MWSYM 02* 1561-1564 vol.3
- Tormey, E.S.**, see Fathy, A.E., *T-MTT Oct 02* 2247-2252
- Tornquist, K.**, see Thiel, W., *MWSYM 02* 235-238 vol.1
- Torregrosa-Penalva, G.**, G. Lopez-Risueno, and J.I. Alonso. A simple method to design wide-band electronically tunable combline filters; *T-MTT Jan 02* 172-177
- Torres, J.A.**, and J.C. Freire. Monolithic transistor SPST switch for L-band; *T-MTT Jan 02* 51-56
- Torres, P.**, L.C.G. Valente, and M.C.R. Carvalho. Security system for optical communication signals with fiber Bragg gratings; *T-MTT Jan 02* 13-16
- Torrese, G.**, I. Huynen, M. Serres, D. Gallagher, M. Banham, and A.V. Vorst. An analytical small-signal bias-dependent nonuniform model for p-i-n traveling-wave photodetectors; *T-MTT Nov 02* 2553-2557
- Tournier, E.**, see Sadowy, J., *RFIC 02* 217-220
- Tournier, E.**, M. Sie, and J. Graffeuil. A 14.5 GHz, 0.35 μ m frequency divider for dual-modulus prescaler; *RFIC 02* 227-230
- Tournier, T.**, see Dubuc, D., *MWSYM 02* 193-196 vol.1
- Toutain, S.**, see Launay, F., *MWSYM 02* 865-868 vol.2
- Toutain, S.**, see Avrillon, S., *MWSYM 02* 1173-1176 vol.2
- Toutain, S.**, see Launay, F., *MWSYM 02* 2197-2200 vol.3
- Toyoda, Y.**, see Matsuno, T., *MWSYM 02* 293-295 vol.1
- Toyoda, Y.**, see Matsuno, T., *RFIC 02* 377-379
- Trasser, A.**, see Abele, P., *MWSYM 02* 1681-1684 vol.3
- Trasser, A.**, see Sonmez, E., *RFIC 02* 159-162
- Traverso, P.A.**, see Costantini, A., *MWSYM 02* 857-860 vol.2
- Trew, R.J.** AlGaIn/GaN HFET amplifier performance and limitations; *MWSYM 02* 1811-1814 vol.3
- Trew, R.J.**, see Haddad, G.I., *T-MTT Mar 02* 760-779
- Trew, R.J.**, J.W. Mink, and U. Varshney. The role of government support for research in U.S. academic institutions; *T-MTT Mar 02* 1028-1033
- Trimble, F.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Truong, A.**, see Jerng, A., *RFIC 02* 111-114
- Tsai, H.-P.**, Y. Wang, and T. Itoh. Efficient analysis of microwave passive structures using 3-D envelope-finite element (EVFE); *T-MTT Dec 02* 2721-2727
- Tsai, R.**, see Yang, J.M., *MWSYM 02* 65-68 vol.1
- Tsai Chih-Hung**, see Chih-Hung Tsai, *T-MTT Aug 02* 1919-1926
- Tsai Chih-Ming**, see Chih-Ming Tsai, *MWSYM 02* 1927-1930 vol.3
- Tsai Chih-Ming**, see Chih-Ming Tsai, *T-MTT Oct 02* 2362-2367
- Tsai Chin-Chuan**, see Chih-Ming Tsai, *MWSYM 02* 1927-1930 vol.3
- Tsai Chin-Chuan**, see Chih-Ming Tsai, *T-MTT Oct 02* 2362-2367
- Tsai Hsiao-Ping**, see Hsiao-Ping Tsai, *MWSYM 02* 755-758 vol.2
- Tsai Hsiao-Ping**, see Hsiao-Ping Tsai, *T-MTT Oct 02* 2226-2232
- Tsang, T.K.K.**, and M.N. El-Gamal. Gain controllable very low voltage (~ 1 V) 8-9 GHz integrated CMOS LNAs; *RFIC 02* 205-208
- Tsang Leung**, see Houfei Chen, *MWSYM 02* 983-986 vol.2
- Tsang Leung**, see Chung-Chi Huang, *MWSYM 02* 2045-2048 vol.3
- Tsueng Peng Song**, see Yamashita, E., *T-MTT Mar 02* 1046-1055
- Tsui, J.B.Y.**, and J.P. Stephens, Sr. Digital microwave receiver technology; *T-MTT Mar 02* 699-705
- Tsuji, M.**, S. Ueki, and H. Shigesawa. Significant contribution of nonphysical leaky mode to the fields excited by a practical source in printed-circuit transmission lines; *MWSYM 02* 957-960 vol.2
- Tsukahara, T.**, see Kodate, J., *MWSYM 02* 1419-1422 vol.3
- Tsung-His Yang**, see Kun-Ming Chen, *MWSYM 02* 405-408 vol.1
- Tsutsumi, M.**, see Dana, S.K., *T-MTT Jan 02* 207-210
- Tsuzuki, G.**, Shen Ye, and S. Berkowitz. Ultra selective 22-pole, 10-transmission zero superconducting bandpass filter surpasses 50-pole Chebyshev rejection; *MWSYM 02* 1963-1966 vol.3
- Tsuzuki, G.**, S. Ye, and S. Berkowitz. Ultra-selective 22-pole 10-transmission zero superconducting bandpass filter surpasses 50-pole Chebyshev filter; *T-MTT Dec 02* 2924-2929
- Tucek, J.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Tulchinsky, D.A.**, see Funk, E.E., *MWSYM 02* 1691-1693 vol.3
- Tummala, R.**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- Tummala, R.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3
- Tummala, R.R.**, see Lee, S.H., *MWSYM 02* 2229-2232 vol.3
- Tuoriniemi, T.**, see Louhi, J.T., *MWSYM 02* 795-798 vol.2
- Turan, E.**, and S. Demir. An all 50 ohm divider/combiner structure; *MWSYM 02* 105-108 vol.1
- Turner, L.E.**, see Schneider, R.N., *MWSYM 02* 875-878 vol.2
- Ty Yoon**, see Petersen, A.K., *RFIC 02* 93-96
- Tzeng, B.**, Chun-Hsien Lien, Huei Wang, Yu-Chi Wang, Pane-Chane Chao, and Chung-Hsu Chen. A 1-17-GHz InGaP-GaAs HBT MMIC analog multiplier and mixer with broadband input-matching networks; *T-MTT Nov 02* 2564-2568
- Tzuang, C.-K.C.**, see Ching-Kuo Wu, *MWSYM 02* 1083-1086 vol.2
- Tzuang, C.-K.C.**, see Hsien-Shun Wu, *MWSYM 02* 1087-1090 vol.2
- Tzuang, C.-K.C.**, see Shyue-Dar Chen, *T-MTT May 02* 1370-1379
- Tzuang, C.K.C.**, see Chen, Y.C., *T-MTT Dec 02* 2713-2720
- Tzuang Ching-Kuang Cliver**, see Ching-Kuo Wu, *T-MTT Aug 02* 1996-2004

Tzzy-Sheng Horng, see Kang-Chun Peng, *MWSYM* 02 1651-1654 vol.3
Tzzy-Sheng Horng, and Sung-Mao Wu. Radiation from a microstrip amplifier; *T-MTT Aug* 02 2005-2010

U

Uang, R., see Keyzer, J., *MWSYM* 02 397-400 vol.1
Uchida, H., Y. Furukawa, and T. Ohwada. Low-spurious coaxial-line bandpass filter with saucer-loaded stepped-impedance resonators; *MWSYM* 02 1785-1787 vol.3
Uchimura, H., see Nakayama, A., *T-MTT Jul* 02 1665-1674
Ueda, H., see Shinjo, S., *RFIC* 02 249-252
Ueda, N., see Watanabe, M., *MWSYM* 02 791-794 vol.2
Ueki, S., see Tsuji, M., *MWSYM* 02 957-960 vol.2
Ueno, H., see Kawano, H., *MWSYM* 02 2121-2124 vol.3
Ugajin, M., see Kodate, J., *MWSYM* 02 1419-1422 vol.3
Ulker, S., and R.M. Weikle, II. A sampled-line reflectometer for submillimeter-wave measurements; *MWSYM* 02 1677-1680 vol.3
Um, K., see Snyder, R.V., *T-MTT Dec* 02 2890-2895
Um Keehong, see Snyder, R.V., *MWSYM* 02 1597-1600 vol.3
Unruh, E., see Jerng, A., *RFIC* 02 111-114
Urteaga, M., see Yun Wei, *MWSYM* 02 917-920 vol.2
Urwin-Wright, P., see Boon Ping Koh, *MWSYM* 02 1139-1142 vol.2
Ushakov, V.L., see Osepchuk, J.M., *T-MTT Jul* 02 1856-1858
Uusitupa, T.M., see Viitanen, A.J., *MWSYM* 02 1997-2000 vol.3
Uwano, T., see Enokihara, A., *MWSYM* 02 1781-1784 vol.3
Uzunoglu, N., see Sorrentino, R., *T-MTT Mar* 02 1056-1072

V

Vaccari, A., see Pontalti, R., *T-MTT Aug* 02 2022-2025
Vahldieck, R., see Ofli, E., *MWSYM* 02 377-380 vol.1
Vahldieck, R., see Harscher, P., *MWSYM* 02 1113-1116 vol.2
Vahldieck, R., see Harscher, P., *T-MTT Feb* 02 433-439
Vaidyanathan, M., see Iwamoto, M., *MWSYM* 02 901-904 vol.2
Vaidyanathan, M., see Iwamoto, M., *T-MTT Dec* 02 2954-2962
Valente, L.C.G., see Torres, P., *T-MTT Jan* 02 13-16
Valero-Lopez, A.Y., see Wenjun Sheng, *RFIC* 02 107-110
Van Bladel, J. The ϵ_0 -constant mode in free-space and conical waveguides; *T-MTT Apr* 02 1233-1237
Vancil, B.K., and E.G. Wintucky. A low cost traveling wave tube for wireless communications; *MWSYM* 02 465-468 vol.1
Vandamme, E., see Schreurs, D.M.M.-P., *T-MTT Oct* 02 2315-2319
van den Berg, P.M., see Abubakar, A., *T-MTT Jul* 02 1761-1771
Vandenbergh, S., see Schreurs, D.M.M.-P., *T-MTT Oct* 02 2315-2319
Vandenbosch, G.A.E., see Van Thielen, B.L.A., *T-MTT Jan* 02 155-164
Vanden Bossche, M., see Scott, J.B., *T-MTT Dec* 02 3022-3028
van den Heijden, M.P., see Cuoco, V., *MWSYM* 02 2149-2152 vol.3
van de Pol, M., see Deng, B.H., *MWSYM* 02 1587-1590 vol.3
van der Heijden, M.P., H.C. de Graaff, L.C.N. de Vreede, J.R. Gajadharsing, and J.N. Burghartz. Theory and design of an ultra-linear square-law approximated LDMOS power amplifier in class-AB operation; *T-MTT Sep* 02 2176-2184
Vander Vorst, A., see Rosen, A., *T-MTT Mar* 02 963-974
van der Weide, D.W., see Kory, C.L., *MWSYM* 02 1265-1268 vol.2
van Goor, D., see Sanduleanu, M.A.T., *MWSYM* 02 545-548 vol.1
van Goor, D., see Sanduleanu, M.A.T., *RFIC* 02 435-438
Van Moer, W., see Crama, P., *T-MTT Aug* 02 1890-1894
Vannini, G., see Costantini, A., *MWSYM* 02 857-860 vol.2
Vannini, G., see Cidronali, A., *T-MTT Feb* 02 425-432
van Stigt, N., see Reeves, T., *MWSYM* 02 1441-1444 vol.3
Van Thielen, B.L.A., and G.A.E. Vandenbosch. Method for the calculation of mutual coupling between discontinuities in planar circuits; *T-MTT Jan* 02 155-164
van Wyk, H., see Thumaty, S., *MWSYM* 02 935-938 vol.2
Varadan, V.K., see Jose, K.A., *MWSYM* 02 655-658 vol.2
Varadan, V.V., see Jose, K.A., *MWSYM* 02 655-658 vol.2
Varonen, M., see Karkkainen, M., *MWSYM* 02 1273-1276 vol.2
Varshney, U., see Trew, R.J., *T-MTT Mar* 02 1028-1033
Vassilakis, B., see Khanifar, A., *MWSYM* 02 473-475 vol.1
Vasudev, N., and O.M. Collins. Measurement of a filter using a power detector; *T-MTT Sep* 02 2083-2089
Vasudev, N., and O.M. Collins. Near-ideal RF upconverters; *T-MTT Nov* 02 2569-2575
Vaucher, C.S., and M. Apostolidou. A low-power 20 GHz static frequency divider with programmable input sensitivity; *RFIC* 02 235-238
Vaudescal, O., B. Lefebvre, V. Lehoue, and P. Quentin. A highly integrated MMIC chipset for 60 GHz broadband wireless applications; *MWSYM* 02 1729-1732 vol.3
Veenstra, H., see Sanduleanu, M.A.T., *MWSYM* 02 545-548 vol.1
Veenstra, H., see Sanduleanu, M.A.T., *RFIC* 02 435-438
Vegas, A., see Pereda, J.A., *T-MTT Jul* 02 1689-1695
Veijola, T., T. Tinttunen, H. Nieminen, V. Ermolov, and T. Ryhanen. Gas damping model for a RF MEM switch and its dynamic characteristics; *MWSYM* 02 1213-1216 vol.2
Velu, S., see Christoffersen, C.E., *MWSYM* 02 2189-2192 vol.3
Vendier, O., see Fraysse, J.P., *MWSYM* 02 441-444 vol.1
Vendier, O., J.-P. Fraysse, C. Schaffauser, M. Paillard, C. Drevon, J.-L. Cazaux, D. Floriot, N. Caillas-Devignes, H. Blanck, P. Auxemery, W. de Ceuninck, R. Petersen, N. Haese, and P.-A. Rolland. Flip-chip mounted, Ku band power amplifier compliant with space applications; *MWSYM* 02 1389-1392 vol.3
Vendik, I.B., see Sorrentino, R., *T-MTT Mar* 02 1056-1072
Vendik, I.B., see Deleniv, A.N., *T-MTT Sep* 02 2153-2158
Vendik, O.G., see Sorrentino, R., *T-MTT Mar* 02 1056-1072
Venkataraman, S., see Pinel, S., *MWSYM* 02 1053-1056 vol.2
Venneri, F., see Boccia, L., *MWSYM* 02 69-73 vol.1
Vepsalainen, K., see Louhi, J.T., *MWSYM* 02 795-798 vol.2
Verbeyst, F., see Scott, J., *MWSYM* 02 1669-1672 vol.3
Verbeyst, F., see Scott, J.B., *T-MTT Dec* 02 3022-3028
Verdeyme, S., see Bariant, D., *MWSYM* 02 979-982 vol.2
Verdeyme, S., see Bariant, D., *MWSYM* 02 1461-1464 vol.3
Verdeyme, S., see Lenoir, B., *MWSYM* 02 1923-1926 vol.3
Verdeyme, S., see Piquet, O., *MWSYM* 02 1993-1996 vol.3
Verdeyme, S., see Byk, E., *MWSYM* 02 2085-2088 vol.3
Verdeyme, S., see Saboureau, C., *MWSYM* 02 2089-2092 vol.3
Verdeyme, S., see Thon, B., *MWSYM* 02 1889-1892 vol.3
Ver Hoeve, S., see Suarez, A., *T-MTT Oct* 02 2353-2361
Vernon, R.J., see Shafii, J., *T-MTT May* 02 1361-1369
Verspecht, J., see Scott, J., *MWSYM* 02 1669-1672 vol.3
Verspecht, J., see Schreurs, D.M.M.-P., *T-MTT Oct* 02 2315-2319
Verspecht, J., see Scott, J.B., *T-MTT Dec* 02 3022-3028
Vice, M., see Kumar, S., *RFIC* 02 213-216
Vidal, B., see Madrid, D., *MWSYM* 02 1945-1948 vol.3
Vidal, B., D. Madrid, J.L. Corral, V. Polo, A. Martinez, J.H. den Besten, F. Soares, J. Marti, and M.K. Smit. Photonic true-time delay beamformer for broadband wireless access networks at 40 GHz band; *MWSYM* 02 1949-1952 vol.3
Vigneron, S., see Boutheiller, N., *MWSYM* 02 1777-1780 vol.3
Viikari, V., see Meltaus, J., *MWSYM* 02 1305-1308 vol.2
Viitanen, A.J., and T.M. Uusitupa. Ferrite filled reflector mode converter for axially corrugated waveguides; *MWSYM* 02 1997-2000 vol.3
Virk, R.S., E. Camargo, R. Hajji, S. Parker, R. Benelbar, S. Notomi, and H. Ohnishi. 40-GHz MMICs for optical modulator driver applications; *MWSYM* 02 91-95 vol.1
Vittoria, C., see Hoton How, *T-MTT May* 02 1280-1288
Viveiros, D., Jr., D. Consonni, and A.K. Jastrzebski. A tunable all-pass MMIC active phase shifter; *T-MTT Aug* 02 1885-1889
Vogt, R., see Beffa, F., *MWSYM* 02 501-504 vol.1
Vogt, R., see Beffa, F., *RFIC* 02 391-394
Vogt, R., see Ellinger, F., *T-MTT Jan* 02 178-182
Volant, R., see Coolbaugh, D., *MWSYM* 02 187-191 vol.1
Volant, R., see Subbanna, S., *MWSYM* 02 401-404 vol.1
Volant, R., see Coolbaugh, D., *RFIC* 02 341-344
Vorst, A.V., see Sorrentino, R., *T-MTT Mar* 02 1056-1072
Vorst, A.V., see Torrese, G., *T-MTT Nov* 02 2553-2557
Vourch, E., D. Le Berre, and D. Herve. A WDM fiber-radio experiment incorporating a wavelength-self-tunable single-side-band filter; *MWSYM* 02 1703-1706 vol.3
Vourc'h, E., B. Della, D. Le Berre, and D. Herve. Millimeter-wave power-fading compensation for WDM fiber-radio transmission using a wavelength-self-tunable single-sideband filter; *T-MTT Dec* 02 3009-3015
Vuketich, R., see Neurauter, B., *MWSYM* 02 425-428 vol.1
Vuolevi, J., J. Aikio, and T. Rahkonen. Extraction of a polynomial LDMOS model for distortion simulations using small-signal S-parameter measurements; *MWSYM* 02 2157-2160 vol.3
Vuolevi, J.H.K., and T. Rahkonen. Extraction of a nonlinear AC FET model using small-signal S-parameters; *T-MTT May* 02 1311-1315

W

Wada, S., see Amamiya, Y., *MWSYM* 02 87-90 vol.1
Wadefalk, N., see Morgan, M., *MWSYM* 02 1859-1862 vol.3
Wadefalk, N., see Angelov, L., *T-MTT Jun* 02 1480-1486
Wagner, B., see Nuttinck, S., *MWSYM* 02 921-924 vol.2
Wagner, L., see Fong, N., *RFIC* 02 75-78
Wakino, K., see Fiedziuszko, S.J., *T-MTT Mar* 02 706-720
Waldman, J., see Coulombe, M., *MWSYM* 02 1583-1586 vol.3
Waldow, P., see Lauer, A., *MWSYM* 02 739-742 vol.2

- Waliullah, M.**, S.M. El-Ghazaly, and S. Goodnick. Large-signal circuit-based time domain analysis of high frequency devices including distributed effects; *MWSYM 02* 2145-2148 vol.3
- Walker, J.L.B.**, see Raab, F.H., *T-MTT Mar 02* 888-899
- Wane, S.**, see Bajon, D., *MWSYM 02* 987-990 vol.2
- Wang, A.**, see Feng, H., *MWSYM 02* 553-556 vol.1
- Wang, A.**, see Feng, H., *RFIC 02* 443-446
- Wang, A.Z.H.**, see Ke Gong, *T-MTT Jan 02* 393-402
- Wang, D.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- Wang, D.**, see Coolbaugh, D., *RFIC 02* 341-344
- Wang, D.**, see Joba, H., *RFIC 02* 27-30
- Wang, K.L.**, see Younkyu Chung, *MWSYM 02* 433-436 vol.1
- Wang, T.T.**, see Qing Huo Liu, *T-MTT Jan 02* 123-133
- Wang, X.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- Wang, X.**, see Coolbaugh, D., *RFIC 02* 341-344
- Wang, Y.**, see Hang, C.Y., *MWSYM 02* 913-916 vol.2
- Wang, Y.**, see Launay, F., *MWSYM 02* 865-868 vol.2
- Wang, Y.**, see Launay, F., *MWSYM 02* 2197-2200 vol.3
- Wang, Y.**, see Tsai, H.-P., *T-MTT Dec 02* 2721-2727
- Wang, Y.**, see Fredrick, J.D., *T-MTT Dec 02* 3052-3058
- Wang, Y.**, see Park, J., *T-MTT Dec 02* 3059-3063
- Wang Chih-Wei**, see Shih-Cheng Yang, *MWSYM 02* 2153-2156 vol.3
- Wang Chong-Kuang**, see Ren-Chieh Liu, *RFIC 02* 221-224
- Wang Chunlei**, see Chunlei Wang, *MWSYM 02* 1325-1328 vol.2
- Wang Chun-Long**, see Chun-Long Wang, *MWSYM 02* 1397-1400 vol.3
- Wang Dao Xiang**, see Ru-Shan Chen, *T-MTT Apr 02* 1165-1172
- Wang Gaofeng**, see Gaofeng Wang, *T-MTT Apr 02* 1127-1136
- Wang Hong**, see Yong Zhong Xiong, *T-MTT Apr 02* 1109-1113
- Wang Huei**, see Samoska, L., *MWSYM 02* 429-432 vol.1
- Wang Huei**, see Kuo-Liang Deng, *RFIC 02* 151-154
- Wang Huei**, see Ren-Chieh Liu, *RFIC 02* 221-224
- Wang Huei**, see Tzeng, B., *T-MTT Nov 02* 2564-2568
- Wang Jie**, see Lei Yin, *T-MTT Aug 02* 2011-2017
- Wang Keh-Chung**, see Asbeck, P., *T-MTT Mar 02* 900-909
- Wang Wenxiang**, see Guofen Yu, *T-MTT Jan 02* 191-200
- Wang Wenzhang**, see Wenzhang Wang, *T-MTT May 02* 1400-1407
- Wang Yuanxun**, see Fredrick, J.D., *MWSYM 02* 311-314 vol.1
- Wang Yuanxun**, see Hsiao-Ping Tsai, *MWSYM 02* 755-758 vol.2
- Wang Yuanxun**, see Jin Park, *MWSYM 02* 939-942 vol.2
- Wang Yuanxun**, see Sor, J., *MWSYM 02* 665-668 vol.2
- Wang Yuanxun**, see Weijun Yao, *MWSYM 02* 2061-2064 vol.3
- Wang Yuanxun**, see Nishio, T., *MWSYM 02* 1345-1348 vol.2
- Wang Yuanxun**, see Ji-Yong Park, *MWSYM 02* 1277-1280 vol.2
- Wang Yuanxun**, see Seong-Sik Jeon, *MWSYM 02* 1357-1360 vol.2
- Wang Yuanxun**, see Leong, K.M.K.H., *MWSYM 02* 1349-1352 vol.2
- Wang Yuanxun**, see Miyamoto, R.Y., *MWSYM 02* 1369-1372 vol.2
- Wang Yuanxun**, see Hsiao-Ping Tsai, *T-MTT Oct 02* 2226-2232
- Wang Yu-Chi**, see Tzeng, B., *T-MTT Nov 02* 2564-2568
- Wasige, E.**, B. Sheinman, V. Sidorov, S. Cohen, and D. Ritter. An analytic expression for the HBT extrinsic base-collector capacitance derived from S-parameter measurements; *MWSYM 02* 733-736 vol.2
- Wasige, E.**, see Sheinman, B., *T-MTT Dec 02* 2804-2810
- Watanabe, M.**, K. Okazaki, J. Fukae, N. Tamiya, N. Ueda, and M. Nagashima. An obstacle sensing radar system for a railway crossing application: a 60 GHz millimeter wave spread spectrum radar; *MWSYM 02* 791-794 vol.2
- Watanabe, Y.**, see Kano, H., *MWSYM 02* 75-78 vol.1
- Watson, K.**, see Coolbaugh, D., *MWSYM 02* 187-191 vol.1
- Watson, K.**, see Coolbaugh, D., *RFIC 02* 341-344
- Wayne, L.**, see Kumar, S., *RFIC 02* 213-216
- Weatherspoon, M.H.**, L.P. Dunleavy, A. Boudiaf, and J. Randa. Vector corrected noise temperature measurements; *MWSYM 02* 2253-2256 vol.3
- Webb, J.P.**, see Gavrilovic, M.M., *T-MTT Aug 02* 1901-1911
- Webb, K.J.**, see Jong-Wook Lee, *MWSYM 02* 117-121 vol.1
- Webb, K.J.**, see Ming-Chuan Yang, *MWSYM 02* 2013-2016 vol.3
- Webb, K.J.**, see Sungjae Lee, *MWSYM 02* 1415-1418 vol.3
- Webb, W.** From "cellphone" to "remote control on life": how wireless communications will change the way we live over the next 20 years; *RFIC 02* 7-11
- Webber, J.C.**, and M.W. Pospieszalski. Microwave instrumentation for radio astronomy; *T-MTT Mar 02* 986-995
- Weber, N.**, S. Moedl, and M. Hackner. A novel signal processing approach for microwave Doppler speed sensing; *MWSYM 02* 2233-2235 vol.3
- Wee Sang Park**, see Younju Lee, *MWSYM 02* 1329-1332 vol.2
- Wee Sang Park**, see Jeong Phil Kim, *T-MTT Jul 02* 1683-1688
- Wei, C.J.**, Y.A. Tkachenko, J. Gering, and D. Bartle. Completely consistent 'no-charge' PHEMT model including DC/RF dispersion; *MWSYM 02* 2133-2136 vol.3
- Wei, Y.**, see Alexanian, A., *RFIC 02* 119-122
- Wei Ce-Jun**, see Ce-Jun Wei, *T-MTT Jan 02* 57-61
- Wei-Chen Hsu**, see Chi-Yang Chang, *T-MTT Nov 02* 2527-2536
- Weigel, R.**, see Ettinger, K., *MWSYM 02* 835-838 vol.2
- Weigel, R.**, see Neumayer, R., *MWSYM 02* 721-724 vol.2
- Weigel, R.**, see Schelmbauer, W., *MWSYM 02* 13-16 vol.1
- Weigel, R.**, see Jager, H., *MWSYM 02* 1035-1038 vol.2
- Weigel, R.**, see Schelmbauer, W., *RFIC 02* 267-270
- Weigel, R.**, see Springer, A., *T-MTT Jan 02* 254-267
- Weigel, R.**, D.P. Morgan, J.M. Owens, A. Ballato, K.M. Lakin, K. Hashimoto, and C.C.W. Ruppel. Microwave acoustic materials, devices, and applications; *T-MTT Mar 02* 738-749
- Weigel, R.**, see Neumayer, R., *T-MTT Dec 02* 2789-2796
- Wei Hong**, see Feng Xu, *MWSYM 02* 2057-2060 vol.3
- Wei Hong**, see Zhenhai Shao, *T-MTT Jan 02* 222-225
- Wei Hong**, see Lei Yin, *T-MTT Aug 02* 2011-2017
- Weijun Yao**, Yuanxun Wang, and Tatsuo Itoh. 2-D envelope finite element (EVFE) technique -implementation of PML and dispersive medium; *MWSYM 02* 2061-2064 vol.3
- Weikle, R.M., II**, see Ulker, S., *MWSYM 02* 1677-1680 vol.3
- Weikle, R.M., II**, see Kurtz, D.S., *T-MTT Nov 02* 2610-2617
- Weil, C.**, G. Luessem, and R. Jakoby. Tunable inverted-microstrip phase shifter device using nematic liquid crystals; *MWSYM 02* 367-371 vol.1
- Weiland, T.**, see Schuhmann, R., *MWSYM 02* 2037-2040 vol.3
- Wei Li**, see Qiang Li, *MWSYM 02* 509-512 vol.1
- Wei Li**, see Qiang Li, *RFIC 02* 399-402
- Wei-Ming Li**, see Yan Zhang, *T-MTT Nov 02* 2519-2526
- Weinreb, S.**, see Morgan, M., *MWSYM 02* 817-820 vol.2
- Weinreb, S.**, see Samoska, L., *MWSYM 02* 429-432 vol.1
- Weinreb, S.**, see Morgan, M., *MWSYM 02* 1859-1862 vol.3
- Weisshaar, A.**, see Melendy, D., *MWSYM 02* 717-720 vol.2
- Weisshaar, A.**, G.L. Heiter, and W.J.R. Hoefer. Editors' overview [intro. to special issue on 2002 International Microwave Symposium]; *T-MTT Dec 02* 2660-2663
- Weitzel, C.E.** RF power devices for wireless communications; *MWSYM 02* 285-288 vol.1
- Weitzel, C.E.** RF power devices for wireless communications; *RFIC 02* 369-372
- Wei Yanyu**, see Guofen Yu, *T-MTT Jan 02* 191-200
- Wei Yun**, see Yun Wei, *MWSYM 02* 917-920 vol.2
- Weiyun Shan**, and L. Sundstrom. Effects of anti-aliasing filters in feedback path of adaptive predistortion; *MWSYM 02* 469-472 vol.1
- Wei-Zen Chen**, Jia-Xian Chang, Ying-Jen Hong, Meng-Tzer Wong, and Chien-Liang Kuo. A 2V, 2.3/4.6 GHz dual-band CMOS frequency synthesizer; *RFIC 02* 169-172
- Weller, T.**, see Naylor, J., *MWSYM 02* 669-672 vol.2
- Weller, T.**, see Lakshminarayanan, B., *MWSYM 02* 1237-1240 vol.2
- Welse, R.**, see Sakalas, P., *MWSYM 02* 2117-2120 vol.3
- Wen, C.P.**, see Younkyu Chung, *MWSYM 02* 433-436 vol.1
- Wendell Kong**, see Komiak, J.J., *MWSYM 02* 905-907 vol.2
- Wen Junding**, see Wenquan Che, *T-MTT Aug 02* 1912-1918
- Wenjun Sheng**, Bo Xia, A. Emira, Chunyu Xin, A.Y. Valero-Lopez, Sung Tae Moon, and E. Sanchez-Sinencio. A 3 V, 0.35 m CMOS Bluetooth receiver IC; *RFIC 02* 107-110
- Wenquan Che**, E.K.-N. Yung, Suibing Chen, and Junding Wen. Improved analysis of nonreciprocal remanence ferrite phase shifter in grooved waveguide; *T-MTT Aug 02* 1912-1918
- Wenwu Cao**, see Semouchkina, E., *MWSYM 02* 1127-1130 vol.2
- Wenxiang Wang**, see Guofen Yu, *T-MTT Jan 02* 191-200
- Wen-Yu Lo**, see Ming-Dou Ker, *MWSYM 02* 537-540 vol.1
- Wen-Yu Lo**, see Ming-Dou Ker, *RFIC 02* 427-430
- Wenzhang Wang**, and L.W. Pearson. Frequency stabilization of power-combining grid oscillator arrays; *T-MTT May 02* 1400-1407
- Werthof, A.**, Siweris HJ, H. Fischer, W. Liebl, G. Jaeger, and T. Grave. A 38/76 GHz automotive radar chip set fabricated by a low cost PHEMT technology; *MWSYM 02* 1855-1858 vol.3
- Whaley, D.**, see Basten, M., *MWSYM 02* 629-632 vol.2
- Whelehan, J.J.** Low-noise amplifiers-then and now; *T-MTT Mar 02* 806-813
- Whitaker, J.F.**, see Reano, R.M., *MWSYM 02* 1513-1516 vol.3
- Whitaker, J.F.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Whitaker, J.F.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- White, G.**, see Pinel, S., *MWSYM 02* 1553-1556 vol.3
- White, G.**, see Dalmia, S., *MWSYM 02* 1405-1408 vol.3
- White, G.**, see Lee, S.H., *MWSYM 02* 2229-2232 vol.3
- Whites, K.W.**, and Feng Wu. Effects of particle shape on the effective permittivity of composite materials with measurements for lattices of cubes; *T-MTT Jul 02* 1723-1729
- Whittum, D.H.**, see Hill, M.E., *T-MTT May 02* 1437-1441
- Wiegner, D.**, see Pascht, A., *T-MTT Aug 02* 1927-1934
- Wien, A.**, see Lauer, A., *MWSYM 02* 739-742 vol.2
- Wiesbeck, W.**, see Haala, J., *T-MTT May 02* 1346-1354
- Wiesbeck, W.**, see Zwick, T., *T-MTT Apr 02* 1180-1187
- Willen, B.**, M. Rohner, I. Schnyder, and H. Jackel. Improved automatic parameter extraction of InP-HBT small-signal equivalent circuits; *T-MTT Feb 02* 580-583
- Williams, D.J.**, J. Leckey, and P.J. Tasker. A study of the effect of envelope impedance on intermodulation asymmetry using a two-tone time domain measurement system; *MWSYM 02* 1841-1844 vol.3

Williams, F., Jr., *see* Petersen, A.K., *RFIC* 02 93-96
 Williams, J., *see* Huang, H.C., *MWSYM* 02 27-30 vol.1
 Williams, J., *see* Huang, H.C., *RFIC* 02 281-284
 Williams, J.T., *see* Langston, W.L., *MWSYM* 02 949-952 vol.2
 Willis, J., and J. Johnson. Language design requirements for VHDL-RF/MWTM; *MWSYM* 02 2093-2095 vol.3
 Willner, A.E. Implementing subcarrier-based control in optical networking; *MWSYM* 02 1687-1690 vol.3
 Wiltse, J.C., *see* Saad, T.S., *T-MTT* Mar 02 612-624
 Wilz, L., T. Shie, J. Young, and T. Hancock. A highly integrated, versatile GPS receiver for E911 applications; *RFIC* 02 115-118
 Winczewski, C., *see* Liyang Zhang, *RFIC* 02 85-88
 Wing Hung Ki, *see* Sang Lam, *MWSYM* 02 677-680 vol.2
 Wintucky, E.G., *see* Vancil, B.K., *MWSYM* 02 465-468 vol.1
 Wohlmut, H.-D., *see* Bakalski, W., *MWSYM* 02 209-212 vol.1
 Wohlmut, H.-D., D. Kehrer, and W. Simburger. A high sensitivity static 2:1 frequency divider up to 19 GHz in 120 nm CMOS; *RFIC* 02 231-234
 Wolday, D., *see* Jerng, A., *RFIC* 02 111-114
 Wolff, I., *see* Lauer, A., *MWSYM* 02 739-742 vol.2
 Wolff, I., *see* Hee-Ran Ahn, *T-MTT* Apr 02 1146-1155
 Wong, J.M.C., and H.C. Luong. A 1.5-V 4-GHz dynamic-loading regenerative frequency doubler in a 0.35- μ m CMOS process; *MWSYM* 02 573-576 vol.1
 Wong, J.M.C., and H.C. Luong. A 1.5-V 4-GHz dynamic-loading regenerative frequency doubler in a 0.35- μ m CMOS process; *RFIC* 02 463-466
 Wong, L., *see* Jerng, A., *RFIC* 02 111-114
 Wong, M.F., *see* Adane, Y., *MWSYM* 02 2017-2020 vol.3
 Wong Meng-Tzer, *see* Wei-Zen Chen, *RFIC* 02 169-172
 Wong Sheng Jau, *see* Dasgupta, U., *RFIC* 02 195-198
 Wong Sheng Jau, *see* Dasgupta, U., *T-MTT* Nov 02 2443-2452
 Wong Shyh-Chyi, *see* Chao, C.-J., *MWSYM* 02 157-160 vol.1
 Wong Shyh-Chyi, *see* Chuan-Jane Chao, *RFIC* 02 311-314
 Woodington, W.G., *see* Russell, M.E., *T-MTT* Mar 02 674-677
 Wooi Gan Yeoh, *see* Dasgupta, U., *RFIC* 02 195-198
 Wooi Gan Yeoh, *see* Dasgupta, U., *T-MTT* Nov 02 2443-2452
 Wooldard, D.L., *see* Brown, E.R., *MWSYM* 02 1591-1594 vol.3
 Woolliams, P.D., *see* Smith, A.J.A., *MWSYM* 02 1501-1504 vol.3
 Woonyun Kim, Sanghoon Kang, Kyungho Lee, Minchul Chung, Jongchan Kang, and Bumman Kim. Analysis of nonlinear behavior of power HBTs; *T-MTT* Jul 02 1714-1722
 Woo Park Chan, *see* Bongki Mheen, *MWSYM* 02 413-416 vol.1
 Woopoung Kim, *see* Dalmia, S., *MWSYM* 02 1405-1408 vol.3
 Woo Young Yun, *see* Young Yun Woo, *MWSYM* 02 769-772 vol.2
 Woo Young Yun, *see* Youngoo Yang, *MWSYM* 02 777-780 vol.2
 Woo Young Yun, *see* Youngoo Yang, *T-MTT* Feb 02 446-452
 Wright, E.L., *see* Habermann, T., *MWSYM* 02 633-636 vol.2
 Wright, F., *see* Kelly, D., *MWSYM* 02 541-543 vol.1
 Wright, F., *see* Kelly, D., *RFIC* 02 431-433
 Wu, C.K., *see* Chen, Y.C., *T-MTT* Dec 02 2713-2720
 Wu, G.C., D. Kelly, D. Staab, and P. Denny. Low power, high speed PLL fabricated in UTSi^(R) process; *RFIC* 02 165-168
 Wu, J., W.-X. Sheng, K.-P. Chan, W.-K. Chung, K.-K.M. Cheng, and K.-L. Wu. Smart antenna system implementation based on digital beam-forming and software radio technologies; *MWSYM* 02 323-326 vol.1
 Wu, K., *see* Cassivi, Y., *T-MTT* Jan 02 165-171
 Wu, K., *see* Tatu, S.O., *T-MTT* Nov 02 2436-2442
 Wu, K.-L., *see* Wu, J., *MWSYM* 02 323-326 vol.1
 Wu, M., *see* Alexanian, A., *RFIC* 02 119-122
 Wu, Q., *see* Feng, H., *MWSYM* 02 553-556 vol.1
 Wu, Q., *see* Feng, H., *RFIC* 02 443-446
 Wu, T., *see* Xiaomin Yang, *MWSYM* 02 589-592 vol.1
 Wu, T., *see* Xiaomin Yang, *RFIC* 02 479-482
 Wu, T.X., and D.L. Jaggard. A comprehensive study of discontinuities in chirowaveguides; *T-MTT* Oct 02 2320-2330
 Wu Chain-Tin, *see* Jia-Liang Chen, *MWSYM* 02 101-104 vol.1
 Wu Ching-Kuo, *see* Ching-Kuo Wu, *MWSYM* 02 1083-1086 vol.2
 Wu Ching-Kuo, *see* Ching-Kuo Wu, *T-MTT* Aug 02 1996-2004
 Wu Feng, *see* Whites, K.W., *T-MTT* Jul 02 1723-1729
 Wu Gang, *see* Takahashi, K., *MWSYM* 02 787-790 vol.2
 Wu Hongwei, *see* Zhenhai Shao, *T-MTT* Jan 02 222-225
 Wu Hsien-Shun, *see* Hsien-Shun Wu, *MWSYM* 02 1087-1090 vol.2
 Wu Hsien-Shun, *see* Ching-Kuo Wu, *T-MTT* Aug 02 1996-2004
 Wu Ke, *see* Schiel, J.-C., *MWSYM* 02 931-934 vol.2
 Wu Ke, *see* Ovidiu Tatu, S., *RFIC* 02 155-158
 Wu Ke, *see* Lei Zhu, *T-MTT* Feb 02 549-557
 Wu Ke, *see* Xiang-yin Zeng, *T-MTT* May 02 1417-1424
 Wu Ke, *see* Lei Zhu, *T-MTT* Apr 02 1207-1215
 Wu Ke, *see* Lei Zhu, *T-MTT* Aug 02 1861-1869
 Wu Ke, *see* Cassivi, Y., *T-MTT* Oct 02 2405-2408
 Wu Ke, *see* Lei Zhu, *T-MTT* Oct 02 2412-2413
 Wu Ke-Li, *see* Ke-Li Wu, *T-MTT* Feb 02 465-473

Wu Ke-Li, *see* Yong-Jiu Zhao, *T-MTT* Jul 02 1844-1848
 Wu Ren, *see* Yan Zhang, *T-MTT* Nov 02 2519-2526
 Wurfl, J., *see* Schott, A., *MWSYM* 02 839-842 vol.2
 Wu Ruey-Beei, *see* Chun-Long Wang, *MWSYM* 02 1397-1400 vol.3
 Wurzer, M., *see* Hackl, S., *MWSYM* 02 1241-1244 vol.2
 Wurzer, M., *see* Knapp, H., *RFIC* 02 239-242
 Wust, P., *see* Pontalti, R., *T-MTT* Aug 02 2022-2025
 Wu Sung-Mao, *see* Tzyy-Sheng Horng, *T-MTT* Aug 02 2005-2010
 Wu Xidong, *see* Schoenlinner, B., *T-MTT* Sep 02 2166-2175
 Wu Zhiyuan, *see* Spann, J., *MWSYM* 02 533-536 vol.1
 Wu Zhiyuan, *see* Spann, J., *RFIC* 02 423-426

X

Xia Bo, *see* Wenjun Sheng, *RFIC* 02 107-110
 Xiang Wang Dao, *see* Ru-Shan Chen, *T-MTT* Apr 02 1165-1172
 Xiang-yin Zeng, Shan-jia Xu, Ke Wu, and Kwai-Man Luk. Properties of guided modes on open structures near the cutoff region using a new version of complex effective dielectric constant; *T-MTT* May 02 1417-1424
 Xiang-Yin Zeng, Kwai-Man Luk, and Shan-Jia Xu. Radiation and leakage characteristics of transverse slot in NRD-guide operating in LSE₀₀ mode; *T-MTT* Jun 02 1636-1639
 Xiao, E., and J.S. Yuan. Hot carrier and soft breakdown effects on VCO performance; *MWSYM* 02 569-572 vol.1
 Xiao, G., and K. Yashiro. An improved algorithm of constructing potentials from Cauchy data and its application in synthesis of nonuniform transmission lines; *T-MTT* Aug 02 2025-2028
 Xiao Enjun, *see* Enjun Xiao, *RFIC* 02 459-462
 Xiao Enjun, *see* Enjun Xiao, *T-MTT* Nov 02 2453-2458
 Xiao Gaobiao, *see* Gaobiao Xiao, *T-MTT* Jun 02 1520-1525
 Xiaohang Du, *see* Shirokov, M.S., *T-MTT* Apr 02 1084-1094
 Xiaohui Ding, *see* Akhtar, S., *T-MTT* Jun 02 1561-1570
 Xiao Huo, K.J. Chen, and P.C.H. Chan. High-Q copper inductors on standard silicon substrate with a low-k BCB dielectric layer; *MWSYM* 02 513-516 vol.1
 Xiao Huo, K.J. Chen, and P.C.H. Chan. High-Q copper inductors on standard silicon substrate with a low-k BCB dielectric layer; *RFIC* 02 403-406
 Xiaomin Yang, T. Wu, and J. McMacken. A 5 GHz fast-switching CMOS frequency synthesizer; *MWSYM* 02 589-592 vol.1
 Xiaomin Yang, T. Wu, and J. McMacken. A 5 GHz fast-switching CMOS frequency synthesizer; *RFIC* 02 479-482
 Xiaowei Zhu, *see* Feng Xu, *MWSYM* 02 2057-2060 vol.3
 Xidong Wu, *see* Schoenlinner, B., *T-MTT* Sep 02 2166-2175
 Xi Li, *see* O, K.K., *RFIC* 02 103-106
 Xin, H., *see* Higgins, J.A., *MWSYM* 02 1071-1074 vol.2
 Xin Chunyu, *see* Wenjun Sheng, *RFIC* 02 107-110
 Xiong Yong Zhong, *see* Yong Zhong Xiong, *T-MTT* Apr 02 1109-1113
 Xiyi Chen, B. Nabet, F. Quaranta, A. Cola, and M. Currie. A novel HMSM photodetector with resonant cavity for short haul communications; *MWSYM* 02 1281-1284 vol.2
 Xu, J., M.C.E. Yagoub, R. Ding, and Q.-J. Zhang. Neural-based dynamic modeling of nonlinear microwave circuits; *T-MTT* Dec 02 2769-2780
 Xu, Q., *see* Chang, C.H., *MWSYM* 02 231-234 vol.1
 Xu Dao-Xian, *see* Ban-Leong Ooi, *T-MTT* Sep 02 2202-2206
 Xue Zheng-Hui, *see* Yan Zhang, *T-MTT* Nov 02 2519-2526
 Xu Feng, *see* Feng Xu, *MWSYM* 02 2057-2060 vol.3
 Xu Jianjun, *see* Jianjun Xu, *MWSYM* 02 1101-1104 vol.2
 Xun Gong, W.J. Chappell, and L.P.B. Katehi. Reduced size capacitive defect EBG resonators; *MWSYM* 02 1091-1094 vol.2
 Xu Qinwei, *see* Qinwei Xu, *T-MTT* Oct 02 2233-2246
 Xu Shan-jia, *see* Xiang-yin Zeng, *T-MTT* May 02 1417-1424
 Xu Shan-Jia, *see* Xiang-Yin Zeng, *T-MTT* Jun 02 1636-1639
 Xu Zhiwei, *see* Hyunchol Shin, *MWSYM* 02 477-480 vol.1
 Xu Zhiwei, *see* Hyunchol Shin, *RFIC* 02 71-74
 Xu Zuo, *see* Hoton How, *T-MTT* May 02 1280-1288

Y

Yabe, H., *see* Yakabe, T., *T-MTT* Apr 02 1237-1239
 Yabuki, H., *see* Takahashi, K., *MWSYM* 02 787-790 vol.2
 Yacoub, M.D., *see* da Silva, C.R.C.M., *T-MTT* Jan 02 46-50
 Yagoub, M.C.E., *see* Jianjun Xu, *MWSYM* 02 1101-1104 vol.2
 Yagoub, M.C.E., *see* Devabhaktuni, V., *MWSYM* 02 1097-1100 vol.2
 Yagoub, M.C.E., *see* Xu, J., *T-MTT* Dec 02 2769-2780
 Yajima, K., *see* Minamide, H., *MWSYM* 02 621-623 vol.2
 Yakabe, T., F.M. Ghannouchi, E.E. Eid, K. Fujii, and H. Yabe. Six-port self-calibration based on active loads synthesis; *T-MTT* Apr 02 1237-1239

- Yakovlev, A.B.**, and G.W. Hanson. Novel wave effects on anisotropic and ferrite planar slab waveguides in connection with singularity theory; *MWSYM 02* 2021-2024 vol.3
- Yakovlev, A.B.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Yakovlev, A.B.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- Yamada, A.**, Y. Amano, Y. Motouchi, N. Takahashi, E. Suematsu, and H. Sato. A compact 60 GHz sub-harmonically pumped mixer MMIC integrated with an image rejection filter; *MWSYM 02* 1733-1736 vol.3
- Yamaguchi, S.**, see Kimura, S., *T-MTT Jun 02* 1603-1608
- Yamaguchi, T.**, see Itoh, K., *MWSYM 02* 9-12 vol.1
- Yamaguchi, T.**, see Itoh, K., *RFIC 02* 263-266
- Yamaguchi, Y.**, see Kikkawa, T., *MWSYM 02* 1815-1818 vol.3
- Yamamoto, K.**, see Kusunoki, S., *MWSYM 02* 765-768 vol.2
- Yamamoto, K.**, T. Asada, S. Suzuki, T. Miura, A. Inoue, S. Miyakuni, J. Otsuji, R. Hattori, Y. Miyazaki, and T. Shimura. A GSM/EDGE dual-mode, 900/1800/1900-MHz triple-band HBT MMIC power amplifier module; *RFIC 02* 245-248
- Yamamoto, K.**, see Kusunoki, S., *T-MTT Dec 02* 2979-2986
- Yamamoto, T.**, see Sanada, A., *MWSYM 02* 385-388 vol.1
- Yamamoto, T.**, see Sanada, A., *T-MTT Dec 02* 2856-2861
- Yamanaka, K.**, K. Yamauchi, K. Mori, Y. Ikeda, H. Ikematsu, N. Tanahashi, and T. Takagi. Ku-band low noise MMIC amplifier with bias circuit for compensation of temperature dependence and process variation; *MWSYM 02* 1427-1430 vol.3
- Yamashita, E.**, T.S. Bird, Zhenghe Feng, B. Bhat, M. Akaike, Jung-Woong Ra, Mook Seng Leong, M. Krairiksh, and Song Tsueng Peng. Microwaves in the Asia-Pacific region; *T-MTT Mar 02* 1046-1055
- Yamauchi, K.**, see Yamanaka, K., *MWSYM 02* 1427-1430 vol.3
- Yamaura, S.**, see Kano, H., *MWSYM 02* 75-78 vol.1
- Yamazaki, Z.**, see Amamiya, Y., *MWSYM 02* 87-90 vol.1
- Yang, B.**, see Lie, D.Y.C., *RFIC 02* 31-34
- Yang, C.C.**, see Yang, J.M., *MWSYM 02* 65-68 vol.1
- Yang, H.Y.D.**, L. Zhang, and J.A. Castaneda. Design and analysis of a multi-layer transformer balun for silicon RF integrated circuits; *MWSYM 02* 601-604 vol.1
- Yang, H.Y.D.**, L. Zhang, and J.A. Castaneda. Design and analysis of a multi-layer transformer balun for silicon RF integrated circuits; *RFIC 02* 491-494
- Yang, J.M.**, Y.H. Chung, M. Nishimoto, R. Lai, R. Tsai, R. Kagiwada, and C.C. Yang. High performance voltage controlled bi-directional amplifiers in support of component reuse for large aperture phase array; *MWSYM 02* 65-68 vol.1
- Yang, K.**, see Batty, W., *MWSYM 02* 2177-2180 vol.3
- Yang, K.**, see Batty, W., *T-MTT Dec 02* 2820-2833
- Yang, Y.A.**, see Chih-Hung Tsai, *T-MTT Aug 02* 1919-1926
- Yang Dong-Jun**, see O, K.K., *RFIC 02* 59-62
- Yang Hong**, see Enjun Xiao, *T-MTT Nov 02* 2453-2458
- Yang Jinman**, see Spann, J., *MWSYM 02* 533-536 vol.1
- Yang Jinman**, see Spann, J., *RFIC 02* 423-426
- Yang Kyoung-hoon**, see Taeho Kim, *MWSYM 02* 2141-2144 vol.3
- Yang Ming-Chuan**, see Ming-Chuan Yang, *MWSYM 02* 2013-2016 vol.3
- Yang Shih-Cheng**, see Hsien-Chin Chiu, *MWSYM 02* 521-524 vol.1
- Yang Shih-Cheng**, see Shih-Cheng Yang, *MWSYM 02* 2153-2156 vol.3
- Yang Shih-Cheng**, see Hsien-Chin Chiu, *RFIC 02* 411-414
- Yang Shiwen**, see Shiwen Yang, *T-MTT Jul 02* 1849-1852
- Yang Tsung-His**, see Kun-Ming Chen, *MWSYM 02* 405-408 vol.1
- Yang Xiaomin**, see Xiaomin Yang, *MWSYM 02* 589-592 vol.1
- Yang Xiaomin**, see Xiaomin Yang, *RFIC 02* 479-482
- Yang Youngoo**, see Young Yun Woo, *MWSYM 02* 769-772 vol.2
- Yang Youngoo**, see Youngoo Yang, *MWSYM 02* 777-780 vol.2
- Yang Youngoo**, see Youngoo Yang, *T-MTT Feb 02* 446-452
- Yan Ran-Hong**, see Gould, P., *T-MTT Jan 02* 369-376
- Yanyu Wei**, see Guofen Yu, *T-MTT Jan 02* 191-200
- Yan Zhang**, Ben-Qing Gao, Wu Ren, Zheng-Hui Xue, and Wei-Ming Li. Analysis and application of new quasi-network characteristics of nonuniform mesh in FDTD simulation; *T-MTT Nov 02* 2519-2526
- Yao Hui-Wen**, see Heng-Tung Hsu, *T-MTT Apr 02* 1137-1145
- Yao Hui-Wen**, see Heng-Tung Hsu, *T-MTT Aug 02* 1960-1968
- Yao Weijun**, see Weijun Yao, *MWSYM 02* 2061-2064 vol.3
- Yarnaguchi, M.**, T. Kuribara, and K.-I. Arai. Two-port type ferromagnetic RF integrated inductor; *MWSYM 02* 197-200 vol.1
- Yashiro, K.**, see Gaobiao Xiao, *T-MTT Jun 02* 1520-1525
- Yashiro, K.**, see Xiao, G., *T-MTT Aug 02* 2025-2028
- Yates, D.**, see Reddy, M., *RFIC 02* 35-38
- Yaxun Liu**, S. Safavi-Naeini, S.K. Chaudhuri, and R. Sabry. Simulation of resonant modes of rectangular DR in MIC environment using MPIE-MoM with combined entire-domain and sub-domain basis functions; *MWSYM 02* 1901-1904 vol.3
- Ybarra, G.A.**, see Qing Huo Liu, *T-MTT Jan 02* 123-133
- Ye, S.**, see Tsuzuki, G., *T-MTT Dec 02* 2924-2929
- Yeh Ta-Hsun**, see Heng-Ming Hsu, *MWSYM 02* 1027-1030 vol.2
- Yen Toh Bee**, see Fusco, V.F., *T-MTT Jul 02* 1772-1778
- Yeo, K.S.K.**, and M.J. Lancaster. A novel tap input coupling structure for a narrow bandpass filter using TM₀₁₀ mode of a microstrip circular-disk resonator; *T-MTT Apr 02* 1230-1232
- Yeoh Wooi Gan**, see Dasgupta, U., *RFIC 02* 195-198
- Yeoh Wooi Gan**, see Dasgupta, U., *T-MTT Nov 02* 2443-2452
- Ye Peihua**, see Peihua Ye, *MWSYM 02* 175-178 vol.1
- Ye Peihua**, see Peihua Ye, *RFIC 02* 329-332
- Ye Shen**, see Tsuzuki, G., *MWSYM 02* 1963-1966 vol.3
- Ye Shen**, see Shen Ye, *MWSYM 02* 1979-1982 vol.3
- Yeun-Ho Jeong**, S. Nuttinck, Sang-Woong Yoon, M.G. Allen, and J. Laskar. Integrated inductors in the chip-to-board interconnect layer fabricated using solderless electroplating bonding; *MWSYM 02* 1409-1412 vol.3
- Yew Hui Liew**, and Jurianto Joe. RF and IF ports matching circuit synthesis for a simultaneous conjugate-matched mixer using quasi-linear analysis; *T-MTT Sep 02* 2056-2062
- Yhland, K.**, see Fager, C., *T-MTT Apr 02* 1224-1227
- Yi Jaehyok**, see Young Yun Woo, *MWSYM 02* 769-772 vol.2
- Yi Jaehyok**, see Youngoo Yang, *MWSYM 02* 777-780 vol.2
- Yi-Jen Chan**, see Hsien-Chin Chiu, *MWSYM 02* 521-524 vol.1
- Yi-Jen Chan**, see Shih-Cheng Yang, *MWSYM 02* 2153-2156 vol.3
- Yi-Jen Chan**, see Hsien-Chin Chiu, *RFIC 02* 411-414
- Yildirim, N.**, O.A. Sen, Y. Sen, M. Karaaslan, and D. Pelz. A revision of cascade synthesis theory covering cross-coupled filters; *T-MTT Jun 02* 1536-1543
- Yilmazoglu, O.**, see Megej, A., *MWSYM 02* 643-646 vol.2
- Yilmazoglu, O.**, see Megej, A., *T-MTT Dec 02* 3070-3076
- Yin, Q.**, see Doan, M.T., *RFIC 02* 415-418
- Yinchao Chen**, see Qunsheng Cao, *T-MTT Jun 02* 1578-1589
- Ying-Jen Hong**, see Wei-Zen Chen, *RFIC 02* 169-172
- Yin Lei**, see Lei Yin, *T-MTT Aug 02* 2011-2017
- Yin Qian**, see My The Doan, *MWSYM 02* 525-528 vol.1
- Yoke Choy Leong**, Kian Sen Ang, and Chee How Lee. A derivation of a class of 3-port baluns from symmetrical 4-port networks; *MWSYM 02* 1165-1168 vol.2
- Yoke Choy Leong**, see Kian Sen Ang, *T-MTT Aug 02* 1990-1995
- Yoke Choy Leong**, see Kian Sen Ang, *T-MTT Sep 02* 2147-2152
- Yokokawa, S.**, see Kikkawa, T., *MWSYM 02* 1815-1818 vol.3
- Yokoyama, K.**, see Hikita, M., *MWSYM 02* 1483-1486 vol.3
- Yokoyama, K.**, see Hikita, M., *T-MTT Nov 02* 2629-2638
- Yokoyama, M.**, see Kikkawa, T., *MWSYM 02* 1815-1818 vol.3
- Yom In-Bok**, see Jin-Cheol Jeong, *MWSYM 02* 1257-1260 vol.2
- Yom In-Bok**, see Moon-Que Lee, *MWSYM 02* 1797-1800 vol.3
- Yoneda, N.**, M. Miyazaki, T. Horie, and H. Satou. Mono-grooved circular waveguide polarizers; *MWSYM 02* 821-824 vol.2
- Yonehara, T.**, see Kodate, J., *MWSYM 02* 1419-1422 vol.3
- Yoneyama, T.**, see Sano, K., *MWSYM 02* 813-816 vol.2
- Yong-Chae Jeong**, see Si-Gyun Jeong, *MWSYM 02* 1161-1164 vol.2
- Yong Hei Lim**, see Jin-Cheol Jeong, *MWSYM 02* 1257-1260 vol.2
- Yong Hwang Hee**, see Hee Yong Hwang, *T-MTT Jul 02* 1821-1831
- Yong-Jiu Zhao**, Ke-Li Wu, and K.-K.M. Cheng. A compact 2-D full-wave finite-difference frequency-domain method for general guided wave structures; *T-MTT Jul 02* 1844-1848
- Yong-Kwon Kim**, see Hong-Teuk Kim, *MWSYM 02* 341-344 vol.1
- Yongming Cai**, and P.B. Katehi. Series switch compatible with CMOS technology; *MWSYM 02* 1221-1224 vol.2
- Yongshik Lee**, J.P. Becker, J.R. East, and L.P.B. Katehi. A micromachined finite coplanar line-to-silicon micromachined waveguide transition for millimeter and submillimeter wave applications; *MWSYM 02* 1871-1874 vol.3
- Yong-Sik Youn**, see Jae-Hong Chang, *MWSYM 02* 529-532 vol.1
- Yong-Sik Youn**, Nam-Soo Kim, Jae-Hong Chang, Young-Jae Lee, and Hyun-Kyu Yu. A 2-GHz RF front-end transceiver chipset in CMOS technology for PCS and IMT-2000 applications; *MWSYM 02* 17-20 vol.1
- Yong-Sik Youn**, see Jae-Hong Chang, *RFIC 02* 419-422
- Yong-Sik Youn**, Nam-Soo Kim, Jae-Hong Chang, Young-Jae Lee, and Hyun-Kyu Yu. A 2-GHz RF front-end transceiver chipset in CMOS technology for PCS and IMT-2000 applications; *RFIC 02* 271-274
- Yong-Woo Jeong**, see Jung-Hyun Sung, *MWSYM 02* 1177-1180 vol.2
- Yongxi Qian**, see Younkyyu Chung, *MWSYM 02* 433-436 vol.1
- Yongxi Qian**, see Nishio, T., *MWSYM 02* 1345-1348 vol.2
- Yongxi Qian**, see Sor, J., *T-MTT Aug 02* 1877-1884
- Yong Zhong Xiong**, Geok-Ing Ng, Hong Wang, Chee Leong Tan, and J.S. Fu. A fast noise and Z-parameter transformations between common emitter and common base InP DHBT; *T-MTT Apr 02* 1109-1113
- Yoo, S.**, see Lee, C.-H., *MWSYM 02* 1045-1048 vol.2
- Yoo Jin Kim**, L. Jofre, F. De Flaviis, and M.Q. Feng. Microwave reflection tomography array for damage detection in concrete structures; *MWSYM 02* 651-654 vol.2
- Yook, J.G.**, see Kim, K.W., *MWSYM 02* 1181-1184 vol.2
- Yoon, S.-W.**, M.F. Davis, K. Lim, S. Pinel, M. Maeng, C.-H. Lee, S. Chakraborty, and S. Mekela. C-band oscillator using high-Q inductors embedded in multi-layer organic packaging; *MWSYM 02* 703-706 vol.2
- Yoon, S.-W.**, see Davis, M.F., *MWSYM 02* 2217-2220 vol.3

- Yoon, Y.J.**, see Kim, K.W., *MWSYM* 02 1181-1184 vol.2
- Yoon Sang-Woong**, see Yeun-Ho Joung, *MWSYM* 02 1409-1412 vol.3
- Yoonsu Choi**, see Dongsu Kim, *MWSYM* 02 1471-1474 vol.3
- Yoon Ty**, see Petersen, A.K., *RFIC* 02 93-96
- York, R.A.**, see Yu Liu, *MWSYM* 02 227-230 vol.1
- York, R.A.**, see Acikel, B., *MWSYM* 02 1467-1469 vol.3
- York, R.A.**, see Buckwalter, J., *RFIC* 02 181-184
- York, R.A.**, see DeLisio, M.P., *T-MTT Mar* 02 929-936
- York, R.A.**, see Chang, K., *T-MTT Mar* 02 937-944
- York, R.A.**, see Pengcheng Jia, *T-MTT May* 02 1355-1360
- Yo-Sheng Lin**, Shey-shi Lu, Tai-Hsing Lee, and Hsiao-Bin Liang. Characterization and modeling of small-signal substrate resistance effect in RF CMOS; *MWSYM* 02 161-164 vol.1
- Yo-Sheng Lin**, Shey-shi Lu, Tai-Hsing Lee, and Hsiao-Bin Liang. Characterization and modeling of small-signal substrate resistance effect in RF CMOS; *RFIC* 02 315-318
- Yo-Shen Lin**, and Chun Hsiung Chen. Novel lumped-element coplanar waveguide-to-coplanar stripline transitions with low-pass and high-pass characteristics; *MWSYM* 02 2213-2216 vol.3
- Yoshida, N.**, see Minamide, H., *MWSYM* 02 621-623 vol.2
- Yoshimasu, T.**, see Higashi, K., *MWSYM* 02 31-34 vol.1
- Yoshimasu, T.**, see Higashi, K., *RFIC* 02 285-288
- Young, J.**, see Wilz, L., *RFIC* 02 115-118
- Young, L.** Introduction [special issue intro. to 50th Anniversary issue]; *T-MTT Mar* 02 592-593
- Young-Bae Jung**, Soon-Young Eom, Soon-Ik Jeon, Jae-Ick Choi, and Han-Kyu Park. The design of T/R module for X-band APAA system used in satellite communications; *MWSYM* 02 1337-1340 vol.2
- Young-Hoon Chun**, Sang-Won Yun, and Jin-Koo Rhee. Active impedance inverter: analysis and its application to the bandpass filter design; *MWSYM* 02 1911-1914 vol.3
- Young-Ho Suh**, and Kai Chang. A new millimeter-wave printed dipole phased array antenna using microstrip-fed coplanar stripline tee junctions; *MWSYM* 02 1321-1324 vol.2
- Young-Ho Suh**, and Kai Chang. A novel dual frequency rectenna for high efficiency wireless power transmission at 2.45 and 5.8 GHz; *MWSYM* 02 1297-1300 vol.2
- Young-Ho Suh**, and Kai Chang. Coplanar stripline resonators modeling and applications to filters; *T-MTT May* 02 1289-1296
- Young-Ho Suh**, and Kai Chang. A high-efficiency dual-frequency rectenna for 2.45- and 5.8-GHz wireless power transmission; *T-MTT Jul* 02 1784-1789
- Young-Jae Lee**, see Yong-Sik Youn, *MWSYM* 02 17-20 vol.1
- Young-Jae Lee**, see Yong-Sik Youn, *RFIC* 02 271-274
- Youngjin Kim**, Sangho Shin, and Kwyro Lee. Architecture and algorithm for high precision image rejection and spurious rejection mixers using digital compensation; *MWSYM* 02 799-802 vol.2
- Young-Joo Song**, see Jung-Hyun Sung, *MWSYM* 02 1177-1180 vol.2
- Youngju Lee**, Sung Hun Jeong, Wee Sang Park, Jae Seung Yun, and Soon Ik Jeon. Multi-layer spatial angular filter with air gap tuner to suppress the grating lobes of microstrip patch arrays; *MWSYM* 02 1329-1332 vol.2
- Young Kim Ki**, see Ki Young Kim, *MWSYM* 02 1149-1152 vol.2
- Young Kyun Choi**, see Soon Ik Jeon, *MWSYM* 02 1341-1343 vol.2
- Young Leo**, see Leo Young, *T-MTT Mar* 02 1021-1027
- Youngoo Yang**, see Young Yun Woo, *MWSYM* 02 769-772 vol.2
- Youngoo Yang**, Young Yun Woo, Jeonghyeon Cha, Jaehyok Yi, and Bumman Kim. New linearization method for the modulated signals with high peak-to-average ratio: peak-to-average ratio reduction and expansion; *MWSYM* 02 777-780 vol.2
- Youngoo Yang**, Young Yun Woo, and Bumman Kim. New predistortion linearizer using low-frequency even-order intermodulation components; *T-MTT Feb* 02 446-452
- Young-Seek Chung**, see No-Weon Kang, *MWSYM* 02 1143-1146 vol.2
- Young-Se Kwon**, see Inho Jeong, *MWSYM* 02 661-664 vol.2
- Young-Se Kwon**, see Dong-Wook Kim, *MWSYM* 02 1561-1564 vol.3
- Young-Taek Lee**, see Jong-Sik Lim, *MWSYM* 02 1153-1156 vol.2
- Young-Wan Choi**, see Soon-Cheol Kong, *T-MTT Nov* 02 2589-2597
- Youngwan Kim**, see Serkssoon Im, *MWSYM* 02 1801-1804 vol.3
- Youngwoo Kwon**, see Hong-Teuk Kim, *MWSYM* 02 341-344 vol.1
- Youngwoo Kwon**, see Moon-Suk Jeon, *RFIC* 02 253-256
- Youngwoo Kwon**, see Junghyun Kim, *T-MTT Jun* 02 1544-1555
- Youngwoo Kwon**, see Junghyun Kim, *T-MTT Nov* 02 2459-2466
- Young Yun**, M. Nishijima, M. Katsuno, H. Ishida, K. Minagawa, T. Nobusada, and T. Tanaka. A fully-integrated broadband amplifier MMIC employing a novel chip size package; *MWSYM* 02 409-412 vol.1
- Young Yun Woo**, see Youngoo Yang, *MWSYM* 02 777-780 vol.2
- Young Yun Woo**, Youngoo Yang, Jaehyok Yi, Joongjin Nam, Jeong Hyeon Cha, and Bumman Kim. Feedforward amplifier for WCDMA base stations with a new adaptive control method; *MWSYM* 02 769-772 vol.2
- Young Yun Woo**, see Youngoo Yang, *T-MTT Feb* 02 446-452
- Younkyu Chung**, C.Y. Hang, Shujun Cai, Yongxi Qian, C.P. Wen, K.L. Wang, and T. Toh. Output harmonic termination techniques for AlGaIn/GaN HEMT power amplifiers using active integrated antenna approach; *MWSYM* 02 433-436 vol.1
- Youn Yong-Sik**, see Jae-Hong Chang, *MWSYM* 02 529-532 vol.1
- Youn Yong-Sik**, see Yong-Sik Youn, *MWSYM* 02 17-20 vol.1
- Youn Yong-Sik**, see Jae-Hong Chang, *RFIC* 02 419-422
- Youn Yong-Sik**, see Yong-Sik Youn, *RFIC* 02 271-274
- Yuan, J.S.**, see Qiang Li, *MWSYM* 02 509-512 vol.1
- Yuan, J.S.**, see Xiao, E., *MWSYM* 02 569-572 vol.1
- Yuan, J.S.**, see Enjun Xiao, *RFIC* 02 459-462
- Yuan, J.S.**, see Qiang Li, *RFIC* 02 399-402
- Yuan, J.S.**, see Enjun Xiao, *T-MTT Nov* 02 2453-2458
- Yuan, X.**, see Lie, D.Y.C., *RFIC* 02 31-34
- Yuan Chenghao**, see Chenghao Yuan, *MWSYM* 02 1135-1138 vol.2
- Yuan Chenghao**, see Chenghao Yuan, *T-MTT Oct* 02 2401-2405
- Yuan Taur**, see Floyd, B.A., *T-MTT Sep* 02 2193-2196
- Yuanxun Wang**, see Fredrick, J.D., *MWSYM* 02 311-314 vol.1
- Yuanxun Wang**, see Hsiao-Ping Tsai, *MWSYM* 02 755-758 vol.2
- Yuanxun Wang**, see Jin Park, *MWSYM* 02 939-942 vol.2
- Yuanxun Wang**, see Sor, J., *MWSYM* 02 665-668 vol.2
- Yuanxun Wang**, see Weijun Yao, *MWSYM* 02 2061-2064 vol.3
- Yuanxun Wang**, see Nishio, T., *MWSYM* 02 1345-1348 vol.2
- Yuanxun Wang**, see Ji-Yong Park, *MWSYM* 02 1277-1280 vol.2
- Yuanxun Wang**, see Seong-Sik Jeon, *MWSYM* 02 1357-1360 vol.2
- Yuanxun Wang**, see Leong, K.M.K.H., *MWSYM* 02 1349-1352 vol.2
- Yuanxun Wang**, see Miyamoto, R.Y., *MWSYM* 02 1369-1372 vol.2
- Yuanxun Wang**, see Hsiao-Ping Tsai, *T-MTT Oct* 02 2226-2232
- Yu-Chiao Chen**, see Ching-Kuo Wu, *MWSYM* 02 1083-1086 vol.2
- Yu-Chi Wang**, see Tzeng, B., *T-MTT Nov* 02 2564-2568
- Yuehe Ge**, and K.P. Esselle. New closed-form Green's functions for microstrip structures - theory and results; *T-MTT Jun* 02 1556-1560
- Yuen, C.**, K. Laursen, Duc Chu, and K. Mar. 50 GHz high output voltage distributed amplifiers for 40 Gb/s EO modulator driver application; *MWSYM* 02 481-484 vol.1
- Yu Guofen**, see Guofen Yu, *T-MTT Jan* 02 191-200
- Yu Hyun-Kyu**, see Jae-Hong Chang, *MWSYM* 02 529-532 vol.1
- Yu Hyun-Kyu**, see Yong-Sik Youn, *MWSYM* 02 17-20 vol.1
- Yu Hyun-Kyu**, see Jae-Hong Chang, *RFIC* 02 419-422
- Yu Hyun-Kyu**, see Yong-Sik Youn, *RFIC* 02 271-274
- Yu Liu**, T.R. Taylor, J.S. Speck, and R.A. York. High-isolation BST-MEMS switches; *MWSYM* 02 227-230 vol.1
- Yu Ming**, see Ming Yu, *MWSYM* 02 1457-1460 vol.3
- Yu Ming**, see Ke-Li Wu, *T-MTT Feb* 02 465-473
- Yun, Y.**, M. Nishijima, M. Katsuno, H. Ishida, K. Minagawa, T. Nobusada, and T. Tanaka. A fully integrated broadband amplifier MMIC employing a novel chip-size package; *T-MTT Dec* 02 2930-2937
- Yunbo Pang**, and Baoxin Gao. A new sandwich structure of photonic bandgap; *MWSYM* 02 1157-1160 vol.2
- Yung, E.K.-N.**, see Wenquan Che, *T-MTT Aug* 02 1912-1918
- Yung Edward Kai-Ning**, see Ru-Shan Chen, *T-MTT Apr* 02 1165-1172
- Yung-Jinn Chen**, see Gould, P., *T-MTT Jan* 02 369-376
- Yun-Ho Chung**, see Samoska, L., *MWSYM* 02 429-432 vol.1
- Yun Jae Seung**, see Youngju Lee, *MWSYM* 02 1329-1332 vol.2
- Yun Jun-Sik**, see Jun-Seok Park, *T-MTT Sep* 02 2037-2043
- Yun Sang-Won**, see Young-Hoon Chun, *MWSYM* 02 1911-1914 vol.3
- Yun Sang-Won**, see Hee Yong Hwang, *T-MTT Jul* 02 1821-1831
- Yun Tae-Yeoul**, see Tae-Yeoul Yun, *T-MTT Jan* 02 105-111
- Yun Tae-Yeoul**, see Tae-Yeoul Yun, *T-MTT May* 02 1303-1310
- Yun Wei**, Sangmin Lee, K. Sundararajan, M. Dahlstrom, M. Urteaga, and M. Rodwell. W-band InP/InGaAs/InP DHBT MMIC power amplifiers; *MWSYM* 02 917-920 vol.2
- Yun Woo Young**, see Young Yun Woo, *MWSYM* 02 769-772 vol.2
- Yun Woo Young**, see Youngoo Yang, *MWSYM* 02 777-780 vol.2
- Yun Woo Young**, see Youngoo Yang, *T-MTT Feb* 02 446-452
- Yun Young**, see Young Yun, *MWSYM* 02 409-412 vol.1
- Yun Zhengqing**, see Iskander, M.F., *T-MTT Mar* 02 662-673
- Yu Ruai**, see Liyang Zhang, *RFIC* 02 85-88
- Yu Shuang**, see Akhtar, S., *T-MTT Jun* 02 1561-1570
- Yu Zhu**, and A.C. Cangellaris. Hierarchical multilevel potential preconditioner for fast finite-element analysis of microwave devices; *T-MTT Aug* 02 1984-1989
- Yu Zhu**, and A.C. Cangellaris. Robust finite-element solution of lossy and unbounded electromagnetic eigenvalue problems; *T-MTT Oct* 02 2331-2338

Z

- Zaki, K.A.**, see El Sabbagh, M.A., *MWSYM* 02 1805-1808 vol.3
- Zaki, K.A.**, see Heng-Tung Hsu, *MWSYM* 02 1445-1448 vol.3
- Zaki, K.A.**, see Heng-Tung Hsu, *T-MTT Apr* 02 1137-1145
- Zaki, K.A.**, see Heng-Tung Hsu, *T-MTT Aug* 02 1960-1968
- Zaki, K.A.**, see Hsu, H.-T., *T-MTT Dec* 02 2971-2978
- Zamanillo, J.-M.**, see Navarro, C., *T-MTT Apr* 02 1193-1197

Zamat, H., see Lie, D.Y.C., *RFIC* 02 31-34
Zamdmer, N., see Fong, N., *RFIC* 02 75-78
Zampardi, P., see Sakalas, P., *MWSYM* 02 2117-2120 vol.3
Zarba, G., see Ludovico, M., *MWSYM* 02 2077-2080 vol.3
Zehentner, J., J. Machac, and J. Mrkvica. Novel selected modes on the conductor-backed slotline; *MWSYM* 02 961-964 vol.2
Zehentner, J., see Machac, J., *T-MTT Feb* 02 583-585
Zeid, A., and H. Baudrand. Electromagnetic scattering by metallic holes and its applications in microwave circuit design; *T-MTT Apr* 02 1198-1206
Zeisel, E., see Aparin, V., *RFIC* 02 129-132
Zelley, C., see Gould, P., *T-MTT Jan* 02 369-376
Zelley, C.A., see Bannister, D.C., *RFIC* 02 147-149
Zellweger, E., see Beffa, F., *MWSYM* 02 501-504 vol.1
Zellweger, E., see Beffa, F., *RFIC* 02 391-394
Zeng Xiang-yin, see Xiang-yin Zeng, *T-MTT May* 02 1417-1424
Zeng Xiang-Yin, see Xiang-Yin Zeng, *T-MTT Jun* 02 1636-1639
Zepparelli, F., see Roselli, L., *MWSYM* 02 1711-1714 vol.3
Zhan, R., see Feng, H., *MWSYM* 02 553-556 vol.1
Zhan, R., see Feng, H., *RFIC* 02 443-446
Zhang, L., see Yang, H.Y.D., *MWSYM* 02 601-604 vol.1
Zhang, L., see Yang, H.Y.D., *RFIC* 02 491-494
Zhang, Q.J., see Jianjun Xu, *MWSYM* 02 1101-1104 vol.2
Zhang, Q.J., see Devabhaktuni, V., *MWSYM* 02 1097-1100 vol.2
Zhang, Q.-J., see Xu, J., *T-MTT Dec* 02 2769-2780
Zhang, W.-K., Fan Jiang, C.W. Domier, and N.C. Luhmann, Jr. Quasi-optical E-band MEMS switching arrays; *MWSYM* 02 1531-1534 vol.3
Zhang, X., see Alexanian, A., *RFIC* 02 119-122
Zhang, Z., see Hsu, H.-T., *T-MTT Dec* 02 2971-2978
Zhang Gang, see Gang Zhang, *RFIC* 02 125-128
Zhang Hua, see Fetterman, H., *MWSYM* 02 1937-1940 vol.3
Zhang Jin, A. Tombak, J.-P. Maria, B. Boyette, G.T. Stauff, A.I. Kingon, and A. Mortazawi. Microwave characterization of thin film BST material using a simple measurement technique; *MWSYM* 02 1201-1204 vol.2
Zhang Jinlong, see Qiang Li, *MWSYM* 02 509-512 vol.1
Zhang Jinlong, see Qiang Li, *RFIC* 02 399-402
Zhang Jun, see Kuhn, W.B., *MWSYM* 02 301-305 vol.1
Zhang Jun, see Kuhn, W.B., *RFIC* 02 385-388
Zhang Liyang, see Liyang Zhang, *RFIC* 02 85-88
Zhang Shiming, see Jin Tang, *MWSYM* 02 179-182 vol.1
Zhang Shiming, see Jin Tang, *RFIC* 02 333-336
Zhang Shiming, see Jin Tang, *T-MTT Nov* 02 2467-2473
Zhang Yan, see Yan Zhang, *T-MTT Nov* 02 2519-2526
Zhang Zhenyu, see Heng-Tung Hsu, *MWSYM* 02 1445-1448 vol.3
Zhang Zhong Qing, see Qing Huo Liu, *T-MTT Jan* 02 123-133
Zhan Rouying, see Ke Gong, *T-MTT Jan* 02 393-402
Zhao, W., C. Schollhorn, and E. Kasper. Interface loss mechanism of millimeter-wave coplanar waveguides on silicon; *T-MTT Jan* 02 407-410
Zhao An-ping, see Changning Ma, *MWSYM* 02 2049-2052 vol.3
Zhao An Ping, see An Ping Zhao, *T-MTT Apr* 02 1156-1164
Zhao Lei, see Lei Zhao, *MWSYM* 02 897-900 vol.2
Zhao Yong-Jiu, see Yong-Jiu Zhao, *T-MTT Jul* 02 1844-1848
Zheng, E., see Lenoir, B., *MWSYM* 02 1923-1926 vol.3
Zhenghe Feng, see Yamashita, E., *T-MTT Mar* 02 1046-1055
Zheng-Hui Xue, see Yan Zhang, *T-MTT Nov* 02 2519-2526
Zhengqing Yun, see Iskander, M.F., *T-MTT Mar* 02 662-673
Zhenhai Shao, Wei Hong, and Hongwei Wu. A Z-transform-based absorbing boundary conditions for 3-D TLM-SCN method; *T-MTT Jan* 02 222-225
Zhenqiang Ma, see Mohammadi, S., *MWSYM* 02 289-292 vol.1
Zhenqiang Ma, see Mohammadi, S., *RFIC* 02 373-376
Zhenqiang Ma, S. Mohammadi, P. Bhattacharya, L.P.B. Katehi, S.A. Alterovitz, and G.E. Ponchak. A high-power and high-gain X-band Si/SiGe/Si heterojunction bipolar transistor; *T-MTT Apr* 02 1101-1108
Zhenrong Jin, see Jin Tang, *MWSYM* 02 179-182 vol.1
Zhenrong Jin, see Jin Tang, *RFIC* 02 333-336
Zhenrong Jin, see Jin Tang, *T-MTT Nov* 02 2467-2473
Zhenyu Zhang, see Heng-Tung Hsu, *MWSYM* 02 1445-1448 vol.3
Zhewang Ma, H. Suzuki, Y. Kobayashi, K. Satoh, S. Narahashi, and T. Nojima. A low-loss 5GHz bandpass filter using HTS coplanar waveguide quarter-wavelength resonators; *MWSYM* 02 1967-1970 vol.3
Zhiwei Xu, see Hyunchol Shin, *MWSYM* 02 477-480 vol.1
Zhiwei Xu, see Hyunchol Shin, *RFIC* 02 71-74
Zhiyuan Wu, see Spann, J., *MWSYM* 02 533-536 vol.1
Zhiyuan Wu, see Spann, J., *RFIC* 02 423-426
Zhizhang Chen, see Chenghao Yuan, *MWSYM* 02 1135-1138 vol.2
Zhizhang Chen, see Changning Ma, *MWSYM* 02 2049-2052 vol.3
Zhizhang Chen, see Chenghao Yuan, *T-MTT Oct* 02 2401-2405
Zhong Qing Zhang, see Qing Huo Liu, *T-MTT Jan* 02 123-133
Zhong Xiong Yong, see Yong Zhong Xiong, *T-MTT Apr* 02 1109-1113
Zhu Anding, see Anding Zhu, *MWSYM* 02 461-464 vol.1
Zhu Lei, see Lei Zhu, *T-MTT Feb* 02 549-557
Zhu Lei, see Lei Zhu, *T-MTT Apr* 02 1207-1215
Zhu Lei, see Lei Zhu, *T-MTT Aug* 02 1861-1869
Zhu Lei, see Lei Zhu, *T-MTT Oct* 02 2412-2413

Zhu Xiaowei, see Feng Xu, *MWSYM* 02 2057-2060 vol.3
Zhu Yu, see Yu Zhu, *T-MTT Aug* 02 1984-1989
Zhu Yu, see Yu Zhu, *T-MTT Oct* 02 2331-2338
Zimmermann, D.C., see Parker, D., *T-MTT Mar* 02 678-687
Zimmermann, D.C., see Parker, D., *T-MTT Mar* 02 688-698
Zirath, H., see Fager, C., *MWSYM* 02 131-134 vol.1
Zirath, H., see Sakalas, P., *MWSYM* 02 2117-2120 vol.3
Zirath, H., see Fager, C., *T-MTT Apr* 02 1224-1227
Zirath, H., see Angelov, L., *T-MTT Jun* 02 1480-1486
Zirath, H., see Fager, C., *T-MTT Dec* 02 2834-2842
Ziroff, A., see Megej, A., *MWSYM* 02 643-646 vol.2
Ziroff, A., see Megej, A., *T-MTT Dec* 02 3070-3076
Zuo Xu, see Hoton How, *T-MTT May* 02 1280-1288
Zwick, T., J. Haala, and W. Wiesbeck. A genetic algorithm for the evaluation of material parameters of compound multilayered structures; *T-MTT Apr* 02 1180-1187

SUBJECT INDEX

1/f noise

NMOS and PMOS transistors, 1/f noise and VCO design implications. *O. K.K.*, +, *RFIC* 02 59-62
 SiGe HBT, LF noise charactn. & modeling, low phase noise oscillator. *Bary, L.*, +, *RFIC* 02 359-362
 SiGe RF HBT technol., LF noise figs.-of-merit. *Jin Tang*, +, *MWSYM* 02 179-182 vol.1

A

Absorbing media

parallel line edge mode microstrip isolators, modeling/optim. *Aly, A.H.*, +, *MWSYM* 02 1479-1482 vol.3
 PML ABC errors in FEM, mesh compression. *Mitchell, A.*, +, *T-MTT May* 02 1297-1302
 transient EM problems in terms of collinear vector pot. *Georgieva, N.K.*, *T-MTT Aug* 02 1950-1959

Absorption; cf. Electromagnetic wave absorption

Access protocols; cf. Code division multiple access

Accreditation

microstrip tapered balun printed dipole ref., specific absorpt. rate meas. *Richard, M.*, +, *MWSYM* 02 1743-1746 vol.3

Accumulation layers

Si wafer, substr. loss, microstrip and CPW transm. lines. *Lederer, D.*, +, *MWSYM* 02 685-688 vol.2

Acoustic correlation

microwave BAW/SAW materials/devices/appls. *Weigel, R.*, +, *T-MTT Mar* 02 738-749

Acoustic correlation; cf. Surface acoustic wave correlation

Acoustic devices; cf. Acoustic filters; Acoustic microwave devices; Acoustic resonators; Bulk acoustic wave devices

Acoustic filters

BAW resonators/filters, appls. above 2 GHz. *Lakin, K.M.*, +, *MWSYM* 02 1487-1490 vol.3

Acoustic filters; cf. Acoustic resonator filters; Surface acoustic wave filters

Acoustic microwave devices

BAW resonators/filters, appls. above 2 GHz. *Lakin, K.M.*, +, *MWSYM* 02 1487-1490 vol.3

microwave BAW/SAW materials/devices/appls. *Weigel, R.*, +, *T-MTT Mar* 02 738-749

technol. develop./appls., milestones. *Sobol, H.*, +, *T-MTT Mar* 02 594-611

Acoustic noise

MEMS-based ccts. & phase shifters, phase noise anal. *Rebeiz, G.M.*, *T-MTT May* 02 1316-1323

Acoustic resonator filters

TFBAR filter, wireless commun. *Kim, K.W.*, +, *MWSYM* 02 1181-1184 vol.2

Acoustic resonators

BAW resonators/filters, appls. above 2 GHz. *Lakin, K.M.*, +, *MWSYM* 02 1487-1490 vol.3