

2002 Index

IEEE Microwave and Wireless Components Letters

Vol. 12

This index covers all technical items - papers, correspondence, reviews, etc. that appeared in this periodical during 2002, and items from previous years that were commented upon or corrected in 2002. Departments and other items may be also covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

- Acikel, B.**, T.R. Taylor, P.J. Hansen, J.S. Speck, and R.A. York. A new high performance phase shifter using $\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ thin films; *MWCL Jul 02* 237-239
- Ahn, D.**, see Young-Taek Lee, *MWCL Feb 02* 39-41
- Ahn, D.**, see Lim, J.-S., *MWCL Dec 02* 479-481
- Ahn Dal**, see Jong-Sik Lim, *MWCL Jul 02* 261-263
- Ahn Dal**, see Jong-Sik Lim, *MWCL Sep 02* 330-332
- Ahn Dal**, see Young-Taek Lee, *MWCL Oct 02* 375-377
- Akalin, T.**, J. Danglot, O. Vanbesien, and D. Lippens. A highly directive dipole antenna embedded in a Fabry-Perot type cavity; *MWCL Feb 02* 48-50
- Akalin, T.**, see David, T., *MWCL Aug 02* 281-283
- Al-Ansari, K.**, P. Garcia, J.M. Riera, A. Benarroch, D. Fernandez, and L. Fernandez. Calibration procedure of a microwave total-power radiometer; *MWCL Mar 02* 93-95
- Ali, M.E.**, K. Geary, H.R. Fetterman, S.K. Han, and K.Y. Kang. Characterization of ultrafast devices using near-field optical heterodyning; *MWCL Oct 02* 369-371
- Alidio, R.**, see Chaudhry, Q., *MWCL Nov 02* 424-425
- Amari, S.**, see Rosenberg, U., *MWCL Aug 02* 296-298
- Anakabe, A.**, J.P. Pascual, J. Portilla, J. Jugo, and J.M. Collantes. Harmonic-balance analysis of digital frequency dividers; *MWCL Aug 02* 287-289
- Andersson, K.**, J. Eriksson, N. Rorsman, and H. Zirath. Resistive SiC-MESFET mixer; *MWCL Apr 02* 119-121
- Ankarcrona, J.**, see Vestling, L., *MWCL Jul 02* 249-251
- Antar, Y.M.M.**, see Hammad, H.F., *MWCL Apr 02* 122-124
- Antar, Y.M.M.**, see Frank, B.M., *MWCL Sep 02* 327-329
- Aoyama, S.**, see Onodera, K., *MWCL Oct 02* 372-374
- Arcioni, P.**, see Cassivi, Y., *MWCL Sep 02* 333-335
- Arscott, S.**, see David, T., *MWCL Aug 02* 281-283
- Ashouei, M.**, see Jiang, D., *MWCL Jan 02* 24-26
- Ayguavives, F.**, see Tombak, A., *MWCL Jan 02* 3-5

B

- Bachtold, W.**, see Ellinger, F., *MWCL Sep 02* 348-350
- Ban Leong Ooi**, see Boon Tiong Tan, *MWCL Jul 02* 252-254
- Beaudin, G.**, see David, T., *MWCL Aug 02* 281-283
- Bell, H.C.** Patent abstracts; *MWCL Jan 02* 27-33
- Bell, H.C.** Patent abstracts; *MWCL Feb 02* 66-72
- Bell, H.C.** Patent abstracts; *MWCL Mar 02* 105-111
- Bell, H.C.** Patent abstracts; *MWCL May 02* 187-198
- Bell, H.C.** Patent abstracts; *MWCL Apr 02* 146-154
- Bell, H.C.** Patent abstracts; *MWCL Jun 02* 226-234
- Bell, H.C.** Patent abstracts; *MWCL Jul 02* 273-279
- Bell, H.C.** Patent abstracts; *MWCL Aug 02* 314-318
- Bell, H.C.** Patent abstracts; *MWCL Sep 02* 354-364
- Bell, H.C.** Patent abstracts; *MWCL Oct 02* 404-416
- Bell, H.C.** Patent abstracts; *MWCL Nov 02* 447-457

- Bell, H.C.** Patent abstracts; *MWCL Dec 02* 502-512
- Benarroch, A.**, see Al-Ansari, K., *MWCL Mar 02* 93-95
- Bennett, J.**, see Ibrahim, M., *MWCL Aug 02* 284-286
- Berenger, J.-P.** Application of the CFS PML to the absorption of evanescent waves in waveguides; *MWCL Jun 02* 218-220
- Bernhard, J.T.**, see Huff, G.H., *MWCL Aug 02* 308-310
- Boellaard, E.**, see Zhunag, Y., *MWCL Dec 02* 473-475
- Bomson Lee**, see Yoonmi Shin, *MWCL Mar 02* 82-84
- Bonache, J.**, see Martin, F., *MWCL Nov 02* 435-437
- Boon Tiong Tan**, Siou Teck Chew, Mook Seng Leong, and Ban Leong Ooi. A modified microstrip circular patch resonator filter; *MWCL Jul 02* 252-254
- Branner, G.R.**, see Kumar, B.P., *MWCL Jul 02* 270-272
- Bressan, M.**, see Cassivi, Y., *MWCL Sep 02* 333-335
- Bridges, G.E.**, see Li, L.Y., *MWCL Apr 02* 131-133
- Buckle, A.**, see Kinayman, N., *MWCL Mar 02* 76-78
- Burghartz, J.N.**, see Zhunag, Y., *MWCL Dec 02* 473-475

C

- Cahill, R.**, see Li, R.L., *MWCL Aug 02* 305-307
- Cai, S.**, see Chung, Y., *MWCL Nov 02* 421-423
- Caloz, C.**, see Ji-Yong Park, *MWCL Jan 02* 18-19
- Cam Nguyen**, see Jeongwoo Han, *MWCL Jun 02* 206-208
- Cam Nguyen**, see Joongsuk Park, *MWCL Jun 02* 221-222
- Cangelaris, A.C.**, see Yu Zhu, *MWCL Aug 02* 290-292
- Cassivi, Y.**, L. Perregrini, P. Arcioni, M. Bressan, K. Wu, and G. Conciauro. Dispersion characteristics of substrate integrated rectangular waveguide; *MWCL Sep 02* 333-335
- Cen Yen Ong**, and M. Okoniewski. A simple recursive formula for calculating the S-parameters of finite periodic structures; *MWCL Jul 02* 264-266
- Chan, K.T.**, C.Y. Chen, A. Chin, J.C. Hsieh, J. Liu, T.S. Duh, and W.J. Lin. 40-GHz coplanar waveguide bandpass filters on silicon substrate; *MWCL Nov 02* 429-431
- Chan, Y.-J.**, see Hsiao, C.-C., *MWCL Dec 02* 467-469
- Chang, Y.-C.**, see Liao, S.-S., *MWCL Dec 02* 476-478
- Chang Chi-Yang**, see Chi-Yang Chang, *MWCL Apr 02* 137-139
- Changhong Liang**, see Xingchang Wei, *MWCL Oct 02* 392-394
- Chang Kai**, see Chunlei Wang, *MWCL May 02* 160-162
- Chattopadhyay, G.**, E. Schlecht, J. Gill, S. Martin, A. Maestrini, D. Pukala, F. Maiwald, and I. Mehdi. A broadband 800 GHz Schottky balanced doubler; *MWCL Apr 02* 117-118
- Chaubet, M.**, see Llopis, O., *MWCL May 02* 157-159
- Chaudhry, Q.**, R. Alidio, G. Sakamoto, and T. Cisco. A SiGe MMIC variable gain cascode amplifier; *MWCL Nov 02* 424-425
- Chen, C.Y.**, see Chan, K.T., *MWCL Nov 02* 429-431
- Chen, H.-K.**, see Liao, S.-S., *MWCL Dec 02* 476-478
- Chen, Y.**, see Chung, Y., *MWCL Nov 02* 421-423
- Cheng, K.-K.M.**, see Wing-Yan Leung, *MWCL Jul 02* 240-242
- Cheng, M.**, see Chi-Shuen Leung, *MWCL Sep 02* 336-338
- Chen Zhen**, Guo Lihui, Yu Mingbin, and Zhang Yi. A study of MIMIM on-chip capacitor using Cu/SiO₂ interconnect technology; *MWCL Jul 02* 246-248
- Cheon, C.**, see Kang, N.-W., *MWCL Dec 02* 494-496
- Chew Siou Teck**, see Boon Tiong Tan, *MWCL Jul 02* 252-254
- Chien-Jen Wang**, Hua-Lin Guan, and C.F. Jou. Two-dimensional scanning leaky-wave antenna by utilizing the phased array; *MWCL Aug 02* 311-313
- Chin, A.**, see Chan, K.T., *MWCL Nov 02* 429-431
- Chin, A.**, see Huang, C.H., *MWCL Dec 02* 464-466
- Chin-Chun Meng**, see Shih-An Yu, *MWCL Feb 02* 37-38
- Ching, A.**, see Kumar, B.P., *MWCL Jul 02* 270-272
- Chi-Shuen Leung**, Kwok-Keung, and M. Cheng. A new approach to amplifier linearization by the generalized baseband signal injection method; *MWCL Sep 02* 336-338
- Chi-Yang Chang**, and Wei-Chen Hsu. Photonic bandgap dielectric waveguide filter; *MWCL Apr 02* 137-139
- Chizh, A.L.**, see Malyshev, S.A., *MWCL Jun 02* 201-203
- Choo, H.**, and H. Ling. Design of multiband microstrip antennas using a genetic algorithm; *MWCL Sep 02* 345-347
- Chow, Y.L.**, and K.L. Wan. A transformer of one-third wavelength in two sections - for a frequency and its first harmonic; *MWCL Jan 02* 22-23
- Chul-Soo Kim**, see Jong-Sik Lim, *MWCL Sep 02* 330-332
- Chul-Soo Kim**, see Young-Taek Lee, *MWCL Oct 02* 375-377

- Chung, Y.**, C.Y. Hang, S. Cai, Y. Chen, W. Lee, C.P. Wen, K.L. Wang, and T. Itoh. Effects of output harmonic termination on PAE and output power of AlGaIn/GaN HEMT power amplifier; *MWCL Nov 02* 421-423
- Chun-Hsien Lien**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Chunlei Wang**, and Kai Chang. A 3-d broadband dual-layer multiaperture microstrip directional coupler; *MWCL May 02* 160-162
- Chu Tah-Hsiung**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Cibiel, G.**, see Llopis, O., *MWCL May 02* 157-159
- Ciric, I.R.**, see Li, L.Y., *MWCL Apr 02* 131-133
- Cisco, T.**, see Chaudhry, Q., *MWCL Nov 02* 424-425
- Cisco, T.**, see Teshiba, M., *MWCL Dec 02* 500-501
- Collantes, J.M.**, see Anakabe, A., *MWCL Aug 02* 287-289
- Conciauro, G.**, see Cassivi, Y., *MWCL Sep 02* 333-335

D

- Dal Ahn**, see Jong-Sik Lim, *MWCL Jul 02* 261-263
- Dal Ahn**, see Jong-Sik Lim, *MWCL Sep 02* 330-332
- Dal Ahn**, see Young-Taek Lee, *MWCL Oct 02* 375-377
- Danglot, J.**, see Akalin, T., *MWCL Feb 02* 48-50
- Darms, M.**, R. Schuhmann, H. Spachmann, and T. Weiland. Dispersion and asymmetry effects of ADI-FDTD; *MWCL Dec 02* 491-493
- David, T.**, S. Arscott, J.-M. Munier, T. Akalin, P. Mounaix, G. Beaudin, and D. Lippens. Monolithic integrated circuits incorporating InP-based heterostructure barrier varactors; *MWCL Aug 02* 281-283
- Davis, J.**, see Tayag, T.J., *MWCL Jan 02* 9-11
- Dawn, D.**, Y. Ohashi, and T. Shimura. A novel electromagnetic bandgap metal plate for parallel plate mode suppression in shielded structures; *MWCL May 02* 166-168
- del-Rio, C.**, see Teniente, J., *MWCL Jan 02* 20-21
- de Maagt, P.J.I.**, see van der Vorst, M.J.M., *MWCL Jul 02* 258-260
- Dorko, K.**, and J. Mazur. Characterization of rectangular waveguide with a pseudochiral Ω slab; *MWCL Dec 02* 482-484
- Drayton, R.F.**, see Peterson, R.L., *MWCL Mar 02* 90-92
- Duh, T.S.**, see Chan, K.T., *MWCL Nov 02* 429-431

E

- Edenfield, B.K.**, see Hopkins, G.D., *MWCL Aug 02* 299-301
- Elamaram, B.**, see Leong, K.M.K.H., *MWCL May 02* 169-171
- Eleftheriades, G.V.**, see Ip, K.H.Y., *MWCL Jan 02* 15-17
- Ellinger, F.**, and W. Bachtold. Adaptive antenna receiver module for WLAN at C-band with low-power consumption; *MWCL Sep 02* 348-350
- Ellis, T.J.** Comments on "Improvement of broadband feedforward amplifier using photonic bandgap" [Nov 01 450-452]; *MWCL Sep 02* 352-353
- Ellis, T.J.** Comments on "Improvement of broadband feedforward amplifier using photonic bandgap"; *MWCL Sep 02* 352-353
- El-Shenawee, M.**, see Jiang, D., *MWCL Jan 02* 24-26
- Eriksson, J.**, see Andersson, K., *MWCL Apr 02* 119-121
- Erping Li**, see Xingchang Wei, *MWCL Oct 02* 392-394
- Erro, M.J.**, see Lopetegi, T., *MWCL Nov 02* 441-443
- Eswarappa, C.**, see Kinayman, N., *MWCL Mar 02* 76-78

F

- Falcone, F.**, see Martin, F., *MWCL Nov 02* 435-437
- Fan Yang**, and Y. Rahmat-Samii. A reconfigurable patch antenna using switchable slots for circular polarization diversity; *MWCL Mar 02* 96-98
- Fernandez, D.**, see Al-Ansari, K., *MWCL Mar 02* 93-95
- Fernandez, L.**, see Al-Ansari, K., *MWCL Mar 02* 93-95
- Fetterman, H.R.**, see Ali, M.E., *MWCL Oct 02* 369-371
- Filicori, F.**, see Santarelli, A., *MWCL Sep 02* 339-341
- Frank, B.M.**, A.P. Freundorfer, and Y.M.M. Antar. Performance of 1-10-GHz traveling wave amplifiers in 0.18- μ m CMOS; *MWCL Sep 02* 327-329
- Fredrick, J.D.**, Yuanxun Wang, and T. Itoh. A new circuit topology for continuous group delay synthesis; *MWCL Mar 02* 85-87
- Freundorfer, A.P.**, see Hammad, H.F., *MWCL Apr 02* 122-124
- Freundorfer, A.P.**, see Frank, B.M., *MWCL Sep 02* 327-329
- Fujii, M.**, and P. Russer. A nonlinear and dispersive APML ABC for the FD-TD methods; *MWCL Nov 02* 444-446
- Funk, E.**, see Jemison, W.D., *MWCL Apr 02* 125-127
- Fusco, V.F.**, see Li, R.L., *MWCL Aug 02* 305-307

G

- Galwas, B.A.**, see Malyshev, S.A., *MWCL Jun 02* 201-203
- Garcia, P.**, see Al-Ansari, K., *MWCL Mar 02* 93-95
- Geary, K.**, see Ali, M.E., *MWCL Oct 02* 369-371

- Georgieva, N.**, see Rickard, Y., *MWCL May 02* 181-183
- Gill, J.**, see Chattopadhyay, G., *MWCL Apr 02* 117-118
- Giordano, V.**, see Llopis, O., *MWCL May 02* 157-159
- Gonzalo, R.**, see Teniente, J., *MWCL Jan 02* 20-21
- Gorur, A.** A novel dual-mode bandpass filter with wide stopband using the properties of microstrip open-loop resonator; *MWCL Oct 02* 386-388
- Gough, R.G.**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Guan Hua-Lin**, see Chien-Jen Wang, *MWCL Aug 02* 311-313
- Guan-Leng Tan**, and G.M. Rebeiz. A DC-contact MEMS shunt switch; *MWCL Jun 02* 212-214
- Guo Lihui**, see Chen Zhen, *MWCL Jul 02* 246-248
- Guyette, A.C.**, see Leong, K.M.K.H., *MWCL May 02* 169-171

H

- Hammad, H.F.**, A.P. Freundorfer, and Y.M.M. Antar. Feedback for multiband stabilization of CS and CG MESFET transistors; *MWCL Apr 02* 122-124
- Hampton, J.G.**, see Hopkins, G.D., *MWCL Aug 02* 299-301
- Han, S.K.**, see Ali, M.E., *MWCL Oct 02* 369-371
- Hanawa, I.**, see Wang, G., *MWCL Oct 02* 378-380
- Hang, C.Y.**, see Chung, Y., *MWCL Nov 02* 421-423
- Han Jeongwoo**, see Jeongwoo Han, *MWCL Jun 02* 206-208
- Hansen, P.J.**, see Acikel, B., *MWCL Jul 02* 237-239
- Hanson, G.W.**, see Yakovlev, A.B., *MWCL Oct 02* 398-400
- Harvey, J.F.**, see Tayag, T.J., *MWCL Jan 02* 9-11
- Hayashi, H.**, D.A. Hitko, and C.G. Sodini. Four-element planar Butler matrix using half-wavelength open stubs; *MWCL Mar 02* 73-75
- Hill, M.J.**, see Hsuan-ju Hsu, *MWCL Jul 02* 255-257
- Hitko, D.A.**, see Hayashi, H., *MWCL Mar 02* 73-75
- Ho, C.-C.**, see Hsiao, C.-C., *MWCL Dec 02* 467-469
- Hong-Sheng Yang**, and Yong Liu. An improvement on analytic accuracy of circular groove guide; *MWCL Feb 02* 57-59
- Hong-Shick Min**, see Jooyoung Jeon, *MWCL Sep 02* 342-344
- Hong-Teuk Kim**, Jae-Hyoung Park, Joung-hwa Yim, Yong-Kweon Kim, and Youngwoo Kwon. A compact V-band 2-bit reflection-type MEMS phase shifter; *MWCL Sep 02* 324-326
- Hong-Teuk Kim**, Jae-Hyoung Park, Yong-Kweon Kim, and Youngwoo Kwon. Low-loss and compact V-band MEMS-based analog tunable bandpass filters; *MWCL Nov 02* 432-434
- Hong Wei**, see Xiaoxing Yin, *MWCL Feb 02* 63-65
- Hon Tat Hui** Reducing the mutual coupling effect in adaptive nulling using a re-defined mutual impedance; *MWCL May 02* 178-180
- Hopkins, G.D.**, B.K. Edenfield, J.G. Hampton, and R.L. Roberts. A new coax to troughguide transition; *MWCL Aug 02* 299-301
- Hsiao, C.-C.**, C.-W. Kuo, C.-C. Ho, and Y.-J. Chan. Improved quality-factor of 0.18- μ m CMOS active inductor by a feedback resistance design; *MWCL Dec 02* 467-469
- Hsieh, J.C.**, see Chan, K.T., *MWCL Nov 02* 429-431
- Hsieh, J.C.**, see Huang, C.H., *MWCL Dec 02* 464-466
- Hsuan-ju Hsu**, M.J. Hill, J. Papapolymerou, and R.W. Ziolkowski. A planar X-band electromagnetic band-gap (EBG) 3-pole filter; *MWCL Jul 02* 255-257
- Hsu Hsuan-ju**, see Hsuan-ju Hsu, *MWCL Jul 02* 255-257
- Hsu Wei-Chen**, see Chi-Yang Chang, *MWCL Apr 02* 137-139
- Hsu Wei-Hsiu**, see Jen-Tsai Kuo, *MWCL Oct 02* 383-385
- Hua-Lin Guan**, see Chien-Jen Wang, *MWCL Aug 02* 311-313
- Huang, C.H.**, C.H. Lai, J.C. Hsieh, J. Liu, and A. Chin. RF noise in 0.18- μ m and 0.13- μ m MOSFETs; *MWCL Dec 02* 464-466
- Huang Wei-Ping**, see Rickard, Y., *MWCL May 02* 181-183
- Huang Wei-Ting**, see Jen-Tsai Kuo, *MWCL Oct 02* 383-385
- Huei Wang**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Huff, G.H.**, and J.T. Bernhard. Improvements in the performance of microstrip antennas on finite ground planes through ground plane edge serrations; *MWCL Aug 02* 308-310
- Hui Hon Tat**, see Hon Tat Hui, *MWCL May 02* 178-180
- Hunter, I.C.**, see Walker, V., *MWCL Jun 02* 215-217
- Hwang Yuh-Jing**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211

I

- Ibrahim, M.**, B. Syrett, and J. Bennett. Simple and accurate technique for extracting the parasitic resistances of the dual-gate GaAs MESFET; *MWCL Aug 02* 284-286
- Ip, K.H.Y.**, and G.V. Eleftheriades. A compact single layer injection-locked linear scanning array; *MWCL Jan 02* 15-17
- Ishii, T.**, see Onodera, K., *MWCL Oct 02* 372-374
- Itoh, T.**, see Ji-Yong Park, *MWCL Jan 02* 18-19
- Itoh, T.**, see Fredrick, J.D., *MWCL Mar 02* 85-87
- Itoh, T.**, see Leong, K.M.K.H., *MWCL May 02* 169-171

Itoh, T., *see* Chung, Y., *MWCL Nov 02* 421-423

J

- Jaechun Lee**, Young-Taek Lee, and Sangwook Nam. A phase noise reduction technique in microwave oscillator using high-Q active filter; *MWCL Nov 02* 426-428
- Jaechun Lee**, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Jaechun Park**, *see* Hong-Teuk Kim, *MWCL Nov 02* 432-434
- Jain, N.**, *see* Kinayman, N., *MWCL Mar 02* 76-78
- Jemison, W.D.**, A.J. Kreuzberger, and E. Funk. Microwave photonic vector modulator for high-speed wireless digital communications; *MWCL Apr 02* 125-127
- Jen-Tsai Kuo**, Wei-Hsiu Hsu, and Wei-Ting Huang. Parallel coupled microstrip filters with suppression of harmonic response; *MWCL Oct 02* 383-385
- Jeong Phill Kim**, *see* Tikhov, Y., *MWCL Aug 02* 302-304
- Jeongwoo Han**, and Cam Nguyen. A new ultra-wideband, ultra-short monocycle pulse generator with reduced ringing; *MWCL Jun 02* 206-208
- Jeon Jooyoung**, *see* Jooyoung Jeon, *MWCL Sep 02* 342-344
- Jiang, D.**, W. Meleis, M. El-Shenawee, E. Mizan, M. Ashouei, and C. Rappaport. Parallel implementation of the steepest descent fast multipole method (SDFMM) on a Beowulf cluster for subsurface sensing applications; *MWCL Jan 02* 24-26
- Jiang Zhihua**, *see* Zhihua Jiang, *MWCL Jul 02* 267-269
- Jin-Fa Lee**, *see* Shumin Wang, *MWCL Jun 02* 223-225
- Jin Zhang**, *see* Tombak, A., *MWCL Jan 02* 3-5
- Ji-Yong Park**, C. Caloz, Yongxi Qian, and T. Itoh. A compact circularly polarized subdivided microstrip patch antenna; *MWCL Jan 02* 18-19
- Johnson, W.**, *see* Safwat, A.M.E., *MWCL Apr 02* 128-130
- Jong-Sik Lim**, *see* Young-Taek Lee, *MWCL Feb 02* 39-41
- Jong-Sik Lim**, Jun-Seok Park, Young-Taek Lee, Dal Ahn, and Sangwook Nam. Application of defected ground structure in reducing the size of amplifiers; *MWCL Jul 02* 261-263
- Jong-Sik Lim**, Chul-Soo Kim, Young-Taek Lee, Dal Ahn, and Sangwook Nam. A spiral-shaped defected ground structure for coplanar waveguide; *MWCL Sep 02* 330-332
- Jong-Sik Lim**, *see* Young-Taek Lee, *MWCL Oct 02* 375-377
- Joongsuk Park**, and Cam Nguyen. A new millimeter-wave step-frequency radar sensor for distance measurement; *MWCL Jun 02* 221-222
- Jooyoung Jeon**, Youngwoo Kwon, and Hong-Shick Min. A physics-based GaAs PHEMT noise model for low drain bias operation using characteristic potential method; *MWCL Sep 02* 342-344
- Jou, C.F.**, *see* Chien-Jen Wang, *MWCL Aug 02* 311-313
- Jounghwa Yim**, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Jugo, J.**, *see* Anakabe, A., *MWCL Aug 02* 287-289
- Jung, H.-K.**, *see* Kang, N.-W., *MWCL Dec 02* 494-496
- Jun-Seok Park**, *see* Young-Taek Lee, *MWCL Feb 02* 39-41
- Jun-Seok Park**, *see* Jong-Sik Lim, *MWCL Jul 02* 261-263

K

- Kai Chang**, *see* Chunlei Wang, *MWCL May 02* 160-162
- Kang, K.Y.**, *see* Ali, M.E., *MWCL Oct 02* 369-371
- Kang, N.-W.**, C. Cheon, and H.-K. Jung. Feasibility study on beam-forming technique with 1-D mechanical beam steering antenna using niching genetic algorithm; *MWCL Dec 02* 494-496
- Kanoniuk, H.**, *see* Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Ke-Li Wu**, *see* Wing-Yan Leung, *MWCL Jul 02* 240-242
- Kersale, Y.**, *see* Llopis, O., *MWCL May 02* 157-159
- Kessuwan, C.**, *see* Krairiksh, M., *MWCL May 02* 184-186
- Ke Wu**, *see* Lei Zhu, *MWCL Feb 02* 51-53
- Khalladi, M.**, *see* Yaich, M.I., *MWCL Aug 02* 293-295
- Kim, C.-S.**, *see* Lim, J.-S., *MWCL Dec 02* 479-481
- Kim Chul-Soo**, *see* Jong-Sik Lim, *MWCL Sep 02* 330-332
- Kim Chul-Soo**, *see* Young-Taek Lee, *MWCL Oct 02* 375-377
- Kim Hong-Teuk**, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Kim Hong-Teuk**, *see* Hong-Teuk Kim, *MWCL Nov 02* 432-434
- Kim Jeong Phill**, *see* Tikhov, Y., *MWCL Aug 02* 302-304
- Kim Yong-Kweon**, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Kim Yong-Kweon**, *see* Hong-Teuk Kim, *MWCL Nov 02* 432-434
- Kim Youngsik**, *see* Youngwook Kim, *MWCL Jun 02* 204-205
- Kim Youngwook**, *see* Youngwook Kim, *MWCL Jun 02* 204-205
- Kinayman, N.**, C. Eswarappa, N. Jain, and A. Buckle. A novel surface-mountable millimeter-wave bandpass filter; *MWCL Mar 02* 76-78
- Kingon, A.I.**, *see* Tombak, A., *MWCL Jan 02* 3-5
- Klaus, W.**, *see* Takayama, Y., *MWCL Mar 02* 102-104
- Klein, W.**, *see* Li, H., *MWCL Mar 02* 79-81
- Kobayashi, M.**, *see* Wang, G., *MWCL Oct 02* 378-380

- Kozakowski, P.**, and M. Mrozowski. Gradient-based optimization of filters using FDTD software; *MWCL Oct 02* 389-391
- Kozakowski, P.**, and M. Mrozowski. Low-order models from FD-TD time samples; *MWCL Nov 02* 438-440
- Kozakowski, P.**, and M. Mrozowski. Automated CAD of coupled resonator filters; *MWCL Dec 02* 470-472
- Krairiksh, M.**, P. Ngamjanyaporn, and C. Kessuwan. A flat four-beam compact phased array antenna; *MWCL May 02* 184-186
- Kreienkamp, R.**, *see* Li, H., *MWCL Mar 02* 79-81
- Kreuzberger, A.J.**, *see* Jemison, W.D., *MWCL Apr 02* 125-127
- Kuffner, S.L.**, *see* Silk, S.D., *MWCL Jan 02* 1-2
- Kumar, B.P.**, G.R. Branner, D. Xu, and A. Ching. Optimized compact active downconverters having low power consumption and high conversion gain; *MWCL Jul 02* 270-272
- Kuo, C.-W.**, *see* Hsiao, C.-C., *MWCL Dec 02* 467-469
- Kuo Jen-Tsai**, *see* Jen-Tsai Kuo, *MWCL Oct 02* 383-385
- Kwok-Keung**, *see* Chi-Shuen Leung, *MWCL Sep 02* 336-338
- Kwon Youngwoo**, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Kwon Youngwoo**, *see* Jooyoung Jeon, *MWCL Sep 02* 342-344
- Kwon Youngwoo**, *see* Hong-Teuk Kim, *MWCL Nov 02* 432-434
- Kyungdong Lee**, *see* Yoonmi Shin, *MWCL Mar 02* 82-84

L

- Lai, C.H.**, *see* Huang, C.H., *MWCL Dec 02* 464-466
- Laskar, J.**, *see* Li, R.L., *MWCL Aug 02* 305-307
- Laso, M.A.G.**, *see* Martin, F., *MWCL Nov 02* 435-437
- Laso, M.A.G.**, *see* Lopetegi, T., *MWCL Nov 02* 441-443
- Lee, C.H.**, *see* Safwat, A.M.E., *MWCL Apr 02* 128-130
- Lee, R.**, *see* Shumin Wang, *MWCL Jun 02* 223-225
- Lee, W.**, *see* Chung, Y., *MWCL Nov 02* 421-423
- Lee, Y.-T.**, *see* Lim, J.-S., *MWCL Dec 02* 479-481
- Lee Bomson**, *see* Yoonmi Shin, *MWCL Mar 02* 82-84
- Lee Jaechun**, *see* Jaechun Lee, *MWCL Nov 02* 426-428
- Lee Jin-Fa**, *see* Shumin Wang, *MWCL Jun 02* 223-225
- Lee Kyungdong**, *see* Yoonmi Shin, *MWCL Mar 02* 82-84
- Lee Soonghak**, *see* Youngwook Kim, *MWCL Jun 02* 204-205
- Lee Young-Taek**, *see* Young-Taek Lee, *MWCL Feb 02* 39-41
- Lee Young-Taek**, *see* Jong-Sik Lim, *MWCL Jul 02* 261-263
- Lee Young-Taek**, *see* Jong-Sik Lim, *MWCL Sep 02* 330-332
- Lee Young-Taek**, *see* Young-Taek Lee, *MWCL Oct 02* 375-377
- Lee Young-Taek**, *see* Jaechun Lee, *MWCL Nov 02* 426-428
- Lei Zhu**, and Ke Wu. Comparative investigation on numerical de-embedding techniques for equivalent circuit modeling of lumped and distributed microstrip circuits; *MWCL Feb 02* 51-53
- Lei Zhu** Realistic equivalent circuit model of coplanar waveguide open circuit: lossy shunt resonator network; *MWCL May 02* 175-177
- Leong, K.M.K.H.**, A.C. Guyette, B. Elamran, W.A. Shiroma, and T. Itoh. Coupling suppression in microstrip lines using a bi-periodically perforated ground plane; *MWCL May 02* 169-171
- Leong Mook Seng**, *see* Boon Tiong Tan, *MWCL Jul 02* 252-254
- Leong Ooi Ban**, *see* Boon Tiong Tan, *MWCL Jul 02* 252-254
- Leung Chi-Shuen**, *see* Chi-Shuen Leung, *MWCL Sep 02* 336-338
- Leung Wing-Yan**, *see* Wing-Yan Leung, *MWCL Jul 02* 240-242
- Li, H.**, H.-M. Rein, R. Kreienkamp, and W. Klein. 47 GHz VCO with low phase noise fabricated in a SiGe bipolar production technology; *MWCL Mar 02* 79-81
- Li, K.-T.**, *see* Liao, S.-S., *MWCL Dec 02* 476-478
- Li, L.**, K. Wu, and L. Zhu. Numerical TRL calibration technique for parameter extraction of planar integrated discontinuities in a deterministic MoM algorithm; *MWCL Dec 02* 485-487
- Li, L.Y.**, G.E. Bridges, and I.R. Ciric. Efficient simulation of interconnect networks with frequency-dependent lossy transmission lines; *MWCL Apr 02* 131-133
- Li, R.L.**, E.M. Tentzeris, J. Laskar, V.F. Fusco, and R. Cahill. Broadband loop antenna for DCS-1800/IMT-2000 mobile phone handsets; *MWCL Aug 02* 305-307
- Liang Changhong**, *see* Xingchang Wei, *MWCL Oct 02* 392-394
- Liao, S.-S.**, H.-K. Chen, Y.-C. Chang, and K.-T. Li. Novel reduced-size coplanar-waveguide bandpass filter using the new folded open stub structure; *MWCL Dec 02* 476-478
- Lien Chun-Hsien**, *see* Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Li Erping**, *see* Xingchang Wei, *MWCL Oct 02* 392-394
- Lihui Guo**, *see* Chen Zhen, *MWCL Jul 02* 246-248
- Lim, J.-S.**, Y.-T. Lee, C.-S. Kim, D. Ahn, and S. Nam. A vertically periodic defected ground structure and its application in reducing the size of microwave circuits; *MWCL Dec 02* 479-481
- Lim Jong-Sik**, *see* Young-Taek Lee, *MWCL Feb 02* 39-41
- Lim Jong-Sik**, *see* Jong-Sik Lim, *MWCL Jul 02* 261-263
- Lim Jong-Sik**, *see* Jong-Sik Lim, *MWCL Sep 02* 330-332
- Lim Jong-Sik**, *see* Young-Taek Lee, *MWCL Oct 02* 375-377
- Lin, W.J.**, *see* Chan, K.T., *MWCL Nov 02* 429-431

- Ling, H.**, *see* Choo, H., *MWCL Sep 02* 345-347
Lippens, D., *see* Akalin, T., *MWCL Feb 02* 48-50
Lippens, D., *see* David, T., *MWCL Aug 02* 281-283
Liu, J., *see* Chan, K.T., *MWCL Nov 02* 429-431
Liu, J., *see* Huang, C.H., *MWCL Dec 02* 464-466
Liu Yong, *see* Hong-Sheng Yang, *MWCL Feb 02* 57-59
Llopis, O., G. Cibieli, Y. Kersale, M. Regis, M. Chaubet, and V. Giordano. Ultra low phase noise sapphire-SiGe HBT oscillator; *MWCL May 02* 157-159
Lopetegi, T., *see* Martin, F., *MWCL Nov 02* 435-437
Lopetegi, T., M.A.G. Laso, M.J. Erro, M. Sorolla, and M. Thumm. Analysis and design of periodic structures for microstrip lines by using the coupled mode theory; *MWCL Nov 02* 441-443
Lu Shey-Shi, *see* Shih-An Yu, *MWCL Feb 02* 37-38

M

- Maas, S.**, *see* Parker, A.E., *MWCL Sep 02* 351-352
Maas, S.A. Ill conditioning in self-heating FET models; *MWCL Mar 02* 88-89
Macchiarella, G. Synthesis of prototype filters with triplet sections starting from source and load; *MWCL Feb 02* 42-44
Maestrini, A., *see* Chattopadhyay, G., *MWCL Apr 02* 117-118
Maiwald, F., *see* Chattopadhyay, G., *MWCL Apr 02* 117-118
Malyshev, S.A., B.A. Galwas, J. Piotrowski, A.L. Chizh, and Z.R. Szczepaniak. Photovaractor for remote optical control of microwave circuits; *MWCL Jun 02* 201-203
Maria, J.-P., *see* Tombak, A., *MWCL Jan 02* 3-5
Martin, F., F. Falcione, J. Bonache, T. Lopetegi, M.A.G. Laso, and M. Sorolla. New periodic-loaded electromagnetic bandgap coplanar waveguide with complete spurious passband suppression; *MWCL Nov 02* 435-437
Martin, S., *see* Chattopadhyay, G., *MWCL Apr 02* 117-118
Mazur, J., *see* Dorko, K., *MWCL Dec 02* 482-484
Mehdi, I., *see* Chattopadhyay, G., *MWCL Apr 02* 117-118
Meleis, W., *see* Jiang, D., *MWCL Jan 02* 24-26
Meng Chin-Chun, *see* Shih-An Yu, *MWCL Feb 02* 37-38
Mingbin Yu, *see* Chen Zhen, *MWCL Jul 02* 246-248
Min Hong-Shick, *see* Jooyoung Jeon, *MWCL Sep 02* 342-344
Mizan, E., *see* Jiang, D., *MWCL Jan 02* 24-26
Monzon, C. Analytical derivation of a two-section impedance transformer for a frequency and its first harmonic; *MWCL Oct 02* 381-382
Mook Seng Leong, *see* Boon Tiong Tan, *MWCL Jul 02* 252-254
Morente, J.A., *see* Yaich, M.I., *MWCL Aug 02* 293-295
Mortazawi, A., *see* Tombak, A., *MWCL Jan 02* 3-5
Mounaix, P., *see* David, T., *MWCL Aug 02* 281-283
Mrozowski, M., *see* Nyka, K., *MWCL Jan 02* 12-14
Mrozowski, M., *see* Kozakowski, P., *MWCL Oct 02* 389-391
Mrozowski, M., *see* Kozakowski, P., *MWCL Nov 02* 438-440
Mrozowski, M., *see* Kozakowski, P., *MWCL Dec 02* 470-472
Munier, J.-M., *see* David, T., *MWCL Aug 02* 281-283

N

- Nam, S.**, *see* Lim, J.-S., *MWCL Dec 02* 479-481
Nam Sangwook, *see* Young-Taek Lee, *MWCL Feb 02* 39-41
Nam Sangwook, *see* Jong-Sik Lim, *MWCL Jul 02* 261-263
Nam Sangwook, *see* Jong-Sik Lim, *MWCL Sep 02* 330-332
Nam Sangwook, *see* Young-Taek Lee, *MWCL Oct 02* 375-377
Nam Sangwook, *see* Jaechun Lee, *MWCL Nov 02* 426-428
Nasimuddin, *see* Verma, A.K., *MWCL Feb 02* 60-62
Ngamjanyaporn, P., *see* Krairiksh, M., *MWCL May 02* 184-186
Nguyen Cam, *see* Jeongwoo Han, *MWCL Jun 02* 206-208
Nguyen Cam, *see* Joongsuk Park, *MWCL Jun 02* 221-222
Nyka, K., and M. Mrozowski. Quasi-static finite-element analysis of a skewed microstrip crossover; *MWCL Jan 02* 12-14

O

- Ogawa, H.** Asia Pacific abstracts; *MWCL Dec 02* 513-577
Ohashi, Y., *see* Dawn, D., *MWCL May 02* 166-168
Okoniewski, M., *see* Potter, M.E., *MWCL Apr 02* 142-144
Okoniewski, M., *see* Cen Yen Ong, *MWCL Jul 02* 264-266
Okoniewski, M., *see* Popovic, D., *MWCL Oct 02* 401-403
Okoniewski, M.M., *see* Schneider, R.N., *MWCL Dec 02* 488-490
Ong Cen Yen, *see* Cen Yen Ong, *MWCL Jul 02* 264-266
Onodera, K., T. Ishii, S. Aoyama, S. Sugitani, and M. Tokumitsu. Novel flip-chip bonding technology for W-band interconnections using alternate lead-free solder bumps; *MWCL Oct 02* 372-374
Ooi Ban Leong, *see* Boon Tiong Tan, *MWCL Jul 02* 252-254

P

- Paganelli, R.**, *see* Santarelli, A., *MWCL Sep 02* 339-341
Papapolymerou, J., *see* Hsuan-ju Hsu, *MWCL Jul 02* 255-257
Parker, A.E. Comments on "Ill conditioning in self-heating FET models" (with author's reply) [Mar 02 88-89]; *MWCL Sep 02* 351-352
Parker, A.E., and S. Maas. Comments on "Ill conditioning in self-heating FET models" [and reply]; *MWCL Sep 02* 351-352
Park Jae-Hyoung, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
Park Jae-Hyoung, *see* Hong-Teuk Kim, *MWCL Nov 02* 432-434
Park Ji-Yong, *see* Ji-Yong Park, *MWCL Jan 02* 18-19
Park Joongsuk, *see* Joongsuk Park, *MWCL Jun 02* 221-222
Park Jun-Seok, *see* Young-Taek Lee, *MWCL Feb 02* 39-41
Park Jun-Seok, *see* Jong-Sik Lim, *MWCL Jul 02* 261-263
Pascual, J.P., *see* Anakabe, A., *MWCL Aug 02* 287-289
Perregrini, L., *see* Cassivi, Y., *MWCL Sep 02* 333-335
Peterson, R.L., and R.F. Drayton. A CPW T-resonator technique for electrical characterization of microwave substrates; *MWCL Mar 02* 90-92
Phill Kim Jeong, *see* Tikhov, Y., *MWCL Aug 02* 302-304
Piotrowski, J., *see* Malyshev, S.A., *MWCL Jun 02* 201-203
Pirinoli, P., and G. Vecchi. An adaptive multiresolution approach to the simulation of planar structures; *MWCL Feb 02* 45-47
Ponchak, G.E., *see* Scardelletti, M.C., *MWCL Jan 02* 6-8
Popovic, D., and M. Okoniewski. Effects of mechanical flaws in open-ended coaxial probes for dielectric spectroscopy; *MWCL Oct 02* 401-403
Portilla, J., *see* Anakabe, A., *MWCL Aug 02* 287-289
Potter, M.E., M. Okoniewski, and M.A. Stuchly. Spherical wave sources in FDTD; *MWCL Apr 02* 142-144
Pukala, D., *see* Chattopadhyay, G., *MWCL Apr 02* 117-118

Q

- Qian Yongxi**, *see* Ji-Yong Park, *MWCL Jan 02* 18-19

R

- Rahmat-Samii, Y.**, *see* Fan Yang, *MWCL Mar 02* 96-98
Ramahi, O.M. Concurrent complementary operators for mesh truncation in frequency-domain simulations; *MWCL Mar 02* 99-101
Rappaport, C., *see* Jiang, D., *MWCL Jan 02* 24-26
Rebeiz, G.M., *see* Guan-Leng Tan, *MWCL Jun 02* 212-214
Regis, M., *see* Llopis, O., *MWCL May 02* 157-159
Rein, H.-M., *see* Li, H., *MWCL Mar 02* 79-81
Rejaei, B., *see* Zhunag, Y., *MWCL Dec 02* 473-475
Reynoso-Hernandez, J.A. Reliable method for computing the phase shift of multiline LRL calibration technique; *MWCL Oct 02* 395-397
Rickard, Y., N. Georgieva, and Wei-Ping Huang. A perfectly matched layer for the 3-D wave equation in the time domain; *MWCL May 02* 181-183
Riera, J.M., *see* Al-Ansari, K., *MWCL Mar 02* 93-95
Roberts, R.L., *see* Hopkins, G.D., *MWCL Aug 02* 299-301
Rorsman, N., *see* Andersson, K., *MWCL Apr 02* 119-121
Rosenberg, U., and S. Amari. Novel design possibilities for dual-mode filters without intracavity couplings; *MWCL Aug 02* 296-298
Roussy, G., and B. Willmann. A quick and efficient method for determining the scattering matrix of lossless microwave circuits; *MWCL Apr 02* 140-141
Russer, P., *see* Fujii, M., *MWCL Nov 02* 444-446

S

- Safwat, A.M.E.**, K.A. Zaki, W. Johnson, and C.H. Lee. Novel transition between different configurations of planar transmission lines; *MWCL Apr 02* 128-130
Sakamoto, G., *see* Chaudhry, Q., *MWCL Nov 02* 424-425
Sakamoto, G., *see* Teshiba, M., *MWCL Dec 02* 500-501
Sangwook Nam, *see* Young-Taek Lee, *MWCL Feb 02* 39-41
Sangwook Nam, *see* Jong-Sik Lim, *MWCL Jul 02* 261-263
Sangwook Nam, *see* Jong-Sik Lim, *MWCL Sep 02* 330-332
Sangwook Nam, *see* Young-Taek Lee, *MWCL Oct 02* 375-377
Sangwook Nam, *see* Jaechun Lee, *MWCL Nov 02* 426-428
Santarelli, A., G. Zucchelli, R. Paganelli, G. Vannini, and F. Filicori. Equivalent-voltage approach for modeling low-frequency dispersive effects in microwave FETs; *MWCL Sep 02* 339-341
Sato, K., *see* Wang, G., *MWCL Oct 02* 378-380
Sato, S., *see* Tanaka, M., *MWCL May 02* 163-165
Scardelletti, M.C., G.E. Ponchak, and T.M. Weller. Miniaturized Wilkinson power dividers utilizing capacitive loading; *MWCL Jan 02* 6-8
Scardelletti, M.C., *see* Staudinger, J., *MWCL Apr 02* 145
Schlecht, E., *see* Chattopadhyay, G., *MWCL Apr 02* 117-118

- Schneider, R.N.**, M.M. Okoniewski, and L.E. Turner. Finite-difference time-domain method in custom hardware?; *MWCL Dec 02* 488-490
- Schuenemann, K.**, see Serebryannikov, A., *MWCL Feb 02* 54-56
- Schuhmann, R.**, see Darms, M., *MWCL Dec 02* 491-493
- Seng Leong Mook**, see Boon Tiong Tan, *MWCL Jul 02* 252-254
- Serebryannikov, A.** and K. Schuenemann. Enhancing the natural frequency doublet splitting in almost periodic azimuthally corrugated cavities; *MWCL Feb 02* 54-56
- Serpenguzel, A.** Transmission characteristics of metalodielectric photonic crystals and resonators; *MWCL Apr 02* 134-136
- Shen Zhongxiang**, see Zhihua Jiang, *MWCL Jul 02* 267-269
- Shen-Shi Lu**, see Shih-An Yu, *MWCL Feb 02* 37-38
- Shih-An Yu**, Chin-Chun Meng, and Shen-Shi Lu. A 5.7 GHz interpolative VCO using InGaP/GaAs HBT technology; *MWCL Feb 02* 37-38
- Shimura, T.**, see Dawn, D., *MWCL May 02* 166-168
- Shin Yoonmi**, see Yoonmi Shin, *MWCL Mar 02* 82-84
- Shiroma, W.A.**, see Leong, K.M.K.H., *MWCL May 02* 169-171
- Shumin Wang**, F.L. Teixeira, R. Lee, and Jin-Fa Lee. Optimization of subgridding schemes for FDTD; *MWCL Jun 02* 223-225
- Silk, S.D.**, and S.L. Kuffner. Determination of receiver selectivity and transmit frequency using a common resonator; *MWCL Jan 02* 1-2
- Sinclair, M.W.**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Siou Teck Chew**, see Boon Tiong Tan, *MWCL Jul 02* 252-254
- Sodini, C.G.**, see Hayashi, H., *MWCL Mar 02* 73-75
- Soonghak Lee**, see Youngwook Kim, *MWCL Jun 02* 204-205
- Sorolla, M.**, see Martin, F., *MWCL Nov 02* 435-437
- Sorolla, M.**, see Lopetegi, T., *MWCL Nov 02* 441-443
- Spachmann, H.**, see Darms, M., *MWCL Dec 02* 491-493
- Speck, J.S.**, see Acikel, B., *MWCL Jul 02* 237-239
- Staudinger, J.**, and M.C. Scardelletti. Comments on "Miniaturized Wilkinson power dividers utilizing capacitive loading" (with author's reply) [Jan 02 6-8]; *MWCL Apr 02* 145
- Stauf, G.T.**, see Tombak, A., *MWCL Jan 02* 3-5
- Steer, M.B.**, see Tayag, T.J., *MWCL Jan 02* 9-11
- Stuchly, M.A.**, see Potter, M.E., *MWCL Apr 02* 142-144
- Sugitani, S.**, see Onodera, K., *MWCL Oct 02* 372-374
- Syrett, B.**, see Ibrahim, M., *MWCL Aug 02* 284-286
- Szczepaniak, Z.R.**, see Malyshev, S.A., *MWCL Jun 02* 201-203

T

- Tah-Hsiung Chu**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Takayama, Y.**, and W. Klaus. Reinterpretation of the auxiliary differential equation method for FDTD; *MWCL Mar 02* 102-104
- Tanaka, M.**, and S. Sato. Focusing properties of liquid crystal lens cells with stack-layered structure in the millimeter-wave region; *MWCL May 02* 163-165
- Tan Boon Tiong**, see Boon Tiong Tan, *MWCL Jul 02* 252-254
- Tan Guan-Leng**, see Guan-Leng Tan, *MWCL Jun 02* 212-214
- Tat Hui Hon**, see Hon Tat Hui, *MWCL May 02* 178-180
- Tayag, T.J.**, M.B. Steer, J.F. Harvey, A.B. Yakovlev, and J. Davis. Spatial power splitting and combining based on the Talbot effect; *MWCL Jan 02* 9-11
- Taylor, T.R.**, see Acikel, B., *MWCL Jul 02* 237-239
- Teck Chew Siou**, see Boon Tiong Tan, *MWCL Jul 02* 252-254
- Teixeira, F.L.**, see Shumin Wang, *MWCL Jun 02* 223-225
- Teniente, J.**, R. Gonzalo, and C. del-Rio. Ultra-wide band corrugated gaussian profiled horn antenna design; *MWCL Jan 02* 20-21
- Tentzeris, E.M.**, see Li, R.L., *MWCL Aug 02* 305-307
- Teshiba, M.**, R. van Leeuwen, G. Sakamoto, and T. Cisco. A SiGe MMIC 6-bit PIN diode phase shifter; *MWCL Dec 02* 500-501
- Thumm, M.**, see Lopetegi, T., *MWCL Nov 02* 441-443
- Tikhov, Y.**, and Jeong Phill Kim. Theoretical analysis of surface mountable triple-mode ceramic cavity; *MWCL Aug 02* 302-304
- Tiong Tan Boon**, see Boon Tiong Tan, *MWCL Jul 02* 252-254
- Tokumitsu, M.**, see Onodera, K., *MWCL Oct 02* 372-374
- Tokumitsu, T.**, see Wang, G., *MWCL Oct 02* 378-380
- Tombak, A.**, J.-P. Maria, F. Ayguavives, Zhang Jin, G.T. Stauf, A.I. Kingon, and A. Mortazawi. Tunable barium strontium titanate thin film capacitors for RF and microwave applications; *MWCL Jan 02* 3-5
- Trent, C.R.**, and T.M. Weller. S-band reflection type variable attenuator; *MWCL Jul 02* 243-245
- Turner, L.E.**, see Schneider, R.N., *MWCL Dec 02* 488-490

V

- Vanbesien, O.**, see Akalin, T., *MWCL Feb 02* 48-50
- van der Vorst, M.J.M.**, and P.J.I. de Maagt. Efficient body of revolution finite-difference time-domain modeling of integrated lens antennas; *MWCL Jul 02* 258-260
- van Leeuwen, R.**, see Teshiba, M., *MWCL Dec 02* 500-501

- Vannini, G.**, see Santarelli, A., *MWCL Sep 02* 339-341
- Varian, K.**, and D. Walton. A 2-bit RF MEMS phase shifter in a thick-film BGA ceramic package; *MWCL Sep 02* 321-323
- Vecchi, G.**, see Pirinoli, P., *MWCL Feb 02* 45-47
- Verma, A.K.**, and Nasimuddin. Resonance frequency and bandwidth of rectangular microstrip antenna on thick substrate; *MWCL Feb 02* 60-62
- Vestling, L.**, and J. Ankarcrona. A general small-signal series impedance extraction technique; *MWCL Jul 02* 249-251
- Vroubel, M.**, see Zhunag, Y., *MWCL Dec 02* 473-475

W

- Walker, V.**, and I.C. Hunter. Design of triple mode TE₀₁₈ resonator transmission filters; *MWCL Jun 02* 215-217
- Walton, D.**, see Varian, K., *MWCL Sep 02* 321-323
- Wan, K.L.**, see Chow, Y.L., *MWCL Jan 02* 22-23
- Wang, G.**, T. Tokumitsu, I. Hanawa, K. Sato, and M. Kobayashi. Analysis of high speed p-i-n photodiode S-parameters by a novel small-signal equivalent circuit model; *MWCL Oct 02* 378-380
- Wang, K.L.**, see Chung, Y., *MWCL Nov 02* 421-423
- Wang Chien-Jen**, see Chien-Jen Wang, *MWCL Aug 02* 311-313
- Wang Chunlei**, see Chunlei Wang, *MWCL May 02* 160-162
- Wang Huei**, see Yuh-Jing Hwang, *MWCL Jun 02* 209-211
- Wang Shumin**, see Shumin Wang, *MWCL Jun 02* 223-225
- Wang Yuanxun**, see Fredrick, J.D., *MWCL Mar 02* 85-87
- Wei-Chen Hsu**, see Chi-Yang Chang, *MWCL Apr 02* 137-139
- Wei Hong**, see Xiaoxing Yin, *MWCL Feb 02* 63-65
- Wei-Hsiu Hsu**, see Jen-Tsai Kuo, *MWCL Oct 02* 383-385
- Weiland, T.**, see Darms, M., *MWCL Dec 02* 491-493
- Wei-Ping Huang**, see Rickard, Y., *MWCL May 02* 181-183
- Wei-Ting Huang**, see Jen-Tsai Kuo, *MWCL Oct 02* 383-385
- Wei Xingchang**, see Xingchang Wei, *MWCL Oct 02* 392-394
- Weller, T.M.**, see Scardelletti, M.C., *MWCL Jan 02* 6-8
- Weller, T.M.**, see Trent, C.R., *MWCL Jul 02* 243-245
- Wen, C.P.**, see Chung, Y., *MWCL Nov 02* 421-423
- Willmann, B.**, see Roussy, G., *MWCL Apr 02* 140-141
- Wing-Yan Leung**, K.-K.M. Cheng, and Ke-Li Wu. Multilayer LTCC bandpass filter design with enhanced stopband characteristics; *MWCL Jul 02* 240-242
- Wu, K.**, see Cassivi, Y., *MWCL Sep 02* 333-335
- Wu, K.**, see Li, L., *MWCL Dec 02* 485-487
- Wu Ke**, see Lei Zhu, *MWCL Feb 02* 51-53
- Wu Ke-Li**, see Wing-Yan Leung, *MWCL Jul 02* 240-242

X

- Xiaoxing Yin**, and Wei Hong. An efficient mixed algorithm of L-MEI and DDM for the wave scattering by a concave cylinder; *MWCL Feb 02* 63-65
- Xingchang Wei**, Erping Li, and Changhong Liang. A new MRTD scheme based on Coifman scaling functions for the solution of scattering problems; *MWCL Oct 02* 392-394
- Xu, D.**, see Kumar, B.P., *MWCL Jul 02* 270-272

Y

- Yaich, M.I.**, M. Khalladi, I. Zekik, and J.A. Morente. Modeling of frequency-dependent magnetized plasma in hybrid symmetrical condensed TLM method; *MWCL Aug 02* 293-295
- Yakovlev, A.B.**, see Tayag, T.J., *MWCL Jan 02* 9-11
- Yakovlev, A.B.**, and G.W. Hanson. Leaky-wave dispersion behavior on a grounded ferrite slab waveguide; *MWCL Oct 02* 398-400
- Yang Fan**, see Fan Yang, *MWCL Mar 02* 96-98
- Yang Hong-Sheng**, see Hong-Sheng Yang, *MWCL Feb 02* 57-59
- Yen Ong Cen**, see Cen Yen Ong, *MWCL Jul 02* 264-266
- Yim Jounghwa**, see Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Yin Xiaoxing**, see Xiaoxing Yin, *MWCL Feb 02* 63-65
- Yi Zhang**, see Chen Zhen, *MWCL Jul 02* 246-248
- Yong-Kweon Kim**, see Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Yong-Kweon Kim**, see Hong-Teuk Kim, *MWCL Nov 02* 432-434
- Yong Liu**, see Hong-Sheng Yang, *MWCL Feb 02* 57-59
- Yongxi Qian**, see Ji-Yong Park, *MWCL Jan 02* 18-19
- Yoonmi Shin**, Kyungdong Lee, and Bomson Lee. Decoupled solutions for design of filters having TEM resonators with attenuation poles in upper stopband; *MWCL Mar 02* 82-84
- York, R.A.**, see Acikel, B., *MWCL Jul 02* 237-239
- Youngsik Kim**, see Youngwook Kim, *MWCL Jun 02* 204-205
- Young-Taek Lee**, Jong-Sik Lim, Jun-Seok Park, D. Ahn, and Sangwook Nam. A novel phase noise reduction technique in oscillators using defected ground structure; *MWCL Feb 02* 39-41
- Young-Taek Lee**, see Jong-Sik Lim, *MWCL Jul 02* 261-263

- Young-Taek Lee**, *see* Jong-Sik Lim, *MWCL Sep 02* 330-332
- Young-Taek Lee**, Jong-Sik Lim, Chul-Soo Kim, Dal Ahn, and Sangwook Nam. A compact-size microstrip spiral resonator and its application to microwave oscillator; *MWCL Oct 02* 375-377
- Young-Taek Lee**, *see* Jaechun Lee, *MWCL Nov 02* 426-428
- Youngwook Kim**, Youngsik Kim, and Soonghak Lee. Linearized mixer using predistortion technique; *MWCL Jun 02* 204-205
- Youngwoo Kwon**, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Youngwoo Kwon**, *see* Jooyoung Jeon, *MWCL Sep 02* 342-344
- Youngwoo Kwon**, *see* Hong-Teuk Kim, *MWCL Nov 02* 432-434
- Yuanxun Wang**, *see* Fredrick, J.D., *MWCL Mar 02* 85-87
- Yuh-Jing Hwang**, Chun-Hsien Lien, Huei Wang, M.W. Sinclair, R.G. Gough, H. Kanoniuk, and Tah-Hsiung Chu. A 78-114 GHz monolithic subharmonically pumped GaAs-based HEMT diode mixer; *MWCL Jun 02* 209-211
- Yu Mingbin**, *see* Chen Zhen, *MWCL Jul 02* 246-248
- Yu Shih-An**, *see* Shih-An Yu, *MWCL Feb 02* 37-38
- Yu Zhu**, and A.C. Cangellaris. Hybrid multilevel/multigrid potential preconditioner for fast finite element modeling; *MWCL Aug 02* 290-292

Z

- Zaki, K.A.**, *see* Safwat, A.M.E., *MWCL Apr 02* 128-130
- Zekik, I.**, *see* Yaich, M.I., *MWCL Aug 02* 293-295
- Zhang, H.Z.** A wideband orthogonal-mode junction using a junction of a quad-ridged coaxial waveguide and four ridged sectoral waveguides; *MWCL May 02* 172-174
- Zhang Jin**, *see* Tombak, A., *MWCL Jan 02* 3-5
- Zhang Yi**, *see* Chen Zhen, *MWCL Jul 02* 246-248
- Zhao, A.P.** Uniaxial perfectly matched layer media for an unconditionally stable 3-D ADI-FD-TD method; *MWCL Dec 02* 497-499
- Zhen Chen**, *see* Chen Zhen, *MWCL Jul 02* 246-248
- Zhihua Jiang**, and Zhongxiang Shen. Full-wave analysis of cross-aperture waveguide couplers; *MWCL Jul 02* 267-269
- Zhongxiang Shen**, *see* Zhihua Jiang, *MWCL Jul 02* 267-269
- Zhu, L.**, *see* Li, L., *MWCL Dec 02* 485-487
- Zhu Lei**, *see* Lei Zhu, *MWCL Feb 02* 51-53
- Zhu Lei**, *see* Lei Zhu, *MWCL May 02* 175-177
- Zhunag, Y.**, B. Rejaei, E. Boellaard, M. Vroubel, and J.N. Burghartz. GHz bandstop microstrip filter using patterned Ni₇₈Fe₂₂ ferromagnetic film; *MWCL Dec 02* 473-475
- Zhu Yu**, *see* Yu Zhu, *MWCL Aug 02* 290-292
- Ziolkowski, R.W.**, *see* Hsuan-ju Hsu, *MWCL Jul 02* 255-257
- Zirath, H.**, *see* Andersson, K., *MWCL Apr 02* 119-121
- Zucchelli, G.**, *see* Santarelli, A., *MWCL Sep 02* 339-341

SUBJECT INDEX

A

- Absorption**; *cf.* Electromagnetic wave absorption
- Abstracting**
 patent abstracts. *Bell, H.C.*, *MWCL Feb 02* 66-72
 patent abstracts. *Bell, H.C.*, *MWCL Mar 02* 105-111
 patent abstracts. *Bell, H.C.*, *MWCL Apr 02* 146-154
- Acceleration**
 FDTD method in custom hardware. *Schneider, R.N.*, +, *MWCL Dec 02* 488-490
- Active antenna arrays**
 injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17
- Active antennas**; *cf.* Active antenna arrays
- Active filters**
 phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02* 426-428
- Active networks**; *cf.* Active filters; Negative resistance circuits
- Adaptive antenna arrays**
 GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350
 nulling, reduction of mutual coupling effect. *Hon Tat Hui*, *MWCL May 02* 178-180
- Algorithm theory**; *cf.* Computational complexity; Deterministic algorithms
- Alloys**; *cf.* Tin alloys
- Alumina**
 planar transm. line transits., designs and loss characts. *Safwat, A.M.E.*, +, *MWCL Apr 02* 128-130
 Wilkinson planar miniaturized power dividers using capacitive loading, design. *Scardelletti, M.C.*, +, *MWCL Jan 02* 6-8

Aluminum compounds

- AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y.*, +, *MWCL Nov 02* 421-423

Aluminum compounds; *cf.* Alumina; Sapphire

Amplifiers

- Asia Pacific abstracts. *Ogawa, H.*, *MWCL Dec 02* 513-577

Amplifiers; *cf.* Optical fiber amplifiers; Wideband amplifiersAmplitude shift keying; *cf.* Quadrature amplitude modulationAnalog integrated circuits; *cf.* Bipolar analog integrated circuits

Anisotropic media

- modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M.*, +, *MWCL Nov 02* 444-446

Antenna accessories

- one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L.*, +, *MWCL Jan 02* 22-23

- wideband orthogonal-mode jn. using ridged coaxial and sectoral waveguides. *Zhang, H.Z.*, *MWCL May 02* 172-174

Antenna accessories; *cf.* Antenna feeds

- Antenna arrays**; *cf.* Active antenna arrays; Adaptive antenna arrays; Antenna phased arrays; Dipole antenna arrays; Linear antenna arrays; Microwave antenna arrays

Antenna feeds

- injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17

- integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, +, *MWCL Jul 02* 258-260

Antenna phased arrays

- 2D scanning leaky-wave antenna, phased array. *Chien-Jen Wang*, +, *MWCL Aug 02* 311-313

- Ba₂Sr_{1-x}TiO₃ thin films, parallel plate capacitors, X-band phase shifter. *Acikel, B.*, +, *MWCL Jul 02* 237-239

- flat four-beam compact phased array antenna with circ. microstrip elements. *Krairiksh, M.*, +, *MWCL May 02* 184-186

- injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17

Antenna radiation patterns

- 2D scanning leaky-wave antenna, phased array. *Chien-Jen Wang*, +, *MWCL Aug 02* 311-313

- adaptive nulling, reduction of mutual coupling effect. *Hon Tat Hui*, *MWCL May 02* 178-180

- broadband loop antenna for DCS-1800/IMT-2000 mobile phone handsets. *Li, R.L.*, +, *MWCL Aug 02* 305-307

- compact circ. polarized subdivided microstrip patch antenna, design. *Ji-Yong Park*, +, *MWCL Jan 02* 18-19

- Fabry-Perot cavity embedded, high directivity. *Akalin, T.*, +, *MWCL Feb 02* 48-50

- flat four-beam compact phased array antenna with circ. microstrip elements. *Krairiksh, M.*, +, *MWCL May 02* 184-186

- injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17

- integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, +, *MWCL Jul 02* 258-260

- microstrip antennas on finite ground planes with edge serrations. *Huff, G.H.*, +, *MWCL Aug 02* 308-310

- ultra-wide band corrugated Gaussian profiled horn antenna design. *Teniente, J.*, +, *MWCL Jan 02* 20-21

Antennas

- feasibility study on beam-forming tech. with 1D mechanical beam steering antenna using niching genetic algorithm. *Kang, N.-W.*, +, *MWCL Dec 02* 494-496

- Antennas**; *cf.* Antenna accessories; Antenna radiation patterns; Antenna theory; Dipole antennas; Directive antennas; Leaky wave antennas; Loop antennas; Microwave antennas; Multibeam antennas; Multifrequency antennas; Satellite antennas; Scanning antennas; Submillimeter wave antennas; UHF antennas

Antenna theory

- integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, +, *MWCL Jul 02* 258-260

- multiband microstrip patch antennas, design using genetic algm. *Choo, H.*, +, *MWCL Sep 02* 345-347

- planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02* 45-47

- rect. patch antenna on thick substr., reson. freq. & bandwidth, cavity model. *Verma, A.K.*, +, *MWCL Feb 02* 60-62

Application program interfaces

- steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D.*, +, *MWCL Jan 02* 24-26

Arrays; *cf.* Ball grid arrays

Array signal processing

- feasibility study on beam-forming tech. with 1D mechanical beam steering antenna using niching genetic algorithm. *Kang, N.-W.*, +, *MWCL Dec 02* 494-496