

- Young-Taek Lee**, *see* Jong-Sik Lim, *MWCL Sep 02* 330-332
- Young-Taek Lee**, Jong-Sik Lim, Chul-Soo Kim, Dal Ahn, and Sangwook Nam. A compact-size microstrip spiral resonator and its application to microwave oscillator; *MWCL Oct 02* 375-377
- Young-Taek Lee**, *see* Jaechun Lee, *MWCL Nov 02* 426-428
- Youngwook Kim**, Youngsik Kim, and Soonghak Lee. Linearized mixer using predistortion technique; *MWCL Jun 02* 204-205
- Youngwoo Kwon**, *see* Hong-Teuk Kim, *MWCL Sep 02* 324-326
- Youngwoo Kwon**, *see* Jooyoung Jeon, *MWCL Sep 02* 342-344
- Youngwoo Kwon**, *see* Hong-Teuk Kim, *MWCL Nov 02* 432-434
- Yuanxun Wang**, *see* Fredrick, J.D., *MWCL Mar 02* 85-87
- Yuh-Jing Hwang**, Chun-Hsien Lien, Huei Wang, M.W. Sinclair, R.G. Gough, H. Kanoniuk, and Tah-Hsiung Chu. A 78-114 GHz monolithic subharmonically pumped GaAs-based HEMT diode mixer; *MWCL Jun 02* 209-211
- Yu Mingbin**, *see* Chen Zhen, *MWCL Jul 02* 246-248
- Yu Shih-An**, *see* Shih-An Yu, *MWCL Feb 02* 37-38
- Yu Zhu**, and A.C. Cangellaris. Hybrid multilevel/multigrid potential preconditioner for fast finite element modeling; *MWCL Aug 02* 290-292

Z

- Zaki, K.A.**, *see* Safwat, A.M.E., *MWCL Apr 02* 128-130
- Zekik, I.**, *see* Yaich, M.I., *MWCL Aug 02* 293-295
- Zhang, H.Z.** A wideband orthogonal-mode junction using a junction of a quad-ridged coaxial waveguide and four ridged sectoral waveguides; *MWCL May 02* 172-174
- Zhang Jin**, *see* Tombak, A., *MWCL Jan 02* 3-5
- Zhang Yi**, *see* Chen Zhen, *MWCL Jul 02* 246-248
- Zhao, A.P.** Uniaxial perfectly matched layer media for an unconditionally stable 3-D ADI-FD-TD method; *MWCL Dec 02* 497-499
- Zhen Chen**, *see* Chen Zhen, *MWCL Jul 02* 246-248
- Zhihua Jiang**, and Zhongxiang Shen. Full-wave analysis of cross-aperture waveguide couplers; *MWCL Jul 02* 267-269
- Zhongxiang Shen**, *see* Zhihua Jiang, *MWCL Jul 02* 267-269
- Zhu, L.**, *see* Li, L., *MWCL Dec 02* 485-487
- Zhu Lei**, *see* Lei Zhu, *MWCL Feb 02* 51-53
- Zhu Lei**, *see* Lei Zhu, *MWCL May 02* 175-177
- Zhunag, Y.**, B. Rejaei, E. Boellaard, M. Vroubel, and J.N. Burghartz. GHz bandstop microstrip filter using patterned Ni₇₈Fe₂₂ ferromagnetic film; *MWCL Dec 02* 473-475
- Zhu Yu**, *see* Yu Zhu, *MWCL Aug 02* 290-292
- Ziolkowski, R.W.**, *see* Hsuan-ju Hsu, *MWCL Jul 02* 255-257
- Zirath, H.**, *see* Andersson, K., *MWCL Apr 02* 119-121
- Zucchelli, G.**, *see* Santarelli, A., *MWCL Sep 02* 339-341

SUBJECT INDEX

A

- Absorption**; cf. Electromagnetic wave absorption
- Abstracting**
 patent abstracts. *Bell, H.C.*, *MWCL Feb 02* 66-72
 patent abstracts. *Bell, H.C.*, *MWCL Mar 02* 105-111
 patent abstracts. *Bell, H.C.*, *MWCL Apr 02* 146-154
- Acceleration**
 FDTD method in custom hardware. *Schneider, R.N.*, +, *MWCL Dec 02* 488-490
- Active antenna arrays**
 injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17
- Active antennas**; cf. Active antenna arrays
- Active filters**
 phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02* 426-428
- Active networks**; cf. Active filters; Negative resistance circuits
- Adaptive antenna arrays**
 GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350
 nulling, reduction of mutual coupling effect. *Hon Tat Hui*, *MWCL May 02* 178-180
- Algorithm theory**; cf. Computational complexity; Deterministic algorithms
- Alloys**; cf. Tin alloys
- Alumina**
 planar transm. line transits., designs and loss characts. *Safwat, A.M.E.*, +, *MWCL Apr 02* 128-130
 Wilkinson planar miniaturized power dividers using capacitive loading, design. *Scardelletti, M.C.*, +, *MWCL Jan 02* 6-8

Aluminum compounds

- AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y.*, +, *MWCL Nov 02* 421-423

Aluminum compounds; cf. Alumina; Sapphire

Amplifiers

- Asia Pacific abstracts. *Ogawa, H.*, *MWCL Dec 02* 513-577

Amplifiers; cf. Optical fiber amplifiers; Wideband amplifiers

Amplitude shift keying; cf. Quadrature amplitude modulation

Analog integrated circuits; cf. Bipolar analog integrated circuits

Anisotropic media

- modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M.*, +, *MWCL Nov 02* 444-446

Antenna accessories

- one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L.*, +, *MWCL Jan 02* 22-23

- wideband orthogonal-mode jn. using ridged coaxial and sectoral waveguides. *Zhang, H.Z.*, *MWCL May 02* 172-174

Antenna accessories; cf. Antenna feeds

- Antenna arrays**; cf. Active antenna arrays; Adaptive antenna arrays; Antenna phased arrays; Dipole antenna arrays; Linear antenna arrays; Microwave antenna arrays

Antenna feeds

- injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17

- integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, +, *MWCL Jul 02* 258-260

Antenna phased arrays

- 2D scanning leaky-wave antenna, phased array. *Chien-Jen Wang*, +, *MWCL Aug 02* 311-313

- Ba₂Sr_{1-x}TiO₃ thin films, parallel plate capacitors, X-band phase shifter. *Acikel, B.*, +, *MWCL Jul 02* 237-239

- flat four-beam compact phased array antenna with circ. microstrip elements. *Krairiksh, M.*, +, *MWCL May 02* 184-186

- injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17

Antenna radiation patterns

- 2D scanning leaky-wave antenna, phased array. *Chien-Jen Wang*, +, *MWCL Aug 02* 311-313

- adaptive nulling, reduction of mutual coupling effect. *Hon Tat Hui*, *MWCL May 02* 178-180

- broadband loop antenna for DCS-1800/IMT-2000 mobile phone handsets. *Li, R.L.*, +, *MWCL Aug 02* 305-307

- compact circ. polarized subdivided microstrip patch antenna, design. *Ji-Yong Park*, +, *MWCL Jan 02* 18-19

- Fabry-Perot cavity embedded, high directivity. *Akalin, T.*, +, *MWCL Feb 02* 48-50

- flat four-beam compact phased array antenna with circ. microstrip elements. *Krairiksh, M.*, +, *MWCL May 02* 184-186

- injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17

- integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, +, *MWCL Jul 02* 258-260

- microstrip antennas on finite ground planes with edge serrations. *Huff, G.H.*, +, *MWCL Aug 02* 308-310

- ultra-wide band corrugated Gaussian profiled horn antenna design. *Teniente, J.*, +, *MWCL Jan 02* 20-21

Antennas

- feasibility study on beam-forming tech. with 1D mechanical beam steering antenna using niching genetic algorithm. *Kang, N.-W.*, +, *MWCL Dec 02* 494-496

- Antennas**; cf. Antenna accessories; Antenna radiation patterns; Antenna theory; Dipole antennas; Directive antennas; Leaky wave antennas; Loop antennas; Microwave antennas; Multibeam antennas; Multifrequency antennas; Satellite antennas; Scanning antennas; Submillimeter wave antennas; UHF antennas

Antenna theory

- integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, +, *MWCL Jul 02* 258-260

- multiband microstrip patch antennas, design using genetic algm. *Choo, H.*, +, *MWCL Sep 02* 345-347

- planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02* 45-47

- rect. patch antenna on thick substr., reson. freq. & bandwidth, cavity model. *Verma, A.K.*, +, *MWCL Feb 02* 60-62

Application program interfaces

- steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D.*, +, *MWCL Jan 02* 24-26

Arrays; cf. Ball grid arrays

Array signal processing

- feasibility study on beam-forming tech. with 1D mechanical beam steering antenna using niching genetic algorithm. *Kang, N.-W.*, +, *MWCL Dec 02* 494-496

Arsenic compounds; cf. Gallium arsenide

Attenuators; cf. Waveguide attenuators

Automation

automated CAD of coupled resonator filters. *Kozakowski, P., +, MWCL Dec 02 470-472*

B

Ball grid arrays

thick-film BGA ceramic package for X-band MEMS phase shifter. *Varian, K., +, MWCL Sep 02 321-323*

Band-pass filters

CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T., +, MWCL Nov 02 429-431*

dual-mode bandpass filter, wide stopband, using microstrip open-loop resonator. *Gorur, A., MWCL Oct 02 386-388*

dual-mode filters, coupling schemes and design guidelines. *Rosenberg, U., +, MWCL Aug 02 296-298*

gradient-based optim. using FDTD software. *Kozakowski, P., +, MWCL Oct 02 389-391*

microstrip circ. patch resonator filter. *Boon Tiong Tan, +, MWCL Jul 02 252-254*

multilayer LTCC bandpass filter design, enhanced stopband characts. *Wing-Yan Leung, +, MWCL Jul 02 240-242*

novel reduced-size coplanar-waveguide bandpass filter using new folded open stub structure. *Liao, S.-S., +, MWCL Dec 02 476-478*

parallel coupled microstrip filters, harmonic response suppression. *Jen-Tsai Kuo, +, MWCL Oct 02 383-385*

planar X-band EM band-gap Chebyshev 3-pole bandpass filter. *Hsiuan-ju Hsu, +, MWCL Jul 02 255-257*

surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N., +, MWCL Mar 02 76-78*

TEM resonator filters with atten. pole in upper stopband, design. *Yoonmi Shin, +, MWCL Mar 02 82-84*

three-pole Chebyshev bandpass photonic bandgap dielec. waveguide filter. *Chi-Yang Chang, +, MWCL Apr 02 137-139*

triple mode TE₀₁₈ resonator transm. filters, design and tuning. *Walker, V., +, MWCL Jun 02 215-217*

triplet sect. inline prototype filter, dielec. resonator band-pass filters. *Macchiarella, G., MWCL Feb 02 42-44*

V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim, +, MWCL Nov 02 432-434*

Band-stop filters

GHz bandstop microstrip filter using patterned Ni₇₈Fe₂₂ ferromagnetic film. *Zhunag, Y., +, MWCL Dec 02 473-475*

microwave devices, fast FEM, hybrid multilevel/multigrid pot. preconditioner. *Yu Zhu, +, MWCL Aug 02 290-292*

spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim, +, MWCL Sep 02 330-332*

Barium compounds

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A., +, MWCL Jan 02 3-5*

Ba_{0.9}Sr_{0.1}TiO₃ thin films, parallel plate capacitors, X-band phase shifter. *Acikel, B., +, MWCL Jul 02 237-239*

Biological tissues

breast tissue, dielec. spectrosc., open-ended coaxial probe. *Popovic, D., +, MWCL Oct 02 401-403*

Biomedical measurement

breast tissue, dielec. spectrosc., open-ended coaxial probe. *Popovic, D., +, MWCL Oct 02 401-403*

Bipolar analog integrated circuits

SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q., +, MWCL Nov 02 424-425*

Bipolar integrated circuits; cf. Bipolar analog integrated circuits; Bipolar MIMIC; Bipolar MMIC

Bipolar MIMIC

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H., +, MWCL Mar 02 79-81*

Bipolar MMIC

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu, +, MWCL Feb 02 37-38*

SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q., +, MWCL Nov 02 424-425*

Bipolar transistors; cf. Heterojunction bipolar transistors; UHF bipolar transistors

Broadband networks

comments on "Improvement of broadband feedforward amplifier using photonic bandgap" (Nov 01 450-452). *Ellis, T.J., MWCL Sep 02 352-353*

Buried object detection

steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D., +, MWCL Jan 02 24-26*

Butterworth filters

spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim, +, MWCL Sep 02 330-332*

C

CAD

automated CAD of coupled resonator filters. *Kozakowski, P., +, MWCL Dec 02 470-472*

Calculus; cf. Integration

Calibration

CPW open-end cct., equiv. cct. model, lossy shunt resonator network. *Lei Zhu, MWCL May 02 175-177*

lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu, +, MWCL Feb 02 51-53*

multiline line-reflect-line calib., phase shift computation. *Reynoso-Hernandez, J.A., MWCL Oct 02 395-397*

numerical TRL calibration technique for parameter extraction of planar integrated discontinuities in deterministic MoM algorithm. *Li, L., +, MWCL Dec 02 485-487*

total-power MM-wave radiometer for atten. meas., calib. procedure. *Al-Ansari, K., +, MWCL Mar 02 93-95*

Capacitance

skewed microstrip crossover, quasi-static FEA. *Nyka, K., +, MWCL Jan 02 12-14*

Capacitance; cf. Photocapacitance

Capacitors

MIMIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen, +, MWCL Jul 02 246-248*

V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim, +, MWCL Nov 02 432-434*

Capacitors; cf. Ferroelectric capacitors; Thin film capacitors; Varactors

Cavity resonator filters

band-pass filters, gradient-based optim. using FDTD software. *Kozakowski, P., +, MWCL Oct 02 389-391*

dual-mode filters, coupling schemes and design guidelines. *Rosenberg, U., +, MWCL Aug 02 296-298*

planar X-band EM band-gap Chebyshev 3-pole bandpass filter. *Hsiuan-ju Hsu, +, MWCL Jul 02 255-257*

triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y., +, MWCL Aug 02 302-304*

Cavity resonators

azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A., +, MWCL Feb 02 54-56*

metallo-dielectric photonic cryst. resonators, K_u band, transm. charact. *Serpenguzel, A., MWCL Apr 02 134-136*

Cavity resonators; cf. Cavity resonator filters

Cellular radio

broadband loop antenna for DCS-1800/IMT-2000 mobile phone handsets. *Li, R.L., +, MWCL Aug 02 305-307*

Ceramic packaging

thick-film BGA ceramic package for X-band MEMS phase shifter. *Varian, K., +, MWCL Sep 02 321-323*

Ceramics; cf. Ceramic packaging

Chebyshev filters

parallel coupled microstrip filters, harmonic response suppression. *Jen-Tsai Kuo, +, MWCL Oct 02 383-385*

planar X-band EM band-gap Chebyshev 3-pole bandpass filter. *Hsiuan-ju Hsu, +, MWCL Jul 02 255-257*

three-pole Chebyshev bandpass photonic bandgap dielec. waveguide filter. *Chi-Yang Chang, +, MWCL Apr 02 137-139*

Chemical beam epitaxial growth

InP-based heterostruct. barrier varactor freq. multiplier MIMIC, fab. *David, T., +, MWCL Aug 02 281-283*

Circuit analysis computing; cf. Circuit simulation

Circuit CAD

band-pass filters, gradient-based optim. using FDTD software. *Kozakowski, P., +, MWCL Oct 02 389-391*

compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P., +, MWCL Jul 02 270-272*

Circuit feedback

GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F., +, MWCL Apr 02 122-124*

Circuit feedback; cf. Feedback oscillators

Circuit noise

microstrip spiral resonator, appl. to low phase noise microwave oscillator. *Young-Taek Lee, +, MWCL Oct 02 375-377*

SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O., +, MWCL May 02 157-159*

Circuit noise; cf. Integrated circuit noise

Circuit optimization

band-pass filters, gradient-based optim. using FDTD software. *Kozakowski, P.*, +, *MWCL Oct 02* 389-391
compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P.*, +, *MWCL Jul 02* 270-272

Circuit simulation

comments, with reply, on "Ill conditioning in self-heating FET models" (Mar 02 88-89). *Parker, A.E.*, *MWCL Sep 02* 351-352
compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P.*, +, *MWCL Jul 02* 270-272
digital freq. dividers, harmonic-bal. simul. *Anakabe, A.*, +, *MWCL Aug 02* 287-289
freq.-depend. lossy transm. line interconnect networks, moment generation methods. *Li, L.Y.*, +, *MWCL Apr 02* 131-133

Circuit stability

GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F.*, +, *MWCL Apr 02* 122-124

Circuit theory; cf. Network topology

Circuit tuning

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu*, +, *MWCL Feb 02* 37-38
low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H.*, +, *MWCL Mar 02* 79-81
V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim*, +, *MWCL Nov 02* 432-434

Circular waveguides

wideband orthogonal-mode jn. using ridged coaxial and sectoral waveguides. *Zhang, H.Z.*, *MWCL May 02* 172-174

CMOS analog integrated circuits

four-stage TW amps. in 0.18 μm proc., 1-10 GHz, design. *Frank, B.M.*, +, *MWCL Sep 02* 327-329

CMOS integrated circuits

improved quality-factor of 0.18- μm CMOS active inductor by feedback resistance design. *Hsiao, C.-C.*, +, *MWCL Dec 02* 467-469
MIMIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen*, +, *MWCL Jul 02* 246-248

CMOS integrated circuits; cf. CMOS analog integrated circuits

Coaxial waveguides

coax to troughguide transit., FEM modeling/hardware testing. *Hopkins, G.D.*, +, *MWCL Aug 02* 299-301
wideband orthogonal-mode jn. using ridged coaxial and sectoral waveguides. *Zhang, H.Z.*, *MWCL May 02* 172-174

Computational complexity

concave cylinder, EM scatt., localized MEI & domain decomp., efficient algm. *Xiaoxing Yin*, +, *MWCL Feb 02* 63-65

Computer applications; cf. CAD; Publishing

Computer peripheral equipment; cf. Data communication equipment

Control systems; cf. Reduced order systems

Convergence; cf. Convergence of numerical methods

Convergence of numerical methods

FET, self-heating model, ill-conditioning. *Maas, S.A.*, *MWCL Mar 02* 88-89
microwave devices, fast FEM, hybrid multilevel/multigrid pot. preconditioner. *Yu Zhu*, +, *MWCL Aug 02* 290-292
planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02* 45-47
scatt. problems, multiresolution time-domain scheme using Coifman scaling fns. *Xingchang Wei*, +, *MWCL Oct 02* 392-394

Convergence of numerical methods; cf. Numerical stability

Coplanar waveguide components

CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T.*, +, *MWCL Nov 02* 429-431
CPW open-end cct., equiv. cct. model, lossy shunt resonator network. *Lei Zhu*, *MWCL May 02* 175-177
CPW T-resonator, elec. charactn., microwave substs. *Peterson, R.L.*, +, *MWCL Mar 02* 90-92
injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17
spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim*, +, *MWCL Sep 02* 330-332
V-band compact 2-bit refl.-type MEMS phase shifter. *Hong-Teuk Kim*, +, *MWCL Sep 02* 324-326
Wilkinson planar miniaturized power dividers using capacitive loading, design. *Scardelletti, M.C.*, +, *MWCL Jan 02* 6-8

Coplanar waveguides

DC-contact RF MEMS shunt switch, design, fab. and perform. *Guan-Leng Tan*, +, *MWCL Jun 02* 212-214
novel reduced-size coplanar-waveguide bandpass filter using new folded open stub structure. *Liao, S.-S.*, +, *MWCL Dec 02* 476-478
periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F.*, +, *MWCL Nov 02* 435-437

planar transm. line transits., designs and loss characts. *Safwat, A.M.E.*, +, *MWCL Apr 02* 128-130
spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim*, +, *MWCL Sep 02* 330-332
W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, +, *MWCL Oct 02* 372-374

Copper

MIMIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen*, +, *MWCL Jul 02* 246-248

Coupled circuits

dual-mode filters, coupling schemes and design guidelines. *Rosenberg, U.*, +, *MWCL Aug 02* 296-298
parallel coupled microstrip filters, harmonic response suppression. *Jen-Tsai Kuo*, +, *MWCL Oct 02* 383-385
patent abstracts. *Bell, H.C.*, *MWCL Mar 02* 105-111
patent abstracts. *Bell, H.C.*, *MWCL Apr 02* 146-154

Coupled mode analysis

periodic struct. for microstrip lines, anal. and design using coupled mode theory. *Lopetegi, T.*, +, *MWCL Nov 02* 441-443
triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y.*, +, *MWCL Aug 02* 302-304

Crosstalk

microstrip lines, coupling suppress. using, bi-periodically perforated ground plane. *Leong, K.M.K.H.*, +, *MWCL May 02* 169-171

Crystals; cf. Sapphire

CVD coatings; cf. MOCVD coatings

D

Data communication; cf. Data communication equipment

Data communication equipment

microwave photonic vector modulator for high-speed wireless digital communs. *Jemison, W.D.*, +, *MWCL Apr 02* 125-127

Delay circuits

microstrip coupler, continuous group delay synthesis, cct. topol. *Fredrick, J.D.*, +, *MWCL Mar 02* 85-87

Deterministic algorithms

numerical TRL calibration technique for parameter extraction of planar integrated discontinuities in deterministic MoM algorithm. *Li, L.*, +, *MWCL Dec 02* 485-487

Dielectric devices

Asia Pacific abstracts. *Ogawa, H.*, *MWCL Dec 02* 513-577
patent abstracts. *Bell, H.C.*, *MWCL May 02* 187-198
patent abstracts. *Bell, H.C.*, *MWCL Jan 02* 27-33
patent abstracts. *Bell, H.C.*, *MWCL Feb 02* 66-72
patent abstracts. *Bell, H.C.*, *MWCL Mar 02* 105-111
patent abstracts. *Bell, H.C.*, *MWCL Apr 02* 146-154
patent abstracts. *Bell, H.C.*, *MWCL Jun 02* 226-234
patent abstracts. *Bell, H.C.*, *MWCL Jul 02* 273-279
patent abstracts. *Bell, H.C.*, *MWCL Aug 02* 314-318
patent abstracts. *Bell, H.C.*, *MWCL Sep 02* 354-364
patent abstracts. *Bell, H.C.*, *MWCL Oct 02* 404-416
patent abstracts. *Bell, H.C.*, *MWCL Nov 02* 447-457
patent abstracts. *Bell, H.C.*, *MWCL Dec 02* 502-512

Dielectric devices; cf. Capacitors; Dielectric resonators

Dielectric losses

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, +, *MWCL Jan 02* 3-5
rect. patch antenna on thick substr., reson. freq. & bandwidth, cavity model. *Verma, A.K.*, +, *MWCL Feb 02* 60-62

Dielectric measurement

breast tissue, dielec. spectrosc., open-ended coaxial probe. *Popovic, D.*, +, *MWCL Oct 02* 401-403

Dielectric measurement; cf. Permittivity measurement

Dielectric properties; cf. Capacitance; Dielectric losses; Permittivity

Dielectric resonator filters

SHF receiver selectivity/transmit freq. determ. using microstrip cct. based common resonator. *Silk, S.D.*, +, *MWCL Jan 02* 1-2
three-pole Chebyshev bandpass photonic bandgap dielec. waveguide filter. *Chi-Yang Chang*, +, *MWCL Apr 02* 137-139
triple mode TE₀₁₈ resonator transm. filters, design and tuning. *Walker, V.*, +, *MWCL Jun 02* 215-217
triplet sect. inline prototype filter, dielec. resonator band-pass filters. *Macchiarella, G.*, *MWCL Feb 02* 42-44

Dielectric resonator oscillators

SHF receiver selectivity/transmit freq. determ. using microstrip cct. based common resonator. *Silk, S.D.*, +, *MWCL Jan 02* 1-2
SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O.*, +, *MWCL May 02* 157-159

Dielectric resonators

patent abstracts. *Bell, H.C.*, *MWCL May 02* 187-198
patent abstracts. *Bell, H.C.*, *MWCL Jun 02* 226-234

- patent abstracts. *Bell, H.C., MWCL Jul 02 273-279*
 patent abstracts. *Bell, H.C., MWCL Aug 02 314-318*
 patent abstracts. *Bell, H.C., MWCL Sep 02 354-364*
 patent abstracts. *Bell, H.C., MWCL Oct 02 404-416*
 patent abstracts. *Bell, H.C., MWCL Nov 02 447-457*
 patent abstracts. *Bell, H.C., MWCL Dec 02 502-512*
- Dielectric resonators; cf.** Dielectric resonator filters; Dielectric resonator oscillators
- Dielectric thin films; cf.** Ferroelectric thin films
- Differential equations**
 dispersive medium, auxiliary DE method for FDTD, reinterpretation. *Takayama, Y., +, MWCL Mar 02 102-104*
- Differentiating circuits**
 UWB ultra-short monocycle pulse generator with reduced ringing. *Jeongwoo Han, +, MWCL Jun 02 206-208*
- Diffraction gratings**
 finite microwave periodic struct., S-params. calc., recursive formula. *Cen Yen Ong, +, MWCL Jul 02 264-266*
- Digital circuits**
 FDTD method in custom hardware. *Schneider, R.N., +, MWCL Dec 02 488-490*
- Digital communication; cf.** Digital radio
- Digital integrated circuits; cf.** Field effect digital integrated circuits
- Digital radio**
 microwave photonic vector modulator for high-speed wireless digital communs. *Jemison, W.D., +, MWCL Apr 02 125-127*
- Dipole antenna arrays**
 adaptive nulling, reduction of mutual coupling effect. *Hon Tat Hui, MWCL May 02 178-180*
- Dipole antennas**
 Fabry-Perot cavity embedded, high directivity. *Akalin, T., +, MWCL Feb 02 48-50*
- Dipole antennas; cf.** Dipole antenna arrays
- Directional couplers**
 cross-aperture waveguide couplers, full-wave anal. *Zhihua Jiang, +, MWCL Jul 02 267-269*
- Directional couplers; cf.** Microstrip directional couplers
- Directive antennas**
 Fabry-Perot cavity embedded, high directivity. *Akalin, T., +, MWCL Feb 02 48-50*
- Directive antennas; cf.** Horn antennas; Lens antennas
- Dispersion (wave)**
 dispersion and asymmetry effects of ADI-FDTD. *Darms, M., +, MWCL Dec 02 491-493*
 grounded ferrite slab waveguide, leaky-wave dispersion behavior. *Yakovlev, A.B., +, MWCL Oct 02 398-400*
 substr. integrated rect. waveguide, dispersion charact. *Cassivi, Y., +, MWCL Sep 02 333-335*
 uniaxial perfectly matched layer media for unconditionally stable 3D ADI-FD-TD method. *Zhao, A.P., MWCL Dec 02 497-499*
- Dispersive media**
 dispersive medium, auxiliary DE method for FDTD, reinterpretation. *Takayama, Y., +, MWCL Mar 02 102-104*
 magnetized plasma modeling, hybrid symm. condensed TLM method. *Yaich, M.I., +, MWCL Aug 02 293-295*
 modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M., +, MWCL Nov 02 444-446*
- Distance measurement**
 MM-wave step-freq. radar sens. for dist. meas. *Joongsuk Park, +, MWCL Jun 02 221-222*
- Distributed algorithms; cf.** Parallel algorithms
- Distributed parameter networks**
 freq.-depend. lossy transm. line interconnect networks, moment generation methods. *Li, L.Y., +, MWCL Apr 02 131-133*
 lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu, +, MWCL Feb 02 51-53*
 one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L., +, MWCL Jan 02 22-23*
- Dividing circuits; cf.** Frequency dividers
- Dynamic response**
 near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E., +, MWCL Oct 02 369-371*
- Electric admittance**
 substr. integrated rect. waveguide, dispersion charact. *Cassivi, Y., +, MWCL Sep 02 333-335*
- Electrical engineering; cf.** Electrical engineering computing
- Electrical engineering computing**
 concave cylinder, EM scatt., localized MEI & domain decomp., efficient algm. *Xiaoxing Yin, +, MWCL Feb 02 63-65*
- Electric field integral equations**
 triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y., +, MWCL Aug 02 302-304*
- Electric immittance; cf.** Electric admittance; Electric impedance
- Electric immittance measurement; cf.** Electric impedance measurement
- Electric impedance**
 adaptive nulling, reduction of mutual coupling effect. *Hon Tat Hui, MWCL May 02 178-180*
 photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A., +, MWCL Jun 02 201-203*
- Electric impedance; cf.** Electric resistance; Impedance matrix
- Electric impedance measurement**
 LDMOS transistor, small-sig. series impedance extraction. *Vestling, L., +, MWCL Jul 02 249-251*
- Electric impedance measurement; cf.** Electric resistance measurement
- Electric resistance**
 improved quality-factor of 0.18- μ m CMOS active inductor by feedback resistance design. *Hsiao, C.-C., +, MWCL Dec 02 467-469*
- Electric resistance measurement**
 GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M., +, MWCL Aug 02 284-286*
- Electric variables control; cf.** Gain control; Phase control
- Electric variables measurement; cf.** Dielectric measurement
- Electromagnetic coupling**
 dual-mode filters, coupling schemes and design guidelines. *Rosenberg, U., +, MWCL Aug 02 296-298*
 injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y., +, MWCL Jan 02 15-17*
- Electromagnetic fields**
 subgridding schemes for FDTD, coarse and fine region fields. *Shumin Wang, +, MWCL Jun 02 223-225*
- Electromagnetic induction; cf.** Inductance
- Electromagnetic interference; cf.** Radiofrequency interference
- Electromagnetic shielding**
 parallel plate mode suppress. in shielded struct., EM bandgap metal plate. *Dawn, D., +, MWCL May 02 166-168*
- Electromagnetic wave absorption**
 circ. groove guide, Nth order approx. eigenequation, improved accuracy. *Hong-Sheng Yang, +, MWCL Feb 02 57-59*
 evanescent waves absorpt. in waveguides, appl. of complex freq. shifted PML. *Berenger, J.-P., MWCL Jun 02 218-220*
 modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M., +, MWCL Nov 02 444-446*
 perfectly matched layer for 3D wave eqn. in time domain. *Rickard, Y., +, MWCL May 02 181-183*
- Electromagnetic wave interference**
 spatial power splitting/combining based on Talbot effect. *Tayag, T.J., +, MWCL Jan 02 9-11*
- Electromagnetic wave polarization**
 compact circ. polarized subdivided microstrip patch antenna, design. *Ji-Yong Park, +, MWCL Jan 02 18-19*
 microstrip antennas on finite ground planes with edge serrations. *Huff, G.H., +, MWCL Aug 02 308-310*
 reconfigurable patch antenna, switchable slots, circ. polariz. diversity. *Fan Yang, +, MWCL Mar 02 96-98*
- Electromagnetic wave propagation**
 dispersive medium, auxiliary DE method for FDTD, reinterpretation. *Takayama, Y., +, MWCL Mar 02 102-104*
 modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M., +, MWCL Nov 02 444-446*
- Electromagnetic wave propagation; cf.** Plasma electromagnetic wave propagation
- Electromagnetic wave scattering**
 concave cylinder, EM scatt., localized MEI & domain decomp., efficient algm. *Xiaoxing Yin, +, MWCL Feb 02 63-65*
 multiresolution time-domain scheme using Coifman scaling fns. *Xingchang Wei, +, MWCL Oct 02 392-394*
 spherical wave sources in FDTD, near field scatt./interact. problems. *Potter, M.E., +, MWCL Apr 02 142-144*
 steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D., +, MWCL Jan 02 24-26*

E

Eigenvalues and eigenfunctions

- azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A., +, MWCL Feb 02 54-56*
 circ. groove guide, Nth order approx. eigenequation, improved accuracy. *Hong-Sheng Yang, +, MWCL Feb 02 57-59*

Electromagnetism; cf. Electromagnetic coupling; Maxwell equations

Electron device noise; cf. Semiconductor device noise

Electron device testing; cf. Semiconductor device testing

Electronic design automation; cf. Circuit CAD

Electronic engineering; cf. Low-power electronics

Electronic engineering computing; cf. SPICE

Electron tubes; cf. Magnetrons; Microwave tubes

Electro-optical devices

patent abstracts. *Bell, H.C., MWCL May 02 187-198*

patent abstracts. *Bell, H.C., MWCL Jun 02 226-234*

patent abstracts. *Bell, H.C., MWCL Jul 02 273-279*

patent abstracts. *Bell, H.C., MWCL Aug 02 314-318*

patent abstracts. *Bell, H.C., MWCL Sep 02 354-364*

patent abstracts. *Bell, H.C., MWCL Oct 02 404-416*

patent abstracts. *Bell, H.C., MWCL Nov 02 447-457*

patent abstracts. *Bell, H.C., MWCL Dec 02 502-512*

Electrostatic devices; cf. Capacitors

Elliptic filters

dual-mode filters, coupling schemes and design guidelines. *Rosenberg, U., +, MWCL Aug 02 296-298*

triplet sect. inline prototype filter, dielec. resonator band-pass filters. *Macchiarella, G., MWCL Feb 02 42-44*

Engineering computing; cf. Electrical engineering computing

Equations

comments, with reply, on "Miniaturized Wilkinson power dividers utilizing capacitive loading" (Jan 02 6-8). *Staudinger, J., +, MWCL Apr 02 145*

Equations; cf. Differential equations

Equiripple filters; cf. Chebyshev filters; Elliptic filters

Equivalent circuits

CPW open-end cct., equiv. cct. model, lossy shunt resonator network. *Lei Zhu, MWCL May 02 175-177*

DC-contact RF MEMS shunt switch, design, fab. and perform. *Guan-Leng Tan, +, MWCL Jun 02 212-214*

GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M., +, MWCL Aug 02 284-286*

GaAs PHEMT, phys.-based noise model for low drain bias operation. *Jooyoung Jeon, +, MWCL Sep 02 342-344*

high-speed p-i-n photodiode S-param. anal. by novel small-sig. RF equiv. cct. model. *Wang, G., +, MWCL Oct 02 378-380*

LDMOS transistor, small-sig. series impedance extraction. *Vestling, L., +, MWCL Jul 02 249-251*

lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu, +, MWCL Feb 02 51-53*

microwave amp. lin. by generalized baseband sig. injection method. *Chi-Shuen Leung, +, MWCL Sep 02 336-338*

numerical TRL calibration technique for parameter extraction of planar integrated discontinuities in deterministic MoM algorithm. *Li, L., +, MWCL Dec 02 485-487*

photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A., +, MWCL Jun 02 201-203*

SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K., +, MWCL Apr 02 119-121*

spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim, +, MWCL Sep 02 330-332*

TEM resonator filters with atten. pole in upper stopband, design. *Yoonmi Shin, +, MWCL Mar 02 82-84*

V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim, +, MWCL Nov 02 432-434*

Error analysis

uniaxial perfectly matched layer media for unconditionally stable 3D ADI-FD-TD method. *Zhao, A.P., MWCL Dec 02 497-499*

Evolutionary computation; cf. Genetic algorithms

F

Fabry-Perot resonators

Fabry-Perot cavity embedded, high directivity. *Akalin, T., +, MWCL Feb 02 48-50*

metallodielectric photonic cryst. resonators, K_u band, transm. charact. *Serpenguzel, A., MWCL Apr 02 134-136*

Faraday effect

magnetized plasma modeling, hybrid symm. condensed TLM method. *Yaich, M.I., +, MWCL Aug 02 293-295*

Feedback

improved quality-factor of 0.18- μ m CMOS active inductor by feedback resistance design. *Hsiao, C.-C., +, MWCL Dec 02 467-469*

Feedback; cf. Circuit feedback

Feedback oscillators

microstrip spiral resonator, appl. to low phase noise microwave oscillator. *Young-Taek Lee, +, MWCL Oct 02 375-377*

phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee, +, MWCL Nov 02 426-428*

SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O., +, MWCL May 02 157-159*

Feedforward

broadband feedforward amp. using photonic bandgap improvement. *Ellis, T.J., MWCL Sep 02 352-353*

comments on "Improvement of broadband feedforward amplifier using photonic bandgap" (Nov 01 450-452). *Ellis, T.J., MWCL Sep 02 352-353*

Feedforward amplifiers

comments on "Improvement of broadband feedforward amplifier using photonic bandgap" (Nov 01 450-452). *Ellis, T.J., MWCL Sep 02 352-353*

Ferrite devices; cf. Ferrite waveguides

Ferrite waveguides

grounded ferrite slab waveguide, leaky-wave dispersion behavior. *Yakovlev, A.B., +, MWCL Oct 02 398-400*

Ferroelectric capacitors

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A., +, MWCL Jan 02 3-5*

Ba_{0.8}Sr_{0.2}TiO₃ thin films, parallel plate capacitors, X-band phase shifter. *Acikel, B., +, MWCL Jul 02 237-239*

Ferroelectric devices; cf. Ferroelectric capacitors

Ferroelectric thin films

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A., +, MWCL Jan 02 3-5*

Ba_{0.8}Sr_{0.2}TiO₃ thin films, parallel plate capacitors, X-band phase shifter. *Acikel, B., +, MWCL Jul 02 237-239*

Ferromagnetic materials

GHz bandstop microstrip filter using patterned Ni₇₈Fe₂₂ ferromagnetic film. *Zhunag, Y., +, MWCL Dec 02 473-475*

Ferromagnetic materials; cf. Permalloy

Ferromagnetism; cf. Ferromagnetic materials

Fiber lasers; cf. Optical fiber amplifiers

Fiber optic sensors

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E., +, MWCL Oct 02 369-371*

Field effect devices; cf. Field effect transistors

Field effect digital integrated circuits

digital freq. dividers, harmonic-bal. simul. *Anakabe, A., +, MWCL Aug 02 287-289*

Field effect integrated circuits; cf. Field effect digital integrated circuits; Field effect MIMIC; Field effect MMIC; HEMT integrated circuits; MESFET integrated circuits

Field effect MIMIC

GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang, +, MWCL Jun 02 209-211*

Field effect MMIC

CMOS four-stage TW amps. in 0.18 μ m proc., 1-10 GHz, design. *Frank, B.M., +, MWCL Sep 02 327-329*

digital freq. dividers, harmonic-bal. simul. *Anakabe, A., +, MWCL Aug 02 287-289*

GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F., +, MWCL Apr 02 122-124*

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F., +, MWCL Sep 02 348-350*

MIMIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen, +, MWCL Jul 02 246-248*

Field effect transistor circuits; cf. HEMT circuits; MESFET circuits

Field effect transistors

injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y., +, MWCL Jan 02 15-17*

self-heating model, ill-conditioning. *Maas, S.A., MWCL Mar 02 88-89*

self-heating models, ill conditioning. *Parker, A.E., +, MWCL Sep 02 351-352*

Field effect transistors; cf. High electron mobility transistors; Microwave field effect transistors; Millimeter wave field effect transistors; Schottky gate field effect transistors

Field programmable gate arrays

FDTD method in custom hardware. *Schneider, R.N., +, MWCL Dec 02 488-490*

Filters

automated CAD of coupled resonator filters. *Kozakowski, P., +, MWCL Dec 02 470-472*

patent abstracts. *Bell, H.C., MWCL May 02 187-198*

patent abstracts. *Bell, H.C., MWCL Jan 02 27-33*

patent abstracts. *Bell, H.C., MWCL Feb 02 66-72*

patent abstracts. *Bell, H.C., MWCL Mar 02 105-111*

patent abstracts. *Bell, H.C., MWCL Apr 02 146-154*

patent abstracts. *Bell, H.C., MWCL Jun 02 226-234*

patent abstracts. *Bell, H.C., MWCL Jul 02 273-279*

patent abstracts. *Bell, H.C., MWCL Aug 02 314-318*

patent abstracts. *Bell, H.C., MWCL Sep 02 354-364*

patent abstracts. *Bell, H.C., MWCL Oct 02 404-416*
 patent abstracts. *Bell, H.C., MWCL Nov 02 447-457*
 patent abstracts. *Bell, H.C., MWCL Dec 02 502-512*
 vertically periodic defected ground structure and its appl. in reducing size of microwave ccts. *Lim, J.-S., +, MWCL Dec 02 479-481*

Filters; cf. Active filters; Band-pass filters; Band-stop filters; Butterworth filters; Lattice filters; Matched filters; Passive filters; Resonator filters; Waveguide filters

Finite difference methods

mesh truncation in freq. domain simul., concurrent complementary operators. *Ramahi, O.M., MWCL Mar 02 99-101*

Finite difference methods; cf. Finite difference time-domain analysis

Finite difference time-domain analysis

band-pass filters, gradient-based optim. using FDTD software. *Kozakowski, P., +, MWCL Oct 02 389-391*

broadband loop antenna for DCS-1800/IMT-2000 mobile phone handsets. *Li, R.L., +, MWCL Aug 02 305-307*

dispersion and asymmetry effects of ADI-FDTD. *Darms, M., +, MWCL Dec 02 491-493*

dispersive medium, auxiliary DE method for FDTD, reinterpretation. *Takayama, Y., +, MWCL Mar 02 102-104*

evanescent waves absorpt. in waveguides, appl. of complex freq. shifted PML. *Berenger, J.-P., MWCL Jun 02 218-220*

FDTD method in custom hardware. *Schneider, R.N., +, MWCL Dec 02 488-490*

finite microwave periodic struct., S-params. calc., recursive formula. *Cen Yen Ong, +, MWCL Jul 02 264-266*

integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M., +, MWCL Jul 02 258-260*

low-order models from FDTD time samples, microwave filter appl. *Kozakowski, P., +, MWCL Nov 02 438-440*

modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M., +, MWCL Nov 02 444-446*

perfectly matched layer for 3D wave eqn. in time domain. *Rickard, Y., +, MWCL May 02 181-183*

scatt. problems, multiresolution time-domain scheme using Coifman scaling fns. *Xingchang Wei, +, MWCL Oct 02 392-394*

spherical wave sources in FDTD, near field scatt./interact. problems. *Potter, M.E., +, MWCL Apr 02 142-144*

subgridding schemes for FDTD, coarse and fine region fields. *Shumin Wang, +, MWCL Jun 02 223-225*

uniaxial perfectly matched layer media for unconditionally stable 3D ADI-FD-TD method. *Zhao, A.P., MWCL Dec 02 497-499*

Finite element analysis

coax to troughguide transit., FEM modeling/hardware testing. *Hopkins, G.D., +, MWCL Aug 02 299-301*

microwave devices, fast FEM, hybrid multilevel/multigrid pot. preconditioner. *Yu Zhu, +, MWCL Aug 02 290-292*

skewed microstrip crossover, quasi-static FEA. *Nyka, K., +, MWCL Jan 02 12-14*

Finite element analysis; cf. Mesh generation

Flip-chip devices

surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N., +, MWCL Mar 02 76-78*

W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K., +, MWCL Oct 02 372-374*

Focusing

liq. cryst. lens cells with stack-layered struct., MM-wave focusing props. *Tanaka, M., +, MWCL May 02 163-165*

Frequency converters; cf. Frequency dividers; Frequency multipliers

Frequency dividers

digital freq. dividers, harmonic-bal. simul. *Anakabe, A., +, MWCL Aug 02 287-289*

Frequency-domain analysis

mesh truncation in freq. domain simul., concurrent complementary operators. *Ramahi, O.M., MWCL Mar 02 99-101*

Frequency hop communication

microwave photonic vector modulator for high-speed wireless digital communs. *Jemison, W.D., +, MWCL Apr 02 125-127*

Frequency multipliers

broadband planar Schottky diode bal. freq. doubler, 800 GHz. *Chattopadhyay, G., +, MWCL Apr 02 117-118*

InP-based heterostruct. barrier varactor freq. multiplier MIMIC, fab. *David, T., +, MWCL Aug 02 281-283*

Frequency response

high-speed p-i-n photodiode S-param. anal. by novel small-sig. RF equiv. cct. model. *Wang, G., +, MWCL Oct 02 378-380*

low-order models from FDTD time samples, microwave filter appl. *Kozakowski, P., +, MWCL Nov 02 438-440*

periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F., +, MWCL Nov 02 435-437*

Functional analysis; cf. Harmonic analysis

Function generators; cf. Pulse generators

Functions; cf. Transfer functions

G

Gain control

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F., +, MWCL Sep 02 348-350*

SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q., +, MWCL Nov 02 424-425*

Galerkin method

triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y., +, MWCL Aug 02 302-304*

Gallium arsenide

broadband planar Schottky diode bal. freq. doubler, 800 GHz. *Chattopadhyay, G., +, MWCL Apr 02 117-118*

GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang, +, MWCL Jun 02 209-211*

GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M., +, MWCL Aug 02 284-286*

GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F., +, MWCL Apr 02 122-124*

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F., +, MWCL Sep 02 348-350*

GaAs PHEMT, phys.-based noise model for low drain bias operation. *Jooyoung Jeon, +, MWCL Sep 02 342-344*

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu, +, MWCL Feb 02 37-38*

injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y., +, MWCL Jan 02 15-17*

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E., +, MWCL Oct 02 369-371*

Gallium compounds

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y., +, MWCL Nov 02 421-423*

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu, +, MWCL Feb 02 37-38*

Gallium compounds; cf. Gallium arsenide

Genetic algorithms

feasibility study on beam-forming tech. with 1D mechanical beam steering antenna using niching genetic algorithm. *Kang, N.-W., +, MWCL Dec 02 494-496*

multiband microstrip patch antennas, design using genetic algm. *Choo, H., +, MWCL Sep 02 345-347*

Geophysics computing

steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D., +, MWCL Jan 02 24-26*

Germanium alloys; cf. Ge-Si alloys

Ge-Si alloys

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H., +, MWCL Mar 02 79-81*

SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q., +, MWCL Nov 02 424-425*

SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O., +, MWCL May 02 157-159*

SiGe MMIC 6-bit PIN diode phase shifter. *Teshiba, M., +, MWCL Dec 02 500-501*

Gold alloys

W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K., +, MWCL Oct 02 372-374*

Gradient methods

band-pass filters, gradient-based optim. using FDTD software. *Kozakowski, P., +, MWCL Oct 02 389-391*

Ground support systems

vertically periodic defected ground structure and its appl. in reducing size of microwave ccts. *Lim, J.-S., +, MWCL Dec 02 479-481*

H

Harmonic analysis

digital freq. dividers, harmonic-bal. simul. *Anakabe, A., +, MWCL Aug 02 287-289*

Harmonics

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y., +, MWCL Nov 02 421-423*

azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A., +, MWCL Feb 02 54-56*

one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L., +, MWCL Jan 02 22-23*

Harmonics; cf. Harmonics suppression

Harmonics suppression

parallel coupled microstrip filters, harmonic response suppression. *Jen-Tsai Kuo*, +, *MWCL Oct 02 383-385*

Helmholtz equations

azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A.*, +, *MWCL Feb 02 54-56*

HEMT circuits

microwave amps., size reduction using defected ground struct. *Jong-Sik Lim*, +, *MWCL Jul 02 261-263*

HEMT circuits; cf. HEMT integrated circuits

HEMT integrated circuits

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y.*, +, *MWCL Nov 02 421-423*
GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang*, +, *MWCL Jun 02 209-211*

Heterodyne detection

MM-wave step-freq. radar sens. for dist. meas. *Joongsuk Park*, +, *MWCL Jun 02 221-222*
near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02 369-371*

Heterojunction bipolar transistors

SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q.*, +, *MWCL Nov 02 424-425*
SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O.*, +, *MWCL May 02 157-159*

High electron mobility transistors

GaAs PHEMT, phys.-based noise model for low drain bias operation. *Jooyoung Jeon*, +, *MWCL Sep 02 342-344*
microwave FETs, modeling LF dispersive effects, equiv.-voltage approach. *Santarelli, A.*, +, *MWCL Sep 02 339-341*
near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02 369-371*

High-speed integrated circuits

W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, +, *MWCL Oct 02 372-374*

High-speed optical techniques

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02 369-371*

High-speed techniques; cf. High-speed optical techniques

Horn antennas

ultra-wide band corrugated Gaussian profiled horn antenna design. *Teniente, J.*, +, *MWCL Jan 02 20-21*
wideband orthogonal-mode jn. using ridged coaxial and sectoral waveguides. *Zhang, H.Z.*, *MWCL May 02 172-174*

Hybrid integrated circuits

phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02 426-428*

I

Identification; cf. Parameter estimation

IEEE

2002 reviewers list. *MWCL Dec 02 461-463*

III-V semiconductors

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y.*, +, *MWCL Nov 02 421-423*
GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang*, +, *MWCL Jun 02 209-211*
GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M.*, +, *MWCL Aug 02 284-286*
GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F.*, +, *MWCL Apr 02 122-124*
GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02 348-350*
GaAs PHEMT, phys.-based noise model for low drain bias operation. *Jooyoung Jeon*, +, *MWCL Sep 02 342-344*
InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu*, +, *MWCL Feb 02 37-38*
InP-based heterostruct. barrier varactor freq. multiplier MIMIC, fab. *David, T.*, +, *MWCL Aug 02 281-283*
near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02 369-371*

Impedance convertors

one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L.*, +, *MWCL Jan 02 22-23*
two-sect. impedance transformer for fund. freq. and first harmonic. *Monzon, C.*, *MWCL Oct 02 381-382*

Impedance matching

microwave amps., size reduction using defected ground struct. *Jong-Sik Lim*, +, *MWCL Jul 02 261-263*

SiGe HBT MMIC variable gain cascode amp., X-band design and perform.

Chaudhry, Q., +, *MWCL Nov 02 424-425*

two-sect. impedance transformer for fund. freq. and first harmonic. *Monzon, C.*, *MWCL Oct 02 381-382*

Impedance matrix

lossless microwave ccts., scatt. matrix determ. *Roussy, G.*, +, *MWCL Apr 02 140-141*

planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02 45-47*

Indium compounds

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu*, +, *MWCL Feb 02 37-38*

InP-based heterostruct. barrier varactor freq. multiplier MIMIC, fab. *David, T.*, +, *MWCL Aug 02 281-283*

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02 369-371*

Inductance

skewed microstrip crossover, quasi-static FEA. *Nyka, K.*, +, *MWCL Jan 02 12-14*

Inductors

improved quality-factor of 0.18- μ m CMOS active inductor by feedback resistance design. *Hsiao, C.-C.*, +, *MWCL Dec 02 467-469*

Industrial property; cf. Patents

Information analysis; cf. Abstracting

Instruments; cf. Sensors

Integral equations; cf. Electric field integral equations

Integrated circuit bonding

W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, +, *MWCL Oct 02 372-374*

Integrated circuit design

CMOS four-stage TW amps. in 0.18 μ m proc., 1-10 GHz, design. *Frank, B.M.*, +, *MWCL Sep 02 327-329*

GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang*, +, *MWCL Jun 02 209-211*

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H.*, +, *MWCL Mar 02 79-81*

SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q.*, +, *MWCL Nov 02 424-425*

Integrated circuit interconnections

MIMIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen*, +, *MWCL Jul 02 246-248*

W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, +, *MWCL Oct 02 372-374*

Integrated circuit manufacture; cf. Integrated circuit yield

Integrated circuit noise

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H.*, +, *MWCL Mar 02 79-81*

MMIC oscillators, phase noise reduction, defected ground struct. *Young-Taek Lee*, +, *MWCL Feb 02 39-41*

phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02 426-428*

Integrated circuits; cf. High-speed integrated circuits; Hybrid integrated circuits; Microwave integrated circuits; Millimeter wave integrated circuits; Monolithic integrated circuits; UHF integrated circuits

Integrated circuit technology; cf. Integrated circuit bonding; Integrated circuit interconnections

Integrated circuit yield

MIMIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen*, +, *MWCL Jul 02 246-248*

Integrated optics; cf. Optical planar waveguides

Integration

dispersion and asymmetry effects of ADI-FDTD. *Darms, M.*, +, *MWCL Dec 02 491-493*

Interconnections; cf. Integrated circuit interconnections

Interference (signal); cf. Crosstalk

Interference suppression

adaptive nulling, reduction of mutual coupling effect. *Hon Tat Hui*, *MWCL May 02 178-180*

microwave amp. lin. by generalized baseband sig. injection method. *Chi-Shuen Leung*, +, *MWCL Sep 02 336-338*

Interference (wave); cf. Electromagnetic wave interference

Intermodulation; cf. Intermodulation distortion

Intermodulation distortion

broadband feedforward amp. using photonic bandgap improvement. *Ellis, T.J.*, *MWCL Sep 02 352-353*

microwave amp. lin. by generalized baseband sig. injection method. *Chi-Shuen Leung*, +, *MWCL Sep 02 336-338*

predistortion tech. for mixer lin. with IMD reduction. *Youngwook Kim*, +, *MWCL Jun 02 204-205*

SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K.*, +, *MWCL Apr 02 119-121*

Interpolation

subgridding schemes for FDTD, coarse and fine region fields. *Shumin Wang*, +, *MWCL Jun 02* 223-225

Invariance

concave cylinder, EM scatt., localized MEI & domain decomp., efficient algm. *Xiaoxing Yin*, +, *MWCL Feb 02* 63-65

Ion beam applications; cf. Ion implantation**Ion implantation**

CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T.*, +, *MWCL Nov 02* 429-431

Iron alloys; cf. Permalloy**Iterative methods**

planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02* 45-47

Iterative methods; cf. Gradient methods**K****Kinematics; cf. Acceleration****L****Land mobile radio; cf. Cellular radio****Laser beam applications; cf. Measurement by laser beam****Lattice filters**

microstrip circ. patch resonator filter. *Boon Tiong Tan*, +, *MWCL Jul 02* 252-254

Lattice networks; cf. Lattice filters**Leaky wave antennas**

2D scanning leaky-wave antenna, phased array. *Chien-Jen Wang*, +, *MWCL Aug 02* 311-313

Lens antennas

integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, +, *MWCL Jul 02* 258-260

Lenses

liq. cryst. lens cells with stack-layered struct., MM-wave focusing props. *Tanaka, M.*, +, *MWCL May 02* 163-165

Linear algebra; cf. Eigenvalues and eigenfunctions; Matrix algebra**Linear antenna arrays**

adaptive nulling, reduction of mutual coupling effect. *Hon Tat Hui*, *MWCL May 02* 178-180

injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17

Linear antennas; cf. Linear antenna arrays**Linearization techniques**

microwave amp. lin. by generalized baseband sig. injection method. *Chi-Shuen Leung*, +, *MWCL Sep 02* 336-338

predistortion tech. for mixer lin. with IMD reduction. *Youngwook Kim*, +, *MWCL Jun 02* 204-205

Linear network analysis

freq.-depend. lossy transm. line interconnect networks, moment generation methods. *Li, L.Y.*, +, *MWCL Apr 02* 131-133

Linear network synthesis

TEM resonator filters with atten. pole in upper stopband, design. *Yoonmi Shin*, +, *MWCL Mar 02* 82-84

Liquid crystal devices

lens cells with stack-layered struct., MM-wave focusing props. *Tanaka, M.*, +, *MWCL May 02* 163-165

Liquid crystals; cf. Nematic liquid crystals**Local area networks; cf. Wireless LAN; Workstation clusters****Loop antennas**

broadband loop antenna for DCS-1800/IMT-2000 mobile phone handsets. *Li, R.L.*, +, *MWCL Aug 02* 305-307

Losses

planar transm. line transits., designs and loss characts. *Safwat, A.M.E.*, +, *MWCL Apr 02* 128-130

thick-film BGA ceramic package for X-band MEMS phase shifter. *Varian, K.*, +, *MWCL Sep 02* 321-323

V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim*, +, *MWCL Nov 02* 432-434

Losses; cf. Dielectric losses**Low-power electronics**

compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P.*, +, *MWCL Jul 02* 270-272

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350

Lumped parameter networks

lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu*, +, *MWCL Feb 02* 51-53

multilayer LTCC bandpass filter design, enhanced stopband characts. *Wing-Yan Leung*, +, *MWCL Jul 02* 240-242

V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim*, +, *MWCL Nov 02* 432-434

M**Machining; cf. Micromachining****Magnetic materials; cf. Ferromagnetic materials; Soft magnetic materials****Magnetism; cf. Magnetostatics****Magneto-optical effects; cf. Faraday effect****Magnetostatics**

skewed microstrip crossover, quasi-static FEA. *Nyka, K.*, +, *MWCL Jan 02* 12-14

Magnetostatic surface waves

grounded ferrite slab waveguide, leaky-wave dispersion behavior. *Yakovlev, A.B.*, +, *MWCL Oct 02* 398-400

Magnetostatic waves

grounded ferrite slab waveguide, leaky-wave dispersion behavior. *Yakovlev, A.B.*, +, *MWCL Oct 02* 398-400

Magnetostatic waves; cf. Magnetostatic surface waves**Magnetrons**

azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A.*, +, *MWCL Feb 02* 54-56

Masers

metallo-dielectric photonic cryst. resonators, K_u band, transm. charact. *Serpenguzel, A.*, *MWCL Apr 02* 134-136

Matched filters

uniaxial perfectly matched layer media for unconditionally stable 3D ADI-FD-TD method. *Zhao, A.P.*, *MWCL Dec 02* 497-499

Materials; cf. Alumina; Microwave materials; Sapphire; Semiconductor materials**Mathematical analysis; cf. Differential equations; Eigenvalues and eigenfunctions; Frequency-domain analysis; Modal analysis; Time-domain analysis****Mathematics; cf. Equations; Optimization****Matrix algebra**

azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A.*, +, *MWCL Feb 02* 54-56

substr. integrated rect. waveguide, dispersion charact. *Cassivi, Y.*, +, *MWCL Sep 02* 333-335

Matrix algebra; cf. Impedance matrix; Matrix decomposition; S-matrix theory; Sparse matrices; Transmission line matrix methods**Matrix decomposition**

concave cylinder, EM scatt., localized MEI & domain decomp., efficient algm. *Xiaoxing Yin*, +, *MWCL Feb 02* 63-65

lossless microwave ccts., scatt. matrix determ. *Roussy, G.*, +, *MWCL Apr 02* 140-141

Maxwell equations

dispersive medium, auxiliary DE method for FDTD, reinterpretation. *Takayama, Y.*, +, *MWCL Mar 02* 102-104

Measurement; cf. Biomedical measurement; Measurement by laser beam; Microwave measurement; Millimeter wave measurement; Remote sensing; Semiconductor device measurement**Measurement by laser beam**

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02* 369-371

MESFET circuits

SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K.*, +, *MWCL Apr 02* 119-121

MESFET circuits; cf. MESFET integrated circuits**MESFET integrated circuits**

digital freq. dividers, harmonic-bal. simul. *Anakabe, A.*, +, *MWCL Aug 02* 287-289

GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F.*, +, *MWCL Apr 02* 122-124

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350

Mesh generation

concave cylinder, EM scatt., localized MEI & domain decomp., efficient algm. *Xiaoxing Yin*, +, *MWCL Feb 02* 63-65

Meters; cf. Radiometers**Method of moments**

CPW open-end cct., equiv. cct. model, lossy shunt resonator network. *Lei Zhu*, *MWCL May 02* 175-177

freq.-depend. lossy transm. line interconnect networks, moment generation methods. *Li, L.Y.*, +, *MWCL Apr 02* 131-133

lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu*, +, *MWCL Feb 02* 51-53

numerical TRL calibration technique for parameter extraction of planar integrated discontinuities in deterministic MoM algorithm. *Li, L.*, +, *MWCL Dec 02* 485-487

planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02* 45-47

- steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D.*, +, *MWCL Jan 02* 24-26
- Micromachining**
DC-contact RF MEMS shunt switch, design, fab. and perform. *Guan-Leng Tan*, +, *MWCL Jun 02* 212-214
- Micromechanical devices**
DC-contact RF MEMS shunt switch, design, fab. and perform. *Guan-Leng Tan*, +, *MWCL Jun 02* 212-214
patent abstracts. *Bell, H.C.*, *MWCL Apr 02* 146-154
thick-film BGA ceramic package for X-band MEMS phase shifter. *Varian, K.*, +, *MWCL Sep 02* 321-323
V-band compact 2-bit refl.-type MEMS phase shifter. *Hong-Teuk Kim*, +, *MWCL Sep 02* 324-326
V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim*, +, *MWCL Nov 02* 432-434
- Microstrip antenna arrays**
2D scanning leaky-wave antenna, phased array. *Chien-Jen Wang*, +, *MWCL Aug 02* 311-313
flat four-beam compact phased array antenna with circ. microstrip elements. *Krairiksh, M.*, +, *MWCL May 02* 184-186
injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y.*, +, *MWCL Jan 02* 15-17
- Microstrip antennas**
compact circ. polarized subdivided microstrip patch antenna, design. *Ji-Yong Park*, +, *MWCL Jan 02* 18-19
finite ground planes with edge serrations. *Huff, G.H.*, +, *MWCL Aug 02* 308-310
multiband microstrip patch antennas, design using genetic algm. *Choo, H.*, +, *MWCL Sep 02* 345-347
planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02* 45-47
reconfigurable patch antenna, switchable slots, circ. polariz. diversity. *Fan Yang*, +, *MWCL Mar 02* 96-98
rect. patch antenna on thick substr., reson. freq. & bandwidth, cavity model. *Verma, A.K.*, +, *MWCL Feb 02* 60-62
- Microstrip antennas; cf.** Microstrip antenna arrays
- Microstrip circuits**
EM bandgap metal plate for parallel plate mode suppress. in shielded struct. *Dawn, D.*, +, *MWCL May 02* 166-168
lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu*, +, *MWCL Feb 02* 51-53
microwave amps., size reduction using defected ground struct. *Jong-Sik Lim*, +, *MWCL Jul 02* 261-263
SHF receiver selectivity/transmit freq. determ. using microstrip cct. based common resonator. *Silk, S.D.*, +, *MWCL Jan 02* 1-2
- Microstrip components; cf.** Microstrip antennas; Microstrip circuits; Microstrip couplers; Microstrip filters; Microstrip resonators
- Microstrip couplers**
continuous group delay synthesis, cct. topol. *Fredrick, J.D.*, +, *MWCL Mar 02* 85-87
S-band refl. type variable attenuator. *Trent, C.R.*, +, *MWCL Jul 02* 243-245
- Microstrip couplers; cf.** Microstrip directional couplers
- Microstrip directional couplers**
broadband microstrip directional coupler with 3D multiaperature struct. *Chunlei Wang*, +, *MWCL May 02* 160-162
- Microstrip discontinuities**
lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu*, +, *MWCL Feb 02* 51-53
skewed microstrip crossover, quasi-static FEA. *Nyka, K.*, +, *MWCL Jan 02* 12-14
- Microstrip filters**
circ. patch resonator filter. *Boon Tiong Tan*, +, *MWCL Jul 02* 252-254
dual-mode bandpass filter, wide stopband, using microstrip open-loop resonator. *Gorur, A.*, *MWCL Oct 02* 386-388
GHz bandstop microstrip filter using patterned Ni₇₈Fe₂₂ ferromagnetic film. *Zhunag, Y.*, +, *MWCL Dec 02* 473-475
parallel coupled microstrip filters, harmonic response suppression. *Jen-Tsai Kuo*, +, *MWCL Oct 02* 383-385
planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, +, *MWCL Feb 02* 45-47
planar X-band EM band-gap Chebyshev 3-pole bandpass filter. *Hsuan-ju Hsu*, +, *MWCL Jul 02* 255-257
triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y.*, +, *MWCL Aug 02* 302-304
- Microstrip lines**
coupling suppress. using, bi-periodically perforated ground plane. *Leong, K.M.K.H.*, +, *MWCL May 02* 169-171
microwave amps., size reduction using defected ground struct. *Jong-Sik Lim*, +, *MWCL Jul 02* 261-263
microwave devices, fast FEM, hybrid multilevel/multigrid pot. preconditioner. *Yu Zhu*, +, *MWCL Aug 02* 290-292
MMIC oscillators, phase noise reduction, defected ground struct. *Young-Taek Lee*, +, *MWCL Feb 02* 39-41
periodic struct. for microstrip lines, anal. and design using coupled mode theory. *Lopetegi, T.*, +, *MWCL Nov 02* 441-443
- Microstrip lines; cf.** Microstrip discontinuities; Microstrip transitions
- Microstrip resonators**
dual-mode bandpass filter, wide stopband, using microstrip open-loop resonator. *Gorur, A.*, *MWCL Oct 02* 386-388
spiral resonator, appl. to low phase noise microwave oscillator. *Young-Taek Lee*, +, *MWCL Oct 02* 375-377
- Microstrip transitions**
planar transm. line transits., designs and loss characts. *Safwat, A.M.E.*, +, *MWCL Apr 02* 128-130
surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N.*, +, *MWCL Mar 02* 76-78
triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y.*, +, *MWCL Aug 02* 302-304
- Microwave amplifiers**
comments, with reply, on "Ill conditioning in self-heating FET models" (Mar 02 88-89). *Parker, A.E.*, *MWCL Sep 02* 351-352
lin. by generalized baseband sig. injection method. *Chi-Shuen Leung*, +, *MWCL Sep 02* 336-338
size reduction using defected ground struct. *Jong-Sik Lim*, +, *MWCL Jul 02* 261-263
- Microwave amplifiers; cf.** Masers; Microwave power amplifiers; MMIC amplifiers
- Microwave antenna arrays**
GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350
- Microwave antennas**
Fabry-Perot cavity embedded, high directivity. *Akalin, T.*, +, *MWCL Feb 02* 48-50
- Microwave antennas; cf.** Lens antennas; Microwave antenna arrays; Waveguide antennas
- Microwave circuits**
four-element planar Butler matrix, half-wavelength open stubs. *Hayashi, H.*, +, *MWCL Mar 02* 73-75
lossless microwave ccts., scatt. matrix determ. *Roussy, G.*, +, *MWCL Apr 02* 140-141
novel reduced-size coplanar-waveguide bandpass filter using new folded open stub structure. *Liao, S.-S.*, +, *MWCL Dec 02* 476-478
one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L.*, +, *MWCL Jan 02* 22-23
patent abstracts. *Bell, H.C.*, *MWCL Feb 02* 66-72
photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A.*, +, *MWCL Jun 02* 201-203
two-sect. impedance transformer for fund. freq. and first harmonic. *Monzon, C.*, *MWCL Oct 02* 381-382
vertically periodic defected ground structure and its appl. in reducing size of microwave ccts. *Lim, J.-S.*, +, *MWCL Dec 02* 479-481
- Microwave circuits; cf.** Microwave integrated circuits
- Microwave devices**
BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, +, *MWCL Jan 02* 3-5
patent abstracts. *Bell, H.C.*, *MWCL Jan 02* 27-33
spatial power splitting/combining based on Talbot effect. *Tayag, T.J.*, +, *MWCL Jan 02* 9-11
Wilkinson planar miniaturized power dividers using capacitive loading, design. *Scardelletti, M.C.*, +, *MWCL Jan 02* 6-8
- Microwave devices; cf.** Microwave amplifiers; Microwave antennas; Microwave circuits; Microwave diodes; Microwave filters; Microwave mixers; Microwave oscillators; Microwave phase shifters; Microwave receivers; Microwave switches; Microwave tubes
- Microwave diodes**
photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A.*, +, *MWCL Jun 02* 201-203
- Microwave field effect transistors**
comments, with reply, on "Ill conditioning in self-heating FET models" (Mar 02 88-89). *Parker, A.E.*, *MWCL Sep 02* 351-352
GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M.*, +, *MWCL Aug 02* 284-286
GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F.*, +, *MWCL Apr 02* 122-124
GaAs PHEMT, phys.-based noise model for low drain bias operation. *Jooyoung Jeon*, +, *MWCL Sep 02* 342-344
LDMOS transistor, small-sig. series impedance extraction. *Vestling, L.*, +, *MWCL Jul 02* 249-251
LF dispersive effects, equiv.-voltage approach for modeling. *Santarelli, A.*, +, *MWCL Sep 02* 339-341
SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K.*, +, *MWCL Apr 02* 119-121
- Microwave filters**
low-order models from FDTD time samples, microwave filter appl. *Kozakowski, P.*, +, *MWCL Nov 02* 438-440

- multilayer LTCC bandpass filter design, enhanced stopband characts. *Wing-Yan Leung*, +, *MWCL Jul 02* 240-242
- periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F.*, +, *MWCL Nov 02* 435-437
- phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02* 426-428
- spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim*, +, *MWCL Sep 02* 330-332
- triple mode TE₀₁₈ resonator transm. filters, design and tuning. *Walker, V.*, +, *MWCL Jun 02* 215-217
- Microwave integrated circuits**
microstrip lines, coupling suppress. using, bi-periodically perforated ground plane. *Leong, K.M.K.H.*, +, *MWCL May 02* 169-171
- phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02* 426-428
- W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, +, *MWCL Oct 02* 372-374
- Microwave integrated circuits; cf.** MMIC
- Microwave materials**
CPW T-resonator, elec. charactn., microwave substs. *Peterson, R.L.*, +, *MWCL Mar 02* 90-92
- Microwave measurement**
CPW T-resonator, elec. charactn., microwave substs. *Peterson, R.L.*, +, *MWCL Mar 02* 90-92
- LDMOS transistor, small-sig. series impedance extraction. *Vestling, L.*, +, *MWCL Jul 02* 249-251
- lossless microwave ccts., scatt. matrix determ. *Roussy, G.*, +, *MWCL Apr 02* 140-141
- multiline line-reflect-line calib., phase shift computation. *Reynoso-Hernandez, J.A.*, *MWCL Oct 02* 395-397
- Microwave measurement; cf.** Microwave reflectometry
- Microwave mixers**
SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K.*, +, *MWCL Apr 02* 119-121
- Microwave mixers; cf.** MMIC mixers
- Microwave oscillators**
microstrip spiral resonator, appl. to low phase noise microwave oscillator. *Young-Taek Lee*, +, *MWCL Oct 02* 375-377
- SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O.*, +, *MWCL May 02* 157-159
- Microwave oscillators; cf.** Masers; MMIC oscillators
- Microwave phase shifters**
Ba_xSr_{1-x}TiO₃ thin films, parallel plate capacitors, X-band phase shifter. *Acikel, B.*, +, *MWCL Jul 02* 237-239
- thick-film BGA ceramic package for X-band MEMS phase shifter. *Varian, K.*, +, *MWCL Sep 02* 321-323
- Microwave photonics**
broadband feedforward amp. using photonic bandgap improvement. *Ellis, T.J.*, *MWCL Sep 02* 352-353
- Fabry-Perot cavity embedded, high directivity. *Akalin, T.*, +, *MWCL Feb 02* 48-50
- high-speed p-i-n photodiode S-param. anal. by novel small-sig. RF equiv. cct. model. *Wang, G.*, +, *MWCL Oct 02* 378-380
- metallodielectric photonic cryst. resonators, K_u band, transm. charact. *Serpenguzel, A.*, *MWCL Apr 02* 134-136
- microwave photonic vector modulator for high-speed wireless digital commun. *Jemison, W.D.*, +, *MWCL Apr 02* 125-127
- photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A.*, +, *MWCL Jun 02* 201-203
- three-pole Chebyshev bandpass photonic bandgap dielec. waveguide filter. *Chi-Yang Chang*, +, *MWCL Apr 02* 137-139
- ultrafast devices, near-field opt. heterodyning charactn. *Ali, M.E.*, +, *MWCL Oct 02* 369-371
- Microwave power amplifiers**
broadband feedforward amp. using photonic bandgap improvement. *Ellis, T.J.*, *MWCL Sep 02* 352-353
- Microwave power amplifiers; cf.** MMIC power amplifiers
- Microwave receivers**
GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350
- SHF receiver selectivity/transmit freq. determ. using microstrip cct. based common resonator. *Silk, S.D.*, +, *MWCL Jan 02* 1-2
- Microwave reflectometry**
breast tissue, dielec. spectrosc., open-ended coaxial probe. *Popovic, D.*, +, *MWCL Oct 02* 401-403
- Microwave switches**
DC-contact RF MEMS shunt switch, design, fab. and perform. *Guan-Leng Tan*, +, *MWCL Jun 02* 212-214
- V-band compact 2-bit refl.-type MEMS phase shifter. *Hong-Teuk Kim*, +, *MWCL Sep 02* 324-326
- Microwave technology; cf.** Microwave measurement; Microwave photonics
- Microwave transistors; cf.** Microwave field effect transistors
- Microwave tubes**
metallodielectric photonic cryst. resonators, K_u band, transm. charact. *Serpenguzel, A.*, *MWCL Apr 02* 134-136
- Millimeter wave circuits**
substr. integrated rect. waveguide, dispersion charact. *Cassivi, Y.*, +, *MWCL Sep 02* 333-335
- Millimeter wave circuits; cf.** Millimeter wave integrated circuits
- Millimeter wave detectors**
MM-wave step-freq. radar sens. for dist. meas. *Joongsuk Park*, +, *MWCL Jun 02* 221-222
- Millimeter wave devices**
EM bandgap metal plate for parallel plate mode suppress. in shielded struct. *Dawn, D.*, +, *MWCL May 02* 166-168
- liq. cryst. lens cells with stack-layered struct., MM-wave focusing props. *Tanaka, M.*, +, *MWCL May 02* 163-165
- spatial power splitting/combining based on Talbot effect. *Tayag, T.J.*, +, *MWCL Jan 02* 9-11
- Millimeter wave devices; cf.** Millimeter wave circuits; Millimeter wave detectors; Millimeter wave diodes; Millimeter wave filters; Millimeter wave mixers; Millimeter wave oscillators; Millimeter wave phase shifters
- Millimeter wave diodes**
GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang*, +, *MWCL Jun 02* 209-211
- Millimeter wave field effect transistors**
near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02* 369-371
- Millimeter wave filters**
CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T.*, +, *MWCL Nov 02* 429-431
- periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F.*, +, *MWCL Nov 02* 435-437
- surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N.*, +, *MWCL Mar 02* 76-78
- V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim*, +, *MWCL Nov 02* 432-434
- Millimeter wave integrated circuits**
W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, +, *MWCL Oct 02* 372-374
- Millimeter wave integrated circuits; cf.** MIMIC
- Millimeter wave measurement**
MM-wave step-freq. radar sens. for dist. meas. *Joongsuk Park*, +, *MWCL Jun 02* 221-222
- total-power MM-wave radiometer for atten. meas., calib. procedure. *Al-Ansari, K.*, +, *MWCL Mar 02* 93-95
- Millimeter wave mixers**
GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang*, +, *MWCL Jun 02* 209-211
- Millimeter wave oscillators**
low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H.*, +, *MWCL Mar 02* 79-81
- Millimeter wave phase shifters**
V-band compact 2-bit refl.-type MEMS phase shifter. *Hong-Teuk Kim*, +, *MWCL Sep 02* 324-326
- Millimeter wave propagation**
total-power MM-wave radiometer for atten. meas., calib. procedure. *Al-Ansari, K.*, +, *MWCL Mar 02* 93-95
- Millimeter wave transistors; cf.** Millimeter wave field effect transistors
- MIM devices**
MIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen*, +, *MWCL Jul 02* 246-248
- MIMIC**
InP-based heterostruct. barrier varactor freq. multiplier MIMIC, fab. *David, T.*, +, *MWCL Aug 02* 281-283
- MIMIC; cf.** Bipolar MIMIC; Field effect MIMIC
- MIM structures; cf.** MIM devices
- Mirrors**
Fabry-Perot cavity embedded, high directivity. *Akalin, T.*, +, *MWCL Feb 02* 48-50
- MISFET; cf.** MOSFET
- Mixers (circuits); cf.** Microwave mixers; Millimeter wave mixers; UHF mixers
- MMIC**
SiGe MMIC 6-bit PIN diode phase shifter. *Teshiba, M.*, +, *MWCL Dec 02* 500-501
- surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N.*, +, *MWCL Mar 02* 76-78

MMIC; cf. Bipolar MMIC; Field effect MMIC; MMIC amplifiers; MMIC mixers; MMIC oscillators

MMIC amplifiers

CMOS four-stage TW amps. in 0.18 μm proc., 1-10 GHz, design. *Frank, B.M.*, +, *MWCL Sep 02* 327-329

SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q.*, +, *MWCL Nov 02* 424-425

MMIC amplifiers; cf. MMIC power amplifiers

MMIC frequency converters

digital freq. dividers, harmonic-bal. simul. *Anakabe, A.*, +, *MWCL Aug 02* 287-289

MMIC mixers

GaAs-based PHEMT diode W-band mixer, monolithic subharmon. pumped design. *Yuh-Jing Hwang*, +, *MWCL Jun 02* 209-211

MMIC oscillators

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu*, +, *MWCL Feb 02* 37-38

MMIC oscillators, phase noise reduction, defected ground struct. *Young-Taek Lee*, +, *MWCL Feb 02* 39-41

phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02* 426-428

MMIC power amplifiers

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y.*, +, *MWCL Nov 02* 421-423

MOCVD coatings

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, +, *MWCL Jan 02* 3-5

Modal analysis

spherical wave sources in FDTD, near field scatt./interact. problems. *Potter, M.E.*, +, *MWCL Apr 02* 142-144

Modeling

low-order models from FDTD time samples, microwave filter appl. *Kozakowski, P.*, +, *MWCL Nov 02* 438-440

Modeling; cf. Semiconductor device models

Modeling

DC-contact RF MEMS shunt switch, design, fab. and perform. *Guan-Leng Tan*, +, *MWCL Jun 02* 212-214

Mode matching

azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A.*, +, *MWCL Feb 02* 54-56

cross-aperture waveguide couplers, full-wave anal. *Zhihua Jiang*, +, *MWCL Jul 02* 267-269

Modulators

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350

microwave photonic vector modulator for high-speed wireless digital communs. *Jemison, W.D.*, +, *MWCL Apr 02* 125-127

Modules

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350

Monolithic integrated circuits

SiGe MMIC 6-bit PIN diode phase shifter. *Teshiba, M.*, +, *MWCL Dec 02* 500-501

Monolithic integrated circuits; cf. MIMIC; MMIC

MOS analog integrated circuits; cf. CMOS analog integrated circuits

MOSFET

LDMOS transistor, small-sig. series impedance extraction. *Vestling, L.*, +, *MWCL Jul 02* 249-251

RF noise in 0.18- μm and 0.13- μm MOSFETs. *Huang, C.H.*, +, *MWCL Dec 02* 464-466

MOS integrated circuits; cf. CMOS integrated circuits

Multibeam antennas

flat four-beam compact phased array antenna with circ. microstrip elements. *Krairiksh, M.*, +, *MWCL May 02* 184-186

Multifrequency antennas

multiband microstrip patch antennas, design using genetic algm. *Choo, H.*, +, *MWCL Sep 02* 345-347

two-sect. impedance transformer for fund. freq. and first harmonic. *Monzon, C.*, *MWCL Oct 02* 381-382

Multiplexing

patent abstracts. *Bell, H.C.*, *MWCL Sep 02* 354-364

patent abstracts. *Bell, H.C.*, *MWCL Oct 02* 404-416

patent abstracts. *Bell, H.C.*, *MWCL Nov 02* 447-457

patent abstracts. *Bell, H.C.*, *MWCL Dec 02* 502-512

Multipoint networks

lossless microwave ccts., scatt. matrix determ. *Roussy, G.*, +, *MWCL Apr 02* 140-141

Multipoint networks; cf. Two-port networks

Multiterminal networks; cf. Multipoint networks

N

Natural sciences computing; cf. Geophysics computing; Physics computing

Negative resistance circuits

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu*, +, *MWCL Feb 02* 37-38

Negative resistance devices; cf. Negative resistance circuits

Nematic liquid crystals

liq. cryst. lens cells with stack-layered struct., MM-wave focusing props. *Tanaka, M.*, +, *MWCL May 02* 163-165

Network analysis; cf. Linear network analysis; Nonlinear network analysis

Network analyzers

lossless microwave ccts., scatt. matrix determ. *Roussy, G.*, +, *MWCL Apr 02* 140-141

multiline line-reflect-line calib., phase shift computation. *Reynoso-Hernandez, J.A.*, *MWCL Oct 02* 395-397

Network parameters; cf. S-parameters

Networks (circuits); cf. Amplifiers; Coupled circuits; Delay circuits;

Differentiating circuits; Distributed parameter networks; Equivalent circuits; Filters; Lumped parameter networks; Microwave circuits; Millimeter wave circuits; Modulators; Passive networks; Phase shifters; Printed circuits; Submillimeter wave circuits; UHF circuits

Network synthesis; cf. Circuit CAD; Integrated circuit design; Linear network synthesis; Nonlinear network synthesis

Network topology

comments, with reply, on "Miniaturized Wilkinson power dividers utilizing capacitive loading" (Jan 02 6-8). *Staudinger, J.*, +, *MWCL Apr 02* 145

microstrip coupler, continuous group delay synthesis, cct. topol. *Fredrick, J.D.*, +, *MWCL Mar 02* 85-87

Nickel alloys; cf. Permalloy

Noise

RF noise in 0.18- μm and 0.13- μm MOSFETs. *Huang, C.H.*, +, *MWCL Dec 02* 464-466

Noise; cf. Circuit noise; Phase noise

Nonlinear distortion; cf. Intermodulation distortion

Nonlinear media

modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M.*, +, *MWCL Nov 02* 444-446

Nonlinear network analysis

digital freq. dividers, harmonic-bal. simul. *Anakabe, A.*, +, *MWCL Aug 02* 287-289

microwave amp. lin. by generalized baseband sig. injection method. *Chi-Shuen Leung*, +, *MWCL Sep 02* 336-338

Nonlinear network synthesis

compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P.*, +, *MWCL Jul 02* 270-272

Nonlinear optics

modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M.*, +, *MWCL Nov 02* 444-446

Numerical analysis; cf. Convergence of numerical methods; Error analysis;

Finite difference methods; Finite element analysis; Interpolation; Iterative methods; Method of moments; Transmission line matrix methods

Numerical stability

lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu*, +, *MWCL Feb 02* 51-53

O

Object detection; cf. Buried object detection

Optical communication equipment; cf. Optical receivers

Optical control

photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A.*, +, *MWCL Jun 02* 201-203

Optical couplers

patent abstracts. *Bell, H.C.*, *MWCL Feb 02* 66-72

patent abstracts. *Bell, H.C.*, *MWCL Mar 02* 105-111

patent abstracts. *Bell, H.C.*, *MWCL Apr 02* 146-154

Optical elements; cf. Optical couplers

Optical fiber amplifiers

patent abstracts. *Bell, H.C.*, *MWCL May 02* 187-198

patent abstracts. *Bell, H.C.*, *MWCL Jun 02* 226-234

patent abstracts. *Bell, H.C.*, *MWCL Jul 02* 273-279

patent abstracts. *Bell, H.C.*, *MWCL Aug 02* 314-318

patent abstracts. *Bell, H.C.*, *MWCL Sep 02* 354-364

patent abstracts. *Bell, H.C.*, *MWCL Oct 02* 404-416

Optical planar waveguides

characterization of rectangular waveguide with pseudochiral Ω slab. *Dorko, K.*, +, *MWCL Dec 02* 482-484

Optical receivers

high-speed p-i-n photodiode S-param. anal. by novel small-sig. RF equiv. cct. model. *Wang, G.*, +, *MWCL Oct 02* 378-380

Optical resonators; cf. Fabry-Perot resonators**Optical signal detection**

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02* 369-371

Optical waveguide components; cf. Optical couplers**Optical waveguides; cf.** Optical planar waveguides; Optical waveguide theory**Optical waveguide theory**

modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M.*, +, *MWCL Nov 02* 444-446

Optics; cf. Nonlinear optics**Optimization**

automated CAD of coupled resonator filters. *Kozakowski, P.*, +, *MWCL Dec 02* 470-472

feasibility study on beam-forming tech. with 1D mechanical beam steering antenna using niching genetic algorithm. *Kang, N.-W.*, +, *MWCL Dec 02* 494-496

Optimization; cf. Genetic algorithms; Gradient methods**Optoelectronic devices; cf.** Microwave photonics**Oscillators; cf.** Dielectric resonator oscillators; Feedback oscillators; Voltage-controlled oscillators**P****Packaging**

broadband microstrip directional coupler with 3D multiaperature struct. *Chunlei Wang*, +, *MWCL May 02* 160-162

Packaging; cf. Ball grid arrays; Ceramic packaging; Surface mount technology**Parallel algorithms**

steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D.*, +, *MWCL Jan 02* 24-26

Parallel processing; cf. Parallel algorithms**Parameter estimation**

GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M.*, +, *MWCL Aug 02* 284-286

LDMOS transistor, small-sig. series impedance extraction. *Vestling, L.*, +, *MWCL Jul 02* 249-251

Partial differential equations; cf. Maxwell equations; Wave equations**Passive filters**

CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T.*, +, *MWCL Nov 02* 429-431

periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F.*, +, *MWCL Nov 02* 435-437

spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim*, +, *MWCL Sep 02* 330-332

surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N.*, +, *MWCL Mar 02* 76-78

TEM resonator filters with atten. pole in upper stopband, design. *Yoonmi Shin*, +, *MWCL Mar 02* 82-84

triple mode TE₀₁₈ resonator transm. filters, design and tuning. *Walker, V.*, +, *MWCL Jun 02* 215-217

V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim*, +, *MWCL Nov 02* 432-434

Passive networks

one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L.*, +, *MWCL Jan 02* 22-23

Passive networks; cf. Passive filters**Patents**

Asia Pacific abstracts. *Ogawa, H.*, *MWCL Dec 02* 513-577

patent abstracts. *Bell, H.C.*, *MWCL May 02* 187-198

patent abstracts. *Bell, H.C.*, *MWCL Jan 02* 27-33

patent abstracts. *Bell, H.C.*, *MWCL Feb 02* 66-72

patent abstracts. *Bell, H.C.*, *MWCL Mar 02* 105-111

patent abstracts. *Bell, H.C.*, *MWCL Apr 02* 146-154

patent abstracts. *Bell, H.C.*, *MWCL Jun 02* 226-234

patent abstracts. *Bell, H.C.*, *MWCL Jul 02* 273-279

patent abstracts. *Bell, H.C.*, *MWCL Aug 02* 314-318

patent abstracts. *Bell, H.C.*, *MWCL Sep 02* 354-364

patent abstracts. *Bell, H.C.*, *MWCL Oct 02* 404-416

patent abstracts. *Bell, H.C.*, *MWCL Nov 02* 447-457

patent abstracts. *Bell, H.C.*, *MWCL Dec 02* 502-512

Periodic structures

azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A.*, +, *MWCL Feb 02* 54-56

EM bandgap metal plate for parallel plate mode suppress. in shielded struct. *Dawn, D.*, +, *MWCL May 02* 166-168

finite microwave periodic struct., S-params. calc., recursive formula. *Cen Yen Ong*, +, *MWCL Jul 02* 264-266

microstrip lines, coupling suppress. using, bi-periodically perforated ground plane. *Leong, K.M.K.H.*, +, *MWCL May 02* 169-171

microwave amps., size reduction using defected ground struct. *Jong-Sik Lim*, +, *MWCL Jul 02* 261-263

periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F.*, +, *MWCL Nov 02* 435-437

periodic struct. for microstrip lines, anal. and design using coupled mode theory. *Lopetegi, T.*, +, *MWCL Nov 02* 441-443

spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim*, +, *MWCL Sep 02* 330-332

vertically periodic defected ground structure and its appl. in reducing size of microwave ccts. *Lim, J.-S.*, +, *MWCL Dec 02* 479-481

Permalloy

GHz bandstop microstrip filter using patterned Ni₇₈Fe₂₂ ferromagnetic film. *Zhunag, Y.*, +, *MWCL Dec 02* 473-475

Permittivity

rect. patch antenna on thick substr., reson. freq. & bandwidth, cavity model. *Verma, A.K.*, +, *MWCL Feb 02* 60-62

Permittivity measurement

CPW T-resonator, elec. charactn., microwave substs. *Peterson, R.L.*, +, *MWCL Mar 02* 90-92

Phase control

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350

Phase noise

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H.*, +, *MWCL Mar 02* 79-81

microstrip spiral resonator, appl. to low phase noise microwave oscillator. *Young-Taek Lee*, +, *MWCL Oct 02* 375-377

MMIC oscillators, phase noise reduction, defected ground struct. *Young-Taek Lee*, +, *MWCL Feb 02* 39-41

reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02* 426-428

SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O.*, +, *MWCL May 02* 157-159

Phase shifters

SiGe MMIC 6-bit PIN diode phase shifter. *Teshiba, M.*, +, *MWCL Dec 02* 500-501

Phase shifters; cf. Microwave phase shifters; Millimeter wave phase shifters**Phase shift keying; cf.** Quadrature phase shift keying**Photocapacitance**

photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A.*, +, *MWCL Jun 02* 201-203

Photoconducting devices; cf. Photoconducting switches**Photoconducting switches**

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E.*, +, *MWCL Oct 02* 369-371

Photodiodes; cf. p-i-n photodiodes**Photonic band gap**

comments on "Improvement of broadband feedforward amplifier using photonic bandgap" (Nov 01 450-452). *Ellis, T.J.*, *MWCL Sep 02* 352-353

Fabry-Perot cavity embedded, high directivity. *Akalin, T.*, +, *MWCL Feb 02* 48-50

metallodielectric photonic cryst. resonators, K_u band, transm. charact. *Serpenguzel, A.*, *MWCL Apr 02* 134-136

periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F.*, +, *MWCL Nov 02* 435-437

three-pole Chebyshev bandpass photonic bandgap dielec. waveguide filter. *Chi-Yang Chang*, +, *MWCL Apr 02* 137-139

Physics computing

steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D.*, +, *MWCL Jan 02* 24-26

p-i-n diodes

SiGe MMIC 6-bit PIN diode phase shifter. *Teshiba, M.*, +, *MWCL Dec 02* 500-501

p-i-n diodes; cf. p-i-n photodiodes**p-i-n photodiodes**

high-speed p-i-n photodiode S-param. anal. by novel small-sig. RF equiv. cct. model. *Wang, G.*, +, *MWCL Oct 02* 378-380

photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A.*, +, *MWCL Jun 02* 201-203

Planar waveguides

spatial power splitting/combining based on Talbot effect. *Tayag, T.J.*, +, *MWCL Jan 02* 9-11

Planar waveguides; cf. Optical planar waveguides**Plasma collision processes; cf.** Plasma-wall interactions**Plasma electromagnetic wave propagation**

magnetized plasma modeling, hybrid symm. condensed TLM method. *Yaich, M.I.*, +, *MWCL Aug 02* 293-295

Plasma interactions; cf. Plasma electromagnetic wave propagation**Plasma simulation**

magnetized plasma modeling, hybrid symm. condensed TLM method. *Yaich, M.I.*, +, *MWCL Aug 02* 293-295

Plasma theory; cf. Plasma simulation**Plasma-wall interactions**

magnetized plasma modeling, hybrid symm. condensed TLM method. *Yaich, M.I.*, +, *MWCL Aug 02* 293-295

Poles and zeros

dual-mode filters, coupling schemes and design guidelines. *Rosenberg, U.*, +, *MWCL Aug 02* 296-298

multilayer LTCC bandpass filter design, enhanced stopband characts. *Wing-Yan Leung*, +, *MWCL Jul 02* 240-242

TEM resonator filters with atten. pole in upper stopband, design. *Yoonmi Shin*, +, *MWCL Mar 02* 82-84

triplet sect. inline prototype filter, dielec. resonator band-pass filters. *Macchiarella, G.*, *MWCL Feb 02* 42-44

Power amplifiers; cf. Microwave power amplifiers; UHF power amplifiers**Power combiners**

spatial power splitting/combining based on Talbot effect. *Tayag, T.J.*, +, *MWCL Jan 02* 9-11

Power dividers

comments, with reply, on “Miniaturized Wilkinson power dividers utilizing capacitive loading” (Jan 02 6-8). *Staudinger, J.*, +, *MWCL Apr 02* 145

spatial power splitting/combining based on Talbot effect. *Tayag, T.J.*, +, *MWCL Jan 02* 9-11

Wilkinson planar miniaturized power dividers using capacitive loading, design. *Scardelletti, M.C.*, +, *MWCL Jan 02* 6-8

Printed circuits

planar X-band EM band-gap Chebyshev 3-pole bandpass filter. *Hsuan-ju Hsu*, +, *MWCL Jul 02* 255-257

Probes

breast tissue, dielec. spectrosc., open-ended coaxial probe. *Popovic, D.*, +, *MWCL Oct 02* 401-403

Programmable logic arrays; cf. Field programmable gate arrays**Publishing**

2002 reviewers list. *MWCL Dec 02* 461-463

Pulse circuits; cf. Digital circuits; Pulse generators; Pulse shaping circuits**Pulse generators**

UWB ultra-short monocycle pulse generator with reduced ringing. *Jeongwoo Han*, +, *MWCL Jun 02* 206-208

Pulse shaping circuits

UWB ultra-short monocycle pulse generator with reduced ringing. *Jeongwoo Han*, +, *MWCL Jun 02* 206-208

Q**Q-factor**

band-pass filters, gradient-based optim. using FDTD software. *Kozakowski, P.*, +, *MWCL Oct 02* 389-391

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, +, *MWCL Jan 02* 3-5

Fabry-Perot cavity embedded, high directivity. *Akalin, T.*, +, *MWCL Feb 02* 48-50

phase noise reduction tech. in microwave oscillator using high-Q act. filter. *Jaechun Lee*, +, *MWCL Nov 02* 426-428

rect. patch antenna on thick substr., reson. freq. & bandwidth, cavity model. *Verma, A.K.*, +, *MWCL Feb 02* 60-62

SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O.*, +, *MWCL May 02* 157-159

three-pole Chebyshev bandpass photonic bandgap dielec. waveguide filter. *Chi-Yang Chang*, +, *MWCL Apr 02* 137-139

triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y.*, +, *MWCL Aug 02* 302-304

Quadrature amplitude modulation

microwave photonic vector modulator for high-speed wireless digital communs. *Jemison, W.D.*, +, *MWCL Apr 02* 125-127

Quadrature phase shift keying

microwave photonic vector modulator for high-speed wireless digital communs. *Jemison, W.D.*, +, *MWCL Apr 02* 125-127

Quality control

improved quality-factor of 0.18- μ m CMOS active inductor by feedback resistance design. *Hsiao, C.-C.*, +, *MWCL Dec 02* 467-469

R**Radar applications; cf.** Radar detection**Radar detection**

MM-wave step-freq. radar sens. for dist. meas. *Joongsuk Park*, +, *MWCL Jun 02* 221-222

Radiocommunication; cf. Digital radio; Wireless LAN**Radio equipment; cf.** Radio receivers; Transceivers**Radiofrequency amplifiers; cf.** Microwave amplifiers**Radiofrequency filters; cf.** Microwave filters; Millimeter wave filters; UHF filters**Radiofrequency interference**

RF noise in 0.18- μ m and 0.13- μ m MOSFETs. *Huang, C.H.*, +, *MWCL Dec 02* 464-466

Radiofrequency oscillators; cf. Microwave oscillators; Millimeter wave oscillators**Radiometers**

total-power MM-wave radiometer for atten. meas., calib. procedure. *Al-Ansari, K.*, +, *MWCL Mar 02* 93-95

Radio receivers

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F.*, +, *MWCL Sep 02* 348-350

Radiotelephony; cf. Cellular radio**Radiowave propagation; cf.** Millimeter wave propagation**Randomized algorithms; cf.** Genetic algorithms**Rayleigh-Ritz methods; cf.** Galerkin method**Reactors (electric); cf.** Capacitors; Inductors**Receivers; cf.** Microwave receivers; Optical receivers; Radio receivers**Rectangular waveguide**

characterization of rectangular waveguide with pseudochiral Ω slab. *Dorko, K.*, +, *MWCL Dec 02* 482-484

Rectangular waveguides

cross-aperture waveguide couplers, full-wave anal. *Zhihua Jiang*, +, *MWCL Jul 02* 267-269

finite microwave periodic struct., S-params. calc., recursive formula. *Cen Yen Ong*, +, *MWCL Jul 02* 264-266

substr. integrated rect. waveguide, dispersion charact. *Cassivi, Y.*, +, *MWCL Sep 02* 333-335

surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N.*, +, *MWCL Mar 02* 76-78

Rectangular waveguides; cf. Ridge waveguides**Reduced order systems**

freq.-depend. lossy transm. line interconnect networks, moment generation methods. *Li, L.Y.*, +, *MWCL Apr 02* 131-133

Reflectometry; cf. Microwave reflectometry**Reflow soldering**

W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, +, *MWCL Oct 02* 372-374

Remote sensing

steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D.*, +, *MWCL Jan 02* 24-26

Resonator filters

automated CAD of coupled resonator filters. *Kozakowski, P.*, +, *MWCL Dec 02* 470-472

band-pass filters, gradient-based optim. using FDTD software. *Kozakowski, P.*, +, *MWCL Oct 02* 389-391

dual-mode bandpass filter, wide stopband, using microstrip open-loop resonator. *Gorur, A.*, *MWCL Oct 02* 386-388

microstrip circ. patch resonator filter. *Boon Tiong Tan*, +, *MWCL Jul 02* 252-254

multilayer LTCC bandpass filter design, enhanced stopband characts. *Wing-Yan Leung*, +, *MWCL Jul 02* 240-242

TEM resonator filters with atten. pole in upper stopband, design. *Yoonmi Shin*, +, *MWCL Mar 02* 82-84

V-band MEMS-based analog tunable bandpass filters, low-loss and compact design. *Hong-Teuk Kim*, +, *MWCL Nov 02* 432-434

Resonator filters; cf. Cavity resonator filters; Dielectric resonator filters**Resonators**

Asia Pacific abstracts. *Ogawa, H.*, *MWCL Dec 02* 513-577

CPW open-end cct., equiv. cct. model, lossy shunt resonator network. *Lei Zhu*, *MWCL May 02* 175-177

CPW T-resonator, elec. charactn., microwave substrs. *Peterson, R.L.*, +, *MWCL Mar 02* 90-92

patent abstracts. *Bell, H.C.*, *MWCL May 02* 187-198

patent abstracts. *Bell, H.C.*, *MWCL Jan 02* 27-33

patent abstracts. *Bell, H.C.*, *MWCL Jun 02* 226-234

patent abstracts. *Bell, H.C.*, *MWCL Jul 02* 273-279

patent abstracts. *Bell, H.C.*, *MWCL Aug 02* 314-318

patent abstracts. *Bell, H.C.*, *MWCL Sep 02* 354-364

patent abstracts. *Bell, H.C.*, *MWCL Oct 02* 404-416

patent abstracts. *Bell, H.C.*, *MWCL Nov 02* 447-457

patent abstracts. *Bell, H.C.*, *MWCL Dec 02* 502-512

spherical wave sources in FDTD, near field scatt./interact. problems.
Potter, M.E., +, MWCL Apr 02 142-144

Resonators; cf. Cavity resonators; Dielectric resonators

Ridge waveguides

wideband orthogonal-mode jn. using ridged coaxial and sectoral waveguides. *Zhang, H.Z., MWCL May 02 172-174*

S

Sapphire

SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise.
Llopis, O., +, MWCL May 02 157-159

Satellite antennas

ultra-wide band corrugated Gaussian profiled horn antenna design.
Teniente, J., +, MWCL Jan 02 20-21

Satellite communication; cf. Satellite antennas

Scaling phenomena

RF noise in 0.18- μ m and 0.13- μ m MOSFETs. *Huang, C.H., +, MWCL Dec 02 464-466*

Scanning antennas

2D scanning leaky-wave antenna, phased array. *Chien-Jen Wang, +, MWCL Aug 02 311-313*
injection-locked lin. scanning array using CPW-fed act. patches with GaAs FETs. *Ip, K.H.Y., +, MWCL Jan 02 15-17*

Scattering; cf. Electromagnetic wave scattering

Schottky diodes

broadband planar Schottky diode bal. freq. doubler, 800 GHz.
Chattopadhyay, G., +, MWCL Apr 02 117-118

Schottky gate field effect transistors

GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M., +, MWCL Aug 02 284-286*
GaAs MESFET, common source/gate configs., multiband stabilization, feedback scheme. *Hammad, H.F., +, MWCL Apr 02 122-124*
microwave FETs, modeling LF dispersive effects, equiv.-voltage approach. *Santarelli, A., +, MWCL Sep 02 339-341*

Semiconductor device measurement

GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M., +, MWCL Aug 02 284-286*
LDMOS transistor, small-sig. series impedance extraction. *Vestling, L., +, MWCL Jul 02 249-251*

Semiconductor device models

FET, self-heating model, ill-conditioning. *Maas, S.A., MWCL Mar 02 88-89*
FET self-heating models, ill conditioning. *Parker, A.E., +, MWCL Sep 02 351-352*
GaAs dual-gate MESFET, parasitic resist. extraction. *Ibrahim, M., +, MWCL Aug 02 284-286*
GaAs PHEMT, phys.-based noise model for low drain bias operation. *Jooyoung Jeon, +, MWCL Sep 02 342-344*
microwave FETs, modeling LF dispersive effects, equiv.-voltage approach. *Santarelli, A., +, MWCL Sep 02 339-341*
SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K., +, MWCL Apr 02 119-121*

Semiconductor device noise

GaAs PHEMT, phys.-based noise model for low drain bias operation.
Jooyoung Jeon, +, MWCL Sep 02 342-344

Semiconductor devices; cf. Semiconductor switches

Semiconductor device testing

near-field opt. heterodyning charactn. of ultrafast devices. *Ali, M.E., +, MWCL Oct 02 369-371*

Semiconductor diodes; cf. Microwave diodes; Millimeter wave diodes; p-i-n diodes; Schottky diodes; Submillimeter wave diodes; Varactors

Semiconductor growth

InP-based heterostruct. barrier varactor freq. multiplier MIMIC, fab.
David, T., +, MWCL Aug 02 281-283

Semiconductor-insulator-semiconductor devices; cf. p-i-n diodes

Semiconductor materials

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H., +, MWCL Mar 02 79-81*
SiGe HBT MMIC variable gain cascode amp., X-band design and perform. *Chaudhry, Q., +, MWCL Nov 02 424-425*
SiGe HBT oscillator with high-Q sapphire resonator, ultra low phase noise. *Llopis, O., +, MWCL May 02 157-159*

Semiconductor materials; cf. III-V semiconductors; Wide band gap semiconductors

Semiconductors; cf. Wide band gap semiconductors

Semiconductor switches

patent abstracts. *Bell, H.C., MWCL May 02 187-198*
patent abstracts. *Bell, H.C., MWCL Jun 02 226-234*
patent abstracts. *Bell, H.C., MWCL Jul 02 273-279*
patent abstracts. *Bell, H.C., MWCL Aug 02 314-318*

patent abstracts. *Bell, H.C., MWCL Sep 02 354-364*

patent abstracts. *Bell, H.C., MWCL Oct 02 404-416*

patent abstracts. *Bell, H.C., MWCL Nov 02 447-457*

patent abstracts. *Bell, H.C., MWCL Dec 02 502-512*

Semiconductor switches; cf. Photoconducting switches

Semiconductor technology; cf. Semiconductor device measurement; Semiconductor growth

Sensor fusion

lossless microwave ccts., scatt. matrix determ. *Roussy, G., +, MWCL Apr 02 140-141*

Sensors

Asia Pacific abstracts. *Ogawa, H., MWCL Dec 02 513-577*

Sensors; cf. Millimeter wave detectors

Shielding; cf. Electromagnetic shielding

Signal detection; cf. Heterodyne detection; Optical signal detection; Radar detection

Signal processing; cf. Array signal processing; Sensor fusion

Signals

patent abstracts. *Bell, H.C., MWCL May 02 187-198*
patent abstracts. *Bell, H.C., MWCL Jun 02 226-234*
patent abstracts. *Bell, H.C., MWCL Jul 02 273-279*
patent abstracts. *Bell, H.C., MWCL Aug 02 314-318*
patent abstracts. *Bell, H.C., MWCL Sep 02 354-364*
patent abstracts. *Bell, H.C., MWCL Oct 02 404-416*
patent abstracts. *Bell, H.C., MWCL Nov 02 447-457*
patent abstracts. *Bell, H.C., MWCL Dec 02 502-512*

Silicon

CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T., +, MWCL Nov 02 429-431*

Wilkinson planar miniaturized power dividers using capacitive loading, design. *Scardelletti, M.C., +, MWCL Jan 02 6-8*

Silicon alloys; cf. Ge-Si alloys

Silicon compounds

MIMIM on-chip capacitor using Cu/SiO₂ interconnect technol. *Chen Zhen, +, MWCL Jul 02 246-248*

SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K., +, MWCL Apr 02 119-121*

Simulation

mesh truncation in freq. domain simul., concurrent complementary operators. *Ramahi, O.M., MWCL Mar 02 99-101*
planar transm. line transits., designs and loss characts. *Safwat, A.M.E., +, MWCL Apr 02 128-130*

Simulation; cf. Circuit simulation; Plasma simulation

Slot antennas

reconfigurable patch antenna, switchable slots, circ. polariz. diversity. *Fan Yang, +, MWCL Mar 02 96-98*

Slow wave structures

dual-mode bandpass filter, wide stopband, using microstrip open-loop resonator. *Gorur, A., MWCL Oct 02 386-388*
microwave amps., size reduction using defected ground struct. *Jong-Sik Lim, +, MWCL Jul 02 261-263*

S-matrix theory

characterization of rectangular waveguide with pseudochiral Ω slab. *Dorko, K., +, MWCL Dec 02 482-484*
cross-aperture waveguide couplers, full-wave anal. *Zhihua Jiang, +, MWCL Jul 02 267-269*
lossless microwave ccts., scatt. matrix determ. *Roussy, G., +, MWCL Apr 02 140-141*

Soft magnetic materials

GHz bandstop microstrip filter using patterned Ni₇₈Fe₂₂ ferromagnetic film. *Zhunag, Y., +, MWCL Dec 02 473-475*

Soft magnetic materials; cf. Permalloy

Soldering; cf. Reflow soldering

S-parameters

compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P., +, MWCL Jul 02 270-272*
cross-aperture waveguide couplers, full-wave anal. *Zhihua Jiang, +, MWCL Jul 02 267-269*
finite microwave periodic struct., S-params. calc., recursive formula. *Cen Yen Ong, +, MWCL Jul 02 264-266*
high-speed p-i-n photodiode S-param. anal. by novel small-sig. RF equiv. cct. model. *Wang, G., +, MWCL Oct 02 378-380*
lossless microwave ccts., scatt. matrix determ. *Roussy, G., +, MWCL Apr 02 140-141*
microwave devices, fast FEM, hybrid multilevel/multigrid pot. preconditioner. *Yu Zhu, +, MWCL Aug 02 290-292*
planar struct. simul., adaptive multiresolution approach. *Pirinoli, P., +, MWCL Feb 02 45-47*

Sparse matrices

concave cylinder, EM scatt., localized MEI & domain decomp., efficient algm. *Xiaoxing Yin, +, MWCL Feb 02 63-65*

planar struct. simul., adaptive multiresolution approach. *Pirinoli, P.*, + , *MWCL Feb 02 45-47*

Spatial variables measurement; cf. Distance measurement

SPICE
InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu*, + , *MWCL Feb 02 37-38*

Spread spectrum communication; cf. Frequency hop communication

Stability
dispersion and asymmetry effects of ADI-FDTD. *Darms, M.*, + , *MWCL Dec 02 491-493*

Stability; cf. Circuit stability; Numerical stability

Strip line circuits; cf. Microstrip circuits

Strip line components
Wilkinson planar miniaturized power dividers using capacitive loading, design. *Scardelletti, M.C.*, + , *MWCL Jan 02 6-8*

Strip line couplers; cf. Microstrip couplers

Strip line discontinuities; cf. Microstrip discontinuities

Strip line filters; cf. Microstrip filters

Strip line resonators; cf. Microstrip resonators

Strip lines; cf. Microstrip lines; Strip line transitions

Strip line transitions
coax to troughguide transit., FEM modeling/hardware testing. *Hopkins, G.D.*, + , *MWCL Aug 02 299-301*
planar transm. line transits., designs and loss characts. *Safwat, A.M.E.*, + , *MWCL Apr 02 128-130*

Strip line transitions; cf. Microstrip transitions

Strontium compounds
BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, + , *MWCL Jan 02 3-5*
Ba₂Sr_{1-x}TiO₃ thin films, parallel plate capacitors, X-band phase shifter. *Acikel, B.*, + , *MWCL Jul 02 237-239*

Submillimeter wave antennas
integrated lens antennas, body of rev. FDTD modeling. *van der Vorst, M.J.M.*, + , *MWCL Jul 02 258-260*

Submillimeter wave circuits
broadband planar Schottky diode bal. freq. doubler, 800 GHz. *Chattopadhyay, G.*, + , *MWCL Apr 02 117-118*

Submillimeter wave devices; cf. Submillimeter wave antennas;
Submillimeter wave circuits; Submillimeter wave diodes

Submillimeter wave diodes
broadband planar Schottky diode bal. freq. doubler, 800 GHz. *Chattopadhyay, G.*, + , *MWCL Apr 02 117-118*

Substrates
CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T.*, + , *MWCL Nov 02 429-431*
CPW T-resonator, elec. charactn., microwave substs. *Peterson, R.L.*, + , *MWCL Mar 02 90-92*

Surface magnetism; cf. Magnetostatic surface waves

Surface mount technology
MM-wave bandpass filter using MMIC substr. *Kinayman, N.*, + , *MWCL Mar 02 76-78*

Switches; cf. Microwave switches; Semiconductor switches

Symmetry
azimuthally corrugated cavities, enhanced natural freq. doublet splitting. *Serebryannikov, A.*, + , *MWCL Feb 02 54-56*

T

Telecommunication equipment; cf. Data communication equipment;
Transmitters

Telecommunication networks; cf. Broadband networks

Telecommunication switching; cf. Multiplexing

Temperature measurement
comments, with reply, on "Ill conditioning in self-heating FET models" (Mar 02 88-89). *Parker, A.E.*, *MWCL Sep 02 351-352*

Thermal variables measurement; cf. Temperature measurement

Thick film devices
BGA ceramic package for X-band MEMS phase shifter. *Varian, K.*, + , *MWCL Sep 02 321-323*

Thin film capacitors
BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, + , *MWCL Jan 02 3-5*

Thin film devices; cf. Thin film capacitors

Time-domain analysis
magnetized plasma modeling, hybrid symm. condensed TLM method. *Yaich, M.I.*, + , *MWCL Aug 02 293-295*

Time-domain analysis; cf. Finite difference time-domain analysis

Tin alloys
W-band interconnections, flip-chip bonding technol. using Pb-free solder bumps. *Onodera, K.*, + , *MWCL Oct 02 372-374*

Topology; cf. Network topology

Transceivers
SHF receiver selectivity/transmit freq. determ. using microstrip cct. based common resonator. *Silk, S.D.*, + , *MWCL Jan 02 1-2*

Transfer functions
InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu*, + , *MWCL Feb 02 37-38*

Transient analysis
freq.-depend. lossy transm. line interconnect networks, moment generation methods. *Li, L.Y.*, + , *MWCL Apr 02 131-133*

Transistors; cf. Field effect transistors

Transition metal alloys; cf. Gold alloys

Transition metals; cf. Copper

Transmission line matrix methods
magnetized plasma modeling, hybrid symm. condensed TLM method. *Yaich, M.I.*, + , *MWCL Aug 02 293-295*
multiline line-reflect-line calib., phase shift computation. *Reynoso-Hernandez, J.A.*, *MWCL Oct 02 395-397*

Transmission lines; cf. Waveguides

Transmission line theory
freq.-depend. lossy transm. line interconnect networks, moment generation methods. *Li, L.Y.*, + , *MWCL Apr 02 131-133*
one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L.*, + , *MWCL Jan 02 22-23*
skewed microstrip crossover, quasi-static FEA. *Nyka, K.*, + , *MWCL Jan 02 12-14*
two-sect. impedance transformer for fund. freq. and first harmonic. *Monzon, C.*, *MWCL Oct 02 381-382*

Transmission line theory; cf. Transmission line matrix methods

Transmitters
UWB ultra-short monocycle pulse generator with reduced ringing. *Jeongwoo Han*, + , *MWCL Jun 02 206-208*

Traveling wave tubes; cf. Slow wave structures

Traveling wave amplifiers
CMOS four-stage TW amps. in 0.18 μ m proc., 1-10 GHz, design. *Frank, B.M.*, + , *MWCL Sep 02 327-329*

Tuning
BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, + , *MWCL Jan 02 3-5*
triple mode TE₀₁₈ resonator transm. filters, design and tuning. *Walker, V.*, + , *MWCL Jun 02 215-217*

Tuning; cf. Circuit tuning

Two-port networks
lumped & distributed ccts., equiv. cct. model, num. de-embedding tech. *Lei Zhu*, + , *MWCL Feb 02 51-53*

U

UHF amplifiers; cf. UHF power amplifiers

UHF antennas
broadband loop antenna for DCS-1800/IMT-2000 mobile phone handsets. *Li, R.L.*, + , *MWCL Aug 02 305-307*
flat four-beam compact phased array antenna with circ. microstrip elements. *Krairiksh, M.*, + , *MWCL May 02 184-186*
multiband microstrip patch antennas, design using genetic algm. *Choo, H.*, + , *MWCL Sep 02 345-347*

UHF bipolar transistors
compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P.*, + , *MWCL Jul 02 270-272*

UHF circuits
one-third wave transformer in two line-sects. for dual freq. operation. *Chow, Y.L.*, + , *MWCL Jan 02 22-23*

UHF circuits; cf. UHF integrated circuits

UHF devices
BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A.*, + , *MWCL Jan 02 3-5*

UHF devices; cf. UHF antennas; UHF circuits; UHF filters; UHF mixers

UHF filters
dual-mode bandpass filter, wide stopband, using microstrip open-loop resonator. *Gorur, A.*, *MWCL Oct 02 386-388*
microstrip circ. patch resonator filter. *Boon Tiong Tan*, + , *MWCL Jul 02 252-254*
multilayer LTCC bandpass filter design, enhanced stopband characts. *Wing-Yan Leung*, + , *MWCL Jul 02 240-242*
TEM resonator filters with atten. pole in upper stopband, design. *Yoonmi Shin*, + , *MWCL Mar 02 82-84*
triple-mode ceramic cavity, surface mountable, L-band filter. *Tikhov, Y.*, + , *MWCL Aug 02 302-304*
triple mode TE₀₁₈ resonator transm. filters, design and tuning. *Walker, V.*, + , *MWCL Jun 02 215-217*

UHF frequency convertors

compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P., +, MWCL Jul 02 270-272*

UHF integrated circuits

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y., +, MWCL Nov 02 421-423*

UHF mixers

compact act. downconverter, low power, high conversion gain, CAD. *Kumar, B.P., +, MWCL Jul 02 270-272*

predistortion tech. for mixer lin. with IMD reduction. *Youngwook Kim, +, MWCL Jun 02 204-205*

UHF power amplifiers

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y., +, MWCL Nov 02 421-423*

UHF transistors; cf. UHF bipolar transistors**Utility programs; cf.** Application program interfaces**V****Vapor phase epitaxial growth; cf.** Chemical beam epitaxial growth**Varactors**

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A., +, MWCL Jan 02 3-5*

InP-based heterostruct. barrier varactor freq. multiplier MIMIC, fab. *David, T., +, MWCL Aug 02 281-283*

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H., +, MWCL Mar 02 79-81*

photovaractor for rem. opt. control of microwave ccts. *Malyshev, S.A., +, MWCL Jun 02 201-203*

S-band refl. type variable attenuator. *Trent, C.R., +, MWCL Jul 02 243-245*

VHF devices

BaSrTiO₃ thin film varactors for RF/microwave appls., characts. *Tombak, A., +, MWCL Jan 02 3-5*

Voltage-controlled oscillators

InGaP/GaAs HBT monolithic interpolative VCO, 5.7 GHz. *Shih-An Yu, +, MWCL Feb 02 37-38*

low-phase-noise VCO, 47 GHz, design and fab. using prod. technol. *Li, H., +, MWCL Mar 02 79-81*

W**Wave equations**

perfectly matched layer for 3D wave eqn. in time domain. *Rickard, Y., +, MWCL May 02 181-183*

Wave equations; cf. Helmholtz equations**Waveguide antenna arrays; cf.** Microstrip antenna arrays**Waveguide antennas**

coax to troughguide transit., FEM modeling/hardware testing. *Hopkins, G.D., +, MWCL Aug 02 299-301*

Waveguide antennas; cf. Horn antennas; Microstrip antennas; Slot antennas**Waveguide attenuators**

S-band refl. type variable attenuator. *Trent, C.R., +, MWCL Jul 02 243-245*

Waveguide components; cf. Coplanar waveguide components; Power combiners; Power dividers; Strip line components; Waveguide attenuators; Waveguide couplers; Waveguide filters**Waveguide couplers**

Asia Pacific abstracts. *Ogawa, H., MWCL Dec 02 513-577*

cross-aperture waveguide couplers, full-wave anal. *Zhihua Jiang, +, MWCL Jul 02 267-269*

patent abstracts. *Bell, H.C., MWCL May 02 187-198*

patent abstracts. *Bell, H.C., MWCL Jun 02 226-234*

patent abstracts. *Bell, H.C., MWCL Jul 02 273-279*

patent abstracts. *Bell, H.C., MWCL Aug 02 314-318*

patent abstracts. *Bell, H.C., MWCL Sep 02 354-364*

patent abstracts. *Bell, H.C., MWCL Oct 02 404-416*

patent abstracts. *Bell, H.C., MWCL Nov 02 447-457*

patent abstracts. *Bell, H.C., MWCL Dec 02 502-512*

V-band compact 2-bit refl.-type MEMS phase shifter. *Hong-Teuk Kim, +, MWCL Sep 02 324-326*

Waveguide couplers; cf. Directional couplers; Optical couplers**Waveguide discontinuities**

numerical TRL calibration technique for parameter extraction of planar integrated discontinuities in deterministic MoM algorithm. *Li, L., +, MWCL Dec 02 485-487*

Waveguide discontinuities; cf. Waveguide junctions**Waveguide filters**

CPW bandpass filters on Si substr., 40 GHz, fab. and characts. *Chan, K.T., +, MWCL Nov 02 429-431*

microwave devices, fast FEM, hybrid multilevel/multigrid pot. preconditioner. *Yu Zhu, +, MWCL Aug 02 290-292*

periodically-loaded EM bandgap CPW with complete spurious passband suppress. *Martin, F., +, MWCL Nov 02 435-437*

spiral-shaped defected ground struct. for CPW. *Jong-Sik Lim, +, MWCL Sep 02 330-332*

surface-mountable MM-wave bandpass filter using MMIC substr. *Kinayman, N., +, MWCL Mar 02 76-78*

three-pole Chebyshev bandpass photonic bandgap dielec. waveguide filter. *Chi-Yang Chang, +, MWCL Apr 02 137-139*

Waveguide junctions

wideband orthogonal-mode jn. using ridged coaxial and sectoral waveguides. *Zhang, H.Z., MWCL May 02 172-174*

Waveguides

characterization of rectangular waveguide with pseudochiral Ω slab. *Dorko, K., +, MWCL Dec 02 482-484*

feasibility study on beam-forming tech. with 1D mechanical beam steering antenna using niching genetic algorithm. *Kang, N.-W., +, MWCL Dec 02 494-496*

patent abstracts. *Bell, H.C., MWCL Feb 02 66-72*

patent abstracts. *Bell, H.C., MWCL Mar 02 105-111*

patent abstracts. *Bell, H.C., MWCL Apr 02 146-154*

Waveguides; cf. Circular waveguides; Coaxial waveguides; Coplanar waveguides; Ferrite waveguides; Planar waveguides; Rectangular waveguides; Waveguide discontinuities; Waveguide transitions**Waveguide theory**

circ. groove guide, Nth order approx. eigenequation, improved accuracy. *Hong-Sheng Yang, +, MWCL Feb 02 57-59*

evanescent waves absorpt. in waveguides, appl. of complex freq. shifted PML. *Berenger, J.-P., MWCL Jun 02 218-220*

finite microwave periodic struct., S-params. calc., recursive formula. *Cen Yen Ong, +, MWCL Jul 02 264-266*

grounded ferrite slab waveguide, leaky-wave dispersion behavior. *Yakovlev, A.B., +, MWCL Oct 02 398-400*

modified anisotropic PML ABC for FDTD anal. of nonlin. and dispersive media. *Fujii, M., +, MWCL Nov 02 444-446*

perfectly matched layer for 3D wave eqn. in time domain. *Rickard, Y., +, MWCL May 02 181-183*

periodic struct. for microstrip lines, anal. and design using coupled mode theory. *Lopetegi, T., +, MWCL Nov 02 441-443*

substr. integrated rect. waveguide, dispersion charact. *Cassivi, Y., +, MWCL Sep 02 333-335*

Waveguide theory; cf. Optical waveguide theory**Waveguide transitions**

coax to troughguide transit., FEM modeling/hardware testing. *Hopkins, G.D., +, MWCL Aug 02 299-301*

planar transm. line transits., designs and loss characts. *Safwat, A.M.E., +, MWCL Apr 02 128-130*

Waveguide transitions; cf. Strip line transitions**Wave propagation; cf.** Electromagnetic wave propagation**Waves; cf.** Magnetostatic waves**Wideband amplifiers**

broadband feedforward amp. using photonic bandgap improvement. *Ellis, T.J., MWCL Sep 02 352-353*

CMOS four-stage TW amps. in 0.18 μm proc., 1-10 GHz, design. *Frank, B.M., +, MWCL Sep 02 327-329*

Wide band gap semiconductors

AlGaIn/GaN HEMT power amp., output harmonic termination effect on PAE and output power. *Chung, Y., +, MWCL Nov 02 421-423*

SiC resistive MESFET mixer, single-ended, design and charactn. *Andersson, K., +, MWCL Apr 02 119-121*

Wireless LAN

GaAs MMIC low-power adaptive antenna receiver module for WLAN at C-band. *Ellinger, F., +, MWCL Sep 02 348-350*

Workstation clusters

steepest descent fast multipole method for subsurface sens. appls., parallel implement. on Beowulf cluster. *Jiang, D., +, MWCL Jan 02 24-26*