

2003 Combined Index

IEEE Transactions on Microwave Theory and Techniques, Vol. 51 and IEEE MTT-S Sponsored Conferences

The indexed papers are identified by the acronyms:

RFIC 03	2003 IEEE Radio Frequency Integrated Circuits (RFIC) Symposium
MWSYM 03	2003 IEEE MTT-S International Microwave Symposium Digest
T-MTT	IEEE Transactions on Microwave Theory and Techniques

This index covers all technical items — papers, correspondence, reviews, etc. — that appeared in these publications during 2003, and items from previous years that were commented upon or corrected in 2003. Departments and other items may also be covered if they have been judged to have archival value.

The Author Index contains the primary entry for each item, listed under the first author's name. The primary entry includes the coauthors' names, the title of the paper or other item, and its location, specified by the publication abbreviation, year, month, and inclusive pagination. The Subject Index contains entries describing the item under all appropriate subject headings, plus the first author's name, the publication abbreviation, month, and year, and inclusive pages. Subject cross-references are included to assist in finding items of interest. Note that the item title is found only under the primary entry in the Author Index.

AUTHOR INDEX

A

- Abadei, S.**, see Deleniv, A., *MWSYM-03 2003* 1267-1270 vol.2
- Abbaspour-Tamijani, A.**, L. Dussopt, and G.M. Rebeiz. A high performance MEMS miniature tunable bandpass filter; *MWSYM-03 2003* 1785-1788 vol.3
- Abbaspour-Tamijani, A.**, L. Dussopt, and G.M. Rebeiz. Miniature and tunable filters using MEMS capacitors; *T-MTT Jul 03* 1878-1885
- Abdelgany, M.**, see Loke, A., *RFIC-03 2003* 11-14
- Abdelmonem, A.**, see Yi, H.R., *MWSYM-03 2003* 1893-1896 vol.3
- Abdelmonem, A.**, see Yi, H.R., *T-MTT Dec 03* 2290-2296
- Abdulla, M.**, see Xiangyin Zeng, *MWSYM-03 2003* 837-840 vol.2
- Abdulnour, J.**, and Ke Wu. An efficient approach for characterizing power combining dividing network of distributed phased array antenna; *MWSYM-03 2003* 591-594 vol.1
- Abe, D.**, see Qiu, J., *MWSYM-03 2003* 1659-1662 vol.3
- Abe, D.K.**, see Qiu, J.X., *T-MTT Aug 03* 1911-1919
- Abe, T.**, see Hara, M., *MWSYM-03 2003* 1797-1800 vol.3
- Abedinpour, S.**, K. Deligoz, J. Desai, M. Figiel, and S. Kiaei. Monolithic supply modulated RF power amplifier and DC-DC power converter IC; *MWSYM-03 2003* A89-A92 vol.1
- Abedinpour, S.**, I. Deligoz, J. Desai, M. Figiel, and S. Kiaei. Monolithic supply modulated RF power amplifier and DC-DC power converter IC; *RFIC-03 2003* 603-606
- Abele, P.**, J. Konle, D. Behammer, E. Sonmez, K.-B. Schad, A. Trasser, and H. Schumacher. Wafer level integration of a 24 GHz and 34 GHz differential SiGe-MMIC oscillator with a loop antenna on a BCB membrane; *MWSYM-03 2003* 1033-1036 vol.2
- Abele, P.**, see Danesh, M., *RFIC-03 2003* 277-280
- Abhari, R.**, and G.V. Eleftheriades. Metallo-dielectric electromagnetic bandgap structures for suppression and isolation of the parallel-plate noise in high-speed circuits; *T-MTT Jun 03* 1629-1639
- Abidi, A.A.**, see Samadian, S., *RFIC-03 2003* 49-52
- Abidi, A.A.** General relations between IP2, IP3, and offsets in differential circuits and the effects of feedback; *T-MTT May 2003* 1610-1612
- Abraham, J.K.**, R. Tellakula, K.J. Vinoy, Y. Sha, and V.K. Varadan. Tailoring the dielectric properties of meta materials; *MWSYM-03 2003* 1837-1840 vol.3
- Achar, R.**, see Saraswat, D., *MWSYM-03 2003* 999-1002 vol.2
- Adachi, N.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Adam, J.D.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Adams, A.**, see Tae Youn Kim, *RFIC-03 2003* 93-96
- Aditya, S.**, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
- Afsar, M.N.**, A. Moonshiram, and Yong Wang. Assessment of random and systematic errors in millimeter wave dielectric measurement - open resonator system, Fourier Transform Spectroscopy, W-band spectrometer and broadband free-space measurements; *MWSYM-03 2003* 1407-1410 vol.2
- Agarwal, B.**, see Kamat, M., *RFIC-03 2003* 23-26
- Agoston, A.**, S. Pepper, R. Norton, J. Ebner, and K. Schoen. 100 GHz through-line sampler system with sampling rates in excess of 10 Gsamples/second; *MWSYM-03 2003* 1519-1521 vol.3
- Aguirre, J.**, and C. Plett. A 0.1 - 50 GHz SiGe HBT distributed amplifier employing constant-k m-derived sections; *MWSYM-03 2003* 923-926 vol.2
- Ahlgren, D.**, see Greenberg, D., *MWSYM-03 2003* 113-116 vol.1
- Ahlgren, D.**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Ahlgren, D.C.**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Ahn Dal**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Ahn Hee-Ran**, see Hee-Ran Ahn, *MWSYM-03 2003* 1607-1610 vol.3
- Aiello, G.R.** Challenges for ultra-wideband (UWB) CMOS integration; *MWSYM-03 2003* 361-364 vol.1
- Aiello, G.R.** Challenges for ultra-wideband (UWB) CMOS integration; *RFIC-03 2003* 497-500
- Aigner, R.**, J. Kaitila, J. Ella, L. Elbrecht, W. Nessler, M. Handtmann, T.-R. Herzog, and S. Marksteiner. Bulk-acoustic-wave filters: performance optimization and volume manufacturing; *MWSYM-03 2003* 2001-2004 vol.3
- Aihara, Y.**, see Matsuzuka, T., *MWSYM-03 2003* 725-728 vol.2
- Aikawa, M.**, see Xiao, H., *MWSYM-03 2003* 889-892 vol.2
- Ainspan, H.**, see Chakraborty, S., *MWSYM-03 2003* 1551-1554 vol.3
- Akyol, A.S.**, and L.E. Davis. Measurements of a leaky-wave ferrite isolator; *T-MTT May 2003* 1476-1481
- Ala-Laurinaho, J.**, see Meltaus, J., *T-MTT Apr 03* 1274-1280
- Alastalo, A.T.**, T. Mattila, and H. Seppa. Analysis of a MEMS transmission line; *T-MTT Aug 03* 1977-1981
- Alessandri, F.**, M. Giordano, M. Guglielmi, G. Martirano, and F. Vitulli. A new multiple-tuned six-port Riblet-type directional coupler in rectangular waveguide; *T-MTT May 2003* 1441-1448
- Alexanian, A.**, see Pengcheng Jia, *MWSYM-03 2003* 1871-1874 vol.3
- Alexanian, A.**, see Jia, P., *T-MTT Dec 03* 2469-2475
- Aliberti, P.**, see Filoramo, P., *RFIC-03 2003* 413-416
- Alinikula, P.** Optimum component values for a lossy Class E power amplifier; *MWSYM-03 2003* 2145-2148 vol.3
- Al-Khalili, D.**, see Langlois, J.M.P., *MWSYM-03 2003* A65-A68 vol.1
- Al-Khalili, D.**, see Langlois, J.M.P., *RFIC-03 2003* 579-582
- Allam, R.**, see Dardenne, S., *MWSYM-03 2003* A193-A196 vol.1
- Allam, R.**, see Dardenne, S., *RFIC-03 2003* 707-710
- Allam, R.**, see Paillot, J.-M., *RFIC-03 2003* 119-122
- Allen, A.F.**, see Zhang, A.P., *MWSYM-03 2003* 251-254 vol.1
- Allen, C.A.**, K.M.K.H. Leong, and T. Itoh. A negative reflective/refractive "meta-interface" using a bi-directional phase-conjugating array; *MWSYM-03 2003* 1875-1878 vol.3
- Allen, D.**, D. Bryant, and W. Gaiewski. 25.5 to 76.5GHz active frequency tripler for automotive radar applications; *MWSYM-03 2003* 2233-2236 vol.3
- Allen, M.G.**, see Pinel, S., *MWSYM-03 2003* 1497-1500 vol.3
- Allen, M.G.**, see Yong-Kyu Yoon, *MWSYM-03 2003* 1989-1992 vol.3
- Allen, M.G.**, see Yoon, Y.-K., *T-MTT Dec 03* 2568-2576
- Alu, A.**, and N. Engheta. Mono-modal waveguides filled with a pair of parallel epsilon-negative (ENG) and mu-negative (MNG) metamaterial layers; *MWSYM-03 2003* 313-316 vol.1

- Alvarez Melcon, A.**, see Gomez Tornero, J.L., *MWSYM-03 2003* 681-684 vol.2
- Alvarez Melcon, A.**, see Quesada Pereira, F., *MWSYM-03 2003* 1983-1986 vol.3
- Aly, A.H.**, and B. Elsharawy. Modeling and measurements of novel high k monolithic transformers; *MWSYM-03 2003* 1247-1250 vol.2
- Al-Zayed, A.**, S. Ortiz, M. Ozkar, and A. Mortazawi. Numerical and experimental investigation of losses in a tray based spatial power amplifier; *MWSYM-03 2003* 1867-1870 vol.3
- Amano, M.**, see Kotsuka, Y., *MWSYM-03 2003* 1263-1266 vol.2
- Amano, M.**, and Y. Kotsuka. A method of effective use of ferrite for microwave absorber; *T-MTT Jan 03* 238-245
- Amantea, R.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- Amari, S.**, see Ofli, E., *MWSYM-03 2003* 949-952 vol.2
- Amari, S.**, see Rosenberg, U., *MWSYM-03 2003* 479-482 vol.1
- Amari, S.**, G. Tadeson, J. Cihlar, and U. Rosenberg. New parallel π /2-microstrip line filters with transmission zeros at finite frequencies; *MWSYM-03 2003* 543-546 vol.1
- Amari, S.**, U. Rosenberg, and J. Bornemann. Corrections to "Adaptive synthesis and design of resonator filters with source/load-multiresonator computing" [Aug 02 1969-1978]; *T-MTT Jan 03* 246
- Amari, S.**, see Rosenberg, U., *T-MTT Jun 03* 1735-1742
- Amari, S.**, and U. Rosenberg. On the sensitivity of coupled resonator filters without some direct couplings; *T-MTT Jun 03* 1767-1773
- Amirtharajah, R.**, see Benham, J.R., *MWSYM-03 2003* 1163-1166 vol.2
- Amirtharajah, R.**, see Benham, J.R., *T-MTT Dec 03* 2597-2603
- An Dan**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- An Dan**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Anderson, R.**, see Eswarappa, C., *MWSYM-03 2003* 1439-1442 vol.2
- Anderson, R.**, see Borwick, R.L., III, *T-MTT Jan 03* 315-319
- Anderson, R.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Andersson, K.**, V. Desmaris, J. Eriksson, N. Rorsman, and H. Zirath. G-band linear resistive wide bandgap FET mixers; *MWSYM-03 2003* 1303-1306 vol.2
- Ando, Y.**, see Okamoto, Y., *MWSYM-03 2003* 225-228 vol.1
- Angelov, I.**, M. Fernhdal, F. Ingvarson, H. Zirath, and H.O. Vicks. CMOS large signal model for CAD; *MWSYM-03 2003* 643-646 vol.2
- Angelov, I.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Ang Kian Sen**, see Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- Ang Kian Sen**, see Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Antar, Y.M.M.**, see Hamed, K.W., *MWSYM-03 2003* 31-34 vol.1
- Antar, Y.M.M.**, see Hammad, H.F., *T-MTT Apr 03* 1234-1240
- Antonsen, T.M., Jr.**, see Qiu, J.X., *T-MTT Aug 03* 1911-1919
- Antonsen, T.M.Jr.**, see Qiu, J., *MWSYM-03 2003* 1659-1662 vol.3
- Anwar, A.F.M.**, see Islam, S.S., *MWSYM-03 2003* 459-462 vol.1
- Anwar, A.F.M.**, see Jahan, M.M., *T-MTT Mar 03* 677-683
- Aoki, I.**, S. Kee, D. Rutledge, and A. Hajimiri. A fully-integrated 1.8-V, 2.8-W, 1.9-GHz, CMOS power amplifier; *RFIC-03 2003* 199-202
- Aoki, I.**, see Kee, S.D., *T-MTT Jun 03* 1677-1690
- Aoki, Y.**, see Dodo, H., *MWSYM-03 2003* 1559-1562 vol.3
- Aosheng Rong** A.C. Cangellaris, and Limin Dong. A novel effective surface impedance formulation for efficient broadband modeling of lossy thick strip conductors; *MWSYM-03 2003* 1959-1962 vol.3
- Aparin, V.**, and L.E. Larson. Analysis and reduction of cross-modulation distortion in CDMA receivers; *T-MTT May 2003* 1591-1602
- Apollonio, F.**, M. Liberti, A. Paffi, and G. D'Inzeo. Frequency spectrum investigations on detection of radiofrequency electromagnetic fields by biological cells; *MWSYM-03 2003* 1431-1434 vol.2
- Arai, T.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Araki, K.**, see Wang, G., *MWSYM-03 2003* 151-154 vol.1
- Araki, K.**, see Piernas, B., *T-MTT Mar 03* 778-783
- Araki, T.**, see Kuroki, F., *MWSYM-03 2003* 619-622 vol.1
- Aramaki, Y.**, N. Yoneda, M. Miyazaki, and T. Horie. Ultra-thin broadband OMT with turnstile junction; *MWSYM-03 2003* 47-50 vol.1
- Arcioni, P.**, see Conciauro, G., *MWSYM-03 2003* 1963-1966 vol.3
- Arcioni, P.**, see Deslandes, D., *MWSYM-03 2003* 1103-1106 vol.2
- Arcioni, P.**, see Bozzi, M., *MWSYM-03 2003* 1975-1978 vol.3
- Arcioni, P.**, see Repossi, M., *MWSYM-03 2003* 1199-1202 vol.2
- Arcioni, P.**, see Conciauro, G., *T-MTT Dec 03* 2315-2326
- Arndt, F.**, and J. Brandt. Multiport MM/FE technique for the efficient CAD of folded and cross-coupled rectangular combline filters; *MWSYM-03 2003* 287-290 vol.1
- Arndt, F.**, see Rullhusen, I., *MWSYM-03 2003* 1971-1974 vol.3
- Arscott, S.**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Arscott, S.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Arvas, E.**, see Zencir, E., *MWSYM-03 2003* 555-558 vol.1
- Arvas, E.**, see Zencir, E., *RFIC-03 2003* 111-114
- Arz, U.**, see Williams, D.F., *MWSYM-03 2003* 1819-1822 vol.3
- Arz, U.**, see Williams, D.F., *T-MTT Dec 03* 2391-2401
- Asao, H.**, N. Yoneda, M. Mukuda, K. Yamasaki, O. Kamohara, Y. Yoshino, and K. Henmi. Metal-plated plastic waveguide filter using injection molding process; *MWSYM-03 2003* 941-944 vol.2
- Asbeck, P.M.**, see Draxler, P., *MWSYM-03 2003* 8067-806 vol.2
- Asbeck, P.M.**, see Iwamoto, M., *MWSYM-03 2003* 635-638 vol.2
- Asbeck, P.M.**, see Yu Zhao, *MWSYM-03 2003* 687-690 vol.2
- Aste, A.**, see Pasalic, D., *MWSYM-03 2003* 1375-1378 vol.2
- Atarodi, S.M.**, see Dehghani, R., *MWSYM-03 2003* A145-A148 vol.1
- Atarodi, S.M.**, see Dehghani, R., *RFIC-03 2003* 659-662
- Attygalle, M.**, see Lim, C., *MWSYM-03 2003* 273-276 vol.1
- Atzeni, C.**, see Pieraccini, M., *T-MTT May 2003* 1603-1609
- Aufinger, K.**, see Knapp, H., *MWSYM-03 2003* 1067-1070 vol.2
- Auxemery, P.**, see Gasseling, T., *MWSYM-03 2003* 1651-1654 vol.3
- Au-Yeung, C.F.**, and K.K.M. Cheng. CMOS mixer linearization by the low-frequency signal injection method; *MWSYM-03 2003* 95-98 vol.1
- Avrillon, S.**, I. Pele, A. Chousseaud, and S. Toutain. Dual-band power divider based on semiloop stepped-impedance resonators; *T-MTT Apr 03* 1269-1273
- Awai, I.**, H. Kubo, T. Iribe, D. Wakamiya, and A. Sanada. An artificial dielectric material of huge permittivity with novel anisotropy and its application to a microwave BPF; *MWSYM-03 2003* 1085-1088 vol.2
- Ayers, G.**, see Fathy, A.E., *MWSYM-03 2003* 1833-1836 vol.3
- Ayvazian, M.**, see Megahed, M., *MWSYM-03 2003* 1707-1710 vol.3
- Ayvazian, M.**, see Ngompe, E., *RFIC-03 2003* 387-390
- Azadegan, R.**, and K. Sarabandi. Miniaturized slot-line and folded-slot band-pass filters; *MWSYM-03 2003* 1595-1598 vol.3

B

- Baccarelli, P.**, P. Burghignoli, F. Frezza, A. Galli, G. Lovat, and S. Paulotto. An accurate analytical representation of the continuous spectrum excited on multilayer stripline structures in spectral-gap regions; *MWSYM-03 2003* 809-812 vol.2
- Bachiller, C.**, see Morro, J.V., *MWSYM-03 2003* 1215-1218 vol.2
- Bachman, M.**, see Cetiner, B.A., *T-MTT Jan 03* 332-335
- Bachtold, W.**, see Brauner, T., *RFIC-03 2003* 435-438
- Bachtold, W.**, see Ellinger, F., *T-MTT Apr 03* 1135-1140
- Bae, J.**, and K. Mizuno. Frequency conversion using a moving plasma front generated optically in transmission lines - theoretical analyses; *MWSYM-03 2003* 1359-1362 vol.2
- Baek Chang-Wook**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Baek Dong-Hyun**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Baek Dong-Hyun**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Baek Donghyun**, see Donghyun Baek, *MWSYM-03 2003* 2193-2196 vol.3
- Baek Donghyun**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Baek Ho Jung**, see Young-Seek Chung, *T-MTT Mar 03* 697-704
- Baek Sang-Hyun**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Bae Seongjun**, see Seongjun Bae, *RFIC-03 2003* 137-140
- Baeyens, Y.**, and Y.K. Chen. A monolithic integrated 150 GHz SiGe HBT push-push VCO with simultaneous differential V-band output; *MWSYM-03 2003* 877-880 vol.2
- Baeyens, Y.**, see Roux, P., *MWSYM-03 2003* 1193-1196 vol.2
- Baeyens, Y.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Baeyens, Y.**, P. Paschke, V. Houtsma, A. Leven, R. Hocke, S. Weisser, P. Roux, and Y.K. Chen. Compact high-gain lumped differential 40 Gb/s driver amplifiers in production 0.15 μ m PHEMT technology; *RFIC-03 2003* 67-70
- Baik Sunggi**, see Poplavko, Y., *MWSYM-03 2003* 437-440 vol.1
- Bajon, D.**, see Wane, S., *RFIC-03 2003* 263-266
- Bakalski, W.**, W. Simburger, R. Thuringer, H.-D. Wohlmuth, and A.L. Scholtz. A fully integrated 4.8-6 GHz power amplifier with on-chip output balun in 38 GHz- f_T Si-bipolar; *MWSYM-03 2003* 695-698 vol.2
- Baker, T.**, see Chai, F.K., *RFIC-03 2003* 151-154
- Baker-Jarvis, J.**, see Riddle, B., *T-MTT Mar 03* 727-733
- Baker-Jarvis, J.**, see Riddle, B., *T-MTT Oct 03* 2148
- Bakr, M.H.**, see Safian, R., *MWSYM-03 2003* 299-302 vol.1
- Bakr, M.H.**, and N.K. Nikolova. An adjoint variable method for time domain TLM with fixed structured grids; *MWSYM-03 2003* 1121-1124 vol.2
- Bakri-Kassem, M.**, and R.R. Mansour. Two movable plate nitride loaded MEMS variable capacitor; *MWSYM-03 2003* 483-486 vol.1

- Balbastre, J.V.**, see Diaz-Morcillo, A.B., *T-MTT May 2003* 1467-1475
- Balsara, P.T.**, see Staszewski, R.B., *RFIC-03 2003* 81-84
- Balsara, P.T.**, see Staszewski, R.B., *T-MTT Nov 03* 2154-2164
- Bandler, J.W.**, see Safian, R., *MWSYM-03 2003* 299-302 vol.1
- Bandler, J.W.**, Qingsha Cheng, D.H. Gebre-Mariam, K. Madsen, F. Pedersen, and J. Sondergaard. EM-based surrogate modeling and design exploiting implicit, frequency and output space mappings; *MWSYM-03 2003* 1003-1006 vol.2
- Bandudej, K.**, see Srisathit, S., *MWSYM-03 2003* 35-38 vol.1
- Banerjee, B.**, see Nuttinck, S., *MWSYM-03 2003* 221-223 vol.1
- Banerjee, B.**, B. Matinpour, C.H. Lee, S. Venkataraman, S. Chakraborty, and J. Laskar. Development of IEEE802.11a WLAN LNA in silicon-based processes; *MWSYM-03 2003* 1573-1576 vol.3
- Banerjee, B.**, see Nuttinck, S., *T-MTT Dec 03* 2445-2452
- Ban-Leong Ooi**, see Hui, S.C., *MWSYM-03 2003* A137-A140 vol.1
- Ban-Leong Ooi**, Dao-Xian Xu, and Pang-Shyan Kooi. A comprehensive explanation on the high quality characteristics of symmetrical octagonal spiral inductor; *RFIC-03 2003* 259-262
- Ban Leong Ooi**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Bansal, R.**, see Huo, Y., *MWSYM-03 2003* 387-390 vol.1
- Bao Jianwen**, see Chun-Wen Huang, *MWSYM-03 2003* A73-A76 vol.1
- Bao Jianwen**, see Huang, C.-W.P., *RFIC-03 2003* 587-590
- Bao Mingquan**, see Yinggang Li, *RFIC-03 2003* 99-102
- Baralis, M.**, see Peverini, O.A., *T-MTT Apr 03* 1207-1213
- Barataud, D.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Barataud, D.**, see Gasseling, T., *MWSYM-03 2003* 1651-1654 vol.3
- Barataud, D.**, see Gasseling, T., *MWSYM-03 2003* 1663-1666 vol.3
- Baratchart, L.**, see Seyfert, F., *MWSYM-03 2003* 25-28 vol.1
- Barba, I.**, see Grande, A., *MWSYM-03 2003* 1141-1144 vol.2
- Barba, I.**, see Cabeceira, A.C.L., *MWSYM-03 2003* 2069-2072 vol.3
- Barker, N.S.**, see Rebeiz, G.M., *T-MTT Jan 03* 257-256
- Barsky, M.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Barsky, M.E.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Barstow, S.**, see Guoan Wang, *MWSYM-03 2003* 1633-1636 vol.3
- Bashirullah, R.**, see Xin Jiang, *T-MTT Jan 03* 144-147
- Baudoin, G.**, C. Berland, M. Villegas, and A. Diet. Influence of time and processing mismatches between phase and envelope signals in linearization systems using envelope elimination and restoration, application to Hiperlan2; *MWSYM-03 2003* 2149-2152 vol.3
- Baudrand, H.**, see Wane, S., *RFIC-03 2003* 263-266
- Baumann, D.**, C. Fumeaux, P. Leuchtmann, and R. Vahldieck. Finite-volume time-domain (FVTD) method and its application to the analysis of hemispherical dielectric-resonator antennas; *MWSYM-03 2003* 985-988 vol.2
- Bausells, J.**, see Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Bausells, J.**, see Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Bayard, B.**, D. Vincent, C.R. Simovski, and G. Noyel. Electromagnetic study of a ferrite coplanar isolator suitable for integration; *T-MTT Jul 03* 1809-1814
- Bayne, M.E., Jr.**, see Davis, B., *MWSYM-03 2003* 177-180 vol.1
- Bayne, M.Jr.**, see Reece, M.A., *MWSYM-03 2003* 615-618 vol.1
- Beaulaton, H.**, see Guenais, M., *RFIC-03 2003* 185-188
- Bechteler, T.F.**, and H. Yenigun. 2-D localization and identification based on SAW ID-tags at 2.5 GHz; *T-MTT May 2003* 1584-1590
- Begueret, J.-B.**, see Taris, T., *RFIC-03 2003* 465-468
- Begueret, J.-B.**, Y. Deval, C. Scarabello, J.-Y. Le Gall, and M. Pignol. An innovative open-loop CDR based on injection-locked oscillator for high-speed data link applications; *RFIC-03 2003* 313-316
- Begueret, J.B.**, see Taris, T., *RFIC-03 2003* 123-126
- Behammer, D.**, see Abele, P., *MWSYM-03 2003* 1033-1036 vol.2
- Belaid, M.**, and Ke Wu. Spatial power amplifier using a passive and active TEM waveguide concept; *T-MTT Mar 03* 684-689
- Beland, P.**, see Hettak, K., *MWSYM-03 2003* 1315-1318 vol.2
- Bell, P.J.**, V.M. Bright, and Z. Popovic. Micro-bias-tees using micromachined flip-chip inductors; *MWSYM-03 2003* 491-494 vol.1
- Belletete, S.**, see Zeji Gu, *MWSYM-03 2003* A173-A176 vol.1
- Belletete, S.**, see Zeji Gu, *RFIC-03 2003* 687-690
- Benedikt, J.**, see Lees, J., *MWSYM-03 2003* 2213-2216 vol.3
- Bengtsson, O.**, A. Litwin, and J. Olsson. Small-signal and power evaluation of novel BiCMOS-compatible short-channel LDMOS technology; *T-MTT Mar 03* 1052-1056
- Benham, J.R.**, R. Amirtharajah, J. Critchlow, T. Simon, and T.F. Knight. An alignment insensitive separable electromagnetic coupler for high speed digital multidrop bus applications; *MWSYM-03 2003* 1163-1166 vol.2
- Benham, J.R.**, R. Amirtharajah, J.L. Critchlow, T. Simon, and T.F. Knight. An alignment insensitive separable electromagnetic coupler for high-speed digital multidrop bus applications; *T-MTT Dec 03* 2597-2603
- Benito, D.**, see Laso, M.A.G., *T-MTT Mar 03* 705-717
- Benlarbi-Dela, A.**, and J.C. Cousin. 3D indoor micro location using a stereoscopic microwave phase sensitive device; *MWSYM-03 2003* 623-626 vol.1
- Bennett, J.**, see Gresham, I., *MWSYM-03 2003* 369-372 vol.1
- Bennett, J.**, see Ibrahim, M., *MWSYM-03 2003* 2113-2116 vol.3
- Bennett, J.**, see Gresham, I., *RFIC-03 2003* 505-508
- Benson, J.**, see Mistry, K., *RFIC-03 2003* 471-474
- Benz, A.**, see Roux, P., *MWSYM-03 2003* 1193-1196 vol.2
- Berceli, T.** Improved microwave-optical reception applying double amplification in photo transistors; *MWSYM-03 2003* 1351-1354 vol.2
- Berkowitz, S.**, see Dustakar, K., *MWSYM-03 2003* 1881-1884 vol.3
- Berland, C.**, see Baudoin, G., *MWSYM-03 2003* 2149-2152 vol.3
- Bernal, C.**, see Gaudo, P.M., *MWSYM-03 2003* 1737-1740 vol.3
- Bernal, J.**, F. Mesa, R. Rodriguez-Berral, and D.R. Jackson. High frequency crosstalk between two microstrip lines; *MWSYM-03 2003* 813-816 vol.2
- Bernardi, P.**, M. Cavagnaro, J.C. Lin, S. Pisa, and E. Piuze. FDTD simulation of interstitial arrays of sleeved-slot antennas for hyperthermic cancer therapy; *MWSYM-03 2003* 395-398 vol.1
- Bernardi, P.**, M. Cavagnaro, R. Cicchetti, S. Pisa, E. Pitizzi, and O. Testa. A UTD/FDTD model to evaluate human exposure to base-station antennas in realistic urban environments; *MWSYM-03 2003* 403-406 vol.1
- Bernardi, P.**, M. Cavagnaro, R. Cicchetti, S. Pisa, E. Piuze, and O. Testa. A UTD/FDTD investigation on procedures to assess compliance of cellular base-station antennas with human-exposure limits in a realistic urban environment; *T-MTT Dec 03* 2409-2417
- Bernardi, P.**, see Pisa, S., *T-MTT Dec 03* 2418-2426
- Berthoth, M.**, see Rui Tao, *MWSYM-03 2003* A109-A112 vol.1
- Berthoth, M.**, see Tao, R., *RFIC-03 2003* 623-626
- Bertazzi, F.**, G. Ghione, and M. Goano. Efficient quasi-TEM frequency-dependent analysis of lossy multiconductor lines through a fast reduced-order FEM model; *T-MTT Sep 03* 2029-2035
- Bever, D.W.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Beyer, R.**, and U. Rosenberg. CAD of magic tee with interior stepped post for high performance designs; *MWSYM-03 2003* 1207-1210 vol.2
- Beyne, E.**, see Carchon, G., *MWSYM-03 2003* 1287-1290 vol.2
- Beyne, E.**, see Soliman, E.A., *T-MTT Mar 03* 874-886
- Bhaduri, A.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Bhattacharjee, S.**, J.H. Booske, C.L. Kory, D.W. van der Weide, S. Limbach, M. Lopez, R.M. Gilgenbach, S. Gallagher, A. Stevens, and M. Genack. THz radiation using compact folded waveguide TWT oscillators; *MWSYM-03 2003* 1331-1334 vol.2
- Bialkowski, M.E.**, see Durrani, S., *MWSYM-03 2003* 575-578 vol.1
- Biebl, E.M.** Sampling architectures [radio receivers]; *MWSYM-03 2003* 1055-1058 vol.2
- Bieler, M.**, M. Spitzer, G. Hein, and U. Siegner. Characterization of a microwave probe up to frequencies of 400 GHz; *MWSYM-03 2003* 1811-1814 vol.3
- Bila, S.**, see Seyfert, F., *MWSYM-03 2003* 25-28 vol.1
- Billonnet, L.**, see Gouraud, H., *MWSYM-03 2003* 1355-1358 vol.2
- Biondi, T.**, see Scuderi, A., *MWSYM-03 2003* 2117-2120 vol.3
- Biondi, T.**, F. Carrara, A. Scuderi, and G. Palmisano. A silicon bipolar technology for high-efficiency power applications up to C-band; *RFIC-03 2003* 155-158
- Bisanti, B.**, S. Cipriani, L. Carpineto, F. Coppola, E. Duvivier, N. Mouralis, D. Ercole, G. Puccio, V. Roussel, and S. Cercelaru. Fully integrated sigma-delta synthesizer suitable for "indirect VCO modulation" in 2.5G application; *MWSYM-03 2003* A1-A4 vol.1
- Bisanti, B.**, S. Cipriani, L. Carpineto, F. Coppola, E. Duvivier, N. Mouralis, D. Ercole, G. Puccio, V. Roussel, and S. Cercelaru. Fully integrated sigma-delta synthesizer suitable for "indirect VCO modulation" in 2.5G application; *RFIC-03 2003* 515-518
- Bito, Y.**, T. Ishigaki, H. Shimawaki, and Y. Nashimoto. Enhancement-mode power heterojunction FET utilizing re-grown p⁻-GaAs gate with negligible off-state leakage current; *MWSYM-03 2003* 703-706 vol.2
- Blache, F.**, see Dellier, S., *MWSYM-03 2003* 1347-1350 vol.2
- Blaschke, V.**, see Janezic, M.D., *T-MTT Jan 03* 132-136
- Blayac, S.**, see Konczykowska, A., *MWSYM-03 2003* 1177-1180 vol.2
- Blondy, P.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Blondy, P.**, see Paillot, T., *MWSYM-03 2003* 1755-1758 vol.3
- Blondy, P.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Blundell, R.**, see Tong, C.-Y.E., *MWSYM-03 2003* 751-754 vol.2

- Bock, J.**, see Knapp, H., *MWSYM-03 2003* 1067-1070 vol.2
- Bock, J.J.**, see Chattopadhyay, G., *T-MTT Oct 03* 2139-2146
- Boeck, G.**, see Hom, J., *MWSYM-03 2003* 433-436 vol.1
- Boeck, G.**, see Margraf, M., *MWSYM-03 2003* 559-562 vol.1
- Boeck, G.**, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
- Boglion, L.** Power and linearity performance of a cascode InGaP/GaAs HBT distributed amplifier for instrument applications; *MWSYM-03 2003* 2217-2220 vol.3
- Boguth, S.**, see Knapp, H., *MWSYM-03 2003* 1067-1070 vol.2
- Boisvert, R.**, see Muldavin, J., *MWSYM-03 2003* 1915-1918 vol.3
- Boles, J.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Boles, T.**, see Hoag, D., *MWSYM-03 2003* 255-258 vol.1
- Boles, T.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Bolivar, P.H.**, M. Brucherseifer, J.G. Rivas, R. Gonzalo, I. Ederra, A.L. Reynolds, M. Holker, and P. de Maagt. Measurement of the dielectric constant and loss tangent of high dielectric-constant materials at terahertz frequencies; *T-MTT Apr 03* 1062-1066
- Bolognesi, C.R.**, see Dvorak, M.W., *T-MTT Jun 03* 1640-1649
- Bonkee Kim**, see Ilku Nam, *MWSYM-03 2003* A117-A120 vol.1
- Bonkee Kim**, see Ilku Nam, *RFIC-03 2003* 631-634
- Bonkee Kim**, see Tae Wook Kim, *RFIC-03 2003* 107-110
- Boon, L.P.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Boon, L.P.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Boon, T.T.C.**, see Raja, M.K., *RFIC-03 2003* 439-442
- Boone, F.**, and Ke Wu. Nonradiative dielectric (NRD) waveguide diplexer for millimeter-wave applications; *MWSYM-03 2003* 1471-1474 vol.3
- Boon Lim**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Boon Tiong Tan**, Jong Jen Yu, Soon Joo Koh, and Siou Teck Chew. Investigation into broadband PBG using a butterfly-radial slot (BRS); *MWSYM-03 2003* 1107-1110 vol.2
- Boon Tiong Tan**, Siou Teck Chew, Mook Seng Leong, and Ban Leong Ooi. A dual-mode bandpass filter with enhanced capacitive perturbation; *T-MTT Aug 03* 1906-1910
- Boos, Z.**, see Lanschutzer, C., *RFIC-03 2003* 19-22
- Booske, J.H.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Booske, J.H.**, see Hagl, D.M., *T-MTT Apr 03* 1194-1206
- Boprie, D.**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Borelli, J.**, see Point, R., *RFIC-03 2003* 431-434
- Boret, S.**, see Eric Rius, *T-MTT Mar 03* 784-791
- Borges, R.**, see Nagy, W., *T-MTT Feb 03* 660-664
- Borghs, G.**, see Schreurs, D., *MWSYM-03 2003* 447-450 vol.1
- Boria, V.E.**, see Cogollos, S., *MWSYM-03 2003* 2065-2068 vol.3
- Boria, V.E.**, see Morro, J.V., *MWSYM-03 2003* 1215-1218 vol.2
- Boria, V.E.**, see Cogollos, S., *T-MTT Dec 03* 2378-2390
- Boric-Lubecke, O.**, see Droitcour, A.D., *MWSYM-03 2003* 1945-1948 vol.3
- Bornemann, J.**, see Rosenberg, U., *MWSYM-03 2003* 479-482 vol.1
- Bornemann, J.**, see Amari, S., *T-MTT Jan 03* 246
- Bornemann, J.**, see Rosenberg, U., *T-MTT Jun 03* 1735-1742
- Bornemann, J.**, see Rambabu, K., *T-MTT Aug 03* 1982-1986
- Borwick, R.L.**, III, P.A. Stupar, J.F. DeNatale, R. Anderson, and R. Erlandson. Variable MEMS capacitors implemented into RF filter systems; *T-MTT Jan 03* 315-319
- Bosisio, R.G.**, see Moldovan, E., *MWSYM-03 2003* 595-598 vol.1
- Bosisio, R.G.**, see Tatu, S.O., *MWSYM-03 2003* A9-A12 vol.1
- Bosisio, R.G.**, see Xinyu Xu, *MWSYM-03 2003* 1059-1062 vol.2
- Bosisio, R.G.**, see Tatu, S.O., *RFIC-03 2003* 523-526
- Bouchriha, F.**, K. Grenier, D. Dubuc, P. Pons, R. Plana, and J. Graffeul. Minimization of passive circuits losses realized on low resistivity silicon using micro-machining techniques and thick polymer layers; *MWSYM-03 2003* 959-962 vol.2
- Boulanger, C.**, see Coustou, A., *RFIC-03 2003* 487-490
- Boumaiza, S.**, J. Gauthier, and F.M. Ghannouchi. Dynamic electro-thermal behavioral model for RF power amplifiers; *MWSYM-03 2003* 351-354 vol.1
- Boumaiza, S.**, see Hammi, O., *MWSYM-03 2003* 1699-1702 vol.3
- Boumaiza, S.**, and F.M. Ghannouchi. Thermal memory effects modeling and compensation in RF power amplifiers and predistortion linearizers; *T-MTT Dec 03* 2427-2433
- Bourde, C.**, see Malasani, R., *RFIC-03 2003* 321-324
- Bourde, C.**, F. Fuernhammer, and G. Gutierrez. SiGe 43.2 Gb/s 4:1 multiplexor and clock multiplier for OC-768 fiber communications; *RFIC-03 2003* 59-62
- Bozler, C.**, see Muldavin, J., *MWSYM-03 2003* 1915-1918 vol.3
- Bozzi, M.**, see Deslandes, D., *MWSYM-03 2003* 1103-1106 vol.2
- Bozzi, M.**, D. Deslandes, P. Arcioni, L. Perregrini, K. Wu, and G. Conciauro. Analysis of Substrate Integrated Slab Waveguides (SISW) by the BI-RME method; *MWSYM-03 2003* 1975-1978 vol.3
- Bozzi, M.**, see Repossi, M., *MWSYM-03 2003* 1199-1202 vol.2
- Braggins, T.T.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Brakensiek, W.**, see Dragon, C., *MWSYM-03 2003* 69-72 vol.1
- Brandt, J.**, see Arndt, F., *MWSYM-03 2003* 287-290 vol.1
- Brar, B.**, see Hacker, J.B., *MWSYM-03 2003* 1859-1862 vol.3
- Brauner, T.**, R. Vogt, and W. Bachtold. 5-6 GHz monolithically integrated calibratable low-noise downconverter for smart antenna arrays; *RFIC-03 2003* 435-438
- Bray, J.**, see El-Tager, A., *MWSYM-03 2003* 2257-2260 vol.3
- Bray, J.R.**, and L. Roy. Microwave characterization of a microstrip line using a two-port ring resonator with an improved lumped-element model; *T-MTT May 2003* 1540-1547
- Brazil, T.**, see Florian, C., *MWSYM-03 2003* 2125-2128 vol.3
- Brazil, T.J.**, see Zhu, A., *MWSYM-03 2003* 787-790 vol.2
- Brazil, T.J.**, see Tianhai Wang, *T-MTT May 2003* 1433-1440
- Brebels, S.**, see Carchon, G., *MWSYM-03 2003* 1151-1154 vol.2
- Brebels, S.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- Brech, H.**, W. Burger, C. Dragon, and B. Pryor. Voltage optimization for state of the art RF-LDMOS for 2.1 GHz W-CDMA cellular infrastructure applications; *MWSYM-03 2003* 209-212 vol.1
- Brehm, G.**, see Tatu, S.O., *RFIC-03 2003* 523-526
- Bressan, M.**, see Conciauro, G., *MWSYM-03 2003* 1963-1966 vol.3
- Bressan, M.**, see Repossi, M., *MWSYM-03 2003* 1199-1202 vol.2
- Bressan, M.**, see Conciauro, G., *T-MTT Dec 03* 2315-2326
- Bretchko, P.**, see Madic, J., *MWSYM-03 2003* A201-A204 vol.1
- Bretchko, P.**, see Madic, J., *RFIC-03 2003* 715-718
- Bretchko, P.**, see Shuyun Zhang, *RFIC-03 2003* 129-132
- Bretchko, P.**, see Shuyun Zhang, *T-MTT Nov 03* 2203-2210
- Bright, V.M.**, see Bell, P.J., *MWSYM-03 2003* 491-494 vol.1
- Brinkhoff, J.**, and A.E. Parker. Implication of baseband impedance and bias for FET amplifier linearization; *MWSYM-03 2003* 781-784 vol.2
- Brinkhoff, J.**, and A.E. Parker. Effect of baseband impedance on FET intermodulation; *T-MTT Mar 03* 1045-1051
- Brinkhoff, J.**, A.E. Parker, and M. Leung. Baseband impedance and linearization of FET circuits; *T-MTT Dec 03* 2523-2530
- Brodtkorb, D.**, see Nikitin, P.V., *MWSYM-03 2003* 1827-1830 vol.3
- Brodtkorb, D.**, see Nikitin, P.V., *T-MTT Dec 03* 2402-2408
- Broekaert, T.P.E.**, see Nosal, Z.M., *MWSYM-03 2003* 117-120 vol.1
- Brogie, J.**, see Hoag, D., *MWSYM-03 2003* 255-258 vol.1
- Brogie, J.**, see Buber, T., *MWSYM-03 2003* 1307-1310 vol.2
- Broido, B.**, see Lukashevich, D., *MWSYM-03 2003* 993-996 vol.2
- Brown, E.R.**, see Gupta, S., *MWSYM-03 2003* 599-602 vol.1
- Brown, E.R.**, see Robertson, M., *MWSYM-03 2003* 611-614 vol.1
- Brown, E.R.**, see Woolard, D.L., *MWSYM-03 2003* 763-766 vol.2
- Brown, J.**, see Nagy, W., *T-MTT Feb 03* 660-664
- Brown, R.B.**, see McCorquodale, M.S., *MWSYM-03 2003* A21-A24 vol.1
- Brown, R.B.**, see McCorquodale, M.S., *RFIC-03 2003* 535-538
- Brown, W.**, see Herbsommer, J.A., *MWSYM-03 2003* 213-216 vol.1
- Brown, W.**, see Kun-Hin To, *RFIC-03 2003* 163-166
- Brucherseifer, M.**, see Bolivar, P.H., *T-MTT Apr 03* 1062-1066
- Bryant, D.**, see Allen, D., *MWSYM-03 2003* 2233-2236 vol.3
- Brylinski, C.**, see Villard, F., *T-MTT Apr 03* 1129-1134
- Bu, J.U.**, see Park, J.Y., *MWSYM-03 2003* 2005-2008 vol.3
- Bu, J.U.**, see Ko, Y.J., *MWSYM-03 2003* 1489-1492 vol.3
- Buber, T.**, N. Kinayman, Yong-Hoon Yun, and J. Brogie. Low-loss high-isolation 60-80 GHz GaAs SP ST PIN switch; *MWSYM-03 2003* 1307-1310 vol.2
- Buber, T.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Buchegger, T.**, see Pourvoyeur, K., *MWSYM-03 2003* 603-606 vol.1
- Buckwalter, J.**, see Maccarini, P.F., *MWSYM-03 2003* 1689-1692 vol.3
- Buckwalter, J.F.**, T.H. Heath, and R.A. York. Synchronization design of a coupled phase-locked loop; *T-MTT Mar 03* 952-960
- Budimir, D.**, see Goussetis, G., *MWSYM-03 2003* 953-956 vol.2
- Budimir, D.**, and G. Goussetis. Design of asymmetrical RF and microwave bandpass filters by computer optimization; *T-MTT Apr 03* 1174-1178
- Bui, L.A.**, A. Mitchell, G.W. Slade, and Tan-Huat Chio. Wide-band variable transversal phase-shifter; *MWSYM-03 2003* 1291-1294 vol.2
- Bui, S.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Bumjae Shin**, see Jeonghyeon Cha, *MWSYM-03 2003* 81-84 vol.1
- Bumjae Shin**, see Youngoo Yang, *T-MTT Mar 03* 986-993
- Bumman Kim**, see Jeonghyeon Cha, *MWSYM-03 2003* 81-84 vol.1
- Bumman Kim**, see Sanghoon Kang, *MWSYM-03 2003* A45-A48 vol.1

- Bumman Kim**, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
- Bumman Kim**, see Sanghoon Kang, *RFIC-03 2003* 559-562
- Bumman Kim**, see Sanghoon Kang, *T-MTT Mar 03* 972-977
- Bumman Kim**, see Youngoo Yang, *T-MTT Mar 03* 986-993
- Burdeaux, D.**, see Dragon, C., *MWSYM-03 2003* 69-72 vol.1
- Burger, W.**, see Brech, H., *MWSYM-03 2003* 209-212 vol.1
- Burger, W.**, see Dragon, C., *MWSYM-03 2003* 69-72 vol.1
- Burghartz, J.N.**, see van der Heijden, M.P., *MWSYM-03 2003* 235-238 vol.1
- Burghartz, J.N.**, see Valletta, E., *MWSYM-03 2003* 1235-1238 vol.2
- Burghignoli, P.**, see Baccarelli, P., *MWSYM-03 2003* 809-812 vol.2
- Burie, J.R.**, see Dellier, S., *MWSYM-03 2003* 1347-1350 vol.2
- Bushyager, N.**, M. Tentzeris, and J. Papapolymierou. A composite-cell multiresolution time-domain technique for design of electromagnetic band-gap and via-array structures; *MWSYM-03 2003* 2081-2084 vol.3
- Byeong-Ha Park**, see Kun-Seok Lee, *RFIC-03 2003* 177-180
- Byeong-Il Kim**, see Jun-Bo Yoon, *T-MTT Jan 03* 279-288
- Byounggi Choi**, see Sanghoon Kang, *T-MTT Mar 03* 972-977
- Byoung-Joon Seo**, see Jeehoon Han, *MWSYM-03 2003* 281-284 vol.1
- C**
- Cabanillas, J.**, see Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Cabanillas, J.**, see Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Cabeceira, A.C.L.**, see Grande, A., *MWSYM-03 2003* 1141-1144 vol.2
- Cabeceira, A.C.L.**, I. Barba, A. Grande, and J. Represa. TLM simulation of electromagnetic wave propagation in anisotropic moving media; *MWSYM-03 2003* 2069-2072 vol.3
- Cabon, B.**, see Salehi, M.R., *MWSYM-03 2003* 1371-1374 vol.2
- Cabria, L.**, see Garcia, J.A., *MWSYM-03 2003* 1311-1314 vol.2
- Cabria, L.**, J.A. Garcia, A. Tazon, and A. Mediavilla. A novel vector control active patch for beamsteering with linearity enhancement capability; *MWSYM-03 2003* 1435-1438 vol.2
- Cabrera, E.**, see Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Cabrera, E.**, see Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Cai, S.**, see Younkyu Chung, *T-MTT Feb 03* 653-659
- Caldwell, M.**, see Chattopadhyay, G., *T-MTT Oct 03* 2139-2146
- Caloz, C.**, see I-Hsiang Lin, *MWSYM-03 2003* 325-328 vol.1
- Caloz, C.**, see Okabe, H., *MWSYM-03 2003* 329-332 vol.1
- Caloz, C.**, A. Sanada, L. Liu, and T. Itoh. A broadband left-handed (LH) coupled-line backward coupler with arbitrary coupling level; *MWSYM-03 2003* 317-320 vol.1
- Caloz, C.**, and T. Itoh. Novel microwave devices and structures based on the transmission line approach of meta-materials; *MWSYM-03 2003* 195-198 vol.1
- Cameron, R.**, see Ming Yu, *MWSYM-03 2003* 929-932 vol.2
- Cameron, R.**, see Yu, M., *T-MTT Dec 03* 2505-2515
- Cameron, R.J.** Advanced coupling matrix synthesis techniques for microwave filters; *T-MTT Jan 03* 1-10
- Camiade, M.**, see Nallatamby, J.-C., *T-MTT Mar 03* 690-696
- Camiade, M.**, see Nallatamby, J.-C., *T-MTT Apr 03* 1386-1394
- Camiade, M.**, see Laloue, A., *T-MTT Aug 03* 1966-1976
- Cam Nguyen**, see Joongsuk Park, *MWSYM-03 2003* 1443-1446 vol.2
- Cam Nguyen**, see Seoktae Kim, *T-MTT Jun 03* 1724-1728
- Campovecchio, A.**, see De Meyer, S., *MWSYM-03 2003* 455-458 vol.1
- Campovecchio, M.**, see Dellier, S., *MWSYM-03 2003* 1347-1350 vol.2
- Camprini, M.**, see Cidronali, A., *T-MTT Apr 03* 1351-1367
- Cangellaris, A.**, see Lukashevich, D., *MWSYM-03 2003* 1125-1128 vol.2
- Cangellaris, A.C.**, see Okhmatovski, V.I., *MWSYM-03 2003* 303-306 vol.1
- Cangellaris, A.C.**, see Aosheng Rong, *MWSYM-03 2003* 1959-1962 vol.3
- Cangellaris, A.C.**, see Okhmatovski, V.I., *T-MTT Dec 03* 2355-2365
- Canos, A.J.**, J.M. Catala-Civera, F.L. Penaranda-Foix, J. Monzo-Cabrera, and E. De los Reyes. A new empirical method for extracting unloaded resonant frequencies from microwave resonant cavities; *MWSYM-03 2003* 1823-1825 vol.3
- Canos, A.J.**, see Catala-Civera, J.M., *T-MTT Jan 03* 16-24
- Cantrell, W.H.**, and W.A. Davis. Amplitude modulator utilizing a high-Q Class-E DC-DC converter; *MWSYM-03 2003* 1721-1724 vol.3
- Cao, Y.**, J.J. Xu, V.K. Devabhaktuni, R.T. Ding, and Q.J. Zhang. An adjoint dynamic neural network technique for exact sensitivities in nonlinear transient modeling and high-speed interconnect design; *MWSYM-03 2003* 165-168 vol.1
- Cao Meng**, see Pietig, R., *MWSYM-03 2003* 833-836 vol.2
- Caorsi, S.**, M. Donelli, D. Franceschini, and A. Massa. A new methodology based on an iterative multiscaling for microwave imaging; *T-MTT Apr 03* 1162-1173
- Cao Xuejun**, see Kama Huang, *T-MTT Oct 03* 2106-2111
- Capelle, E.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Cappelluti, F.**, and G. Ghione. Self-consistent time-domain large-signal model of high-speed traveling-wave electroabsorption modulators; *T-MTT Apr 03* 1096-1104
- Cappy, A.**, see Eric Rius, *T-MTT Mar 03* 784-791
- Carbonell, L.**, see Carchon, G., *MWSYM-03 2003* 1287-1290 vol.2
- Carchon, G.**, S. Brebels, O. Vendier, and W. De Raedt. Multi-layer thin-film MCM-D for the realization of Q- and V-band functions; *MWSYM-03 2003* 1151-1154 vol.2
- Carchon, G.**, S. Jenei, L. Carbonell, M. Van Hove, S. Decoutere, W. De Raedt, K. Maex, and E. Beyne. High-Q RF inductors on standard silicon realized using wafer-level packaging techniques; *MWSYM-03 2003* 1287-1290 vol.2
- Carin, L.**, see Xianyang Zhu, *T-MTT Sep 03* 2015-2022
- Carpineto, L.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Carpineto, L.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Carrara, F.**, see Scuderi, A., *MWSYM-03 2003* 699-702 vol.2
- Carrara, F.**, see Biondi, T., *RFIC-03 2003* 155-158
- Carvalho, N.B.**, see Pedro, J.C., *MWSYM-03 2003* 2133-2136 vol.3
- Castaneda, J.A.**, see Yang, H.Y.D., *MWSYM-03 2003* A13-A16 vol.1
- Castaneda, J.A.**, see Yang, H.Y.D., *RFIC-03 2003* 527-530
- Castiglione, D.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Castorina, A.**, see Scuderi, A., *MWSYM-03 2003* 699-702 vol.2
- Catala-Civera, J.M.**, see Canos, A.J., *MWSYM-03 2003* 1823-1825 vol.3
- Catala-Civera, J.M.**, A.J. Canos, F.L. Penaranda-Foix, and E. de los Reyes Davo. Accurate determination of the complex permittivity of materials with transmission reflection measurements in partially filled rectangular waveguides; *T-MTT Jan 03* 16-24
- Cataldo, A.**, see Nabet, B., *T-MTT Oct 03* 2063-2072
- Catarinucci, L.**, P. Palazzari, and L. Tarricone. Human exposure to the near field of radiobase antennas - a full-wave solution using parallel FDTD; *T-MTT Mar 03* 935-940
- Cathelin, A.**, see Yinggang Li, *RFIC-03 2003* 99-102
- Catherinot, A.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Catherinot, A.**, see Paillot, T., *MWSYM-03 2003* 1755-1758 vol.3
- Catherinot, A.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Cavagnaro, M.**, see Bernardi, P., *MWSYM-03 2003* 395-398 vol.1
- Cavagnaro, M.**, see Bernardi, P., *MWSYM-03 2003* 403-406 vol.1
- Cavagnaro, M.**, see Bernardi, P., *T-MTT Dec 03* 2409-2417
- Cavagnaro, M.**, see Pisa, S., *T-MTT Dec 03* 2418-2426
- Celo, D.**, see Gunupudi, P., *MWSYM-03 2003* 13-16 vol.1
- Celo, D.**, see Gunupudi, P.K., *T-MTT Dec 03* 2347-2354
- Celuch-Marcysiak, M.** Local stereoscopic field singularity models for FDTD analysis of guided wave problems; *MWSYM-03 2003* 1137-1140 vol.2
- Celuch-Marcysiak, M.**, see Gwarek, W.K., *T-MTT Aug 03* 1920-1928
- Cendes, Z.**, see Din-Kow Sun, *T-MTT Oct 03* 2097-2105
- Centurelli, F.**, A. Golfarelli, J. Guinea, L. Masini, D. Morigi, M. Pozzoni, G. Scotti, and A. Trifiletti. A 10 Gb/s CDR in SiGe BiCMOS commercial technology with multistandard capability; *RFIC-03 2003* 317-320
- Cepni, A.G.**, see Nikitin, P.V., *MWSYM-03 2003* 1827-1830 vol.3
- Cepni, A.G.**, see Nikitin, P.V., *T-MTT Dec 03* 2402-2408
- Cercelaru, S.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Cercelaru, S.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Cetiner, B.A.**, J.Y. Qian, S. Liu, L. Jofre, G.P. Li, and F. De Flaviis. A compact wideband MEM switched diversity antenna for indoor mobile channels; *MWSYM-03 2003* 1711-1714 vol.3
- Cetiner, B.A.**, J.Y. Qian, H.P. Chang, M. Bachman, G.P. Li, and F. De Flaviis. Monolithic integration of RF MEMS switches with a diversity antenna on PCB substrate; *T-MTT Jan 03* 332-335
- Chae-Ho Na**, see Kang Wook Kim, *MWSYM-03 2003* 1115-1118 vol.2
- Chae Jong Seok**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Chai, F.K.**, R. Reuter, T. Baker, D. Zupac, and J. Kirchgessner. Outstanding noise characteristics of SiGe:C HBT allow flexibility in high-frequency RF designs; *RFIC-03 2003* 151-154
- Chai Shin Chull**, see Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Cha Jeonghyeon**, see Jeonghyeon Cha, *MWSYM-03 2003* 81-84 vol.1
- Cha Jeonghyeon**, see Youngoo Yang, *T-MTT Mar 03* 986-993
- Chaki, S.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Chakraborty, S.**, S.K. Reynolds, H. Ainspan, and J. Laskar. Development of 5.8GHz SiGe BiCMOS direct conversion receivers; *MWSYM-03 2003* 1551-1554 vol.3

- Chakraborty, S.**, see Banerjee, B., *MWSYM-03 2003* 1573-1576 vol.3
- Champeaux, C.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Champeaux, C.**, see Paillot, T., *MWSYM-03 2003* 1755-1758 vol.3
- Champeaux, C.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Chan, C.H.**, see Yum, T.Y., *T-MTT Dec 03* 2538-2547
- Chan, E.**, see La Rue, R.A., *MWSYM-03 2003* 247-250 vol.1
- Chan, E.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Chan, K.T.**, A. Chin, S.P. McAlister, C.Y. Chang, C. Tseng, V. Liang, J.K. Chen, S.C. Chien, D.S. Duh, and W.J. Lin. Low RF loss and noise of transmission lines on Si substrates using an improved ion implantation process; *MWSYM-03 2003* 963-966 vol.2
- Chan, K.T.**, A. Chin, J.T. Kuo, C.Y. Chang, D.S. Duh, W.J. Lin, Chunxiang Zhu, M.F. Li, and Dim-Lee Kwong. Microwave coplanar filters on Si substrates; *MWSYM-03 2003* 1909-1912 vol.3
- Chan, K.T.**, see Huang, C.H., *RFIC-03 2003* 373-376
- Chan, K.T.**, A. Chin, Ming-Fu Li, Dim-Lee Kwong, S.P. McAlister, D.S. Duh, W.J. Lin, and C.Y. Chang. High-performance microwave coplanar bandpass and bandstop filters on Si substrates; *T-MTT Sep 03* 2036-2040
- Chan, Y.**, see Wang, W.K., *MWSYM-03 2003* 443-446 vol.1
- Chan Chi Hou**, see Tsz Yin Yum, *MWSYM-03 2003* 87-90 vol.1
- Chan Chi Hou**, see Quan Xue, *T-MTT May 2003* 1449-1454
- Chang, C.Y.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Chang, C.Y.**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Chang, C.Y.**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Chang, F.Y.**, see Ip, S.K., *MWSYM-03 2003* 2077-2080 vol.3
- Chang, H.P.**, see Cetiner, B.A., *T-MTT Jan 03* 332-335
- Chang, W.S.C.**, see Zhuang, Y., *MWSYM-03 2003* 1367-1370 vol.2
- Chang Chi-Ho**, see Chi-Ho Chang, *MWSYM-03 2003* 511-514 vol.1
- Chang Chi Shih**, see Janezic, M.D., *T-MTT Jan 03* 132-136
- Chang Chi-Yang**, see Shih-Ming Wang, *MWSYM-03 2003* 63-66 vol.1
- Chang Chi-Yang**, see Cheng-Chung Chen, *T-MTT Jan 03* 120-131
- Chang Chi-Yang**, see Ching-Wen Tang, *T-MTT Oct 03* 2112-2118
- Chang Dong-Pil**, see Dong-Pil Chang, *MWSYM-03 2003* 1589-1592 vol.3
- Chang Heng-Chia**, see Heng-Chia Chang, *T-MTT Sep 03* 1989-1993
- Chang Heng-Chia**, see Heng-Chia Chang, *T-MTT Sep 03* 1994-1999
- Chang Hong-Yeh**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Changhua Wan**, and J.-X. Zheng. Accurate solution of periodic microstrips for digital applications; *T-MTT Mar 03* 1003-1008
- Chang-hyeon Lee**, see Cho, J., *RFIC-03 2003* 391-394
- Chang Ik Soo**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Chang Ik Soo**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Chang Jae-Hong**, see Jae-Hong Chang, *RFIC-03 2003* 295-298
- Changjun Liu**, see Kama Huang, *T-MTT Oct 03* 2106-2111
- Chang Kai**, see Lung-Hwa Hsieh, *MWSYM-03 2003* 1775-1778 vol.3
- Chang Kai**, see Lung-Hwa Hsieh, *T-MTT Jan 03* 193-199
- Chang Kai**, see Strassner, B., *T-MTT May 2003* 1548-1553
- Chang Kai**, see Lung-Hwa Hsieh, *T-MTT Apr 03* 1141-1145
- Chang Kai**, see Lung-Hwa Hsieh, *T-MTT Apr 03* 1241-1246
- Chang-Kun Park**, Min-Gun Kim, Chung-Han Kim, and Songcheol Hong. Ku-band low noise amplifier with using short-stub ESD protection; *MWSYM-03 2003* A157-A160 vol.1
- Chang-Kun Park**, Min-Gun Kim, Chung-Han Kim, and Songcheol Hong. Ku-band low noise amplifier with using short-stub ESD protection; *RFIC-03 2003* 671-674
- Chang Liu**, see Jun Zou, *T-MTT Apr 03* 1067-1075
- Chang On Lee**, Sang Tae Kim, and Chull Chai Shin. Optimized etched hole size for suppressing the periodicity in the frequency response in photonic bandgap microstrip structures; *MWSYM-03 2003* 1615-1618 vol.3
- Chang Sheng-Fuh**, see Jia-Liang Chen, *MWSYM-03 2003* 1275-1278 vol.2
- Chang-Soon Choi**, Woo-Young Choi, Dae-Hyun Kim, and Kwang-Seok Seo. A millimeter-wave harmonic optoelectronic mixer based on InAlAs/InGaAs metamorphic HEMT; *MWSYM-03 2003* 1383-1386 vol.2
- Chang-Wook Baek**, Seunghyun Song, Jae-Hyoung Park, Sanghyo Lee, Jung-Mu Kim, Wooyeol Choi, Changyul Cheon, Yong-Kweon Kim, and Youngwoo Kwon. A V-band micromachined 2-D beam-steering antenna driven by magnetic force with polymer-based hinges; *T-MTT Jan 03* 325-331
- Changyul Cheon**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Changyul Cheon**, see Wooyeol Choi, *MWSYM-03 2003* 881-884 vol.2
- Changyul Cheon**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Chan Kim Sung**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Chan Kwok-Po**, see Kwok-Po Chan, *MWSYM-03 2003* 1323-1326 vol.2
- Chan-Woo Park**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Chan-Woo Park**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Chan Yi-Jen**, see Chien-Chih Ho, *RFIC-03 2003* 211-214
- Chao, M.H.**, see Meng, C.C., *MWSYM-03 2003* A105-A108 vol.1
- Chao, M.H.**, see Meng, C.C., *RFIC-03 2003* 619-622
- Chao-Chih Hsiao**, see Chien-Chih Ho, *RFIC-03 2003* 211-214
- Chao Pane-Chane**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Chapman, P.L.**, see Jun Zou, *T-MTT Apr 03* 1067-1075
- Chappell, W.J.**, Xun Gong, and L.P.B. Katehi. Narrow Ka bandpass filters using periodically loaded substrates; *MWSYM-03 2003* 1611-1614 vol.3
- Chappell, W.J.**, C. Reilly, J. Halloran, and L.P.B. Katehi. Ceramic synthetic substrates using solid freeform fabrication; *T-MTT Mar 03* 752-760
- Charbonniaud, C.**, see De Meyer, S., *MWSYM-03 2003* 455-458 vol.1
- Chattaraj, B.**, see Devabhaktuni, V.K., *T-MTT Jul 03* 1822-1833
- Chattopadhyay, G.**, see Maestrini, A., *MWSYM-03 2003* 747-750 vol.2
- Chattopadhyay, G.**, J. Glenn, J.J. Bock, B.K. Rownd, M. Caldwell, and M.J. Griffin. Feed horn coupled bolometer arrays for SPIRE - design, simulations, and measurements; *T-MTT Oct 03* 2139-2146
- Chau, H.F.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Chaudhuri, B.**, see Lavasani, S.H.M., *MWSYM-03 2003* A181-A184 vol.1
- Chaudhuri, B.**, see Lavasani, S.H.M., *RFIC-03 2003* 695-698
- Chaudhuri, S.K.**, see Kang Lan, *T-MTT Apr 03* 1289-1295
- Chee How Lee**, see Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- Chee How Lee**, see Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Che-Hong Liao**, see Yuan-Kai Chu, *RFIC-03 2003* 221-224
- Chen, C.Y.**, see Huang, C.H., *RFIC-03 2003* 373-376
- Chen, H.J.**, H. Wang, and P. Hsu. A V-band quasi-optical GaAs HEMT monolithic integrated antenna and receiver front end; *T-MTT Dec 03* 2461-2468
- Chen, J.**, see Jun Zou, *T-MTT Apr 03* 1067-1075
- Chen, J.K.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Chen, J.K.**, see Huang, C.H., *RFIC-03 2003* 373-376
- Chen, L.-Y.**, see Jia, P., *T-MTT Dec 03* 2469-2475
- Chen, X.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Chen, Y.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Chen, Y.K.**, see Baeyens, Y., *MWSYM-03 2003* 877-880 vol.2
- Chen, Y.K.**, see Roux, P., *MWSYM-03 2003* 1193-1196 vol.2
- Chen, Y.-K.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Chen, Y.K.**, see Baeyens, Y., *RFIC-03 2003* 67-70
- Chen Cheng-Chung**, see Cheng-Chung Chen, *T-MTT Jan 03* 120-131
- Chen Chin-Hsiung**, see Shih-Ming Wang, *MWSYM-03 2003* 63-66 vol.1
- Chen Chung-Hsu**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Chen Chun Hsiung**, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
- Chen Chun Hsiung**, see Chun-Lin Liao, *T-MTT Jan 03* 200-206
- Chen Chun Hsiung**, see Chi-Hsueh Wang, *T-MTT Jan 03* 207-215
- Chen Chun Hsiung**, see Jean-Fu Kiang, *T-MTT May 2003* 1496-1505
- Chen Dengpeng**, see Dengpeng Chen, *MWSYM-03 2003* 817-820 vol.2
- Cheng, C.-Y.**, and R.W. Ziolkowski. Tailoring double-negative metamaterial responses to achieve anomalous propagation effects along microstrip transmission lines; *T-MTT Dec 03* 2306-2314
- Cheng, K.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Cheng, K.K.M.**, see Au-Yeung, C.F., *MWSYM-03 2003* 95-98 vol.1
- Cheng, K.-K.M.**, see Kwok-Po Chan, *MWSYM-03 2003* 1323-1326 vol.2
- Cheng Ching-Ying**, see Ziolkowski, R.W., *MWSYM-03 2003* 203-206 vol.1
- Cheng-Chung Chen**, Yi-Ru Chen, and Chi-Yang Chang. Miniaturized microstrip cross-coupled filters using quarter-wave or quasi-quarter-wave resonators; *T-MTT Jan 03* 120-131
- Chenghao Yuan**, and Zhizhang Chen. Efficient computation of thin-layer structures with the unconditionally stable ADI-FDTD method; *MWSYM-03 2003* 1133-1136 vol.2
- Chenghao Yuan**, and Zhizhang Chen. On the modeling of conducting media with the unconditionally stable ADI-FDTD method; *T-MTT Aug 03* 1929-1938
- Cheng Qingsha**, see Bandler, J.W., *MWSYM-03 2003* 1003-1006 vol.2
- Cheng Sheng**, see Edwards, C.L., *MWSYM-03 2003* 2101-2104 vol.3
- Chen Guang**, see Guang Chen, *RFIC-03 2003* 347-350
- Chen Hao-Hui**, see Hao-Hui Chen, *T-MTT Mar 03* 848-855
- Chen Hongyi**, see Min Lin, *MWSYM-03 2003* A185-A188 vol.1
- Chen Hongyi**, see Min Lin, *RFIC-03 2003* 699-702
- Chen Houfei**, see Houfei Chen, *T-MTT Mar 03* 818-829
- Chen I-Jen**, see I-Jen Chen, *MWSYM-03 2003* 2023-2026 vol.3
- Chen Jia-Liang**, see Jia-Liang Chen, *MWSYM-03 2003* 1275-1278 vol.2
- Chen Jian Zhang**, see Ram Singh Rana, *RFIC-03 2003* 475-478
- Chen Kun-Ming**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Chen Lee-Yin**, see Pengcheng Jia, *MWSYM-03 2003* 1871-1874 vol.3
- Chen Li-Shu**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Chen Qian**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Chen Qing-Lun**, see Xiangyin Zeng, *MWSYM-03 2003* 837-840 vol.2

- Chen Shin-Fu**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Chen Shuoqi**, see Shuoqi Chen, *MWSYM-03 2003* 847-850 vol.2
- Chen Tung-Sheng**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Chen Wei-Zen**, see Wei-Zen Chen, *MWSYM-03 2003* A85-A88 vol.1
- Chen Wei-Zen**, see Wei-Zen Chen, *RFIC-03 2003* 599-602
- Chen Wen-Hui**, see Wei-Zen Chen, *MWSYM-03 2003* A85-A88 vol.1
- Chen Wen-Hui**, see Wei-Zen Chen, *RFIC-03 2003* 599-602
- Chen Xiyang**, see Nabat, B., *T-MTT Oct 03* 2063-2072
- Chenyan Song**, see Shiroma, G.S., *MWSYM-03 2003* 1685-1688 vol.3
- Chen Yi-Ru**, see Cheng-Chung Chen, *T-MTT Jan 03* 120-131
- Chen Yung-Hui**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Chen Zhi Ning**, see Ning Yang, *MWSYM-03 2003* 535-538 vol.1
- Chen Zhizhang**, see Chenghao Yuan, *MWSYM-03 2003* 1133-1136 vol.2
- Chen Zhizhang**, see Chenghao Yuan, *T-MTT Aug 03* 1929-1938
- Cheon Changyul**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Cheon Changyul**, see Wooyeol Choi, *MWSYM-03 2003* 881-884 vol.2
- Cheon Changyul**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Cheon Sang-Hoon**, see Hyun-Min Park, *MWSYM-03 2003* 691-694 vol.2
- Cheon-Soo Kim**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Cherepko, S.V.**, and J.C.M. Hwang. Implementation of NQS effects in large-signal BJT models; *MWSYM-03 2003* 647-650 vol.2
- Cherepko, S.V.**, and J.C.M. Hwang. Implementation of nonquasi-static effects in compact bipolar transistor models; *T-MTT Dec 03* 2531-2537
- Cherng-Cherng Liu**, see Jia-Liang Chen, *MWSYM-03 2003* 1275-1278 vol.2
- Chernyakov, A.**, see Heyen, J., *MWSYM-03 2003* 1041-1044 vol.2
- Chernyakov, A.**, see Heyen, J., *T-MTT Dec 03* 2589-2596
- Cheung Chun-Tung**, see Chun-Tung Cheung, *MWSYM-03 2003* 1863-1866 vol.3
- Cheung Tang Wai**, see Ming Yu, *MWSYM-03 2003* 929-932 vol.2
- Chew Siou Teck**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Chew Siou Teck**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Chia, M.Y.W.**, see Ning Yang, *MWSYM-03 2003* 535-538 vol.1
- Chia, Y.T.**, see Yang, M.T., *MWSYM-03 2003* 1283-1286 vol.2
- Chia, Y.T.**, see Yang, M.T., *RFIC-03 2003* 369-372
- Chia-Long Wu**, see Yeong-Lin Lai, *RFIC-03 2003* 351-354
- Chiang, K.**, see Yeong-Lin Lai, *RFIC-03 2003* 351-354
- Chiang Yi-Chyun**, see Wei-Shin Tung, *T-MTT Jul 03* 1852-1856
- Chiarillo, T.**, see Filoramo, P., *RFIC-03 2003* 413-416
- Chiarulli, D.M.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Chien, S.C.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Chien, S.C.**, see Huang, C.H., *RFIC-03 2003* 373-376
- Chien-Chang Huang**, and Han-Ting Pai. A recursive scheme for MESFET nonlinear current coefficient evaluation applied in Volterra-series analysis; *MWSYM-03 2003* 463-466 vol.1
- Chien-Chih Ho**, Chin-Wei Kuo, Chao-Chih Hsiao, and Yi-Jen Chan. A fully integrated class-E CMOS amplifier with a class-F driver stage; *RFIC-03 2003* 211-214
- Chien-I Chou**, see Ming-Dou Ker, *RFIC-03 2003* 115-118
- Chien-Ming Lee**, see Ming-Dou Ker, *RFIC-03 2003* 115-118
- Chien-Ping Lee**, see Kuen Yu Huang, *T-MTT Oct 03* 2055-2062
- Chiesa, J.**, see Gao, X., *MWSYM-03 2003* 729-732 vol.2
- Chih-Ming Hung**, see Staszewski, R.B., *RFIC-03 2003* 81-84
- Chih-Ming Hung**, see Staszewski, R.B., *T-MTT Nov 03* 2154-2164
- Chih-Ming Tsai**, Sheng-Yuan Lee, and Hong-Ming Lee. Transmission-line filters with capacitively loaded coupled lines; *T-MTT May 2003* 1517-1524
- Chi-Ho Chang**, Hsien-Shun Wu, Jay Yang, and C.-K.C. Tzuang. Coalesced single-input single-output dual-band filter; *MWSYM-03 2003* 511-514 vol.1
- Chi Hou Chan**, see Tsz Yin Yum, *MWSYM-03 2003* 87-90 vol.1
- Chi Hou Chan**, see Quan Xue, *T-MTT May 2003* 1449-1454
- Chi-Hsueh Wang**, Yo-Shen Lin, Huei Wang, and Chun Hsiung Chen. A Q-band uniplanar MMIC diode mixer with lumped-element coplanar waveguide-to-slotline transition; *MWSYM-03 2003* 103-106 vol.1
- Chi-Hsueh Wang**, Huei Wang, and Chun Hsiung Chen. A full-wave analysis model for uniplanar circuits with lumped elements; *T-MTT Jan 03* 207-215
- Chih-Yuan Lee**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Chin, A.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Chin, A.**, see Huang, C.H., *MWSYM-03 2003* 507-510 vol.1
- Chin, A.**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Chin, A.**, see Huang, C.H., *RFIC-03 2003* 373-376
- Chin, A.**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Ching-Wen Hsue**, see Te-Wen Pan, *T-MTT Apr 03* 1298
- Ching-Wen Tang**, Yin-Ching Lin, and Chi-Yang Chang. Realization of transmission zeros in combline filters using an auxiliary inductively coupled ground plane; *T-MTT Oct 03* 2112-2118
- Ching-Ying Cheng**, see Ziolkowski, R.W., *MWSYM-03 2003* 203-206 vol.1
- Chin-Hsin Kao**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Chin-Hsiung Chen**, see Shih-Ming Wang, *MWSYM-03 2003* 63-66 vol.1
- Chini, A.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Chin-Wei Kuo**, see Chien-Chih Ho, *RFIC-03 2003* 211-214
- Chio Tan-Huat**, see Bui, L.A., *MWSYM-03 2003* 1291-1294 vol.2
- Chi Shih Chang**, see Janezic, M.D., *T-MTT Jan 03* 132-136
- Chiu Hong-Wei**, see Yo-Sheng Lin, *MWSYM-03 2003* A29-A32 vol.1
- Chiu Hong-Wei**, see Yo-Sheng Lin, *RFIC-03 2003* 543-546
- Chi-Yang Chang**, see Shih-Ming Wang, *MWSYM-03 2003* 63-66 vol.1
- Chi-Yang Chang**, see Cheng-Chung Chen, *T-MTT Jan 03* 120-131
- Chi-Yang Chang**, see Ching-Wen Tang, *T-MTT Oct 03* 2112-2118
- Chi Yung Ho**, T.K.K. Lam, and V.N. Tran. Third generation wireless signal profiling; *MWSYM-03 2003* A25-A28 vol.1
- Chi Yung Ho**, T. Kwok, Kiu Lam, and Van Nguyen Tran. Third generation wireless signal profiling; *RFIC-03 2003* 539-542
- Cho, J.**, P. Good, M. Kamat, E. McCarthy, R. Rampmeier, W. Cops, A. El Moznine, Hiep Truong, Yong He, D. Yates, G. Taskov, Chang-hyeon Lee, Dongsoo Koh, and S. Lloyd. A dual-band tri-mode CDMA IF receiver with programmable channel-match filter; *RFIC-03 2003* 391-394
- Cho, K.J.**, J.C. Choi, J.H. Kim, B.J. Lee, N.Y. Kim, J.C. Lee, and S.P. Stapleton. An analog compensation method for asymmetric IMD characteristics of a power amplifier; *MWSYM-03 2003* 1335-1338 vol.2
- Choi, J.C.**, see Cho, K.J., *MWSYM-03 2003* 1335-1338 vol.2
- Choi Byounggi**, see Sanghoon Kang, *T-MTT Mar 03* 972-977
- Choi Chang-Soon**, see Chang-Soon Choi, *MWSYM-03 2003* 1383-1386 vol.2
- Choi Hyokjae**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Choi Jaehoon**, see Zagriadski, S.V., *T-MTT Mar 03* 744-751
- Choi Jang-Hong**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Choi Jung Han**, see Jung Han Choi, *MWSYM-03 2003* 1515-1518 vol.3
- Choi Look Law**, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
- Choi Moon-Soon**, see Sanchis, P., *MWSYM-03 2003* 1533-1536 vol.3
- Choi Wooyeol**, see Wooyeol Choi, *MWSYM-03 2003* 881-884 vol.2
- Choi Wooyeol**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Choi Woo-Young**, see Chang-Soon Choi, *MWSYM-03 2003* 1383-1386 vol.2
- Choi Yun-Seok**, see Yun-Seok Choi, *MWSYM-03 2003* 1637-1640 vol.3
- Choi Yun-Seok**, see Jun-Bo Yoon, *T-MTT Jan 03* 279-288
- Choi Yun-Seok**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Cho Jei-Won**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Cho Kyoung-Ik**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Cho Kyoung-Ik**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Chong, T.**, see Khanna, A.P.S., *MWSYM-03 2003* 717-720 vol.2
- Chongcheawchamnan, M.**, see Srisathit, S., *MWSYM-03 2003* 35-38 vol.1
- Choon, T.L.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Choon, T.L.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Choong-Ki Kim**, see Jae-Hong Chang, *RFIC-03 2003* 295-298
- Chorosinski, L.G.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Chou Chien-I**, see Ming-Dou Ker, *RFIC-03 2003* 115-118
- Choumas, E.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Chousseaud, A.**, see Avrillon, S., *T-MTT Apr 03* 1269-1273
- Chow, J.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Choy Leong Yoke**, see Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- Choy Leong Yoke**, see Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Chua Lye Heng**, see Lye Heng Chua, *MWSYM-03 2003* 937-940 vol.2
- Chua Lye Heng**, see Lye Heng Chua, *T-MTT Mar 03* 978-985
- Chuang Huey-Ru**, see Yuan-Kai Chu, *RFIC-03 2003* 221-224
- Chul Dong Kim**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Chul Dong Kim**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Chull Chai Shin**, see Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Chul Lee Young**, see Young Chul Lee, *MWSYM-03 2003* 2027-2030 vol.3
- Chul Soon Park**, see Young Chul Lee, *MWSYM-03 2003* 2027-2030 vol.3
- Chung-Chi Huang**, see Houfei Chen, *T-MTT Mar 03* 818-829
- Chun Geik Tan** A high-performance low-power CMOS double-balanced IQ down-conversion mixer for 2.45-GHz ISM band applications; *RFIC-03 2003* 457-460
- Chung-Han Kim**, see Chang-Kun Park, *MWSYM-03 2003* A157-A160 vol.1
- Chung-Han Kim**, see Chang-Kun Park, *RFIC-03 2003* 671-674
- Chung-Hsu Chen**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Chung-Hsun Wu**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Chung Po-Shuen**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Chung-Rung Lee**, see Jean-Fu Kiang, *T-MTT May 2003* 1496-1505
- Chung Young-seek**, see Young-seek Chung, *MWSYM-03 2003* 981-984 vol.2

- Chung Young-Seek**, see Young-Seek Chung, *T-MTT Mar 03* 697-704
- Chung Younkyu**, see Younkyu Chung, *T-MTT Feb 03* 653-659
- Chung Yun-Ho**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Chun Hsiung Chen**, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
- Chun Hsiung Chen**, see Chun-Lin Liao, *T-MTT Jan 03* 200-206
- Chun Hsiung Chen**, see Chi-Hsueh Wang, *T-MTT Jan 03* 207-215
- Chun Hsiung Chen**, see Jean-Fu Kiang, *T-MTT May 2003* 1496-1505
- Chun-Lin Liao**, and Chun Hsiung Chen. A novel coplanar-waveguide directional coupler with finite-extent backed conductor; *T-MTT Jan 03* 200-206
- Chun-Pang Wu**, and Hen-Wai Tsao. A 110 MHz 84 dB CMOS programmable gain amplifier with RSSI; *MWSYM-03 2003* A125-A128 vol.1
- Chun-Pang Wu**, and Hen-Wai Tsao. A 110 MHz 84 dB CMOS programmable gain amplifier with RSSI; *RFIC-03 2003* 639-642
- Chun-Tung Cheung**, R. Tsai, R. Kagiwada, and D.B. Rutledge. V-band transmission and reflection grid amplifier packaged in waveguide; *MWSYM-03 2003* 1863-1866 vol.3
- Chun-Wen Huang**, G.S. Dow, Jianwen Bao, S. Kuran, and J. Sercu. Multiple-chip module design optimizations using a novel layout parameterization technique; *MWSYM-03 2003* A73-A76 vol.1
- Chunxiang Zhu**, see Huang, C.H., *MWSYM-03 2003* 507-510 vol.1
- Chunxiang Zhu**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Chun Young-Hoon**, see Jae-Ryong Lee, *MWSYM-03 2003* 1747-1750 vol.3
- Chu Tah-Hsiung**, see Shih-Chieh Yen, *MWSYM-03 2003* 2169-2172 vol.3
- Chu Tah-Hsiung**, see Hsin-Chia Lu, *T-MTT May 2003* 1525-1533
- Chu Yuan-Kai**, see Yuan-Kai Chu, *RFIC-03 2003* 221-224
- Ciampolini, P.**, see Verducci, L., *MWSYM-03 2003* 2085-2088 vol.3
- Cibiel, G.**, see Sie, M., *MWSYM-03 2003* A165-A168 vol.1
- Cibiel, G.**, see Sie, M., *RFIC-03 2003* 679-682
- Cibiel, G.**, see Wong, W., *RFIC-03 2003* 281-284
- Cicchetti, R.**, see Bernardi, P., *MWSYM-03 2003* 403-406 vol.1
- Cicchetti, R.**, see Bernardi, P., *T-MTT Dec 03* 2409-2417
- Cidronali, A.**, K.C. Gupta, J. Jargon, K.A. Remley, D. DeGroot, and G. Manes. Extraction of conversion matrices for P-HEMTs based on vectorial large-signal measurements; *MWSYM-03 2003* 777-780 vol.2
- Cidronali, A.**, G. Leuzzi, G. Manes, and F. Giannini. Physical/electromagnetic pHEMT modeling; *T-MTT Mar 03* 830-838
- Cidronali, A.**, V. Nair, G. Collodi, J.H. Lewis, M. Camprini, G. Manes, and H. Goronkin. MMIC applications of heterostructure interband tunnel devices; *T-MTT Apr 03* 1351-1367
- Cihlar, J.**, see Amari, S., *MWSYM-03 2003* 543-546 vol.1
- Cipriani, S.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Cipriani, S.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Cismaru, A.**, see Sajin, G., *MWSYM-03 2003* 1271-1274 vol.2
- Coakley, K.J.**, J.D. Splett, M.D. Janezic, and R.F. Kaiser. Estimation of Q-factors and resonant frequencies; *T-MTT Mar 03* 862-868
- Coffie, R.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Cognata, A.**, see Iwamoto, M., *MWSYM-03 2003* 635-638 vol.2
- Cogollos, S.**, see Morro, J.V., *MWSYM-03 2003* 1215-1218 vol.2
- Cogollos, S.**, S. Marini, P. Soto, H. Esteban, J.V. Morro, V.E. Boria, and B. Gimeno. Modal computation of arbitrary waveguides composed of linear, circular and elliptical arcs; *MWSYM-03 2003* 2065-2068 vol.3
- Cogollos, S.**, S. Marini, V.E. Boria, P. Soto, A. Vidal, H. Esteban, J.V. Morro, and B. Gimeno. Efficient modal analysis of arbitrarily shaped waveguides composed of linear, circular, and elliptical arcs using the BI-RME method; *T-MTT Dec 03* 2378-2390
- Cojocar, V.**, and F. Sischka. Non-linear modelling of microwave PIN diode switches for harmonic and intermodulation distortion simulation; *MWSYM-03 2003* 655-658 vol.2
- Cola, A.**, see Nabet, B., *T-MTT Oct 03* 2063-2072
- Colantonio, P.**, A. Ferrero, F. Giannini, E. Limiti, and V. Teppati. Harmonic load/source pull strategies for high efficiency PAs design; *MWSYM-03 2003* 1807-1810 vol.3
- Collado, A.**, J.M. Collantes, L. De la Fuente, N. Oregi, L. Perea, and M. Sayed. Combined analysis of systematic and random uncertainties for different noise-figure characterization methodologies; *MWSYM-03 2003* 1419-1422 vol.2
- Collado, C.**, see Mateu, J., *MWSYM-03 2003* 547-550 vol.1
- Collantes, J.M.**, see Collado, A., *MWSYM-03 2003* 1419-1422 vol.2
- Collodi, G.**, see Cidronali, A., *T-MTT Apr 03* 1351-1367
- Colomb, F.Y.**, and A. Platzker. 2 and 4 watt Ka-band GaAs PHEMT power amplifier MMICs; *MWSYM-03 2003* 843-846 vol.2
- Colomines, S.**, see Guenais, M., *RFIC-03 2003* 185-188
- Come, B.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- Conciauro, G.**, P. Arcioni, and M. Bressan. Integral equations and state variables in the sdomain modeling of passive multilayered components; *MWSYM-03 2003* 1963-1966 vol.3
- Conciauro, G.**, see Bozzi, M., *MWSYM-03 2003* 1975-1978 vol.3
- Conciauro, G.**, P. Arcioni, and M. Bressan. State-space integral-equation method for the Sdomain modeling of planar circuits on semiconducting substrates; *T-MTT Dec 03* 2315-2326
- Connelly, J.A.**, see Ye-Ming Li, *MWSYM-03 2003* A113-A116 vol.1
- Connelly, J.A.**, see Ye-Ming Li, *RFIC-03 2003* 627-630
- Coppola, F.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Coppola, F.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Cops, W.**, see Cho, J., *RFIC-03 2003* 391-394
- Corral, J.L.**, see Vidal, B., *MWSYM-03 2003* 159-162 vol.1
- Corral, J.L.**, see Sanchis, P., *MWSYM-03 2003* 1533-1536 vol.3
- Corral, J.L.**, see Vidal, B., *MWSYM-03 2003* 1399-1402 vol.2
- Cosentino, S.**, see Filoramo, P., *RFIC-03 2003* 413-416
- Coskun, A.H.**, and S. Demir. A mathematical characterization and analysis of a feedforward circuit for CDMA applications; *T-MTT Mar 03* 767-777
- Costanzo, A.**, see Rizzoli, V., *MWSYM-03 2003* 9-12 vol.1
- Coupez, J.P.**, see Goron, E., *MWSYM-03 2003* 1599-1602 vol.3
- Cousin, J.C.**, see Benlarbi-Dela, A., *MWSYM-03 2003* 623-626 vol.1
- Coustou, A.**, D. Dubuc, J. Graffeuil, E. Tournier, O. Llopis, C. Boulanger, R. Plana, and I. Telliez. Monolithic millimeterwave frequency tripler using a 0.35 μm BiCMOS SiGe technology; *RFIC-03 2003* 487-490
- Craciunoiu, F.**, see Sajin, G., *MWSYM-03 2003* 1271-1274 vol.2
- Cressler, J.D.**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Cressler, J.D.**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Critchlow, J.**, see Benham, J.R., *MWSYM-03 2003* 1163-1166 vol.2
- Critchlow, J.L.**, see Benham, J.R., *T-MTT Dec 03* 2597-2603
- Crockett, D.E.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Cros, D.**, see Paillot, T., *MWSYM-03 2003* 1755-1758 vol.3
- Cros, F.**, see Pinel, S., *MWSYM-03 2003* 1497-1500 vol.3
- Crowe, T.W.**, see Haiyong Xu, *MWSYM-03 2003* 2031-2034 vol.3
- Crowley, T.P.**, E.A. Donley, T.P. Heaven, J.R. Juroshek, and B.F. Riddle. Development of a quantum based microwave power measurement; *MWSYM-03 2003* 1427-1430 vol.2
- Cui Tie Jun**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Cui Tie Jun**, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Cui Tie Jun**, see Feng Xu, *T-MTT Nov 03* 2221-2227
- Culver, J.**, see Vincent, P., *MWSYM-03 2003* 1905-1908 vol.3
- Curcio, D.**, see Hoag, D., *MWSYM-03 2003* 255-258 vol.1
- Curry, C.R.** How to calibrate through balun transformers to accurately measure balanced systems; *T-MTT Mar 03* 961-965
- Curtice, W.R.**, V.M. Hietala, E. Gebara, and J. Laskar. The thermal gain effect in GaAs-based HBTs; *MWSYM-03 2003* 639-641 vol.2
- Cwikla, A.**, M. Mrozowski, and M. Rewienski. Finite-difference analysis of a loaded hemispherical resonator; *T-MTT May 2003* 1506-1511

D

- Dae-Hyun Kim**, see Chang-Soon Choi, *MWSYM-03 2003* 1383-1386 vol.2
- da Fonseca Silva, P.H.**, see Fernandes, E.N.R.Q., *MWSYM-03 2003* 181-184 vol.1
- Da Gang Fang**, see Yan Ding, *T-MTT Mar 03* 928-934
- Dahlstrom, M.**, see Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2
- Dal Ahn**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Dale, C.**, see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Dambrine, G.**, see Eric Rius, *T-MTT Mar 03* 784-791
- Dan An**, Sung Chan Kim, Woo Suk Sul, Hyo Jong Han, Han Shin Lee, Won Young Uhm, Hyung Moo Park, Sam Dong Kim, Dong Hoon Shin, and Jin Koo Rhee. High conversion gain V-band quadruple subharmonic mixer using cascode structure; *MWSYM-03 2003* 911-914 vol.2
- Dan An**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Danesh, M.**, F. Gruson, P. Abele, and H. Schumacher. Differential VCO and frequency tripler using SiGe HBTs for the 24 GHz ISM band; *RFIC-03 2003* 277-280
- Daniel, M.**, see Krowne, C.M., *MWSYM-03 2003* 309-312 vol.1
- Danly, B.G.**, see Qiu, J., *MWSYM-03 2003* 1659-1662 vol.3
- Danly, B.G.**, see Qiu, J.X., *T-MTT Aug 03* 1911-1919
- Dao-Xian Xu**, see Ban-Leong Ooi, *RFIC-03 2003* 259-262
- Dardenne, S.**, C. Duvanaud, F. Robin, F. Huin, J.-M. Paillot, and R. Allam. Cancellation of third order intermodulation currents in a two-stages amplifier topology; *MWSYM-03 2003* A193-A196 vol.1

- Dardenne, S.**, C. Duvaud, F. Robin, F. Huin, J.-M. Paillot, and R. Allam. Cancellation of third order intermodulation currents in a two-stage amplifier topology; *RFIC-03 2003* 707-710
- Daryoush, A.S.**, see Tofighi, M.R., *MWSYM-03 2003* 2173-2176 vol.3
- Daryoush, A.S.**, A.E. Fathy, M. Madihian, and A. Rosen. Guest editorial [special issue intro. on 2003 International Microwave Symposium]; *T-MTT Dec 03* 2663-2268
- Das, A.**, see Rachedine, M., *RFIC-03 2003* 77-80
- d'Assuncao, A.G.**, see Fernandes, E.N.R.Q., *MWSYM-03 2003* 181-184 vol.1
- Daumiller, I.**, see Kohn, E., *T-MTT Feb 03* 634-642
- D'Avanzo, D.C.**, see Iwamoto, M., *MWSYM-03 2003* 635-638 vol.2
- Davare, A.J.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Davies, G.**, and E. Linfield. Terahertz quantum cascade lasers; *MWSYM-03 2003* 743-746 vol.2
- Davis, B.**, see Reece, M.A., *MWSYM-03 2003* 615-618 vol.1
- Davis, B.**, C. White, M.A. Reece, M.E. Bayne, Jr., W.L. Thompson, II, N.L. Richardson, and L. Walker, Jr. Dynamically configurable pHEMT model using neural networks for CAD; *MWSYM-03 2003* 177-180 vol.1
- Davis, C.C.**, see Edwards, C.L., *MWSYM-03 2003* 2101-2104 vol.3
- Davis, J.H.**, see Thompson, D.A., *T-MTT Oct 03* 2073-2078
- Davis, L.E.**, see Lian Yuh Tio, *MWSYM-03 2003* 421-424 vol.1
- Davis, L.E.**, see Mok, V.H., *MWSYM-03 2003* 2249-2252 vol.3
- Davis, L.E.**, see Akyol, A.S., *T-MTT May 2003* 1476-1481
- Davis, L.E.**, see Mok, V.H., *T-MTT Dec 03* 2453-2460
- Davis, M.F.**, S.-W. Yoon, S. Pinel, K. Lim, and J. Laskar. Liquid crystal polymer-based integrated passive development for RF applications; *MWSYM-03 2003* 1155-1158 vol.2
- Davis, W.A.**, see Cantrell, W.H., *MWSYM-03 2003* 1721-1724 vol.3
- Dawe, E.**, see Point, R., *RFIC-03 2003* 431-434
- Dawe, G.**, see Point, R., *RFIC-03 2003* 431-434
- Dawson, D.**, see Gaier, T., *MWSYM-03 2003* 2245-2248 vol.3
- Dawson, D.**, T. Gaier, R. Raja, M. Nishimoto, R. Lai, and M. Wells. Cryogenic measurements of 183 GHz MMIC low noise amplifiers; *MWSYM-03 2003* 1585-1587 vol.3
- Dec, A.**, K. Suyama, Y. Kimura, and T. Ichinose. A Widlar-bandgap based intermediate-frequency voltage-controlled oscillator for GSM/DCS transceiver ICs; *MWSYM-03 2003* A121-A124 vol.1
- Dec, A.**, K. Suyama, Y. Kimura, and T. Ichinose. A Widlar-bandgap based intermediate-frequency voltage-controlled oscillator for GSM/DCS transceiver ICs; *RFIC-03 2003* 635-638
- de Carvalho, N.B.**, see Lavrador, P.M., *MWSYM-03 2003* 2137-2140 vol.3
- de Cos, E.**, F. Ramirez, and A. Suarez. Multi-harmonic generator based on the synchronization of a nonlinear bipolar oscillator; *MWSYM-03 2003* 2177-2180 vol.3
- de Cos, M.E.**, see Ramirez, F., *T-MTT Jun 03* 1752-1762
- Decoutre, S.**, see Carchon, G., *MWSYM-03 2003* 1287-1290 vol.2
- De Flaviis, F.**, see Gye-An Lee, *MWSYM-03 2003* 527-530 vol.1
- De Flaviis, F.**, see Cetiner, B.A., *MWSYM-03 2003* 1711-1714 vol.3
- De Flaviis, F.**, see Gye-An Lee, *MWSYM-03 2003* A189-A192 vol.1
- De Flaviis, F.**, see Gye-An Lee, *RFIC-03 2003* 703-706
- De Flaviis, F.**, see Cetiner, B.A., *T-MTT Jan 03* 332-335
- DeGroot, D.**, see Cidronali, A., *MWSYM-03 2003* 777-780 vol.2
- Dehan, M.**, J.-P. Raskin, I. Huynen, and D. Vanhoenacker-Janvier. An improved multiline analysis for monolithic inductors; *T-MTT Jan 03* 100-108
- Dehghani, R.**, and S.M. Atarodi. A low power wideband 2.6GHz CMOS injection-locked ring oscillator prescaler; *MWSYM-03 2003* A145-A148 vol.1
- Dehghani, R.**, and S.M. Atarodi. A low power wideband 2.6 GHz CMOS injection-locked ring oscillator prescaler; *RFIC-03 2003* 659-662
- Deias, L.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- De la Fuente, L.**, see Collado, A., *MWSYM-03 2003* 1419-1422 vol.2
- de La Grandiere, D.**, see Dellier, S., *MWSYM-03 2003* 1347-1350 vol.2
- Deleniv, A.**, M. Gashinova, A. Eriksson, and A. Khalabuhov. Novel band-pass filter utilizing S-shaped slot line resonators; *MWSYM-03 2003* 1081-1084 vol.2
- Deleniv, A.**, S. Abadei, and S. Gevorgian. Tunable ferroelectric filter-phase shifter; *MWSYM-03 2003* 1267-1270 vol.2
- Deleniv, A.**, T. Hu, H. Jantunen, S. Leppavuori, and S. Gevorgian. Tunable ferroelectric components in LTCC technology; *MWSYM-03 2003* 1997-2000 vol.3
- Deleniv, A.N.**, M.S. Gashinova, and I.B. Vendik. SDA full-wave analysis of boxed multistrip superconducting lines of finite thickness embedded in a layered lossy medium; *T-MTT Jan 03* 74-81
- Deligoz, I.**, see Abedinpour, S., *RFIC-03 2003* 603-606
- Deligoz, K.**, see Abedinpour, S., *MWSYM-03 2003* A89-A92 vol.1
- Dellier, S.**, F. Blache, M. Campovecchio, D. de La Grandiere, S. Vuye, R. Quere, and J.R. Burie. 40 GHz MMIC driver of electro-absorption modulator for high-speed optical pulse generation; *MWSYM-03 2003* 1347-1350 vol.2
- De los Reyes, E.**, see Canos, A.J., *MWSYM-03 2003* 1823-1825 vol.3
- de los Reyes Davo, E.**, see Catala-Civera, J.M., *T-MTT Jan 03* 16-24
- de Maagt, P.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- de Maagt, P.**, see Bolivar, P.H., *T-MTT Apr 03* 1062-1066
- de Melo, M.A.B.**, see Fernandes, E.N.R.Q., *MWSYM-03 2003* 181-184 vol.1
- De Meyer, S.**, C. Charbonniaud, R. Quere, A. Campovecchio, R. Lossy, and J. Wurfl. Mechanism of power density degradation due to trapping effects in AlGaIn/GaN HEMTs; *MWSYM-03 2003* 455-458 vol.1
- Demidov, V.E.**, B.A. Kalinikos, S.F. Karmanenko, A.A. Semenov, and P. Edenhofer. Electrical tuning of dispersion characteristics of surface electromagnetic-spin waves propagating in ferrite-ferroelectric layered structures; *T-MTT Oct 03* 2090-2096
- Demir, S.**, see Coskun, A.H., *T-MTT Mar 03* 767-777
- Demir, V.**, see Rautio, J.C., *T-MTT Mar 03* 915-921
- DeNatale, J.F.**, see Tan, G.L., *MWSYM-03 2003* 1477-1480 vol.3
- DeNatale, J.F.**, see Guan-Leng Tan, *T-MTT Jan 03* 297-304
- DeNatale, J.F.**, see Hacker, J.B., *T-MTT Jan 03* 305-308
- DeNatale, J.F.**, see Borwick, R.L., III, *T-MTT Jan 03* 315-319
- DenBaars, S.P.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Den Dekker, A.**, see Valletta, E., *MWSYM-03 2003* 1235-1238 vol.2
- Deng Der-Sheng**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Deng Kuo-Liang**, see Kuo-Liang Deng, *RFIC-03 2003* 325-328
- Deng Kuo-Liang**, see Ren-Chieh Liu, *RFIC-03 2003* 103-106
- Deng Kuo-Liang**, see Kuo-Liang Deng, *T-MTT Apr 03* 1257-1261
- Deng Kuo-Liang**, see Kuo-Liang Deng, *T-MTT Nov 03* 2188-2196
- Dengpeng Chen**, Zhongxiang Shen, and Zhenhai Shao. Coupled mode analysis of multi-conductor transmission lines including backward coupling; *MWSYM-03 2003* 817-820 vol.2
- Depine, R.A.**, see Inchaussandague, M.E., *T-MTT Jun 03* 1691-1695
- De Raedt, W.**, see Carchon, G., *MWSYM-03 2003* 1151-1154 vol.2
- De Raedt, W.**, see Carchon, G., *MWSYM-03 2003* 1287-1290 vol.2
- De Raedt, W.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- De Roo, R.**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Der-Sheng Deng**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Desai, J.**, see Abedinpour, S., *MWSYM-03 2003* A89-A92 vol.1
- Desai, J.**, see Abedinpour, S., *RFIC-03 2003* 603-606
- Deslandes, D.**, M. Bozzi, P. Arcioni, and Ke Wu. Substrate integrated slab waveguide (SISW) for wideband microwave applications; *MWSYM-03 2003* 1103-1106 vol.2
- Deslandes, D.**, see Bozzi, M., *MWSYM-03 2003* 1975-1978 vol.3
- Desmaris, V.**, see Andersson, K., *MWSYM-03 2003* 1303-1306 vol.2
- Detout, S.**, see Imbs, E., *MWSYM-03 2003* 1569-1572 vol.3
- Devabhaktuni, V.K.**, see Cao, Y., *MWSYM-03 2003* 165-168 vol.1
- Devabhaktuni, V.K.**, see Qi-Jun Zhang, *T-MTT Apr 03* 1339-1350
- Devabhaktuni, V.K.**, B. Chattaraj, M.C.E. Yagoub, and Qi-Jun Zhang. Advanced microwave modeling framework exploiting automatic model generation, knowledge neural networks, and space mapping; *T-MTT Jul 03* 1822-1833
- Deval, Y.**, see Begueret, J.-B., *RFIC-03 2003* 313-316
- Deval, Y.**, see Taris, T., *RFIC-03 2003* 123-126
- Deval, Y.**, see Taris, T., *RFIC-03 2003* 465-468
- DeVincentis, M.**, and T. Itoh. A 40 GHz communication link with IF-assisted self-heterodyne direct down conversion; *MWSYM-03 2003* 91-94 vol.1
- De Vita, P.**, see Filoramo, P., *RFIC-03 2003* 413-416
- de Vreede, L.C.N.**, see van der Heijden, M.P., *MWSYM-03 2003* 235-238 vol.1
- de Vreede, L.C.N.**, see Valletta, E., *MWSYM-03 2003* 1235-1238 vol.2
- Dew-Hughes, D.**, see Nurgaliev, T., *T-MTT Jan 03* 33-40
- Dexter, J.L.**, see Funk, E.E., *MWSYM-03 2003* 269-272 vol.1
- D'Halleweyn, N.**, see Mistry, K., *RFIC-03 2003* 471-474
- Dia, R.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Diaz, R.**, and I. Scherbatko. A new radiation boundary condition for FDTD based on self-teleportation of fields; *MWSYM-03 2003* 2073-2076 vol.3
- Diaz-Morcillo, A.B.**, J.V. Balbastre, and L. Nuno. New recovery error indicator for adaptive finite-element analysis on waveguiding structures; *T-MTT May 2003* 1467-1475
- Di Bin, P.**, see Gouraud, H., *MWSYM-03 2003* 1355-1358 vol.2
- Dick, C.**, see Harris, F.J., *T-MTT Apr 03* 1395-1412
- Diels, W.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- Diet, A.**, see Baudoin, G., *MWSYM-03 2003* 2149-2152 vol.3

- Dillon, B.M.**, see Lian Yuh Tio, *MWSYM-03 2003* 421-424 vol.1
- Dim-Lee Kwong**, see Huang, C.H., *MWSYM-03 2003* 507-510 vol.1
- Dim-Lee Kwong**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Dim-Lee Kwong**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Ding, R.T.**, see Cao, Y., *MWSYM-03 2003* 165-168 vol.1
- Ding Mei Kim**, see McCorquodale, M.S., *MWSYM-03 2003* A21-A24 vol.1
- Ding Mei Kim**, see McCorquodale, M.S., *RFIC-03 2003* 535-538
- Ding Runtao**, see Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
- Ding Runtao**, see Jianjun Xu, *T-MTT Jan 03* 226-237
- Ding Yan**, see Yan Ding, *T-MTT Mar 03* 928-934
- Din-Kow Sun**, Jin-Fa Lee, and Z. Cendes. The transfinite-element time-domain method; *T-MTT Oct 03* 2097-2105
- D'Inzeo, G.**, see Apollonio, F., *MWSYM-03 2003* 1431-1434 vol.2
- Djahanshahi, H.**, see Saniei, N., Jr., *RFIC-03 2003* 269-272
- Djordjevic, A.R.**, A.G. Zajic, A.S. Stekovic, M.M. Nikolic, Z.A. Maricevic, and M.F.C. Schemmann. On a class of low-reflection transmission-line quasi-Gaussian low-pass filters and their lumped-element approximations; *T-MTT Jul 03* 1871-1877
- Dodo, H.**, Y. Aoki, N. Hayama, M. Fujii, Y. Yamaguchi, Y. Sasaki, H. Ohba, and H. Hida. A low-power and variable-gain transceiver front-end chip for 5-GHz-band WLAN applications; *MWSYM-03 2003* 1559-1562 vol.3
- Dogan, N.S.**, see Zencir, E., *MWSYM-03 2003* 555-558 vol.1
- Dogan, N.S.**, see Zencir, E., *RFIC-03 2003* 111-114
- Dogaru, T.**, see Xianyang Zhu, *T-MTT Sep 03* 2015-2022
- Dokas, V.**, see Ming Yu, *MWSYM-03 2003* 929-932 vol.2
- Dokas, V.**, see Yu, M., *T-MTT Dec 03* 2505-2515
- Domino, W.**, see Ngompe, E., *RFIC-03 2003* 387-390
- Donelli, M.**, see Caorsi, S., *T-MTT Apr 03* 1162-1173
- Dong Hoon Shin**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Dong-Hoon Shin**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Dong-Hyun Baek**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Dong-Hyun Baek**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Donghyun Baek**, Junggun Kim, Dongwoo Kang, and Songcheol Hong. Low phase noise Ku band frequency multiplied and divided MMIC VCOs using InGaP/GaAs HBT technology; *MWSYM-03 2003* 2193-2196 vol.3
- Donghyun Baek**, Taeksang Song, Sangsoo Ko, Euisik Yoon, and Songcheol Hong. Analysis on resonator coupling and its application to CMOS quadrature VCO at 8 GHz; *RFIC-03 2003* 85-88
- Dongki Kim**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Dong Kim Chul**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Dong Kim Chul**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Dong Kim Sam**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Dong Limin**, see Aosheng Rong, *MWSYM-03 2003* 1959-1962 vol.3
- Dong-Pil Chang**, In-Bok Yom, and Seung-Pal Lee. Development of a receiver downconverter module for Ka-band satellite payload; *MWSYM-03 2003* 1589-1592 vol.3
- Dong-Sik Woo**, see Kang Wook Kim, *MWSYM-03 2003* 1115-1118 vol.2
- Dongsoo Koh**, see Cho, J., *RFIC-03 2003* 391-394
- Dongsu Kim**, see Yong-Kyu Yoon, *MWSYM-03 2003* 1989-1992 vol.3
- Dong-Woo Kang**, Dong-Hyun Baek, Sang-Hoon Jeon, Jae-Woo Park, and Songcheol Hong. A miniaturized Kband balanced frequency doubler using InGaP HBT technology; *MWSYM-03 2003* 107-110 vol.1
- Dongwoo Kang**, see Donghyun Baek, *MWSYM-03 2003* 2193-2196 vol.3
- Dongwoo Suh**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Dongwoo Suh**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Donley, E.A.**, see Crowley, T.P., *MWSYM-03 2003* 1427-1430 vol.2
- Donnay, S.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- Donoghue, D.**, see Point, R., *RFIC-03 2003* 431-434
- Dorschky, C.**, see Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Dosanji, S.**, W. Kung, T. Manku, and C. Snyder. Local oscillator generation scheme in 0.18 μm CMOS for low-IF and direct conversion architectures; *RFIC-03 2003* 299-302
- Dow, G.S.**, see Chun-Wen Huang, *MWSYM-03 2003* A73-A76 vol.1
- Dow, G.S.**, see Huang, C.-W.P., *RFIC-03 2003* 587-590
- Dow-Chih Niu**, see Kun-You Lin, *T-MTT Apr 03* 1076-1085
- Dragon, C.**, see Brech, H., *MWSYM-03 2003* 209-212 vol.1
- Dragon, C.**, W. Brakensiek, D. Burdeaux, W. Burger, G. Funk, M. Hurst, and D. Rice. 200W push-pull & 110W single-ended high performance RF-LDMOS transistors for WCDMA basestation applications; *MWSYM-03 2003* 69-72 vol.1
- Dragnone, J.**, see Katz, A., *MWSYM-03 2003* 1403-1406 vol.2
- Draskovic, D.**, see Huff, B., *RFIC-03 2003* 173-176
- Draxler, P.**, I. Langmore, T.P. Hung, and P.M. Asbeck. Time domain characterization of power amplifiers with memory effects; *MWSYM-03 2003* 803-806 vol.2
- Dreher, A.**, see Stange, L.C., *MWSYM-03 2003* 583-586 vol.1
- Dreher, A.**, N. Niklasch, F. Klefenz, and A. Schroth. Antenna and receiver system with digital beamforming for satellite navigation and communications; *T-MTT Jul 03* 1815-1821
- Droitcour, A.D.**, O. Boric-Lubecke, V.M. Lubecke, J. Lin, and G.T.A. Kovacs. Range correlation effect on ISM band I/Q CMOS radar for non-contact vital signs sensing; *MWSYM-03 2003* 1945-1948 vol.3
- Dua, C.**, see Villard, F., *T-MTT Apr 03* 1129-1134
- Duan Yiwei**, see Haiyong Xu, *MWSYM-03 2003* 2031-2034 vol.3
- Dubuc, D.**, see Bouchriha, F., *MWSYM-03 2003* 959-962 vol.2
- Dubuc, D.**, see Coustou, A., *RFIC-03 2003* 487-490
- Duchamp, G.**, see Gouget, P., *MWSYM-03 2003* 1231-1234 vol.2
- Duchamp, J.-M.**, P. Ferrari, M. Fernandez, A. Jrad, X. Melique, Junwu Tao, S. Arscott, D. Lippens, and R.G. Harrison. Comparison of fully distributed and periodically loaded nonlinear transmission lines; *T-MTT Apr 03* 1105-1116
- Duchamp, J.-M.**, P. Ferrari, M. Fernandez, A. Jrad, X. Melique, J. Tao, S. Arscott, D. Lippens, and R.G. Harrison. Corrections to "Comparison of fully distributed and periodically loaded nonlinear transmission lines" [Apr 03 1105-1116]; *T-MTT Oct 03* 2147-2148
- Dudek, R.**, see Grant, P.D., *MWSYM-03 2003* 1395-1398 vol.2
- Duh, D.S.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Duh, D.S.**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Duh, D.S.**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Duixian Liu**, see Fong, N.H.W., *T-MTT Aug 03* 1952-1959
- Du Long-Jei**, see Wei-Cheng Lin, *RFIC-03 2003* 377-380
- Dun Li**, P.M. Meaney, and K.D. Paulsen. Conformal microwave imaging for breast cancer detection; *T-MTT Apr 03* 1179-1186
- Dunnrowicz, C.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Dunsmore, J.** New methods & non-linear measurements for active differential devices; *MWSYM-03 2003* 1655-1658 vol.3
- Duochuan Li**, see Ping Yang, *MWSYM-03 2003* 2041-2044 vol.3
- du Preez, J.A.**, see van Niekerk, C., *T-MTT Mar 03* 893-902
- Durler, M.**, see Spiegel, S., *MWSYM-03 2003* A49-A52 vol.1
- Durler, M.**, see Spiegel, S., *RFIC-03 2003* 563-566
- Durran, S.**, and M.E. Bialkowski. Simulation of the performance of smart antennas in the reverse link of CDMA system; *MWSYM-03 2003* 575-578 vol.1
- Dusopt, L.**, see Abbaspour-Tamijani, A., *MWSYM-03 2003* 1785-1788 vol.3
- Dusopt, L.**, and G.M. Rebeiz. Intermodulation distortion and power handling in RF MEMS switches, varactors, and tunable filters; *T-MTT Apr 03* 1247-1256
- Dusopt, L.**, see Abbaspour-Tamijani, A., *T-MTT Jul 03* 1878-1885
- Dustakar, K.**, and S. Berkowitz. An ultra-narrowband HTS bandpass filter; *MWSYM-03 2003* 1881-1884 vol.3
- Duster, J.**, see Rippke, I., *MWSYM-03 2003* A153-A156 vol.1
- Duster, J.**, see Rippke, I., *RFIC-03 2003* 667-670
- Dutton, R.W.**, see Jaejune Jang, *MWSYM-03 2003* 2109-2111 vol.3
- Duvanaud, C.**, see Dardenne, S., *MWSYM-03 2003* A193-A196 vol.1
- Duvanaud, C.**, see Dardenne, S., *RFIC-03 2003* 707-710
- Duvivier, E.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Duvivier, E.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Duwe, K.**, and J. Muller. Realization of a 150 GHz to 450 GHz tripler circuit based on a thin dielectric HMDS-N-membrane; *MWSYM-03 2003* 755-757 vol.2
- Dvorak, M.W.**, and C.R. Bolognesi. On the accuracy of direct extraction of the heterojunction-bipolar-transistor equivalent-circuit model parameters $C_{p,CBC}$, and R_E ; *T-MTT Jun 03* 1640-1649
- Dykstra, J.**, see Tanzi, N., *RFIC-03 2003* 141-144

E

- Eason, S.**, see Vincent, P., *MWSYM-03 2003* 1905-1908 vol.3
- Eastman, L.F.**, see Green, B.M., *T-MTT Feb 03* 618-623
- Eastman, L.F.**, see Sungjae Lee, *T-MTT May 2003* 1567-1577
- Eastman, L.F.**, see Jong-Wook Lee, *T-MTT Nov 03* 2243-2249
- Ebner, J.**, see Agoston, A., *MWSYM-03 2003* 1519-1521 vol.3
- Eccleston, K.W.**, and S.H.M. Ong. Compact planar microstripline branch-line and rat-race couplers; *T-MTT Oct 03* 2119-2125
- Edenhofer, P.**, see Demidov, V.E., *T-MTT Oct 03* 2090-2096
- Ebner, J.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Ederra, I.**, see Bolivar, P.H., *T-MTT Apr 03* 1062-1066
- Edeson, R.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Edward, B.J.**, see Zhang, A.P., *MWSYM-03 2003* 251-254 vol.1

- Edwards, C.L.**, M.L. Edwards, Sheng Cheng, R. Stilwell, and C.C. Davis. A simplified analytic CAD model for linearly tapered microstrip lines; *MWSYM-03 2003* 2101-2104 vol.3
- Edwards, M.L.**, see Edwards, C.L., *MWSYM-03 2003* 2101-2104 vol.3
- Egri, R.**, see Gresham, I., *MWSYM-03 2003* 369-372 vol.1
- Egri, R.**, see Gresham, I., *RFIC-03 2003* 505-508
- Ehlers, R.A.**, and A.C.R. Metaxas. 3-D FE discontinuous sheet for microwave heating; *T-MTT Mar 03* 718-726
- Eireiner, T.**, T. Muller, J.-F. Luy, and F. Owens. Implementation of a smart antenna system with an improved NCMA algorithm; *MWSYM-03 2003* 1529-1532 vol.3
- Eisele, H.**, see Kamoua, R., *MWSYM-03 2003* 907-910 vol.2
- Eismann, A.**, see Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Elbrecht, L.**, see Aigner, R., *MWSYM-03 2003* 2001-2004 vol.3
- Eleftheriades, G.V.**, see Islam, R., *MWSYM-03 2003* 321-324 vol.1
- Eleftheriades, G.V.**, see Iyer, A.K., *MWSYM-03 2003* 199-202 vol.1
- Eleftheriades, G.V.**, see Abhari, R., *T-MTT Jun 03* 1629-1639
- Eleftheriades, G.V.**, see Grbic, A., *T-MTT Dec 03* 2297-2305
- El-Gamal, M.N.**, see Tsang, T.K.K., *RFIC-03 2003* 89-92
- El-Ghazaly, S.M.**, see Hussein, Y.A., *MWSYM-03 2003* 17-20 vol.1
- El-Ghazaly, S.M.**, see Hussein, Y.A., *MWSYM-03 2003* 989-992 vol.2
- El-Ghazaly, S.M.**, see Hussein, Y.A., *T-MTT Jul 03* 1842-1851
- El-Ghazaly, S.M.**, see Hussein, Y.A., *T-MTT Dec 03* 2334-2346
- Eliyahu, D.**, and L. Maleki. Tunable, ultra-low phase noise YIG based optoelectronic oscillator; *MWSYM-03 2003* 2185-2187 vol.3
- Ella, J.**, see Aigner, R., *MWSYM-03 2003* 2001-2004 vol.3
- Ellinger, F.**, H. Jackel, and W. Bachtold. Varactor-loaded transmission-line phase shifter at C-band using lumped elements; *T-MTT Apr 03* 1135-1140
- Ellis, K.**, see Maestrini, A., *MWSYM-03 2003* 747-750 vol.2
- El Moznine, A.**, see Cho, J., *RFIC-03 2003* 391-394
- El Oualkadi, A.**, see Paillot, J.-M., *RFIC-03 2003* 119-122
- Elsharawy, B.**, see Aly, A.H., *MWSYM-03 2003* 1247-1250 vol.2
- ElSherbiny, M.**, see Fathy, A.E., *MWSYM-03 2003* 1833-1836 vol.3
- ElSherbiny, M.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- El-Tager, A.**, J. Bray, and L. Roy. High-Q LTCC resonators for millimeter wave applications; *MWSYM-03 2003* 2257-2260 vol.3
- Embabi, S.H.K.**, see Keliu Shu, *RFIC-03 2003* 181-184
- Emili, G.**, A. Schiavoni, M. Francavilla, L. Roselli, and R. Sorrentino. Computation of electromagnetic field inside a tissue at mobile communications frequencies; *T-MTT Jan 03* 178-186
- Engheta, N.** Metamaterials with negative permittivity and permeability: background, salient features, and new trends; *MWSYM-03 2003* 187-190 vol.1
- Engheta, N.**, see Alu, A., *MWSYM-03 2003* 313-316 vol.1
- Engheta, N.**, see McVay, J., *MWSYM-03 2003* 587-590 vol.1
- England, A.W.**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Enjun Xiao, and J.S. Yuan.** RF circuit design in reliability; *MWSYM-03 2003* A61-A64 vol.1
- Enjun Xiao, and J.S. Yuan.** RF circuit design in reliability; *RFIC-03 2003* 575-578
- Enoki, T.**, see Kosugi, T., *MWSYM-03 2003* 129-132 vol.1
- Enoki, T.**, see Sano, K., *MWSYM-03 2003* 1181-1184 vol.2
- Enoki, T.**, see Umeda, Y., *MWSYM-03 2003* 2265-2268 vol.3
- Enoki, T.**, see Ishii, K., *RFIC-03 2003* 63-66
- Enoki, T.**, see Ishii, K., *T-MTT Nov 03* 2181-2187
- Enoki, T.**, see Sano, K., *T-MTT Dec 03* 2548-2554
- Eom Soon Young.** see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Ercole, D.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Ercole, D.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Erickson, N.**, see Tong, C.-Y.E., *MWSYM-03 2003* 751-754 vol.2
- Eric Rius.** see Quendo, C., *T-MTT Mar 03* 734-743
- Eric Rius.** G. Prigent, H. Happy, G. Dambrine, S. Boret, and A. Cappy. Wide- and narrow-band bandpass coplanar filters in the W-frequency band; *T-MTT Mar 03* 784-791
- Eriksson, A.**, see Deleniv, A., *MWSYM-03 2003* 1081-1084 vol.2
- Eriksson, J.**, see Andersson, K., *MWSYM-03 2003* 1303-1306 vol.2
- Eriksson, J.**, N. Rorsman, and H. Zirath. 4H-silicon carbide Schottky barrier diodes for microwave applications; *T-MTT Mar 03* 796-804
- Eriksson, U.**, see Lewen, R., *T-MTT Apr 03* 1117-1128
- Erlandson, R.**, see Borwick, R.L., III, *T-MTT Jan 03* 315-319
- Ernst, C.**, and V. Postoyalko. Prediction of peak internal fields in direct-coupled-cavity filters; *T-MTT Jan 03* 64-73
- Eron, M.**, see Jeckeln, E.G., *MWSYM-03 2003* 1733-1736 vol.3
- Eron, M.**, E. Martony, Y. Fogel, E. Jeckeln, and M. Hrybenko. Accurate, wideband characterization and optimization of high power LDMOS amplifier memory properties; *MWSYM-03 2003* 1729-1732 vol.3
- Erro, M.J.**, see Laso, M.A.G., *T-MTT Mar 03* 705-717
- Esashi, M.**, see Hara, M., *MWSYM-03 2003* 1797-1800 vol.3
- Esteban, H.**, see Cogollos, S., *MWSYM-03 2003* 2065-2068 vol.3
- Esteban, H.**, see Morro, J.V., *MWSYM-03 2003* 1215-1218 vol.2
- Esteban, H.**, see Cogollos, S., *T-MTT Dec 03* 2378-2390
- Eswarappa, C.**, see Gresham, I., *MWSYM-03 2003* 369-372 vol.1
- Eswarappa, C.**, T. Hongmatip, N. Kinayman, R. Anderson, and B. Ziegner. A compact millimeter-wave slotted-waveguide spatial array power combiner; *MWSYM-03 2003* 1439-1442 vol.2
- Eswarappa, C.**, see Gresham, I., *RFIC-03 2003* 505-508
- Ettinger, K.**, see Stelzer, A., *MWSYM-03 2003* 893-896 vol.2
- Eube, C.**, see Steinkamp, J., *RFIC-03 2003* 483-486
- Euisik Yoon.** see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Euisik Yoon.** see Yun-Seok Choi, *MWSYM-03 2003* 1637-1640 vol.3
- Euisik Yoon.** see Donghyun Baek, *RFIC-03 2003* 85-88
- Eun-Chul Park.** Sang-Hyun Baek, Taek-Sang Song, Jun-Bo Yoon, and Euisik Yoon. Performance comparison of 5GHz VCOs integrated by CMOS compatible high Q MEMS inductors; *MWSYM-03 2003* 721-724 vol.2
- Eun-Chul Park.** Yun-Seok Choi, Jun-Bo Yoon, Songcheol Hong, and E. Yoon. Fully integrated low phase-noise VCOs with on-chip MEMS inductors; *T-MTT Jan 03* 289-296
- Ezzeddine, A.K.**, and H.C. Huang. The high voltage/high power FET (HiVP); *RFIC-03 2003* 215-218

F

- Faheem, F.F.**, N.D. Hoivik, Y.C. Lee, and K.C. Gupta. Post-enabled precision flip-chip assembly for variable MEMS capacitor; *MWSYM-03 2003* 1927-1930 vol.3
- Faheem, F.F.**, K.C. Gupta, and Y.-C. Lee. Flip-chip assembly and liquid crystal polymer encapsulation for variable MEMS capacitors; *T-MTT Dec 03* 2562-2567
- Fai Wong Man.** see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Fang, S.T.**, see Horng, T.S., *MWSYM-03 2003* 1015-1018 vol.2
- Fang, S.-T.**, see Horng, T.-S., *T-MTT Dec 03* 2327-2333
- Fang Da Gang.** see Yan Ding, *T-MTT Mar 03* 928-934
- Farrel, D.**, see Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
- Farrell, D.P.**, see Herbsommer, J.A., *MWSYM-03 2003* 213-216 vol.1
- Fathy, A.E.**, M. ElSherbiny, A. Rosen, G. Ayers, and S. Perlow. Experimental demonstration of a 35 GHz holographic antenna; *MWSYM-03 2003* 1833-1836 vol.3
- Fathy, A.E.**, A. Rosen, H.S. Owen, F. McGinty, D.J. McGee, G.C. Taylor, R. Amantea, P.K. Swain, S.M. Perlow, and M. ElSherbiny. Silicon-based reconfigurable antennas-concepts, analysis, implementation, and feasibility; *T-MTT Jun 03* 1650-1661
- Fathy, A.E.**, see Daryoush, A.S., *T-MTT Dec 03* 2663-2268
- Faugeras, P.**, see Gouraud, H., *MWSYM-03 2003* 1355-1358 vol.2
- Fear, E.C.**, J. Sill, and M.A. Stuchly. Experimental feasibility of breast tumor detection and localization; *MWSYM-03 2003* 383-386 vol.1
- Fear, E.C.**, J. Sill, and M.A. Stuchly. Experimental feasibility study of confocal microwave imaging for breast tumor detection; *T-MTT Mar 03* 887-892
- Fedder, G.K.**, see Oz, A., *MWSYM-03 2003* A97-A100 vol.1
- Fedder, G.K.**, see Oz, A., *RFIC-03 2003* 611-614
- Feigin, J.**, see Point, R., *RFIC-03 2003* 431-434
- Feldle, H.-P.**, see Schreiner, M., *MWSYM-03 2003* 567-570 vol.1
- Fende, J.R.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Feng Haigang.** see Guang Chen, *RFIC-03 2003* 347-350
- Feng Haigang.** see Haibo Long, *RFIC-03 2003* 251-254
- Feng Xu.** see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Feng Xu.** Yulin Zhang, Wei Hong, Ke Wu, and Tie Jun Cui. Finite-difference frequency-domain algorithm for modeling guided-wave properties of substrate integrated waveguide; *T-MTT Nov 03* 2221-2227
- Feng Zhenghe.** see Haibo Long, *RFIC-03 2003* 251-254
- Penk, J.**, see Stelzer, A., *MWSYM-03 2003* 893-896 vol.2
- Ferlet, M.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Fernandes, C.A.**, see Silveirinha, M.G., *T-MTT May 2003* 1460-1466
- Fernandes, E.N.R.Q.**, P.H. da Fonseca Silva, A.G. d'Assuncao, and M.A.B. de Melo. A neural network modeling of microwave circuits on PBG structures; *MWSYM-03 2003* 181-184 vol.1

- Fernandez, M.**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Fernandez, M.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Fernandez, T.**, see Ramirez, F., *MWSYM-03 2003* 2157-2160 vol.3
- Fernndahl, M.**, see Yinggang Li, *RFIC-03 2003* 99-102
- Fernhdal, M.**, see Angelov, I., *MWSYM-03 2003* 643-646 vol.2
- Ferrari, P.**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Ferrari, P.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Ferrero, A.**, see Colantonio, P., *MWSYM-03 2003* 1807-1810 vol.3
- Ferrero, A.**, see Teppati, V., *T-MTT Mar 03* 994-997
- Fetterman, H.R.**, see Jeehoon Han, *MWSYM-03 2003* 281-284 vol.1
- Figiel, M.**, see Abedinpour, S., *MWSYM-03 2003* A89-A92 vol.1
- Figiel, M.**, see Abedinpour, S., *RFIC-03 2003* 603-606
- Fikioris, G.**, see Tsalamengas, J.L., *T-MTT Jun 03* 1729-1734
- Filicori, F.**, see Florian, C., *MWSYM-03 2003* 2125-2128 vol.3
- Filoramo, P.**, A. Granata, T. Chiarillo, P. Aliberti, G. Scuderi, P. De Vita, and S. Cosentino. High linearity, low noise IF transmitter for WCDMA application; *RFIC-03 2003* 413-416
- Florian, C.**, F. Filicori, D. Mirri, T. Brazil, and M. Wren. CAD identification and validation of a non-linear dynamic model for performance analysis of large-signal amplifiers; *MWSYM-03 2003* 2125-2128 vol.3
- Floriot, D.**, see Gasseling, T., *MWSYM-03 2003* 1651-1654 vol.3
- Fogel, Y.**, see Eron, M., *MWSYM-03 2003* 1729-1732 vol.3
- Folkema, J.T.**, see van den Berg, P.M., *T-MTT Jan 03* 187-192
- Foley, W.**, see Point, R., *RFIC-03 2003* 431-434
- Fong, N.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Fong, N.**, J.-O. Plouchart, N. Zamdmer, Jonghae Kim, K. Jenkins, C. Plett, and G. Tarr. High-performance and area-efficient stacked transformers for RF CMOS integrated circuits; *MWSYM-03 2003* 967-970 vol.2
- Fong, N.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Fong, N.H.W.**, J.-O. Plouchart, N. Zamdmer, Duixian Liu, L.F. Wagner, C. Plett, and N.G. Tarr. A 1V 3.8 - 5.7-GHz wide-band VCO with differentially tuned accumulation MOS varactors for common-mode noise rejection in CMOS SOI technology; *T-MTT Aug 03* 1952-1959
- Forsyth, W.E.**, see Tuovinen, J., *MWSYM-03 2003* 1681-1684 vol.3
- Fourn, E.**, C. Quendo, E. Rius, A. Pothier, P. Blondy, C. Champeaux, J.C. Orlanges, A. Catherinot, G. Tanne, C. Person, and F. Huret. Bandwidth and central frequency control on tunable bandpass filter by using MEMS cantilevers; *MWSYM-03 2003* 523-526 vol.1
- Fourn, E.**, A. Pothier, C. Champeaux, P. Tristant, A. Catherinot, P. Blondy, G. Tanne, E. Rius, C. Person, and F. Huret. MEMS switchable interdigital coplanar filter; *T-MTT Jan 03* 320-324
- Francavilla, M.**, see Emili, G., *T-MTT Jan 03* 178-186
- Franceschini, D.**, see Caorsi, S., *T-MTT Apr 03* 1162-1173
- Francis, P.**, see Watson, A., *MWSYM-03 2003* 1011-1014 vol.2
- Freeman, G.**, see Greenberg, D., *MWSYM-03 2003* 113-116 vol.1
- Freeman, G.**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Freeman, G.**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Freidhoff, C.B.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Freire, M.J.**, R. Marques, and F. Medina. Full-wave analysis of the excitation of magnetostatic-surface waves by a semi-infinite microstrip transducer - theory and experiment; *T-MTT Mar 03* 903-907
- Freire, M.J.**, R. Marques, and F. Medina. Insertion loss of magnetostatic-surface wave transducers \$transmission-line model and experiment; *T-MTT Oct 03* 2126-2132
- Freundorfer, A.P.**, see Hamed, K.W., *MWSYM-03 2003* 31-34 vol.1
- Freundorfer, A.P.**, see Hammad, H.F., *T-MTT Apr 03* 1234-1240
- Frezza, F.**, see Baccarelli, P., *MWSYM-03 2003* 809-812 vol.2
- Frezza, F.**, L. Pajewski, and G. Schettini. Fractal two-dimensional electromagnetic band-gap structures; *MWSYM-03 2003* 825-828 vol.2
- Frezza, F.**, L. Pajewski, and G. Schettini. Characterization and design of two-dimensional electromagnetic band-gap structures by use of a full-wave method for diffraction gratings; *T-MTT Mar 03* 941-951
- Fryklund, D.**, see Zeji Gu, *MWSYM-03 2003* A173-A176 vol.1
- Fryklund, D.**, see Zeji Gu, *RFIC-03 2003* 687-690
- Fuernhammer, F.**, see Bourde, C., *RFIC-03 2003* 59-62
- Fujii, K.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Fujii, K.**, see Ishizaki, T., *MWSYM-03 2003* 471-474 vol.1
- Fujii, K.**, and H. Morkner. E-PHEMT, single supply, power amplifier for Ku band applications; *MWSYM-03 2003* 859-862 vol.2
- Fujii, M.**, see Dodo, H., *MWSYM-03 2003* 1559-1562 vol.3
- Fujii, M.**, M.M. Tentzeris, and P. Russer. Performance of nonlinear dispersive APLM in high-order FDTD schemes; *MWSYM-03 2003* 1129-1132 vol.2
- Fujii, T.**, see Ohta, I., *MWSYM-03 2003* 43-46 vol.1
- Fujii, T.**, see Tosaka, H., *MWSYM-03 2003* A5-A8 vol.1
- Fujii, T.**, see Tosaka, H., *RFIC-03 2003* 519-522
- Fujimoto, R.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Fujita, K.**, K. Shirakawa, N. Takahashi, Y. Liu, T. Oka, M. Yamashita, K. Sakuno, H. Kawamura, M. Hasegawa, H. Koh, K. Kagoshima, H. Kijima, and H. Sato. A 5 GHz high efficiency and low distortion InGaP/GaAs HBT power amplifier MMIC; *MWSYM-03 2003* 871-874 vol.2
- Fujiwara, O.**, see Jianqing Wang, *T-MTT Mar 03* 966-971
- Fukami, T.**, see Nishino, T., *MWSYM-03 2003* 487-490 vol.1
- Fukaya, J.**, see Shimura, T., *MWSYM-03 2003* 851-854 vol.2
- Fukunaga, T.**, see Ikeda, M., *MWSYM-03 2003* 1423-1426 vol.2
- Fukuura, A.**, see Nakayama, A., *T-MTT Jan 03* 170-177
- Fumeaux, C.**, see Baumann, D., *MWSYM-03 2003* 985-988 vol.2
- Funabashi, M.**, see Hosoya, K., *T-MTT Nov 03* 2250-2258
- Funk, E.E.**, V.J. Urick, S.J. Strutz, J.L. Dexter, and K.J. Williams. 110 km 256-QAM digital microwave over fiber link; *MWSYM-03 2003* 269-272 vol.1
- Funk, G.**, see Dragon, C., *MWSYM-03 2003* 69-72 vol.1
- Furukawa, A.**, see Ohnakedo, T., *RFIC-03 2003* 229-232

G

- Gaier, T.**, see Dawson, D., *MWSYM-03 2003* 1585-1587 vol.3
- Gaier, T.**, D. Dawson, and M. Wells. A broadband 100 GHz phase switch/mixer using a uniplanar slotline transition; *MWSYM-03 2003* 2245-2248 vol.3
- Gaiowski, W.**, see Allen, D., *MWSYM-03 2003* 2233-2236 vol.3
- Gailon, B.**, see Tatu, S.O., *MWSYM-03 2003* A9-A12 vol.1
- Gajadharsing, J.R.** Low distortion RF-LDMOS power transistor for wireless communications base station applications; *MWSYM-03 2003* 1563-1566 vol.3
- Gajaweera, R.N.**, and L.F. Lind. Coupling matrix extraction for cascaded triplet (CT) topology; *MWSYM-03 2003* 1463-1465 vol.3
- Gajaweera, R.N.**, and L.F. Lind. Rapid coupling matrix reduction for longitudinal and cascaded-quadruplet microwave filters; *T-MTT May 2003* 1578-1583
- Gallagher, S.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Galli, A.**, see Baccarelli, P., *MWSYM-03 2003* 809-812 vol.2
- Gaman, T.**, see Moldovan, E., *MWSYM-03 2003* 595-598 vol.1
- Gamand, P.**, see Wane, S., *RFIC-03 2003* 263-266
- Gammel, P.**, see Herbsommer, J.A., *MWSYM-03 2003* 213-216 vol.1
- Gane, E.**, see Khanna, A.P.S., *MWSYM-03 2003* 717-720 vol.2
- Gang Fang Da**, see Yan Ding, *T-MTT Mar 03* 928-934
- Gang Wang**, T. Tokumitsu, I. Hanawa, Y. Yoneda, K. Sato, and M. Kobayashi. A time-delay equivalent-circuit model of ultrafast p-i-n photodiodes; *T-MTT Apr 03* 1227-1233
- Gao, X.**, M. Koehlin, C. Lyons, J. Chiesa, G. Guven, and P. Katzin. A low noise 9.95/10.66 GHz PLO for optical applications; *MWSYM-03 2003* 729-732 vol.2
- Gao Jianjun**, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
- Gaquiere, C.**, see Schreurs, D., *MWSYM-03 2003* 447-450 vol.1
- Garcia, J.A.**, E. Malaver, and L. Cabria. A zero-bias single-device balanced E-PHEMT mixer with conversion gain for RFID applications; *MWSYM-03 2003* 1311-1314 vol.2
- Garcia, J.A.**, see Cabria, L., *MWSYM-03 2003* 1435-1438 vol.2
- Garcia H, J.L.**, see Ramirez, F., *MWSYM-03 2003* 2157-2160 vol.3
- Garde, M.J.**, see Laso, M.A.G., *T-MTT Mar 03* 705-717
- Gashinova, M.**, see Deleniv, A., *MWSYM-03 2003* 1081-1084 vol.2
- Gashinova, M.S.**, see Deleniv, A.N., *T-MTT Jan 03* 74-81
- Gashinova, M.S.**, M.N. Goubina, Guoyong Zhang, I.A. Kolmakov, Y.A. Kolmakov, and I.B. Vendik. High- T_c superconducting planar filter with pseudo-Chebyshev characteristic; *T-MTT Mar 03* 792-795
- Gaska, R.**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Gasseling, T.**, S. Heckmann, D. Barataud, J.M. Nebus, J.P. Villotte, R. Quere, D. Floriot, and P. Auxemery. Large signal pulsed RF and DC load pull characterization of high voltage 10W GaAs-GaN HBTs; *MWSYM-03 2003* 1651-1654 vol.3
- Gasseling, T.**, D. Barataud, S. Mons, J.M. Nebus, J.P. Villotte, and R. Quere. A new characterization technique of "Four hot S parameters" for the study of nonlinear parametric behaviors of microwave devices; *MWSYM-03 2003* 1663-1666 vol.3
- Gassler, C.**, see Schmuckle, F.J., *MWSYM-03 2003* 1167-1170 vol.2
- Gaudo, P.M.**, C. Bernal, and A. Mediano. Exact analysis of a simple class E circuit version for device characterization purposes; *MWSYM-03 2003* 1737-1740 vol.3
- Gauthier, J.**, see Boumaiza, S., *MWSYM-03 2003* 351-354 vol.1

- Gebara, E.**, see Curtice, W.R., *MWSYM-03 2003* 639-641 vol.2
- Gebara, E.**, see Maeng, M., *MWSYM-03 2003* 265-268 vol.1
- Gebara, E.**, see Nuttinck, S., *T-MTT Dec 03* 2445-2452
- Gebre-Mariam, D.H.**, see Bandler, J.W., *MWSYM-03 2003* 1003-1006 vol.2
- Geiger, D.**, see Schmuckle, F.J., *MWSYM-03 2003* 1167-1170 vol.2
- Geik Tan Chun**, see Chun Geik Tan, *RFIC-03 2003* 457-460
- Gelmont, B.**, see Woolard, D.L., *MWSYM-03 2003* 763-766 vol.2
- Genack, M.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Georgiadis, A.**, see Point, R., *RFIC-03 2003* 431-434
- Georgieva, N.K.**, and H.W. Tam. Potential formalisms in electromagnetic-field analysis; *T-MTT Apr 03* 1330-1338
- Georgiou, G.**, V. Houtsmä, R. Pulella, Q. Lee, A. Leven, J.S. Weiner, R. Kopf, A. Tate, Y. Yang, Y. Baeyens, and Y.-K. Chen. Effect of output buffer design on 40Gb/s limiting amplifiers designed with InP HBT technology; *MWSYM-03 2003* 2269-2272 vol.3
- Germain, M.**, see Schreurs, D., *MWSYM-03 2003* 447-450 vol.1
- Gevorgian, S.**, see Deleniv, A., *MWSYM-03 2003* 1267-1270 vol.2
- Gevorgian, S.**, see Deleniv, A., *MWSYM-03 2003* 1997-2000 vol.3
- Ghannouchi, F.M.**, see Boumaiza, S., *MWSYM-03 2003* 351-354 vol.1
- Ghannouchi, F.M.**, see Hammi, O., *MWSYM-03 2003* 1699-1702 vol.3
- Ghannouchi, F.M.**, see Larose, C.L., *T-MTT Jan 03* 41-54
- Ghannouchi, F.M.**, see Boumaiza, S., *T-MTT Dec 03* 2427-2433
- Gharaibeh, K.**, and M. Steer. Statistical modeling of cross modulation in multichannel power amplifiers using a new behavioral modeling technique; *MWSYM-03 2003* 343-346 vol.1
- Gharaibeh, K.M.**, and M.B. Steer. Characterization of cross modulation in multichannel amplifiers using a statistically based behavioral modeling technique; *T-MTT Dec 03* 2434-2444
- Ghassemzadeh, S.S.**, and V. Tarokh. UWB path loss characterization in residential environments; *MWSYM-03 2003* 365-368 vol.1
- Ghassemzadeh, S.S.**, and V. Tarokh. UWB path loss characterization in residential environments; *RFIC-03 2003* 501-504
- Ghione, G.**, see Teppati, V., *T-MTT Mar 03* 994-997
- Ghione, G.**, see Cappelluti, F., *T-MTT Apr 03* 1096-1104
- Ghione, G.**, and M. Goano. Revisiting the partial-capacitance approach to the analysis of coplanar transmission lines on multilayered substrates; *T-MTT Sep 03* 2007-2014
- Ghione, G.**, see Bertazzi, F., *T-MTT Sep 03* 2029-2035
- Ghosh, I.S.**, see Vitusevich, S.A., *T-MTT Jan 03* 163-169
- Giannini, F.**, see Colantonio, P., *MWSYM-03 2003* 1807-1810 vol.3
- Giannini, F.**, see Cidronali, A., *T-MTT Mar 03* 830-838
- Gibson, A.A.P.**, see Lian Yuh Tio, *MWSYM-03 2003* 421-424 vol.1
- Gigli, M.L.**, see Inchaussandague, M.E., *T-MTT Jun 03* 1691-1695
- Gil, J.**, and Hyungcheol Shin. A simple wide-band on-chip inductor model for silicon-based RF ICs; *T-MTT Sep 03* 2023-2028
- Gilbert, B.K.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Gilbert, B.K.**, see Pan, G.W., *T-MTT Jan 03* 148-155
- Gilgenbach, R.M.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Gill, J.**, see Maestrini, A., *MWSYM-03 2003* 747-750 vol.2
- Jimeno, B.**, see Cogollos, S., *MWSYM-03 2003* 2065-2068 vol.3
- Jimeno, B.**, see Morro, J.V., *MWSYM-03 2003* 1215-1218 vol.2
- Jimeno, B.**, see Cogollos, S., *T-MTT Dec 03* 2378-2390
- Giordano, M.**, see Alessandri, F., *T-MTT May 2003* 1441-1448
- Girlando, G.**, see Italia, A., *RFIC-03 2003* 453-456
- Glasbrener, M.**, see Megahed, M., *MWSYM-03 2003* 1707-1710 vol.3
- Glasbrener, M.**, see Ngompe, E., *RFIC-03 2003* 387-390
- Glenn, J.**, see Chattopadhyay, G., *T-MTT Oct 03* 2139-2146
- Globus, T.**, see Woolard, D.L., *MWSYM-03 2003* 763-766 vol.2
- Goano, M.**, see Teppati, V., *T-MTT Mar 03* 994-997
- Goano, M.**, see Ghione, G., *T-MTT Sep 03* 2007-2014
- Goano, M.**, see Bertazzi, F., *T-MTT Sep 03* 2029-2035
- Godin, J.**, see Konczykowska, A., *MWSYM-03 2003* 1177-1180 vol.2
- Goldsmith, C.L.**, see Papapolymou, J., *T-MTT Jan 03* 271-278
- Goldwasser, S.**, see Li, Y., *MWSYM-03 2003* 1391-1394 vol.2
- Golfarelli, A.**, see Centurelli, F., *RFIC-03 2003* 317-320
- Gol'tsman, G.**, see Tong, C.-Y.E., *MWSYM-03 2003* 751-754 vol.2
- Gomez Tornero, J.L.**, and A. Alvarez Melcon. Non-orthogonality relations between complex-hybrid-modes: an application for the leaky-wave analysis of a laterally-shielded top-open suspended microstrip line; *MWSYM-03 2003* 681-684 vol.2
- Gong Xun**, see Chappell, W.J., *MWSYM-03 2003* 1611-1614 vol.3
- Gong Yubin**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Gontijo, I.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Gonzalo, R.**, see Bolivar, P.H., *T-MTT Apr 03* 1062-1066
- Good, P.**, see Cho, J., *RFIC-03 2003* 391-394
- Good, P.**, see Kamat, M., *RFIC-03 2003* 23-26
- Goodnick, S.M.**, see Hussein, Y.A., *MWSYM-03 2003* 17-20 vol.1
- Goodnick, S.M.**, see Hussein, Y.A., *MWSYM-03 2003* 989-992 vol.2
- Goodnick, S.M.**, see Hussein, Y.A., *T-MTT Dec 03* 2334-2346
- Goodrich, J.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Gorbet, R.B.**, see Keats, B.F., *MWSYM-03 2003* 1259-1262 vol.2
- Gorbet, R.B.**, see Keats, B.F., *T-MTT Dec 03* 2284-2289
- Gorin, J.**, see Stepanek, P., *MWSYM-03 2003* 1415-1417 vol.2
- Gorisse, P.**, see Guenais, M., *RFIC-03 2003* 185-188
- Goron, E.**, J.P. Coupez, C. Person, Y. Toutain, H. Lattard, and F. Perrot. Accessing to UMTS filtering specifications using new microstrip miniaturized loop-filters; *MWSYM-03 2003* 1599-1602 vol.3
- Goronkin, H.**, see Cidronali, A., *T-MTT Apr 03* 1351-1367
- Goss, M.**, see Lees, J., *MWSYM-03 2003* 2213-2216 vol.3
- Gothandaraman, A.**, and S.K. Islam. An all-digital frequency locked loop (ADPLL) with a pulse output direct digital frequency synthesizer (DDFS) and an adaptive phase estimator; *RFIC-03 2003* 303-306
- Goto, S.**, T. Kunii, K. Fujii, A. Inoue, Y. Sasaki, Y. Hosokawa, R. Hattori, T. Ishikawa, and Y. Matsuda. Stability analysis and layout design of an internally stabilized multi-finger FET for high-power base station amplifiers; *MWSYM-03 2003* 229-232 vol.1
- Goubina, M.N.**, see Gashinova, M.S., *T-MTT Mar 03* 792-795
- Gouget, P.**, G. Duchamp, and J. Pistre. Optimisation and comparison of three duplexers based on a new slot to microstrip junction; *MWSYM-03 2003* 1231-1234 vol.2
- Gouraud, H.**, P. Di Bin, L. Billonnet, P. Faugeras, and B. Jarry. Photonic microwave filter using a broadband source sliced by a birefringent optical fiber-based interferometer; *MWSYM-03 2003* 1355-1358 vol.2
- Goussetis, G.**, and D. Budimir. Compact ridged waveguide filters with improved stopband performance; *MWSYM-03 2003* 953-956 vol.2
- Goussetis, G.**, see Budimir, D., *T-MTT Apr 03* 1174-1178
- Graffeuil, J.**, see Bouchriha, F., *MWSYM-03 2003* 959-962 vol.2
- Graffeuil, J.**, see Sie, M., *MWSYM-03 2003* A165-A168 vol.1
- Graffeuil, J.**, see Coustou, A., *RFIC-03 2003* 487-490
- Graffeuil, J.**, see Sie, M., *RFIC-03 2003* 679-682
- Granata, A.**, see Filoramo, P., *RFIC-03 2003* 413-416
- Grande, A.**, I. Barba, A.C.L. Cabeceira, J. Represa, P.P.M. So, and W.J.R. Hoefer. FDTD modeling of transient microwave signals in dispersive and lossy bi-isotropic media; *MWSYM-03 2003* 1141-1144 vol.2
- Grande, A.**, see Cabeceira, A.C.L., *MWSYM-03 2003* 2069-2072 vol.3
- Grant, P.D.**, H.C. Liu, and R. Dudek. MM wave mixing in a quantum well IR photo detector; *MWSYM-03 2003* 1395-1398 vol.2
- Grassopoulos, C.**, see Virdee, B.S., *MWSYM-03 2003* 2161-2164 vol.3
- Gray, R.**, see Katz, A., *MWSYM-03 2003* 335-338 vol.1
- Grbic, A.**, see Iyer, A.K., *MWSYM-03 2003* 199-202 vol.1
- Grbic, A.**, and G.V. Eleftheriades. Negative refraction, growing evanescent waves, and sub-diffraction imaging in loaded transmission-line metamaterials; *T-MTT Dec 03* 2297-2305
- Greda, L.A.**, and R. Pregla. MoL-analysis of periodic structures; *MWSYM-03 2003* 1967-1970 vol.3
- Green, B.M.**, V. Tilak, V.S. Kaper, J.A. Smart, J.R. Shealy, and L.F. Eastman. Microwave power limits of AlGaIn/GaN HEMTs under pulsed-bias conditions; *T-MTT Feb 03* 618-623
- Greenberg, D.**, S. Sweeney, G. Freeman, and D. Ahlgren. Low-noise performance near BV_{CEO} in a 200 GHz SiGe technology at different collector design points; *MWSYM-03 2003* 113-116 vol.1
- Grenier, K.**, see Bouchriha, F., *MWSYM-03 2003* 959-962 vol.2
- Gresham, I.**, A. Jenkins, R. Egri, C. Eswarappa, F. Kolak, R. Wohler, J. Bennett, and J.-P. Lanteri. Ultra wide band 24GHz automotive radar front-end; *MWSYM-03 2003* 369-372 vol.1
- Gresham, I.**, A. Jenkins, R. Egri, C. Eswarappa, F. Kolak, R. Wohler, J. Bennett, and J.-P. Lanteri. Ultra wide band 24 GHz automotive radar front-end; *RFIC-03 2003* 505-508
- Griffin, M.J.**, see Chattopadhyay, G., *T-MTT Oct 03* 2139-2146
- Griffith, Z.**, see Yun Wei, *MWSYM-03 2003* 919-921 vol.2
- Griffith, Z.**, see Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2
- Griffith, Z.**, see Krishnan, S., *T-MTT Dec 03* 2555-2561
- Grobe, D.**, see Kohn, E., *MWSYM-03 2003* 1625-1628 vol.3
- Groves, R.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Groves, R.**, see Wan Ni, *MWSYM-03 2003* A33-A36 vol.1
- Groves, R.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Groves, R.**, see Wan Ni, *RFIC-03 2003* 547-550
- Grundbacher, R.**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Grundbacher, R.W.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Gruison, F.**, see Danesh, M., *RFIC-03 2003* 277-280

- Guang Chen**, Haigang Feng, and A. Wang. A systematic study of ESD protection structures for RF ICs; *RFIC-03 2003* 347-350
- Guangxi Wang**, and W.D. Jemison. High-speed microwave-photonics vector modulator (MPVM) with wideband carrier tuning and spectral control; *MWSYM-03 2003* 1379-1382 vol.2
- Guan-Leng Tan**, R.E. Mihailovich, J.B. Hacker, J.F. DeNatale, and G.M. Rebeiz. Low-loss 2- and 4-bit TTD MEMS phase shifters based on SP4T switches; *T-MTT Jan 03* 297-304
- Guegnaud, H.**, see Paillot, J.-M., *RFIC-03 2003* 119-122
- Guenais, M.**, S. Colomines, H. Beaulaton, and P. Gorisse. A 18 mW triple 2 GHz CMOS PLL for 3G mobile systems with -113 dBc/Hz GSM in-band phase noise and dual-port GMSK modulation; *RFIC-03 2003* 185-188
- Guglielmi, M.**, see Rebenague, D.C., *MWSYM-03 2003* 1603-1606 vol.3
- Guglielmi, M.**, see Laso, M.A.G., *T-MTT Mar 03* 705-717
- Guglielmi, M.**, see Alessandri, F., *T-MTT May 2003* 1441-1448
- Guguen, C.**, and D.L.H. Tong. Inductive iris band-pass filter integrating floating inserts for pseudo-elliptic response; *MWSYM-03 2003* 945-948 vol.2
- Guillon, P.**, see Paillot, T., *MWSYM-03 2003* 1755-1758 vol.3
- Guinea, J.**, see Centurelli, F., *RFIC-03 2003* 317-320
- Guinn, K.**, see Yu, M., *RFIC-03 2003* 71-73
- Gu Jiangchun**, see Wenjian Yu, *T-MTT Jan 03* 109-119
- Gulden, P.**, see Pichler, M., *MWSYM-03 2003* 1953-1956 vol.3
- Gu Myeong-Gweon**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Gunupudi, P.**, R. Khazaka, T. Smy, D. Celo, and M. Nakhla. Multidimensional time-domain macromodels for microwave applications; *MWSYM-03 2003* 13-16 vol.1
- Gunupudi, P.K.**, R. Khazaka, M.S. Nakhla, T. Smy, and D. Celo. Passive parameterized time-domain macromodels for high-speed transmission-line networks; *T-MTT Dec 03* 2347-2354
- Guoan Wang**, S. Barstow, A. Jeyakumar, J. Papapolymerou, and C. Henderson. Low cost RF MEMS switches using photodefinable mixed oxide dielectrics; *MWSYM-03 2003* 1633-1636 vol.3
- Guofen Yu**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Guofu Niu**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Guo-Wei Huang**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Guowei Wei**, see Zhenhai Shao, *T-MTT Mar 03* 856-861
- Guoyong Zhang**, see Gashinova, M.S., *T-MTT Mar 03* 792-795
- Gupta, K.C.**, see Cidronali, A., *MWSYM-03 2003* 777-780 vol.2
- Gupta, K.C.**, see Faheem, F.F., *MWSYM-03 2003* 1927-1930 vol.3
- Gupta, K.C.**, and M.S. Gupta. Guest editorial [special issue intro. on RF and microwave tutorials]; *T-MTT Apr 03* 1301-1305
- Gupta, K.C.**, R. Ramadoss, and Huantong Zhang. Concept mapping and concept modules for Web-based and CD-ROM-based RF and microwave education; *T-MTT Apr 03* 1306-1311
- Gupta, K.C.**, R. Ramadoss, and Huantong Zhang. RF and microwave network characterization - a concept-map-based tutorial; *T-MTT Apr 03* 1326-1329
- Gupta, K.C.**, see Qi-Jun Zhang, *T-MTT Apr 03* 1339-1350
- Gupta, K.C.**, see Faheem, F.F., *T-MTT Dec 03* 2562-2567
- Gupta, M.**, see Rashmi, *T-MTT Feb 03* 607-617
- Gupta, M.S.**, see Gupta, K.C., *T-MTT Apr 03* 1301-1305
- Gupta, R.S.**, see Rashmi, *T-MTT Feb 03* 607-617
- Gupta, S.**, and E.R. Brown. Retro-directive noise correlation radar with extremely low acquisition time; *MWSYM-03 2003* 599-602 vol.1
- Gusten, R.**, see Malcoci, A., *MWSYM-03 2003* 143-146 vol.1
- Gutierrez, G.**, see Bourde, C., *RFIC-03 2003* 59-62
- Gutierrez, G.**, see Malasani, R., *RFIC-03 2003* 321-324
- Guyen, G.**, see Gao, X., *MWSYM-03 2003* 729-732 vol.2
- Gu Zeji**, see Zeji Gu, *MWSYM-03 2003* 391-394 vol.1
- Gu Zeji**, see Zeji Gu, *MWSYM-03 2003* A173-A176 vol.1
- Gu Zeji**, see Zeji Gu, *RFIC-03 2003* 687-690
- Gwan Yook Jong**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Gwarek, W.K.**, and M. Celuch-Marcysiak. Wide-band S-parameter extraction from FD-TD simulations for propagating and evanescent modes in inhomogeneous guides; *T-MTT Aug 03* 1920-1928
- Gye-An Lee**, M. Megahed, and F. De Flaviis. Design of multilayer spiral inductor resonator filter and diplexer for system-in-a-package; *MWSYM-03 2003* 527-530 vol.1
- Gye-An Lee**, Hyunseok Ko, and F. De Flaviis. Advanced design of broadband distributed amplifier using a SiGe BiCMOS technology; *MWSYM-03 2003* A189-A192 vol.1
- Gye-An Lee**, Hyunseok Ko, and F. De Flaviis. Advanced design of broadband distributed amplifier using a SiGe BiCMOS technology; *RFIC-03 2003* 703-706
- Gyujae Seo**, Jeongho Kim, Yongchae Jeong, and C. Kim. A design of predistortion HPA using frequency up-conversion mixing operation; *MWSYM-03 2003* 2221-2224 vol.3

H

- Hacker, J.B.**, see Tan, G.L., *MWSYM-03 2003* 1477-1480 vol.3
- Hacker, J.B.**, A.L. Sailer, B. Brar, G. Nagy, R.L.Jr. Pierson, and J.A. Higgins. A high-power W-band quasi-optical frequency tripler; *MWSYM-03 2003* 1859-1862 vol.3
- Hacker, J.B.**, see Guan-Leng Tan, *T-MTT Jan 03* 297-304
- Hacker, J.B.**, R.E. Mihailovich, Moonil Kim, and J.F. DeNatale. A Ka-band 3-bit RF MEMS true-time-delay network; *T-MTT Jan 03* 305-308
- Hadjem, A.**, D. Lautru, C. Dale, Man Fai Wong, J. Wiart, F. Jacquin, and V.F. Hanna. Investigation of specific absorption rate of electromagnetic fields at 100 MHz in the head of a person wearing hoodless protection garment; *MWSYM-03 2003* 407-410 vol.1
- Hagl, D.M.**, D. Popovic, S.C. Hagness, J.H. Booske, and M. Okoniewski. Sensing volume of open-ended coaxial probes for dielectric characterization of breast tissue at microwave frequencies; *T-MTT Apr 03* 1194-1206
- Hagness, S.C.**, see Xu Li, *MWSYM-03 2003* 379-382 vol.1
- Hagness, S.C.**, see Hagl, D.M., *T-MTT Apr 03* 1194-1206
- Haibo Long**, Zhenghe Feng, Haigang Feng, A. Wang, and Tianling Ren. MagPEEC: extended PEEC modeling for 3D arbitrary electro-magnetic devices with application for m-cored inductors; *RFIC-03 2003* 251-254
- Haigang Feng**, see Guang Chen, *RFIC-03 2003* 347-350
- Haibo Long**, see Haibo Long, *RFIC-03 2003* 251-254
- Haiyong Xu**, J.L. Hesler, Yiwei Duan, T.W. Crowe, and R.M.I.I. Weikle. A heterostructure barrier varactor sideband generator; *MWSYM-03 2003* 2031-2034 vol.3
- Hajimiri, A.**, see Aoki, I., *RFIC-03 2003* 199-202
- Hajimiri, A.**, see Kee, S.D., *T-MTT Jun 03* 1677-1690
- Hakli, J.**, see Meltau, J., *T-MTT Apr 03* 1274-1280
- Haldar, S.**, see Rashmi, *T-MTT Feb 03* 607-617
- Hale, P.D.**, and D.F. Williams. Calibrated measurement of optoelectronic frequency response; *T-MTT Apr 03* 1422-1429
- Hall, C.A.**, R.C. Luetzelshwab, R.D. Streeter, and J.H. Vanpatten. A 25 watt RF MEM-tuned VHF bandpass filter; *MWSYM-03 2003* 503-506 vol.1
- Halloran, J.**, see Chappell, W.J., *T-MTT Mar 03* 752-760
- Halonon, K.**, see Hotti, M., *RFIC-03 2003* 45-48
- Halonon, K.**, see Juurakko, P., *RFIC-03 2003* 133-136
- Halonon, K.**, see Stadius, K., *RFIC-03 2003* 449-452
- Hamano, S.**, K. Kawakami, and T. Takagi. A low phase noise 19 GHz-band VCO using two different frequency resonators; *MWSYM-03 2003* 2189-2192 vol.3
- Hamed, K.W.**, A.P. Freundorfer, and Y.M.M. Antar. A novel 15 to 45 GHz monolithic passive balun for MMICs applications; *MWSYM-03 2003* 31-34 vol.1
- Hamed-Hagh, S.**, and C.A.T. Salama. Wideband. CMOS integrated RF combiner for LINC transmitters; *MWSYM-03 2003* A41-A44 vol.1
- Hamed-Hagh, S.**, and C.A.T. Salama. Wideband CMOS integrated RF combiner for LINC transmitters; *RFIC-03 2003* 555-558
- Hammad, H.F.**, Y.M.M. Antar, A.P. Freundorfer, and S.F. Mahmoud. Uni-planar CPW-fed slot launchers for efficient TM₀ surface-wave excitation; *T-MTT Apr 03* 1234-1240
- Hammadi, S.**, see Sercu, J., *MWSYM-03 2003* 295-298 vol.1
- Hammi, O.**, S. Boumaiza, M. Jaidane, and F.M. Ghannouchi. Baseband digital predistortion using subband filtering technique; *MWSYM-03 2003* 1699-1702 vol.3
- Han, Q.**, K. Inagaki, and T. Ohira. Array antenna characterization technique based on evanescent reactive-near-field probing in an ultra-small anechoic box; *MWSYM-03 2003* 1841-1844 vol.3
- Hanawa, I.**, see Wang, G., *MWSYM-03 2003* 151-154 vol.1
- Hanawa, I.**, see Gang Wang, *T-MTT Apr 03* 1227-1233
- Han Choi Jung**, see Jung Han Choi, *MWSYM-03 2003* 1515-1518 vol.3
- Handtmann, M.**, see Aigner, R., *MWSYM-03 2003* 2001-2004 vol.3
- Hang, C.Y.**, see Younkyu Chung, *T-MTT Feb 03* 653-659
- Hanh Pham**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Han Hyo Jong**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Han Hyo-Jong**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Han Jeehoon**, see Jeehoon Han, *MWSYM-03 2003* 281-284 vol.1
- Han Jeonghu**, see Jeonghu Han, *MWSYM-03 2003* 2105-2108 vol.3
- Han-Kyu Park**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3

- Hanna, V.F.**, see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Han Scon-Ho**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Hansen, K.** Wireless RF design challenges; *RFIC-03 2003* 3-7
- Hansen, P.**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Hansen, P.J.**, see Serraiocco, J.L., *MWSYM-03 2003* 1993-1996 vol.3
- Han Seon-Ho**, see Seon-Ho Han, *RFIC-03 2003* 307-310
- Han Shin Lee**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Han-Sin Lee**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Han-Ting Pai**, see Chien-Chang Huang, *MWSYM-03 2003* 463-466 vol.1
- Han Yan**, see Yan Han, *T-MTT Jul 03* 1886-1892
- Hao-Hui Chen** Finite-element method coupled with method of lines for the analysis of planar or quasi-planar transmission lines; *T-MTT Mar 03* 848-855
- Hao Li**, Wei Hong, Tie Jun Cui, Ke Wu, Yu Lin Zhang, and Li Yan. Propagation characteristics of substrate integrated waveguide based on LTCC; *MWSYM-03 2003* 2045-2048 vol.3
- Hao Xin**, see Higgins, J.A., *T-MTT Apr 03* 1281-1288
- Happy, H.**, see Eric Rius, *T-MTT Mar 03* 784-791
- Hara, M.**, J. Kuypers, T. Abe, and M. Esashi. MEMS based thin film 2 GHz resonator for CMOS integration; *MWSYM-03 2003* 1797-1800 vol.3
- Hara, N.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Harambe, D.L.**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Harambe, D.L.**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Harris, F.J.**, C. Dick, and M. Rice. Digital receivers and transmitters using polyphase filter banks for wireless communications; *T-MTT Apr 03* 1395-1412
- Harris, H.M.**, see Nuttinck, S., *T-MTT Dec 03* 2445-2452
- Harris, M.**, see Nuttinck, S., *MWSYM-03 2003* 221-223 vol.1
- Harrison, R.G.**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Harrison, R.G.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Hartnagel, H.L.**, see Schumann, B., *MWSYM-03 2003* 759-762 vol.2
- Hasegawa, M.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Hasegawa, Y.**, see Shimura, T., *MWSYM-03 2003* 851-854 vol.2
- Hashiguchi, T.**, see Ohata, K., *MWSYM-03 2003* 373-376 vol.1
- Hashiguchi, T.**, see Ohata, K., *RFIC-03 2003* 509-512
- Hashizume, Y.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Haskett, D.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Haslett, J.W.**, see Lynch, M.W., *RFIC-03 2003* 461-464
- Hattori, J.**, T. Wada, H. Kubo, and Y. Ishikawa. 2GHz band quadruple mode dielectric resonator filter for cellular base station; *MWSYM-03 2003* 933-936 vol.2
- Hattori, R.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Hauser, J.R.**, see Wartenberg, S.A., *T-MTT Jun 03* 1718-1723
- Hauspie, D.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- Hau-Yiu Tsui**, and J. Lau. A 5 GHz 56 dB voltage gain 0.18 μ m CMOS LNA with built-in tunable channel filter for direct conversion 802.11a wireless LAN receiver; *RFIC-03 2003* 225-228
- Hau-Yiu Tsui**, and J. Lau. Experimental results and die area efficient self-shielded on-chip vertical solenoid inductors for multi-GHz CMOS RFIC; *RFIC-03 2003* 243-246
- Havasi, M.**, see Tavernier, C.A., *MWSYM-03 2003* 2277-2280 vol.3
- Hayama, N.**, see Dodo, H., *MWSYM-03 2003* 1559-1562 vol.3
- Hayashi, H.**, see Steinkamp, J., *RFIC-03 2003* 483-486
- Hayashi, J.**, and Y. Nikawa. Improvement of characteristics using cross patch in the LTCC filter; *MWSYM-03 2003* 531-534 vol.1
- Hayashi, R.**, see Samadian, S., *RFIC-03 2003* 49-52
- Hayden, J.S.**, and G.M. Rebeiz. Very low-loss distributed X-band and Ka-band MEMS phase shifters using metal-air-metal capacitors; *T-MTT Jan 03* 309-314
- Heath, T.H.**, see Buckwalter, J.F., *T-MTT Mar 03* 952-960
- Heavner, T.P.**, see Crowley, T.P., *MWSYM-03 2003* 1427-1430 vol.2
- Heckmann, S.**, see Gasseling, T., *MWSYM-03 2003* 1651-1654 vol.3
- Hee-Ran Ahn**, I. Wolff, and Noh-Hoon Myung. Small-sized wideband CVT - and CCT-ring filters; *MWSYM-03 2003* 1607-1610 vol.3
- Hee-Seok Song**, and Young-Shin Lee. A miniaturized 2.4 GHz band multi-layer bandpass filter using capacitively loaded $\pi/4$ slow-wave resonator; *MWSYM-03 2003* 515-518 vol.1
- Heide, P.**, see Heyen, J., *MWSYM-03 2003* 1041-1044 vol.2
- Heide, P.**, see Heyen, J., *T-MTT Dec 03* 2589-2596
- Heikman, S.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Hein, G.**, see Bieler, M., *MWSYM-03 2003* 1811-1814 vol.3
- Heinrich, W.**, see Lenk, F., *MWSYM-03 2003* 903-906 vol.2
- Heinrich, W.**, see Rudolph, M., *MWSYM-03 2003* 651-654 vol.2
- Heinrich, W.**, see Strohm, K.M., *MWSYM-03 2003* 1801-1804 vol.3
- Heinrich, W.**, see Schmucke, F.J., *MWSYM-03 2003* 1167-1170 vol.2
- Heinrich, W.**, see Tischler, T., *MWSYM-03 2003* 1147-1150 vol.2
- Heinrich, W.**, see Schnieder, F., *T-MTT Jan 03* 137-143
- Henderson, C.**, see Guoan Wang, *MWSYM-03 2003* 1633-1636 vol.3
- Heng-Chia Chang** Stability analysis of self-injection-locked oscillators; *T-MTT Sep 03* 1989-1993
- Heng-Chia Chang** Phase noise in self-injection-locked oscillators - theory and experiment; *T-MTT Sep 03* 1994-1999
- Heng Chua Lye**, see Lye Heng Chua, *MWSYM-03 2003* 937-940 vol.2
- Heng Chua Lye**, see Lye Heng Chua, *T-MTT Mar 03* 978-985
- Henkel, F.**, see Steinkamp, J., *RFIC-03 2003* 483-486
- Henmi, K.**, see Asao, H., *MWSYM-03 2003* 941-944 vol.2
- Hen-Wai Tsao**, see Chun-Pang Wu, *MWSYM-03 2003* A125-A128 vol.1
- Hen-Wai Tsao**, see Chun-Pang Wu, *RFIC-03 2003* 639-642
- Heon Koo Kyung**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- He Qiuyang**, see Zhenhai Shao, *T-MTT Mar 03* 856-861
- Herbsommer, J.A.**, H. Safar, W. Brown, E.W. Lau, D.P. Farrell, P. Gammel, O. Lopez, and G. Terefenko. Improved electrical and thermal performance of ultra-thin RF LDMOS power transistors; *MWSYM-03 2003* 213-216 vol.1
- Herczfeld, P.R.**, see Li, Y., *MWSYM-03 2003* 1391-1394 vol.2
- Herman, M.I.**, see Margomenos, A., *T-MTT Jan 03* 25-32
- Hernandez-Guillen, F.J.**, see Kohn, E., *MWSYM-03 2003* 1625-1628 vol.3
- Herrera, J.**, see Sanchis, P., *MWSYM-03 2003* 1533-1536 vol.3
- Herrick, K.J.**, S.M. Lardizabal, P.F. Marsh, and C.S. Whelan. 95 GHz metamorphic HEMT power amplifiers on GaAs; *MWSYM-03 2003* 137-140 vol.1
- Herrick, K.J.**, see Margomenos, A., *T-MTT Jan 03* 25-32
- Herzog, T.-R.**, see Aigner, R., *MWSYM-03 2003* 2001-2004 vol.3
- Hesler, J.L.**, see Haiyong Xu, *MWSYM-03 2003* 2031-2034 vol.3
- Hettak, K.**, C.J. Verver, M.G. Stubbs, and G.A. Morin. A novel compact uniplanar MMIC Wilkinson power divider with ACPS series stubs; *MWSYM-03 2003* 59-62 vol.1
- Hettak, K.**, P. Beland, C.J. Verver, M.G. Stubbs, and G.A. Morin. 44.5 GHz MMIC direct I&Q modulator in coplanar waveguide technology for an EHF Satcom terminal phased array; *MWSYM-03 2003* 1315-1318 vol.2
- Heuermann, H.** GSOLT: the calibration procedure for all multi-port vector network analyzers; *MWSYM-03 2003* 1815-1818 vol.3
- Heyen, J.**, T.V. Kerssenbrock, A. Chernyakov, P. Heide, and A.F. Jacob. Novel LTCC/BGA-modules for highly integrated millimeter-wave transceivers; *MWSYM-03 2003* 1041-1044 vol.2
- Heyen, J.**, T. von Kerssenbrock, A. Chernyakov, P. Heide, and A.F. Jacob. Novel LTCC/BGA modules for highly integrated millimeter-wave transceivers; *T-MTT Dec 03* 2589-2596
- He Yong**, see Cho, J., *RFIC-03 2003* 391-394
- He Yong**, see Kamat, M., *RFIC-03 2003* 23-26
- Hida, H.**, see Dodo, H., *MWSYM-03 2003* 1559-1562 vol.3
- Hida, H.**, see Numata, K., *RFIC-03 2003* 233-236
- Hiep Truong**, see Cho, J., *RFIC-03 2003* 391-394
- Hietala, V.M.**, see Curtice, W.R., *MWSYM-03 2003* 639-641 vol.2
- Higgins, J.A.**, see Hacker, J.B., *MWSYM-03 2003* 1859-1862 vol.3
- Higgins, J.A.**, Hao Xin, A. Sailer, and M. Rosker. Ka-band waveguide phase shifter using tunable electromagnetic crystal sidewalls; *T-MTT Apr 03* 1281-1288
- Hilsenbeck, J.**, see Lenk, F., *MWSYM-03 2003* 903-906 vol.2
- Hiraoka, T.**, see Takenaka, T., *MWSYM-03 2003* 1111-1114 vol.2
- Hiraoka, T.**, and Hsu Jui-Pang. Calculation and demonstration of dynamic behavior of time dependent electromagnetic field distribution in H-plane rectangular waveguide circuit; *MWSYM-03 2003* 2057-2060 vol.3
- Hirata, A.**, see Kosugi, T., *MWSYM-03 2003* 129-132 vol.1
- Hirata, A.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Hirata, A.**, and T. Shiozawa. Correlation of maximum temperature increase and peak SAR in the human head due to handset antennas; *T-MTT Jul 03* 1834-1841
- Hirata, M.**, see Piernas, B., *MWSYM-03 2003* 1255-1258 vol.2
- Hirose, T.**, see Suzuki, T., *MWSYM-03 2003* 1173-1176 vol.2
- Hirota, T.**, see Suzuki, Y., *MWSYM-03 2003* 77-80 vol.1
- Hisaka, T.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Ho, P.P.C.**, see Yang, M.T., *MWSYM-03 2003* 1283-1286 vol.2
- Ho, P.P.C.**, see Yang, M.T., *RFIC-03 2003* 369-372
- Hoag, D.**, J. Brogle, T. Boles, D. Curcio, and D. Russell. Heterojunction PIN diode switch; *MWSYM-03 2003* 255-258 vol.1
- Hoag, D.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Ho Chien-Chih**, see Chien-Chih Ho, *RFIC-03 2003* 211-214
- Ho Chi Yung**, see Chi Yung Ho, *MWSYM-03 2003* A25-A28 vol.1
- Ho Chi Yung**, see Chi Yung Ho, *RFIC-03 2003* 539-542

- Hock, K.M.** Impedance matching for the multilayer medium - toward a design methodology; *T-MTT Mar 03* 908-914
- Hocke, R.**, see Baeyens, Y., *RFIC-03 2003* 67-70
- Hoe, V.**, see Yu, M., *RFIC-03 2003* 71-73
- Hofer, W.J.R.**, see So, P.P.M., *MWSYM-03 2003* 977-980 vol.2
- Hofer, W.J.R.**, see Grande, A., *MWSYM-03 2003* 1141-1144 vol.2
- Hofer, W.J.R.**, and P.P.M. So. A time-domain virtual electromagnetics laboratory for microwave engineering education; *T-MTT Apr 03* 1318-1325
- Hoft, M.**, see Schumann, B., *MWSYM-03 2003* 759-762 vol.2
- Hofberger, J.**, see Stelzer, A., *MWSYM-03 2003* 893-896 vol.2
- Hoivik, N.D.**, see Faheem, F.F., *MWSYM-03 2003* 1927-1930 vol.3
- Ho Jung Baek**, see Young-Seek Chung, *T-MTT Mar 03* 697-704
- Hoke, W.E.**, see Leoni, R.E., III, *MWSYM-03 2003* 147-150 vol.1
- Holdenried, C.D.**, see Lynch, M.W., *RFIC-03 2003* 461-464
- Holker, M.**, see Bolivar, P.H., *T-MTT Apr 03* 1062-1066
- Holzwarth, S.**, see Stange, L.C., *MWSYM-03 2003* 583-586 vol.1
- Hong, S.**, see Yoon, S.-W., *MWSYM-03 2003* 2181-2184 vol.3
- Hong Jia-Sheng**, see Jia-Sheng Hong, *MWSYM-03 2003* 1901-1904 vol.3
- Hong Jia-Sheng**, see Karyamapudi, B.M., *MWSYM-03 2003* 1619-1622 vol.3
- Hong-Ming Lee**, see Chih-Ming Tsai, *T-MTT May 2003* 1517-1524
- Hongsmatip, T.**, see Eswarappa, C., *MWSYM-03 2003* 1439-1442 vol.2
- Hong Songcheol**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Hong Songcheol**, see Hyun-Min Park, *MWSYM-03 2003* 691-694 vol.2
- Hong Songcheol**, see Hyun-Min Park, *MWSYM-03 2003* 773-776 vol.2
- Hong Songcheol**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Hong Songcheol**, see Kyoungmin Koh, *MWSYM-03 2003* 467-470 vol.1
- Hong Songcheol**, see Donghyun Baek, *MWSYM-03 2003* 2193-2196 vol.3
- Hong Songcheol**, see Chang-Kun Park, *MWSYM-03 2003* A157-A160 vol.1
- Hong Songcheol**, see Chang-Kun Park, *RFIC-03 2003* 671-674
- Hong Songcheol**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Hong Songcheol**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Hong-Teuk Kim**, Sanghyo Lee, Jungmu Kim, Jae-Hyoung Park, Yong-Kweon Kim, and Youngwoo Kwon. A V-band CPS distributed analog MEMS phase shifter; *MWSYM-03 2003* 1481-1484 vol.3
- Hong-Teuk Kim**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Hong Wang**, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
- Hong Wei**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Hong Wei**, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Hong Wei**, see Zhenhai Shao, *T-MTT Jan 03* 82-90
- Hong Wei**, see Feng Xu, *T-MTT Nov 03* 2221-2227
- Hong-Wei Chiu**, see Yo-Sheng Lin, *MWSYM-03 2003* A29-A32 vol.1
- Hong-Wei Chiu**, see Yo-Sheng Lin, *RFIC-03 2003* 543-546
- Hong Yang**, W. Smith, and J.S. Yuan. Gate oxide breakdown on low noise and power amplifier performance; *MWSYM-03 2003* A149-A152 vol.1
- Hong Yang**, W. Smith, and J.S. Yuan. Gate oxide breakdown on low noise and power amplifier performance; *RFIC-03 2003* 663-666
- Hong-Yeh Chang**, Tian-Wei Huang, Huei Wang, Yu-Chi Wang, Pane-Chane Chao, and Chung-Hsu Chen. A broadband HBT MMIC IQ modulator and millimeter-wave vector signal characterization; *MWSYM-03 2003* 99-102 vol.1
- Hongyi Chen**, see Min Lin, *MWSYM-03 2003* A185-A188 vol.1
- Hongyi Chen**, see Min Lin, *RFIC-03 2003* 699-702
- Hoon Kim Sang**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Hoon Kim Sang**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Hoon Shin Dong**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Hoorfar, A.**, see McVay, J., *MWSYM-03 2003* 587-590 vol.1
- Horie, T.**, see Aramaki, Y., *MWSYM-03 2003* 47-50 vol.1
- Horn, J.**, and G. Boeck. Ultra broadband ferrite transmission line transformer; *MWSYM-03 2003* 433-436 vol.1
- Horng, T.S.**, J.M. Wu, L.Q. Yang, and S.T. Fang. A novel modified-T equivalent circuit for modeling LTCC embedded inductors with a large bandwidth; *MWSYM-03 2003* 1015-1018 vol.2
- Horng, T.S.**, see Wu, J.M., *RFIC-03 2003* 405-408
- Horng, T.S.**, K.C. Peng, J.K. Jau, and Y.S. Tsai. S-parameter formulation of quality factor for a spiral inductor in generalized two-port configuration; *RFIC-03 2003* 255-258
- Horng, T.-S.**, J.-M. Wu, L.-Q. Yang, and S.-T. Fang. A novel modified-T equivalent circuit for modeling LTCC embedded inductors with a large bandwidth; *T-MTT Dec 03* 2327-2333
- Horng Tzyy-Sheng**, see Tzyy-Sheng Horng, *T-MTT Nov 03* 2197-2202
- Ho Shin-Seong**, see Ju-Hyun Ko, *MWSYM-03 2003* 2281-2284 vol.3
- Hosokawa, Y.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Hosoya, K.**, K. Ohata, M. Funabashi, T. Inoue, and M. Kuzuhara. V-band HJFET MMIC DROs with low phase noise, high power, and excellent temperature stability; *T-MTT Nov 03* 2250-2258
- Host-Madsen, A.**, see Zhijun Zhang, *MWSYM-03 2003* 1537-1540 vol.3
- Hotti, M.**, J. Kaukuvuori, J. Ryynanen, K. Kivekas, J. Jussila, and K. Halonen. A direct conversion RF front-end for 2-GHz WCDMA and 5.8-GHz WLAN applications; *RFIC-03 2003* 45-48
- Hou Chan Chi**, see Tsz Yin Yum, *MWSYM-03 2003* 87-90 vol.1
- Hou Chan Chi**, see Quan Xue, *T-MTT May 2003* 1449-1454
- Houfei Chen**, Qin Li, Leung Tsang, Chung-Chi Huang, and V. Jandhyala. Analysis of a large number of vias and differential signaling in multilayered structures; *T-MTT Mar 03* 818-829
- Houtsma, V.**, see Roux, P., *MWSYM-03 2003* 1193-1196 vol.2
- Houtsma, V.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Houtsma, V.**, see Baeyens, Y., *RFIC-03 2003* 67-70
- Howard, D.**, see Rotella, F., *RFIC-03 2003* 339-342
- Howard, L.C.**, N.K. Simon, and D.J. Rabideau. Mitigation of correlated nonlinearities in digital phased arrays using channel-dependent phase shifts; *MWSYM-03 2003* 1525-1528 vol.3
- Howe, D.A.**, and J.R. Ostrick. 100-GHz cooled amplifier residual PM and AM noise measurements, noise figure, and jitter calculations; *T-MTT Nov 03* 2235-2242
- How Lee Chee**, see Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- How Lee Chee**, see Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Hrybenko, M.**, see Eron, M., *MWSYM-03 2003* 1729-1732 vol.3
- Hsiao Chao-Chih**, see Chien-Chih Ho, *RFIC-03 2003* 211-214
- Hsieh Lung-Hwa**, see Lung-Hwa Hsieh, *MWSYM-03 2003* 1775-1778 vol.3
- Hsieh Lung-Hwa**, see Lung-Hwa Hsieh, *T-MTT Jan 03* 193-199
- Hsieh Lung-Hwa**, see Lung-Hwa Hsieh, *T-MTT Apr 03* 1141-1145
- Hsieh Lung-Hwa**, see Lung-Hwa Hsieh, *T-MTT Apr 03* 1241-1246
- Hsien-Shun Wu**, see Chi-Ho Chang, *MWSYM-03 2003* 511-514 vol.1
- Hsien-Shun Wu**, and C.-K.C. Tzuang. Miniaturized synthetic rectangular waveguide; *MWSYM-03 2003* 1099-1102 vol.2
- Hsin-Chia Lu**, and Tah-Hsiung Chu. Multiport scattering matrix measurement using a reduced-port network analyzer; *T-MTT May 2003* 1525-1533
- Hsin-Yuan Tu**, see Yo-Sheng Lin, *MWSYM-03 2003* A29-A32 vol.1
- Hsin-Yuan Tu**, see Yo-Sheng Lin, *RFIC-03 2003* 543-546
- Hsiung Chen Chun**, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
- Hsiung Chen Chun**, see Chun-Lin Liao, *T-MTT Jan 03* 200-206
- Hsiung Chen Chun**, see Chi-Hsueh Wang, *T-MTT Jan 03* 207-215
- Hsiung Chen Chun**, see Jean-Fu Kiang, *T-MTT May 2003* 1496-1505
- Hsi-Wei Kuo**, see Jia-Liang Chen, *MWSYM-03 2003* 1275-1278 vol.2
- Hsu, H.M.**, see Yang, M.T., *MWSYM-03 2003* 1283-1286 vol.2
- Hsu, P.**, see Chen, I.-J., *T-MTT Dec 03* 2461-2468
- Hsu, S.K.**, see Meng, C.C., *MWSYM-03 2003* A205-A208 vol.1
- Hsu, S.K.**, see Meng, C.C., *RFIC-03 2003* 719-722
- Hsue Ching-Wen**, see Te-Wen Pan, *T-MTT Apr 03* 1298
- Hsu-Hsiang Wu**, see Wei-Shin Tung, *T-MTT Jul 03* 1852-1856
- Hsu Jui-Pang**, see Takenaka, T., *MWSYM-03 2003* 1111-1114 vol.2
- Hsu Jui-Pang**, see Hiraoka, T., *MWSYM-03 2003* 2057-2060 vol.3
- Hsu June-Ming**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Hsu Powen**, see I-Jen Chen, *MWSYM-03 2003* 2023-2026 vol.3
- Hu, T.**, see Deleniv, A., *MWSYM-03 2003* 1997-2000 vol.3
- Huailin Liao**, S.C. Rustagi, Jinglin Shi, and Gong Zhong Xiong. Characterization and modeling of the substrate noise and its impact on the phase noise of VCO; *RFIC-03 2003* 247-250
- Huang, C.H.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Huang, C.H.**, M.Y. Yang, A. Chin, Chunxiang Zhu, M.F. Li, and Dim-Lee Kwong. High density RF MIM capacitors using high- ϵ AlTaO_x dielectrics; *MWSYM-03 2003* 507-510 vol.1
- Huang, C.H.**, K.T. Chan, C.Y. Chen, A. Chin, G.W. Huang, C. Tseng, V. Liang, J.K. Chen, and S.C. Chien. The minimum noise figure and mechanism as scaling RF MOSFETs from 0.18 to 0.13 μ m technology nodes; *RFIC-03 2003* 373-376
- Huang, C.-W.P.**, G.S. Dow, Jianwen Bao, S. Kuran, and J. Sercu. Multiple-chip module design optimizations using a novel layout parameterization technique; *RFIC-03 2003* 587-590
- Huang, F.**, see Yuanzhi Li, *MWSYM-03 2003* 551-554 vol.1
- Huang, F.**, see Jiafeng Zhou, *MWSYM-03 2003* 1889-1892 vol.3
- Huang, G.W.**, see Meng, C.C., *MWSYM-03 2003* A105-A108 vol.1
- Huang, G.W.**, see Meng, C.C., *MWSYM-03 2003* A205-A208 vol.1
- Huang, G.W.**, see Huang, C.H., *RFIC-03 2003* 373-376

- Huang, G.W.**, see Meng, C.C., *RFIC-03 2003* 619-622
- Huang, G.W.**, see Meng, C.C., *RFIC-03 2003* 719-722
- Huang, H.C.**, see Ezzeddine, A.K., *RFIC-03 2003* 215-218
- Huang, M.W.**, see Kun-Hin To, *RFIC-03 2003* 163-166
- Huang Chien-Chang**, see Chien-Chang Huang, *MWSYM-03 2003* 463-466 vol.1
- Huang Chung-Chi**, see Houfei Chen, *T-MTT Mar 03* 818-829
- Huang Chun-Wen**, see Chun-Wen Huang, *MWSYM-03 2003* A73-A76 vol.1
- Huang Guo-Wei**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Huang Jhin-Fang**, see Te-Wen Pan, *T-MTT Apr 03* 1298
- Huang Kama**, see Kama Huang, *T-MTT Oct 03* 2106-2111
- Huang Kuen Yu**, see Kuen Yu Huang, *T-MTT Oct 03* 2055-2062
- Huang Te Hsin**, see Zencir, E., *RFIC-03 2003* 111-114
- Huang Tian-Wei**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Huang Tian-Wei**, see Pei-Si Wu, *MWSYM-03 2003* 863-866 vol.2
- Huang Tian-Wei**, see Kuo-Liang Deng, *RFIC-03 2003* 325-328
- Huang Tian-Wei**, see Kuo-Liang Deng, *T-MTT Nov 03* 2188-2196
- Huang Yong**, see Yong Huang, *MWSYM-03 2003* 2237-2240 vol.3
- Huang Yong**, see Yong Huang, *T-MTT May 2003* 1613-1617
- Huantong Zhang**, see Gupta, K.C., *T-MTT Apr 03* 1306-1311
- Huantong Zhang**, see Gupta, K.C., *T-MTT Apr 03* 1326-1329
- Hua Zhu Ning**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Huei Wang**, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
- Huei Wang**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Huei Wang**, see Pei-Si Wu, *MWSYM-03 2003* 863-866 vol.2
- Huei Wang**, see I-Jen Chen, *MWSYM-03 2003* 2023-2026 vol.3
- Huei Wang**, see Kuo-Liang Deng, *RFIC-03 2003* 325-328
- Huei Wang**, see Ren-Chieh Liu, *RFIC-03 2003* 103-106
- Huei Wang**, see Chi-Hsueh Wang, *T-MTT Jan 03* 207-215
- Huei Wang**, see Kun-You Lin, *T-MTT Apr 03* 1076-1085
- Huei Wang**, see Kuo-Liang Deng, *T-MTT Apr 03* 1257-1261
- Huei Wang**, see Kuo-Liang Deng, *T-MTT Nov 03* 2188-2196
- Huei-Yuan Shih**, see Jeckeln, E.G., *MWSYM-03 2003* 1733-1736 vol.3
- Huey-Ru Chuang**, see Yuan-Kai Chu, *RFIC-03 2003* 221-224
- Huff, B.**, and D. Draskovic. A fully-integrated Bluetooth synthesizer using digital pre-distortion for PLL-based GFSK modulation; *RFIC-03 2003* 173-176
- Hughes, B.**, see Iwamoto, M., *MWSYM-03 2003* 635-638 vol.2
- Hui, S.C.**, Ban-Leong Ooi, M.S. Leong, and P.S. Kooi. A multilayer active hybrid-ring using ground-slot coupling technique; *MWSYM-03 2003* A137-A140 vol.1
- Hui, S.C.**, B.-L. Ooi, M.S. Leong, and P.S. Kooi. A multilayer active hybrid-ring using ground-slot coupling technique; *RFIC-03 2003* 651-654
- Hui, S.J.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Hui, S.J.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Huin, F.**, see Dardenne, S., *MWSYM-03 2003* A193-A196 vol.1
- Huin, F.**, see Dardenne, S., *RFIC-03 2003* 707-710
- Hung, T.K.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Hung, T.K.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Hung, T.P.**, see Draxler, P., *MWSYM-03 2003* 803-806 vol.2
- Hung Chih-Ming**, see Staszewski, R.B., *RFIC-03 2003* 81-84
- Hung Chih-Ming**, see Staszewski, R.B., *T-MTT Nov 03* 2154-2164
- Hunt, A.T.**, see Yoon, Y.-K., *T-MTT Dec 03* 2568-2576
- Hunt, J.G.**, see Leoni, R.E., III, *MWSYM-03 2003* 147-150 vol.1
- Huo, Y.**, R. Bansal, and Q. Zhu. Breast tumor characterization via complex natural resonances; *MWSYM-03 2003* 387-390 vol.1
- Hur, Y.S.**, see Maeng, M., *MWSYM-03 2003* 265-268 vol.1
- Huret, F.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Huret, F.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Hurst, M.**, see Dragon, C., *MWSYM-03 2003* 69-72 vol.1
- Hussein, Y.A.**, S.M. El-Ghazaly, and S.M. Goodnick. A new wavelet-based technique for fast full-wave physical simulations of millimeter-wave transistors; *MWSYM-03 2003* 17-20 vol.1
- Hussein, Y.A.**, S.M. El-Ghazaly, and S.M. Goodnick. Electromagnetic-wave effects on closely packed microwave transistors using a fast time-domain simulation approach; *MWSYM-03 2003* 989-992 vol.2
- Hussein, Y.A.**, and S.M. El-Ghazaly. Extending multiresolution time-domain (MRTD) technique to the simulation of high-frequency active devices; *T-MTT Jul 03* 1842-1851
- Hussein, Y.A.**, S.M. El-Ghazaly, and S.M. Goodnick. An efficient electromagnetic-physics-based numerical technique for modeling and optimization of high-frequency multifinger transistors; *T-MTT Dec 03* 2334-2346
- Hutchinson, K.**, see Tanzi, N., *RFIC-03 2003* 141-144
- Hu Xuhong**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Hyun, I.**, see Dehan, M., *T-MTT Jan 03* 100-108
- Hwang, J.C.M.**, see Cherepko, S.V., *MWSYM-03 2003* 647-650 vol.2
- Hwang, J.C.M.**, see Cherepko, S.V., *T-MTT Dec 03* 2531-2537
- Hwang Hyeonseok**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Hwang Kyuwoon**, see Watson, A., *MWSYM-03 2003* 1011-1014 vol.2
- Hwi, L.S.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Hwi, L.S.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Hyeongdong Kim**, see Zagriadski, S.V., *T-MTT Mar 03* 744-751
- Hyeong Tae Jeong**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Hyeong Tae Jeong**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Hyeonseok Hwang**, Jounghwa Yim, Jei-Won Cho, Changyul Cheon, and Youngwoo Kwon. 110 GHz broadband measurement of permittivity on human epidermis using 1 mm coaxial probe; *MWSYM-03 2003* 399-402 vol.1
- Hyeub Oh Seung**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Hyeub Oh Seung**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Hyo Jong Han**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Hyo-Jong Han**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Hyokjae Choi**, Sangho Shin, Yeonwoo Ku, Mooil Jeong, and Kwyro Lee. A 4.9mW 270MHz CMOS frequency synthesizer/FSK modulator; *RFIC-03 2003* 443-446
- Hyungcheol Shin**, see Seong-Sik Song, *MWSYM-03 2003* 1023-1026 vol.2
- Hyungcheol Shin**, see Jeonghu Han, *MWSYM-03 2003* 2105-2108 vol.3
- Hyungcheol Shin**, see Gil, J., *T-MTT Sep 03* 2023-2028
- Hyung Moo Park**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Hyung-Moo Park**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Hyung Soon Jang**, Hyeong Tae Jeong, Chul Dong Kim, and Ik Soo Chang. New predistortion method using phase modulation with envelope signal; *MWSYM-03 2003* 1339-1342 vol.2
- Hyun-Kyu Yu**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Hyun-Kyu Yu**, see Seon-Ho Han, *RFIC-03 2003* 307-310
- Hyun-Min Park**, see Kyoungmin Koh, *MWSYM-03 2003* 467-470 vol.1
- Hyun-Min Park**, Sang-Hoon Cheon, Jae-Woo Park, and Songcheol Hong. Demonstration of on-chip appended power amplifier for improved efficiency at low power region; *MWSYM-03 2003* 691-694 vol.2
- Hyun-Min Park**, and Songcheol Hong. Characterization and modeling of intermodulation distortion asymmetry in HBT using large-signal model; *MWSYM-03 2003* 773-776 vol.2
- Hyunseok Ko**, see Gye-An Lee, *MWSYM-03 2003* A189-A192 vol.1
- Hyunseok Ko**, see Gye-An Lee, *RFIC-03 2003* 703-706

I

- Ibrahim, M.**, B. Syrett, and J. Bennett. Modeling the drain current of the dual-gate GaAs MESFET; *MWSYM-03 2003* 2113-2116 vol.3
- Ichikawa, K.**, see Takeda, S., *MWSYM-03 2003* 417-420 vol.1
- Ichinose, T.**, see Dec, A., *MWSYM-03 2003* A121-A124 vol.1
- Ichinose, T.**, see Dec, A., *RFIC-03 2003* 635-638
- Ick Jeon Soon**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Ida, M.**, see Ishii, K., *RFIC-03 2003* 63-66
- Ida, M.**, see Ishii, K., *T-MTT Nov 03* 2181-2187
- I-Hsiang Lin**, C. Caloz, and T. Itoh. A branch-line coupler with two arbitrary operating frequencies using left-handed transmission lines; *MWSYM-03 2003* 325-328 vol.1
- I-Jen Chen**, Huei Wang, and Powen Hsu. A V-band GaAs HEMT uniplanar monolithic integrated antenna and receiver front end; *MWSYM-03 2003* 2023-2026 vol.3
- Ikeda, K.**, see Ohata, K., *MWSYM-03 2003* 373-376 vol.1
- Ikeda, K.**, T. Kuri, and K.-I. Kitayama. Simultaneous 3-band modulation 2.5-Gb/s baseband, microwave, and 60-GHz-band signals using a single electroabsorption modulator for radio-on-fiber systems; *MWSYM-03 2003* 261-264 vol.1
- Ikeda, K.**, see Ohata, K., *RFIC-03 2003* 509-512
- Ikeda, M.**, T. Fukunaga, and T. Miura. Influence of sample insertion hole on resonant cavity perturbation measuring method; *MWSYM-03 2003* 1423-1426 vol.2
- Ikematsu, H.**, see Yamanaka, K., *MWSYM-03 2003* 121-124 vol.1
- Ikenaka, K.**, see Tosaka, H., *MWSYM-03 2003* A5-A8 vol.1
- Ikenaka, K.**, see Tosaka, H., *RFIC-03 2003* 519-522
- Ik Soo Chang**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Ik Soo Chang**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Ikuina, K.**, see Ohata, K., *MWSYM-03 2003* 373-376 vol.1
- Ikuina, K.**, see Ohata, K., *RFIC-03 2003* 509-512

- Ilic, M.M.**, and B.M. Notaros. Higher order hierarchical curved hexahedral vector finite elements for electromagnetic modeling; *T-MTT Mar 03* 1026-1033
- Ilku Nam**, Bonkee Kim, and Kwyro Lee. Single-ended differential amplifier and mixer circuits utilizing complementary RF characteristics of both NMOS and PMOS; *MWSYM-03 2003* A117-A120 vol.1
- Ilku Nam**, Bonkee Kim, and Kwyro Lee. Single-ended differential amplifier and mixer circuits utilizing complementary RF characteristics of both NMOS and PMOS; *RFIC-03 2003* 631-634
- Imanishi, I.**, see Watanabe, D., *MWSYM-03 2003* 1555-1558 vol.3
- Imbs, E.**, I. Telliez, S. Detout, and Y. Imbs. A low-cost-packaged 4.9-6 GHz LNA for WLAN applications; *MWSYM-03 2003* 1569-1572 vol.3
- Imbs, Y.**, see Imbs, E., *MWSYM-03 2003* 1569-1572 vol.3
- Inagaki, K.**, see Han, Q., *MWSYM-03 2003* 1841-1844 vol.3
- Inatani, J.**, see Manabe, T., *T-MTT Jun 03* 1696-1704
- In-Bok Yom**, see Dong-Pil Chang, *MWSYM-03 2003* 1589-1592 vol.3
- Inchaussandague, M.E.**, M.L. Gigli, and R.A. Depine. Reflection characteristics of a PML with a shallow corrugation; *T-MTT Jun 03* 1691-1695
- Ingersoll, B.**, see Point, R., *RFIC-03 2003* 431-434
- Ingvarson, F.**, see Angelov, I., *MWSYM-03 2003* 643-646 vol.2
- Ingvarson, M.**, see Olsen, A.O., *MWSYM-03 2003* 899-902 vol.2
- Inho Nam**, see Seongjun Bae, *RFIC-03 2003* 137-140
- Inoue, A.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Inoue, M.**, see Shinjo, S., *RFIC-03 2003* 195-198
- Inoue, T.**, see Okamoto, Y., *MWSYM-03 2003* 225-228 vol.1
- Inoue, T.**, see Hosoya, K., *T-MTT Nov 03* 2250-2258
- Ip, S.K.**, and F.Y. Chang. Extending SPICE with FDTD and generalized characteristic model for coupled microstrip lines simulation; *MWSYM-03 2003* 2077-2080 vol.3
- Iribe, T.**, see Awai, I., *MWSYM-03 2003* 1085-1088 vol.2
- Irmscher, S.**, see Lewen, R., *T-MTT Apr 03* 1117-1128
- Ishibashi, T.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Ishida, O.**, see Nishino, T., *MWSYM-03 2003* 487-490 vol.1
- Ishida, T.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Ishida, T.**, see Tsukahara, Y., *MWSYM-03 2003* 1295-1298 vol.2
- Ishigaki, T.**, see Bito, Y., *MWSYM-03 2003* 703-706 vol.2
- Ishigaki, T.**, see Niwa, T., *MWSYM-03 2003* 711-714 vol.2
- Ishiguro, M.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Ishii, K.**, H. Nosaka, M. Ida, K. Kurishima, S. Yamahata, T. Enoki, T. Shibata, and E. Sano. 4-bit multiplexer/demultiplexer chip set for 40-Gbit/s optical communication systems; *RFIC-03 2003* 63-66
- Ishii, K.**, H. Nosaka, M. Ida, K. Kurishima, S. Yamahata, T. Enoki, T. Shibata, and E. Sano. 4-bit multiplexer/demultiplexer chip set for 40-Gbit/s optical communication systems; *T-MTT Nov 03* 2181-2187
- Ishikawa, T.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Ishikawa, T.**, see Matsuzuka, T., *MWSYM-03 2003* 725-728 vol.2
- Ishikawa, T.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Ishikawa, T.**, see Tsukahara, Y., *MWSYM-03 2003* 1295-1298 vol.2
- Ishikawa, T.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Ishikawa, Y.**, see Hattori, J., *MWSYM-03 2003* 933-936 vol.2
- Ishizaki, T.**, H. Nakamura, K. Fujii, and Y. Takeda. Novel configuration of a SAW-dielectric antenna duplexer for Personal Digital Cellular (PDC) phone system with simultaneously transmit-receive packet mode scheme; *MWSYM-03 2003* 471-474 vol.1
- Iskander, M.**, see Zhijun Zhang, *MWSYM-03 2003* 1537-1540 vol.3
- Islam, R.**, and G.V. Eleftheriades. A planar metamaterial co-directional coupler that couples power backwards; *MWSYM-03 2003* 321-324 vol.1
- Islam, S.K.**, see Gothandaraman, A., *RFIC-03 2003* 303-306
- Islam, S.S.**, and A.F.M. Anwar. Analysis of RF performances of GaN MESFETs including self-heating and trapping effects; *MWSYM-03 2003* 459-462 vol.1
- Ismail, M.A.**, D. Smith, A. Panariello, Y. Wang, and M. Yu. EM based design of large-scale dielectric resonator multiplexers by space mapping; *MWSYM-03 2003* 291-294 vol.1
- Itakura, T.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Italia, A.**, E. Ragonese, G. Girlando, and G. Palmisano. A 5-GHz monolithic silicon bipolar down-converter with a 3.2-dB noise figure; *RFIC-03 2003* 453-456
- Ito, H.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Ito, M.**, see Ohata, K., *MWSYM-03 2003* 373-376 vol.1
- Ito, M.**, K. Maruhashi, S. Kishimoto, and K. Ohata. A 60 GHz-band coplanar MMIC active filter; *MWSYM-03 2003* 1751-1754 vol.3
- Ito, M.**, see Ohata, K., *RFIC-03 2003* 509-512
- Itoh, J.**, see Watanabe, D., *MWSYM-03 2003* 1555-1558 vol.3
- Itoh, K.**, see Nakamizo, H., *RFIC-03 2003* 399-402
- Itoh, M.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Itoh, T.**, see Caloz, C., *MWSYM-03 2003* 195-198 vol.1
- Itoh, T.**, see Caloz, C., *MWSYM-03 2003* 317-320 vol.1
- Itoh, T.**, see DeVincentis, M., *MWSYM-03 2003* 91-94 vol.1
- Itoh, T.**, see I-Hsiang Lin, *MWSYM-03 2003* 325-328 vol.1
- Itoh, T.**, see Okabe, H., *MWSYM-03 2003* 329-332 vol.1
- Itoh, T.**, see Seong-Sik Jeon, *MWSYM-03 2003* 579-582 vol.1
- Itoh, T.**, see Weijun Yao, *MWSYM-03 2003* 1541-1544 vol.3
- Itoh, T.**, see Nishio, T., *MWSYM-03 2003* 1673-1676 vol.3
- Itoh, T.**, see Allen, C.A., *MWSYM-03 2003* 1875-1878 vol.3
- Itoh, T.**, see Ji-Yong Park, *MWSYM-03 2003* 1677-1680 vol.3
- Itoh, T.**, see Leong, K.M.K.H., *MWSYM-03 2003* 1447-1450 vol.2
- Itoh, T.**, see Younkyu Chung, *T-MTT Feb 03* 653-659
- Itoh, T.**, see Ji-Yong Park, *T-MTT May 2003* 1482-1488
- Itoh, T.**, see Nishio, T., *T-MTT Dec 03* 2483-2494
- Itoh Tatsuo**, see Nishino, T., *T-MTT Oct 03* 2045-2054
- Iversen, C.R.**, see Kolding, T.E., *T-MTT Jan 03* 11-15
- Iwamoto, M.**, see Yu Zhao, *MWSYM-03 2003* 687-690 vol.2
- Iwamoto, M.**, D.E. Root, J.B. Scott, A. Cognata, P.M. Asbeck, B. Hughes, and D.C. D'Avanzo. Large-signal HBT model with improved collector transit time formulation for GaAs and InP technologies; *MWSYM-03 2003* 635-638 vol.2
- Iwashita, H.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Iyer, A.K.**, A. Grbic, and G.V. Eleftheriades. Sub-wavelength focusing in loaded transmission line negative refractive index metamaterials; *MWSYM-03 2003* 199-202 vol.1
- Izydorczyk, J.** Comments on "Time-domain reflectometry using arbitrary incident waveforms"; *T-MTT Apr 03* 1296-1298

J

- Jaakola, T.**, see Kondratyev, V., *MWSYM-03 2003* 1771-1773 vol.3
- Jabor, R.**, see Point, R., *RFIC-03 2003* 431-434
- Jackel, H.**, see Ellinger, F., *T-MTT Apr 03* 1135-1140
- Jackson, D.R.**, see Bernal, J., *MWSYM-03 2003* 813-816 vol.2
- Jackson, D.R.**, see Langston, W.L., *MWSYM-03 2003* 665-668 vol.2
- Jackson, D.R.**, see Langston, W.L., *T-MTT Dec 03* 2366-2377
- Jackson, E.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Jacob, A.F.**, see Stange, L.C., *MWSYM-03 2003* 583-586 vol.1
- Jacob, A.F.**, see Heyen, J., *MWSYM-03 2003* 1041-1044 vol.2
- Jacob, A.F.**, see Heyen, J., *T-MTT Dec 03* 2589-2596
- Jacobs, E.W.**, see Liao, T.S., *MWSYM-03 2003* 155-158 vol.1
- Jacquin, F.**, see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Jaechun Lee**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Jae-Hong Chang**, Yong-Sik Youn, Mun-Yang Park, and Choong-Ki Kim. A new 6 GHz fully integrated low power low phase noise CMOS LC quadrature VCO; *RFIC-03 2003* 295-298
- Jaehoon Choi**, see Zagriadi, S.V., *T-MTT Mar 03* 744-751
- Jaehyok Yi**, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
- Jae-Hyoung Park**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Jae-Hyoung Park**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Jae-Hyoung Park**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Jaejune Jang**, Zhiping Yu, and R.W. Dutton. Accurate small-signal model and its parameter extraction in RF silicon MOSFETs; *MWSYM-03 2003* 2109-2111 vol.3
- Jae-Ryong Lee**, Young-Hoon Chun, and Sang-Won Yun. A novel bandpass filter using active capacitance; *MWSYM-03 2003* 1747-1750 vol.3
- Jae-Woo Park**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Jae-Woo Park**, see Hyun-Min Park, *MWSYM-03 2003* 691-694 vol.2
- Jae-Woo Park**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Jaganathan, S.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Jager, D.**, see Malcoci, A., *MWSYM-03 2003* 143-146 vol.1
- Jahan, M.M.**, Kuo-Wei Liu, and A.F.M. Anwar. Bias dependence of high-frequency noise in heterojunction bipolar transistors; *T-MTT Mar 03* 677-683
- Jaidane, M.**, see Hammi, O., *MWSYM-03 2003* 1699-1702 vol.3
- Jalali, B.**, see Yan Han, *T-MTT Jul 03* 1886-1892
- Jamal Deen, M.**, see Murji, R., *RFIC-03 2003* 291-294
- Jandhyala, V.**, see Houfei Chen, *T-MTT Mar 03* 818-829
- Janezic, M.D.**, D.F. Williams, V. Blaschke, A. Karamcheti, and Chi Shih Chang. Permittivity characterization of low-k thin films from transmission-line measurements; *T-MTT Jan 03* 132-136
- Janezic, M.D.**, see Coakley, K.J., *T-MTT Mar 03* 862-868

- Jang-Hong Choi**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Jang Hyung Soon**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Jang Jaejune**, see Jaejune Jang, *MWSYM-03 2003* 2109-2111 vol.3
- Jantunen, H.**, see Deleniv, A., *MWSYM-03 2003* 1997-2000 vol.3
- Jargon, J.**, see Cidronali, A., *MWSYM-03 2003* 777-780 vol.2
- Jarry, B.**, see Gouraud, H., *MWSYM-03 2003* 1355-1358 vol.2
- Jau, J.K.**, see Horng, T.S., *RFIC-03 2003* 255-258
- Jau, J.K.**, see Wu, J.M., *RFIC-03 2003* 405-408
- Jau Je-Kuan**, see Tzyy-Sheng Horng, *T-MTT Nov 03* 2197-2202
- Jau Wong Sheng**, see Raja, M.K., *RFIC-03 2003* 439-442
- Javadi, H.**, see Maestrini, A., *MWSYM-03 2003* 747-750 vol.2
- Ja-Yol Lee**, Dongwoo Suh, Sang-Heung Lee, Seung-Yun Lee, Chan-Woo Park, Sang Hoon Kim, Kyu-Hwan Shim, Jin-Young Kang, Kyoung-Ik Cho, and Seung Hyeub Oh. A packaged. 2.3 GHz SiGe VCO with parallel-branch inductors; *MWSYM-03 2003* A141-A144 vol.1
- Ja-Yol Lee**, Dongwoo Suh, Sang-Heung Lee, Seung-Yun Lee, Chan-Woo Park, Sang Hoon Kim, Kyu-Hwan Shim, Jin-Young Kang, Kyoung-Ik Cho, and Seung Hyeub Oh. A packaged 2.3 GHz SiGe VCO with parallel-branch inductors; *RFIC-03 2003* 655-658
- Jay Yang**, see Chi-Ho Chang, *MWSYM-03 2003* 511-514 vol.1
- Jean-Fu Kiang**, Chung-Rung Lee, and Chun Hsiung Chen. Characteristics of striplines with inhomogeneous cylindrical substrate; *T-MTT May 2003* 1496-1505
- Jeckeln, E.**, see Eron, M., *MWSYM-03 2003* 1729-1732 vol.3
- Jeckeln, E.G.**, Huei-Yuan Shih, E. Martony, and M. Eron. Method for modeling amplitude and bandwidth dependent distortion in nonlinear RF devices; *MWSYM-03 2003* 1733-1736 vol.3
- Jecheon Han**, Byoung-Joon Seo, and H.R. Fetterman. Integrated polymer photonic RF phase shifters for optically controlled beam forming systems; *MWSYM-03 2003* 281-284 vol.1
- Je-Won Cho**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Je-Kuan Jau**, see Tzyy-Sheng Horng, *T-MTT Nov 03* 2197-2202
- Jemison, W.**, see Katz, A., *MWSYM-03 2003* 1403-1406 vol.2
- Jemison, W.D.**, see Guangxi Wang, *MWSYM-03 2003* 1379-1382 vol.2
- Jen, S.**, see Mehta, S., *RFIC-03 2003* 427-430
- Jenei, S.**, see Carchon, G., *MWSYM-03 2003* 1287-1290 vol.2
- Jenkins, A.**, see Gresham, I., *MWSYM-03 2003* 369-372 vol.1
- Jenkins, A.**, see Gresham, I., *RFIC-03 2003* 505-508
- Jenkins, A.P.**, see Nurgaliev, T., *T-MTT Jan 03* 33-40
- Jenkins, D.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Jenkins, K.**, see Fong, N., *MWSYM-03 2003* 967-970 vol.2
- Jenkins, K.A.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Jenkins, K.A.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Jenkins, T.J.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Jensen, J.O.**, see Woolard, D.L., *MWSYM-03 2003* 763-766 vol.2
- Jen-Tsai Kuo**, see Shih, E., *MWSYM-03 2003* 1077-1080 vol.2
- Jentschel, H.-J.**, see Richter, R., *MWSYM-03 2003* A69-A72 vol.1
- Jentschel, H.-J.**, see Richter, R., *RFIC-03 2003* 583-586
- Jentzsch, A.**, see Schmuckle, F.J., *MWSYM-03 2003* 1167-1170 vol.2
- Jen Yu Jong**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Jeong-Geun Kim**, Dong-Hyun Baek, Sang-Hoon Jeon, Jae-Woo Park, and Songcheol Hong. A 60 GHz InGaP/GaAs HBT push-push MMIC VCO; *MWSYM-03 2003* 885-888 vol.2
- Jeongho Kim**, see Gyujae Seo, *MWSYM-03 2003* 2221-2224 vol.3
- Jeonghu Han**, and Hyungkeol Shin. A scalable model for the substrate resistance in multi-finger RF MOSFETs; *MWSYM-03 2003* 2105-2108 vol.3
- Jeonghyeon Cha**, Youngoo Yang, Bumjae Shin, and Bumman Kim. An adaptive bias controlled power amplifier with a load-modulated combining scheme for high efficiency and linearity; *MWSYM-03 2003* 81-84 vol.1
- Jeonghyeon Cha**, see Youngoo Yang, *T-MTT Mar 03* 986-993
- Jeong Hyeong Tae**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Jeong Hyeong Tae**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Jeong Jinho**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Jeong Mooil**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Jeong Moongi**, see Poplavko, Y., *MWSYM-03 2003* 437-440 vol.1
- Jeong Yongchae**, see Gyujae Seo, *MWSYM-03 2003* 2221-2224 vol.3
- Jeon Moon-Suk**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Jeon Sang-Hoon**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Jeon Sang-Hoon**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Jeon Seong-Sik**, see Seong-Sik Jeon, *MWSYM-03 2003* 579-582 vol.1
- Jeon Seong-Sik**, see Ji-Yong Park, *T-MTT May 2003* 1482-1488
- Jeon Soo-Kun**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Jeon Soon Ick**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Jeyakumar, A.**, see Guoan Wang, *MWSYM-03 2003* 1633-1636 vol.3
- Jhin-Fang Huang**, see Te-Wen Pan, *T-MTT Apr 03* 1298
- Jia, P.**, L.-Y. Chen, A. Alexanian, and R.A. York. Broad-band high-power amplifier using spatial power-combining technique; *T-MTT Dec 03* 2469-2475
- Jiafeng Zhou**, M.J. Lancaster, and F. Huang. Superconducting microstrip filters using compact resonators with double-spiral inductors and interdigital capacitors; *MWSYM-03 2003* 1889-1892 vol.3
- Jiahong Sun**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Jia-Liang Chen**, Sheng-Fuh Chang, Cherng-Cherng Liu, and Hsi-Wei Kuo. Design of a 20-to-40 GHz bandpass MMIC amplifier; *MWSYM-03 2003* 1275-1278 vol.2
- Jiangchun Gu**, see Wenjian Yu, *T-MTT Jan 03* 109-119
- Jiang Xin**, see Xin Jiang, *T-MTT Jan 03* 144-147
- Jianjun Gao**, Choi Look Law, Hong Wang, S. Aditya, and G. Boeck. A new method for pHEMT noise-parameter determination based on 50-Ohm noise measurement system; *T-MTT Oct 03* 2079-2089
- Jianjun Xu**, see Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
- Jianjun Xu**, M.C.E. Yagoub, Runtao Ding, and Qi Jun Zhang. Exact adjoint sensitivity analysis for neural-based microwave modeling and design; *T-MTT Jan 03* 226-237
- Jianping Zhang**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Jianqing Wang**, and O. Fujiwara. Comparison and evaluation of electromagnetic absorption characteristics in realistic human head models of adult and children for 900-MHz mobile telephones; *T-MTT Mar 03* 966-971
- Jianwen Bao**, see Chun-Wen Huang, *MWSYM-03 2003* A73-A76 vol.1
- Jianwen Bao**, see Huang, C.-W.P., *RFIC-03 2003* 587-590
- Jian Xu**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Jianyi Zhou**, see Zhenhai Shao, *T-MTT Jan 03* 82-90
- Jian Zhang Chen**, see Ram Singh Rana, *RFIC-03 2003* 475-478
- Jia Pengcheng**, see Pengcheng Jia, *MWSYM-03 2003* 1871-1874 vol.3
- Jia-Sheng Hong**, and Shuzhou Li. Dual-mode microstrip triangular patch resonators and filters; *MWSYM-03 2003* 1901-1904 vol.3
- Jia-Sheng Hong**, see Karyamapudi, B.M., *MWSYM-03 2003* 1619-1622 vol.3
- Jie Zheng**, see Pingxi Ma, *RFIC-03 2003* 237-240
- Jie Zheng**, see Pingxi Ma, *T-MTT Nov 03* 2175-2180
- Jin-Fa Lee**, see Seung-Cheol Lee, *T-MTT Aug 03* 1897-1905
- Jin-Fa Lee**, see Din-Kow Sun, *T-MTT Oct 03* 2097-2105
- Jinglin Shi**, see Huailin Liao, *RFIC-03 2003* 247-250
- Jing Wang**, Zeyang Ren, and C.T.-C. Nguyen. 1.14-GHz self-aligned vibrating micromechanical disk resonator; *RFIC-03 2003* 335-338
- Jinho Jeong**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Jin Koo Rhee**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Jin-Koo Rhee**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Jin Park Sang**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Jinwei Yang**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Jin-Young Kang**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Jin-Young Kang**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Ji-Xiang Zhao**, and Jun-Fa Mao. Inductance extraction for planar spiral inductor by domain decomposition method for conformal modules; *MWSYM-03 2003* 1203-1205 vol.2
- Ji-Xiang Zhao**, and Jun-Fa Mao. Parameters extraction and modeling for planar spiral inductor on Si-SiO₂ substrates by DDM for conformal modules; *T-MTT Jun 03* 1763-1766
- Ji-Yong Park**, see Seong-Sik Jeon, *MWSYM-03 2003* 579-582 vol.1
- Ji-Yong Park**, Yuanxun Wang, and T. Itoh. A 60 GHz integrated antenna array for high-speed digital beamforming applications; *MWSYM-03 2003* 1677-1680 vol.3
- Ji-Yong Park**, Seong-Sik Jeon, Yuanxun Wang, and T. Itoh. Integrated antenna with direct conversion circuitry for broad-band millimeter-wave communications; *T-MTT May 2003* 1482-1488
- Joba, H.**, see Nakamizo, H., *RFIC-03 2003* 399-402
- Jofre, L.**, see Cetiner, B.A., *MWSYM-03 2003* 1711-1714 vol.3
- Johansen, T.K.**, and L.E. Larson. Optimization of SiGe HBT VCOs for wireless applications; *RFIC-03 2003* 273-276
- Johnson, B.N.**, see Suryanarayanan, J., *MWSYM-03 2003* A93-A96 vol.1
- Johnson, B.N.**, see Suryanarayanan, J., *RFIC-03 2003* 607-610
- Johnson, D.**, see Zeji Gu, *MWSYM-03 2003* A173-A176 vol.1
- Johnson, D.**, see Zeji Gu, *RFIC-03 2003* 687-690
- Jong Gwan Yook**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Jong-Gwan Yook**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Jonghae Kim**, see Fong, N., *MWSYM-03 2003* 967-970 vol.2
- Jonghae Kim**, J.-O. Plouchart, N. Zamdmer, N. Fong, Liang-Hung Lu, Yue Tan, K.A. Jenkins, M. Sherony, R. Groves, M. Kumar, and A. Ray. High-

- performance three-dimensional on-chip inductors in SOI CMOS technology for monolithic RF circuit applications; *MWSYM-03 2003* A77-A80 vol.1
- Jonghae Kim**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Jonghae Kim**, J.-O. Plouchart, N. Zamdm er, N. Fong, Liang-Hung Lu, Yue Tan, K.A. Jenkins, M. Sherony, R. Groves, M. Kumar, and A. Ray. High-performance three-dimensional on-chip inductors in SOI CMOS technology for monolithic RF circuit applications; *RFIC-03 2003* 591-594
- Jong Han Hyo**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Jong Jen Yu**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Jong Seok Chae**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Jong-Sik Lim**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Jong-Soo Kim**, Kun-Wook Kim, Myeong-Gweon Gu, Jong-Gwan Yook, and Han-Kyu Park. Performance of polygonal-shaped TFBARs and on-wafer tuning inductors; *MWSYM-03 2003* 1759-1762 vol.3
- Jong-Wook Lee**, L.F. Eastman, and K.J. Webb. A gallium-nitride push-pull microwave power amplifier; *T-MTT Nov 03* 2243-2249
- Joo Koh Soon**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Joongsuk Park**, and Cam Nguyen. An ultra-wideband microwave radar sensor for characterizing pavement subsurface; *MWSYM-03 2003* 1443-1446 vol.2
- Jorge, F.**, see Konczykowska, A., *MWSYM-03 2003* 1177-1180 vol.2
- Jos, H.F.F.**, see Valletta, E., *MWSYM-03 2003* 1235-1238 vol.2
- Joshin, K.**, see Masuda, S., *MWSYM-03 2003* 1029-1032 vol.2
- Joshin, K.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Jounghwa Yim**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Jrad, A.**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Jrad, A.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Judaschke, R.**, see Schumann, B., *MWSYM-03 2003* 759-762 vol.2
- Ju-Hyun Ko**, Shin-Seong Ho, and Young-Se Kwon. Microshield transmission line and spiral inductor integrated on polymer thick film; *MWSYM-03 2003* 2281-2284 vol.3
- Jui-Pang Hsu**, see Takenaka, T., *MWSYM-03 2003* 1111-1114 vol.2
- Jui-Pang Hsu**, see Hiraoka, T., *MWSYM-03 2003* 2057-2060 vol.3
- Jun, X.Q.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Jun, X.Q.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Jun-Bo Yoon**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Jun-Bo Yoon**, see Yun-Seok Choi, *MWSYM-03 2003* 1637-1640 vol.3
- Jun-Bo Yoon**, Byeong-Il Kim, Yun-Seok Choi, and E. Yoon. 3-D construction of monolithic passive components for RF and microwave ICs using thick-metal surface micromachining technology; *T-MTT Jan 03* 279-288
- Jun-Bo Yoon**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Jun Cui Tie**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Jun Cui Tie**, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Jun Cui Yoon**, see Feng Xu, *T-MTT Nov 03* 2221-2227
- June-Ming Hsu**, Yung-Hui Chen, Shin-Fu Chen, Ming-Ching Kuo, and Peng-Un Su. A SiGe WCDMA/DCS dual-band RF front-end receiver; *RFIC-03 2003* 27-30
- Jun-Fa Mao**, see Ji-Xiang Zhao, *MWSYM-03 2003* 1203-1205 vol.2
- Jun-Fa Mao**, see Ji-Xiang Zhao, *T-MTT Jun 03* 1763-1766
- Jung Baek Ho**, see Young-Seek Chung, *T-MTT Mar 03* 697-704
- Junggun Kim**, see Donghyun Baek, *MWSYM-03 2003* 2193-2196 vol.3
- Jung Han Choi**, C.-J. Weiske, G.R. Olbrich, and P. Russer. Flip-chip bonded Si Schottky diode sampling circuits for high speed demultiplexers; *MWSYM-03 2003* 1515-1518 vol.3
- Junghyun Kim**, see Seongjun Bae, *RFIC-03 2003* 137-140
- Junghyun Kim**, Moon-Suk Jeon, Dongki Kim, Jinho Jeong, and Youngwoo Kwon. High-performance V-band cascode HEMT mixer and downconverter module; *T-MTT Mar 03* 805-810
- Jungmu Kim**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Jung-Mu Kim**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Jung-Mu Kim**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Junho Yeo**, and R. Mittra. Fast computation of MoM matrix elements over a wide frequency range using a new interpolation technique; *MWSYM-03 2003* 1979-1982 vol.3
- Junho Yeo**, and R. Mittra. An algorithm for interpolating the frequency variations of method-of-moments matrices arising in the analysis of planar microstrip structures; *T-MTT Mar 03* 1018-1025
- Junwu Tao**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Jun Zhang Qi**, see Jianjun Xu, *T-MTT Jan 03* 226-237
- Jun Zou**, Chang Liu, D.R. Trainor, J. Chen, J.E. Schutt-Aine, and P.L. Chapman. Development of three-dimensional inductors using plastic deformation magnetic assembly (PDMA); *T-MTT Apr 03* 1067-1075
- Juroshek, J.R.**, see Crowley, T.P., *MWSYM-03 2003* 1427-1430 vol.2
- Jussila, J.**, see Hotti, M., *RFIC-03 2003* 45-48
- Juurakko, P.**, V. Saari, J. Ryynanen, and K. Halonen. Differential SiGe power amplifier for 3GPP WCDMA; *RFIC-03 2003* 133-136

K

- Kaczman, D.**, see Rachedine, M., *RFIC-03 2003* 77-80
- Kaczynski, B.**, see Mehta, S., *RFIC-03 2003* 427-430
- Kageyama, K.**, see Saitou, K., *MWSYM-03 2003* 1763-1766 vol.3
- Kagiwada, R.**, see Chun-Tung Cheung, *MWSYM-03 2003* 1863-1866 vol.3
- Kagiwada, R.**, see Yang, J.M., *MWSYM-03 2003* 1853-1855 vol.3
- Kagoshima, K.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Kagotoshi, Y.**, see Kondo, M., *MWSYM-03 2003* 2205-2208 vol.3
- Kah Mun Low**, see Youngcheol Park, *MWSYM-03 2003* 1695-1698 vol.3
- Kahrs, M.**, S.P. Levitan, D.M. Chiarulli, T.P. Kurzweg, J.A. Martinez, J. Boles, A.J. Davare, E. Jackson, C. Windish, F. Kiamilev, A. Bhaduri, M. Taufik, Xingle Wang, A.S.I.I.I. Morris, J. Repke, J. Kruchowski, and B.K. Gilbert. Signal integrity evaluation of a 10 Gbits/sec optoelectronic interconnect; *MWSYM-03 2003* 1211-1214 vol.2
- Kahrs, M.** Applications of RF and microwave sampling to instrumentation and measurement; *MWSYM-03 2003* 1503-1506 vol.3
- Kahrs, M.** 50 years of RF and microwave sampling; *T-MTT Jun 03* 1787-1805
- Kai Chang**, see Lung-Hwa Hsieh, *MWSYM-03 2003* 1775-1778 vol.3
- Kai Chang**, see Lung-Hwa Hsieh, *T-MTT Jan 03* 193-199
- Kai Chang**, see Strassner, B., *T-MTT May 2003* 1548-1553
- Kai Chang**, see Lung-Hwa Hsieh, *T-MTT Apr 03* 1141-1145
- Kai Chang**, see Lung-Hwa Hsieh, *T-MTT Apr 03* 1241-1246
- Kaiser, R.F.**, see Coakley, K.J., *T-MTT Mar 03* 862-868
- Kaitila, J.**, see Aigner, R., *MWSYM-03 2003* 2001-2004 vol.3
- Kalinikos, B.A.**, see Demidov, V.E., *T-MTT Oct 03* 2090-2096
- Kama Huang**, Xuejun Cao, Changjun Liu, and Xiao-Bang Xu. Measurement/computation of effective permittivity of dilute solution in saponification reaction; *T-MTT Oct 03* 2106-2111
- Kamat, M.**, see Cho, J., *RFIC-03 2003* 391-394
- Kamat, M.**, Peihua Ye, Yong He, B. Agarwal, P. Good, S. Lloyd, and A. Loke. High performance low current CDMA receiver front end using 0.18 μm SiGe BiCMOS; *RFIC-03 2003* 23-26
- Kamel, A.H.**, and A.S. Omar. Simple far-field model for lateral leakage in printed transmission lines; *MWSYM-03 2003* 669-672 vol.2
- Kamgaing, T.**, and O.M. Ramahi. Inductance-enhanced high-impedance surfaces for broadband simultaneous switching noise mitigation in power planes; *MWSYM-03 2003* 2165-2168 vol.3
- Kaminsky, E.B.**, see Zhang, A.P., *MWSYM-03 2003* 251-254 vol.1
- Kamiya, Y.**, see Masuda, S., *MWSYM-03 2003* 1029-1032 vol.2
- Kam Man Shum**, see Quan Xue, *T-MTT May 2003* 1449-1454
- Kamohara, O.**, see Asao, H., *MWSYM-03 2003* 941-944 vol.2
- Kamoua, R.**, and H. Eisele. Theoretical and experimental comparison of optimized doping profiles for high-performance InP Gunn devices at 220-500 GHz; *MWSYM-03 2003* 907-910 vol.2
- Kan, E.C.**, see Pingshan Wang, *RFIC-03 2003* 361-364
- Kanamura, M.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Kanaya, K.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Kanaya, K.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Kanda, A.**, see Umeda, Y., *MWSYM-03 2003* 2265-2268 vol.3
- Kangaslahti, P.**, see Varonen, M., *MWSYM-03 2003* 915-918 vol.2
- Kangasmaa, S.**, see Sivonen, P., *T-MTT Apr 03* 1220-1226
- Kang-Chun Peng**, see Tzyy-Sheng Horg, *T-MTT Nov 03* 2197-2202
- Kang Dong-Woo**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Kang Dongwoo**, see Donghyun Baek, *MWSYM-03 2003* 2193-2196 vol.3
- Kang Jin-Young**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Kang Jin-Young**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Kang Lan, S.K.** Chaudhuri, and S. Safavi-Naeini. Application of G-COM for microwave integrated-circuit modeling; *T-MTT Apr 03* 1289-1295
- Kang Sanghoon**, see Sanghoon Kang, *MWSYM-03 2003* A45-A48 vol.1
- Kang Sanghoon**, see Sanghoon Kang, *RFIC-03 2003* 559-562
- Kang Sanghoon**, see Sanghoon Kang, *T-MTT Mar 03* 972-977
- Kang Sung Min**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Kang Wook Kim**, Chae-Ho Na, and Dong-Sik Woo. New dielectric-covered waveguide-to-microstrip transitions for Ka-band transceivers; *MWSYM-03 2003* 1115-1118 vol.2
- Kanno, H.**, H. Ogura, and K. Takahashi. Surface mountable liquid crystal polymer package with vertical via transition compensating wire inductance up to V-band; *MWSYM-03 2003* 1159-1162 vol.2

- Kantanen, M.**, M. Lahdes, T. Vaha-Heikkilä, and J. Tuovinen. A wide-band on-wafer noise parameter measurement system at 50-75 GHz; *T-MTT May 2003* 1489-1495
- Kantanen, M.**, see Vaha-Heikkilä, T., *T-MTT Jun 03* 1621-1628
- Kantor, R.**, and I.V. Shvets. Measurement of electric-field intensities using scanning near-field microwave microscopy; *T-MTT Nov 03* 2228-2234
- Kao Chin-Hsin**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Kaper, V.S.**, see Pingshan Wang, *RFIC-03 2003* 361-364
- Kaper, V.S.**, see Green, B.M., *T-MTT Feb 03* 618-623
- Karamcheti, A.**, see Janezic, M.D., *T-MTT Jan 03* 132-136
- Karkkainen, M.**, see Varonen, M., *MWSYM-03 2003* 915-918 vol.2
- Karkkainen, M.K.** Subcell FDTD modeling of electrically thin dispersive layers; *T-MTT Jun 03* 1774-1780
- Karmanenko, S.F.**, see Demidov, V.E., *T-MTT Oct 03* 2090-2096
- Karyamapudi, B.M.**, and Jia-Sheng Hong. Coplanar waveguide periodic structures with resonant elements and their application in microwave filters; *MWSYM-03 2003* 1619-1622 vol.3
- Katehi, L.P.B.**, see Suryanarayanan, J., *MWSYM-03 2003* A93-A96 vol.1
- Katehi, L.P.B.**, see Chappell, W.J., *MWSYM-03 2003* 1611-1614 vol.3
- Katehi, L.P.B.**, see Maxgomenos, A., *MWSYM-03 2003* 1931-1934 vol.3
- Katehi, L.P.B.**, see Peroulis, D., *MWSYM-03 2003* 1793-1796 vol.3
- Katehi, L.P.B.**, see Thiel, W., *MWSYM-03 2003* 2097-2100 vol.3
- Katehi, L.P.B.**, see Suryanarayanan, J., *RFIC-03 2003* 607-610
- Katehi, L.P.B.**, see Margomenos, A., *T-MTT Jan 03* 25-32
- Katehi, L.P.B.**, see Rebeiz, G.M., *T-MTT Jan 03* 257-256
- Katehi, L.P.B.**, see Peroulis, D., *T-MTT Jan 03* 259-270
- Katehi, L.P.B.**, see Chappell, W.J., *T-MTT Mar 03* 752-760
- Katehi, L.P.B.**, see Saris, C.D., *T-MTT Apr 03* 1146-1156
- Kato, S.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Kato, T.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Katoh, I.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Katoh, T.**, see Tsukahara, Y., *MWSYM-03 2003* 1295-1298 vol.2
- Katoh, T.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Katz, A.**, and R. Gray. The linearized microwave power module; *MWSYM-03 2003* 335-338 vol.1
- Katz, A.**, W. Jemison, M. Kubak, and J. Dragone. Improved radio over fiber performance using predistortion linearization; *MWSYM-03 2003* 1403-1406 vol.2
- Katzin, P.**, see Gao, X., *MWSYM-03 2003* 729-732 vol.2
- Kaukovuori, J.**, see Hotti, M., *RFIC-03 2003* 45-48
- Kawai, T.**, see Ohta, I., *MWSYM-03 2003* 43-46 vol.1
- Kawakami, K.**, see Matsuzuka, T., *MWSYM-03 2003* 725-728 vol.2
- Kawakami, K.**, see Hamano, S., *MWSYM-03 2003* 2189-2192 vol.3
- Kawamura, H.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Kawamura, J.**, see Tong, C.-Y.E., *MWSYM-03 2003* 751-754 vol.2
- Kazior, T.E.**, see Leoni, R.E., III, *MWSYM-03 2003* 147-150 vol.1
- Kazior, T.E.**, see Parikh, P.A., *T-MTT Feb 03* 605-606
- Kazmirenko, V.**, see Poplavko, Y., *MWSYM-03 2003* 437-440 vol.1
- Keast, C.**, see Muldavin, J., *MWSYM-03 2003* 1915-1918 vol.3
- Keats, B.F.**, R.R. Mansour, and R.B. Gorbet. Shape memory alloy temperature compensation for resonators; *MWSYM-03 2003* 1259-1262 vol.2
- Keats, B.F.**, R.B. Gorbet, and R.R. Mansour. Design and testing of SMA temperature-compensated cavity resonators; *T-MTT Dec 03* 2284-2289
- Keck, K.**, see Snyder, R.V., *MWSYM-03 2003* 1073-1076 vol.2
- Kee, S.**, see Aoki, I., *RFIC-03 2003* 199-202
- Kee, S.D.**, I. Aoki, A. Hajimiri, and D. Rutledge. The class-E/F family of ZVS switching amplifiers; *T-MTT Jun 03* 1677-1690
- Kehrer, D.**, H.-D. Wohlmut, C. Kienmayer, and A.L. Scholtz. A 1V monolithic transformer-coupled 30-Gb/s 2:1 multiplexer in 120 nm CMOS; *MWSYM-03 2003* 2261-2264 vol.3
- Kehrer, D.**, see Wohlmut, H.-D., *RFIC-03 2003* 479-482
- Keliu Shu**, E. Sanchez-Sinencio, J. Silva-Martinez, and S.H.K. Embabi. A 16mW, 2.23-2.45GHz fully integrated S? PLL with novel prescaler and loop filter in 0.35μm CMOS; *RFIC-03 2003* 181-184
- Ke-Li Wu**, see Yong Huang, *MWSYM-03 2003* 2237-2240 vol.3
- Ke-Li Wu**, see Yan Ding, *T-MTT Mar 03* 928-934
- Ke-Li Wu**, see Yong Huang, *T-MTT May 2003* 1613-1617
- Keller, S.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Kelly, D.**, see Lovelace, D., *RFIC-03 2003* 421-424
- Kenney, J.S.**, see Ku, H., *MWSYM-03 2003* 799-802 vol.2
- Kenney, J.S.**, see Sperlich, R., *MWSYM-03 2003* 347-350 vol.1
- Kenney, J.S.**, see Youngcheol Park, *MWSYM-03 2003* 1695-1698 vol.3
- Kenney, J.S.**, see Yong-Kyu Yoon, *MWSYM-03 2003* 1989-1992 vol.3
- Kenney, J.S.**, see Ku, H., *T-MTT Dec 03* 2495-2504
- Kenney, J.S.**, see Park, Y., *T-MTT Dec 03* 2516-2522
- Kenney, J.S.**, see Yoon, Y.-K., *T-MTT Dec 03* 2568-2576
- Keon-Shik Kong**, see Shuoqi Chen, *MWSYM-03 2003* 847-850 vol.2
- Ker Ming-Dou**, see Ming-Dou Ker, *RFIC-03 2003* 115-118
- Kerssenbrock, T.V.**, see Heyen, J., *MWSYM-03 2003* 1041-1044 vol.2
- Ke Wang**, see Pan, G.W., *T-MTT Jan 03* 148-155
- Ke Wu**, see Abdalnour, J., *MWSYM-03 2003* 591-594 vol.1
- Ke Wu**, see Moldovan, E., *MWSYM-03 2003* 595-598 vol.1
- Ke Wu**, see Tatu, S.O., *MWSYM-03 2003* A9-A12 vol.1
- Ke Wu**, see Boone, F., *MWSYM-03 2003* 1471-1474 vol.3
- Ke Wu**, see Ping Yang, *MWSYM-03 2003* 2041-2044 vol.3
- Ke Wu**, see Deslandes, D., *MWSYM-03 2003* 1103-1106 vol.2
- Ke Wu**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Ke Wu**, see Xinyu Xu, *MWSYM-03 2003* 1059-1062 vol.2
- Ke Wu**, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Ke Wu**, see Tatu, S.O., *RFIC-03 2003* 523-526
- Ke Wu**, see Belaid, M., *T-MTT Mar 03* 684-689
- Ke Wu**, see Feng Xu, *T-MTT Nov 03* 2221-2227
- Khalabuhov, A.**, see Deleniv, A., *MWSYM-03 2003* 1081-1084 vol.2
- Khalil, A.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Khan, A.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Khan, M.A.**, G. Simin, Jinwei Yang, Jianping Zhang, A. Koudymov, M.S. Shur, R. Gaska, Xuhong Hu, and A. Tarakji. Insulating gate III-N heterostructure field-effect transistors for high-power microwave and switching applications; *T-MTT Feb 03* 624-633
- Khanna, A.P.S.**, E. Gane, and T. Chong. A 2GHz voltage tunable FBAR oscillator; *MWSYM-03 2003* 717-720 vol.2
- Khannur, P.B.** A CMOS power amplifier with power control and T/R switch for 2.45-GHz Bluetooth/ISM band applications; *RFIC-03 2003* 145-148
- Khazaka, R.**, see Gunupudi, P., *MWSYM-03 2003* 13-16 vol.1
- Khazaka, R.**, see Gunupudi, P.K., *T-MTT Dec 03* 2347-2354
- Kheng, W.W.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Kheng, W.W.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Kiaei, S.**, see Abedinpour, S., *MWSYM-03 2003* A89-A92 vol.1
- Kiaei, S.**, see Lavasani, S.H.M., *MWSYM-03 2003* A181-A184 vol.1
- Kiaei, S.**, see Abedinpour, S., *RFIC-03 2003* 603-606
- Kiaei, S.**, see Lavasani, S.H.M., *RFIC-03 2003* 695-698
- Kiamilev, F.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Kiang Jean-Fu**, see Jean-Fu Kiang, *T-MTT May 2003* 1496-1505
- Kian Sen Ang**, Yoke Choy Leong, and Chee How Lee. Impedance-transforming, coupled-line 180° hybrid rings with frequency independent characteristics; *MWSYM-03 2003* 1239-1242 vol.2
- Kian Sen Ang**, Yoke Choy Leong, and Chee How Lee. Analysis and design of miniaturized lumped-distributed impedance-transforming baluns; *T-MTT Mar 03* 1009-1017
- Kiefer, R.**, see van Raay, F., *MWSYM-03 2003* 451-454 vol.1
- Kienmayer, C.**, see Kehrer, D., *MWSYM-03 2003* 2261-2264 vol.3
- Kienmayer, C.**, see Thuringer, R., *RFIC-03 2003* 207-210
- Kijima, H.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Kikkawa, T.**, M. Nagahara, N. Adachi, S. Yokokawa, S. Kato, M. Yokoyama, M. Kanamura, Y. Yamaguchi, N. Hara, and K. Joshin. High-power and high-efficiency AlGaIn/GaN HEMT operated at 50 V drain bias voltage; *RFIC-03 2003* 167-170
- Kilk, A.**, see Tischler, T., *MWSYM-03 2003* 1147-1150 vol.2
- Kim, B.S.**, J.W. Lee, and M.S. Song. Modified microstrip filters improving the suppression performance of harmonic signals; *MWSYM-03 2003* 539-542 vol.1
- Kim, C.**, see Gyujae Seo, *MWSYM-03 2003* 2221-2224 vol.3
- Kim, D.**, see Yoon, Y.-K., *T-MTT Dec 03* 2568-2576
- Kim, J.H.**, see Kim, J.H., *MWSYM-03 2003* 867-870 vol.2
- Kim, J.H.**, see Kim, S.J., *MWSYM-03 2003* 627-630 vol.1
- Kim, J.H.**, J.H. Kim, Y.S. Noh, and C.S. Park. A low quiescent current 3.3V operation linear MMIC power amplifier for 5 GHz WLAN applications; *MWSYM-03 2003* 867-870 vol.2
- Kim, J.H.**, see Cho, K.J., *MWSYM-03 2003* 1335-1338 vol.2
- Kim, J.H.**, see Kim, J.H., *MWSYM-03 2003* 2209-2212 vol.3
- Kim, J.H.**, J.H. Kim, Y.S. Noh, and C.S. Park. MMIC power amplifier adaptively linearized with RF coupled active bias circuit for W-CDMA mobile terminals applications; *MWSYM-03 2003* 2209-2212 vol.3
- Kim, N.Y.**, see Kim, S.J., *MWSYM-03 2003* 627-630 vol.1
- Kim, N.Y.**, see Cho, K.J., *MWSYM-03 2003* 1335-1338 vol.2
- Kim, S.J.**, J.Y. Lee, J.C. Lee, J.H. Kim, B. Lee, and N.Y. Kim. Adaptive feedback interference cancellation system (AF-ICS); *MWSYM-03 2003* 627-630 vol.1
- Kim Bonkee**, see Ilku Nam, *MWSYM-03 2003* A117-A120 vol.1

- Kim Bonkee**, see Ilku Nam, *RFIC-03 2003* 631-634
- Kim Bonkee**, see Tae Wook Kim, *RFIC-03 2003* 107-110
- Kim Bumman**, see Jeonghyeon Cha, *MWSYM-03 2003* 81-84 vol.1
- Kim Bumman**, see Sanghoon Kang, *MWSYM-03 2003* A45-A48 vol.1
- Kim Bumman**, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
- Kim Bumman**, see Sanghoon Kang, *RFIC-03 2003* 559-562
- Kim Bumman**, see Sanghoon Kang, *T-MTT Mar 03* 972-977
- Kim Bumman**, see Youngoo Yang, *T-MTT Mar 03* 986-993
- Kim Byeong-Il**, see Jun-Bo Yoon, *T-MTT Jan 03* 279-288
- Kim Cheon-Soo**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Kim Choong-Ki**, see Jae-Hong Chang, *RFIC-03 2003* 295-298
- Kim Chul Dong**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Kim Chul Dong**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Kim Chung-Han**, see Chang-Kun Park, *MWSYM-03 2003* A157-A160 vol.1
- Kim Chung-Han**, see Chang-Kun Park, *RFIC-03 2003* 671-674
- Kim Dae-Hyun**, see Chang-Soon Choi, *MWSYM-03 2003* 1383-1386 vol.2
- Kim Ding Mei**, see McCorquodale, M.S., *MWSYM-03 2003* A21-A24 vol.1
- Kim Ding Mei**, see McCorquodale, M.S., *RFIC-03 2003* 535-538
- Kim Dongki**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Kim Dongsu**, see Yong-Kyu Yoon, *MWSYM-03 2003* 1989-1992 vol.3
- Kim Hong-Teuk**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Kim Hong-Teuk**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Kim Hyeongdong**, see Zagriadski, S.V., *T-MTT Mar 03* 744-751
- Kim Jeong-Geun**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Kim Jeongho**, see Gyujae Seo, *MWSYM-03 2003* 2221-2224 vol.3
- Kim Jonghae**, see Fong, N., *MWSYM-03 2003* 967-970 vol.2
- Kim Jonghae**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Kim Jonghae**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Kim Jonghae**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Kim Jong-Soo**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Kim Junggun**, see Donghyun Baek, *MWSYM-03 2003* 2193-2196 vol.3
- Kim Junghyun**, see Seongjun Bae, *RFIC-03 2003* 137-140
- Kim Junghyun**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Kim Jungmu**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Kim Jung-Mu**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Kim Jung-Mu**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Kim Kang Wook**, see Kang Wook Kim, *MWSYM-03 2003* 1115-1118 vol.2
- Kim Kun-Wook**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Kim Min-Gun**, see Chang-Kun Park, *MWSYM-03 2003* A157-A160 vol.1
- Kim Min-Gun**, see Chang-Kun Park, *RFIC-03 2003* 671-674
- Kim Moonil**, see Hacker, J.B., *T-MTT Jan 03* 305-308
- Kim Moonjung**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Kim Sam Dong**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Kim Sam-Dong**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Kim Sang Hoon**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Kim Sang Hoon**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Kim Sang Tae**, see Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Kim Sang Won**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Kim Seoktae**, see Seoktae Kim, *T-MTT Jun 03* 1724-1728
- Kim Sung Chan**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Kim Sung-Chan**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Kim Sung-Do**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Kim Sungwon**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Kim Tae Wook**, see Tae Wook Kim, *RFIC-03 2003* 107-110
- Kim Tae Yong**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Kim Tae Youn**, see Tae Youn Kim, *RFIC-03 2003* 93-96
- Kimura, R.**, see Steinkamp, J., *RFIC-03 2003* 483-486
- Kimura, T.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Kimura, Y.**, see Dec, A., *MWSYM-03 2003* A121-A124 vol.1
- Kimura, Y.**, see Dec, A., *RFIC-03 2003* 635-638
- Kim Yong-Kweon**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Kim Yong-Kweon**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Kim Yong-Kweon**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Kinayman, N.**, see Buber, T., *MWSYM-03 2003* 1307-1310 vol.2
- Kinayman, N.**, see Eswarappa, C., *MWSYM-03 2003* 1439-1442 vol.2
- Kinayman, N.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- King Ya-Chin**, see Wei-Cheng Lin, *RFIC-03 2003* 377-380
- Kira, H.**, see Masuda, S., *MWSYM-03 2003* 1029-1032 vol.2
- Kirchgesner, J.**, see Chai, F.K., *RFIC-03 2003* 151-154
- Kishimoto, S.**, see Ohata, K., *MWSYM-03 2003* 373-376 vol.1
- Kishimoto, S.**, see Ito, M., *MWSYM-03 2003* 1751-1754 vol.3
- Kishimoto, S.**, see Ohata, K., *RFIC-03 2003* 509-512
- Kitabayashi, H.**, see Sano, K., *MWSYM-03 2003* 1181-1184 vol.2
- Kitabayashi, H.**, see Sano, K., *T-MTT Dec 03* 2548-2554
- Kitajima, M.**, see Masuda, S., *MWSYM-03 2003* 1029-1032 vol.2
- Kitayama, K.-I.**, see Ikeda, K., *MWSYM-03 2003* 261-264 vol.1
- Kiu Lam**, see Chi Yung Ho, *RFIC-03 2003* 539-542
- Kivekas, K.**, see Hotti, M., *RFIC-03 2003* 45-48
- Kiwa, T.**, and M. Tonouchi. Optical-microwave converter: superconductor/photomixer hybrid system; *MWSYM-03 2003* 1363-1366 vol.2
- Kiwitt, J.E.**, see Pitschi, F.M., *MWSYM-03 2003* 2009-2012 vol.3
- Kleber, J.**, see Papapolymerou, J., *T-MTT Jan 03* 271-278
- Klefenz, F.**, see Dreher, A., *T-MTT Jul 03* 1815-1821
- Klein, N.**, see Vitusevich, S.A., *T-MTT Jan 03* 163-169
- Klepser, B.-U.**, M. Punzenberger, T. Ruhlicke, and M. Zannoth. 5-GHz and 2.4-GHz dual-band RF-transceiver for WLAN 802.11a/b/g applications; *RFIC-03 2003* 37-40
- Klymyshyn, D.M.**, and Zhen Ma. Active frequency-multiplier design using CAD; *T-MTT Apr 03* 1377-1385
- Knapp, H.**, M. Wurzer, T.F. Meister, K. Aufinger, J. Bock, S. Boguth, and H. Schafer. 86 GHz static and 110 GHz dynamic frequency dividers in SiGe bipolar technology; *MWSYM-03 2003* 1067-1070 vol.2
- Knight, M.**, see Pingxi Ma, *RFIC-03 2003* 237-240
- Knight, M.**, see Pingxi Ma, *T-MTT Nov 03* 2175-2180
- Knight, T.F.**, see Benham, J.R., *T-MTT Dec 03* 2597-2603
- Knight, T.F., Jr.**, see Benham, J.R., *MWSYM-03 2003* 1163-1166 vol.2
- Ko, D.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Ko, Y.J.**, see Park, J.Y., *MWSYM-03 2003* 2005-2008 vol.3
- Ko, Y.J.**, J.Y. Park, and J.U. Bu. Integrated RF MEMS phase shifters with constant phase shift; *MWSYM-03 2003* 1489-1492 vol.3
- Kobayashi, K.**, see Masuda, S., *MWSYM-03 2003* 1029-1032 vol.2
- Kobayashi, K.W.** State-of-the-art 60 GHz, 3.6 k-ohm transimpedance amplifier for 40 Gb/s and beyond; *RFIC-03 2003* 55-58
- Kobayashi, M.**, see Wang, G., *MWSYM-03 2003* 151-154 vol.1
- Kobayashi, M.**, see Gang Wang, *T-MTT Apr 03* 1227-1233
- Kodera, T.** An optically controlled isolator using ferrite edge mode; *MWSYM-03 2003* 413-416 vol.1
- Koehlin, M.**, see Gao, X., *MWSYM-03 2003* 729-732 vol.2
- Koh, H.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Koh Dongsoo**, see Cho, J., *RFIC-03 2003* 391-394
- Koh Kwang-Jin**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Koh Kyoungmin**, see Kyoungmin Koh, *MWSYM-03 2003* 467-470 vol.1
- Kohn, E.**, W. Menzel, F.J. Hernandez-Guillen, R. Muller, A. Munding, P. Schmid, D. Grobe, and J. Kusterer. Evaluation of CVD diamond for heavy duty microwave switches; *MWSYM-03 2003* 1625-1628 vol.3
- Kohn, E.**, I. Daumiller, M. Kunze, M. Neuburger, M. Seyboth, T.J. Jenkins, J.S. Sewell, J. Van Norstand, Y. Smorchkova, and U.K. Mishra. Transient characteristics of GaN-based heterostructure field-effect transistors; *T-MTT Feb 03* 634-642
- Koh Soon Joo**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Ko Hyunseok**, see Gye-An Lee, *MWSYM-03 2003* A189-A192 vol.1
- Ko Hyunseok**, see Gye-An Lee, *RFIC-03 2003* 703-706
- Ko Ju-Hyun**, see Ju-Hyun Ko, *MWSYM-03 2003* 2281-2284 vol.3
- Kokubo, Y.**, see Ohta, I., *MWSYM-03 2003* 43-46 vol.1
- Kolak, F.**, see Gresham, I., *MWSYM-03 2003* 369-372 vol.1
- Kolak, F.**, see Gresham, I., *RFIC-03 2003* 505-508
- Kolding, T.E.**, and C.R. Iversen. Simple noise deembedding technique for on-wafer shield-based test fixtures; *T-MTT Jan 03* 11-15
- Kollberg, E.L.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Kolmakov, I.A.**, see Gashinova, M.S., *T-MTT Mar 03* 792-795
- Kolmakov, Y.A.**, see Gashinova, M.S., *T-MTT Mar 03* 792-795
- Komaru, M.**, see Matsuzuka, T., *MWSYM-03 2003* 725-728 vol.2
- Komaru, M.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Komaru, M.**, see Tsukahara, Y., *MWSYM-03 2003* 1295-1298 vol.2
- Komaru, M.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Konczykowska, A.**, S. Blayac, F. Jorge, M. Riet, V. Puyal, and J. Godin. Design and measurement of very high bitrate digital ICs fabricated in InP HBT technology; *MWSYM-03 2003* 1177-1180 vol.2
- Kondo, M.**, I. Miyashita, M. Koshimizu, Y. Kagotoshi, H. Nagai, and K. Washio. High-efficiency power characteristics for WCDMA applications of SiGe HBT devices using a novel form of base-bias resistance; *MWSYM-03 2003* 2205-2208 vol.3
- Kondoh, H.**, see Nagaishi, H., *MWSYM-03 2003* 1949-1952 vol.3
- Kondratyev, V.**, M. Lahti, and T. Jaakola. On the design of LTCC filter for millimeter-waves; *MWSYM-03 2003* 1771-1773 vol.3
- Kong Keon-Shik**, see Shuoqi Chen, *MWSYM-03 2003* 847-850 vol.2
- Konle, J.**, see Abele, P., *MWSYM-03 2003* 1033-1036 vol.2

- Konstanznig, G.**, and R. Weigel. A 10 mW, 4 GHz CMOS phase-locked loop with dual-mode tuning technique and partly-integrated loop filter; *RFIC-03 2003* 189-192
- Kooi, P.S.**, see Hui, S.C., *MWSYM-03 2003* A137-A140 vol.1
- Kooi, P.S.**, see Hui, S.C., *RFIC-03 2003* 651-654
- Kooi Pang-Shyan**, see Ban-Leong Ooi, *RFIC-03 2003* 259-262
- Koo Kyung Heon**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Koo Rhee Jin**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Kopf, R.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Kordalski, W.J.**, and T. Stefanski. A non-quasi-static small-signal MOSFET model for radio and microwave frequencies including spreading gate resistances and capacitances; *RFIC-03 2003* 365-368
- Kornegay, K.**, see Rippke, I., *MWSYM-03 2003* A153-A156 vol.1
- Kornegay, K.**, see Rippke, I., *RFIC-03 2003* 667-670
- Kory, C.L.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Ko Sangsoo**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Koshimizu, M.**, see Kondo, M., *MWSYM-03 2003* 2205-2208 vol.3
- Koskinen, T.**, see Meltaus, J., *T-MTT Apr 03* 1274-1280
- Kosmanis, T.I.**, and T.D. Tsiboukis. A systematic and topologically stable conformal finite-difference time-domain algorithm for modeling curved dielectric interfaces in three dimensions; *T-MTT Mar 03* 839-847
- Kossel, M.**, see Toifl, T., *MWSYM-03 2003* 239-242 vol.1
- Kostogiannis, K.**, see Vardiambasis, I.O., *T-MTT Mar 03* 761-766
- Kosugi, T.**, T. Shibata, T. Enoki, M. Muraguchi, A. Hirata, T. Nagatsuma, and H. Kyuragi. A 120-GHz millimeter-wave MMIC chipset for future broadband wireless access applications; *MWSYM-03 2003* 129-132 vol.1
- Kotsuka, Y.**, and M. Amano. Broadband EM-wave absorber based on integrated circuit concept; *MWSYM-03 2003* 1263-1266 vol.2
- Kotsuka, Y.**, see Amano, M., *T-MTT Jan 03* 238-245
- Koudymov, A.**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Kovacevic, M.**, and M. Madhian. GSM and DCS SiGe BiCMOS mixer ICs with wide LO power range; *MWSYM-03 2003* 1299-1302 vol.2
- Kovacs, G.T.A.**, see Droitcour, A.D., *MWSYM-03 2003* 1945-1948 vol.3
- Kovacs, I.**, see Spiegel, S., *MWSYM-03 2003* A49-A52 vol.1
- Kovacs, I.**, see Spiegel, S., *RFIC-03 2003* 563-566
- Kranti, A.**, see Rashmi, *T-MTT Feb 03* 607-617
- Kretschmer, J.W.**, see Zhang, A.P., *MWSYM-03 2003* 251-254 vol.1
- Krishnamurthy, K.**, R. Vetury, Jian Xu, A. Shou, S. Jaganathan, K. Cheng, J. Chow, D. Mensa, Liyang Zhang, I. Gontijo, S. Vu, C. Winczewski, Yetzen Liu, R. Pallela, and M. Rodwell. 40 Gb/s TDM system using InP HBT IC technology; *MWSYM-03 2003* 1189-1192 vol.2
- Krishnan, S.**, D. Scott, M. Urteaga, Z. Griffith, Yun Wei, M. Dahlstrom, N. Parthasarathy, and M. Rodwell. An 8-GHz continuous-time S-? analog-digital converter in an InP-based DHBT technology; *MWSYM-03 2003* 1063-1065 vol.2
- Krishnan, S.**, D. Scott, Z. Griffith, M. Urteaga, Y. Wei, N. Parthasarathy, and M. Rodwell. An 8-GHz continuous-time S-? analog-digital converter in an InP-based HBT technology; *T-MTT Dec 03* 2555-2561
- Krishnaswamy, S.V.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Krohne, K.**, and R. Vahldieck. A fast filter optimization scheme based on model order reduction; *MWSYM-03 2003* 21-24 vol.1
- Krowne, C.M.**, and M. Daniel. Electronic aspects of propagation in left-handed guided wave structures: electromagnetic-media interactions; *MWSYM-03 2003* 309-312 vol.1
- Krowne, C.M.** Electromagnetic-field theory and numerically generated results for propagation in left-handed guided-wave single-microstrip structures; *T-MTT Dec 03* 2269-2283
- Kruchowski, J.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Krupka, J.**, see Riddle, B., *T-MTT Mar 03* 727-733
- Krupka, J.**, see Riddle, B., *T-MTT Oct 03* 2148
- Kryger, D.**, see Levy, O., *MWSYM-03 2003* 2019-2022 vol.3
- Ku, H.**, and J.S. Kenney. Behavioral modeling of RF power amplifiers considering IMD and spectral regrowth asymmetries; *MWSYM-03 2003* 799-802 vol.2
- Ku, H.**, and J.S. Kenney. Behavioral modeling of nonlinear RF power amplifiers considering memory effects; *T-MTT Dec 03* 2495-2504
- Kubak, M.**, see Katz, A., *MWSYM-03 2003* 1403-1406 vol.2
- Kubo, H.**, see Hattori, J., *MWSYM-03 2003* 933-936 vol.2
- Kubo, H.**, see Awai, I., *MWSYM-03 2003* 1085-1088 vol.2
- Kudszus, S.**, see Tessmann, A., *MWSYM-03 2003* 1581-1584 vol.3
- Kudszus, S.**, A. Shahani, S. Pavan, D.K. Shaeffer, and M. Tarsia. A 46-GHz distributed transimpedance amplifier using SiGe bipolar technology; *MWSYM-03 2003* 1387-1390 vol.2
- Kuen Yu Huang**, Yiming Li, and Chien-Ping Lee. A time-domain approach to simulation and characterization of RF HBT two-tone intermodulation distortion; *T-MTT Oct 03* 2055-2062
- Kukiela, M.**, see Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Kumar, G.**, see Ray, S., *MWSYM-03 2003* 1243-1246 vol.2
- Kumar, K.N.**, see Raja, M.K., *RFIC-03 2003* 439-442
- Kumar, M.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Kumar, M.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Kumar, S.**, M. Vice, H. Morkner, and W. Lam. Enhancement mode GaAs PHEMT LNA with linearity control (IP3) and phased matched mitigated bypass switch and differential active mixer; *MWSYM-03 2003* 1577-1580 vol.3
- Kung, W.**, see Dosanjh, S., *RFIC-03 2003* 299-302
- Kun-Hin To**, Young-Bog Park, T. Rainer, W. Brown, and M.W. Huang. High frequency noise characteristics of RF MOSFETs in subthreshold region; *RFIC-03 2003* 163-166
- Kunii, T.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Kun-Ming Chen**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Kun-Seok Lee**, and Byeong-Ha Park. A 3-bit 4th-order S-? modulator with metal-connected multipliers for fractional-N frequency synthesizer; *RFIC-03 2003* 177-180
- Kun-Wook Kim**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Kun-You Lin**, Yu-Jiu Wang, Dow-Chih Niu, and Huei Wang. Millimeter-wave MMIC single-pole-double-throw passive HEMT switches using impedance-transformation networks; *T-MTT Apr 03* 1076-1085
- Kunz, F.**, see Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Kunze, M.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Kuo, J.T.**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Kuo, J.-T.**, and E. Shih. Microstrip stepped impedance resonator bandpass filter with an extended optimal rejection bandwidth; *T-MTT May 2003* 1554-1559
- Kuo Chin-Wei**, see Chien-Chih Ho, *RFIC-03 2003* 211-214
- Kuo Hsi-Wei**, see Jia-Liang Chen, *MWSYM-03 2003* 1275-1278 vol.2
- Kuo Jen-Tsai**, see Shih, E., *MWSYM-03 2003* 1077-1080 vol.2
- Kuo-Liang Deng**, see Ren-Chieh Liu, *RFIC-03 2003* 103-106
- Kuo-Liang Deng**, Tian-Wei Huang, and Huei Wang. Novel high gain and broadband GaAs MMIC distributed amplifiers with traveling-wave gain stages; *RFIC-03 2003* 325-328
- Kuo-Liang Deng**, and Huei Wang. A miniature broad-band pHEMT MMIC balanced distributed doubler; *T-MTT Apr 03* 1257-1261
- Kuo-Liang Deng**, Tian-Wei Huang, and Huei Wang. Design and analysis of novel high-gain and broad-band GaAs pHEMT MMIC distributed amplifiers with traveling-wave gain stages; *T-MTT Nov 03* 2188-2196
- Kuo Ming-Ching**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Kuo-Wei Liu**, see Jahan, M.M., *T-MTT Mar 03* 677-683
- Kuran, S.**, see Chun-Wen Huang, *MWSYM-03 2003* A73-A76 vol.1
- Kuran, S.**, see Huang, C.-W.P., *RFIC-03 2003* 587-590
- Kuri, M.**, see Merkle, T., *MWSYM-03 2003* 1643-1646 vol.3
- Kuri, T.**, see Ikeda, K., *MWSYM-03 2003* 261-264 vol.1
- Kurishima, K.**, see Ishii, K., *RFIC-03 2003* 63-66
- Kurishima, K.**, see Ishii, K., *T-MTT Nov 03* 2181-2187
- Kuroki, F.**, H. Shimoi, M. Yamaguchi, Y. Minamitani, and T. Yoneyama. Design and fabrication of square shaped ceramic resonator filter, for NRD guide integrated circuit at 60GHz; *MWSYM-03 2003* 475-478 vol.1
- Kuroki, F.**, M. Yamaguchi, T. Araki, H. Sato, and T. Yoneyama. Giga-bit class ultra high speed signal wireless distribution by using NRD guide technology at 60GHz; *MWSYM-03 2003* 619-622 vol.1
- Kuroki, F.**, K. Yamaoka, M. Yamaguchi, and T. Yoneyama. Mode coupling phenomenon in high permittivity NRD guide with asymmetrically remained small air gap; *MWSYM-03 2003* 2053-2056 vol.3
- Kurtz, D.**, see Stepanek, P., *MWSYM-03 2003* 1415-1417 vol.2
- Kurup, D.G.**, and A. Rydberg. Amplifying active reflect-antenna using a microstrip-T coupled patch sign and measurement; *T-MTT Aug 03* 1960-1965
- Kurzweg, T.P.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Kusterer, J.**, see Kohn, E., *MWSYM-03 2003* 1625-1628 vol.3
- Ku Yeonwoo**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Kuypers, J.**, see Hara, M., *MWSYM-03 2003* 1797-1800 vol.3
- Kuzuhara, M.**, see Okamoto, Y., *MWSYM-03 2003* 225-228 vol.1
- Kuzuhara, M.**, see Hosoya, K., *T-MTT Nov 03* 2250-2258
- Kwang-Jin Koh**, Mun-Yang Park, Yong-Sik Youn, Seon-Ho Han, Jang-Hong Choi, Cheon-Soo Kim, Sung-Do Kim, and Hyun-Kyu Yu. A merged structure of LNA & sub-harmonic mixer for multi-band DCR applications; *MWSYM-03 2003* 243-246 vol.1

- Kwang-Seok Seo**, see Chang-Soon Choi, *MWSYM-03 2003* 1383-1386 vol.2
- Kwang-Seok Seo**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Kwok, T.**, see Chi Yung Ho, *RFIC-03 2003* 539-542
- Kwok-Po Chan**, and K.-K.M. Cheng. Novel DSP algorithms for adaptive feed-forward power amplifier design; *MWSYM-03 2003* 1323-1326 vol.2
- Kwong Dim-Lee**, see Huang, C.H., *MWSYM-03 2003* 507-510 vol.1
- Kwong Dim-Lee**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Kwong Dim-Lee**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Kwon Young-Se**, see Ju-Hyun Ko, *MWSYM-03 2003* 2281-2284 vol.3
- Kwon Young-Se**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Kwon Youngwoo**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Kwon Youngwoo**, see Wooyeol Choi, *MWSYM-03 2003* 881-884 vol.2
- Kwon Youngwoo**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Kwon Youngwoo**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Kwon Youngwoo**, see Seongjun Bae, *RFIC-03 2003* 137-140
- Kwon Youngwoo**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Kwon Youngwoo**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Kwyo Lee**, see Ilku Nam, *MWSYM-03 2003* A117-A120 vol.1
- Kwyo Lee**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Kwyo Lee**, see Ilku Nam, *RFIC-03 2003* 631-634
- Kyounghoon Yang**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Kyoung-Ik Cho**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Kyoung-Ik Cho**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Kyoungmin Koh**, Hyun-Min Park, and Songcheol Hong. A large-signal FET model including thermal and trap effects with pulsed I-V measurements; *MWSYM-03 2003* 467-470 vol.1
- Kyu-Hwan Shim**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Kyu-Hwan Shim**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Kyung Heon Koo**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Kyuragi, H.**, see Kosugi, T., *MWSYM-03 2003* 129-132 vol.1
- Kyuwoon Hwang**, see Watson, A., *MWSYM-03 2003* 1011-1014 vol.2
- Kywro Lee**, see Tae Wook Kim, *RFIC-03 2003* 107-110

L

- Labate, L.**, A. Moscatelli, and R. Stella. Robust and performing RF LDMOS device integrated in a VLSI BCD silicon technology; *RFIC-03 2003* 159-162
- Lahdes, M.**, see Kantanen, M., *T-MTT May 2003* 1489-1495
- Lahdes, M.**, see Vaha-Heikkilä, T., *T-MTT Jun 03* 1621-1628
- Lahti, M.**, see Kondratyev, V., *MWSYM-03 2003* 1771-1773 vol.3
- Lai, R.**, see Dawson, D., *MWSYM-03 2003* 1585-1587 vol.3
- Lai, R.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Laighton, C.S.**, see Leoni, R.E., III, *MWSYM-03 2003* 147-150 vol.1
- Laisne, A.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Lai Yeong-Lin**, see Yeong-Lin Lai, *RFIC-03 2003* 351-354
- Lakshminarayanan, B.**, and T. Weller. Tunable bandpass filter using distributed MEMS transmission lines; *MWSYM-03 2003* 1789-1792 vol.3
- Lal, N.**, see Maeng, M., *MWSYM-03 2003* 265-268 vol.1
- Laloue, A.**, J.-C. Nallatamby, M. Prigent, M. Camiade, and J. Obregon. An efficient method for nonlinear distortion calculation of the AM and PM noise spectra of FMCW radar transmitters; *T-MTT Aug 03* 1966-1976
- Lam, T.K.K.**, see Chi Yung Ho, *MWSYM-03 2003* A25-A28 vol.1
- Lam, W.**, see Kumar, S., *MWSYM-03 2003* 1577-1580 vol.3
- Lam Kiu**, see Chi Yung Ho, *RFIC-03 2003* 539-542
- Lampen, J.**, see Majumder, S., *MWSYM-03 2003* 1935-1938 vol.3
- Lan, X.**, see Yang, J.M., *MWSYM-03 2003* 1853-1855 vol.3
- Lanagan, M.**, see Semouchkina, E., *MWSYM-03 2003* 1897-1900 vol.3
- Lancaster, M.J.**, see Yanzhi Li, *MWSYM-03 2003* 551-554 vol.1
- Lancaster, M.J.**, see Jiafeng Zhou, *MWSYM-03 2003* 1889-1892 vol.3
- Lange, K.L.**, see Papapolymerou, J., *T-MTT Jan 03* 271-278
- Langlois, J.M.P.**, and D. Al-Khalili. Piecewise continuous linear interpolation of the sine function for direct digital frequency synthesis; *MWSYM-03 2003* A65-A68 vol.1
- Langlois, J.M.P.**, and D. Al-Khalili. Piecewise continuous linear interpolation of the sine function for Direct Digital Frequency Synthesis; *RFIC-03 2003* 579-582
- Langmore, I.**, see Draxler, P., *MWSYM-03 2003* 803-806 vol.2
- Langston, W.L.**, J.T. Williams, and D.R. Jackson. Fundamental properties of radiation from a leaky mode excited on a planar transmission line; *MWSYM-03 2003* 665-668 vol.2
- Langston, W.L.**, J.T. Williams, D.R. Jackson, and F. Mesa. Fundamental properties of radiation from a leaky mode excited on a planar transmission line; *T-MTT Dec 03* 2366-2377
- Lan Kang**, see Kang Lan, *T-MTT Apr 03* 1289-1295
- Lanschutser, C.**, A. Springer, L. Maurer, Z. Boos, and R. Weigel. Integrated adaptive LO leakage cancellation for WCDMA direct upconversion transmitters; *RFIC-03 2003* 19-22
- Lanteri, J.-P.**, see Gresham, I., *MWSYM-03 2003* 369-372 vol.1
- Lanteri, J.-P.**, see Gresham, I., *RFIC-03 2003* 505-508
- Lanteri, J.-P.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Lao Zhihao**, see Yu, M., *RFIC-03 2003* 71-73
- Lapierre, L.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Lapuyade, H.**, see Taris, T., *RFIC-03 2003* 123-126
- Lapuyade, H.**, see Taris, T., *RFIC-03 2003* 465-468
- Lardizabal, S.M.**, see Herrick, K.J., *MWSYM-03 2003* 137-140 vol.1
- Larose, C.L.**, and F.M. Ghannouchi. Optimization of feedforward amplifier power efficiency on the basis of drive statistics; *T-MTT Jan 03* 41-54
- Larson, L.E.**, see Yu Zhao, *MWSYM-03 2003* 687-690 vol.2
- Larson, L.E.** The impact of emerging "4G" systems on the performance and complexity requirements of RFICs; *RFIC-03 2003* 15-18
- Larson, L.E.**, see Johansen, T.K., *RFIC-03 2003* 273-276
- Larson, L.E.**, see Liwei Sheng, *RFIC-03 2003* 417-420
- Larson, L.E.**, see Wan Ni, *RFIC-03 2003* 547-550
- Larson, L.E.**, see Aparin, V., *T-MTT May 2003* 1591-1602
- Larson, L.E.**, see Liwei Sheng, *T-MTT Nov 03* 2211-2220
- Larson, L.E.**, see Wan Ni, *MWSYM-03 2003* A33-A36 vol.1
- La Rue, R.A.**, T.P. Ngo, E. Chan, and J.D. Levine. A novel microwave cross-point switch MMIC employing thyristors for broadband services; *MWSYM-03 2003* 247-250 vol.1
- La Rue, R.A.**, T.P. Ngo, E. Chan, J.D. Levine, N. Kinayman, D. Hoag, J. Goodrich, R. Anderson, T. Buber, A. Khalil, T. Boles, and J.-P. Lanteri. Novel thyristor-based microwave cross-point switch MMIC; *T-MTT Dec 03* 2577-2588
- Laskar, J.**, see Curtice, W.R., *MWSYM-03 2003* 639-641 vol.2
- Laskar, J.**, see Maeng, M., *MWSYM-03 2003* 265-268 vol.1
- Laskar, J.**, see Nuttinck, S., *MWSYM-03 2003* 221-223 vol.1
- Laskar, J.**, see Chakraborty, S., *MWSYM-03 2003* 1551-1554 vol.3
- Laskar, J.**, see Yoon, S.-W., *MWSYM-03 2003* 2181-2184 vol.3
- Laskar, J.**, see Banerjee, B., *MWSYM-03 2003* 1573-1576 vol.3
- Laskar, J.**, see Davis, M.F., *MWSYM-03 2003* 1155-1158 vol.2
- Laskar, J.**, see Pinel, S., *MWSYM-03 2003* 1497-1500 vol.3
- Laskar, J.**, see Sutono, A., *T-MTT Jan 03* 156-162
- Laskar, J.**, see Nuttinck, S., *T-MTT Dec 03* 2445-2452
- Laso, M.A.G.**, T. Lopetegi, M.J. Erro, D. Benito, M.J. Garde, M.A. Muriel, M. Sorolla, and M. Guglielmi. Real-time spectrum analysis in microstrip technology; *T-MTT Mar 03* 705-717
- Lattard, H.**, see Goron, E., *MWSYM-03 2003* 1599-1602 vol.3
- Lau, E.W.**, see Herbsommer, J.A., *MWSYM-03 2003* 213-216 vol.1
- Lau, J.**, see Hau-Yiu Tsui, *RFIC-03 2003* 225-228
- Lau, J.**, see Hau-Yiu Tsui, *RFIC-03 2003* 243-246
- Lautru, D.**, see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Lavasani, S.H.M.**, B. Chaudhuri, and S. Kiaei. A pseudo-concurrent 0.18 μm multi-band CMOS LNA; *MWSYM-03 2003* A181-A184 vol.1
- Lavasani, S.H.M.**, B. Chaudhuri, and S. Kiaei. A pseudo-concurrent 0.18 μm multi-band CMOS LNA; *RFIC-03 2003* 695-698
- Lavrador, P.M.**, see Pedro, J.C., *MWSYM-03 2003* 2133-2136 vol.3
- Lavrador, P.M.**, N.B. de Carvalho, and J.C. Pedro. Noise and distortion figure - an extension of noise figure definition for nonlinear devices; *MWSYM-03 2003* 2137-2140 vol.3
- Law Choi Look**, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
- Lech, R.**, M. Polewski, and J. Mazur. Scattering in junction by posts consisting of a segment of conducting cylinder; *T-MTT Mar 03* 998-1002
- Leckey, J.**, see Williams, D.J., *MWSYM-03 2003* 1411-1414 vol.2
- Lee, B.**, see Kim, S.J., *MWSYM-03 2003* 627-630 vol.1
- Lee, B.J.**, see Cho, K.J., *MWSYM-03 2003* 1335-1338 vol.2
- Lee, C.H.**, see Banerjee, B., *MWSYM-03 2003* 1573-1576 vol.3
- Lee, D.**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Lee, H.C.**, see Park, J.Y., *MWSYM-03 2003* 2005-2008 vol.3
- Lee, H.M.**, see Park, J.Y., *MWSYM-03 2003* 2005-2008 vol.3
- Lee, J.C.**, see Kim, S.J., *MWSYM-03 2003* 627-630 vol.1
- Lee, J.C.**, see Cho, K.J., *MWSYM-03 2003* 1335-1338 vol.2
- Lee, J.W.**, see Kim, B.S., *MWSYM-03 2003* 539-542 vol.1
- Lee, J.Y.**, see Kim, S.J., *MWSYM-03 2003* 627-630 vol.1
- Lee, K.H.**, see Park, J.Y., *MWSYM-03 2003* 2005-2008 vol.3
- Lee, M.**, see Mehta, S., *RFIC-03 2003* 427-430
- Lee, Q.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Lee, R.**, see Romisch, S., *MWSYM-03 2003* 1669-1672 vol.3
- Lee, R.**, see Seung-Cheol Lee, *T-MTT Aug 03* 1897-1905

- Lee, S.-S., *see* Nishino, T., *MWSYM-03 2003* 487-490 vol.1
- Lee, Y.C., *see* Faheem, F.F., *MWSYM-03 2003* 1927-1930 vol.3
- Lee, Y.-C., *see* Faheem, F.F., *T-MTT Dec 03* 2562-2567
- Lee Chang-hyeon, *see* Cho, J., *RFIC-03 2003* 391-394
- Lee Chang On, *see* Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Lee Chee How, *see* Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- Lee Chee How, *see* Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Lee Chien-Ming, *see* Ming-Dou Ker, *RFIC-03 2003* 115-118
- Lee Chien-Ping, *see* Kuen Yu Huang, *T-MTT Oct 03* 2055-2062
- Lee Chih-Yuan, *see* Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Lee Chung-Rung, *see* Jean-Fu Kiang, *T-MTT May 2003* 1496-1505
- Lee Gye-An, *see* Gye-An Lee, *MWSYM-03 2003* 527-530 vol.1
- Lee Gye-An, *see* Gye-An Lee, *MWSYM-03 2003* A189-A192 vol.1
- Lee Gye-An, *see* Gye-An Lee, *RFIC-03 2003* 703-706
- Lee Han Shin, *see* Dan An, *MWSYM-03 2003* 911-914 vol.2
- Lee Han-Sin, *see* Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Lee Hong-Ming, *see* Chih-Ming Tsai, *T-MTT May 2003* 1517-1524
- Lee Jaechun, *see* Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Lee Jae-Ryong, *see* Jae-Ryong Lee, *MWSYM-03 2003* 1747-1750 vol.3
- Lee Ja-Yol, *see* Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Lee Ja-Yol, *see* Ja-Yol Lee, *RFIC-03 2003* 655-658
- Lee Jin-Fa, *see* Seung-Cheol Lee, *T-MTT Aug 03* 1897-1905
- Lee Jin-Fa, *see* Din-Kow Sun, *T-MTT Oct 03* 2097-2105
- Lee Jong-Wook, *see* Jong-Wook Lee, *T-MTT Nov 03* 2243-2249
- Lee Kun-Seok, *see* Kun-Seok Lee, *RFIC-03 2003* 177-180
- Lee Kwyro, *see* Ilku Nam, *MWSYM-03 2003* A117-A120 vol.1
- Lee Kwyro, *see* Hyokjae Choi, *RFIC-03 2003* 443-446
- Lee Kwyro, *see* Ilku Nam, *RFIC-03 2003* 631-634
- Lee Kywro, *see* Tae Wook Kim, *RFIC-03 2003* 107-110
- Leeper, D.G. Ultrawideband - the next step in short-range wireless; *MWSYM-03 2003* 357-360 vol.1
- Leeper, D.G. Ultrawideband - the next step in short-range wireless; *RFIC-03 2003* 493-496
- Lees, J., M. Goss, J. Benedikt, and P.J. Tasker. Single-tone optimisation of an adaptive-bias Doherty structure; *MWSYM-03 2003* 2213-2216 vol.3
- Lee Sang-Heung, *see* Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Lee Sang-Heung, *see* Ja-Yol Lee, *RFIC-03 2003* 655-658
- Lee Sanghyo, *see* Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Lee Sanghyo, *see* Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Lee Sanghyo, *see* Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Lee Seung-Cheol, *see* Seung-Cheol Lee, *T-MTT Aug 03* 1897-1905
- Lee Seung-Pal, *see* Dong-Pil Chang, *MWSYM-03 2003* 1589-1592 vol.3
- Lee Seung-Yun, *see* Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Lee Seung-Yun, *see* Ja-Yol Lee, *RFIC-03 2003* 655-658
- Lee Sheng-Yuan, *see* Chih-Ming Tsai, *T-MTT May 2003* 1517-1524
- Lee Shing, *see* Yu, M., *RFIC-03 2003* 71-73
- Lee Sungjae, *see* Sungjae Lee, *T-MTT May 2003* 1567-1577
- Lee-Yin Chen, *see* Pengcheng Jia, *MWSYM-03 2003* 1871-1874 vol.3
- Lee Young Chul, *see* Young Chul Lee, *MWSYM-03 2003* 2027-2030 vol.3
- Lee Young-Shin, *see* Hee-Seok Song, *MWSYM-03 2003* 515-518 vol.1
- Lee Young-Taek, *see* Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Le Gall, J.-Y., *see* Begueret, J.-B., *RFIC-03 2003* 313-316
- Le Guennec, Y., *see* Salehi, M.R., *MWSYM-03 2003* 1371-1374 vol.2
- Lehtovuori, A., J. Virtanen, and M. Valtonen. GMRES preconditioners for multivariate steady-state time-domain method (RF simulation); *MWSYM-03 2003* 2129-2132 vol.3
- Leier, H., *see* Schreiner, M., *MWSYM-03 2003* 567-570 vol.1
- Leipold, D., *see* Staszewski, R.B., *RFIC-03 2003* 81-84
- Leipold, D., *see* Staszewski, R.B., *T-MTT Nov 03* 2154-2164
- Lei Zhang, Jianjun Xu, M.C.E. Yagoub, Runtao Ding, and Qijun Zhang. Neuro-Space Mapping technique for nonlinear device modeling and large signal simulation; *MWSYM-03 2003* 173-176 vol.1
- Lei Zhao, A. Pavio, and W. Thompson. A 1 watt, 3.2 VDC, high efficiency distributed power PHEMT amplifier fabricated using LTCC technology; *MWSYM-03 2003* 2201-2204 vol.3
- Lei Zhu Guided-wave characteristics of periodic coplanar waveguides with inductive loading - unit-length transmission parameters; *T-MTT Oct 03* 2133-2138
- Le Maguer, S., *see* Prigent, G., *MWSYM-03 2003* 519-522 vol.1
- Lenk, F., M. Schott, J. Hilsenbeck, J. Wurfl, and W. Heinrich. Low phase-noise monolithic GaInP/GaAs-HBT VCO for 77 GHz; *MWSYM-03 2003* 903-906 vol.2
- Leong, K.M.K.H., *see* Allen, C.A., *MWSYM-03 2003* 1875-1878 vol.3
- Leong, K.M.K.H., Yuanxun Wang, and T. Itoh. A radar target transceiver using a full duplex capable retrodirective array system; *MWSYM-03 2003* 1447-1450 vol.2
- Leong, M.S., *see* Hui, S.C., *MWSYM-03 2003* A137-A140 vol.1
- Leong, M.S., *see* Hui, S.C., *RFIC-03 2003* 651-654
- Leong Mook-Seng, *see* Le-Wei Li, *T-MTT Mar 03* 922-927
- Leong Mook Seng, *see* Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Leong Ooi Ban, *see* Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Leong Yoke Choy, *see* Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- Leong Yoke Choy, *see* Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Leoni, R.E., III, C.S. Whelan, P.F. Marsh, Y. Zhang, J.G. Hunt, C.S. Loughton, W.E. Hoke, and T.E. Kazior. Metamorphic optoelectronic integrated circuits; *MWSYM-03 2003* 147-150 vol.1
- Le Pennec, F., *see* Prigent, G., *MWSYM-03 2003* 519-522 vol.1
- Leppavuori, S., *see* Deleniv, A., *MWSYM-03 2003* 1997-2000 vol.3
- Leuchtmann, P., *see* Baumann, D., *MWSYM-03 2003* 985-988 vol.2
- Leung, M., *see* Brinkhoff, J., *T-MTT Dec 03* 2523-2530
- Leung Tsang, *see* Houfei Chen, *T-MTT Mar 03* 818-829
- Leuther, A., *see* Tessmann, A., *MWSYM-03 2003* 1581-1584 vol.3
- Leuzzi, G., *see* Cidronali, A., *T-MTT Mar 03* 830-838
- Leven, A., *see* Roux, P., *MWSYM-03 2003* 1193-1196 vol.2
- Leven, A., *see* Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Leven, A., *see* Baeyens, Y., *RFIC-03 2003* 67-70
- Levine, J.D., *see* La Rue, R.A., *MWSYM-03 2003* 247-250 vol.1
- Levine, J.D., *see* La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Levitan, S.P., *see* Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Levush, B., *see* Qiu, J., *MWSYM-03 2003* 1659-1662 vol.3
- Levush, B., *see* Qiu, J.X., *T-MTT Aug 03* 1911-1919
- Levy, O., A. Madjar, D. Kryger, and S. Matarasso. Fully terminated Ka band high isolation, high power MMIC SPDT switch in GaAs PIN technology; *MWSYM-03 2003* 2019-2022 vol.3
- Levy, R. Generalized inverter-coupled bandpass filters; *MWSYM-03 2003* 1455-1457 vol.3
- Le-Wei Li, Zhong-Cheng Li, and Mook-Seng Leong. Closed-form eigenfrequencies in prolate spheroidal conducting cavity; *T-MTT Mar 03* 922-927
- Lewen, R., S. Irmscher, and U. Eriksson. Microwave CAD circuit modeling of a traveling-wave electroabsorption modulator; *T-MTT Apr 03* 1117-1128
- Lewis, J.H., *see* Cidronali, A., *T-MTT Apr 03* 1351-1367
- Li, G.P., *see* Cetiner, B.A., *MWSYM-03 2003* 1711-1714 vol.3
- Li, G.P., *see* Cetiner, B.A., *T-MTT Jan 03* 332-335
- Li, M.F., *see* Huang, C.H., *MWSYM-03 2003* 507-510 vol.1
- Li, M.F., *see* Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Li, X., J.R. Paviol, B.A. Myers, and K.K. O. A CMOS 802.11b wireless LAN transceiver; *RFIC-03 2003* 41-44
- Li, Y., S. Goldwasser, and P.R. Herczfeld. Optically generated dynamically tunable, low noise millimeter wave signals using microchip solid state lasers; *MWSYM-03 2003* 1391-1394 vol.2
- Liang, V., *see* Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Liang, V., *see* Huang, C.H., *RFIC-03 2003* 373-376
- Liang-Hung Lu, *see* Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Liang-Hung Lu, *see* Jonghae Kim, *RFIC-03 2003* 591-594
- Liang Qingqing, *see* Qingqing Liang, *RFIC-03 2003* 357-360
- Liang Qingqing, *see* Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Lian Yuh Tio, L.E. Davis, A.A.P. Gibson, and B.M. Dillon. Novel general finite element solver for gyroelectric structures; *MWSYM-03 2003* 421-424 vol.1
- Liao, T.S., P. Mages, P.K.L. Yu, E.W. Jacobs, and J.B. Solti. Investigation of the high power integrated unitraveling carrier and waveguide integrated photodiode; *MWSYM-03 2003* 155-158 vol.1
- Liao Che-Hong, *see* Yuan-Kai Chu, *RFIC-03 2003* 221-224
- Liao Chun-Lin, *see* Chun-Lin Liao, *T-MTT Jan 03* 200-206
- Liao Huailin, *see* Huailin Liao, *RFIC-03 2003* 247-250
- Liberti, M., *see* Apollonio, F., *MWSYM-03 2003* 1431-1434 vol.2
- Li Dun, *see* Dun Li, *T-MTT Apr 03* 1179-1186
- Li Duochuan, *see* Ping Yang, *MWSYM-03 2003* 2041-2044 vol.3
- Li Hao, *see* Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Li Le-Wei, *see* Le-Wei Li, *T-MTT Mar 03* 922-927
- Li Liu, *see* Xin Jiang, *T-MTT Jan 03* 144-147
- Lill, K., *see* Malcoci, A., *MWSYM-03 2003* 143-146 vol.1
- Lim, C., A. Nirmalathas, M. Attygalle, D. Novak, and R. Waterhouse. The merging of a WDM fiber-radio backbone with a 25 GHz WDM ring network; *MWSYM-03 2003* 273-276 vol.1

- Lim, K.**, see Davis, M.F., *MWSYM-03 2003* 1155-1158 vol.2
- Limbach, S.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Lim Boon**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Limin Dong**, see Aosheng Rong, *MWSYM-03 2003* 1959-1962 vol.3
- Li Ming-Fu**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Limiti, E.**, see Colantonio, P., *MWSYM-03 2003* 1807-1810 vol.3
- Lim Jong-Sik**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Lin, B.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Lin, C.K.**, see Wang, W.K., *MWSYM-03 2003* 443-446 vol.1
- Lin, J.**, see Droitcour, A.D., *MWSYM-03 2003* 1945-1948 vol.3
- Lin, J.C.**, see Bernardi, P., *MWSYM-03 2003* 395-398 vol.1
- Lin, J.C.**, see Pisa, S., *T-MTT Dec 03* 2418-2426
- Lin, W.C.**, see Yang, M.T., *MWSYM-03 2003* 1283-1286 vol.2
- Lin, W.J.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Lin, W.J.**, see Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
- Lin, W.J.**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Lind, L.F.**, see Gajaweera, R.N., *MWSYM-03 2003* 1463-1465 vol.3
- Lind, L.F.**, see Gajaweera, R.N., *T-MTT May 2003* 1578-1583
- Linfield, E.**, see Davies, G., *MWSYM-03 2003* 743-746 vol.2
- Ling, K.S.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Ling, K.S.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Lingna Yue**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Lin I-Hsiang**, see I-Hsiang Lin, *MWSYM-03 2003* 325-328 vol.1
- Lin Kun-You**, see Kun-You Lin, *T-MTT Apr 03* 1076-1085
- Lin Min**, see Min Lin, *MWSYM-03 2003* A185-A188 vol.1
- Lin Min**, see Min Lin, *RFIC-03 2003* 699-702
- Lin Wang You**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Lin Wei-Cheng**, see Wei-Cheng Lin, *RFIC-03 2003* 377-380
- Lin Yin-Ching**, see Ching-Wen Tang, *T-MTT Oct 03* 2112-2118
- Lin Yo-Shen**, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
- Lin Yo-Sheng**, see Yo-Sheng Lin, *MWSYM-03 2003* A29-A32 vol.1
- Lin Yo-Sheng**, see Yo-Sheng Lin, *RFIC-03 2003* 543-546
- Lin Yo-Sheng**, see Yo-Sheng Lin, *T-MTT May 2003* 1534-1539
- Lin Zhang Yu**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Lin Zhang Yu**, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Liou, K.Y.**, see Zhuang, Y., *MWSYM-03 2003* 1367-1370 vol.2
- Lippens, D.**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Lippens, D.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Li Qin**, see Houfei Chen, *T-MTT Mar 03* 818-829
- Li-Shu Chen**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Li Shuzhou**, see Jia-Sheng Hong, *MWSYM-03 2003* 1901-1904 vol.3
- Liss, C.**, see Point, R., *RFIC-03 2003* 431-434
- Litschke, O.**, see Stange, L.C., *MWSYM-03 2003* 583-586 vol.1
- Litwin, A.**, see Bengtsson, O., *T-MTT Mar 03* 1052-1056
- Liu, H.C.**, see Grant, P.D., *MWSYM-03 2003* 1395-1398 vol.2
- Liu, L.**, see Caloz, C., *MWSYM-03 2003* 317-320 vol.1
- Liu, L.**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Liu, P.-S.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Liu, S.**, see Cetiner, B.A., *MWSYM-03 2003* 1711-1714 vol.3
- Liu, W.Y.**, see Suryanarayanan, J., *MWSYM-03 2003* A93-A96 vol.1
- Liu, W.Y.**, see Suryanarayanan, J., *RFIC-03 2003* 607-610
- Liu, Y.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Liu Chang**, see Jun Zou, *T-MTT Apr 03* 1067-1075
- Liu Changjun**, see Kama Huang, *T-MTT Oct 03* 2106-2111
- Liu Cherner-Cherng**, see Jia-Liang Chen, *MWSYM-03 2003* 1275-1278 vol.2
- Liu Duixian**, see Fong, N.H.W., *T-MTT Aug 03* 1952-1959
- Liu Kuo-Wei**, see Jahan, M.M., *T-MTT Mar 03* 677-683
- Liu Li**, see Xin Jiang, *T-MTT Jan 03* 144-147
- Liu Ren-Chieh**, see Ren-Chieh Liu, *RFIC-03 2003* 103-106
- Liu Yetzen**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Liu Zhiyang**, see Zhiyang Liu, *MWSYM-03 2003* 2241-2244 vol.3
- Liwei Sheng**, and L.E. Larson. A Si/SiGe BiCMOS mixer with 3rd-order nonlinearity cancellation for WCDMA applications (student paper); *RFIC-03 2003* 417-420
- Liwei Sheng**, and L.E. Larson. An Si-SiGe BiCMOS direct-conversion mixer with second-order and third-order nonlinearity cancellation for WCDMA applications; *T-MTT Nov 03* 2211-2220
- Li Xu**, see Xu Li, *MWSYM-03 2003* 379-382 vol.1
- Li Yan**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Liyang Zhang**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Li Ye-Ming**, see Ye-Ming Li, *MWSYM-03 2003* A113-A116 vol.1
- Li Ye-Ming**, see Ye-Ming Li, *RFIC-03 2003* 627-630
- Li Yiming**, see Kuen Yu Huang, *T-MTT Oct 03* 2055-2062
- Li Yinggang**, see Yinggang Li, *RFIC-03 2003* 99-102
- Li Yongming**, see Min Lin, *MWSYM-03 2003* A185-A188 vol.1
- Li Yongming**, see Min Lin, *RFIC-03 2003* 699-702
- Li Yuanzhi**, see Yuanzhi Li, *MWSYM-03 2003* 551-554 vol.1
- Li Zhenbiao**, see Point, R., *RFIC-03 2003* 431-434
- Li Zhihong**, see McCormick, D.T., *MWSYM-03 2003* 495-498 vol.1
- Li Zhong-Cheng**, see Le-Wei Li, *T-MTT Mar 03* 922-927
- Llopis, O.**, see Coustou, A., *RFIC-03 2003* 487-490
- Llopis, O.**, see Wong, W., *RFIC-03 2003* 281-284
- Llorente-Romano, S.**, see Young-seek Chung, *MWSYM-03 2003* 981-984 vol.2
- Lloyd, S.**, see Cho, J., *RFIC-03 2003* 391-394
- Lloyd, S.**, see Kamat, M., *RFIC-03 2003* 23-26
- Lo, I.L.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Lodder, R.A.**, see Symons WC, I.I.I., *T-MTT Jan 03* 91-99
- Loke, A.**, see Kamat, M., *RFIC-03 2003* 23-26
- Loke, A.**, and M. Abdelgany. Multi mode wireless terminals - key technical challenges; *RFIC-03 2003* 11-14
- Long, S.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Long Haibo**, see Haibo Long, *RFIC-03 2003* 251-254
- Long-Jei Du**, see Wei-Cheng Lin, *RFIC-03 2003* 377-380
- Lonnqvist, A.**, see Meltaus, J., *T-MTT Apr 03* 1274-1280
- Look Law Choi**, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
- Lopetegi, T.**, see Laso, M.A.G., *T-MTT Mar 03* 705-717
- Lopez, M.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Lopez, O.**, see Herbsommer, J.A., *MWSYM-03 2003* 213-216 vol.1
- Lopez-Villegas, J.M.**, J.G. Macias, J. Cabanillas, J.J. Sieiro, J.A. Osorio, J. Samitier, J. Bausells, J. Montserrat, and E. Cabruja. BPSK to ASK converter for RF digital communications; *MWSYM-03 2003* A129-A132 vol.1
- Lopez-Villegas, J.M.**, J.G. Macias, J. Cabanillas, J.J. Sieiro, J.A. Osorio, J. Samitier, J. Bausells, J. Montserrat, and E. Cabruja. PSK to ASK converter for RF digital communications; *RFIC-03 2003* 643-646
- Lorthioir, J.M.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Losanno, D.**, see Point, R., *RFIC-03 2003* 431-434
- Lossner, D.**, see Lovelace, D., *RFIC-03 2003* 421-424
- Lossy, R.**, see De Meyer, S., *MWSYM-03 2003* 455-458 vol.1
- Lott, J.**, see Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
- Loudkov, D.**, see Tong, C.-Y.E., *MWSYM-03 2003* 751-754 vol.2
- Lovat, G.**, see Baccarelli, P., *MWSYM-03 2003* 809-812 vol.2
- Lovelace, D.**, D. Lossner, and D. Kelly. High linearity CMOS SOI mixer; *RFIC-03 2003* 421-424
- Low Kah Mun**, see Youngcheol Park, *MWSYM-03 2003* 1695-1698 vol.3
- Lubecke, V.M.**, see Droitcour, A.D., *MWSYM-03 2003* 1945-1948 vol.3
- Luetzelshwab, R.C.**, see Hall, C.A., *MWSYM-03 2003* 503-506 vol.1
- Lu Hsin-Chia**, see Hsin-Chia Lu, *T-MTT May 2003* 1525-1533
- Lukashevich, D.**, B. Broido, and P. Russer. Using of transmission line matrix method and mode matching approach for simulation of MMICs; *MWSYM-03 2003* 993-996 vol.2
- Lukashevich, D.**, A. Cangellaris, and P. Russer. Transmission line matrix method reduced order modeling; *MWSYM-03 2003* 1125-1128 vol.2
- Lu Liang-Hung**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Lu Liang-Hung**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Lung-Hwa Hsieh**, and Kai Chang. Compact, broad-stopband elliptic-function lowpass filters using microstrip stepped impedance hairpin resonators; *MWSYM-03 2003* 1775-1778 vol.3
- Lung-Hwa Hsieh**, and Kai Chang. Compact elliptic-function low-pass filters using microstrip stepped-impedance hairpin resonators; *T-MTT Jan 03* 193-199
- Lung-Hwa Hsieh**, and Kai Chang. High-efficiency piezoelectric-transducer-tuned feedback microstrip ring-resonator oscillators operating at high resonant frequencies; *T-MTT Apr 03* 1141-1145
- Lung-Hwa Hsieh**, and Kai Chang. Compact, low insertion-loss, sharp-rejection, and wide-band microstrip bandpass filters; *T-MTT Apr 03* 1241-1246
- Lu Shey-Shi**, see Yo-Sheng Lin, *MWSYM-03 2003* A29-A32 vol.1
- Lu Shey-Shi**, see Yo-Sheng Lin, *RFIC-03 2003* 543-546
- Lu Shey-Shi**, see Yo-Sheng Lin, *T-MTT May 2003* 1534-1539
- Luy, J.-F.**, see Strohm, K.M., *MWSYM-03 2003* 1801-1804 vol.3
- Luy, J.-F.**, see Eireiner, T., *MWSYM-03 2003* 1529-1532 vol.3
- Lu Yuan**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Lu Yuan**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Luzi, G.**, see Pieraccini, M., *T-MTT May 2003* 1603-1609
- Lye Heng Chua**, and D. Mirshekar-Syahkal. Analysis and design of three transmission zeros bandpass filter utilizing triple-mode dielectric loaded cubical cavity; *MWSYM-03 2003* 937-940 vol.2

- Lye Heng Chua**, and D. Mirshekar-Syahkal. Accurate and direct characterization of high-Q microwave resonators using one-port measurement; *T-MTT Mar 03* 978-985
- Lynch, M.W.**, C.D. Holdenried, and J.W. Haslett. A 17-GHz direct down-conversion mixer in a 47-GHz SiGe process; *RFIC-03 2003* 461-464
- Lyons, C.**, see Gao, X., *MWSYM-03 2003* 729-732 vol.2

M

- Ma, J.Y.**, see Ooi, B.L., *MWSYM-03 2003* A53-A56 vol.1
- Ma, J.Y.**, see Ooi, B.L., *RFIC-03 2003* 567-570
- Ma, W.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Maccarini, P.F.**, J. Buckwalter, and R.A. York. Coupled phase-locked loop arrays for beam steering; *MWSYM-03 2003* 1689-1692 vol.3
- Macchiarella, G.** A powerful tool for the synthesis of prototype filters with arbitrary topology; *MWSYM-03 2003* 1467-1470 vol.3
- Machac, J.**, see Zehentner, J., *MWSYM-03 2003* 677-680 vol.2
- Macias, J.G.**, see Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Macias, J.G.**, see Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Maciel, J.**, see Majumder, S., *MWSYM-03 2003* 1935-1938 vol.3
- Mack, M.**, see Mehta, S., *RFIC-03 2003* 427-430
- Madic, J.**, P. Bretchko, Shuyun Zhang, R. Shumovich, and R. McMorrow. Accurate power control technique for handset PA modules with integrated directional couplers; *MWSYM-03 2003* A201-A204 vol.1
- Madic, J.**, P. Bretchko, Shuyun Zhang, R. Shumovich, and R. McMorrow. Accurate power control technique for handset PA modules with integrated directional couplers; *RFIC-03 2003* 715-718
- Madic, J.**, see Shuyun Zhang, *T-MTT Nov 03* 2203-2210
- Madihian, M.**, see Kovacevic, M., *MWSYM-03 2003* 1299-1302 vol.2
- Madihian, M.**, see Daryoush, A.S., *T-MTT Dec 03* 2663-2268
- Madjar, A.**, see Levy, O., *MWSYM-03 2003* 2019-2022 vol.3
- Madsen, K.**, see Bandler, J.W., *MWSYM-03 2003* 1003-1006 vol.2
- Maeda, T.**, see Numata, K., *RFIC-03 2003* 233-236
- Maeder, P.**, see Tavernier, C.A., *MWSYM-03 2003* 2277-2280 vol.3
- Maeng, M.**, Y.S. Hur, N. Lal, E. Gebara, S.-W. Yoon, and J. Laskar. Combined digital/wireless link over the multi-mode fiber with a vertical cavity surface emitting laser; *MWSYM-03 2003* 265-268 vol.1
- Maestrini, A.**, J. Ward, J. Gill, G. Chattopadhyay, F. Maiwald, K. Ellis, H. Javadi, and I. Mehdi. A planar-diode frequency tripler at 1.9THz; *MWSYM-03 2003* 747-750 vol.2
- Maex, K.**, see Carchon, G., *MWSYM-03 2003* 1287-1290 vol.2
- Mages, P.**, see Liao, T.S., *MWSYM-03 2003* 155-158 vol.1
- Mahmoud, S.F.**, see Hammad, H.F., *T-MTT Apr 03* 1234-1240
- Maiwald, F.**, see Maestrini, A., *MWSYM-03 2003* 747-750 vol.2
- Majumder, S.**, J. Lampen, R. Morrison, and J. Maciel. A packaged, high-lifetime ohmic MEMS RF switch; *MWSYM-03 2003* 1935-1938 vol.3
- Makiyama, K.**, see Suzuki, T., *MWSYM-03 2003* 1173-1176 vol.2
- Malarky, A.**, see Yu, M., *T-MTT Dec 03* 2505-2515
- Malasani, R.**, C. Bourde, and G. Gutierrez. A SiGe 10-Gb/s multi-pattern bit error rate tester; *RFIC-03 2003* 321-324
- Malaver, E.**, see Garcia, J.A., *MWSYM-03 2003* 1311-1314 vol.2
- Malcoci, A.**, A. Stohr, K. Lill, F. Siebe, P. van der Waal, A. Sauerwald, R. Gusten, and D. Jager. Optical submillimeter-wave generation employing antenna integrated ultra-fast travelling-wave 1.55 μm photodetectors; *MWSYM-03 2003* 143-146 vol.1
- Malczewski, A.**, see Papapolymerou, J., *T-MTT Jan 03* 271-278
- Maleki, L.**, see Eliyahu, D., *MWSYM-03 2003* 2185-2187 vol.3
- Malhi, T.S.**, see Nakamizo, H., *RFIC-03 2003* 399-402
- Malinen, A.**, see Stadius, K., *RFIC-03 2003* 449-452
- Malladi, R.M.**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Malladi, R.M.**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Mallat, J.**, see Meltaus, J., *T-MTT Apr 03* 1274-1280
- Mallet, A.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Manabe, T.**, J. Inatani, A. Murk, R.J. Wyld, M. Seta, and D.H. Martin. A new configuration of polarization-rotating dual-beam interferometer for space use; *T-MTT Jun 03* 1696-1704
- Manes, G.**, see Cidronali, A., *MWSYM-03 2003* 777-780 vol.2
- Manes, G.**, see Cidronali, A., *T-MTT Mar 03* 830-838
- Manes, G.**, see Cidronali, A., *T-MTT Apr 03* 1351-1367
- Man Fai Wong**, see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Manku, T.**, see Dosanjh, S., *RFIC-03 2003* 299-302
- Mann, C.M.**, P. de Maagt, G. McBride, F. van de Water, D. Castiglione, A. McCalden, L. Deias, J. O'Neill, A. Laisne, J.T. Vallinas, I. Ederra, D. Haskett, D. Jenkins, A. Zinn, M. Ferlet, and R. Edeson. Microfabrication of 3D terahertz circuitry; *MWSYM-03 2003* 739-742 vol.2
- Man Shum Kam**, see Quan Xue, *T-MTT May 2003* 1449-1454
- Mansour, R.R.**, see Bakri-Kassem, M., *MWSYM-03 2003* 483-486 vol.1
- Mansour, R.R.**, see Mirafteb, V., *MWSYM-03 2003* 169-172 vol.1
- Mansour, R.R.**, see Keats, B.F., *MWSYM-03 2003* 1259-1262 vol.2
- Mansour, R.R.**, see Keats, B.F., *T-MTT Dec 03* 2284-2289
- Mao Jun-Fa**, see Ji-Xiang Zhao, *MWSYM-03 2003* 1203-1205 vol.2
- Mao Jun-Fa**, see Ji-Xiang Zhao, *T-MTT Jun 03* 1763-1766
- Ma Pingxi**, see Pingxi Ma, *RFIC-03 2003* 237-240
- Ma Pingxi**, see Pingxi Ma, *T-MTT Nov 03* 2175-2180
- Marcelli, R.**, see Sajin, G., *MWSYM-03 2003* 1271-1274 vol.2
- Margomenos, A.**, K.J. Herrick, M.I. Herman, S. Valas, and L.P.B. Katehi. Isolation in three-dimensional integrated circuits; *T-MTT Jan 03* 25-32
- Margraf, M.**, and G. Boeck. A new scaleable low frequency noise model for field-effect transistors used in resistive mixers; *MWSYM-03 2003* 559-562 vol.1
- Maricevic, Z.A.**, see Djordjevic, A.R., *T-MTT Jul 03* 1871-1877
- Marini, S.**, see Cogollos, S., *MWSYM-03 2003* 2065-2068 vol.3
- Marini, S.**, see Cogollos, S., *T-MTT Dec 03* 2378-2390
- Marksteiner, S.**, see Aigner, R., *MWSYM-03 2003* 2001-2004 vol.3
- Marmorat, J.-P.**, see Seyfert, F., *MWSYM-03 2003* 25-28 vol.1
- Marques, R.**, see Freire, M.J., *T-MTT Mar 03* 903-907
- Marques, R.**, see Freire, M.J., *T-MTT Oct 03* 2126-2132
- Marschall, P.**, see Schmuckle, F.J., *MWSYM-03 2003* 1167-1170 vol.2
- Marsh, P.F.**, see Herrick, K.J., *MWSYM-03 2003* 137-140 vol.1
- Marsh, P.F.**, see Leoni, R.E., III, *MWSYM-03 2003* 147-150 vol.1
- Marti, J.**, see Vidal, B., *MWSYM-03 2003* 159-162 vol.1
- Marti, J.**, F. Ramos, and V. Polo. Experimental reduction of fiber-induced intensity noise in analog optical links employing chirped fiber Bragg gratings; *MWSYM-03 2003* 277-279 vol.1
- Marti, J.**, see Sanchis, P., *MWSYM-03 2003* 1533-1536 vol.3
- Marti, J.**, see Vidal, B., *MWSYM-03 2003* 1399-1402 vol.2
- Martin, D.H.**, see Manabe, T., *T-MTT Jun 03* 1696-1704
- Martinez, J.A.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Martini, E.**, G. Pelosi, and S. Selleri. A hybrid finite-element-modal-expansion method with a new type of curvilinear mapping for the analysis of microwave passive devices; *T-MTT Jun 03* 1712-1717
- Martirano, G.**, see Alessandri, F., *T-MTT May 2003* 1441-1448
- Martony, E.**, see Jeckeln, E.G., *MWSYM-03 2003* 1733-1736 vol.3
- Martony, E.**, see Eron, M., *MWSYM-03 2003* 1729-1732 vol.3
- Maruhashi, K.**, see Ohata, K., *MWSYM-03 2003* 373-376 vol.1
- Maruhashi, K.**, see Ito, M., *MWSYM-03 2003* 1751-1754 vol.3
- Maruhashi, K.**, K. Ohata, H. Shimawaki, Y. Shoji, and H. Ogawa. Small-size 72-GHz-band transceiver modules utilizing IF self-heterodyne transmission technology; *MWSYM-03 2003* 1045-1048 vol.2
- Maruhashi, K.**, see Ohata, K., *RFIC-03 2003* 509-512
- Masini, L.**, see Centurelli, F., *RFIC-03 2003* 317-320
- Massa, A.**, see Caorsi, S., *T-MTT Apr 03* 1162-1173
- Massler, H.**, see Tessmann, A., *MWSYM-03 2003* 1581-1584 vol.3
- Mastrapasqua, M.**, see Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
- Mastri, F.**, see Rizzoli, V., *MWSYM-03 2003* 9-12 vol.1
- Masuda, S.**, K. Kobayashi, H. Kira, M. Kitajima, M. Takesue, Y. Kamiya, and K. Joshin. A 100-GHz distributed amplifier in chip-size package; *MWSYM-03 2003* 1029-1032 vol.2
- Matarasso, S.**, see Levy, O., *MWSYM-03 2003* 2019-2022 vol.3
- Mateu, J.**, C. Collado, and J.M. O'Callaghan. Harmonic balance algorithm to model nonlinear effects in HTS filters subject to CDMA signals; *MWSYM-03 2003* 547-550 vol.1
- Mathai, S.**, see Zhuang, Y., *MWSYM-03 2003* 1367-1370 vol.2
- Matinpour, B.**, see Banerjee, B., *MWSYM-03 2003* 1573-1576 vol.3
- Matsuda, Y.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Matsuda, Y.**, see Matsuzuka, T., *MWSYM-03 2003* 2275-2282 vol.2
- Matsuda, Y.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Matsuda, Y.**, see Tsukahara, Y., *MWSYM-03 2003* 1295-1298 vol.2
- Matsuda, Y.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Matsumoto, H.**, see Tanaka, K., *MWSYM-03 2003* 2197-2200 vol.3
- Matsunaga, K.**, and H. Shimawaki. A 90W S-band high power amplifier for broadband wireless applications; *MWSYM-03 2003* 73-76 vol.1
- Matsunami, Y.**, see Nakamizo, H., *RFIC-03 2003* 399-402
- Matsuzuka, T.**, K. Kawakami, Y. Aihara, T. Ishikawa, M. Komaru, and Y. Matsuda. A 19 GHz low phase noise HFET VCO MMIC; *MWSYM-03 2003* 725-728 vol.2
- Matsuzuka, T.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3

- Matsuzuka, T.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Matthaei, G.L.** Narrow-band, fixed-tuned, and tunable bandpass filters with zig-zag hairpin-comb resonators; *T-MTT Apr 03* 1214-1219
- Mattila, T.**, see Alatalo, A.T., *T-MTT Aug 03* 1977-1981
- Maurer, L.**, see Lanschutzer, C., *RFIC-03 2003* 19-22
- Maxgomenos, A.**, and L.P.B. Katehi. High frequency parasitic effects for on-wafer packaging of RF MEMS switches; *MWSYM-03 2003* 1931-1934 vol.3
- Mayer, W.**, M. Wetzel, and W. Menzel. A novel direct-imaging radar sensor with frequency scanned antenna; *MWSYM-03 2003* 1941-1944 vol.3
- Ma Zhen**, see Klymyshyn, D.M., *T-MTT Apr 03* 1377-1385
- Maziere, C.**, T. Reveyrand, S. Mons, D. Barataud, J.M. Nebus, R. Quere, A. Mallet, L. Lapierre, and J. Sombrin. A novel behavioral model of power amplifier based on a dynamic envelope gain approach for the system level simulation and design; *MWSYM-03 2003* 769-772 vol.2
- Mazouz, M.**, see Tavernier, C.A., *MWSYM-03 2003* 2277-2280 vol.3
- Mazur, J.**, see Lech, R., *T-MTT Mar 03* 998-1002
- McAlister, S.P.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- McAlister, S.P.**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- McBride, G.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- McCalden, A.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- McCarthy, E.**, see Cho, J., *RFIC-03 2003* 391-394
- McCormick, D.T.**, Zhihong Li, and N. Tien. Dielectric fluid immersed MEMS tunable capacitors; *MWSYM-03 2003* 495-498 vol.1
- McCorquodale, M.S.**, Mei Kim Ding, and R.B. Brown. A CMOS voltage-to-frequency linearizing preprocessor for parallel plate RF MEMS varactors; *MWSYM-03 2003* A21-A24 vol.1
- McCorquodale, M.S.**, Mei Kim Ding, and R.B. Brown. A CMOS voltage-to-frequency linearizing preprocessor for parallel plate RF MEMS varactors; *RFIC-03 2003* 535-538
- McGee, D.J.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- McGinty, F.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- McMorrow, R.**, see Madic, J., *MWSYM-03 2003* A201-A204 vol.1
- McMorrow, R.**, see Madic, J., *RFIC-03 2003* 715-718
- McMorrow, R.**, see Shuyun Zhang, *RFIC-03 2003* 129-132
- McMorrow, R.**, see Shuyun Zhang, *T-MTT Nov 03* 2203-2210
- McVay, J.**, A. Hoorfar, and N. Engheta. Radiation characteristics of microstrip dipole antennas over a high-impedance metamaterial surface made of Hilbert inclusions; *MWSYM-03 2003* 587-590 vol.1
- Meaney, P.M.**, see Dun Li, *T-MTT Apr 03* 1179-1186
- Mecatti, D.**, see Pieraccini, M., *T-MTT May 2003* 1603-1609
- Mediano, A.**, see Gaudo, P.M., *MWSYM-03 2003* 1737-1740 vol.3
- Mediavilla, A.**, see Cabria, L., *MWSYM-03 2003* 1435-1438 vol.2
- Medina, F.**, see Freire, M.J., *T-MTT Mar 03* 903-907
- Medina, F.**, see Freire, M.J., *T-MTT Oct 03* 2126-2132
- Megahed, M.**, see Gye-An Lee, *MWSYM-03 2003* 527-530 vol.1
- Megahed, M.**, E. Ngompe, M. Ayvazian, and M. Glasbrener. Design considerations for single package radio™ (SPR) solution for EGSM/DCS dual band cellular phones; *MWSYM-03 2003* 1707-1710 vol.3
- Megahed, M.**, F. Van Gieson, M. Reddy, and D. Yates. Flip Chip design of dual band/tri mode SiGe BiCMOS transmitter IC for CDMA wireless applications; *MWSYM-03 2003* 1547-1550 vol.3
- Megahed, M.**, see Ngompe, E., *RFIC-03 2003* 387-390
- Mehdi, I.**, see Maestrini, A., *MWSYM-03 2003* 747-750 vol.2
- Mehdi, I.**, see Tong, C.-Y.E., *MWSYM-03 2003* 751-754 vol.2
- Mehta, S.**, M. Zargari, S. Jen, B. Kaczynski, M. Lee, M. Mack, S. Mendis, K. Onodera, H. Samavati, W. Si, K. Singh, M. Terrovitis, D. Weber, and D. Su. A CMOS dual-band tri-mode chipset for IEEE 802.11a/b/g wireless LAN; *RFIC-03 2003* 427-430
- Mei Kim Ding**, see McCorquodale, M.S., *MWSYM-03 2003* A21-A24 vol.1
- Mei Kim Ding**, see McCorquodale, M.S., *RFIC-03 2003* 535-538
- Meister, T.F.**, see Knapp, H., *MWSYM-03 2003* 1067-1070 vol.2
- Melcon, A.A.**, see Rebenague, D.C., *MWSYM-03 2003* 1603-1606 vol.3
- Meledin, D.**, see Tong, C.-Y.E., *MWSYM-03 2003* 751-754 vol.2
- Melendy, D.**, and A. Weisshaar. A new scalable model for spiral inductors on lossy silicon substrate; *MWSYM-03 2003* 1007-1010 vol.2
- Melique, X.**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Melique, X.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Mellberg, A.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Meltaus, J.**, J. Salo, E. Noponen, M.M. Salomaa, V. Viikari, A. Lonnqvist, T. Koskinen, J. Saily, J. Hakli, J. Ala-Laurinaho, J. Mallat, and A.V. Raisanen. Millimeter-wave beam shaping using holograms; *T-MTT Apr 03* 1274-1280
- Melzak, J.M.** Silicon carbide for RF MEMS; *MWSYM-03 2003* 1629-1632 vol.3
- Mendes, M.**, see Point, R., *RFIC-03 2003* 431-434
- Mendis, S.**, see Mehta, S., *RFIC-03 2003* 427-430
- Meng, C.C.**, S.K. Hsu, A.S. Peng, S.Y. Wen, and G.W. Huang. A fully integrated 5.2 GHz GaInP/GaAs HBT upconversion micromixer with output LC current combiner and oscillator; *MWSYM-03 2003* A205-A208 vol.1
- Meng, C.C.**, S.K. Xu, T.H. Wu, M.H. Chao, and G.W. Huang. A high isolation CMFB downconversion micromixer; *MWSYM-03 2003* A105-A108 vol.1
- Meng, C.C.**, S.K. Hsu, A.S. Peng, S.Y. Wen, and G.W. Huang. A fully integrated 5.2 GHz GaInP/GaAs HBT upconversion micromixer with output LC current combiner and oscillator; *RFIC-03 2003* 719-722
- Meng, C.C.**, S.K. Xu, T.H. Wu, M.H. Chao, and G.W. Huang. A high isolation CMFB downconversion micromixer using 0.18- μ m deep n-well CMOS technology; *RFIC-03 2003* 619-622
- Meng, L.C.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Meng, L.C.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Meng Cao**, see Pietig, R., *MWSYM-03 2003* 833-836 vol.2
- Menolfi, C.**, see Toifl, T., *MWSYM-03 2003* 239-242 vol.1
- Mensa, D.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Menzel, W.**, see Schreiner, M., *MWSYM-03 2003* 567-570 vol.1
- Menzel, W.**, see Mayer, W., *MWSYM-03 2003* 1941-1944 vol.3
- Menzel, W.**, see Kohn, E., *MWSYM-03 2003* 1625-1628 vol.3
- Menzel, W.**, see Peschke, M., *T-MTT Apr 03* 1262-1268
- Menzel, W.** Microwave education supported by animations of wave propagation effects; *T-MTT Apr 03* 1312-1317
- Merkle, T.**, S. Ramberger, M. Kuri, and F. van Raay. A n-state time-domain measurement test-bench for characterization of intermodulation distortion on device level; *MWSYM-03 2003* 1643-1646 vol.3
- Mertens, R.P.**, see Soliman, E.A., *T-MTT Mar 03* 874-886
- Mesa, F.**, see Bernal, J., *MWSYM-03 2003* 813-816 vol.2
- Mesa, F.**, see Langston, W.L., *T-MTT Dec 03* 2366-2377
- Metaxakis, E.**, see Pipilos, S., *RFIC-03 2003* 33-36
- Metaxas, A.C.R.**, see Ehlers, R.A., *T-MTT Mar 03* 718-726
- Midkiff, J.C.**, see Zhiyang Liu, *MWSYM-03 2003* 2241-2244 vol.3
- Miehle, K.**, see Weldon, T.P., *MWSYM-03 2003* 1741-1744 vol.3
- Mihailovich, R.E.**, see Tan, G.L., *MWSYM-03 2003* 1477-1480 vol.3
- Mihailovich, R.E.**, see Guan-Leng Tan, *T-MTT Jan 03* 297-304
- Mihailovich, R.E.**, see Hacker, J.B., *T-MTT Jan 03* 305-308
- Mikami, H.**, see Takeda, S., *MWSYM-03 2003* 417-420 vol.1
- Milton, C.E.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Minamitani, Y.**, see Kuroki, F., *MWSYM-03 2003* 475-478 vol.1
- Ming-Ching Kuo**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Ming-Dou Ker**, Chien-I Chou, and Chien-Ming Lee. A novel LC-tank ESD protection design for Giga-Hz RF circuits; *RFIC-03 2003* 115-118
- Ming-Fu Li**, see Chan, K.T., *T-MTT Sep 03* 2036-2040
- Mingquan Bao**, see Yinggang Li, *RFIC-03 2003* 99-102
- Min-Gun Kim**, see Chang-Kun Park, *MWSYM-03 2003* A157-A160 vol.1
- Min-Gun Kim**, see Chang-Kun Park, *RFIC-03 2003* 671-674
- Ming Yu**, V. Dokas, Wai Cheung Tang, and R. Cameron. Novel adaptive predistortion technique for cross coupled filters; *MWSYM-03 2003* 929-932 vol.2
- MinhDao Truong**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Min Kang Sung**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Min Lin**, Yongming Li, and Hongyi Chen. A novel IP3 boosting technique using feedforward distortion cancellation method for 5 GHz CMOS LNA; *MWSYM-03 2003* A185-A188 vol.1
- Min Lin**, Yongming Li, and Hongyi Chen. A novel IP3 boosting technique using feedforward distortion cancellation method for 5 GHz CMOS LNA; *RFIC-03 2003* 699-702
- Miraftab, V.**, and R.R. Mansour. EM-based design tools for microwave circuits using fuzzy logic techniques; *MWSYM-03 2003* 169-172 vol.1
- Mirri, D.**, see Florian, C., *MWSYM-03 2003* 2125-2128 vol.3
- Mirshekar-Syahkal, D.**, see Lye Heng Chua, *MWSYM-03 2003* 937-940 vol.2
- Mirshekar-Syahkal, D.**, see Lye Heng Chua, *T-MTT Mar 03* 978-985
- Mishra, U.K.**, see Parikh, P.A., *T-MTT Feb 03* 605-606
- Mishra, U.K.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Mishra, U.K.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Mistry, K.**, W. Redman-White, J. Benson, and N. D'Halleweyn. A high speed dual modulus divider in SOI CMOS with stacked current steering phase selection architecture; *RFIC-03 2003* 471-474
- Mitchell, A.**, see Bui, L.A., *MWSYM-03 2003* 1291-1294 vol.2
- Miteva, S.**, see Nurgaliev, T., *T-MTT Jan 03* 33-40
- Mitola, J.**, III Cognitive INFOSEC; *MWSYM-03 2003* 1051-1054 vol.2

- Mittra, R.**, see Semouchkina, E., *MWSYM-03 2003* 1897-1900 vol.3
- Mittra, R.**, see Junho Yeo, *MWSYM-03 2003* 1979-1982 vol.3
- Mittra, R.**, see Junho Yeo, *T-MTT Mar 03* 1018-1025
- Miura, T.**, see Ikeda, M., *MWSYM-03 2003* 1423-1426 vol.2
- Miyaguchi, K.**, see Nishino, T., *MWSYM-03 2003* 487-490 vol.1
- Miyakoshi, K.**, see Tosaka, H., *MWSYM-03 2003* A5-A8 vol.1
- Miyakoshi, K.**, see Tosaka, H., *RFIC-03 2003* 519-522
- Miyamoto, H.**, see Okamoto, Y., *MWSYM-03 2003* 225-228 vol.1
- Miyamoto, R.Y.**, see Shiroma, G.S., *MWSYM-03 2003* 1685-1688 vol.3
- Miyamoto, R.Y.**, see Shiroma, G.S., *T-MTT Dec 03* 2476-2482
- Miyashita, I.**, see Kondo, M., *MWSYM-03 2003* 2205-2208 vol.3
- Miyazaki, M.**, see Aramaki, Y., *MWSYM-03 2003* 47-50 vol.1
- Mizuno, K.**, see Bae, J., *MWSYM-03 2003* 1359-1362 vol.2
- Mizuno, K.**, see Steinkamp, J., *RFIC-03 2003* 483-486
- Mizuno, K.**, see Watabe, K., *T-MTT May 2003* 1512-1516
- Mochizuki, K.**, see Tanaka, K., *MWSYM-03 2003* 2197-2200 vol.3
- Modelski, J.**, see Piasecki, M., *MWSYM-03 2003* 1845-1848 vol.3
- Mohammadi, S.**, see Suryanarayanan, J., *MWSYM-03 2003* A93-A96 vol.1
- Mohammadi, S.**, see Suryanarayanan, J., *RFIC-03 2003* 607-610
- Mok, V.H.**, and L.E. Davis. Nonreciprocal GaAs phase-shifters and isolators for millimetric and sub-millimetric wavelengths; *MWSYM-03 2003* 2249-2252 vol.3
- Mok, V.H.**, and L.E. Davis. Nonreciprocal wave propagation in multilayer semiconductor films at frequencies up to 200 GHz; *T-MTT Dec 03* 2453-2460
- Mokoro, J.**, see Shuyun Zhang, *RFIC-03 2003* 129-132
- Mokoro, J.**, see Shuyun Zhang, *T-MTT Nov 03* 2203-2210
- Moldovan, E.**, see Tatu, S.O., *MWSYM-03 2003* A9-A12 vol.1
- Moldovan, E.**, S.O. Tatu, T. Gaman, Ke Wu, and R.G. Bosio. A new 94 GHz collision avoidance radar sensor using six-port phase frequency discriminator; *MWSYM-03 2003* 595-598 vol.1
- Moldovan, E.**, see Tatu, S.O., *RFIC-03 2003* 523-526
- Molnar, B.**, see Telegdy, A., *T-MTT Jun 03* 1662-1676
- Mondal, J.**, see Rachedine, M., *RFIC-03 2003* 77-80
- Mongiardo, M.**, see Vincenzo, C.T., *MWSYM-03 2003* 1223-1226 vol.2
- Mons, S.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Mons, S.**, see Gasseling, T., *MWSYM-03 2003* 1663-1666 vol.3
- Montserrat, J.**, see Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Montserrat, J.**, see Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Monzo-Cabrera, J.**, see Canos, A.J., *MWSYM-03 2003* 1823-1825 vol.3
- Monzon, C.** A small dual-frequency transformer in two sections; *T-MTT Apr 03* 1157-1161
- Mooil Jeong**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Mook-Seng Leong**, see Le-Wei Li, *T-MTT Mar 03* 922-927
- Mook Seng Leong**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Moon, S.H.**, see Park, J.Y., *MWSYM-03 2003* 2005-2008 vol.3
- Moongi Jeong**, see Poplavko, Y., *MWSYM-03 2003* 437-440 vol.1
- Moonil Kim**, see Hacker, J.B., *T-MTT Jan 03* 305-308
- Moonjung Kim**, Soo-Kun Jeon, Seong-Ho Shin, Kyounghoon Yang, and Young-Se Kwon. InP/InGaAs HBTs using crystallographically defined emitter contact technology; *MWSYM-03 2003* 1279-1282 vol.2
- Moonshiram, A.**, see Afsar, M.N., *MWSYM-03 2003* 1407-1410 vol.2
- Moon-Soon Choi**, see Sanchis, P., *MWSYM-03 2003* 1533-1536 vol.3
- Moon-Suk Jeon**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Moo Park Hyung**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Moran, B.**, see Paidi, V., *T-MTT Feb 03* 643-652
- Morf, T.**, see Toifl, T., *MWSYM-03 2003* 239-242 vol.1
- Morgan, M.**, and S. Weinreb. A W-band monolithic medium power amplifier; *MWSYM-03 2003* 133-136 vol.1
- Morgan, M.**, and S. Weinreb. Octave-bandwidth high-directivity microstrip codirectional couplers; *MWSYM-03 2003* 1227-1230 vol.2
- Mori, K.**, see Yamanaka, K., *MWSYM-03 2003* 121-124 vol.1
- Morigi, D.**, see Centurelli, F., *RFIC-03 2003* 317-320
- Morin, G.A.**, see Hettak, K., *MWSYM-03 2003* 59-62 vol.1
- Morin, G.A.**, see Hettak, K., *MWSYM-03 2003* 1315-1318 vol.2
- Morin, M.**, see Point, R., *RFIC-03 2003* 431-434
- Morkner, H.**, see Fujii, K., *MWSYM-03 2003* 859-862 vol.2
- Morkner, H.**, see Kumar, S., *MWSYM-03 2003* 1577-1580 vol.3
- Morris, A.S.I.L.L.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Morrison, R.**, see Majumder, S., *MWSYM-03 2003* 1935-1938 vol.3
- Morro, J.V.**, see Cogollos, S., *MWSYM-03 2003* 2065-2068 vol.3
- Morro, J.V.**, H. Esteban, P. Soto, V.E. Boria, C. Bachiller, S. Cogollos, and B. Gimeno. Automated design of waveguide filters using Aggressive Space Mapping with a segmentation strategy and hybrid optimization techniques; *MWSYM-03 2003* 1215-1218 vol.2
- Morro, J.V.**, see Cogollos, S., *T-MTT Dec 03* 2378-2390
- Morsey, J.**, see Okhmatovski, V.I., *MWSYM-03 2003* 303-306 vol.1
- Morsey, J.**, see Okhmatovski, V.I., *T-MTT Dec 03* 2355-2365
- Mortazawi, A.**, see Al-Zayed, A., *MWSYM-03 2003* 1867-1870 vol.3
- Mortazawi, A.**, see Tombak, A., *MWSYM-03 2003* 1849-1852 vol.3
- Mortazawi, A.**, see Xin Jiang, *T-MTT Jan 03* 144-147
- Morvan, E.**, see Villard, F., *T-MTT Apr 03* 1129-1134
- Mosallaei, H.**, see Sarabandi, K., *MWSYM-03 2003* 2061-2064 vol.3
- Moscattelli, A.**, see Labate, L., *RFIC-03 2003* 159-162
- Mouralis, N.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Mouralis, N.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Mrkvica, J.**, see Zehentner, J., *MWSYM-03 2003* 677-680 vol.2
- Mrozowski, M.**, see Cwikla, A., *T-MTT May 2003* 1506-1511
- Mueller, T.J.** SMD-type 42 GHz waveguide filter; *MWSYM-03 2003* 1089-1092 vol.2
- Muffato, W.**, see Tavernier, C.A., *MWSYM-03 2003* 2277-2280 vol.3
- Mukuda, M.**, see Asao, H., *MWSYM-03 2003* 941-944 vol.2
- Muldavin, J.**, R. Boisvert, C. Bozler, S. Rabe, and C. Keast. Power handling and linearity of MEM capacitive series switches; *MWSYM-03 2003* 1915-1918 vol.3
- Muliang Xu**, see Yu, M., *RFIC-03 2003* 71-73
- Muller, J.**, see Duwe, K., *MWSYM-03 2003* 755-757 vol.2
- Muller, R.**, see Kohn, E., *MWSYM-03 2003* 1625-1628 vol.3
- Muller, T.**, see Eireiner, T., *MWSYM-03 2003* 1529-1532 vol.3
- Munding, A.**, see Kohn, E., *MWSYM-03 2003* 1625-1628 vol.3
- Mun Low Kah**, see Youngcheol Park, *MWSYM-03 2003* 1695-1698 vol.3
- Mun-Yang Park**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Mun-Yang Park**, see Jae-Hong Chang, *RFIC-03 2003* 295-298
- Mun-Yang Park**, see Seon-Ho Han, *RFIC-03 2003* 307-310
- Muqabail, A.H.**, and A. Safaai-Jazi. A new formulation for characterization of materials based on measured insertion transfer function; *T-MTT Aug 03* 1946-1951
- Muraguchi, M.**, see Kosugi, T., *MWSYM-03 2003* 129-132 vol.1
- Murakami, T.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Murakami, T.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Murakami, T.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Murata, K.**, see Sano, K., *MWSYM-03 2003* 1181-1184 vol.2
- Murata, K.**, see Sano, K., *T-MTT Dec 03* 2548-2554
- Muriel, M.A.**, see Laso, M.A.G., *T-MTT Mar 03* 705-717
- Murji, R.**, and M. Jamal Deen. A 1.8 V monolithic CMOS nested-loop frequency synthesizer for GSM receivers at 1.8 GHz; *RFIC-03 2003* 291-294
- Murk, A.**, see Manabe, T., *T-MTT Jun 03* 1696-1704
- Myeong-Gweon Gu**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Myers, B.A.**, see Li, X., *RFIC-03 2003* 41-44
- Myung Noh-Hoon**, see Hee-Ran Ahn, *MWSYM-03 2003* 1607-1610 vol.3

N

- Nabet, B.**, A. Cola, A. Cataldo, Xiyang Chen, and F. Quaranta. Photodetectors based on heterostructures for opto-electronic applications; *T-MTT Oct 03* 2063-2072
- Na Chae-Ho**, see Kang Wook Kim, *MWSYM-03 2003* 1115-1118 vol.2
- Nagahara, M.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Nagai, H.**, see Kondo, M., *MWSYM-03 2003* 2205-2208 vol.3
- Nagaishi, H.**, H. Shinoda, H. Kondoh, and K. Takano. 77GHz MMIC transceiver modules with thick-film multi-layer ceramic substrate for automotive radar applications; *MWSYM-03 2003* 1949-1952 vol.3
- Nagatsuma, T.**, see Kosugi, T., *MWSYM-03 2003* 129-132 vol.1
- Nagatsuma, T.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Nagi, H.S.** Miniature lumped element 180° Wilkinson divider; *MWSYM-03 2003* 55-58 vol.1
- Nagy, G.**, see Hacker, J.B., *MWSYM-03 2003* 1859-1862 vol.3
- Nagy, W.**, J. Brown, R. Borges, and S. Singhal. Linearity characteristics of microwave-power GaN HEMTs; *T-MTT Feb 03* 660-664
- Nair, V.**, see Cidronali, A., *T-MTT Apr 03* 1351-1367
- Nakagawa, T.**, see Piernas, B., *T-MTT Mar 03* 778-783
- Nakamizo, H.**, T. Ueda, K. Ninomiya, Y. Takahashi, Y. Matsunami, H. Joba, K. Itoh, T.S. Malhi, and T. Wang. W-CDMA 1 chip SiGe TX-IC with high dynamic range and accurate temperature compensation VGA; *RFIC-03 2003* 399-402

- Nakamura, H.**, see Ishizaki, T., *MWSYM-03 2003* 471-474 vol.1
- Nakanishi, M.**, see Shinjo, S., *RFIC-03 2003* 195-198
- Nakasha, Y.**, see Suzuki, T., *MWSYM-03 2003* 1173-1176 vol.2
- Nakatani, T.**, see Watanabe, D., *MWSYM-03 2003* 1555-1558 vol.3
- Nakayama, A.**, A. Fukuura, and M. Nishimura. Millimeter-wave measurement of complex permittivity using dielectric rod resonator excited by NRD-guide; *T-MTT Jan 03* 170-177
- Nakayama, M.**, see Yamanaka, K., *MWSYM-03 2003* 121-124 vol.1
- Nakayama, T.**, see Okamoto, Y., *MWSYM-03 2003* 225-228 vol.1
- Nakhla, M.**, see Gunupudi, P., *MWSYM-03 2003* 13-16 vol.1
- Nakhla, M.**, see Saraswat, D., *MWSYM-03 2003* 999-1002 vol.2
- Nakhla, M.**, see Soveiko, N., *MWSYM-03 2003* 2121-2124 vol.3
- Nakhla, M.S.**, see Gunupudi, P.K., *T-MTT Dec 03* 2347-2354
- Nallatamby, J.-C.**, M. Prigent, M. Camiade, and J.J. Obregon. Extension of the Leeson formula to phase noise calculation in transistor oscillators with complex tanks; *T-MTT Mar 03* 690-696
- Nallatamby, J.-C.**, M. Prigent, M. Camiade, and J. Obregon. Phase noise in oscillators - Leeson formula revisited; *T-MTT Apr 03* 1386-1394
- Nallatamby, J.-C.**, see Laloue, A., *T-MTT Aug 03* 1966-1976
- Namba, C.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Nam Ilku**, see Ilku Nam, *MWSYM-03 2003* A117-A120 vol.1
- Nam Ilku**, see Ilku Nam, *RFIC-03 2003* 631-634
- Nam Inho**, see Seongjun Bae, *RFIC-03 2003* 137-140
- Nam Sangwook**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Nanver, L.K.**, see Valletta, E., *MWSYM-03 2003* 1235-1238 vol.2
- Nashimoto, Y.**, see Bito, Y., *MWSYM-03 2003* 703-706 vol.2
- Nashimoto, Y.**, see Niwa, T., *MWSYM-03 2003* 711-714 vol.2
- Nath, J.**, see Suryanarayanan, J., *MWSYM-03 2003* A93-A96 vol.1
- Nath, J.**, see Suryanarayanan, J., *RFIC-03 2003* 607-610
- Nebus, J.-M.**, see Soury, A., *MWSYM-03 2003* 795-798 vol.2
- Nebus, J.M.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Nebus, J.M.**, see Gasseling, T., *MWSYM-03 2003* 1651-1654 vol.3
- Nebus, J.M.**, see Gasseling, T., *MWSYM-03 2003* 1663-1666 vol.3
- Neri, A.**, see Rizzoli, V., *MWSYM-03 2003* 9-12 vol.1
- Nessler, W.**, see Aigner, R., *MWSYM-03 2003* 2001-2004 vol.3
- Neuburger, M.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Neudeck, P.G.**, see Simons, R.N., *T-MTT Feb 03* 669-672
- Newton, K.**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Newton, K.**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Ng, T.S.**, see Tsang, K.S.H., *MWSYM-03 2003* A57-A60 vol.1
- Ng, T.S.**, see Tsang, K.S.H., *RFIC-03 2003* 571-574
- Ngo, T.P.**, see La Rue, R.A., *MWSYM-03 2003* 247-250 vol.1
- Ngo, T.P.**, see La Rue, R.A., *T-MTT Dec 03* 2577-2588
- Ngompe, E.**, see Megahed, M., *MWSYM-03 2003* 1707-1710 vol.3
- Ngompe, E.**, M. Ayyazian, M. Glasbrener, M. Megahed, N. Vakilian, and W. Domino. Architecture and performance overview of a highly integrated 13x13 mm Single-Package Radio (SPR) module for dualband EGSM900/GSM1800 applications; *RFIC-03 2003* 387-390
- Ngoya, E.**, see Soury, A., *MWSYM-03 2003* 795-798 vol.2
- Nguyen, C.T.-C.**, see Jing Wang, *RFIC-03 2003* 335-338
- Nguyen Cam**, see Joongsuk Park, *MWSYM-03 2003* 1443-1446 vol.2
- Nguyen Cam**, see Seoktae Kim, *T-MTT Jun 03* 1724-1728
- Nguyen Tran Van**, see Chi Yung Ho, *RFIC-03 2003* 539-542
- Niculae, V.**, see Teppati, V., *T-MTT Mar 03* 994-997
- Nikawa, Y.**, see Hayashi, J., *MWSYM-03 2003* 531-534 vol.1
- Nikitin, M.**, see Point, R., *RFIC-03 2003* 431-434
- Nikitin, P.V.**, D.D. Stancil, A.G. Cepni, A.E. Khafa, O.K. Tonguz, and D. Brodtkorb. Novel mode content analysis technique for multimode waveguides; *MWSYM-03 2003* 1827-1830 vol.3
- Nikitin, P.V.**, D.D. Stancil, A.G. Cepni, A.E. Khafa, O.K. Tonguz, and D. Brodtkorb. A novel mode content analysis technique for antennas in multimode waveguides; *T-MTT Dec 03* 2402-2408
- Niklasch, N.**, see Dreher, A., *T-MTT Jul 03* 1815-1821
- Nikolic, M.M.**, see Djordjevic, A.R., *T-MTT Jul 03* 1871-1877
- Nikolova, N.K.**, see Safian, R., *MWSYM-03 2003* 299-302 vol.1
- Nikolova, N.K.**, see Bakr, M.H., *MWSYM-03 2003* 1121-1124 vol.2
- Ning Chen Zhi**, see Ning Yang, *MWSYM-03 2003* 535-538 vol.1
- Ning Hua Zhu**, Chen Qian, You Lin Wang, E.Y.B. Pun, and Po-Shuen Chung. Frequency limitation in the calibration of microwave test fixtures; *T-MTT Sep 03* 2000-2006
- Ning Yang**, Zhi Ning Chen, Yun Yi Wang, and M.Y.W. Chia. An elliptic low-pass filter with shorted cross-over and broadside-coupled microstrip lines; *MWSYM-03 2003* 535-538 vol.1
- Ninomiya, K.**, see Nakamizo, H., *RFIC-03 2003* 399-402
- Nirmalathas, A.**, see Lim, C., *MWSYM-03 2003* 273-276 vol.1
- Nishikawa, K.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Nishikawa, K.**, see Piernas, B., *T-MTT Mar 03* 778-783
- Nishimoto, M.**, see Dawson, D., *MWSYM-03 2003* 1585-1587 vol.3
- Nishimoto, M.**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Nishimura, M.**, see Nakayama, A., *T-MTT Jan 03* 170-177
- Nishino, T.**, Y. Yoshida, Y. Suehiro, S.-S. Lee, K. Miyaguchi, T. Fukami, H. Oh-Hashi, and O. Ishida. A 12GHz lumped-element hybrid fabricated on a micromachined dielectric-air-metal (DAM) cavity; *MWSYM-03 2003* 487-490 vol.1
- Nishino, T.**, and Tatsuo Itoh. Evolutionary generation of 3-D line-segment circuits with a broadside-coupled multiconductor transmission-line model; *T-MTT Oct 03* 2045-2054
- Nishio, T.**, Yuanxun Wang, and T. Itoh. A high-speed adaptive antenna array with simultaneous multiple-beamforming capability; *MWSYM-03 2003* 1673-1676 vol.3
- Nishio, T.**, H.-P. Tsai, Y. Wang, and T. Itoh. A high-speed adaptive antenna array with simultaneous multibeam-forming capability; *T-MTT Dec 03* 2483-2494
- Nithianandam, J.** A MEMS shunt switch on a dielectric membrane; *MWSYM-03 2003* 499-502 vol.1
- Niu, G.**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Niu Dow-Chih**, see Kun-You Lin, *T-MTT Apr 03* 1076-1085
- Niu Guofu**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Niwa, T.**, T. Ishigaki, H. Shimawaki, and Y. Nashimoto. A composite collector InGaP/GaAs HBT with high ruggedness for GSM power amplifiers; *MWSYM-03 2003* 711-714 vol.2
- Ni Wan**, see Wan Ni, *MWSYM-03 2003* A33-A36 vol.1
- Ni Wan**, see Wan Ni, *RFIC-03 2003* 547-550
- Noferini, L.**, see Pieraccini, M., *T-MTT May 2003* 1603-1609
- Noguchi, T.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Noh, Y.S.**, see Kim, J.H., *MWSYM-03 2003* 867-870 vol.2
- Noh, Y.S.**, see Kim, J.H., *MWSYM-03 2003* 2209-2212 vol.3
- Noh-Hoon Myung**, see Hee-Ran Ahn, *MWSYM-03 2003* 1607-1610 vol.3
- Nojima, T.**, see Suzuki, Y., *MWSYM-03 2003* 77-80 vol.1
- Noponen, E.**, see Meltaus, J., *T-MTT Apr 03* 1274-1280
- Norton, R.**, see Agoston, A., *MWSYM-03 2003* 1519-1521 vol.3
- Nosaka, H.**, see Ishii, K., *RFIC-03 2003* 63-66
- Nosaka, H.**, see Ishii, K., *T-MTT Nov 03* 2181-2187
- Nosal, Z.M.**, and T.P.E. Broekaert. InP HBT transimpedance amplifier for 43 Gb/s optical link applications; *MWSYM-03 2003* 117-120 vol.1
- Notani, Y.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Notani, Y.**, see Tsukahara, Y., *MWSYM-03 2003* 1295-1298 vol.2
- Notani, Y.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Notaros, B.M.**, see Ilic, M.M., *T-MTT Mar 03* 1026-1033
- Noujeim, K.M.** Wave propagation characteristics of a reactively loaded microstrip; *MWSYM-03 2003* 821-824 vol.2
- Novak, D.**, see Lim, C., *MWSYM-03 2003* 273-276 vol.1
- Noyel, G.**, see Bayard, B., *T-MTT Jul 03* 1809-1814
- Numata, K.**, Y. Takahashi, T. Maeda, and H. Hida. A high-power-handling GSM switch IC with new adaptive-control-voltage-generator circuit scheme; *RFIC-03 2003* 233-236
- Nuno, L.**, see Diaz-Morcillo, A.B., *T-MTT May 2003* 1467-1475
- Nurgaliev, T.**, S. Miteva, A.P. Jenkins, and D. Dew-Hughes. Investigation of MW characteristics of HTS microstrip and coplanar resonators with ferrite thin-film components; *T-MTT Jan 03* 33-40
- Nussbaumer, S.**, see Spiegel, S., *MWSYM-03 2003* A49-A52 vol.1
- Nussbaumer, S.**, see Spiegel, S., *RFIC-03 2003* 563-566
- Nuttinck, S.**, B. Banerjee, S. Venkataraman, J. Laskar, and M. Harris. High temperature performances of AlGaIn/GaN power HFETs; *MWSYM-03 2003* 221-223 vol.1
- Nuttinck, S.**, see Pinel, S., *MWSYM-03 2003* 1497-1500 vol.3
- Nuttinck, S.**, B.K. Wagner, B. Banerjee, S. Venkataraman, E. Gebara, J. Laskar, and H.M. Harris. Thermal analysis of AlGaIn-GaN power HFETs; *T-MTT Dec 03* 2445-2452

O

- O, K.K.**, see Li, X., *RFIC-03 2003* 41-44
- O, K.K.**, see Point, R., *RFIC-03 2003* 431-434
- Obol, M.**, and C. Vittoria. Microwave permeability measurement of unsaturated hexaferrites of Y-type; *MWSYM-03 2003* 429-432 vol.1
- Obregon, J.**, see Nallatamby, J.-C., *T-MTT Apr 03* 1386-1394

- Obregon, J.**, see Laloue, A., *T-MTT Aug 03* 1966-1976
- Obregon, J.J.**, see Nallatamby, J.-C., *T-MTT Mar 03* 690-696
- O'Callaghan, J.M.**, see Mateu, J., *MWSYM-03 2003* 547-550 vol.1
- Ofli, E.**, R. Vahldieck, and S. Amari. Compact E-plane and ridge waveguide filters/duplexers with pseudo-elliptic response; *MWSYM-03 2003* 949-952 vol.2
- Ofli, E.**, see Tudosie, G., *MWSYM-03 2003* 1219-1222 vol.2
- Ogawa, H.**, see Maruhashi, K., *MWSYM-03 2003* 1045-1048 vol.2
- Ogura, H.**, see Kanno, H., *MWSYM-03 2003* 1159-1162 vol.2
- Ohata, K.**, K. Maruhashi, M. Ito, S. Kishimoto, K. Ikuina, T. Hashiguchi, K. Ikeda, and N. Takahashi. 1.25Gbps wireless Gigabit Ethernet link at 60GHz-band; *MWSYM-03 2003* 373-376 vol.1
- Ohata, K.**, see Ito, M., *MWSYM-03 2003* 1751-1754 vol.3
- Ohata, K.**, see Maruhashi, K., *MWSYM-03 2003* 1045-1048 vol.2
- Ohata, K.**, K. Maruhashi, M. Ito, S. Kishimoto, K. Ikuina, T. Hashiguchi, K. Ikeda, and N. Takahashi. 1.25 Gbps wireless Gigabit ethernet link at 60 GHz-band; *RFIC-03 2003* 509-512
- Ohata, K.**, see Hosoya, K., *T-MTT Nov 03* 2250-2258
- Ohba, H.**, see Dodo, H., *MWSYM-03 2003* 1559-1562 vol.3
- Ohbu, I.**, see Tanaka, K., *MWSYM-03 2003* 2197-2200 vol.3
- Oh-Hashi, H.**, see Nishino, T., *MWSYM-03 2003* 487-490 vol.1
- Ohira, T.**, see Han, Q., *MWSYM-03 2003* 1841-1844 vol.3
- Ohnakado, T.**, S. Yamakawa, T. Murakami, A. Furukawa, K. Nishikawa, E. Taniguchi, H. Ueda, M. Ono, J. Tomisawa, Y. Yoneda, Y. Hashizume, K. Sugahara, N. Suematsu, and T. Oomori. A 0.8 dB insertion-loss, 23 dB isolation, 17.4 dBm power-handling, 5 GHz transmit/receive CMOS switch; *RFIC-03 2003* 229-232
- Oh Seung Hyeub**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Oh Seung Hyeub**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Ohta, I.**, T. Kawai, T. Fujii, and Y. Kokubo. Directivity improvement of microstrip coupled line couplers based on equivalent admittance approach; *MWSYM-03 2003* 43-46 vol.1
- Oka, T.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Okabe, H.**, C. Caloz, and T. Itoh. A compact enhanced-bandwidth hybrid ring using a left-handed transmission line section; *MWSYM-03 2003* 329-332 vol.1
- Okamoto, Y.**, Y. Ando, H. Miyamoto, T. Nakayama, T. Inoue, and M. Kuzuhara. An 80W AlGaIn/GaN heterojunction FET with a field-modulating plate; *MWSYM-03 2003* 225-228 vol.1
- Okhmatovski, V.I.**, J. Morsey, and A.C. Cangellaris. De-embedding of port discontinuities in full-wave CAD models of multi-port circuits; *MWSYM-03 2003* 303-306 vol.1
- Okhmatovski, V.I.**, J. Morsey, and A.C. Cangellaris. On deembedding of port discontinuities in full-wave CAD models of multipoint circuits; *T-MTT Dec 03* 2355-2365
- Okoniewski, M.**, see Hagl, D.M., *T-MTT Apr 03* 1194-1206
- Oku, T.**, see Tanahashi, N., *MWSYM-03 2003* 2225-2228 vol.3
- Oku, T.**, see Udomoto, J., *MWSYM-03 2003* 2229-2232 vol.3
- Okubo, K.**, and M. Tsutsumi. Microstrip line on the oppositely magnetized ferrite substrate and its application to the nonreciprocal devices; *MWSYM-03 2003* 425-428 vol.1
- Olbrich, G.R.**, see Jung Han Choi, *MWSYM-03 2003* 1515-1518 vol.3
- Oliner, A.A.** A planar negative-refractive-index medium without resonant elements; *MWSYM-03 2003* 191-194 vol.1
- Olivieri, A.**, see Teppati, V., *T-MTT Mar 03* 994-997
- Olivieri, A.**, see Peverini, O.A., *T-MTT Apr 03* 1207-1213
- Olsen, A.O.**, M. Ingvarson, and J. Stake. A low cost fixed tuned F-band HBV frequency tripler; *MWSYM-03 2003* 899-902 vol.2
- Olsson, J.**, see Bengtsson, O., *T-MTT Mar 03* 1052-1056
- Omar, A.S.**, see Kamel, A.H., *MWSYM-03 2003* 669-672 vol.2
- Omar, A.S.**, see Rahman, A.A., *MWSYM-03 2003* 571-574 vol.1
- O'Neill, J.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Ong, S.H.M.**, see Eccleston, K.W., *T-MTT Oct 03* 2119-2125
- On Lee Chang**, see Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Ono, M.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Onodera, K.**, see Mehta, S., *RFIC-03 2003* 427-430
- Ooi, B.L.**, and J.Y. Ma. An improved but reliable model for MESFET parasitic capacitance extraction; *MWSYM-03 2003* A53-A56 vol.1
- Ooi, B.-L.**, see Hui, S.C., *RFIC-03 2003* 651-654
- Ooi, B.L.**, and J.Y. Ma. An improved but reliable model for MESFET parasitic capacitance extraction; *RFIC-03 2003* 567-570
- Ooi Ban-Leong**, see Hui, S.C., *MWSYM-03 2003* A137-A140 vol.1
- Ooi Ban-Leong**, see Ban-Leong Ooi, *RFIC-03 2003* 259-262
- Ooi Ban Leong**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Oomori, T.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Orlianges, J.C.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Orlianges, J.C.**, see Paillot, T., *MWSYM-03 2003* 1755-1758 vol.3
- Orta, R.**, see Peverini, O.A., *T-MTT Apr 03* 1207-1213
- Ortiz, S.**, see Al-Zayed, A., *MWSYM-03 2003* 1867-1870 vol.3
- Ortiz, S.C.**, see Xin Jiang, *T-MTT Jan 03* 144-147
- Osorio, J.A.**, see Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Osorio, J.A.**, see Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Ossberger, G.**, see Pourvoyeur, K., *MWSYM-03 2003* 603-606 vol.1
- Ostrick, J.R.**, see Howe, D.A., *T-MTT Nov 03* 2235-2242
- Otegi, N.**, see Collado, A., *MWSYM-03 2003* 1419-1422 vol.2
- Owen, H.S.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- Owens, F.**, see Eireiner, T., *MWSYM-03 2003* 1529-1532 vol.3
- Oz, A.**, and G.K. Fedder. CMOS-compatible RF-MEMS tunable capacitors; *MWSYM-03 2003* A97-A100 vol.1
- Oz, A.**, and G.K. Fedder. CMOS-compatible RF-MEMS tunable capacitors; *RFIC-03 2003* 611-614
- Ozkar, M.**, see Al-Zayed, A., *MWSYM-03 2003* 1867-1870 vol.3

P

- Paatsila, P.**, see Stadius, K., *RFIC-03 2003* 449-452
- Pacheco, S.P.**, see Peroulis, D., *T-MTT Jan 03* 259-270
- Paffi, A.**, see Apollonio, F., *MWSYM-03 2003* 1431-1434 vol.2
- Paidi, V.**, see Yun Wei, *MWSYM-03 2003* 919-921 vol.2
- Paidi, V.**, Shouxuan Xie, R. Coffie, B. Moran, S. Heikman, S. Keller, A. Chini, S.P. DenBaars, U.K. Mishra, S. Long, and M.J.W. Rodwell. High linearity and high efficiency of class-B power amplifiers in GaN HEMT technology; *T-MTT Feb 03* 643-652
- Pai Han-Ting**, see Chien-Chang Huang, *MWSYM-03 2003* 463-466 vol.1
- Paillot, J.-M.**, see Dardenne, S., *MWSYM-03 2003* A193-A196 vol.1
- Paillot, J.-M.**, see Dardenne, S., *RFIC-03 2003* 707-710
- Paillot, J.-M.**, A. El Ouakadi, H. Guegnard, and R. Allam. Switched capacitor bandpass filter tuned by ring VCO in CMOS 0.35 μm ; *RFIC-03 2003* 119-122
- Paillot, T.**, P. Blondy, D. Cros, P. Guillon, J.C. Orlianges, C. Champeaux, and A. Catherinot. Implementation of a tunable coplanar filter; *MWSYM-03 2003* 1755-1758 vol.3
- Pajewski, L.**, see Frezza, F., *MWSYM-03 2003* 825-828 vol.2
- Pajewski, L.**, see Frezza, F., *T-MTT Mar 03* 941-951
- Pajic, S.**, and Z.B. Popovic. An efficient X-band 16-element spatial combiner of switched-mode power amplifiers; *T-MTT Jul 03* 1863-1870
- Palazzari, P.**, see Catarinucci, L., *T-MTT Mar 03* 935-940
- Palmisano, G.**, see Scuderi, A., *MWSYM-03 2003* 699-702 vol.2
- Palmisano, G.**, see Scuderi, A., *MWSYM-03 2003* 2117-2120 vol.3
- Palmisano, G.**, see Biondi, T., *RFIC-03 2003* 155-158
- Palmisano, G.**, see Italia, A., *RFIC-03 2003* 453-456
- Pan, G.W.**, Ke Wang, and B.K. Gilbert. On multiwavelet-based finite element method; *T-MTT Jan 03* 148-155
- Panariello, A.**, see Ismail, M.A., *MWSYM-03 2003* 291-294 vol.1
- Pane-Chane Chao**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Pang-Shyan Kooi**, see Ban-Leong Ooi, *RFIC-03 2003* 259-262
- Pan Te-Wen**, see Te-Wen Pan, *T-MTT Apr 03* 1298
- Papapolymerou, J.**, see Bushyager, N., *MWSYM-03 2003* 2081-2084 vol.3
- Papapolymerou, J.**, see Guoan Wang, *MWSYM-03 2003* 1633-1636 vol.3
- Papapolymerou, J.**, K.L. Lange, C.L. Goldsmith, A. Malczewski, and J. Kleber. Reconfigurable double-stub tuners using MEMS switches for intelligent RF front-ends; *T-MTT Jan 03* 271-278
- Parikh, P.A.**, T.E. Kazior, and U.K. Mishra. Guest editorial [intro. to special issue on wide bandgap semiconductor devices and circuits]; *T-MTT Feb 03* 605-606
- Park, C.S.**, see Kim, J.H., *MWSYM-03 2003* 867-870 vol.2
- Park, C.S.**, see Kim, J.H., *MWSYM-03 2003* 2209-2212 vol.3
- Park, J.Y.**, H.M. Lee, H.C. Lee, K.H. Lee, Y.J. Ko, J.H. Shin, S.H. Moon, and J.U. Bu. Comparison of micromachined FBAR band pass filters with different structural geometry; *MWSYM-03 2003* 2005-2008 vol.3
- Park, J.Y.**, see Ko, Y.J., *MWSYM-03 2003* 1489-1492 vol.3
- Park, Y.**, and J.S. Kenney. Adaptive digital predistortion linearization of frequency multipliers; *T-MTT Dec 03* 2516-2522
- Park Byeong-Ha**, see Kun-Seok Lee, *RFIC-03 2003* 177-180
- Park Chang-Kun**, see Chang-Kun Park, *MWSYM-03 2003* A157-A160 vol.1
- Park Chang-Kun**, see Chang-Kun Park, *RFIC-03 2003* 671-674
- Park Chan-Woo**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Park Chan-Woo**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Park Chul Soon**, see Young Chul Lee, *MWSYM-03 2003* 2027-2030 vol.3

- Parker, A.E.**, see Brinkhoff, J., *MWSYM-03 2003* 781-784 vol.2
- Parker, A.E.**, see Brinkhoff, J., *T-MTT Mar 03* 1045-1051
- Parker, A.E.**, see Brinkhoff, J., *T-MTT Dec 03* 2523-2530
- Park Eun-Chul**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Park Eun-Chul**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Park Han-Kyu**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Park Hyung Moo**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Park Jae-Hyoung**, see Hong-Teuk Kim, *MWSYM-03 2003* 1319-1322 vol.2
- Park Hyun-Min**, see Hyun-Min Park, *MWSYM-03 2003* 691-694 vol.2
- Park Hyun-Min**, see Hyun-Min Park, *MWSYM-03 2003* 773-776 vol.2
- Park Hyun-Min**, see Kyoungmin Koh, *MWSYM-03 2003* 467-470 vol.1
- Park Jae-Hyoung**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Park Jae-Hyoung**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Park Jae-Hyoung**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Park Jae-Woo**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Park Jae-Woo**, see Hyun-Min Park, *MWSYM-03 2003* 691-694 vol.2
- Park Jae-Woo**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Park Ji-Yong**, see Seong-Sik Jeon, *MWSYM-03 2003* 579-582 vol.1
- Park Ji-Yong**, see Ji-Yong Park, *MWSYM-03 2003* 1677-1680 vol.3
- Park Ji-Yong**, see Ji-Yong Park, *T-MTT May 2003* 1482-1488
- Park Joongsuk**, see Joongsuk Park, *MWSYM-03 2003* 1443-1446 vol.2
- Park Mun-Yang**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Park Mun-Yang**, see Jae-Hong Chang, *RFIC-03 2003* 295-298
- Park Mun-Yang**, see Seon-Ho Han, *RFIC-03 2003* 307-310
- Park Sang Jin**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Park Young-Bog**, see Kun-Hin To, *RFIC-03 2003* 163-166
- Park Youngcheol**, see Youngcheol Park, *MWSYM-03 2003* 1695-1698 vol.3
- Parssinen, A.**, see Sivonen, P., *T-MTT Apr 03* 1220-1226
- Parthasarathy, N.**, see Yun Yeuk, *MWSYM-03 2003* 919-921 vol.2
- Parthasarathy, N.**, see Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2
- Parthasarathy, N.**, see Krishnan, S., *T-MTT Dec 03* 2555-2561
- Pasalich, D.**, R. Vahldieck, and A. Aste. Rigorous analysis of traveling wave photodetectors under high-power illumination; *MWSYM-03 2003* 1375-1378 vol.2
- Paschke, P.**, see Baeyens, Y., *RFIC-03 2003* 67-70
- Patel, A.C.**, see Rana, R.S., *RFIC-03 2003* 285-287
- Patel, K.M.**, and S.E. Ralph. Multimode fiber link equalization by mode filtering via a multisegment photodetector; *MWSYM-03 2003* 1343-1346 vol.2
- Paulotto, S.**, see Baccarelli, P., *MWSYM-03 2003* 809-812 vol.2
- Paulsen, K.D.**, see Dun Li, *T-MTT Apr 03* 1179-1186
- Pavan, S.**, see Kudszus, S., *MWSYM-03 2003* 1387-1390 vol.2
- Pavio, A.**, see Lei Zhao, *MWSYM-03 2003* 2201-2204 vol.3
- Paviol, J.R.**, see Li, X., *RFIC-03 2003* 41-44
- Pawlak, H.**, see Stange, L.C., *MWSYM-03 2003* 583-586 vol.1
- Pedersen, F.**, see Bandler, J.W., *MWSYM-03 2003* 1003-1006 vol.2
- Pedro, J.C.**, N.B. Carvalho, and P.M. Lavrador. Modeling nonlinear behavior of band-pass memoryless and dynamic systems; *MWSYM-03 2003* 2133-2136 vol.3
- Pedro, J.C.**, see Lavrador, P.M., *MWSYM-03 2003* 2137-2140 vol.3
- Peihua Ye**, see Kamat, M., *RFIC-03 2003* 23-26
- Pei-Si Wu**, Tian-Wei Huang, and Huei Wang. An 18-71 GHz multi-band and high gain GaAs MMIC medium power amplifier for millimeter-wave applications; *MWSYM-03 2003* 863-866 vol.2
- Pele, I.**, see Avrillon, S., *T-MTT Apr 03* 1269-1273
- Pelosi, G.**, see Martini, E., *T-MTT Jun 03* 1712-1717
- Penaranda-Foix, F.L.**, see Canos, A.J., *MWSYM-03 2003* 1823-1825 vol.3
- Penaranda-Foix, F.L.**, see Catala-Civera, J.M., *T-MTT Jan 03* 16-24
- Peng, A.S.**, see Meng, C.C., *MWSYM-03 2003* A205-A208 vol.1
- Peng, A.S.**, see Meng, C.C., *RFIC-03 2003* 719-722
- Peng, K.C.**, see Horng, T.S., *RFIC-03 2003* 255-258
- Pengcheng Jia**, Lee-Yin Chen, A. Alexanian, and R.A. York. 6 to 17 GHz broadband high power amplifier using spatial power combining technique; *MWSYM-03 2003* 1871-1874 vol.3
- Peng Kang-Chun**, see Tzyy-Sheng Horng, *T-MTT Nov 03* 2197-2202
- Peng-Un Su**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Penn, J.**, see Reece, M.A., *MWSYM-03 2003* 615-618 vol.1
- Pepper, S.**, see Agoston, R.M., *MWSYM-03 2003* 1519-1521 vol.3
- Perea, L.**, see Collado, A., *MWSYM-03 2003* 1419-1422 vol.2
- Perlow, S.**, see Fathy, A.E., *MWSYM-03 2003* 1833-1836 vol.3
- Perlow, S.M.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- Peroulis, D.**, see Reano, R.M., *MWSYM-03 2003* 1923-1926 vol.3
- Peroulis, D.**, and L.P.B. Katehi. Electrostatically-tunable analog RF MEMS varactors with measured capacitance range of 300%; *MWSYM-03 2003* 1793-1796 vol.3
- Peroulis, D.**, S.P. Pacheco, K. Sarabandi, and L.P.B. Katehi. Electromechanical considerations in developing low-voltage RF MEMS switches; *T-MTT Jan 03* 259-270
- Perregrini, L.**, see Bozzi, M., *MWSYM-03 2003* 1975-1978 vol.3
- Perregrini, L.**, see Repossi, M., *MWSYM-03 2003* 1199-1202 vol.2
- Perrot, F.**, see Goron, E., *MWSYM-03 2003* 1599-1602 vol.3
- Person, C.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Person, C.**, see Quendo, C., *MWSYM-03 2003* 1093-1096 vol.2
- Person, C.**, see Goron, E., *MWSYM-03 2003* 1599-1602 vol.3
- Person, C.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Person, C.**, see Quendo, C., *T-MTT Mar 03* 734-743
- Peschke, M.**, and W. Menzel. Investigation of boundary algorithms for multiresolution analysis; *T-MTT Apr 03* 1262-1268
- Peverini, O.A.**, R. Tascone, A. Olivieri, M. Baralis, R. Orta, and G. Virone. A microwave measurement procedure for a full characterization of orthomode transducers; *T-MTT Apr 03* 1207-1213
- Pham, A.**, see Wei, Z., *MWSYM-03 2003* 2273-2276 vol.3
- Pham Hanh**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Piasecki, M.**, and J. Modelski. Investigation of an experimental setup of a smart antenna; *MWSYM-03 2003* 1845-1848 vol.3
- Pichler, M.**, see Pourvoyeur, K., *MWSYM-03 2003* 603-606 vol.1
- Pichler, M.**, P. Gulden, M. Vossiek, and A. Stelzer. A 24-GHz tank level gauging system with state-space frequency estimation and a novel adaptive model order selection algorithm; *MWSYM-03 2003* 1953-1956 vol.3
- Pieraccini, M.**, G. Luzi, D. Mecatti, L. Noferini, and C. Atzeni. A microwave radar technique for dynamic testing of large structures; *T-MTT May 2003* 1603-1609
- Piernas, B.**, and M. Hirata. Enhanced miniaturized Wilkinson power divider; *MWSYM-03 2003* 1255-1258 vol.2
- Piernas, B.**, K. Nishikawa, T. Nakagawa, and K. Araki. A compact and low-phase-noise Ka-band pHEMT-based VCO; *T-MTT Mar 03* 778-783
- Pierson, R.L.Jr.**, see Hacker, J.B., *MWSYM-03 2003* 1859-1862 vol.3
- Pietig, R.**, and Meng Cao. Ferrite-loaded waveguides-a perturbation theory approach; *MWSYM-03 2003* 833-836 vol.2
- Pignol, M.**, see Begueret, J.-B., *RFIC-03 2003* 313-316
- Pinel, S.**, see Davis, M.F., *MWSYM-03 2003* 1155-1158 vol.2
- Pinel, S.**, F. Cros, S. Nuttinck, S.-W. Yoon, M.G. Allen, and J. Laskar. Very high-Q inductors using RF-MEMS technology for System-On-Package wireless communication integrated module; *MWSYM-03 2003* 1497-1500 vol.3
- Pingshan Wang**, V.S. Kaper, S.J. Richard, and E.C. Kan. Transient analysis of nonlinear microwave circuits using small-signal scattering parameters; *RFIC-03 2003* 361-364
- Pingxi Ma**, M. Racanelli, Jie Zheng, and M. Knight. A 1.4 mA & 3 mW, SiGe90, BiFET low noise amplifier for wireless portable applications; *RFIC-03 2003* 237-240
- Pingxi Ma**, M. Racanelli, Jie Zheng, and M. Knight. A novel bipolar-MOSFET low-noise amplifier (BiFET LNA), circuit configuration, design methodology, and chip implementation; *T-MTT Nov 03* 2175-2180
- Ping Yang**, Duoquan Li, and Ke Wu. Leakage and guidance properties of unbalanced insulated NRD-guide for co-layered integrated circuits; *MWSYM-03 2003* 2041-2044 vol.3
- Pipilos, S.**, E. Metaxakis, A. Tzimas, S. Vlassis, S. Sgourenas, Y. Tsividis, and T. Varelas. A single-chip transceiver for 802.11a and Hiperlan2 wireless LANs; *RFIC-03 2003* 33-36
- Pisa, S.**, see Bernardi, P., *MWSYM-03 2003* 395-398 vol.1
- Pisa, S.**, see Bernardi, P., *MWSYM-03 2003* 403-406 vol.1
- Pisa, S.**, see Bernardi, P., *T-MTT Dec 03* 2409-2417
- Pisa, S.**, M. Cavagnaro, E. Piuze, P. Bernardi, and J.C. Lin. Power density and temperature distributions produced by interstitial arrays of sleeved-slot antennas for hyperthermic cancer therapy; *T-MTT Dec 03* 2418-2426
- Pistre, J.**, see Gouget, P., *MWSYM-03 2003* 1231-1234 vol.2
- Pitizzi, E.**, see Bernardi, P., *MWSYM-03 2003* 403-406 vol.1
- Pitschi, F.M.**, J.E. Kiwitt, C.C.W. Ruppel, and K.C. Wagner. Accurate modeling and simulation of SAW RF filters; *MWSYM-03 2003* 2009-2012 vol.3
- Piuze, E.**, see Bernardi, P., *MWSYM-03 2003* 395-398 vol.1
- Piuze, E.**, see Bernardi, P., *T-MTT Dec 03* 2409-2417
- Piuze, E.**, see Pisa, S., *T-MTT Dec 03* 2418-2426
- Placidi, P.**, see Verducci, L., *MWSYM-03 2003* 2085-2088 vol.3
- Plana, R.**, see Bouchriha, F., *MWSYM-03 2003* 959-962 vol.2
- Plana, R.**, see Sie, M., *MWSYM-03 2003* A165-A168 vol.1
- Plana, R.**, see Coustou, A., *RFIC-03 2003* 487-490
- Plana, R.**, see Sie, M., *RFIC-03 2003* 679-682

- Plana, R.**, see Wong, W., *RFIC-03 2003* 281-284
- Platzker, A.**, see Colomb, F.Y., *MWSYM-03 2003* 843-846 vol.2
- Plett, C.**, see Aguirre, J., *MWSYM-03 2003* 923-926 vol.2
- Plett, C.**, see Fong, N., *MWSYM-03 2003* 967-970 vol.2
- Plett, C.**, see Fong, N.H.W., *T-MTT Aug 03* 1952-1959
- Plouchart, J.-O.**, see Fong, N., *MWSYM-03 2003* 967-970 vol.2
- Plouchart, J.-O.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Plouchart, J.-O.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Plouchart, J.-O.**, Jonghae Kim, H. Recoules, N. Zamdmer, Yue Tan, M. Sherony, A. Ray, and L. Wagner. A power-efficient 33 GHz 2:1 static frequency divider in 0.12- μ m SOI CMOS; *RFIC-03 2003* 329-332
- Plouchart, J.-O.**, see Fong, N.H.W., *T-MTT Aug 03* 1952-1959
- Point, R.**, Zhenbiao Li, W. Foley, B. Ingersoll, J. Borelli, D. Segarra, D. Donoghue, C. Liss, M. Mendes, J. Feigin, A. Georgiadis, M. Valery, E. Dawe, D. Losanno, R. Quintal, M. Nikitin, R. Jabor, M. Morin, K.K. O, and G. Dawe. An RF CMOS transmitter integrating a power amplifier and a transmit/receive switch for 802.11b wireless local area network applications; *RFIC-03 2003* 431-434
- Polewski, M.**, see Lech, R., *T-MTT Mar 03* 998-1002
- Polo, V.**, see Marti, J., *MWSYM-03 2003* 277-279 vol.1
- Polo, V.**, see Vidal, B., *MWSYM-03 2003* 159-162 vol.1
- Polo, V.**, see Sanchis, P., *MWSYM-03 2003* 1533-1536 vol.3
- Polo, V.**, see Vidal, B., *MWSYM-03 2003* 1399-1402 vol.2
- Ponchak, G.E.** Experimental analysis of reduced-sized coplanar waveguide transmission lines; *MWSYM-03 2003* 971-974 vol.2
- Pons, P.**, see Bouchriha, F., *MWSYM-03 2003* 959-962 vol.2
- Poplavko, Y.**, V. Kazmirenko, Y. Prokopenko, Moongi Jeong, and Sunggi Baik. Low loss phase shifter based on piezo-controlled layered dielectric structure; *MWSYM-03 2003* 437-440 vol.1
- Popovic, D.**, see Romisch, S., *MWSYM-03 2003* 1669-1672 vol.3
- Popovic, D.**, see Hagl, D.M., *T-MTT Apr 03* 1194-1206
- Popovic, Z.**, see Bell, P.J., *MWSYM-03 2003* 491-494 vol.1
- Popovic, Z.**, see Romisch, S., *MWSYM-03 2003* 1669-1672 vol.3
- Popovic, Z.B.**, see Pajic, S., *T-MTT Jul 03* 1863-1870
- Porra, V.**, see Varonen, M., *MWSYM-03 2003* 915-918 vol.2
- Po-Shuen Chung**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Postoyalko, V.**, see Ernst, C., *T-MTT Jan 03* 64-73
- Pothier, A.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Pothier, A.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Pourvoyeur, K.**, A. Stelzer, G. Ossberger, T. Buchegger, and M. Pichler. Wavelet-based impulse reconstruction in UWB-radar; *MWSYM-03 2003* 603-606 vol.1
- Pouvil, P.**, see Villard, F., *T-MTT Apr 03* 1129-1134
- Powen Hsu**, see I-Jen Chen, *MWSYM-03 2003* 2023-2026 vol.3
- Pozar, D.M.** Analysis and design of cavity-coupled microstrip couplers and transitions; *T-MTT Mar 03* 1034-1044
- Pozzoni, M.**, see Centurelli, F., *RFIC-03 2003* 317-320
- Pratt, P.** The origin and suppression of limit cycles in digitally controlled RF PA loops; *RFIC-03 2003* 203-206
- Pregla, R.**, see Greda, L.A., *MWSYM-03 2003* 1967-1970 vol.3
- Prigent, G.**, E. Rius, F. Le Penne, S. Le Maguer, and C. Quendo. A novel design method for improvement of narrow band-pass planar filter response; *MWSYM-03 2003* 519-522 vol.1
- Prigent, G.**, see Eric Rius, *T-MTT Mar 03* 784-791
- Prigent, J.-P.**, see Villard, F., *T-MTT Apr 03* 1129-1134
- Prigent, M.**, see Nallatamby, J.-C., *T-MTT Mar 03* 690-696
- Prigent, M.**, see Nallatamby, J.-C., *T-MTT Apr 03* 1386-1394
- Prigent, M.**, see Laloue, A., *T-MTT Aug 03* 1966-1976
- Prokopenko, Y.**, see Poplavko, Y., *MWSYM-03 2003* 437-440 vol.1
- Pryor, B.**, see Brech, H., *MWSYM-03 2003* 209-212 vol.1
- Puccio, G.**, see Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Puccio, G.**, see Bisanti, B., *RFIC-03 2003* 515-518
- Pullela, R.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Pullela, R.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Pulsford, N.**, see Valletta, E., *MWSYM-03 2003* 1235-1238 vol.2
- Pun, E.Y.B.**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Punzenberger, M.**, see Klepser, B.-U., *RFIC-03 2003* 37-40
- Puyal, V.**, see Konczykowska, A., *MWSYM-03 2003* 1177-1180 vol.2
- Qian Chen**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Qian Yongxi**, see Younkyu Chung, *T-MTT Feb 03* 653-659
- Qijun Zhang**, see Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
- Qi Jun Zhang**, see Jianjun Xu, *T-MTT Jan 03* 226-237
- Qi-Jun Zhang**, K.C. Gupta, and V.K. Devabhaktuni. Artificial neural networks for RF and microwave design - from theory to practice; *T-MTT Apr 03* 1339-1350
- Qi-Jun Zhang**, see Devabhaktuni, V.K., *T-MTT Jul 03* 1822-1833
- Qing-Lun Chen**, see Xiangyin Zeng, *MWSYM-03 2003* 837-840 vol.2
- Qingqing Liang**, J.D. Cressler, G. Niu, Yuan Lu, G. Freeman, D. Ahlgren, R.M. Malladi, K. Newton, and D.L. Hareme. A simple 4-port parasitic de-embedding methodology for high-frequency characterization of SiGe HBTs; *RFIC-03 2003* 357-360
- Qingqing Liang**, J.D. Cressler, Guofu Niu, Yuan Lu, G. Freeman, D.C. Ahlgren, R.M. Malladi, K. Newton, and D.L. Hareme. A simple four-port parasitic deembedding methodology for high-frequency scattering parameter and noise characterization of SiGe HBTs; *T-MTT Nov 03* 2165-2174
- Qingsha Cheng**, see Bandler, J.W., *MWSYM-03 2003* 1003-1006 vol.2
- Qin Li**, see Houfei Chen, *T-MTT Mar 03* 818-829
- Qiu, J.**, D. Abe, T.M.Jr. Antonsen, B.G. Danly, and B. Levush. Calibration of a gigahertz-bandwidth vector signal generation and analysis system; *MWSYM-03 2003* 1659-1662 vol.3
- Qiu, J.X.**, D.K. Abe, T.M. Antonsen, Jr., B.G. Danly, and B. Levush. Traveling-wave tube amplifier performance evaluation and design optimization for applications in digital communications with multilevel modulations; *T-MTT Aug 03* 1911-1919
- Qiuyang He**, see Zhenhai Shao, *T-MTT Mar 03* 856-861
- Quan Xue**, see Tsz Yin Yum, *MWSYM-03 2003* 87-90 vol.1
- Quan Xue**, Kam Man Shum, and Chi Hou Chan. Low conversion-loss fourth subharmonic mixers incorporating CMRC for millimeter-wave applications; *T-MTT May 2003* 1449-1454
- Quaranta, F.**, see Nabet, B., *T-MTT Oct 03* 2063-2072
- Quay, R.**, see van Raay, F., *MWSYM-03 2003* 451-454 vol.1
- Quendo, C.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Quendo, C.**, see Prigent, G., *MWSYM-03 2003* 519-522 vol.1
- Quendo, C.**, E. Rius, and C. Person. An original topology of dual-band filter with transmission zeros; *MWSYM-03 2003* 1093-1096 vol.2
- Quendo, C.**, Eric Rius, and C. Person. Narrow bandpass filters using dual-behavior resonators; *T-MTT Mar 03* 734-743
- Quere, R.**, see De Meyer, S., *MWSYM-03 2003* 455-458 vol.1
- Quere, R.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Quere, R.**, see Gasseling, T., *MWSYM-03 2003* 1651-1654 vol.3
- Quere, R.**, see Gasseling, T., *MWSYM-03 2003* 1663-1666 vol.3
- Quere, R.**, see Dellier, S., *MWSYM-03 2003* 1347-1350 vol.2
- Quesada Pereira, F.**, and A. Alvarez Melcon. Analysis of finite microstrip structures using an efficient implementation of the integral equation technique; *MWSYM-03 2003* 1983-1986 vol.3
- Quintal, R.**, see Point, R., *RFIC-03 2003* 431-434
- Quon, R.**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3

R

- Raab, F.H.** High-efficiency linear amplification by dynamic load modulation; *MWSYM-03 2003* 1717-1720 vol.3
- Rabe, S.**, see Muldavin, J., *MWSYM-03 2003* 1915-1918 vol.3
- Rabideau, D.J.**, see Howard, L.C., *MWSYM-03 2003* 1525-1528 vol.3
- Racanelli, M.**, see Pingxi Ma, *RFIC-03 2003* 237-240
- Racanelli, M.**, see Rotella, F., *RFIC-03 2003* 339-342
- Racanelli, M.**, see Pingxi Ma, *T-MTT Nov 03* 2175-2180
- Rachedine, M.**, D. Kaczman, A. Das, M. Shah, J. Mondal, and C. Shurboff. Performance review of integrated CMOS VCO circuits for wireless communications; *RFIC-03 2003* 77-80
- Radisic, V.**, see Yu, M., *RFIC-03 2003* 71-73
- Ragonese, E.**, see Scuderi, A., *MWSYM-03 2003* 2117-2120 vol.3
- Ragonese, E.**, see Italia, A., *RFIC-03 2003* 453-456
- Rahman, A.A.**, A.K. Verma, and A.S. Omar. High gain wideband compact microstrip antenna with quasi-planar surface mount horn; *MWSYM-03 2003* 571-574 vol.1
- Rahman, M.**, and K. Shamsaifar. Electronically tunable LTCC based multi-layer filter for mobile handset application; *MWSYM-03 2003* 1767-1770 vol.3
- Rainer, T.**, see Kun-Hin To, *RFIC-03 2003* 163-166

Q

- Qian, J.Y.**, see Cetiner, B.A., *MWSYM-03 2003* 1711-1714 vol.3
- Qian, J.Y.**, see Cetiner, B.A., *T-MTT Jan 03* 332-335

- Raisanen, A.V.**, see Meltaus, J., *T-MTT Apr 03* 1274-1280
- Raja, M.K.**, T.T.C. Boon, K.N. Kumar, and Wong Sheng Jau. A fully integrated variable gain 5.75-GHz LNA with on chip active balun for WLAN; *RFIC-03 2003* 439-442
- Raja, R.**, see Dawson, D., *MWSYM-03 2003* 1585-1587 vol.3
- Ralph, S.E.**, see Patel, K.M., *MWSYM-03 2003* 1343-1346 vol.2
- Ramadoss, R.**, see Gupta, K.C., *T-MTT Apr 03* 1306-1311
- Ramadoss, R.**, see Gupta, K.C., *T-MTT Apr 03* 1326-1329
- Ramahi, O.M.**, see Kamgaing, T., *MWSYM-03 2003* 2165-2168 vol.3
- Raman, S.**, see Svitek, R., *MWSYM-03 2003* A161-A164 vol.1
- Raman, S.**, see Sanderson, D.I., *MWSYM-03 2003* A169-A172 vol.1
- Raman, S.**, see Sanderson, D.I., *RFIC-03 2003* 683-686
- Raman, S.**, see Svitek, R., *RFIC-03 2003* 675-678
- Rambabu, K.**, and J. Bornemann. Compact single-channel rotary joint using ridged waveguide sections for phase adjustment; *T-MTT Aug 03* 1982-1986
- Ramberger, S.**, see Merkle, T., *MWSYM-03 2003* 1643-1646 vol.3
- Ramirez, F.**, see de Cos, E., *MWSYM-03 2003* 2177-2180 vol.3
- Ramirez, F.**, J.L. Garcia H, T. Fernandez, and A. Suarez. Nonlinear simulation techniques for the optimized design of push-push oscillators; *MWSYM-03 2003* 2157-2160 vol.3
- Ramirez, F.**, M.E. de Cos, and A. Suarez. Nonlinear analysis tools for the optimized design of harmonic-injection dividers; *T-MTT Jun 03* 1752-1762
- Ramos, F.**, see Marti, J., *MWSYM-03 2003* 277-279 vol.1
- Rampmeier, K.**, see Cho, J., *RFIC-03 2003* 391-394
- Ram Singh Rana**, and Zhang Chen Jian. A 2.4GHz dual-modulus divide-by-127/128 prescaler in 0.35 μm CMOS technology; *RFIC-03 2003* 475-478
- Rana, R.S.**, and A.C. Patel. A fast settling, low phase noise, digitally controlled 2.4 GHz CMOS 12-bit S ϕ fractional-N synthesizer with programmable step sizes; *RFIC-03 2003* 285-287
- Rana Ram Singh**, see Ram Singh Rana, *RFIC-03 2003* 475-478
- Rappaport, C.M.**, see Zeji Gu, *MWSYM-03 2003* 391-394 vol.1
- Rashmi, A.**, Kranti, S., Haldar, M., Gupta, and R.S. Gupta. Comprehensive analysis of small-signal parameters of fully strained and partially relaxed high Al-content lattice mismatched $\text{Al}_{1-m}\text{Ga}_m\text{N}/\text{GaN}$ HEMTs; *T-MTT Feb 03* 607-617
- Raskin, J.-P.**, see Dehan, M., *T-MTT Jan 03* 100-108
- Rautio, J.C.**, and V. Demir. Microstrip conductor loss models for electromagnetic analysis; *T-MTT Mar 03* 915-921
- Ray, A.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Ray, A.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Ray, A.**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Ray, S.**, and G. Kumar. Compact rectangular ring unequal power divider; *MWSYM-03 2003* 1243-1246 vol.2
- Reano, R.M.**, D. Peroulis, and J.F. Whitaker. Electro/thermal measurements of RF MEMS capacitive switches; *MWSYM-03 2003* 1923-1926 vol.3
- Rebeiz, G.A.**, see Rizk, J.B., *MWSYM-03 2003* 1485-1488 vol.3
- Rebeiz, G.M.**, see Abbaspour-Tamijani, A., *MWSYM-03 2003* 1785-1788 vol.3
- Rebeiz, G.M.**, see Tan, G.L., *MWSYM-03 2003* 1477-1480 vol.3
- Rebeiz, G.M.**, L.P.B. Katehi, and N.S. Barker. Guest editorial [intro. to special issue on MEMS devices for RF systems]; *T-MTT Jan 03* 257-256
- Rebeiz, G.M.**, see Guan-Leng Tan, *T-MTT Jan 03* 297-304
- Rebeiz, G.M.**, see Hayden, J.S., *T-MTT Jan 03* 309-314
- Rebeiz, G.M.**, see Dussopt, L., *T-MTT Apr 03* 1247-1256
- Rebeiz, G.M.**, see Rizk, J.B., *T-MTT Jul 03* 1857-1862
- Rebeiz, G.M.**, see Abbaspour-Tamijani, A., *T-MTT Jul 03* 1878-1885
- Rebenaque, D.C.**, A.A. Melcon, and M. Guglielmi. A new simple microstrip open-loop resonators filter for high selectivity applications; *MWSYM-03 2003* 1603-1606 vol.3
- Recoles, H.**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Reddy, M.**, see Megahed, M., *MWSYM-03 2003* 1547-1550 vol.3
- Redman-White, W.**, see Mistry, K., *RFIC-03 2003* 471-474
- Reece, M.A.**, see Davis, B., *MWSYM-03 2003* 177-180 vol.1
- Reece, M.A.**, C. White, J. Penn, B. Davis, M.Jr. Bayne, N. Richardson, W.I.I. Thompson, and L. Walker. A Ka-band class F MMIC amplifier design utilizing adaptable knowledge-based neural network modeling techniques; *MWSYM-03 2003* 615-618 vol.1
- Reese, E.**, see Shuoqi Chen, *MWSYM-03 2003* 847-850 vol.2
- Reeves, T.**, and N. van Stigt. Comments on "Cross-coupling in coaxial cavity filters - A tutorial overview" [Apr 03 1368-1376]; *T-MTT Oct 03* 2147
- Reid, J.R.**, L.A. Starman, and R.T. Webster. RF actuation of capacitive MEMS switches; *MWSYM-03 2003* 1919-1922 vol.3
- Reilly, C.**, see Chappell, W.J., *T-MTT Mar 03* 752-760
- Reinert, W.**, see Tessmann, A., *MWSYM-03 2003* 1581-1584 vol.3
- Reinhold, M.**, T. Winkler von Mohrenfels, F. Kunz, E. Rose, A. Eismann, M. Kukiela, C. Wolf, F. Znidarsic, C. Dorschky, and G. Roll. A 40/43-Gb/s CDR/DEMUX and MUX chipset integrated on a MCM -ceramic with 3R-regeneration functionality; *MWSYM-03 2003* 1185-1188 vol.2
- Remillard, S.K.**, see Yi, H.R., *MWSYM-03 2003* 1893-1896 vol.3
- Remillard, S.K.**, see Yi, H.R., *T-MTT Dec 03* 2290-2296
- Remley, K.A.**, see Cidronali, A., *MWSYM-03 2003* 777-780 vol.2
- Remley, K.A.** Multisine excitation for ACPR measurements; *MWSYM-03 2003* 2141-2144 vol.3
- Remley, K.A.**, and D.F. Williams. Sampling oscilloscope models and calibrations; *MWSYM-03 2003* 1507-1510 vol.3
- Ren-Chieh Liu**, Kuo-Liang Deng, and Huei Wang. A 0.6-22-GHz broadband CMOS distributed amplifier; *RFIC-03 2003* 103-106
- Renning, A.**, F. Wittmann, M. Walter, P. Waldow, and I. Wolff. A wavelet-transformed finite-difference time-domain scheme with a static multi-resolution grid; *MWSYM-03 2003* 2089-2092 vol.3
- Ren Tianling**, see Haibo Long, *RFIC-03 2003* 251-254
- Ren Zeyang**, see Jing Wang, *RFIC-03 2003* 335-338
- Repke, J.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Reposi, M.**, P. Arcioni, M. Bozzi, M. Bressan, and L. Perregini. Determination by the BI-RME method of entire-domain basis functions for the analysis of microstrip circuits; *MWSYM-03 2003* 1199-1202 vol.2
- Represa, J.**, see Grande, A., *MWSYM-03 2003* 1141-1144 vol.2
- Represa, J.**, see Cabeceira, A.C.L., *MWSYM-03 2003* 2069-2072 vol.3
- Reuter, R.**, see Chai, F.K., *RFIC-03 2003* 151-154
- Reveyrand, T.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Reveyrand, T.**, see Soury, A., *MWSYM-03 2003* 795-798 vol.2
- Rewienski, M.**, see Cwikla, A., *T-MTT May 2003* 1506-1511
- Reynolds, A.L.**, see Bolivar, P.H., *T-MTT Apr 03* 1062-1066
- Reynolds, S.K.**, see Chakraborty, S., *MWSYM-03 2003* 1551-1554 vol.3
- Rhee Jin Koo**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Rhee Jin-Koo**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Rice, D.**, see Dragon, C., *MWSYM-03 2003* 69-72 vol.1
- Rice, M.**, see Harris, F.J., *T-MTT Apr 03* 1395-1412
- Richard, S.J.**, see Pingshan Wang, *RFIC-03 2003* 361-364
- Richardson, N.**, see Reece, M.A., *MWSYM-03 2003* 615-618 vol.1
- Richardson, N.L.**, see Davis, B., *MWSYM-03 2003* 177-180 vol.1
- Richter, R.**, and H.-J. Jentschel. An integrated wideband-IF-receiver architecture for mobile terminals; *MWSYM-03 2003* A69-A72 vol.1
- Richter, R.**, and H.-J. Jentschel. An integrated wideband-IF-receiver architecture for mobile terminals; *RFIC-03 2003* 583-586
- Riddle, B.**, J. Baker-Jarvis, and J. Krupka. Complex permittivity measurements of common plastics over variable temperatures; *T-MTT Mar 03* 727-733
- Riddle, B.**, J. Baker-Jarvis, and J. Krupka. Corrections to "Complex permittivity measurements of common plastics over variable temperatures" [Mar 03 727-733]; *T-MTT Oct 03* 2148
- Riddle, B.F.**, see Crowley, T.P., *MWSYM-03 2003* 1427-1430 vol.2
- Riet, M.**, see Konczykowska, A., *MWSYM-03 2003* 1177-1180 vol.2
- Rippke, I.**, J. Duster, and K. Kornegay. A fully integrated, single-chip handset power amplifier in SiGe BiCMOS for W-CDMA applications; *MWSYM-03 2003* A153-A156 vol.1
- Rippke, I.**, J. Duster, and K. Kornegay. A fully integrated, single-chip handset power amplifier in SiGe BiCMOS for W-CDMA applications; *RFIC-03 2003* 667-670
- Rius, E.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Rius, E.**, see Prigent, G., *MWSYM-03 2003* 519-522 vol.1
- Rius, E.**, see Quando, C., *MWSYM-03 2003* 1093-1096 vol.2
- Rius, E.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Rius Eric**, see Quando, C., *T-MTT Mar 03* 734-743
- Rius Eric**, see Eric Rius, *T-MTT Mar 03* 784-791
- Rivas, J.G.**, see Bolivar, P.H., *T-MTT Apr 03* 1062-1066
- Rizk, J.B.**, and G.A. Rebeiz. W-band microstrip RF-MEMS switches and phase shifters; *MWSYM-03 2003* 1485-1488 vol.3
- Rizk, J.B.**, and G.M. Rebeiz. W-band CPW RF MEMS circuits on quartz substrates; *T-MTT Jul 03* 1857-1862
- Rizor, R.**, see van Nieuwstadt, L., *MWSYM-03 2003* 563-566 vol.1
- Rizzoli, V.**, A. Costanzo, F. Matri, and A. Neri. A general SPICE model for arbitrary linear dispersive multiport components described by frequency-domain data; *MWSYM-03 2003* 9-12 vol.1
- Roberton, M.**, and E.R. Brown. Integrated radar and communications based on chirped spread-spectrum techniques; *MWSYM-03 2003* 611-614 vol.1
- Robin, F.**, see Dardenne, S., *MWSYM-03 2003* A193-A196 vol.1
- Robin, F.**, see Dardenne, S., *RFIC-03 2003* 707-710

- Roddis, N., *see* Yuanzhi Li, *MWSYM-03 2003* 551-554 vol.1
- Rodriguez-Berral, R., *see* Bernal, J., *MWSYM-03 2003* 813-816 vol.2
- Rodwell, M., *see* Yun Wei, *MWSYM-03 2003* 919-921 vol.2
- Rodwell, M., *see* Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2
- Rodwell, M., *see* Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Rodwell, M., *see* Krishnan, S., *T-MTT Dec 03* 2555-2561
- Rodwell, M.J.W., *see* Paidi, V., *T-MTT Feb 03* 643-652
- Rogers, R.L., *see* Thompson, D.A., *T-MTT Oct 03* 2073-2078
- Rolain, Y., *see* Van Moer, W., *MWSYM-03 2003* 1647-1650 vol.3
- Roll, G., *see* Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Romisch, S., D. Popovic, N. Sino, R. Lee, and Z. Popovic. Multi-beam discrete lens arrays with amplitude-controlled steering; *MWSYM-03 2003* 1669-1672 vol.3
- Romo, C., *see* Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Rong Aosheng, *see* Aosheng Rong, *MWSYM-03 2003* 1959-1962 vol.3
- Root, D.E., *see* Iwamoto, M., *MWSYM-03 2003* 635-638 vol.2
- Root, D.E., *see* Wood, J., *MWSYM-03 2003* 791-794 vol.2
- Rorsman, N., *see* Andersson, K., *MWSYM-03 2003* 1303-1306 vol.2
- Rorsman, N., *see* Eriksson, J., *T-MTT Mar 03* 796-804
- Rorsman, N., *see* Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Rose, E., *see* Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Roselli, L., *see* Verducci, L., *MWSYM-03 2003* 2085-2088 vol.3
- Roselli, L., *see* Emili, G., *T-MTT Jan 03* 178-186
- Rosen, A., *see* Fathy, A.E., *MWSYM-03 2003* 1833-1836 vol.3
- Rosen, A., *see* Fathy, A.E., *T-MTT Jun 03* 1650-1661
- Rosen, A., *see* Daryoush, A.S., *T-MTT Dec 03* 2663-2268
- Rosenberg, U., *see* Amari, S., *MWSYM-03 2003* 543-546 vol.1
- Rosenberg, U., S. Amari, and J. Bornemann. Mixed-resonance compact in-line pseudo-elliptic filters; *MWSYM-03 2003* 479-482 vol.1
- Rosenberg, U., *see* Beyer, R., *MWSYM-03 2003* 1207-1210 vol.2
- Rosenberg, U., *see* Amari, S., *T-MTT Jan 03* 246
- Rosenberg, U., S. Amari, and J. Bornemann. Inline TM_{110} -mode filters with high-design flexibility by utilizing bypass couplings of nonresonating TE_{101} modes; *T-MTT Jun 03* 1735-1742
- Rosenberg, U., *see* Amari, S., *T-MTT Jun 03* 1767-1773
- Rosker, M., *see* Higgins, J.A., *T-MTT Apr 03* 1281-1288
- Rotella, F., D. Howard, M. Racanelli, and P. Zampardi. Characterizing and optimizing high Q inductors for RFIC design in silicon processes; *RFIC-03 2003* 339-342
- Roussel, V., *see* Bisanti, B., *MWSYM-03 2003* A1-A4 vol.1
- Roussel, V., *see* Bisanti, B., *RFIC-03 2003* 515-518
- Roux, P., Y. Baeyens, V. Houtsmä, A. Leven, J. Weiner, A. Benz, and Y.K. Chen. Single ended to differential MHEMT transimpedance amplifier with 66 dB-O differential transimpedance and 50 GHz bandwidth; *MWSYM-03 2003* 1193-1196 vol.2
- Roux, P., *see* Baeyens, Y., *RFIC-03 2003* 67-70
- Rowland, L.B., *see* Zhang, A.P., *MWSYM-03 2003* 251-254 vol.1
- Rownd, B.K., *see* Chatopadhyay, G., *T-MTT Oct 03* 2139-2146
- Roy, L., *see* El-Tager, A., *MWSYM-03 2003* 2257-2260 vol.3
- Roy, L., *see* Bray, J.R., *T-MTT May 2003* 1540-1547
- Rudolph, M., F. Schnieder, and W. Heinrich. Modeling emitter breakdown in GaAs-based HBTs; *MWSYM-03 2003* 651-654 vol.2
- Rudolph, M., *see* Tischler, T., *MWSYM-03 2003* 1147-1150 vol.2
- Ruhlicke, T., *see* Klepser, B.-U., *RFIC-03 2003* 37-40
- Rui Tao, and M. Berroth. The design of 5 GHz voltage controlled ring oscillator using source capacitively coupled current amplifier; *MWSYM-03 2003* A109-A112 vol.1
- Rullhusen, I., and F. Arndt. Efficient MLFMA analysis of coupled rectangular and circular apertures in a finite screen; *MWSYM-03 2003* 1971-1974 vol.3
- Runtao Ding, *see* Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
- Runtao Ding, *see* Jianjun Xu, *T-MTT Jan 03* 226-237
- Ruppel, C.C.W., *see* Pitschi, F.M., *MWSYM-03 2003* 2009-2012 vol.3
- Russell, D., *see* Hoag, D., *MWSYM-03 2003* 255-258 vol.1
- Russer, P., *see* Lukashevich, D., *MWSYM-03 2003* 993-996 vol.2
- Russer, P., *see* Jung Han Choi, *MWSYM-03 2003* 1515-1518 vol.3
- Russer, P., *see* Lukashevich, D., *MWSYM-03 2003* 1125-1128 vol.2
- Russer, P., *see* Fujii, M., *MWSYM-03 2003* 1129-1132 vol.2
- Rustagi, S.C., *see* Huailin Liao, *RFIC-03 2003* 247-250
- Rutledge, D., *see* Aoki, I., *RFIC-03 2003* 199-202
- Rutledge, D., *see* Kee, S.D., *T-MTT Jun 03* 1677-1690
- Rutledge, D.B., *see* Chun-Tung Cheung, *MWSYM-03 2003* 1863-1866 vol.3
- Ryckaert, J., S. Brebels, B. Come, W. Diels, D. Hauspie, S. Stoukatch, K. Vaesen, W. De Raedt, and S. Donnay. Single-package 5GHz WLAN RF module with embedded patch antenna and 20dBm power amplifier; *MWSYM-03 2003* 1037-1040 vol.2
- Rydborg, A., *see* Kurup, D.G., *T-MTT Aug 03* 1960-1965
- Ryynanen, J., *see* Hotti, M., *RFIC-03 2003* 45-48
- Ryynanen, J., *see* Juurakko, P., *RFIC-03 2003* 133-136

S

- Saari, V., *see* Juurakko, P., *RFIC-03 2003* 133-136
- Sabet, K., *see* Thiel, W., *MWSYM-03 2003* 2097-2100 vol.3
- Sachse, K., *see* Sawicki, A., *T-MTT Jun 03* 1743-1751
- Saeki, T., *see* Watanabe, D., *MWSYM-03 2003* 1555-1558 vol.3
- Safaai-Jazi, A., *see* Muqabel, A.H., *T-MTT Aug 03* 1946-1951
- Safar, H., *see* Herbsommer, J.A., *MWSYM-03 2003* 213-216 vol.1
- Safar, H., *see* Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
- Safavi-Naeini, S., *see* Kang Lan, *T-MTT Apr 03* 1289-1295
- Safian, R., N.K. Nikolova, M.H. Bakr, and J.W. Bandler. Feasible adjoint sensitivity technique for EM design exploiting Broyden's update; *MWSYM-03 2003* 299-302 vol.1
- Saglam, M., *see* Schumann, B., *MWSYM-03 2003* 759-762 vol.2
- Sailer, A., *see* Higgins, J.A., *T-MTT Apr 03* 1281-1288
- Sailer, A.L., *see* Hacker, J.B., *MWSYM-03 2003* 1859-1862 vol.3
- Saily, J., *see* Meltau, J., *T-MTT Apr 03* 1274-1280
- Saitou, K., and K. Kageyama. Tunable duplexer having multilayer structure using LTCC; *MWSYM-03 2003* 1763-1766 vol.3
- Sajin, G., R. Marcelli, F. Craciunoiu, and A. Cismaru. MSW resonators on micromachined silicon membrane; *MWSYM-03 2003* 1271-1274 vol.2
- Sakoda, T., *see* Suzuki, T., *MWSYM-03 2003* 1173-1176 vol.2
- Sakuno, K., *see* Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Salama, C.A.T., *see* Hamed-Hagh, S., *MWSYM-03 2003* A41-A44 vol.1
- Salama, C.A.T., *see* Hamed-Hagh, S., *RFIC-03 2003* 555-558
- Salama, C.A.T., *see* Saniei, N., Jr., *RFIC-03 2003* 269-272
- Salarzar-Palma, M., *see* Young-seek Chung, *MWSYM-03 2003* 981-984 vol.2
- Salazar-Palma, M., *see* Young-Seek Chung, *T-MTT Mar 03* 697-704
- Salehi, M.R., B. Cabon, and Y. Le Guennec. Influence of the chirp effect of DFB laser in phase-to-intensity noise conversion in RF-modulated optical links; *MWSYM-03 2003* 1371-1374 vol.2
- Salo, J., *see* Meltau, J., *T-MTT Apr 03* 1274-1280
- Salomaa, M.M., *see* Meltau, J., *T-MTT Apr 03* 1274-1280
- Samadian, S., R. Hayashi, and A.A. Abidi. Low power phase quantizing demodulators for a zero-IF Bluetooth receiver; *RFIC-03 2003* 49-52
- Samavati, H., *see* Mehta, S., *RFIC-03 2003* 427-430
- Sam Dong Kim, *see* Dan An, *MWSYM-03 2003* 911-914 vol.2
- Sam-Dong Kim, *see* Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Samitier, J., *see* Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Samitier, J., *see* Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Samuels, A.C., *see* Woolard, D.L., *MWSYM-03 2003* 763-766 vol.2
- Sanada, A., *see* Caloz, C., *MWSYM-03 2003* 317-320 vol.1
- Sanada, A., *see* Awai, I., *MWSYM-03 2003* 1085-1088 vol.2
- Sanchez-Sinencio, E., *see* Keliu Shu, *RFIC-03 2003* 181-184
- Sanchis, P., V. Polo, J. Herrera, J.L. Corral, Moon-Soon Choi, and J. Marti. Experimental demonstration of a direction of arrival estimation algorithm for mm-wave broadband communication systems; *MWSYM-03 2003* 1533-1536 vol.3
- Sancho, S., and A. Suarez. Efficient analysis of phase-locked loops through a novel time-frequency approach, based on two envelope transient formulations; *MWSYM-03 2003* 2153-2156 vol.3
- Sanderson, D.I., and S. Raman. 5-6 GHz SiGe VCO with tunable polyphase output for analog image rejection and I/Q mismatch compensation; *MWSYM-03 2003* A169-A172 vol.1
- Sanderson, D.I., and S. Raman. 5-6 GHz SiGe VCO with tunable polyphase output for analog image rejection and I/Q mismatch compensation; *RFIC-03 2003* 683-686
- Sandhu, R., *see* Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Sang-Heung Lee, *see* Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Sang-Heung Lee, *see* Ja-Yol Lee, *RFIC-03 2003* 655-658
- Sang-Hoon Cheon, *see* Hyun-Min Park, *MWSYM-03 2003* 691-694 vol.2
- Sang-Hoon Jeon, *see* Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Sang-Hoon Jeon, *see* Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Sanghoon Kang, and Bumman Kim. Second order nonlinearity analysis of Gilbert mixer; *MWSYM-03 2003* A45-A48 vol.1
- Sanghoon Kang, and Bumman Kim. Second order nonlinearity analysis of Gilbert mixer; *RFIC-03 2003* 559-562

- Sanghoon Kang**, Byounggi Choi, and Bumman Kim. Linearity analysis of CMOS for RF application; *T-MTT Mar 03* 972-977
- Sang Hoon Kim**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Sang Hoon Kim**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Sanghoon Shin**, see Snyder, R.V., *MWSYM-03 2003* 1073-1076 vol.2
- Sangho Shin**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Sanghyo Lee**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Sanghyo Lee**, Jae-Hyoung Park, Hong-Teuk Kim, Jung-Mu Kim, Yong-Kweon Kim, and Youngwoo Kwon. A 15-to-45 GHz low-loss analog reflection-type MEMS phase shifter; *MWSYM-03 2003* 1493-1496 vol.3
- Sanghyo Lee**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Sang-Hyun Baek**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Sang Jin Park**, Tae Yong Kim, Sung Min Kang, and Kyung Heon Koo. A novel signal processing technique for vehicle detection radar; *MWSYM-03 2003* 607-610 vol.1
- Sangsoo Ko**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Sang Tae Kim**, see Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Sang Won Kim**, Hyeong Tae Jeong, Chul Dong Kim, and Ik Soo Chang. A novel predistorter using a balanced type IM3 generator; *MWSYM-03 2003* 339-342 vol.1
- Sang-Won Yun**, see Jae-Ryong Lee, *MWSYM-03 2003* 1747-1750 vol.3
- Sangwook Nam**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Saniei, N., Jr.**, H. Djahanshahi, and C.A.T. Salama. 25 GHz inductorless VCO in a 45 GHz SiGe technology; *RFIC-03 2003* 269-272
- Sano, E.**, see Ishii, K., *RFIC-03 2003* 63-66
- Sano, E.**, see Ishii, K., *T-MTT Nov 03* 2181-2187
- Sano, K.**, K. Murata, H. Kitabayashi, S. Sugitani, H. Sugahara, and T. Enoki. 1.4-W 50-Gbit/s InP HEMT 1:4 demultiplexer IC with a multi-phase clock architecture; *MWSYM-03 2003* 1181-1184 vol.2
- Sano, K.**, K. Murata, H. Kitabayashi, S. Sugitani, H. Sugahara, and T. Enoki. 50-Gbit/s InP HEMT 4:1 multiplexer/1:4 demultiplexer chip set with a multiphase clock architecture; *T-MTT Dec 03* 2548-2554
- Sans, C.**, see Shen Ye, *MWSYM-03 2003* 1885-1888 vol.3
- Sarabandi, K.**, and H. Mosallaei. Novel artificial embedded circuit meta-material for design of tunable electro-ferromagnetic permeability medium; *MWSYM-03 2003* 2061-2064 vol.3
- Sarabandi, K.**, see Azadegan, R., *MWSYM-03 2003* 1595-1598 vol.3
- Sarabandi, K.**, see Peroulis, D., *T-MTT Jan 03* 259-270
- Saraswat, D.**, R. Achar, and M. Nakhla. Passive macromodels of microwave subnetworks characterized by measured/simulated data; *MWSYM-03 2003* 999-1002 vol.2
- Sarkar, T.K.**, see Young-seek Chung, *MWSYM-03 2003* 981-984 vol.2
- Sarkar, T.K.**, see Young-Seek Chung, *T-MTT Mar 03* 697-704
- Sarris, C.D.**, and L.P.B. Katehi. An efficient numerical interface between FDTD and Haar MRTD-formulation and applications; *T-MTT Apr 03* 1146-1156
- Sasaki, Y.**, see Goto, S., *MWSYM-03 2003* 229-232 vol.1
- Sasaki, Y.**, see Yamanaka, K., *MWSYM-03 2003* 121-124 vol.1
- Sasaki, Y.**, see Dodo, H., *MWSYM-03 2003* 1559-1562 vol.3
- Sato, H.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Sato, H.**, see Kuroki, F., *MWSYM-03 2003* 619-622 vol.1
- Sato, H.**, see Yamada, A., *MWSYM-03 2003* 2035-2038 vol.3
- Sato, K.**, see Wang, G., *MWSYM-03 2003* 151-154 vol.1
- Sato, K.**, see Yamada, A., *MWSYM-03 2003* 2035-2038 vol.3
- Sato, K.**, see Gang Wang, *T-MTT Apr 03* 1227-1233
- Satoh, T.**, see Shimura, T., *MWSYM-03 2003* 851-854 vol.2
- Sauerwald, A.**, see Malcoci, A., *MWSYM-03 2003* 143-146 vol.1
- Saville, P.**, see Williams, T.C., *T-MTT May 2003* 1560-1566
- Sawada, K.**, see Suzuki, T., *MWSYM-03 2003* 1173-1176 vol.2
- Sawicki, A.**, and K. Sachse. Novel coupled-line conductor-backed coplanar and microstrip directional couplers for PCB and LTCC applications; *T-MTT Jun 03* 1743-1751
- Sayed, M.**, see Collado, A., *MWSYM-03 2003* 1419-1422 vol.2
- Scarabello, C.**, see Begueret, J.-B., *RFIC-03 2003* 313-316
- Schad, K.-B.**, see Abele, P., *MWSYM-03 2003* 1033-1036 vol.2
- Schafer, H.**, see Knapp, H., *MWSYM-03 2003* 1067-1070 vol.2
- Schemmann, M.F.C.**, see Djordjevic, A.R., *T-MTT Jul 03* 1871-1877
- Scherbatko, I.**, see Diaz, R., *MWSYM-03 2003* 2073-2076 vol.3
- Schettini, G.**, see Frezza, F., *MWSYM-03 2003* 825-828 vol.2
- Schettini, G.**, see Frezza, F., *T-MTT Mar 03* 941-951
- Schiavoni, A.**, see Emili, G., *T-MTT Jan 03* 178-186
- Schieber, K.**, see Vitusevich, S.A., *T-MTT Jan 03* 163-169
- Schlechtweg, M.**, see van Raay, F., *MWSYM-03 2003* 451-454 vol.1
- Schlechtweg, M.**, see Tessmann, A., *MWSYM-03 2003* 1581-1584 vol.3
- Schmatz, M.**, see Toifl, T., *MWSYM-03 2003* 239-242 vol.1
- Schmid, P.**, see Kohn, E., *MWSYM-03 2003* 1625-1628 vol.3
- Schmuckle, F.J.**, see Strohm, K.M., *MWSYM-03 2003* 1801-1804 vol.3
- Schmuckle, F.J.**, A. Jentsch, C. Gassler, P. Marschall, D. Geiger, and W. Heinrich. 40 GHz hot-via flip-chip interconnects; *MWSYM-03 2003* 1167-1170 vol.2
- Schnieder, F.**, see Rudolph, M., *MWSYM-03 2003* 651-654 vol.2
- Schnieder, F.**, T. Tischler, and W. Heinrich. Modeling dispersion and radiation characteristics of conductor-backed CPW with finite ground width; *T-MTT Jan 03* 137-143
- Schoen, K.**, see Agoston, A., *MWSYM-03 2003* 1519-1521 vol.3
- Scholtz, A.L.**, see Bakalski, W., *MWSYM-03 2003* 695-698 vol.2
- Scholtz, A.L.**, see Kehrler, D., *MWSYM-03 2003* 2261-2264 vol.3
- Scholtz, A.L.**, see Thuringer, R., *RFIC-03 2003* 207-210
- Schott, M.**, see Lenk, F., *MWSYM-03 2003* 903-906 vol.2
- Schreiner, M.**, H. Leier, W. Menzel, and H.-P. Feldle. Architecture and interconnect technologies for a novel conformal active phased array radar module; *MWSYM-03 2003* 567-570 vol.1
- Schreurs, D.**, J. Verspecht, E. Vandamme, N. Vellas, C. Gaquiere, M. Germain, and G. Borghs. ANN model for AlGaIn/GaN HEMTs constructed from near-optimal-load large-signal measurements; *MWSYM-03 2003* 447-450 vol.1
- Schreurs, D.M.M.-P.**, see van Niekerk, C., *T-MTT Mar 03* 893-902
- Schroth, A.**, see Dreher, A., *T-MTT Jul 03* 1815-1821
- Schulz, V.** Adjoint high-order vectorial finite elements for nonsymmetric transversally anisotropic waveguides; *T-MTT Apr 03* 1086-1095
- Schumacher, H.**, see Abele, P., *MWSYM-03 2003* 1033-1036 vol.2
- Schumacher, H.**, see Danesh, M., *RFIC-03 2003* 277-280
- Schumann, B.**, M. Hoft, M. Saglam, H.L. Hartnagel, and R. Judaschke. A 5 element 450 GHz HBV frequency tripler; *MWSYM-03 2003* 759-762 vol.2
- Schutt-Aine, J.E.**, see Jun Zou, *T-MTT Apr 03* 1067-1075
- Schworer, C.**, see Tessmann, A., *MWSYM-03 2003* 1581-1584 vol.3
- Scon-Ho Han**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Scorzoni, A.**, see Verducci, L., *MWSYM-03 2003* 2085-2088 vol.3
- Scott, D.**, see Yun Wei, *MWSYM-03 2003* 919-921 vol.2
- Scott, D.**, see Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2
- Scott, D.**, see Krishnan, S., *T-MTT Dec 03* 2555-2561
- Scott, J.B.**, see Iwamoto, M., *MWSYM-03 2003* 635-638 vol.2
- Scott, J.B.** Rapid millimetre-wave sampler response characterization to well beyond 120GHz using an improved nose-to-nose method; *MWSYM-03 2003* 1511-1514 vol.3
- Scotti, G.**, see Centurelli, F., *RFIC-03 2003* 317-320
- Scuderi, A.**, F. Carrara, A. Castorina, and G. Palmisano. A high performance RF power amplifier with protection against load mismatches; *MWSYM-03 2003* 699-702 vol.2
- Scuderi, A.**, T. Biondi, E. Ragonese, and G. Palmisano. A scalable model for silicon spiral inductors; *MWSYM-03 2003* 2117-2120 vol.3
- Scuderi, A.**, see Biondi, T., *RFIC-03 2003* 155-158
- Scuderi, G.**, see Filoramo, P., *RFIC-03 2003* 413-416
- Segarra, D.**, see Point, R., *RFIC-03 2003* 431-434
- Sekimoto, Y.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Selleri, S.**, see Martini, E., *T-MTT Jun 03* 1712-1717
- Semenov, A.A.**, see Demidov, V.E., *T-MTT Oct 03* 2090-2096
- Semouchkin, G.**, see Semouchkina, E., *MWSYM-03 2003* 1897-1900 vol.3
- Semouchkina, E.**, G. Semouchkin, M. Lanagan, and R. Mittra. Field-simulation-based strategy for designing microstrip filters; *MWSYM-03 2003* 1897-1900 vol.3
- Sen Ang Kian**, see Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- Sen Ang Kian**, see Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Seng, Y.H.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Seng, Y.H.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Seng Leong Mook**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Seo Byoung-Joon**, see Jeehoon Han, *MWSYM-03 2003* 281-284 vol.1
- Seo Gyujae**, see Gyujae Seo, *MWSYM-03 2003* 2221-2224 vol.3
- Seok Chae Jong**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Seoktae Kim**, and Cam Nguyen. A displacement measurement technique using millimeter-wave interferometry; *T-MTT Jun 03* 1724-1728
- Seo Kwang-Seok**, see Chang-Soon Choi, *MWSYM-03 2003* 1383-1386 vol.2
- Seo Kwang-Seok**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Seong-Ho Shin**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Seongjun Bae**, Junghyun Kim, Inho Nam, and Youngwoo Kwon. Bias-switching quasi-Doherty-type amplifier for CDMA handset applications; *RFIC-03 2003* 137-140
- Seong-Sik Jeon**, Ji-Yong Park, Yuanxun Wang, and T. Itoh. A broadband beamformer for millimeter-wave systems using sub-band sampling; *MWSYM-03 2003* 579-582 vol.1

- Seong-Sik Jeon**, see Ji-Yong Park, *T-MTT May 2003* 1482-1488
- Seong-Sik Song**, and Hyungcheol Shin. A new RF model for the accumulation-mode MOS varactor; *MWSYM-03 2003* 1023-1026 vol.2
- Seon-Ho Han**, Yong-Sik Youn, Hyun-Kyu Yu, and Mun-Yang Park. A low power and low noise frequency synthesizer with a integrated quadrature VCO; *RFIC-03 2003* 307-310
- Seppa, H.**, see Alastalo, A.T., *T-MTT Aug 03* 1977-1981
- Sercu, J.**, see Chun-Wen Huang, *MWSYM-03 2003* A73-A76 vol.1
- Sercu, J.**, and S. Hammadi. Minimal-order multi-dimensional linear interpolation for a parameterized electromagnetic model database; *MWSYM-03 2003* 295-298 vol.1
- Sercu, J.**, see Huang, C.-W.P., *RFIC-03 2003* 587-590
- Serraiocco, J.L.**, P.J. Hansen, T.R. Taylor, J.S. Speck, and R.A. York. Compact ferroelectric reflection phase shifters at X-band; *MWSYM-03 2003* 1993-1996 vol.3
- Seta, M.**, see Manabe, T., *T-MTT Jun 03* 1696-1704
- Seto, I.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Settaluri, R.K.**, and A. Weisshaar. A broadside-edge-coupled vialess balun; *MWSYM-03 2003* 1251-1254 vol.2
- Seung-Cheol Lee**, Jin-Fa Lee, and R. Lee. Hierarchical vector finite elements for analyzing waveguiding structures; *T-MTT Aug 03* 1897-1905
- Seung Hyeub Oh**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Seung Hyeub Oh**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Seunghyun Song**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Seung-Pal Lee**, see Dong-Pil Chang, *MWSYM-03 2003* 1589-1592 vol.3
- Seung-Yun Lee**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Seung-Yun Lee**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Sewell, J.S.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Seyboth, M.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Seyfert, F.**, L. Baratchart, J.-P. Marmorat, S. Bila, and J. Sombrin. Extraction of coupling parameters for microwave filters: determination of a stable rational model from scattering data; *MWSYM-03 2003* 25-28 vol.1
- Sgourenas, S.**, see Pipilos, S., *RFIC-03 2003* 33-36
- Sha, Y.**, see Abraham, J.K., *MWSYM-03 2003* 1837-1840 vol.3
- Shaeffer, D.K.**, see Kudzus, S., *MWSYM-03 2003* 1387-1390 vol.2
- Shah, M.**, see Rachedine, M., *RFIC-03 2003* 77-80
- Shahani, A.**, see Kudzus, S., *MWSYM-03 2003* 1387-1390 vol.2
- Shamsaifar, K.**, see Rahman, M., *MWSYM-03 2003* 1767-1770 vol.3
- Shao Zhenhai**, see Dengpeng Chen, *MWSYM-03 2003* 817-820 vol.2
- Shao Zhenhai**, see Zhenhai Shao, *T-MTT Jan 03* 82-90
- Shao Zhenhai**, see Zhenhai Shao, *T-MTT Mar 03* 856-861
- Shealy, J.R.**, see Green, B.M., *T-MTT Feb 03* 618-623
- Sheng Cheng**, see Edwards, C.L., *MWSYM-03 2003* 2101-2104 vol.3
- Sheng-Fuh Chang**, see Jia-Liang Chen, *MWSYM-03 2003* 1275-1278 vol.2
- Sheng Jau Wong**, see Raja, M.K., *RFIC-03 2003* 439-442
- Sheng Liwei**, see Liwei Sheng, *RFIC-03 2003* 417-420
- Sheng Liwei**, see Liwei Sheng, *T-MTT Nov 03* 2211-2220
- Sheng-Yuan Lee**, see Chih-Ming Tsai, *T-MTT May 2003* 1517-1524
- Shen Ye**, and C. Sans. New advances in HTS microstrip filter design; *MWSYM-03 2003* 1885-1888 vol.3
- Shen Zhongxiang**, see Dengpeng Chen, *MWSYM-03 2003* 817-820 vol.2
- Shen Zhongxiang**, see Zhenhai Shao, *T-MTT Mar 03* 856-861
- Sherony, M.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Sherony, M.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Sherony, M.**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Shey-Shi Lu**, see Yo-Sheng Lin, *MWSYM-03 2003* A29-A32 vol.1
- Shey-Shi Lu**, see Yo-Sheng Lin, *RFIC-03 2003* 543-546
- Shey-Shi Lu**, see Yo-Sheng Lin, *T-MTT May 2003* 1534-1539
- Shibata, T.**, see Kosugi, T., *MWSYM-03 2003* 129-132 vol.1
- Shibata, T.**, see Ishii, K., *RFIC-03 2003* 63-66
- Shibata, T.**, see Ishii, K., *T-MTT Nov 03* 2181-2187
- Shibib, A.**, see Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
- Shigesawa, H.**, see Tsuji, M., *MWSYM-03 2003* 661-664 vol.2
- Shigesawa, H.**, see Tsuji, M., *MWSYM-03 2003* 673-676 vol.2
- Shih, E.**, and Jen-Tsai Kuo. A new compact microstrip stacked-SIR bandpass filter with transmission zeros; *MWSYM-03 2003* 1077-1080 vol.2
- Shih, E.**, see Kuo, J.-T., *T-MTT May 2003* 1554-1559
- Shih Chang Chi**, see Janezic, M.D., *T-MTT Jan 03* 132-136
- Shih-Chieh Yen**, and Tah-Hsiung Chu. An Nth-harmonic oscillator using an N-push coupled oscillator array with voltage-clamping circuits; *MWSYM-03 2003* 2169-2172 vol.3
- Shih Huei-Yuan**, see Jeckeln, E.G., *MWSYM-03 2003* 1733-1736 vol.3
- Shih-Ming Wang**, Chin-Hsiung Chen, and Chi-Yang Chang. A study of meandered microstrip coupler with high directivity; *MWSYM-03 2003* 63-66 vol.1
- Shi Jinglin**, see Huailin Liao, *RFIC-03 2003* 247-250
- Shimawaki, H.**, see Bito, Y., *MWSYM-03 2003* 703-706 vol.2
- Shimawaki, H.**, see Matsunaga, K., *MWSYM-03 2003* 73-76 vol.1
- Shimawaki, H.**, see Niwa, T., *MWSYM-03 2003* 711-714 vol.2
- Shimawaki, H.**, see Maruhashi, K., *MWSYM-03 2003* 1045-1048 vol.2
- Shimizu, K.**, see Watabe, K., *T-MTT May 2003* 1512-1516
- Shim Kyu-Hwan**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Shim Kyu-Hwan**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Shimoi, H.**, see Kuroki, F., *MWSYM-03 2003* 475-478 vol.1
- Shimura, T.**, T. Satoh, Y. Hasegawa, and J. Fukaya. A high power density, 6W MMIC for Ku/K-Band applications; *MWSYM-03 2003* 851-854 vol.2
- Shin, J.H.**, see Park, J.Y., *MWSYM-03 2003* 2005-2008 vol.3
- Shin Bumjae**, see Jeonghyeon Cha, *MWSYM-03 2003* 81-84 vol.1
- Shin Bumjae**, see Youngoo Yang, *T-MTT Mar 03* 986-993
- Shin Chull Chai**, see Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Shin Dong Hoon**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Shin Dong-Hoon**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Shin-Fu Chen**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Shing Lee**, see Yu, M., *RFIC-03 2003* 71-73
- Shin Hyungcheol**, see Seong-Sik Song, *MWSYM-03 2003* 1023-1026 vol.2
- Shin Hyungcheol**, see Jeonghu Han, *MWSYM-03 2003* 2105-2108 vol.3
- Shin Hyungcheol**, see Gil, J., *T-MTT Sep 03* 2023-2028
- Shinjo, S.**, H. Ueda, T. Sugano, M. Nakanishi, M. Inoue, and N. Suematsu. High P_{1dB} and low quiescent current SiGe HBT power amplifier MMIC using self base bias control circuit for 5.8 GHz ETC terminals; *RFIC-03 2003* 195-198
- Shin Lee Han**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Shino, N.**, see Romisch, S., *MWSYM-03 2003* 1669-1672 vol.3
- Shinoda, H.**, see Nagaishi, H., *MWSYM-03 2003* 1949-1952 vol.3
- Shin Sangho**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Shin Sanghoon**, see Snyder, R.V., *MWSYM-03 2003* 1073-1076 vol.2
- Shin-Seong Ho**, see Ju-Hyun Ko, *MWSYM-03 2003* 2281-2284 vol.3
- Shin Seong-Ho**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Shiozawa, T.**, see Hirata, A., *T-MTT Jul 03* 1834-1841
- Shirakawa, K.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Shiroma, G.S.**, see Tuovinen, J., *MWSYM-03 2003* 1681-1684 vol.3
- Shiroma, G.S.**, Chenyan Song, R.Y. Miyamoto, and W.A. Shiroma. An active self-steering array using self-oscillating mixers; *MWSYM-03 2003* 1685-1688 vol.3
- Shiroma, G.S.**, R.Y. Miyamoto, and W.A. Shiroma. A 16-element two-dimensional active self-steering array using self-oscillating mixers; *T-MTT Dec 03* 2476-2482
- Shiroma, W.A.**, see Tuovinen, J., *MWSYM-03 2003* 1681-1684 vol.3
- Shiroma, W.A.**, see Shiroma, G.S., *MWSYM-03 2003* 1685-1688 vol.3
- Shiroma, W.A.**, see Shiroma, G.S., *T-MTT Dec 03* 2476-2482
- Shoji, Y.**, see Maruhashi, K., *MWSYM-03 2003* 1045-1048 vol.2
- Shou, A.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Shouxuan Xie**, see Yun Wei, *MWSYM-03 2003* 919-921 vol.2
- Shouxuan Xie**, see Paidi, V., *T-MTT Feb 03* 643-652
- Shu Keliu**, see Keliu Shu, *RFIC-03 2003* 181-184
- Shuming Xu**, A. Shibib, Zhijian Xie, H. Safar, J. Lott, D. Farrel, and M. Mastrapasqua. High performance RF power LDMOSFET technology for 2.1GHz power amplifier applications; *MWSYM-03 2003* 217-220 vol.1
- Shumin Wang**, and F.L. Teixeira. A three-dimensional angle-optimized finite-difference time-domain algorithm; *T-MTT Mar 03* 811-817
- Shum Kam Man**, see Quan Xue, *T-MTT May 2003* 1449-1454
- Shumovich, R.**, see Madic, J., *MWSYM-03 2003* A201-A204 vol.1
- Shumovich, R.**, see Madic, J., *RFIC-03 2003* 715-718
- Shumovich, R.**, see Shuyun Zhang, *T-MTT Nov 03* 2203-2210
- Shuoqi Chen**, E. Reese, and Keon-Shik Kong. A balanced 2 watt compact PHEMT power amplifier MMIC for Ka-band applications; *MWSYM-03 2003* 847-850 vol.2
- Shur, M.S.**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Shurboff, C.**, see Rachedine, M., *RFIC-03 2003* 77-80
- Shuyun Zhang**, see Madic, J., *MWSYM-03 2003* A201-A204 vol.1
- Shuyun Zhang**, see Madic, J., *RFIC-03 2003* 715-718
- Shuyun Zhang**, P. Bretchko, J. Mokoro, and R. McMorrow. A novel power amplifier module for quad-band wireless handset applications; *RFIC-03 2003* 129-132
- Shuyun Zhang**, J. Madic, P. Bretchko, J. Mokoro, R. Shumovich, and R. McMorrow. A novel power-amplifier module for quad-band wireless handset applications; *T-MTT Nov 03* 2203-2210
- Shuzhou Li**, see Jia-Sheng Hong, *MWSYM-03 2003* 1901-1904 vol.3
- Shvets, I.V.**, see Kantor, R., *T-MTT Nov 03* 2228-2234
- Si, W.**, see Mehta, S., *RFIC-03 2003* 427-430

- Sie, M.**, G. Cibieli, T. Tournier, R. Plana, and J. Graffeuil. High-speed, spurious-free sequential phase frequency detector and dual-modulus prescalers for RF frequency synthesis; *MWSYM-03 2003* A165-A168 vol.1
- Sie, M.**, G. Cibieli, E. Tournier, R. Plana, and J. Graffeuil. High-speed, spurious-free sequential phase frequency detector and dual-modulus prescalers for RF frequency synthesis; *RFIC-03 2003* 679-682
- Siebe, F.**, see Malcoci, A., *MWSYM-03 2003* 143-146 vol.1
- Siegner, U.**, see Bieler, M., *MWSYM-03 2003* 1811-1814 vol.3
- Sieiro, J.J.**, see Lopez-Villegas, J.M., *MWSYM-03 2003* A129-A132 vol.1
- Sieiro, J.J.**, see Lopez-Villegas, J.M., *RFIC-03 2003* 643-646
- Sill, J.**, see Fear, E.C., *MWSYM-03 2003* 383-386 vol.1
- Sill, J.**, see Fear, E.C., *T-MTT Mar 03* 887-892
- Sills, J.A.**, see Sperlich, R., *MWSYM-03 2003* 347-350 vol.1
- Silva-Martinez, J.**, see Keliu Shu, *RFIC-03 2003* 181-184
- Silveirinha, M.G.**, and C.A. Fernandes. Efficient calculation of the band structure of artificial materials with cylindrical metallic inclusions; *T-MTT May 2003* 1460-1466
- Simburger, W.**, see Bakalski, W., *MWSYM-03 2003* 695-698 vol.2
- Simburger, W.**, see Thuringer, R., *RFIC-03 2003* 207-210
- Simburger, W.**, see Wohlmuth, H.-D., *RFIC-03 2003* 479-482
- Simeoni, M.**, R. Sorrentino, and S. Verdeyme. The circular wire-patch resonator-theory, numerical analysis, and filter design application; *T-MTT Apr 03* 1187-1193
- Simin, G.**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Simon, M.**, and R. Weigel. A low noise vector modulator with integrated basebandfilter in 120 nm CMOS technology; *RFIC-03 2003* 409-412
- Simon, N.K.**, see Howard, L.C., *MWSYM-03 2003* 1525-1528 vol.3
- Simon, T.**, see Benham, J.R., *MWSYM-03 2003* 1163-1166 vol.2
- Simon, T.**, see Benham, J.R., *T-MTT Dec 03* 2597-2603
- Simons, R.N.**, and P.G. Neudeck. Intermodulation-distortion performance of silicon-carbide Schottky-barrier RF mixer diodes; *T-MTT Feb 03* 669-672
- Simovskii, C.R.**, see Bayard, B., *T-MTT Jul 03* 1809-1814
- Singh, K.**, see Mehta, S., *RFIC-03 2003* 427-430
- Singhal, S.**, see Nagy, W., *T-MTT Feb 03* 660-664
- Singh Rana Ram**, see Ram Singh Rana, *RFIC-03 2003* 475-478
- Siou Teck Chew**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Siou Teck Chew**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Sischka, F.**, see Cojocar, V., *MWSYM-03 2003* 655-658 vol.2
- Sivonen, P.**, S. Kangasmaa, and A. Parssinen. Analysis of packaging effects and optimization in inductively degenerated common-emitter low-noise amplifiers; *T-MTT Apr 03* 1220-1226
- Siweris, H.J.**, and H. Tischer. Monolithic coplanar 77 GHz balanced HEMT mixer with very small chip size; *MWSYM-03 2003* 125-128 vol.1
- Slade, G.W.**, see Bui, L.A., *MWSYM-03 2003* 1291-1294 vol.2
- Smart, J.A.**, see Green, B.M., *T-MTT Feb 03* 618-623
- Smith, D.**, see Ismail, M.A., *MWSYM-03 2003* 291-294 vol.1
- Smith, W.**, see Hong Yang, *MWSYM-03 2003* A149-A152 vol.1
- Smith, W.**, see Hong Yang, *RFIC-03 2003* 663-666
- Smith, W.R.**, see Sutono, A., *T-MTT Jan 03* 156-162
- Smorchkova, I.P.**, M. Wojtowicz, R. Sandhu, R. Tsai, M. Barsky, C. Namba, P.-S. Liu, R. Dia, MinhDao Truong, D. Ko, J. Wang, H. Wang, and A. Khan. AlGaIn/GaN HEMTs - operation in the K-band and above; *T-MTT Feb 03* 665-668
- Smorchkova, Y.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Smy, T.**, see Gunupudi, P., *MWSYM-03 2003* 13-16 vol.1
- Smy, T.**, see Gunupudi, P.K., *T-MTT Dec 03* 2347-2354
- Snyder, C.**, see Dosanjh, S., *RFIC-03 2003* 299-302
- Snyder, R.V.**, Sanghoon Shin, and K. Keck. Bandstop filter design using evanescent mode resonators; *MWSYM-03 2003* 1073-1076 vol.2
- So, P.P.M.**, and W.J.R. Hoefer. Locally conformal cell for two-dimensional TLM; *MWSYM-03 2003* 977-980 vol.2
- So, P.P.M.**, see Grande, A., *MWSYM-03 2003* 1141-1144 vol.2
- So, P.P.M.**, see Hoefer, W.J.R., *T-MTT Apr 03* 1318-1325
- Sobti, J.B.**, see Liao, T.S., *MWSYM-03 2003* 155-158 vol.1
- Sokal, N.O.**, see Telegdy, A., *T-MTT Jun 03* 1662-1676
- Soliman, E.A.**, G.A.E. Vandenbosch, E. Beyne, and R.P. Mertens. Full-wave analysis of multiconductor multislotted planar guiding structures in layered media; *T-MTT Mar 03* 874-886
- Solntsev, V.A.** Properties of spatial harmonics selection in pseudoperiodic waveguides; *MWSYM-03 2003* 829-832 vol.2
- Sombrin, J.**, see Maziere, C., *MWSYM-03 2003* 769-772 vol.2
- Sombrin, J.**, see Seyfert, F., *MWSYM-03 2003* 25-28 vol.1
- Sondergaard, J.**, see Bandler, J.W., *MWSYM-03 2003* 1003-1006 vol.2
- Song, M.S.**, see Kim, B.S., *MWSYM-03 2003* 539-542 vol.1
- Song Chenyan**, see Shiroma, G.S., *MWSYM-03 2003* 1685-1688 vol.3
- Songcheol Hong**, see Dong-Woo Kang, *MWSYM-03 2003* 107-110 vol.1
- Songcheol Hong**, see Hyun-Min Park, *MWSYM-03 2003* 691-694 vol.2
- Songcheol Hong**, see Hyun-Min Park, *MWSYM-03 2003* 773-776 vol.2
- Songcheol Hong**, see Jeong-Geun Kim, *MWSYM-03 2003* 885-888 vol.2
- Songcheol Hong**, see Kyoungmin Koh, *MWSYM-03 2003* 467-470 vol.1
- Songcheol Hong**, see Donghyun Baek, *MWSYM-03 2003* 2193-2196 vol.3
- Songcheol Hong**, see Chang-Kun Park, *MWSYM-03 2003* A157-A160 vol.1
- Songcheol Hong**, see Chang-Kun Park, *RFIC-03 2003* 671-674
- Songcheol Hong**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Songcheol Hong**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Song Hee-Seok**, see Hee-Seok Song, *MWSYM-03 2003* 515-518 vol.1
- Song Seong-Sik**, see Seong-Sik Song, *MWSYM-03 2003* 1023-1026 vol.2
- Song Seunghyun**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Song Taek-Sang**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Song Taeksang**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Sonmez, E.**, see Abele, P., *MWSYM-03 2003* 1033-1036 vol.2
- Soo Chang Ik**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Soo Chang Ik**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Soo-Kun Jeon**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Soon Ick Jeon**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Soon Jang Hyung**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Soon Joo Koh**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Soon Park Chul**, see Young Chul Lee, *MWSYM-03 2003* 2027-2030 vol.3
- Soon Young Eom**, Soon Ick Jeon, Jong Seok Chae, and Jong Gwan Yook. Broadband 180° bit phase shifter using a new switched network; *MWSYM-03 2003* 39-42 vol.1
- Sorolla, M.**, see Laso, M.A.G., *T-MTT Mar 03* 705-717
- Sorrentino, R.**, see Emili, G., *T-MTT Jan 03* 178-186
- Sorrentino, R.**, see Simeoni, M., *T-MTT Apr 03* 1187-1193
- Soto, P.**, see Cogollos, S., *MWSYM-03 2003* 2065-2068 vol.3
- Soto, P.**, see Morro, J.V., *MWSYM-03 2003* 1215-1218 vol.2
- Soto, P.**, see Cogollos, S., *T-MTT Dec 03* 2378-2390
- Soury, A.**, E. Ngoya, J.-M. Nebus, and T. Reveyard. Measurement based modeling of power amplifiers for reliable design of modern communication systems; *MWSYM-03 2003* 795-798 vol.2
- Soveiko, N.**, and M. Nakhla. Steady state analysis of multitone nonlinear periodic circuits in wavelet domain; *MWSYM-03 2003* 2121-2124 vol.3
- Speck, J.S.**, see Serraiocco, J.L., *MWSYM-03 2003* 1993-1996 vol.3
- Sperlich, R.**, J.A. Sills, and J.S. Kenney. Closed-loop digital pre-distortion for power amplifier linearization using genetic algorithms; *MWSYM-03 2003* 347-350 vol.1
- Spiegel, S.**, A. Thiel, S. Nussbaumer, I. Kovacs, and M. Durler. Improving the isolation of GPS receivers for integration with wireless communication systems; *MWSYM-03 2003* A49-A52 vol.1
- Spiegel, S.**, A. Thiel, S. Nussbaumer, I. Kovacs, and M. Durler. Improving the isolation of GPS receivers for integration with wireless communication systems; *RFIC-03 2003* 563-566
- Spinnler, M.**, see Vitusevich, S.A., *T-MTT Jan 03* 163-169
- Spirito, M.**, see van der Heijden, M.P., *MWSYM-03 2003* 235-238 vol.1
- Spitzer, M.**, see Bieler, M., *MWSYM-03 2003* 1811-1814 vol.3
- Splett, J.D.**, see Coakley, K.J., *T-MTT Mar 03* 862-868
- Springer, A.**, see Lanschutzer, C., *RFIC-03 2003* 19-22
- Srisathit, S.**, S. Virunphun, K. Bandudej, M. Chongcheawchamnan, and A. Worapishet. A dual-band 3-dB three-port power divider based on a two-section transmission line transformer; *MWSYM-03 2003* 35-38 vol.1
- Stadius, K.**, A. Malinen, P. Paatsila, and K. Halonen. A broadband upconverter unit for a cable-modem double-conversion receiver; *RFIC-03 2003* 449-452
- Stake, J.**, see Olsen, A.O., *MWSYM-03 2003* 899-902 vol.2
- Stancil, D.D.**, see Nikitin, P.V., *MWSYM-03 2003* 1827-1830 vol.3
- Stancil, D.D.**, see Nikitin, P.V., *T-MTT Dec 03* 2402-2408
- Stange, L.C.**, H. Pawlak, A. Dreher, S. Holzwarth, A.F. Jacob, O. Litschke, and M. Thiel. Components of a highly integrated DBF terminal antenna for mobile Ka-band satellite communications; *MWSYM-03 2003* 583-586 vol.1
- Stapleton, S.P.**, see Cho, K.J., *MWSYM-03 2003* 1335-1338 vol.2
- Starman, L.A.**, see Reid, J.R., *MWSYM-03 2003* 1919-1922 vol.3
- Starski, P.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Staszewski, R.B.**, D. Leipold, Chih-Ming Hung, and P.T. Balsara. A first digitally-controlled oscillator in a deep-submicron CMOS process for multi-GHz wireless applications; *RFIC-03 2003* 81-84

- Staszewski, R.B.**, Chih-Ming Hung, D. Leipold, and P.T. Balsara. A first multigigahertz digitally controlled oscillator for wireless applications; *T-MTT Nov 03* 2154-2164
- Staudinger, J.** Guest editorial [special issue intro. on the 2003 IEEE Radio Frequency Integrated Circuit (RFIC) Symposium]; *T-MTT Nov 03* 2153
- Steer, M.**, see Gharaibeh, K., *MWSYM-03 2003* 343-346 vol.1
- Steer, M.B.**, see Suryanarayanan, J., *MWSYM-03 2003* A93-A96 vol.1
- Steer, M.B.**, see Suryanarayanan, J., *RFIC-03 2003* 607-610
- Steer, M.B.**, see Gharaibeh, K.M., *T-MTT Dec 03* 2434-2444
- Stefanski, T.**, see Kordalski, W.J., *RFIC-03 2003* 365-368
- Stehr, U.**, see Steinkamp, J., *RFIC-03 2003* 483-486
- Steinkamp, J.**, F. Henkel, U. Stehr, C. Eube, P. Waldow, H. Uda, H. Hayashi, R. Kimura, and K. Mizuno. A 5.84 GHz tunable SAW oscillator with frequency doubler for a DSRC system; *RFIC-03 2003* 483-486
- Stekovic, A.S.**, see Djordjevic, A.R., *T-MTT Jul 03* 1871-1877
- Stella, R.**, see Labate, L., *RFIC-03 2003* 159-162
- Stelzer, A.**, see Pourvoyeur, K., *MWSYM-03 2003* 603-606 vol.1
- Stelzer, A.**, K. Ettinger, J. Hoftberger, J. Fenk, and R. Weigel. Fast and accurate ramp generation with a PLL-stabilized 24-GHz SiGe VCO for FMCW and FSCW applications; *MWSYM-03 2003* 893-896 vol.2
- Stelzer, A.**, see Pichler, M., *MWSYM-03 2003* 1953-1956 vol.3
- Stenarson, J.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Stengel, B.**, and B. Thompson. Neutralized differential amplifiers using mixed-mode S-parameters; *MWSYM-03 2003* A197-A200 vol.1
- Stengel, B.**, and B. Thompson. Neutralized differential amplifiers using mixed-mode S-parameters; *RFIC-03 2003* 711-714
- Stepanek, P.**, D. Kurtz, and J. Gorin. Coherent addition of intermodulation distortion in spectrum analyzers; *MWSYM-03 2003* 1415-1417 vol.2
- Sterbenz, J.W.**, see Young, J.L., *T-MTT Aug 03* 1939-1945
- Stevens, A.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- Stilwell, R.**, see Edwards, C.L., *MWSYM-03 2003* 2101-2104 vol.3
- Stohr, A.**, see Malcoci, A., *MWSYM-03 2003* 143-146 vol.1
- Stoukatch, S.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- Strak, A.**, and H. Tenhunen. Non-ideality analysis of clock-jitter suppressing sampler for wideband S? analog-to-digital converters; *MWSYM-03 2003* A81-A84 vol.1
- Strak, A.**, and H. Tenhunen. Non-ideality analysis of clock-jitter suppressing sampler for wideband S? analog-to-digital converters; *RFIC-03 2003* 595-598
- Strassner, B.**, and Kai Chang. 5.8-GHz circularly polarized dual-rhombic-loop traveling-wave rectifying antenna for low power-density wireless power transmission applications; *T-MTT May 2003* 1548-1553
- Streeter, R.D.**, see Hall, C.A., *MWSYM-03 2003* 503-506 vol.1
- Streit, D.C.**, see Wadefalk, N., *T-MTT Jun 03* 1705-1711
- Strohm, K.M.**, F.J. Schmuckle, O. Yaglioglu, J.-F. Luy, and W. Heinrich. 3D silicon micromachined RF resonators; *MWSYM-03 2003* 1801-1804 vol.3
- Strutz, S.J.**, see Funk, E.E., *MWSYM-03 2003* 269-272 vol.1
- Stubbs, M.G.**, see Hettak, K., *MWSYM-03 2003* 59-62 vol.1
- Stubbs, M.G.**, see Hettak, K., *MWSYM-03 2003* 1315-1318 vol.2
- Stuchly, M.A.**, see Fear, E.C., *MWSYM-03 2003* 383-386 vol.1
- Stuchly, M.A.**, see Fear, E.C., *T-MTT Mar 03* 887-892
- Stuchly, M.A.**, see Williams, T.C., *T-MTT May 2003* 1560-1566
- Stupar, P.A.**, see Borwick, R.L., III, *T-MTT Jan 03* 315-319
- Su, D.**, see Mehta, S., *RFIC-03 2003* 427-430
- Suarez, A.**, see Sancho, S., *MWSYM-03 2003* 2153-2156 vol.3
- Suarez, A.**, see Ramirez, F., *MWSYM-03 2003* 2157-2160 vol.3
- Suarez, A.**, see de Cos, E., *MWSYM-03 2003* 2177-2180 vol.3
- Suarez, A.**, see Ramirez, F., *T-MTT Jun 03* 1752-1762
- Suehiro, Y.**, see Nishino, T., *MWSYM-03 2003* 487-490 vol.1
- Suematsu, E.**, see Yamada, A., *MWSYM-03 2003* 2035-2038 vol.3
- Suematsu, N.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Suematsu, N.**, see Shinjo, S., *RFIC-03 2003* 195-198
- Sugahara, H.**, see Sano, K., *MWSYM-03 2003* 1181-1184 vol.2
- Sugahara, H.**, see Sano, K., *T-MTT Dec 03* 2548-2554
- Sugahara, K.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Sugano, T.**, see Shinjo, S., *RFIC-03 2003* 195-198
- Sugitani, S.**, see Sano, K., *MWSYM-03 2003* 1181-1184 vol.2
- Sugitani, S.**, see Sano, K., *T-MTT Dec 03* 2548-2554
- Suh Dongwoo**, see Ja-Yol Lee, *MWSYM-03 2003* A141-A144 vol.1
- Suh Dongwoo**, see Ja-Yol Lee, *RFIC-03 2003* 655-658
- Suk Sul Woo**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Sul Woo Suk**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Sul Woo-Suk**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Sun, X.**, see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
- Sun Din-Kow**, see Din-Kow Sun, *T-MTT Oct 03* 2097-2105
- Sung Chan Kim**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Sung-Chan Kim**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Sung-Do Kim**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Sunggi Baik**, see Poplavko, Y., *MWSYM-03 2003* 437-440 vol.1
- Sungjae Lee**, K.J. Webb, V. Tilak, and L.F. Eastman. Intrinsic noise equivalent-circuit parameters for AlGaIn/GaN HEMTs; *T-MTT May 2003* 1567-1577
- Sung Min Kang**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Sungwon Kim**, see Young-Taek Lee, *MWSYM-03 2003* 2253-2256 vol.3
- Sun Jiahong**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Su Peng-Un**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Suryanarayanan, J.**, W.Y. Liu, J. Nath, B.N. Johnson, S. Mohammadi, L.P.B. Katehi, and M.B. Steer. Toroidal inductors for integrated radio frequency and microwave circuits; *MWSYM-03 2003* A93-A96 vol.1
- Suryanarayanan, J.**, W.Y. Liu, J. Nath, B.N. Johnson, S. Mohammadi, L.P.B. Katehi, and M.B. Steer. Toroidal inductors for integrated radio frequency and microwave circuits; *RFIC-03 2003* 607-610
- Sutono, A.**, J. Laskar, and W.R. Smith. Design of miniature multilayer on-package integrated image-reject filters; *T-MTT Jan 03* 156-162
- Suyama, K.**, see Dec, A., *MWSYM-03 2003* A121-A124 vol.1
- Suyama, K.**, see Dec, A., *RFIC-03 2003* 635-638
- Suzuki, T.**, Y. Nakasha, T. Sakoda, K. Sawada, T. Takahashi, K. Makiyama, T. Hirose, and M. Takigawa. A 100-Gbit/s 2:1 multiplexer in InP HEMT technology; *MWSYM-03 2003* 1173-1176 vol.2
- Suzuki, Y.**, T. Hirota, and T. Nojima. Highly efficient feed-forward amplifier using a Class-F Doherty amplifier; *MWSYM-03 2003* 77-80 vol.1
- Svitek, R.**, and S. Raman. A SiGe active sub-harmonic 5mA front-end for 5-6 GHz direct-conversion receiver applications; *MWSYM-03 2003* A161-A164 vol.1
- Svitek, R.**, and S. Raman. A SiGe active sub-harmonic front-end for 5-6 GHz direct-conversion receiver applications; *RFIC-03 2003* 675-678
- Swain, P.K.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- Sweeney, S.**, see Greenberg, D., *MWSYM-03 2003* 113-116 vol.1
- Swift, J.**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Symons WC, I.I.I.**, K.W. Whites, and R.A. Lodder. Theoretical and experimental characterization of a near-field scanning microwave microscope (NSMM); *T-MTT Jan 03* 91-99
- Syrett, B.**, see Ibrahim, M., *MWSYM-03 2003* 2113-2116 vol.3

T

- Tachi, S.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Tachi, S.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Tadeson, G.**, see Amari, S., *MWSYM-03 2003* 543-546 vol.1
- Tae Jeong Hyeong**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Tae Jeong Hyeong**, see Hyung Soon Jang, *MWSYM-03 2003* 1339-1342 vol.2
- Tae Kim Sang**, see Chang On Lee, *MWSYM-03 2003* 1615-1618 vol.3
- Taek-Sang Song**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Taeksang Song**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Tae Wook Kim**, Bonkee Kim, and Kywro Lee. Highly linear RF CMOS amplifier and mixer adopting MOSFET transconductance linearization by multiple gated transistors; *RFIC-03 2003* 107-110
- Tae Young Kim**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Tae Youn Kim**, A. Adams, and N. Weste. High performance SOI and bulk CMOS 5GHz VCOs; *RFIC-03 2003* 93-96
- Tah-Hsiung Chu**, see Shih-Chieh Yen, *MWSYM-03 2003* 2169-2172 vol.3
- Tah-Hsiung Chu**, see Hsin-Chia Lu, *T-MTT May 2003* 1525-1533
- Takagi, T.**, see Hamano, S., *MWSYM-03 2003* 2189-2192 vol.3
- Takahashi, K.**, see Kanno, H., *MWSYM-03 2003* 1159-1162 vol.2
- Takahashi, M.**, see Tosaka, H., *MWSYM-03 2003* A5-A8 vol.1
- Takahashi, M.**, see Tosaka, H., *RFIC-03 2003* 519-522
- Takahashi, N.**, see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
- Takahashi, N.**, see Ohata, K., *MWSYM-03 2003* 373-376 vol.1
- Takahashi, N.**, see Ohata, K., *RFIC-03 2003* 509-512
- Takahashi, T.**, see Suzuki, T., *MWSYM-03 2003* 1173-1176 vol.2
- Takahashi, Y.**, see Nakamizo, H., *RFIC-03 2003* 399-402
- Takahashi, Y.**, see Numata, K., *RFIC-03 2003* 233-236
- Takano, K.**, see Nagaishi, H., *MWSYM-03 2003* 1949-1952 vol.3
- Takano, S.**, see Ueda, A., *T-MTT May 2003* 1455-1459
- Takechi, A.**, see Wang, G., *MWSYM-03 2003* 151-154 vol.1
- Takeda, S.**, H. Mikami, and K. Ichikawa. Improved lumped-element two-port isolator; *MWSYM-03 2003* 417-420 vol.1
- Takeda, Y.**, see Ishizaki, T., *MWSYM-03 2003* 471-474 vol.1

- Takenaka, T.**, T. Hiraoka, and Hsu Jui-Pang. Analysis of stripline T-junction with rectangular cut based on eigenmode expansion method and Foster-type equivalent network; *MWSYM-03 2003* 1111-1114 vol.2
- Takesue, M.**, see Masuda, S., *MWSYM-03 2003* 1029-1032 vol.2
- Takigawa, M.**, see Suzuki, T., *MWSYM-03 2003* 1173-1176 vol.2
- Takubo, C.**, see Tanaka, K., *MWSYM-03 2003* 2197-2200 vol.3
- Talisa, S.H.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Tam, H.W.**, see Georgieva, N.K., *T-MTT Apr 03* 1330-1338
- Tan, G.L.**, R.E. Mihailovich, J.B. Hacker, J.F. DeNatale, and G.M. Rebeiz. A 4-bit miniature X-band MEMS phase shifter using switched-LC networks; *MWSYM-03 2003* 1477-1480 vol.3
- Tanahashi, N.**, K. Kanaya, T. Matsuzuka, I. Katoh, Y. Notani, T. Ishida, T. Oku, T. Ishikawa, M. Komaru, and Y. Matsuda. A W-band ultra low noise amplifier MMIC using GaAs pHEMT; *MWSYM-03 2003* 2225-2228 vol.3
- Tanaka, K.**, K. Mochizuki, C. Takubo, H. Matsumoto, T. Tanoue, and I. Ohbu. An InGaP/GaAs collector-up tunnelling-collector HBT and subtransistor via-hole structure for small and highly efficient power amplifiers; *MWSYM-03 2003* 2197-2200 vol.3
- Tanaka, T.**, see Xiao, H., *MWSYM-03 2003* 889-892 vol.2
- Tan Boon Tiong**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Tan Boon Tiong**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Tan Chun Geik**, see Chun Geik Tan, *RFIC-03 2003* 457-460
- Tang, D.D.L.**, see Yang, M.T., *MWSYM-03 2003* 1283-1286 vol.2
- Tang, W.-C.**, see Yu, M., *T-MTT Dec 03* 2505-2515
- Tang Ching-Wen**, see Ching-Wen Tang, *T-MTT Oct 03* 2112-2118
- Tan Guan-Leng**, see Guan-Leng Tan, *T-MTT Jan 03* 297-304
- Tang Wai Cheung**, see Ming Yu, *MWSYM-03 2003* 929-932 vol.2
- Tan-Huat Chio**, see Bui, L.A., *MWSYM-03 2003* 1291-1294 vol.2
- Taniguchi, E.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Tanne, G.**, see Fourn, E., *MWSYM-03 2003* 523-526 vol.1
- Tanne, G.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Tanoue, T.**, see Tanaka, K., *MWSYM-03 2003* 2197-2200 vol.3
- Tan Yue**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Tan Yue**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Tan Yue**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Tanzi, N.**, J. Dykstra, and K. Hutchinson. A 1-Watt doubly balanced 5GHz flip-chip SiGe power amplifier; *RFIC-03 2003* 141-144
- Tao, J.**, see Duchamp, J.-M., *T-MTT Oct 03* 2147-2148
- Tao, R.**, and M. Berroth. The design of 5 GHz voltage controlled ring oscillator using source capacitively coupled current amplifier; *RFIC-03 2003* 623-626
- Tao Junwu**, see Duchamp, J.-M., *T-MTT Apr 03* 1105-1116
- Tao Rui**, see Rui Tao, *MWSYM-03 2003* A109-A112 vol.1
- Tarakji, A.**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Taris, T.**, J.-B. Begueret, H. Lapuyade, and Y. Deval. A differential implementation of the CMOS active-load body-effect mixer; *RFIC-03 2003* 465-468
- Taris, T.**, J.B. Begueret, H. Lapuyade, and Y. Deval. A 1-V 2GHz VLSI CMOS low noise amplifier; *RFIC-03 2003* 123-126
- Tarokh, V.**, see Ghassemzadeh, S.S., *MWSYM-03 2003* 365-368 vol.1
- Tarokh, V.**, see Ghassemzadeh, S.S., *RFIC-03 2003* 501-504
- Tarr, G.**, see Fong, N., *MWSYM-03 2003* 967-970 vol.2
- Tarr, N.G.**, see Fong, N.H.W., *T-MTT Aug 03* 1952-1959
- Tarricone, L.**, see Catarinucci, L., *T-MTT Mar 03* 935-940
- Tarsia, M.**, see Kudszus, S., *MWSYM-03 2003* 1387-1390 vol.2
- Tartarin, J.-G.**, see Wong, W., *RFIC-03 2003* 281-284
- Tascone, R.**, see Peverini, O.A., *T-MTT Apr 03* 1207-1213
- Tasker, P.J.**, see Williams, D.J., *MWSYM-03 2003* 1411-1414 vol.2
- Tasker, P.J.**, see Lees, J., *MWSYM-03 2003* 2213-2216 vol.3
- Taskov, G.**, see Cho, J., *RFIC-03 2003* 391-394
- Tate, A.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Tatsuo Itoh**, see Nishino, T., *T-MTT Oct 03* 2045-2054
- Tatu, S.O.**, see Moldovan, E., *MWSYM-03 2003* 595-598 vol.1
- Tatu, S.O.**, E. Moldovan, B. Gailon, Ke Wu, and R.G. Bosisio. New results on MMIC six-port's used in Ka band direct conversion receivers; *MWSYM-03 2003* A9-A12 vol.1
- Tatu, S.O.**, E. Moldovan, G. Brehm, Ke Wu, and R.G. Bosisio. New results on MMIC six-port's used in Ka band direct conversion receivers; *RFIC-03 2003* 523-526
- Taufik, M.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Tavernier, C.A.**, F. Valentin, M. Mazouz, R. Vigo, W. Muffato, P. Maeder, and M. Havasi. High performance multilayered high temperature cofired ceramic for wide band packaging; *MWSYM-03 2003* 2277-2280 vol.3
- Taylor, G.C.**, see Fathy, A.E., *T-MTT Jun 03* 1650-1661
- Taylor, T.R.**, see Serraiocco, J.L., *MWSYM-03 2003* 1993-1996 vol.3
- Tazon, A.**, see Cabria, L., *MWSYM-03 2003* 1435-1438 vol.2
- Teck Chew Siou**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Teck Chew Siou**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Tee, Y.T.**, Y.H. Seng, L.P. Boon, T.K. Hung, S. Tachi, K.S. Ling, T. Murakami, S.J. Hui, L.C. Tiong, T.L. Choon, W.W. Kheng, X.Q. Jun, L.C. Meng, L.S. Hwi, X. Wei, and A. Toh. Design techniques to combat process, temperature and supply variations in Bluetooth RFIC; *MWSYM-03 2003* A37-A40 vol.1
- Tee, Y.T.**, Y.H. Seng, L.P. Boon, T.K. Hung, S. Tachi, K.S. Ling, T. Murakami, S.J. Hui, L.C. Tiong, T.L. Choon, W.W. Kheng, X.Q. Jun, L.C. Meng, L.S. Hwi, X. Wei, and M. Itoh. Design techniques to combat process, temperature and supply variations in Bluetooth RFIC; *RFIC-03 2003* 551-554
- Te-Hsin Huang**, see Zencir, E., *RFIC-03 2003* 111-114
- Teixeira, F.L.**, see Shumin Wang, *T-MTT Mar 03* 811-817
- Telegdy, A.**, B. Molnar, and N.O. Sokal. Class-E_M switching-mode tuned power amplifier-high efficiency with slow-switching transistor; *T-MTT Jun 03* 1662-1676
- Tellakula, R.**, see Abraham, J.K., *MWSYM-03 2003* 1837-1840 vol.3
- Telliez, I.**, see Imbs, E., *MWSYM-03 2003* 1569-1572 vol.3
- Telliez, I.**, see Coustou, A., *RFIC-03 2003* 487-490
- Temcamani, F.**, see Villard, F., *T-MTT Apr 03* 1129-1134
- Tenhunen, H.**, see Strak, A., *MWSYM-03 2003* A81-A84 vol.1
- Tenhunen, H.**, see Strak, A., *RFIC-03 2003* 595-598
- Tentzeris, M.**, see Bushyager, N., *MWSYM-03 2003* 2081-2084 vol.3
- Tentzeris, M.M.**, see Fujii, M., *MWSYM-03 2003* 1129-1132 vol.2
- Teppati, V.**, see Colantonio, P., *MWSYM-03 2003* 1807-1810 vol.3
- Teppati, V.**, M. Goano, A. Ferrero, V. Niculae, A. Olivieri, and G. Ghione. Broad-band coaxial directional couplers for high-power applications; *T-MTT Mar 03* 994-997
- Terefenko, G.**, see Herbsommer, J.A., *MWSYM-03 2003* 213-216 vol.1
- Terrovits, M.**, see Mehta, S., *RFIC-03 2003* 427-430
- Tessmann, A.**, A. Leuther, C. Schwoerer, H. Massler, S. Kudszus, W. Reinert, and M. Schlechtweg. A coplanar 94 GHz low-noise amplifier MMIC using 0.07 μm metamorphic cascode HEMTs; *MWSYM-03 2003* 1581-1584 vol.3
- Testa, O.**, see Bernardi, P., *MWSYM-03 2003* 403-406 vol.1
- Testa, O.**, see Bernardi, P., *T-MTT Dec 03* 2409-2417
- Te-Wen Pan**, Ching-Wen Hsue, and Jhin-Fang Huang. Authors' reply [to 'Comment on "Time domain reflectometry using arbitrary incident waveforms"']; *T-MTT Apr 03* 1298
- Thiel, A.**, see Spiegel, S., *MWSYM-03 2003* A49-A52 vol.1
- Thiel, A.**, see Spiegel, S., *RFIC-03 2003* 563-566
- Thiel, M.**, see Stange, L.C., *MWSYM-03 2003* 583-586 vol.1
- Thiel, W.**, L.P.B. Katehi, and K. Sabet. A hybrid approach for modeling complex antenna systems on vehicular platforms; *MWSYM-03 2003* 2097-2100 vol.3
- Thomas, J.B.** Cross-coupling in coaxial cavity filters - a tutorial overview; *T-MTT Apr 03* 1368-1376
- Thompson, B.**, see Stengel, B., *MWSYM-03 2003* A197-A200 vol.1
- Thompson, B.**, see Stengel, B., *RFIC-03 2003* 711-714
- Thompson, D.A.**, R.L. Rogers, and J.H. Davis. Temperature compensation of total power radiometers; *T-MTT Oct 03* 2073-2078
- Thompson, W.**, see Lei Zhao, *MWSYM-03 2003* 2201-2204 vol.3
- Thompson, W.I.I.**, see Reece, M.A., *MWSYM-03 2003* 615-618 vol.1
- Thompson, W.L., II**, see Davis, B., *MWSYM-03 2003* 177-180 vol.1
- Thuringer, R.**, see Bakalski, W., *MWSYM-03 2003* 695-698 vol.2
- Thuringer, R.**, see Wohlmuth, H.-D., *RFIC-03 2003* 479-482
- Thuringer, R.**, M. Tiebout, W. Simburger, C. Kienmayer, and A.L. Scholtz. A 17 GHz linear 50 Ω output driver in 0.12 μm standard CMOS; *RFIC-03 2003* 207-210
- Tianhai Wang**, and T.J. Brazil. Volterra-mapping-based behavioral modeling of nonlinear circuits and systems for high frequencies; *T-MTT May 2003* 1433-1440
- Tianling Ren**, see Haibo Long, *RFIC-03 2003* 251-254
- Tian-Wei Huang**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Tian-Wei Huang**, see Pei-Si Wu, *MWSYM-03 2003* 863-866 vol.2
- Tian-Wei Huang**, see Kuo-Liang Deng, *RFIC-03 2003* 325-328
- Tian-Wei Huang**, see Kuo-Liang Deng, *T-MTT Nov 03* 2188-2196
- Tiebout, M.**, see Thuringer, R., *RFIC-03 2003* 207-210
- Tie Jun Cui**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Tie Jun Cui**, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Tie Jun Cui**, see Feng Xu, *T-MTT Nov 03* 2221-2227
- Tien, N.**, see McCormick, D.T., *MWSYM-03 2003* 495-498 vol.1
- Tilak, V.**, see Zhang, A.P., *MWSYM-03 2003* 251-254 vol.1

- Tilak, V.**, see Green, B.M., *T-MTT Feb 03* 618-623
- Tilak, V.**, see Sungjae Lee, *T-MTT May 2003* 1567-1577
- Tio Lian Yuh**, see Lian Yuh Tio, *MWSYM-03 2003* 421-424 vol.1
- Tiong, L.C.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Tiong, L.C.**, see Tee, Y.T., *RFIC-03 2003* 551-554
- Tiong Tan Boon**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Tiong Tan Boon**, see Boon Tiong Tan, *T-MTT Aug 03* 1906-1910
- Tischer, H.**, see Siweris, H.J., *MWSYM-03 2003* 125-128 vol.1
- Tischler, T.**, M. Rudolph, A. Kilb, and W. Heinrich. Via arrays for grounding in multilayer packaging - frequency limits and design rules; *MWSYM-03 2003* 1147-1150 vol.2
- Tischler, T.**, see Schnieder, F., *T-MTT Jan 03* 137-143
- Tishinin, D.**, see Zhuang, Y., *MWSYM-03 2003* 1367-1370 vol.2
- Tofighi, M.R.**, and A.S. Daryoush. PLL and injection locked PLL (ILPLL) operations of a push-pull self oscillating mixer (SOM); *MWSYM-03 2003* 2173-2176 vol.3
- Toh, A.**, see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
- Toifi, T.**, M. Kossel, C. Menolfi, T. Morf, and M. Schmatz. A 23GHz differential amplifier with monolithically integrated T-coils in 0.09 μ m CMOS technology; *MWSYM-03 2003* 239-242 vol.1
- Tokumitsu, T.**, see Wang, G., *MWSYM-03 2003* 151-154 vol.1
- Tokumitsu, T.**, see Gang Wang, *T-MTT Apr 03* 1227-1233
- To Kun-Hin**, see Kun-Hin To, *RFIC-03 2003* 163-166
- Tomassoni, C.**, see Vincenzo, C.T., *MWSYM-03 2003* 1223-1226 vol.2
- Tombak, A.**, and A. Mortazawi. A novel phased array based on the extended resonance power dividing technique; *MWSYM-03 2003* 1849-1852 vol.3
- Tomisawa, J.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Tong, C.-Y.E.**, D. Meledin, D. Loudkov, R. Blundell, N. Erickson, J. Kawamura, I. Mehdi, and G. Goltsman. A 1.5 THz Hot-Electron Bolometer mixer operated by a planar diode based local oscillator; *MWSYM-03 2003* 751-754 vol.2
- Tong, D.L.H.**, see Guguen, C., *MWSYM-03 2003* 945-948 vol.2
- Tonguz, O.K.**, see Nikitin, P.V., *MWSYM-03 2003* 1827-1830 vol.3
- Tonguz, O.K.**, see Nikitin, P.V., *T-MTT Dec 03* 2402-2408
- Tonouchi, M.**, see Kiwa, T., *MWSYM-03 2003* 1363-1366 vol.2
- Tories, A.R.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Tosaka, H.**, T. Fujii, K. Miyakoshi, K. Ikenaka, and M. Takahashi. An antenna switch MMIC using E/D mode p-HEMT for GSM/DCS/PCS/WCDMA bands application; *MWSYM-03 2003* A5-A8 vol.1
- Tosaka, H.**, T. Fujii, K. Miyakoshi, K. Ikenaka, and M. Takahashi. An antenna switch MMIC using E/D mode p-HEMT for GSM/DCS/PCS/WCDMA bands application; *RFIC-03 2003* 519-522
- Tournier, E.**, see Coustou, A., *RFIC-03 2003* 487-490
- Tournier, E.**, see Sie, M., *RFIC-03 2003* 679-682
- Tournier, E.**, see Wong, W., *RFIC-03 2003* 281-284
- Tournier, T.**, see Sie, M., *MWSYM-03 2003* A165-A168 vol.1
- Toutain, S.**, see Avrillon, S., *T-MTT Apr 03* 1269-1273
- Toutain, Y.**, see Goron, E., *MWSYM-03 2003* 1599-1602 vol.3
- Toyoda, T.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Trainor, D.R.**, see Jun Zou, *T-MTT Apr 03* 1067-1075
- Tran, V.N.**, see Chi Yung Ho, *MWSYM-03 2003* A25-A28 vol.1
- Tranchini, R.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Tran Van Nguyen**, see Chi Yung Ho, *RFIC-03 2003* 539-542
- Trasser, A.**, see Abele, P., *MWSYM-03 2003* 1033-1036 vol.2
- Tretiakov, Y.V.**, see Wan Ni, *MWSYM-03 2003* A33-A36 vol.1
- Tretiakov, Y.V.**, see Wan Ni, *RFIC-03 2003* 547-550
- Trifiletti, A.**, see Centurelli, F., *RFIC-03 2003* 317-320
- Trinogga, L.A.**, see Virdee, B.S., *MWSYM-03 2003* 51-54 vol.1
- Tristant, P.**, see Fourn, E., *T-MTT Jan 03* 320-324
- Truong Hiep**, see Cho, J., *RFIC-03 2003* 391-394
- Truong Minh Dao**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Tsai, H.-P.**, see Nishio, T., *T-MTT Dec 03* 2483-2494
- Tsai, R.**, see Chun-Tung Cheung, *MWSYM-03 2003* 1863-1866 vol.3
- Tsai, R.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Tsai, Y.S.**, see Horng, T.S., *RFIC-03 2003* 255-258
- Tsai Chih-Ming**, see Chih-Ming Tsai, *T-MTT May 2003* 1517-1524
- Tsai Yu-Shun**, see Tzyy-Sheng Horng, *T-MTT Nov 03* 2197-2202
- Tsalamengas, J.L.**, see Vardiambasis, I.O., *T-MTT Mar 03* 761-766
- Tsalamengas, J.L.**, and G. Fikioris. Rapidly converging spectral-domain analysis of rectangularly shielded layered microstrip lines; *T-MTT Jun 03* 1729-1734
- Tsang, K.S.H.**, and T.S. Ng. Straightforward transient and noise analysis for S? PLL-based synthesizers of multiple feedback and feedforward structures; *MWSYM-03 2003* A57-A60 vol.1
- Tsang, K.S.H.**, and T.S. Ng. Straightforward transient & noise analysis for S? PLL-based synthesizers of multiple feedback and feedforward structures; *RFIC-03 2003* 571-574
- Tsang, T.K.K.**, and M.N. El-Gamal. A high figure of merit and area-efficient low-voltage (0.7-1 V) 12 GHz CMOS VCO; *RFIC-03 2003* 89-92
- Tsang Leung**, see Houfei Chen, *T-MTT Mar 03* 818-829
- Tsao Hen-Wai**, see Chun-Pang Wu, *MWSYM-03 2003* A125-A128 vol.1
- Tsao Hen-Wai**, see Chun-Pang Wu, *RFIC-03 2003* 639-642
- Tseng, C.**, see Chan, K.T., *MWSYM-03 2003* 963-966 vol.2
- Tseng, C.**, see Huang, C.H., *RFIC-03 2003* 373-376
- Tsiboukis, T.D.**, see Kosmanis, T.I., *T-MTT Mar 03* 839-847
- Tsividis, Y.**, see Pipilos, S., *RFIC-03 2003* 33-36
- Tsui Hau-Yiu**, see Hau-Yiu Tsui, *RFIC-03 2003* 225-228
- Tsui Hau-Yiu**, see Hau-Yiu Tsui, *RFIC-03 2003* 243-246
- Tsuji, M.**, and H. Shigesawa. Leaky mode missing from EM simulators for planar circuits; *MWSYM-03 2003* 661-664 vol.2
- Tsuji, M.**, and H. Shigesawa. New interesting leakage behavior on microstrip lines with a slot on a ground plane; *MWSYM-03 2003* 673-676 vol.2
- Tsukahara, T.**, see Yamagishi, A., *MWSYM-03 2003* 733-736 vol.2
- Tsukahara, Y.**, T. Katoh, Y. Notani, T. Ishida, T. Ishikawa, M. Komaru, and Y. Matsuda. Millimeter-wave MMIC switches with pHEMT cells reduced parasitic inductance; *MWSYM-03 2003* 1295-1298 vol.2
- Tsurumi, H.**, see Yoshida, H., *RFIC-03 2003* 395-398
- Tsutsumi, M.**, see Okubo, K., *MWSYM-03 2003* 425-428 vol.1
- Tsz Yin Yum**, Quan Xue, and Chi Hou Chan. Novel sub-harmonically pumped mixers incorporating dual-band quarter-wave and in-line stub; *MWSYM-03 2003* 87-90 vol.1
- Tu, C.C.**, see Wu, J.M., *RFIC-03 2003* 405-408
- Tudosie, G.**, E. Ofli, and R. Vahldieck. Hybrid EM-simulator based optimization of microwave and millimeter wave diplexers and multiplexers; *MWSYM-03 2003* 1219-1222 vol.2
- Tu Hsin-Yuan**, see Yo-Sheng Lin, *MWSYM-03 2003* A29-A32 vol.1
- Tu Hsin-Yuan**, see Yo-Sheng Lin, *RFIC-03 2003* 543-546
- Tung-Sheng Chen**, Chih-Yuan Lee, Chin-Hsin Kao, Der-Sheng Deng, Chung-Hsun Wu, Guo-Wei Huang, and Kun-Ming Chen. A highly efficient noise suppression technique for Si-based RFIC; *RFIC-03 2003* 343-346
- Tung Wei-Shin**, see Wei-Shin Tung, *T-MTT Jul 03* 1852-1856
- Tuovinen, J.**, G.S. Shiroma, W.E. Forsyth, and W.A. Shiroma. Multipath communications using a phase-conjugate array; *MWSYM-03 2003* 1681-1684 vol.3
- Tuovinen, J.**, see Kantanen, M., *T-MTT May 2003* 1489-1495
- Tuovinen, J.**, see Vaha-Heikkilä, T., *T-MTT Jun 03* 1621-1628
- Tuzi, C.**, see Zehentner, J., *MWSYM-03 2003* 677-680 vol.2
- Tzimas, A.**, see Pipilos, S., *RFIC-03 2003* 33-36
- Tzuang, C.-K.C.**, see Chi-Ho Chang, *MWSYM-03 2003* 511-514 vol.1
- Tzuang, C.-K.C.**, see Hsien-Shun Wu, *MWSYM-03 2003* 1099-1102 vol.2
- Tzyy-Sheng Horng**, Kang-Chun Peng, Je-Kuan Jau, and Yu-Shun Tsai. S-parameter formulation of quality factor for a spiral inductor in generalized two-port configuration; *T-MTT Nov 03* 2197-2202

U

- Uda, H.**, see Steinkamp, J., *RFIC-03 2003* 483-486
- Udomoto, J.**, T. Matsuzuka, S. Chaki, K. Kanaya, T. Katoh, Y. Notani, T. Hisaka, T. Oku, T. Ishikawa, M. Komaru, and Y. Matsuda. A 38/77 GHz MMIC transmitter chip set for automotive applications; *MWSYM-03 2003* 2229-2232 vol.3
- Ueda, A.**, T. Noguchi, H. Iwashita, Y. Sekimoto, M. Ishiguro, S. Takano, T. Nagatsuma, H. Ito, A. Hirata, and T. Ishibashi. W-band waveguide photomixer using a uni-traveling-carrier photodiode with 2-mW output; *T-MTT May 2003* 1455-1459
- Ueda, H.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Ueda, H.**, see Shinjo, S., *RFIC-03 2003* 195-198
- Ueda, T.**, see Nakamizo, H., *RFIC-03 2003* 399-402
- Ugajin, M.**, see Yamagishi, A., *MWSYM-03 2003* 733-736 vol.2
- Uhm Won Young**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Uhm Won-Young**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Umeda, Y.**, A. Kanda, and T. Enoki. Novel direct-coupled current switch architecture for a series-connected voltage-balancing pulse driver; *MWSYM-03 2003* 2265-2268 vol.3
- Urlick, V.J.**, see Funk, E.E., *MWSYM-03 2003* 269-272 vol.1
- Urteaga, M.**, see Yun Wei, *MWSYM-03 2003* 919-921 vol.2
- Urteaga, M.**, see Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2

Urteaga, M., see Krishnan, S., *T-MTT Dec 03* 2555-2561

V

- Vaesens, K.**, see Ryckaert, J., *MWSYM-03 2003* 1037-1040 vol.2
- Vaha-Heikkilä, T.**, see Kantanen, M., *T-MTT May 2003* 1489-1495
- Vaha-Heikkilä, T.**, M. Lahdes, M. Kantanen, and J. Tuovinen. On-wafer noise-parameter measurements at W-band; *T-MTT Jun 03* 1621-1628
- Vahldieck, R.**, see Baumann, D., *MWSYM-03 2003* 985-988 vol.2
- Vahldieck, R.**, see Krohne, K., *MWSYM-03 2003* 21-24 vol.1
- Vahldieck, R.**, see Ofli, E., *MWSYM-03 2003* 949-952 vol.2
- Vahldieck, R.**, see Pasalic, D., *MWSYM-03 2003* 1375-1378 vol.2
- Vahldieck, R.**, see Tudosie, G., *MWSYM-03 2003* 1219-1222 vol.2
- Vakilian, N.**, see Ngompe, E., *RFIC-03 2003* 387-390
- Valas, S.**, see Margomenos, A., *T-MTT Jan 03* 25-32
- Vale, C.R.**, see Young, R.M., *MWSYM-03 2003* 1781-1784 vol.3
- Valentin, F.**, see Tavernier, C.A., *MWSYM-03 2003* 2277-2280 vol.3
- Valery, M.**, see Point, R., *RFIC-03 2003* 431-434
- Valletta, E.**, J. Van Beek, A. Den Dekker, N. Pulsford, H.F.F. Jos, L.C.N. de Vreede, L.K. Nanver, and J.N. Burghartz. Design and characterization of integrated passive elements on high ohmic silicon; *MWSYM-03 2003* 1235-1238 vol.2
- Vallinas, J.T.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Valtonen, M.**, see Lehtovuori, A., *MWSYM-03 2003* 2129-2132 vol.3
- Van Beek, J.**, see Valletta, E., *MWSYM-03 2003* 1235-1238 vol.2
- Vandamme, E.**, see Schreurs, D., *MWSYM-03 2003* 447-450 vol.1
- van den Berg, P.M.**, and J.T. Fokkema. Removal of undesired wavefields related to the casing of a microwave scanner; *T-MTT Jan 03* 187-192
- Vandenbosch, G.A.E.**, see Vrancken, M., *T-MTT Jan 03* 216-225
- Vandenbosch, G.A.E.**, see Van Thielen, B.L.A., *T-MTT Mar 03* 869-873
- Vandenbosch, G.A.E.**, see Soliman, E.A., *T-MTT Mar 03* 874-886
- van der Heijden, M.P.**, M. Spirito, L.C.N. de Vreede, F. van Straten, and J.N. Burghartz. A 2 GHz high-gain differential InGaP HBT driver amplifier matched for high IP₃; *MWSYM-03 2003* 235-238 vol.1
- van der Tang, J.**, and A. van Roermund. A 5.3 GHz phase shift tuned I/Q LC oscillator with 1.1 GHz tuning range; *MWSYM-03 2003* A133-A136 vol.1
- van der Tang, J.**, and A. van Roermund. A 5.3 GHz phase shift tuned I/Q LC oscillator with 1.1 GHz tuning range; *RFIC-03 2003* 647-650
- van der Waal, P.**, see Malcoci, A., *MWSYM-03 2003* 143-146 vol.1
- van der Weide, D.**, see Xu Li, *MWSYM-03 2003* 379-382 vol.1
- van der Weide, D.W.**, see Bhattacharjee, S., *MWSYM-03 2003* 1331-1334 vol.2
- van de Water, F.**, see Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
- Van Gieson, F.**, see Megahed, M., *MWSYM-03 2003* 1547-1550 vol.3
- Vanhoeacker-Janvier, D.**, see Dehan, M., *T-MTT Jan 03* 100-108
- Van Hove, M.**, see Carchon, G., *MWSYM-03 2003* 1287-1290 vol.2
- Van Moer, W.**, and Y. Rolain. Proving the usefulness of a 3-port nonlinear vectorial network analyser through mixer measurements; *MWSYM-03 2003* 1647-1650 vol.3
- Van Nguyen Tran**, see Chi Yung Ho, *RFIC-03 2003* 539-542
- van Niekerc, C.**, J.A. du Preez, and D.M.M.-P. Schreurs. A new hybrid multibias analytical/decomposition-based FET parameter extraction algorithm with intelligent bias point selection; *T-MTT Mar 03* 893-902
- van Nieuwstadt, L.**, R. De Roo, D. Boprie, R. Rizor, P. Hansen, A.W. England, Hanh Pham, and Boon Lim. A compact direct detection receiver for L-band STAR radiometry; *MWSYM-03 2003* 563-566 vol.1
- Van Norstand, J.**, see Kohn, E., *T-MTT Feb 03* 634-642
- Vanpatten, J.H.**, see Hall, C.A., *MWSYM-03 2003* 503-506 vol.1
- van Raay, F.**, R. Quay, R. Kiefer, M. Schlechtweg, and G. Weimann. Large signal modeling of AlGaIn/GaN HEMTs with $P_{\text{sat}} > 4$ W/mm at 30 GHz suitable for broadband power applications; *MWSYM-03 2003* 451-454 vol.1
- van Raay, F.**, see Merkle, T., *MWSYM-03 2003* 1643-1646 vol.3
- van Roermund, A.**, see van der Tang, J., *MWSYM-03 2003* A133-A136 vol.1
- van Roermund, A.**, see van der Tang, J., *RFIC-03 2003* 647-650
- van Stigt, N.**, see Reeves, T., *T-MTT Oct 03* 2147
- van Straten, F.**, see van der Heijden, M.P., *MWSYM-03 2003* 235-238 vol.1
- Van Thielen, B.L.A.**, and G.A.E. Vandenbosch. Modeling of the influence of parasitic coupling between a component and its feeding line on scattering parameters; *T-MTT Mar 03* 869-873
- Van Veen, B.D.**, see Xu Li, *MWSYM-03 2003* 379-382 vol.1
- Varadan, V.K.**, see Abraham, J.K., *MWSYM-03 2003* 1837-1840 vol.3

- Vardiambasis, I.O.**, J.L. Tsalamengas, and K. Kostogiannis. Propagation of EM waves in composite bianisotropic cylindrical structures; *T-MTT Mar 03* 761-766
- Varelas, T.**, see Pipilos, S., *RFIC-03 2003* 33-36
- Varonen, M.**, M. Karkkainen, P. Kangaslahti, and V. Porra. Integrated power amplifier for 60 GHz wireless applications; *MWSYM-03 2003* 915-918 vol.2
- Vellas, N.**, see Schreurs, D., *MWSYM-03 2003* 447-450 vol.1
- Vendier, O.**, see Carchon, G., *MWSYM-03 2003* 1151-1154 vol.2
- Vendik, I.B.**, see Deleniv, A.N., *T-MTT Jan 03* 74-81
- Vendik, I.B.**, see Gashinova, M.S., *T-MTT Mar 03* 792-795
- Venkataraman, S.**, see Nuttinck, S., *MWSYM-03 2003* 221-223 vol.1
- Venkataraman, S.**, see Banerjee, B., *MWSYM-03 2003* 1573-1576 vol.3
- Venkataraman, S.**, see Nuttinck, S., *T-MTT Dec 03* 2445-2452
- Verdeyme, S.**, see Simeoni, M., *T-MTT Apr 03* 1187-1193
- Verducci, L.**, P. Placidi, P. Ciampolini, A. Scorzoni, and L. Roselli. A standard cell hardware implementation for finite-difference time domain (FDTD) calculation; *MWSYM-03 2003* 2085-2088 vol.3
- Verma, A.K.**, see Rahman, A.A., *MWSYM-03 2003* 571-574 vol.1
- Verspecht, J.**, see Schreurs, D., *MWSYM-03 2003* 447-450 vol.1
- Verver, C.J.**, see Hettak, K., *MWSYM-03 2003* 59-62 vol.1
- Verver, C.J.**, see Hettak, K., *MWSYM-03 2003* 1315-1318 vol.2
- Vetury, R.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Vice, M.**, see Kumar, S., *MWSYM-03 2003* 1577-1580 vol.3
- Vickes, H.O.**, see Angelov, I., *MWSYM-03 2003* 643-646 vol.2
- Vidal, A.**, see Cogollos, S., *T-MTT Dec 03* 2378-2390
- Vidal, B.**, V. Polo, J.L. Corral, and J. Marti. Photonic tunable RF filter with reconfiguration capabilities based on arrayed waveguide gratings and fiber dispersion; *MWSYM-03 2003* 159-162 vol.1
- Vidal, B.**, V. Polo, J.L. Corral, and J. Marti. Photonic tunable microwave transversal filter based on optical switches and fiber dispersion; *MWSYM-03 2003* 1399-1402 vol.2
- Vigo, R.**, see Tavernier, C.A., *MWSYM-03 2003* 2277-2280 vol.3
- Viikari, V.**, see Meltaus, J., *T-MTT Apr 03* 1274-1280
- Villard, F.**, J.-P. Prigent, E. Morvan, C. Dua, C. Brylinski, F. Temcamani, and P. Pouvil. Trap-free process and thermal limitations on large-periphery SiC MESFET for RF and microwave power; *T-MTT Apr 03* 1129-1134
- Villegas, M.**, see Baudoin, G., *MWSYM-03 2003* 2149-2152 vol.3
- Villotte, J.P.**, see Gasseling, T., *MWSYM-03 2003* 1651-1654 vol.3
- Villotte, J.P.**, see Gasseling, T., *MWSYM-03 2003* 1663-1666 vol.3
- Vincent, D.**, see Bayard, B., *T-MTT Jul 03* 1809-1814
- Vincent, P.**, J. Culver, and S. Eason. Meandered line microstrip filter with suppression of harmonic passband response; *MWSYM-03 2003* 1905-1908 vol.3
- Vincenzo, C.T.**, M. Mongiardo, and C. Tomassoni. Efficient CAD of a class of waveguide discontinuities via an hybrid Finite-Element/Mode-Matching and modified transverse-resonance analysis; *MWSYM-03 2003* 1223-1226 vol.2
- Vinoy, K.J.**, see Abraham, J.K., *MWSYM-03 2003* 1837-1840 vol.3
- Virdee, A.S.**, see Virdee, B.S., *MWSYM-03 2003* 51-54 vol.1
- Virdee, A.S.**, see Virdee, B.S., *MWSYM-03 2003* A177-A179 vol.1
- Virdee, A.S.**, see Virdee, B.S., *RFIC-03 2003* 691-693
- Virdee, B.S.**, A.S. Virdee, and L.A. Trinogga. Novel invasive electronic tuning of dielectric resonators; *MWSYM-03 2003* 51-54 vol.1
- Virdee, B.S.**, and C. Grassopoulos. Folded microstrip resonator; *MWSYM-03 2003* 2161-2164 vol.3
- Virdee, B.S.**, and A.S. Virdee. Single-ended amplifier that substantially improves PAE and ultra-broadband performance; *MWSYM-03 2003* A177-A179 vol.1
- Virdee, B.S.**, and A.S. Virdee. Single-ended amplifier that substantially improves PAE and ultra-broadband performance; *RFIC-03 2003* 691-693
- Virone, G.**, see Peverini, O.A., *T-MTT Apr 03* 1207-1213
- Virtanen, J.**, see Lehtovuori, A., *MWSYM-03 2003* 2129-2132 vol.3
- Virunphun, S.**, see Srisathit, S., *MWSYM-03 2003* 35-38 vol.1
- Vittoria, C.**, see Obol, M., *MWSYM-03 2003* 429-432 vol.1
- Vitulli, F.**, see Alessandri, F., *T-MTT May 2003* 1441-1448
- Vitusevich, S.A.**, K. Schieber, I.S. Ghosh, N. Klein, and M. Spinnler. Design and characterization of an all-cryogenic low phase-noise sapphire K-band oscillator for satellite communication; *T-MTT Jan 03* 163-169
- Vlassis, S.**, see Pipilos, S., *RFIC-03 2003* 33-36
- Vogt, R.**, see Brauner, T., *RFIC-03 2003* 435-438
- von Kerssenbrock, T.**, see Heyen, J., *T-MTT Dec 03* 2589-2596

- Vossiek, M.**, see Pichler, M., *MWSYM-03 2003* 1953-1956 vol.3
Vrancken, M., and G.A.E. Vandenbosch. Hybrid dyadic-mixed-potential and combined spectral-space domain integral-equation analysis of quasi-3-D structures in stratified media; *T-MTT Jan 03* 216-225
Vu, S., see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
Vuye, S., see Dellier, S., *MWSYM-03 2003* 1347-1350 vol.2

W

- Wada, T.**, see Hattori, J., *MWSYM-03 2003* 933-936 vol.2
Wadefalk, N., A. Mellberg, I. Angelov, M.E. Barsky, S. Bui, E. Choumas, R.W. Grundbacher, E.L. Kollberg, R. Lai, N. Rorsman, P. Starski, J. Stenarson, D.C. Streit, and H. Zirath. Cryogenic wide-band ultra-low-noise IF amplifiers operating at ultra-low DC power; *T-MTT Jun 03* 1705-1711
Wagner, B.K., see Nuttinck, S., *T-MTT Dec 03* 2445-2452
Wagner, K.C., see Pitschi, F.M., *MWSYM-03 2003* 2009-2012 vol.3
Wagner, L., see Plouchart, J.-O., *RFIC-03 2003* 329-332
Wagner, L.F., see Fong, N.H.W., *T-MTT Aug 03* 1952-1959
Wai Chung Tang, see Ming Yu, *MWSYM-03 2003* 929-932 vol.2
Wakamiya, D., see Awai, I., *MWSYM-03 2003* 1085-1088 vol.2
Waldow, P., see Rennings, A., *MWSYM-03 2003* 2089-2092 vol.3
Waldow, P., see Steinkamp, J., *RFIC-03 2003* 483-486
Walker, J. Analytic expressions for the optimum source & load impedance and associated large-signal gain of an RF power transistor; *MWSYM-03 2003* 1725-1728 vol.3
Walker, L., see Reece, M.A., *MWSYM-03 2003* 615-618 vol.1
Walker, L., Jr., see Davis, B., *MWSYM-03 2003* 177-180 vol.1
Walter, M., see Rennings, A., *MWSYM-03 2003* 2089-2092 vol.3
Wan Changhua, see Changhua Wan, *T-MTT Mar 03* 1003-1008
Wane, S., D. Bajon, H. Baudrand, and P. Gamand. Multilevel approach for the investigation of substrate parasitics in mixed-signal IC's from full-wave analysis; *RFIC-03 2003* 263-266
Wang, A., see Guang Chen, *RFIC-03 2003* 347-350
Wang, A., see Haibo Long, *RFIC-03 2003* 251-254
Wang, C.M., see Williams, D.F., *MWSYM-03 2003* 1819-1822 vol.3
Wang, D., and Xudong Wang. The performance comparison of CMOS vs bipolar VCO in SiGe BiCMOS technology; *MWSYM-03 2003* A101-A104 vol.1
Wang, D., and Xudong Wang. The performance comparison of CMOS vs bipolar VCO in SiGe BiCMOS technology; *RFIC-03 2003* 615-618
Wang, G., A. Takechi, K. Araki, T. Tokumitsu, I. Hanawa, Y. Yoneda, K. Sato, and M. Kobayashi. Wide bandwidth, high performance waveguide-integrated P-I-N photodiodes for 40 Gbits/s receiver modules; *MWSYM-03 2003* 151-154 vol.1
Wang, H., see Smorchkova, I.P., *T-MTT Feb 03* 665-668
Wang, H., see Chen, I.-J., *T-MTT Dec 03* 2461-2468
Wang, J., see Smorchkova, I.P., *T-MTT Feb 03* 665-668
Wang, J.C.M., see Williams, D.F., *T-MTT Dec 03* 2391-2401
Wang, K.C., see Yu, M., *RFIC-03 2003* 71-73
Wang, K.L., see Younkyu Chung, *T-MTT Feb 03* 653-659
Wang, N.L., C. Dunnrowicz, X. Chen, W. Ma, H.F. Chau, X. Sun, Y. Chen, B. Lin, I.L. Lo, C.H. Huang, and M.H.T. Yang. High efficiency 28V class AB InGaP/GaAs HBT MMIC amplifier with integrated bias circuit; *MWSYM-03 2003* 707-710 vol.2
Wang, P.J., see Zeji Gu, *MWSYM-03 2003* 391-394 vol.1
Wang, R., see Yang, J.M., *MWSYM-03 2003* 1853-1855 vol.3
Wang, T., see Nakamizo, H., *RFIC-03 2003* 399-402
Wang, W.K., C.K. Lin, C.C. Wu, and Y. Chan. A complete self-defined empirical model for enhancement-mode AlGaAs/InGaAs pHEMTs; *MWSYM-03 2003* 443-446 vol.1
Wang, Y., see Ismail, M.A., *MWSYM-03 2003* 291-294 vol.1
Wang, Y., see Nishio, T., *T-MTT Dec 03* 2483-2494
Wang, Y., see Yu, M., *T-MTT Dec 03* 2505-2515
Wang, Y.J., see Yang, M.T., *MWSYM-03 2003* 1283-1286 vol.2
Wang, Y.J., see Yang, M.T., *RFIC-03 2003* 369-372
Wang Chi-Hsueh, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
Wang Chi-Hsueh, see Chi-Hsueh Wang, *T-MTT Jan 03* 207-215
Wang Gang, see Gang Wang, *T-MTT Apr 03* 1227-1233
Wang Guangxi, see Guangxi Wang, *MWSYM-03 2003* 1379-1382 vol.2
Wang Guoan, see Guoan Wang, *MWSYM-03 2003* 1633-1636 vol.3
Wang Hong, see Jianjun Gao, *T-MTT Oct 03* 2079-2089
Wang Huei, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
Wang Huei, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
Wang Huei, see Pei-Si Wu, *MWSYM-03 2003* 863-866 vol.2
Wang Huei, see I-Jen Chen, *MWSYM-03 2003* 2023-2026 vol.3
Wang Huei, see Kuo-Liang Deng, *RFIC-03 2003* 325-328
Wang Huei, see Ren-Chieh Liu, *RFIC-03 2003* 103-106
Wang Huei, see Chi-Hsueh Wang, *T-MTT Jan 03* 207-215
Wang Huei, see Kun-You Lin, *T-MTT Apr 03* 1076-1085
Wang Huei, see Kuo-Liang Deng, *T-MTT Apr 03* 1257-1261
Wang Huei, see Kuo-Liang Deng, *T-MTT Nov 03* 2188-2196
Wang Jianqing, see Jianqing Wang, *T-MTT Mar 03* 966-971
Wang Jing, see Jing Wang, *RFIC-03 2003* 335-338
Wang Ke, see Pan, G.W., *T-MTT Jan 03* 148-155
Wang Pingshan, see Pingshan Wang, *RFIC-03 2003* 361-364
Wang Shih-Ming, see Shih-Ming Wang, *MWSYM-03 2003* 63-66 vol.1
Wang Shumin, see Shumin Wang, *T-MTT Mar 03* 811-817
Wang Tianhai, see Tianhai Wang, *T-MTT May 2003* 1433-1440
Wang Wenxiang, see Wenxiang Wang, *T-MTT Jan 03* 55-63
Wang Xingle, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
Wang Xudong, see Wang, D., *MWSYM-03 2003* A101-A104 vol.1
Wang Xudong, see Wang, D., *RFIC-03 2003* 615-618
Wang Yong, see Afsar, M.N., *MWSYM-03 2003* 1407-1410 vol.2
Wang You Lin, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
Wang Yuanxun, see Seong-Sik Jeon, *MWSYM-03 2003* 579-582 vol.1
Wang Yuanxun, see Weijun Yao, *MWSYM-03 2003* 1541-1544 vol.3
Wang Yuanxun, see Nishio, T., *MWSYM-03 2003* 1673-1676 vol.3
Wang Yuanxun, see Weijun Yao, *MWSYM-03 2003* 2093-2096 vol.3
Wang Yuanxun, see Ji-Yong Park, *MWSYM-03 2003* 1677-1680 vol.3
Wang Yuanxun, see Leong, K.M.K.H., *MWSYM-03 2003* 1447-1450 vol.2
Wang Yuanxun, see Yuanxun Wang, *MWSYM-03 2003* 1327-1330 vol.2
Wang Yuanxun, see Ji-Yong Park, *T-MTT May 2003* 1482-1488
Wang Yu-Chi, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
Wang Yu-Jiu, see Kun-You Lin, *T-MTT Apr 03* 1076-1085
Wang Yun Yi, see Ning Yang, *MWSYM-03 2003* 535-538 vol.1
Wang Zeyi, see Wenjian Yu, *T-MTT Jan 03* 109-119
Wan Ni, Xiaojun Yuan, Y.V. Tretiakov, R. Groves, and L.E. Larson. Design and modeling of a high-Q on-chip hairpin inductor for RFIC applications; *MWSYM-03 2003* A33-A36 vol.1
Wan Ni, Xiaojun Yuan, Y.V. Tretiakov, R. Groves, and L.E. Larson. Design and modeling of a high-Q on-chip hairpin inductor for RFIC applications; *RFIC-03 2003* 547-550
Ward, J., see Maestrini, A., *MWSYM-03 2003* 747-750 vol.2
Wartenberg, S.A. Selected topics in RF coplanar probing; *T-MTT Apr 03* 1413-1421
Wartenberg, S.A., and J.R. Hauser. The pHEMT gate at microwave frequencies; *T-MTT Jun 03* 1718-1723
Washio, K., see Kondo, M., *MWSYM-03 2003* 2205-2208 vol.3
Wasige, E. Determining the HBT base-collector elements directly from S parameter data; *MWSYM-03 2003* 1019-1022 vol.2
Watabe, K., K. Shimizu, M. Yoneyama, and K. Mizuno. Millimeter-wave active imaging using neural networks for signal processing; *T-MTT May 2003* 1512-1516
Watanabe, D., I. Imanishi, J. Itoh, T. Nakatani, and T. Saeki. A very low distortion SiGe BiCMOS down converter for W-CDMA applications; *MWSYM-03 2003* 1555-1558 vol.3
Watanabe, O., see Yoshida, H., *RFIC-03 2003* 395-398
Waterhouse, R., see Lim, C., *MWSYM-03 2003* 273-276 vol.1
Watson, A., P. Francis, Kyuwoon Hwang, and A. Weisshaar. Wide-band distributed modeling of spiral inductors in RFICs; *MWSYM-03 2003* 1011-1014 vol.2
Webb, K.J., see Sungjae Lee, *T-MTT May 2003* 1567-1577
Webb, K.J., see Jong-Wook Lee, *T-MTT Nov 03* 2243-2249
Weber, D., see Mehta, S., *RFIC-03 2003* 427-430
Webster, R.T., see Reid, J.R., *MWSYM-03 2003* 1919-1922 vol.3
Wei, X., see Tee, Y.T., *MWSYM-03 2003* A37-A40 vol.1
Wei, X., see Tee, Y.T., *RFIC-03 2003* 551-554
Wei, Y., see Krishnan, S., *T-MTT Dec 03* 2555-2561
Wei, Z., and A. Pham. Liquid crystal polymer (LCP) for microwave/millimeter wave multilayer packaging; *MWSYM-03 2003* 2273-2276 vol.3
Wei-Cheng Lin, Long-Jei Du, and Ya-Chin King. Reliability evaluation of voltage controlled oscillators based on a device degradation sub-circuit model; *RFIC-03 2003* 377-380
Weigel, R., see Stelzer, A., *MWSYM-03 2003* 893-896 vol.2
Weigel, R., see Konstanznig, G., *RFIC-03 2003* 189-192
Weigel, R., see Lanschutzer, C., *RFIC-03 2003* 19-22
Weigel, R., see Simon, M., *RFIC-03 2003* 409-412

- Wei Guowei**, see Zhenhai Shao, *T-MTT Mar 03* 856-861
- Wei Hong**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Wei Hong**, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
- Wei Hong**, see Zhenhai Shao, *T-MTT Jan 03* 82-90
- Wei Hong**, see Feng Xu, *T-MTT Nov 03* 2221-2227
- Weijun Yao**, Yuanxun Wang, and T. Itoh. A self-calibration antenna array system with moving apertures; *MWSYM-03 2003* 1541-1544 vol.3
- Weijun Yao**, and Yuanxun Wang. An effective 3D solver for MMIC interconnects - EVFE technique with PML; *MWSYM-03 2003* 2093-2096 vol.3
- Weikle, R.M.I.I.**, see Haiyong Xu, *MWSYM-03 2003* 2031-2034 vol.3
- Weilke, R.M.I.I.**, see Zhiyang Liu, *MWSYM-03 2003* 2241-2244 vol.3
- Weimann, G.**, see van Raay, F., *MWSYM-03 2003* 451-454 vol.1
- Weiner, J.**, see Roux, P., *MWSYM-03 2003* 1193-1196 vol.2
- Weiner, J.S.**, see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
- Weinreb, S.**, see Morgan, M., *MWSYM-03 2003* 133-136 vol.1
- Weinreb, S.**, see Morgan, M., *MWSYM-03 2003* 1227-1230 vol.2
- Wei-Shin Tung**, Hsu-Hsiang Wu, and Yi-Chyun Chiang. Design of microwave wide-band quadrature hybrid using planar transformer coupling method; *T-MTT Jul 03* 1852-1856
- Weiske, C.-J.**, see Jung Han Choi, *MWSYM-03 2003* 1515-1518 vol.3
- Weisser, S.**, see Baeyens, Y., *RFIC-03 2003* 67-70
- Weisshaar, A.**, see Settalur, R.K., *MWSYM-03 2003* 1251-1254 vol.2
- Weisshaar, A.**, see Watson, A., *MWSYM-03 2003* 1011-1014 vol.2
- Weisshaar, A.**, see Melendy, D., *MWSYM-03 2003* 1007-1010 vol.2
- Wei Yun**, see Yun Wei, *MWSYM-03 2003* 919-921 vol.2
- Wei Yun**, see Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2
- Wei-Zen Chen**, and Wen-Hui Chen. Symmetric 3D passive components for RF ICs application; *MWSYM-03 2003* A85-A88 vol.1
- Wei-Zen Chen**, and Wen-Hui Chen. Symmetric 3D passive components for RF ICs application; *RFIC-03 2003* 599-602
- Wei Zhu**, see Zeji Gu, *MWSYM-03 2003* 391-394 vol.1
- Weldon, T.P.**, and K. Miehle. Using amplifiers with poor linearity to linearize amplifiers with good linearity; *MWSYM-03 2003* 1741-1744 vol.3
- Weller, T.**, see Lakshminarayanan, B., *MWSYM-03 2003* 1789-1792 vol.3
- Wells, M.**, see Dawson, D., *MWSYM-03 2003* 1585-1587 vol.3
- Wells, M.**, see Gaier, T., *MWSYM-03 2003* 2245-2248 vol.3
- Wen, C.P.**, see Younkyu Chung, *T-MTT Feb 03* 653-659
- Wen, S.Y.**, see Meng, C.C., *MWSYM-03 2003* A205-A208 vol.1
- Wen, S.Y.**, see Meng, C.C., *RFIC-03 2003* 719-722
- Wen-Hui Chen**, see Wei-Zen Chen, *MWSYM-03 2003* A85-A88 vol.1
- Wen-Hui Chen**, see Wei-Zen Chen, *RFIC-03 2003* 599-602
- Wenjian Yu**, Zeyi Wang, and Jiangchun Gu. Fast capacitance extraction of actual 3-D VLSI interconnects using quasi-multiple medium accelerated BEM; *T-MTT Jan 03* 109-119
- Wenxiang Wang**, Yubin Gong, Guofen Yu, Lingna Yue, and Jiahong Sun. Mode discriminator based on mode-selective coupling; *T-MTT Jan 03* 55-63
- Wenzel, R.J.** Understanding transmission zero movement in cross-coupled filters; *MWSYM-03 2003* 1459-1462 vol.3
- Weste, N.**, see Tae Youn Kim, *RFIC-03 2003* 93-96
- Wetzel, M.**, see Mayer, W., *MWSYM-03 2003* 1941-1944 vol.3
- Whelan, C.S.**, see Herrick, K.J., *MWSYM-03 2003* 137-140 vol.1
- Whelan, C.S.**, see Leoni, R.E., III, *MWSYM-03 2003* 147-150 vol.1
- Whitaker, J.F.**, see Reano, R.M., *MWSYM-03 2003* 1923-1926 vol.3
- White, C.**, see Davis, B., *MWSYM-03 2003* 177-180 vol.1
- White, C.**, see Reece, M.A., *MWSYM-03 2003* 615-618 vol.1
- Whites, K.W.**, see Symons WC, I.I.I., *T-MTT Jan 03* 91-99
- Wiar, J.**, see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Wilkins, B.** Polaris Total Radio™, a highly integrated RF solution for GSM/GPRS and EDGE; *RFIC-03 2003* 383-386
- Williams, D.F.**, see Remley, K.A., *MWSYM-03 2003* 1507-1510 vol.3
- Williams, D.F.**, C.M. Wang, and U. Arz. An optimal multiline TRL calibration algorithm; *MWSYM-03 2003* 1819-1822 vol.3
- Williams, D.F.**, see Janezic, M.D., *T-MTT Jan 03* 132-136
- Williams, D.F.**, see Hale, P.D., *T-MTT Apr 03* 1422-1429
- Williams, D.F.**, J.C.M. Wang, and U. Arz. An optimal vector-network-analyzer calibration algorithm; *T-MTT Dec 03* 2391-2401
- Williams, D.J.**, J. Leckey, and P.J. Tasker. Envelope domain analysis of measured time domain voltage and current waveforms provide for improved understanding of factors effecting linearity; *MWSYM-03 2003* 1411-1414 vol.2
- Williams, J.T.**, see Langston, W.L., *MWSYM-03 2003* 665-668 vol.2
- Williams, J.T.**, see Langston, W.L., *T-MTT Dec 03* 2366-2377
- Williams, K.J.**, see Funk, E.E., *MWSYM-03 2003* 269-272 vol.1
- Williams, T.C.**, M.A. Stuchly, and P. Saville. Modified transmission-reflection method for measuring constitutive parameters of thin flexible high-loss materials; *T-MTT May 2003* 1560-1566
- Winczewski, C.**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Windish, C.**, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
- Winkler von Mohrenfels, T.**, see Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Wittmann, F.**, see Rennings, A., *MWSYM-03 2003* 2089-2092 vol.3
- Wohlert, R.**, see Gresham, I., *MWSYM-03 2003* 369-372 vol.1
- Wohlert, R.**, see Gresham, I., *RFIC-03 2003* 505-508
- Wohlmuth, H.-D.**, see Bakalski, W., *MWSYM-03 2003* 695-698 vol.2
- Wohlmuth, H.-D.**, see Kehrer, D., *MWSYM-03 2003* 2261-2264 vol.3
- Wohlmuth, H.-D.**, D. Kehrer, R. Thuringer, and W. Simburger. A 17 GHz dual-modulus prescaler in 120 nm CMOS; *RFIC-03 2003* 479-482
- Wojtowicz, M.**, see Smorchkova, I.P., *T-MTT Feb 03* 665-668
- Wolf, C.**, see Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
- Wolff, I.**, see Hee-Ran Ahn, *MWSYM-03 2003* 1607-1610 vol.3
- Wolff, I.**, see Rennings, A., *MWSYM-03 2003* 2089-2092 vol.3
- Wolski, M.**, see Woolard, D.L., *MWSYM-03 2003* 763-766 vol.2
- Wong, W.**, G. Cibiel, J.-G. Tartarin, E. Tournier, R. Plana, and O. Llopis. X band BiCMOS SiGe 0.35 μ m voltage controlled oscillator in parallel and reflection topology and external phase noise improvement solution; *RFIC-03 2003* 281-284
- Wong Man Fai**, see Hadjem, A., *MWSYM-03 2003* 407-410 vol.1
- Wong Sheng Jau**, see Raja, M.K., *RFIC-03 2003* 439-442
- Won Kim Sang**, see Sang Won Kim, *MWSYM-03 2003* 339-342 vol.1
- Won Young Uhm**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Won-Young Uhm**, Woo-Suk Sul, Hyo-Jong Han, Sung-Chan Kim, Han-Sin Lee, Dan An, Sam-Dong Kim, Dong-Hoon Shin, Hyung-Moo Park, and Jin-Koo Rhee. A high performance V-band monolithic quadruple sub-harmonic mixer; *MWSYM-03 2003* 1319-1322 vol.2
- Wood, J.**, and D.E. Root. The behavioral modeling of microwave/RF ICs using non-linear time series analysis; *MWSYM-03 2003* 791-794 vol.2
- Woo Dong-Sik**, see Kang Wook Kim, *MWSYM-03 2003* 1115-1118 vol.2
- Woods, R.C.** Time-resolved measurements using conventional analog network analyzer; *T-MTT Jun 03* 1781-1786
- Wook Kim Kang**, see Kang Wook Kim, *MWSYM-03 2003* 1115-1118 vol.2
- Wook Kim Tae**, see Tae Wook Kim, *RFIC-03 2003* 107-110
- Woolard, D.L.**, E.R. Brown, A.C. Samuels, J.O. Jensen, T. Globus, B. Gelmont, and M. Wolski. Terahertz-frequency remote-sensing of biological warfare agents; *MWSYM-03 2003* 763-766 vol.2
- Woo Suk Sul**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Woo-Suk Sul**, see Won-Young Uhm, *MWSYM-03 2003* 1319-1322 vol.2
- Wooyeol Choi**, Changyul Cheon, and Youngwoo Kwon. A V-band single-chip MMIC oscillator array using a 4-port microstrip patch antenna; *MWSYM-03 2003* 881-884 vol.2
- Wooyeol Choi**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Woo-Young Choi**, see Chang-Soon Choi, *MWSYM-03 2003* 1383-1386 vol.2
- Woo Young Yun**, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
- Worapishet, A.**, see Srisathit, S., *MWSYM-03 2003* 35-38 vol.1
- Wren, M.**, see Zhu, A., *MWSYM-03 2003* 787-790 vol.2
- Wren, M.**, see Florian, C., *MWSYM-03 2003* 2125-2128 vol.3
- Wu, C.C.**, see Wang, W.K., *MWSYM-03 2003* 443-446 vol.1
- Wu, J.M.**, see Horng, T.S., *MWSYM-03 2003* 1015-1018 vol.2
- Wu, J.M.**, J.K. Jau, T.S. Horng, and C.C. Tu. Highly linear upconverter MMIC designs with complete package and test board effects for CDMA applications; *RFIC-03 2003* 405-408
- Wu, J.-M.**, see Horng, T.-S., *T-MTT Dec 03* 2327-2333
- Wu, K.**, see Bozzi, M., *MWSYM-03 2003* 1975-1978 vol.3
- Wu, M.**, see Zhuang, Y., *MWSYM-03 2003* 1367-1370 vol.2
- Wu, T.H.**, see Meng, C.C., *MWSYM-03 2003* A105-A108 vol.1
- Wu, T.H.**, see Meng, C.C., *RFIC-03 2003* 619-622
- Wu, Y.**, see Zhuang, Y., *MWSYM-03 2003* 1367-1370 vol.2
- Wu Chia-Long**, see Yeong-Lin Lai, *RFIC-03 2003* 351-354
- Wu Chung-Hsun**, see Tung-Sheng Chen, *RFIC-03 2003* 343-346
- Wu Chun-Pang**, see Chun-Pang Wu, *MWSYM-03 2003* A125-A128 vol.1
- Wu Chun-Pang**, see Chun-Pang Wu, *RFIC-03 2003* 639-642
- Wu Hsien-Shun**, see Chi-Ho Chang, *MWSYM-03 2003* 511-514 vol.1
- Wu Hsien-Shun**, see Hsien-Shun Wu, *MWSYM-03 2003* 1099-1102 vol.2
- Wu Hsu-Hsiang**, see Wei-Shin Tung, *T-MTT Jul 03* 1852-1856
- Wu Ke**, see Abdulnour, J., *MWSYM-03 2003* 591-594 vol.1
- Wu Ke**, see Moldovan, E., *MWSYM-03 2003* 595-598 vol.1
- Wu Ke**, see Tatu, S.O., *MWSYM-03 2003* A9-A12 vol.1
- Wu Ke**, see Boone, F., *MWSYM-03 2003* 1471-1474 vol.3
- Wu Ke**, see Ping Yang, *MWSYM-03 2003* 2041-2044 vol.3

Wu Ke, see Deslandes, D., *MWSYM-03 2003* 1103-1106 vol.2
 Wu Ke, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
 Wu Ke, see Xinyu Xu, *MWSYM-03 2003* 1059-1062 vol.2
 Wu Ke, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
 Wu Ke, see Tatu, S.O., *RFIC-03 2003* 523-526
 Wu Ke, see Belaid, M., *T-MTT Mar 03* 684-689
 Wu Ke, see Feng Xu, *T-MTT Nov 03* 2221-2227
 Wu Ke-Li, see Yong Huang, *MWSYM-03 2003* 2237-2240 vol.3
 Wu Ke-Li, see Yan Ding, *T-MTT Mar 03* 928-934
 Wu Ke-Li, see Yong Huang, *T-MTT May 2003* 1613-1617
 Wu Pei-Si, see Pei-Si Wu, *MWSYM-03 2003* 863-866 vol.2
 Wurfl, J., see De Meyer, S., *MWSYM-03 2003* 455-458 vol.1
 Wurfl, J., see Lenk, F., *MWSYM-03 2003* 903-906 vol.2
 Wurzer, M., see Knapp, H., *MWSYM-03 2003* 1067-1070 vol.2
 Wylde, R.J., see Manabe, T., *T-MTT Jun 03* 1696-1704

X

Khafa, A.E., see Nikitin, P.V., *MWSYM-03 2003* 1827-1830 vol.3
 Khafa, A.E., see Nikitin, P.V., *T-MTT Dec 03* 2402-2408
 Xiangyin Zeng, M. Abdulla, and Qing-Lun Chen. Closed-form formula for frequency dependent bonding pad characterization; *MWSYM-03 2003* 837-840 vol.2
 Xianyang Zhu, T. Dogaru, and L. Carin. Analysis of the CDF biorthogonal MRTD method with application to PEC targets; *T-MTT Sep 03* 2015-2022
 Xiao, H., T. Tanaka, and M. Aikawa. A Ka-band quadruple-push oscillator; *MWSYM-03 2003* 889-892 vol.2
 Xiao-Bang Xu, see Kama Huang, *T-MTT Oct 03* 2106-2111
 Xiao Enjun, see Enjun Xiao, *MWSYM-03 2003* A61-A64 vol.1
 Xiao Enjun, see Enjun Xiao, *RFIC-03 2003* 575-578
 Xiaojun Yuan, see Wan Ni, *MWSYM-03 2003* A33-A36 vol.1
 Xiaojun Yuan, see Wan Ni, *RFIC-03 2003* 547-550
 Xiaopin Zhang Analysis and verification on side effect of anti-backlash delay in phase-frequency detector; *MWSYM-03 2003* A17-A20 vol.1
 Xiaopin Zhang Analysis and verification on side effect of anti-backlash delay in phase-frequency detector; *RFIC-03 2003* 531-534
 Xie Shouxuan, see Yun Wei, *MWSYM-03 2003* 919-921 vol.2
 Xie Shouxuan, see Paidi, V., *T-MTT Feb 03* 643-652
 Xie Zhijian, see Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
 Xingle Wang, see Kahrs, M., *MWSYM-03 2003* 1211-1214 vol.2
 Xin Hao, see Higgins, J.A., *T-MTT Apr 03* 1281-1288
 Xin Jiang, Li Liu, S.C. Ortiz, R. Bashirullah, and A. Mortazawi. A Ka-band power amplifier based on a low-profile slotted-waveguide power-combining/dividing circuit; *T-MTT Jan 03* 144-147
 Xinyu Xu, Ke Wu, and R.G. Bosio. Software defined radio receiver based on Six-Port technology; *MWSYM-03 2003* 1059-1062 vol.2
 Xiong Yong Zhong, see Huailin Liao, *RFIC-03 2003* 247-250
 Xiying Chen, see Nabet, B., *T-MTT Oct 03* 2063-2072
 Xu, J.J., see Cao, Y., *MWSYM-03 2003* 165-168 vol.1
 Xu, S.K., see Meng, C.C., *MWSYM-03 2003* A105-A108 vol.1
 Xu, S.K., see Meng, C.C., *RFIC-03 2003* 619-622
 Xu Dao-Xian, see Ban-Leong Ooi, *RFIC-03 2003* 259-262
 Xudong Wang, see Wang, D., *MWSYM-03 2003* A101-A104 vol.1
 Xudong Wang, see Wang, D., *RFIC-03 2003* 615-618
 Xue, Q., see Yum, T.Y., *T-MTT Dec 03* 2538-2547
 Xuejun Cao, see Kama Huang, *T-MTT Oct 03* 2106-2111
 Xue Quan, see Tsz Yin Yum, *MWSYM-03 2003* 87-90 vol.1
 Xue Quan, see Quan Xue, *T-MTT May 2003* 1449-1454
 Xu Feng, see Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
 Xu Feng, see Feng Xu, *T-MTT Nov 03* 2221-2227
 Xu Haiyong, see Haiyong Xu, *MWSYM-03 2003* 2031-2034 vol.3
 Xuhong Hu, see Khan, M.A., *T-MTT Feb 03* 624-633
 Xu Jian, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
 Xu Jianjun, see Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
 Xu Jianjun, see Jianjun Xu, *T-MTT Jan 03* 226-237
 Xu Li, S.C. Hagness, B.D. Van Veen, and D. van der Weide. Experimental investigation of microwave imaging via space-time beamforming for breast cancer detection; *MWSYM-03 2003* 379-382 vol.1
 Xu Muliang, see Yu, M., *RFIC-03 2003* 71-73
 Xun Gong, see Chappell, W.J., *MWSYM-03 2003* 1611-1614 vol.3
 Xu Shuming, see Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
 Xu Xiao-Bang, see Kama Huang, *T-MTT Oct 03* 2106-2111
 Xu Xinyu, see Xinyu Xu, *MWSYM-03 2003* 1059-1062 vol.2

Y

Ya-Chin King, see Wei-Cheng Lin, *RFIC-03 2003* 377-380
 Yaglioglu, O., see Strohm, K.M., *MWSYM-03 2003* 1801-1804 vol.3
 Yagoub, M.C.E., see Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
 Yagoub, M.C.E., see Jianjun Xu, *T-MTT Jan 03* 226-237
 Yagoub, M.C.E., see Devabhaktuni, V.K., *T-MTT Jul 03* 1822-1833
 Yamada, A., E. Suematsu, K. Sato, M. Yamamoto, and H. Sato. 60GHz ultra compact transmitter/receiver with a low phase noise PLL-oscillator; *MWSYM-03 2003* 2035-2038 vol.3
 Yamagishi, A., M. Ugajin, and T. Tsukahara. A 1-V 2.4-GHz PLL synthesizer with a fully differential prescaler and a low-off-leakage charge pump; *MWSYM-03 2003* 733-736 vol.2
 Yamaguchi, M., see Kuroki, F., *MWSYM-03 2003* 475-478 vol.1
 Yamaguchi, M., see Kuroki, F., *MWSYM-03 2003* 619-622 vol.1
 Yamaguchi, M., see Kuroki, F., *MWSYM-03 2003* 2053-2056 vol.3
 Yamaguchi, Y., see Dodo, H., *MWSYM-03 2003* 1559-1562 vol.3
 Yamaguchi, Y., see Kikkawa, T., *RFIC-03 2003* 167-170
 Yamahata, S., see Ishii, K., *RFIC-03 2003* 63-66
 Yamahata, S., see Ishii, K., *T-MTT Nov 03* 2181-2187
 Yamakawa, S., see Ohnakado, T., *RFIC-03 2003* 229-232
 Yamamoto, M., see Yamada, A., *MWSYM-03 2003* 2035-2038 vol.3
 Yamanaka, K., K. Mori, H. Ikematsu, Y. Sasaki, and M. Nakayama. Bias circuit for high yield self-bias MMIC amplifier for APAAs; *MWSYM-03 2003* 121-124 vol.1
 Yamaoka, K., see Kuroki, F., *MWSYM-03 2003* 2053-2056 vol.3
 Yamasaki, K., see Asao, H., *MWSYM-03 2003* 941-944 vol.2
 Yamashita, M., see Fujita, K., *MWSYM-03 2003* 871-874 vol.2
 Yamauchi, D., R. Quon, Yun-Ho Chung, M. Nishimoto, C. Romo, J. Swift, R. Grundbacher, D. Lee, and L. Liu. A compact transceiver for wide bandwidth and high power K-, Ka-, and V-band applications; *MWSYM-03 2003* 2015-2018 vol.3
 Yan Ding, Ke-Li Wu, and Da Gang Fang. A broad-band adaptive-frequency-sampling approach for microwave-circuit EM simulation exploiting Stoer-Bulirsch algorithm; *T-MTT Mar 03* 928-934
 Yang, C.C., see Yang, J.M., *MWSYM-03 2003* 1853-1855 vol.3
 Yang, H.Y.D., and J.A. Castaneda. Design and analysis of on-chip symmetric parallel-plate coupled-line balun for silicon RF integrated circuits; *MWSYM-03 2003* A13-A16 vol.1
 Yang, H.Y.D., and J.A. Castaneda. Design and analysis of on-chip symmetric parallel-plate coupled-line balun for silicon RF integrated circuits; *RFIC-03 2003* 527-530
 Yang, J.M., X. Lan, R. Wang, R. Kagiwada, and C.C. Yang. Variable periphery amplifier with built-in phase shifting capability for ultra compact transceiver module; *MWSYM-03 2003* 1853-1855 vol.3
 Yang, L.Q., see Horng, T.S., *MWSYM-03 2003* 1015-1018 vol.2
 Yang, L.-Q., see Horng, T.-S., *T-MTT Dec 03* 2327-2333
 Yang, M.H.T., see Wang, N.L., *MWSYM-03 2003* 707-710 vol.2
 Yang, M.T., T.J. Yeh, W.C. Lin, H.M. Hsu, P.P.C. Ho, Y.J. Wang, Y.T. Chia, and D.D.L. Tang. Characterization and model of high quality factor and broadband integrated inductor on Si-substrate; *MWSYM-03 2003* 1283-1286 vol.2
 Yang, M.T., P.P.C. Ho, Y.J. Wang, T.J. Yeh, and Y.T. Chia. Broadband small-signal model and parameter extraction for deep sub-micron MOSFETs valid up to 110 GHz; *RFIC-03 2003* 369-372
 Yang, M.Y., see Huang, C.H., *MWSYM-03 2003* 507-510 vol.1
 Yang, Y., see Georgiou, G., *MWSYM-03 2003* 2269-2272 vol.3
 Yang Hong, see Hong Yang, *MWSYM-03 2003* A149-A152 vol.1
 Yang Hong, see Hong Yang, *RFIC-03 2003* 663-666
 Yang Jay, see Chi-Ho Chang, *MWSYM-03 2003* 511-514 vol.1
 Yang Jinwei, see Khan, M.A., *T-MTT Feb 03* 624-633
 Yang Kyoungsoon, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
 Yang Ning, see Ning Yang, *MWSYM-03 2003* 535-538 vol.1
 Yang Ping, see Ping Yang, *MWSYM-03 2003* 2041-2044 vol.3
 Yang Youngoo, see Jeonghyeon Cha, *MWSYM-03 2003* 81-84 vol.1
 Yang Youngoo, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
 Yang Youngoo, see Youngoo Yang, *T-MTT Mar 03* 986-993
 Yan Han, and B. Jalali. Time-bandwidth product of the photonic time-stretched analog-to-digital converter; *T-MTT Jul 03* 1886-1892
 Yan Li, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
 Yao Weijun, see Weijun Yao, *MWSYM-03 2003* 1541-1544 vol.3
 Yao Weijun, see Weijun Yao, *MWSYM-03 2003* 2093-2096 vol.3
 Yates, D., see Megahed, M., *MWSYM-03 2003* 1547-1550 vol.3
 Yates, D., see Cho, J., *RFIC-03 2003* 391-394
 Yeh, T.J., see Yang, M.T., *MWSYM-03 2003* 1283-1286 vol.2

- Yeh, T.J.**, see Yang, M.T., *RFIC-03 2003* 369-372
- Ye-Ming Li**, and J.A. Connelly. Reducing phase noise by proper sizing of MOSFETs in LC tuned VCOs; *MWSYM-03 2003* A113-A116 vol.1
- Ye-Ming Li**, and J.A. Connelly. Reducing phase noise by proper sizing of MOSFETs in LC tuned VCOs; *RFIC-03 2003* 627-630
- Yenigun, H.**, see Bechteler, T.F., *T-MTT May 2003* 1584-1590
- Yen Shih-Chieh**, see Shih-Chieh Yen, *MWSYM-03 2003* 2169-2172 vol.3
- Yeo Junho**, see Junho Yeo, *MWSYM-03 2003* 1979-1982 vol.3
- Yeo Junho**, see Junho Yeo, *T-MTT Mar 03* 1018-1025
- Yeong-Lin Lai**, Chia-Long Wu, and K. Chiang. RF modeling of ball grid array packages using a coupled transmission line model; *RFIC-03 2003* 351-354
- Yeonwoo Ku**, see Hyokjae Choi, *RFIC-03 2003* 443-446
- Ye Peihua**, see Kamat, M., *RFIC-03 2003* 23-26
- Ye Shen**, see Shen Ye, *MWSYM-03 2003* 1885-1888 vol.3
- Yet-zen Liu**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Yi, H.R.**, S.K. Remillard, and A. Abdelmonem. A superconducting thin film filter of very high wide-band rejection; *MWSYM-03 2003* 1893-1896 vol.3
- Yi, H.R.**, S.K. Remillard, and A. Abdelmonem. A novel ultra-compact resonator for superconducting thin-film filters; *T-MTT Dec 03* 2290-2296
- Yi-Chyun Chiang**, see Wei-Shin Tung, *T-MTT Jul 03* 1852-1856
- Yi Jaehyok**, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
- Yi-Jen Chan**, see Chien-Chih Ho, *RFIC-03 2003* 211-214
- Yiming Li**, see Kuen Yu Huang, *T-MTT Oct 03* 2055-2062
- Yim Jounghwa**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Yin-Ching Lin**, see Ching-Wen Tang, *T-MTT Oct 03* 2112-2118
- Yinggang Li**, Mingquan Bao, M. Ferndahl, and A. Cathelin. 23GHz front-end circuits in SiGe BiCMOS technology; *RFIC-03 2003* 99-102
- Yin Yum Tsz**, see Tsz Yin Yum, *MWSYM-03 2003* 87-90 vol.1
- Yi-Ru Chen**, see Cheng-Chung Chen, *T-MTT Jan 03* 120-131
- Yi Wang Yun**, see Ning Yang, *MWSYM-03 2003* 535-538 vol.1
- Yiwei Duan**, see Haiyong Xu, *MWSYM-03 2003* 2031-2034 vol.3
- Yoke Choy Leong**, see Kian Sen Ang, *MWSYM-03 2003* 1239-1242 vol.2
- Yoke Choy Leong**, see Kian Sen Ang, *T-MTT Mar 03* 1009-1017
- Yokokawa, S.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Yokoyama, M.**, see Kikkawa, T., *RFIC-03 2003* 167-170
- Yom In-Bok**, see Dong-Pil Chang, *MWSYM-03 2003* 1589-1592 vol.3
- Yoneda, N.**, see Aramaki, Y., *MWSYM-03 2003* 47-50 vol.1
- Yoneda, N.**, see Asao, H., *MWSYM-03 2003* 941-944 vol.2
- Yoneda, Y.**, see Wang, G., *MWSYM-03 2003* 151-154 vol.1
- Yoneda, Y.**, see Ohnakado, T., *RFIC-03 2003* 229-232
- Yoneda, Y.**, see Gang Wang, *T-MTT Apr 03* 1227-1233
- Yoneyama, M.**, see Watabe, K., *T-MTT May 2003* 1512-1516
- Yoneyama, T.**, see Kuroki, F., *MWSYM-03 2003* 475-478 vol.1
- Yoneyama, T.**, see Kuroki, F., *MWSYM-03 2003* 619-622 vol.1
- Yoneyama, T.**, see Kuroki, F., *MWSYM-03 2003* 2053-2056 vol.3
- Yongchae Jeong**, see Gyujae Seo, *MWSYM-03 2003* 2221-2224 vol.3
- Yong He**, see Cho, J., *RFIC-03 2003* 391-394
- Yong He**, see Kamat, M., *RFIC-03 2003* 23-26
- Yong-Hoon Yun**, see Buber, T., *MWSYM-03 2003* 1307-1310 vol.2
- Yong Huang**, and Ke-Li Wu. A broadband integrated LTCC laminated waveguide to metallic waveguide transition; *MWSYM-03 2003* 2237-2240 vol.3
- Yong Huang**, and Ke-Li Wu. A broad-band LTCC integrated transition of laminated waveguide to air-filled waveguide for millimeter-wave applications; *T-MTT May 2003* 1613-1617
- Yong Kim Tae**, see Sang Jin Park, *MWSYM-03 2003* 607-610 vol.1
- Yong-Kweon Kim**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Yong-Kweon Kim**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Yong-Kweon Kim**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Yong-Kyu Yoon**, Dongsu Kim, M.G. Allen, and J.S. Kenney. A reduced intermodulation distortion tunable ferroelectric capacitor: architecture and demonstration; *MWSYM-03 2003* 1989-1992 vol.3
- Yongming Li**, see Min Lin, *MWSYM-03 2003* A185-A188 vol.1
- Yongming Li**, see Min Lin, *RFIC-03 2003* 699-702
- Yong-Sik Youn**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Yong-Sik Youn**, see Jae-Hong Chang, *RFIC-03 2003* 295-298
- Yong-Sik Youn**, see Seon-Ho Han, *RFIC-03 2003* 307-310
- Yong Wang**, see Afsar, M.N., *MWSYM-03 2003* 1407-1410 vol.2
- Yongxi Qian**, see Younkyu Chung, *T-MTT Feb 03* 653-659
- Yong Zhong Xiong**, see Huailin Liao, *RFIC-03 2003* 247-250
- Yook Jong Gwan**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Yook Jong-Gwan**, see Jong-Soo Kim, *MWSYM-03 2003* 1759-1762 vol.3
- Yoon, E.**, see Jun-Bo Yoon, *T-MTT Jan 03* 279-288
- Yoon, E.**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Yoon, S.-W.**, see Maeng, M., *MWSYM-03 2003* 265-268 vol.1
- Yoon, S.-W.**, S. Hong, and J. Laskar. Efficiency enhanced and harmonic suppressed differential VCO with novel buffer scheme using transformers for IEEE 802.11a; *MWSYM-03 2003* 2181-2184 vol.3
- Yoon, S.-W.**, see Davis, M.F., *MWSYM-03 2003* 1155-1158 vol.2
- Yoon, S.-W.**, see Pinel, S., *MWSYM-03 2003* 1497-1500 vol.3
- Yoon, Y.-K.**, D. Kim, M.G. Allen, J.S. Kenney, and A.T. Hunt. A reduced intermodulation distortion tunable ferroelectric capacitor - architecture and demonstration; *T-MTT Dec 03* 2568-2576
- Yoon Euisik**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Yoon Euisik**, see Yun-Seok Choi, *MWSYM-03 2003* 1637-1640 vol.3
- Yoon Euisik**, see Donghyun Baek, *RFIC-03 2003* 85-88
- Yoon Jun-Bo**, see Eun-Chul Park, *MWSYM-03 2003* 721-724 vol.2
- Yoon Jun-Bo**, see Yun-Seok Choi, *MWSYM-03 2003* 1637-1640 vol.3
- Yoon Jun-Bo**, see Jun-Bo Yoon, *T-MTT Jan 03* 279-288
- Yoon Jun-Bo**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Yoon Yong-Kyu**, see Yong-Kyu Yoon, *MWSYM-03 2003* 1989-1992 vol.3
- York, R.A.**, see Pengcheng Jia, *MWSYM-03 2003* 1871-1874 vol.3
- York, R.A.**, see Serraiocco, J.L., *MWSYM-03 2003* 1993-1996 vol.3
- York, R.A.**, see Maccarini, P.F., *MWSYM-03 2003* 1689-1692 vol.3
- York, R.A.**, see Buckwalter, J.F., *T-MTT Mar 03* 952-960
- York, R.A.**, see Jia, P., *T-MTT Dec 03* 2469-2475
- Yo-Sheng Lin**, Hsin-Yuan Tu, Hong-Wei Chiu, and Shey-Shi Lu. Characterization and modeling of size effect on the performances of 0.10 μm RF MOSFETs for SOC applications; *MWSYM-03 2003* A29-A32 vol.1
- Yo-Sheng Lin**, Hsin-Yuan Tu, Hong-Wei Chiu, and Shey-Shi Lu. Characterization and modeling of size effect on the performances of 0.10 μm RF MOSFETs for SOC applications; *RFIC-03 2003* 543-546
- Yo-Sheng Lin**, and Shey-Shi Lu. An analysis of small-signal substrate resistance effect in deep-submicrometer RF MOSFETs; *T-MTT May 2003* 1534-1539
- Yo-Shen Lin**, see Chi-Hsueh Wang, *MWSYM-03 2003* 103-106 vol.1
- Yoshida, H.**, T. Kato, T. Toyoda, I. Seto, R. Fujimoto, T. Kimura, O. Watanabe, T. Arai, T. Itakura, and H. Tsurumi. Fully differential direct conversion receiver for W-CDMA using an active harmonic mixer; *RFIC-03 2003* 395-398
- Yoshida, Y.**, see Nishino, T., *MWSYM-03 2003* 487-490 vol.1
- Yoshino, Y.**, see Asao, H., *MWSYM-03 2003* 941-944 vol.2
- You Lin Wang**, see Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
- Young, J.L.**, and J.W. Sterbentz. The circular homogeneous-ferrite microwave circulator - an asymptotic Green's function and impedance analysis; *T-MTT Aug 03* 1939-1945
- Young, R.M.**, J.D. Adam, C.R. Vale, T.T. Braggins, S.V. Krishnaswamy, C.E. Milton, D.W. Bever, L.G. Chorosinski, Li-Shu Chen, D.E. Crockett, C.B. Freidhoff, S.H. Talisa, E. Capelle, R. Tranchini, J.R. Fende, J.M. Lorthioir, and A.R. Tories. Low-loss bandpass RF filter using MEMS capacitance switches to achieve a one-octave tuning range and independently variable bandwidth; *MWSYM-03 2003* 1781-1784 vol.3
- Young-Bog Park**, see Kun-Hin To, *RFIC-03 2003* 163-166
- Youngeol Park**, Kah Mun Low, and J.S. Kenney. Digital predistortion linearization of frequency multipliers; *MWSYM-03 2003* 1695-1698 vol.3
- Young Chul Lee**, and Chul Soon Park. A new millimeter-wave stripline resonator with embedded air cavities in LTCC multilayer structure; *MWSYM-03 2003* 2027-2030 vol.3
- Young Eom Soon**, see Soon Young Eom, *MWSYM-03 2003* 39-42 vol.1
- Young-Hoon Chun**, see Jae-Ryong Lee, *MWSYM-03 2003* 1747-1750 vol.3
- Youngoo Yang**, see Jeonghyeon Cha, *MWSYM-03 2003* 81-84 vol.1
- Youngoo Yang**, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
- Youngoo Yang**, Jeonghyeon Cha, Bumjae Shin, and Bumman Kim. A fully matched N-way Doherty amplifier with optimized linearity; *T-MTT Mar 03* 986-993
- Young-seek Chung**, T.K. Sarkar, S. Llorento-Romano, and M. Salarzar-Palma. Finite element time domain method using Laguerre polynomials; *MWSYM-03 2003* 981-984 vol.2
- Young-Seek Chung**, T.K. Sarkar, Baek Ho Jung, and M. Salazar-Palma. An unconditionally stable scheme for the finite-difference time-domain method; *T-MTT Mar 03* 697-704
- Young-Se Kwon**, see Ju-Hyun Ko, *MWSYM-03 2003* 2281-2284 vol.3
- Young-Se Kwon**, see Moonjung Kim, *MWSYM-03 2003* 1279-1282 vol.2
- Young-Shin Lee**, see Hee-Seok Song, *MWSYM-03 2003* 515-518 vol.1
- Young-Taek Lee**, Jong-Sik Lim, Sungwon Kim, Jaechun Lee, Sangwook Nam, Kwang-Seok Seo, and Dal Ahn. Application of CPW based spiral-shaped defected ground structure to the reduction of phase noise in V-band MMIC oscillator; *MWSYM-03 2003* 2253-2256 vol.3

- Young Uhm Won**, see Dan An, *MWSYM-03 2003* 911-914 vol.2
- Youngwoo Kwon**, see Hyeonseok Hwang, *MWSYM-03 2003* 399-402 vol.1
- Youngwoo Kwon**, see Wooyeol Choi, *MWSYM-03 2003* 881-884 vol.2
- Youngwoo Kwon**, see Hong-Teuk Kim, *MWSYM-03 2003* 1481-1484 vol.3
- Youngwoo Kwon**, see Sanghyo Lee, *MWSYM-03 2003* 1493-1496 vol.3
- Youngwoo Kwon**, see Seongjun Bae, *RFIC-03 2003* 137-140
- Youngwoo Kwon**, see Chang-Wook Baek, *T-MTT Jan 03* 325-331
- Youngwoo Kwon**, see Junghyun Kim, *T-MTT Mar 03* 805-810
- Young Yun Woo**, Jaehyok Yi, Youngoo Yang, and Bumman Kim. SDR transmitter based on LINC amplifier with bias control; *MWSYM-03 2003* 1703-1706 vol.3
- Youn Kim Tae**, see Tae Youn Kim, *RFIC-03 2003* 93-96
- Younkyu Chung**, C.Y. Hang, S. Cai, Yongxi Qian, C.P. Wen, K.L. Wang, and T. Itoh. AlGaIn/GaN HFET power amplifier integrated with microstrip antenna for RF front-end applications; *T-MTT Feb 03* 653-659
- Youn Yong-Sik**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Youn Yong-Sik**, see Jae-Hong Chang, *RFIC-03 2003* 295-298
- Youn Yong-Sik**, see Seon-Ho Han, *RFIC-03 2003* 307-310
- Yu, M.**, see Ismail, M.A., *MWSYM-03 2003* 291-294 vol.1
- Yu, M.**, Zhihao Lao, Shing Lee, V. Radisic, Muliang Xu, V. Hoe, K. Guinn, and K.C. Wang. The development of 40 Gb/s limiting-distributed modulator drivers in InP HBTs; *RFIC-03 2003* 71-73
- Yu, M.**, W.-C. Tang, A. Malarky, V. Dokas, R. Cameron, and Y. Wang. Predistortion technique for cross-coupled filters and its application to satellite communication systems; *T-MTT Dec 03* 2505-2515
- Yu, P.K.L.**, see Liao, T.S., *MWSYM-03 2003* 155-158 vol.1
- Yu, P.K.L.**, see Zhuang, Y., *MWSYM-03 2003* 1367-1370 vol.2
- Yuan, J.S.**, see Enjun Xiao, *MWSYM-03 2003* A61-A64 vol.1
- Yuan, J.S.**, see Hong Yang, *MWSYM-03 2003* A149-A152 vol.1
- Yuan, J.S.**, see Enjun Xiao, *RFIC-03 2003* 575-578
- Yuan, J.S.**, see Hong Yang, *RFIC-03 2003* 663-666
- Yuan Chenghao**, see Chenghao Yuan, *MWSYM-03 2003* 1133-1136 vol.2
- Yuan Chenghao**, see Chenghao Yuan, *T-MTT Aug 03* 1929-1938
- Yuan-Kai Chu**, Che-Hong Liao, and Huey-Ru Chuang. 5.7 GHz 0.18 μ m CMOS gain-controlled LNA and mixer for 802.11a WLAN applications; *RFIC-03 2003* 221-224
- Yuan Lu**, see Qingqing Liang, *RFIC-03 2003* 357-360
- Yuan Lu**, see Qingqing Liang, *T-MTT Nov 03* 2165-2174
- Yuan Xiaojun**, see Wan Ni, *MWSYM-03 2003* A33-A36 vol.1
- Yuan Xiaojun**, see Wan Ni, *RFIC-03 2003* 547-550
- Yuanxun Wang**, see Seong-Sik Jeon, *MWSYM-03 2003* 579-582 vol.1
- Yuanxun Wang**, see Weijun Yao, *MWSYM-03 2003* 1541-1544 vol.3
- Yuanxun Wang**, see Nishio, T., *MWSYM-03 2003* 1673-1676 vol.3
- Yuanxun Wang**, see Weijun Yao, *MWSYM-03 2003* 2093-2096 vol.3
- Yuanxun Wang** An improved Kahn transmitter architecture based on delta sigma modulation; *MWSYM-03 2003* 1327-1330 vol.2
- Yuanxun Wang**, see Ji-Yong Park, *MWSYM-03 2003* 1677-1680 vol.3
- Yuanxun Wang**, see Leong, K.M.K.H., *MWSYM-03 2003* 1447-1450 vol.2
- Yuanxun Wang**, see Ji-Yong Park, *T-MTT May 2003* 1482-1488
- Yuanzhi Li**, M.J. Lancaster, F. Huang, and N. Roddis. Superconducting microstrip wide band filter for radio astronomy; *MWSYM-03 2003* 551-554 vol.1
- Yubin Gong**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Yu-Chi Wang**, see Hong-Yeh Chang, *MWSYM-03 2003* 99-102 vol.1
- Yue Lingna**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Yue Tan**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Yue Tan**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Yue Tan**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Yu Guofen**, see Wenxiang Wang, *T-MTT Jan 03* 55-63
- Yuh Tio Lian**, see Lian Yuh Tio, *MWSYM-03 2003* 421-424 vol.1
- Yu Huang Kuen**, see Kuen Yu Huang, *T-MTT Oct 03* 2055-2062
- Yu Hyun-Kyu**, see Kwang-Jin Koh, *MWSYM-03 2003* 243-246 vol.1
- Yu Hyun-Kyu**, see Seon-Ho Han, *RFIC-03 2003* 307-310
- Yu-Jiu Wang**, see Kun-You Lin, *T-MTT Apr 03* 1076-1085
- Yu Jong Jen**, see Boon Tiong Tan, *MWSYM-03 2003* 1107-1110 vol.2
- Yu Lin Zhang**, see Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
- Yu Lin Zhang**, Wei Hong, Feng Xu, Ke Wu, and Tie Jun Cui. Analysis of guided-wave problems in substrate integrated waveguides - numerical simulations and experimental results; *MWSYM-03 2003* 2049-2052 vol.3
- Yulin Zhang**, see Feng Xu, *T-MTT Nov 03* 2221-2227
- Yum, T.Y.**, Q. Xue, and C.H. Chan. Novel subharmonically pumped mixer incorporating dual-band stub and in-line SCMR; *T-MTT Dec 03* 2538-2547
- Yu Ming**, see Ming Yu, *MWSYM-03 2003* 929-932 vol.2
- Yum Tsz Yin**, see Tsz Yin Yum, *MWSYM-03 2003* 87-90 vol.1
- Yung Ho Chi**, see Chi Yung Ho, *MWSYM-03 2003* A25-A28 vol.1
- Yung Ho Chi**, see Chi Yung Ho, *RFIC-03 2003* 539-542
- Yung-Hui Chen**, see June-Ming Hsu, *RFIC-03 2003* 27-30
- Yun-Ho Chung**, see Yamauchi, D., *MWSYM-03 2003* 2015-2018 vol.3
- Yun Sang-Won**, see Jae-Ryong Lee, *MWSYM-03 2003* 1747-1750 vol.3
- Yun-Seok Choi**, Euisik Yoon, and Jun-Bo Yoon. Encapsulation of the micromachined air-suspended inductors; *MWSYM-03 2003* 1637-1640 vol.3
- Yun-Seok Choi**, see Jun-Bo Yoon, *T-MTT Jan 03* 279-288
- Yun-Seok Choi**, see Eun-Chul Park, *T-MTT Jan 03* 289-296
- Yun Wei**, M. Urteaga, Z. Griffith, D. Scott, Shouxuan Xie, V. Paidi, N. Parthasarathy, and M. Rodwell. 75 GHz 80 mW InP DHBT power amplifier; *MWSYM-03 2003* 919-921 vol.2
- Yun Wei**, see Krishnan, S., *MWSYM-03 2003* 1063-1065 vol.2
- Yun Woo Young**, see Young Yun Woo, *MWSYM-03 2003* 1703-1706 vol.3
- Yun Yi Wang**, see Ning Yang, *MWSYM-03 2003* 535-538 vol.1
- Yun Yong-Hoon**, see Buber, T., *MWSYM-03 2003* 1307-1310 vol.2
- Yun Zhengqing**, see Zhijun Zhang, *MWSYM-03 2003* 1537-1540 vol.3
- Yu-Shun Tsai**, see Tzyy-Sheng Horng, *T-MTT Nov 03* 2197-2202
- Yu Wenjian**, see Wenjian Yu, *T-MTT Jan 03* 109-119
- Yu Zhao**, M. Iwamoto, L.E. Larson, and P.M. Asbeck. Doherty amplifier with DSP control to improve performance in CDMA operation; *MWSYM-03 2003* 687-690 vol.2
- Yu Zhiping**, see Jaejune Jang, *MWSYM-03 2003* 2109-2111 vol.3

Z

- Zagriadski, S.V.**, Jaehoon Choi, and Hyeongdong Kim. Electrodynamical theory of multiport structures using magnetostatic waves in ferrite films and its applications; *T-MTT Mar 03* 744-751
- Zajic, A.G.**, see Djordjevic, A.R., *T-MTT Jul 03* 1871-1877
- Zamdmer, N.**, see Fong, N., *MWSYM-03 2003* 967-970 vol.2
- Zamdmer, N.**, see Jonghae Kim, *MWSYM-03 2003* A77-A80 vol.1
- Zamdmer, N.**, see Jonghae Kim, *RFIC-03 2003* 591-594
- Zamdmer, N.**, see Plouchart, J.-O., *RFIC-03 2003* 329-332
- Zamdmer, N.**, see Fong, N.H.W., *T-MTT Aug 03* 1952-1959
- Zampardi, P.**, see Rotella, F., *RFIC-03 2003* 339-342
- Zannoth, M.**, see Klepser, B.-U., *RFIC-03 2003* 37-40
- Zargari, M.**, see Mehta, S., *RFIC-03 2003* 427-430
- Zehentner, J.**, J. Machac, J. Mrkvica, and C. Tuzi. Modes on the standard and inverted conductor-backed slotline; *MWSYM-03 2003* 677-680 vol.2
- Zeji Gu**, C.M. Rappaport, P.J. Wang, and Wei Zhu. A conformal microwave antenna applicator for circumferential ablation; *MWSYM-03 2003* 391-394 vol.1
- Zeji Gu**, D. Johnson, S. Belletete, and D. Fryklund. A high power DPDT MMIC switch for broadband wireless applications; *MWSYM-03 2003* A173-A176 vol.1
- Zeji Gu**, D. Johnson, S. Belletete, and D. Fryklund. A high power DPDT MMIC switch for broadband wireless applications; *RFIC-03 2003* 687-690
- Zencir, E.**, N.S. Dogan, and E. Arvas. A low-power 435-MHz SOI CMOS LNA and mixer; *MWSYM-03 2003* 555-558 vol.1
- Zencir, E.**, Te-Hsin Huang, N.S. Dogan, and E. Arvas. A low-power UHF differential LNA in 0.35- μ m SOI CMOS; *RFIC-03 2003* 111-114
- Zeng Xiangyin**, see Xiangyin Zeng, *MWSYM-03 2003* 837-840 vol.2
- Zeying Ren**, see Jing Wang, *RFIC-03 2003* 335-338
- Zeyi Wang**, see Wenjian Yu, *T-MTT Jan 03* 109-119
- Zhang, A.P.**, L.B. Rowland, E.B. Kaminsky, J.W. Kretschmer, V. Tilak, A.F. Allen, and B.J. Edward. Performance of AlGaIn/GaN HEMTs for 2.8 GHz and 10 GHz power amplifier applications; *MWSYM-03 2003* 251-254 vol.1
- Zhang, Q.J.**, see Cao, Y., *MWSYM-03 2003* 165-168 vol.1
- Zhang, Y.**, see Leoni, R.E., III, *MWSYM-03 2003* 147-150 vol.1
- Zhang Chen Jian**, see Ram Singh Rana, *RFIC-03 2003* 475-478
- Zhang Guoyong**, see Gashinova, M.S., *T-MTT Mar 03* 792-795
- Zhang Huantong**, see Gupta, K.C., *T-MTT Apr 03* 1306-1311
- Zhang Huantong**, see Gupta, K.C., *T-MTT Apr 03* 1326-1329
- Zhang Jianping**, see Khan, M.A., *T-MTT Feb 03* 624-633
- Zhang Lei**, see Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
- Zhang Liyang**, see Krishnamurthy, K., *MWSYM-03 2003* 1189-1192 vol.2
- Zhang Qijun**, see Lei Zhang, *MWSYM-03 2003* 173-176 vol.1
- Zhang Qi Jun**, see Jianjun Xu, *T-MTT Jan 03* 226-237
- Zhang Qi-Jun**, see Qi-Jun Zhang, *T-MTT Apr 03* 1339-1350
- Zhang Qi-Jun**, see Devabhaktuni, V.K., *T-MTT Jul 03* 1822-1833

Zhang Shuyun, *see* Madic, J., *MWSYM-03 2003* A201-A204 vol.1
 Zhang Shuyun, *see* Madic, J., *RFIC-03 2003* 715-718
 Zhang Shuyun, *see* Shuyun Zhang, *RFIC-03 2003* 129-132
 Zhang Shuyun, *see* Shuyun Zhang, *T-MTT Nov 03* 2203-2210
 Zhang Xiaopin, *see* Xiaopin Zhang, *MWSYM-03 2003* A17-A20 vol.1
 Zhang Xiaopin, *see* Xiaopin Zhang, *RFIC-03 2003* 531-534
 Zhang Yu Lin, *see* Hao Li, *MWSYM-03 2003* 2045-2048 vol.3
 Zhang Yu Lin, *see* Yu Lin Zhang, *MWSYM-03 2003* 2049-2052 vol.3
 Zhang Yulin, *see* Feng Xu, *T-MTT Nov 03* 2221-2227
 Zhang Zhijun, *see* Zhijun Zhang, *MWSYM-03 2003* 1537-1540 vol.3
 Zhao Ji-Xiang, *see* Ji-Xiang Zhao, *MWSYM-03 2003* 1203-1205 vol.2
 Zhao Ji-Xiang, *see* Ji-Xiang Zhao, *T-MTT Jun 03* 1763-1766
 Zhao Lei, *see* Lei Zhao, *MWSYM-03 2003* 2201-2204 vol.3
 Zhao Yu, *see* Yu Zhao, *MWSYM-03 2003* 687-690 vol.2
 Zhenbiao Li, *see* Point, R., *RFIC-03 2003* 431-434
 Zheng, J.-X., *see* Changhua Wan, *T-MTT Mar 03* 1003-1008
 Zhenghe Feng, *see* Haibo Long, *RFIC-03 2003* 251-254
 Zheng Jie, *see* Pingxi Ma, *RFIC-03 2003* 237-240
 Zheng Jie, *see* Pingxi Ma, *T-MTT Nov 03* 2175-2180
 Zhengqing Yun, *see* Zhijun Zhang, *MWSYM-03 2003* 1537-1540 vol.3
 Zhenhai Shao, *see* Dengpeng Chen, *MWSYM-03 2003* 817-820 vol.2
 Zhenhai Shao, Wei Hong, and Jianyi Zhou. Generalized Z-domain absorbing boundary conditions for the analysis of electromagnetic problems with finite-difference time-domain method; *T-MTT Jan 03* 82-90
 Zhenhai Shao, Zhongxiang Shen, Qiuyang He, and Guowei Wei. A generalized higher order finite-difference time-domain method and its application in guided-wave problems; *T-MTT Mar 03* 856-861
 Zhen Ma, *see* Klymyshyn, D.M., *T-MTT Apr 03* 1377-1385
 Zhihao Lao, *see* Yu, M., *RFIC-03 2003* 71-73
 Zhihong Li, *see* McCormick, D.T., *MWSYM-03 2003* 495-498 vol.1
 Zhijian Xie, *see* Shuming Xu, *MWSYM-03 2003* 217-220 vol.1
 Zhijun Zhang, M. Iskander, Zhengqing Yun, and A. Host-Madsen. Hybrid smart antenna system using directional elements - performance analysis in flat Rayleigh fading; *MWSYM-03 2003* 1537-1540 vol.3
 Zhi Ning Chen, *see* Ning Yang, *MWSYM-03 2003* 535-538 vol.1
 Zhiping Yu, *see* Jaeyune Jang, *MWSYM-03 2003* 2109-2111 vol.3
 Zhiyang Liu, J.C. Midkiff, and R.M.I.I. Weilke. Millimeter-wave phase shifters utilizing planar integrated Schottky barrier diodes; *MWSYM-03 2003* 2241-2244 vol.3
 Zhizhang Chen, *see* Chenghao Yuan, *MWSYM-03 2003* 1133-1136 vol.2
 Zhizhang Chen, *see* Chenghao Yuan, *T-MTT Aug 03* 1929-1938
 Zhong-Cheng Li, *see* Le-Wei Li, *T-MTT Mar 03* 922-927
 Zhongxiang Shen, *see* Dengpeng Chen, *MWSYM-03 2003* 817-820 vol.2
 Zhongxiang Shen, *see* Zhenhai Shao, *T-MTT Mar 03* 856-861
 Zhong Xiong Yong, *see* Huailin Liao, *RFIC-03 2003* 247-250
 Zhou Jiafeng, *see* Jiafeng Zhou, *MWSYM-03 2003* 1889-1892 vol.3
 Zhou Jianyi, *see* Zhenhai Shao, *T-MTT Jan 03* 82-90
 Zhu, A., M. Wren, and T.J. Brazil. An efficient Volterra-based behavioral model for wideband RF power amplifiers; *MWSYM-03 2003* 787-790 vol.2
 Zhu, Q., *see* Huo, Y., *MWSYM-03 2003* 387-390 vol.1
 Zhuang, Y., Y. Wu, W.S.C. Chang, P.K.L. Yu, S. Mathai, M. Wu, D. Tishinin, and K.Y. Lio u. Peripheral coupled waveguide traveling-wave electroabsorption modulator; *MWSYM-03 2003* 1367-1370 vol.2
 Zhu Chunxiang, *see* Huang, C.H., *MWSYM-03 2003* 507-510 vol.1
 Zhu Chunxiang, *see* Chan, K.T., *MWSYM-03 2003* 1909-1912 vol.3
 Zhu Lei, *see* Lei Zhu, *T-MTT Oct 03* 2133-2138
 Zhu Ning Hua, *see* Ning Hua Zhu, *T-MTT Sep 03* 2000-2006
 Zhu Wei, *see* Zeji Gu, *MWSYM-03 2003* 391-394 vol.1
 Zhu Xianyang, *see* Xianyang Zhu, *T-MTT Sep 03* 2015-2022
 Ziegner, B., *see* Eswarappa, C., *MWSYM-03 2003* 1439-1442 vol.2
 Zinn, A., *see* Mann, C.M., *MWSYM-03 2003* 739-742 vol.2
 Ziolkowski, R.W., and Ching-Ying Cheng. Tailoring double negative metamaterial responses to achieve anomalous propagation effects along microstrip transmission lines; *MWSYM-03 2003* 203-206 vol.1
 Ziolkowski, R.W., *see* Cheng, C.-Y., *T-MTT Dec 03* 2306-2314
 Zirath, H., *see* Angelov, I., *MWSYM-03 2003* 643-646 vol.2
 Zirath, H., *see* Andersson, K., *MWSYM-03 2003* 1303-1306 vol.2
 Zirath, H., *see* Eriksson, J., *T-MTT Mar 03* 796-804
 Zirath, H., *see* Wadefalk, N., *T-MTT Jun 03* 1705-1711
 Znidarsic, F., *see* Reinhold, M., *MWSYM-03 2003* 1185-1188 vol.2
 Zou Jun, *see* Jun Zou, *T-MTT Apr 03* 1067-1075
 Zupac, D., *see* Chai, F.K., *RFIC-03 2003* 151-154

SUBJECT INDEX

A

Acceleration measurement

Cognitive INFOSEC. *Mitola, J., III*, *MWSYM-03 2003* 1051-1054 vol.2

Access control

Cognitive INFOSEC. *Mitola, J., III*, *MWSYM-03 2003* 1051-1054 vol.2

Access protocols; cf. Code division multiple access

Acoustic devices; cf. Acoustic resonators; Acoustic waveguides; Bulk acoustic wave devices; Surface acoustic wave devices

Acoustic filters; cf. Acoustic resonator filters; Surface acoustic wave filters

Acoustic resonator filters

Bulk-acoustic-wave filters, perform. optim. and vol. mfg.. *Aigner, R., +*, *MWSYM-03 2003* 2001-2004 vol.3

Comparison of micromachined FBAR band pass filters with different structural geom.. *Park, J.Y., +*, *MWSYM-03 2003* 2005-2008 vol.3

Performance of polygonal-shaped TFBARs and on-wafer tuning inductors. *Jong-Soo Kim, +*, *MWSYM-03 2003* 1759-1762 vol.3

Acoustic resonators

2GHz voltage tunable FBAR oscillator. *Khanna, A.P.S., +*, *MWSYM-03 2003* 717-720 vol.2

MEMS transm. line. *Alastalo, A.T., +*, *T-MTT Aug 03* 1977-1981

Acoustic resonators; cf. Acoustic resonator filters

Acoustic waveguides

MEMS transm. line. *Alastalo, A.T., +*, *T-MTT Aug 03* 1977-1981

Active antennas

AlGaIn/GaN HFET power amp. integrated with microstrip antenna for RF front-end appls.. *Younkyu Chung, +*, *T-MTT Feb 03* 653-659

amplif. act. reflect-antenna, microstrip-T coupled patch design and meas.. *Kurup, D.G., +*, *T-MTT Aug 03* 1960-1965

Antenna and receiver syst. with digital beamforming for satellite navig. and commun.. *Dreher, A., +*, *T-MTT Jul 03* 1815-1821

Active arrays

5-6 GHz monolithically integrated calibratable low-noise downconverter for smart antenna arrays. *Brauner, T., +*, *RFIC-03 2003* 435-438

Active self-steering array using self-oscillating mixers. *Shiroma, G.S., +*, *MWSYM-03 2003* 1685-1688 vol.3

Architecture and interconnect technols. for novel conformal act. phased array radar module. *Schreiner, M., +*, *MWSYM-03 2003* 567-570 vol.1

Bias cct. for high yield self-bias MMIC amp. for APAAs. *Yamanaka, K., +*, *MWSYM-03 2003* 121-124 vol.1

Efficient X-band 16-element spatial combiner of switched-mode power amps.. *Pajic, S., +*, *T-MTT Jul 03* 1863-1870

V-band single-chip MMIC oscillator array using, 4-port microstrip patch antenna. *Wooyeol Choi, +*, *MWSYM-03 2003* 881-884 vol.2

Active circuits

Multilayer act. hybrid-ring using ground-slot coupling tech.. *Hui, S.C., +*, *MWSYM-03 2003* A137-A140 vol.1

Active filters

60 GHz-band coplanar MMIC act. filter. *Ito, M., +*, *MWSYM-03 2003* 1751-1754 vol.3

Low noise vector modulator with integrated baseband filter in 120 nm CMOS technol.. *Simon, M., +*, *RFIC-03 2003* 409-412

Microwave symposium digest. *MWSYM-03 3 vol.(lxxxiv+xxiii+2284)*

multiport struct. using MSWs in ferrite films, electrodynamic anal. and appls.. *Zagriadski, S.V., +*, *T-MTT Mar 03* 744-751

Novel bandpass filter using act. capacitance. *Jae-Ryong Lee, +*, *MWSYM-03 2003* 1747-1750 vol.3

Active filters; cf. Continuous time filters

Active networks; cf. Active filters

Actuators

Low loss phase shifter based on piezo-controlled layered dielec. struct.. *Poplavko, Y., +*, *MWSYM-03 2003* 437-440 vol.1

Adaptive antenna arrays

high-speed adaptive antenna array with simultaneous multibeam-forming capability. *Nishio, T., +*, *T-MTT Dec 03* 2483-2494

Adaptive arrays

5-6 GHz monolithically integrated calibratable low-noise downconverter for smart antenna arrays. *Brauner, T., +*, *RFIC-03 2003* 435-438

Experimental demons. of DOA estim. algn. for mm-wave broadband commun. systs.. *Sanchis, P., +*, *MWSYM-03 2003* 1533-1536 vol.3