

## GUEST EDITORIAL

|                               |                                                     |      |
|-------------------------------|-----------------------------------------------------|------|
| Microwave Photonics . . . . . | A. J. Seeds, C. H. Lee, E. E. Funk, and M. Naganuma | 2959 |
|-------------------------------|-----------------------------------------------------|------|

## SPECIAL ISSUE PAPERS

**Microwave Photonic Sources**

|                                                                                                                                                                        |                                                                            |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|------|
| Microwave Photonic Direct-Sequence Transmitter and Heterodyne Correlation Receiver . . . . .                                                                           | E. E. Funk and M. Bashkansky                                               | 2962 |
| Sampled-Grating DBR Laser-Based Analog Optical Transmitters . . . . .                                                                                                  | L. A. Johansson, J. T. Getty, Y. A. Akulova, G. A. Fish, and L. A. Coldren | 2968 |
| Circuit Model for Multiple Transverse Mode Vertical-Cavity Surface-Emitting Lasers . . . . .                                                                           | T. Marozsák                                                                | 2977 |
| Noise Suppression of Nd:YVO <sub>4</sub> Solid-State Lasers for Telecommunication Applications . . . . .                                                               | M. Csörnyei, T. Berceli, and P. R. Herczfeld                               | 2983 |
| Multisectional Modeling of High-Speed Electrooptic Modulators Integrated in a Microwave Circuit CAD Environment . . . . .                                              | M. Pirola, F. Cappelluti, G. Giarola, and G. Ghione                        | 2989 |
| Lightwave Switching in Semiconductor Microring Devices by Free Carrier Injection . . . . .                                                                             | T. A. Ibrahim, W. Cao, Y. Kim, J. Li, J. Goldhar, P.-T. Ho, and C. H. Lee  | 2997 |
| Analysis and Characterization of Traveling-Wave Electrode in Electroabsorption Modulator for Radio-on-Fiber Application . . . . .                                      | J. Lim, Y.-S. Kang, K.-S. Choi, J.-H. Lee, S.-B. Kim, and J. Kim           | 3004 |
| Analog Characterization of Low-Voltage MQW Traveling-Wave Electroabsorption Modulators . . . . .                                                                       | B. Liu, J. Shim, Y.-J. Chiu, A. Keating, J. Piprek, and J. E. Bowers       | 3011 |
| Photonically Assisted Generation of Arbitrary Millimeter-Wave and Microwave Electromagnetic Waveforms via Direct Space-to-Time Optical Pulse Shaping . . . . .         | J. D. McKinney, D. Seo, D. E. Leaird, and A. M. Weiner                     | 3020 |
| Crosstalk, Noise, and Stability Analysis of DWDM Channels Generated by Injection Locking Techniques. . . . .                                                           | B. Cai, L. A. Johansson, C. F. C. Silva, S. Bennett, and A. J. Seeds       | 3029 |
| Coherence of Pulsed Microwave Signals Carried by Two-Frequency Solid-State Lasers . . . . .                                                                            | N. D. Lai, F. Bretenaker, and M. Brunel                                    | 3037 |
| Optoelectronic Millimeter-Wave Synthesis Using an Optical Frequency Comb Generator, Optically Injection Locked Lasers, and a Unitraveling-Carrier Photodiode . . . . . | S. Fukushima, C. F. C. Silva, Y. Muramoto, and A. J. Seeds                 | 3043 |
| Stabilizing an Optoelectronic Microwave Oscillator With Photonic Filters ( <i>Invited Paper</i> ). . . . .                                                             | D. Strekalov, D. Aveline, N. Yu, R. Thompson, A. B. Matsko, and L. Maleki  | 3052 |

**Microwave Photonic Detectors**

|                                                                                                                |                                                                               |      |
|----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|------|
| Ultra-Wide-Band Traveling-Wave Photodetectors for Photonic Local Oscillators ( <i>Invited Paper</i> ). . . . . | A. Stöhr, A. Malcoci, A. Sauerwald, I. C. Mayorga, R. Güsten, and D. S. Jäger | 3062 |
| Backward-Wave Cancellation in Distributed Traveling-Wave Photodetectors ( <i>Invited Paper</i> ). . . . .      | S. Murthy, S.-J. Kim, T. Jung, Z.-Z. Wang, W. Hsin, T. Itoh, and M. C. Wu     | 3071 |
| A New High-Efficiency Optical-Microwave Mixing Approach . . . . .                                              | G. Járó and T. Berceli                                                        | 3078 |

**Signal Processing**

|                                                                                                                                          |                                                                                                     |      |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------|
| Photonic Time-Stretched Analog-to-Digital Converter: Fundamental Concepts and Practical Considerations( <i>Invited Paper</i> ) . . . . . | Y. Han and B. Jalali                                                                                | 3085 |
| Photonic A/D Conversion Using Low-Temperature-Grown GaAs MSM Switches Integrated With Si-CMOS . . . . .                                  | R. Urata, L. Y. Nathawad, R. Takahashi, K. Ma, D. A. B. Miller, B. A. Wooley, and J. S. Harris, Jr. | 3104 |
| Optical Down-Sampling of Wide-Band Microwave Signals ( <i>Invited Paper</i> ) . . . . .                                                  | P. W. Juodawlkis, J. J. Hargreaves, R. D. Younger, G. W. Titi, and J. C. Twichell                   | 3116 |
| Microwave V-I Transmission Matrix Formalism for the Analysis of Photonic Circuits: Application to Fiber Bragg Gratings . . . . .         | J. Capmany, M. A. Muriel, S. Sales, J. J. Rubio, and D. Pastor                                      | 3125 |
| Microwave Photonic Photorefractive Smart Filters . . . . .                                                                               | E. Vourc'h and D. Hervé                                                                             | 3135 |
| High-Resolution Photonics-Based Interference Suppression Filter With Wide Passband . . . . .                                             | E. H. W. Chan and R. A. Minasian                                                                    | 3144 |
| Harmonic Suppressed Photonic Microwave Filter. . . . .                                                                                   | B. Vidal, V. Polo, J. L. Corral, and J. Martí                                                       | 3150 |
| RF Photonics Signal Processing in Subcarrier Multiplexed Optical-Label Switching Communication Systems . . . . .                         | Z. Zhu, V. J. Hernandez, M. Y. Jeon, J. Cao, Z. Pan, and S. J. Ben Yoo                              | 3155 |

---

## Microwave Photonic Transmission

|                                                                                                                                                               |                                                                                                                                                                                                                              |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Optical Heterodyne Detection Technique for Densely Multiplexed Millimeter-Wave-Band Radio-on-Fiber Systems<br>(Invited Paper) . . . . .                       | T. Kuri and K. Kitayama                                                                                                                                                                                                      | 3167 |
| Adaptive CMOS Predistortion Linearizer for Fiber-Optic Links . . . . .                                                                                        | R. Sadhwani and B. Jalali                                                                                                                                                                                                    | 3180 |
| Simultaneous Three-Band Modulation and Fiber-Optic Transmission of 2.5-Gb/s Baseband, Microwave-, and<br>60-GHz-Band Signals on a Single Wavelength . . . . . | K. Ikeda, T. Kuri, and K. Kitayama                                                                                                                                                                                           | 3194 |
| BER Improvement Effect of Optical Delay Insertion in ROF Ubiquitous Antenna Architecture for Wireless CDMA System<br>. . . . .                                | H. Ohtsuki, K. Tsukamoto, and S. Komaki                                                                                                                                                                                      | 3203 |
| Direct Optical Switching Code-Division Multiple-Access System for Fiber-Optic Radio Highway Networks(Invited Paper)<br>. . . . .                              | K. Tsukamoto, T. Higashino, T. Nakanishi, and S. Komaki                                                                                                                                                                      | 3209 |
| Optical Subcarrier Label Swapping by Semiconductor Optical Amplifiers . . . . .                                                                               | E. Udvary and T. Berceli                                                                                                                                                                                                     | 3221 |
| Distortion in Angle-Modulated Links Induced by Ripple in Fiber-Bragg-Grating Reflectance and Delay Characteristics<br>. . . . .                               | T. G. Ulmer                                                                                                                                                                                                                  | 3226 |
| Toward Terabit-per-Second Capacities Over Multimode Fiber Links Using SCM/WDM Techniques (Invited Paper). . . . .                                             | E. J. Tyler, P. Kourtessis, M. Webster, E. Rochart, T. Quinlan, S. E. M. Dudley, S. D. Walker, R. V. Penty, and I. H. White                                                                                                  | 3237 |
| System-Level Modeling and Simulation of the 10G Optoelectronic Interconnect . . . . .                                                                         | M. Kahrs, S. P. Levitan, D. M. Chiarulli, T. P. Kurzweg, J. A. Martínez, J. Boles, A. J. Davare, E. Jackson,<br>C. Windish, F. Kiamilev, A. Bhaduri, M. Taufik, X. Wang, A. S. Morris, III, J. Kruchowski, and B. K. Gilbert | 3244 |

## Optical Beam Forming

|                                                                                       |                                                          |      |
|---------------------------------------------------------------------------------------|----------------------------------------------------------|------|
| Single-Chip Integrated Electro-Optic Polymer Photonic RF Phase Shifter Array. . . . . | J. Han, B.-J. Seo, S. Kim, H. Zhang, and H. R. Fetterman | 3257 |
| Multiple-Beam Fiber-Optic Beamformer With Binary Array of Delay Lines . . . . .       | S. Granieri, M. Jaeger, and A. Siahmakoun                | 3262 |

## Optical Probing

|                                                                                                                                            |                                                                                               |      |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------|
| Magnetic Near-Field Measurements Over LSI Package Pins by Fiber-Edge Magneto-optic Probe . . . . .                                         | M. Iwanami, E. Yamazaki, K. Nakano, T. Sudo, S. Hoshino, S. Wakana, M. Kishi, and M. Tsuchiya | 3273 |
| Application of an Ultrafast Photonic Technique to Study Polarization Switching Dynamics of Thin-Film Ferroelectric<br>Capacitors . . . . . | J. Li, H. Liang, B. Nagaraj, W. Cao, C. H. Lee, and R. Ramesh                                 | 3282 |
| Performance Evaluation of Fiber-Edge Magneto-optic Probe . . . . .                                                                         | S. Wakana, E. Yamazaki, S. Mitani, H. Park, M. Iwanami, S. Hoshino, M. Kishi, and M. Tsuchiya | 3292 |

---

## REGULAR ISSUE PAPERS

### Systems/Subsystems

|                                                                                                                                                        |                                                     |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|------|
| Analysis of Penalty Due to Low-Frequency Intensity Modulation in Optical Transmission Systems . . . . .                                                | J.-S. Baik, K.-Y. Park, T.-W. Oh, and C.-H. Lee     | 3300 |
| Capacity Analysis for WDM Fiber-Radio Backbones With Star-Tree and Ring Architecture Incorporating Wavelength<br>Interleaving . . . . .                | C. Lim, A. Nirmalathas, D. Novak, and R. Waterhouse | 3308 |
| Extended Optical Fiber Line Testing System Using New Eight-Channel L/U-Band Crossed Optical Waveguide Coupler<br>for L-Band WDM Transmission . . . . . | N. Araki, H. Izumita, N. Honda, and M. Nakamura     | 3316 |
| Real-Time Detection of Femtosecond Optical Pulse Sequences via Time-To-Space Conversion in the Lightwave<br>Communications Band . . . . .              | J.-H. Chung and A. M. Weiner                        | 3323 |
| Effect of Transmission Fiber on Chaos Communication System Based on Erbium-Doped Fiber Ring Laser . . . . .                                            | F. Zhang and P. L. Chu                              | 3334 |
| Influence of High-Optical Power Light Launched Into Optical Fibers in MT Connector . . . . .                                                           | K. Hogari, K. Kurokawa, and I. Sankawa              | 3344 |

### Fibers/Cables

|                                                                                                            |                                                                        |      |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|------|
| Technique for Measuring Longitudinal Distribution of Raman Gain Characteristics in Optical Fibers. . . . . | K. Toge, K. Hogari, and T. Horiguchi                                   | 3349 |
| Analytical Treatment of Randomly Birefringent Periodically Spun Fibers . . . . .                           | A. Pizzinat, L. Palmieri, B. S. Marks, C. R. Menyuk, and A. Galtarossa | 3355 |
| Pump-Wavelength Dependence of Raman Gain in Single-Mode Optical Fibers . . . . .                           | N. R. Newbury                                                          | 3364 |
| Investigation of the Ratio Between Phase and Group Birefringence in Optical Single-Mode Fibers . . . . .   | M. Legre, M. Wegmuller, and N. Gisin                                   | 3374 |

---

## Integrated Optics

|                                                                                                                     |                                                                                                                |      |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------|
| Design and Analysis of Cylindrical Antiresonant Reflecting Optical Waveguide . . . . .                              | <i>C. W. Tee and S. F. Yu</i>                                                                                  | 3379 |
| Planar Reflection Grating Wavelength Filters in Silicon . . . . .                                                   | <i>B. J. Luff, V. Tsaturian, P. A. L. Stopford, S. W. Roberts, J. P. Drake, S. A. Fuller, and M. Asghari</i>   | 3387 |
| Rigorous Beam Propagation Analysis of Tapered Spot-Size Converters in Deep-Etched Semiconductor Waveguides. . . . . | <i>B. M. A. Rahman, W. Boonthittanont, S. S. A. Obayya, T. Wongcharoen, E. O. Ladele, and K. T. V. Grattan</i> | 3392 |
| Analysis of Corrugated Long-Period Gratings in Slab Waveguides and Their Polarization Dependence . . . . .          | <i>Q. Liu, K. S. Chiang, and V. Rastogi</i>                                                                    | 3399 |
| On the Design of Large Receiver and Transmitter Arrays for OE-VLSI Applications . . . .                             | <i>M. B. Venditti and D. V. Plant</i>                                                                          | 3406 |
| New Near-Field and Far-Field Attenuation Models for Free-Space Variable Optical Attenuators . . . . .               | <i>X. M. Zhang, A. Q. Liu, and C. Lu</i>                                                                       | 3417 |

## Active Components

|                                                                                                                                                |                                                                                       |      |
|------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------|
| Er-Doped Superfluorescent Fiber Source With a $\pm 0.5$ -ppm Long-Term Mean-Wavelength Stability . . . . .                                     | <i>H. G. Park, M. Digonnet, and G. Kino</i>                                           | 3427 |
| Failure Mode Analysis of Photonic Components on InP Using Low-Coherence Reflectometry: Case of Burned DBR Lasers . . . . .                     | <i>C. Plouzenec, Y. Gottesman, E. V. K. Rao, H. Sillard, A. Plais, and J. Jacquet</i> | 3434 |
| Measurement of Gain in Pump Diode Lasers Using a Low-Coherence Source and Synchronous Detection . . . .                                        | <i>J. Troger</i>                                                                      | 3441 |
| Optimal Design for Ultra-Broad-Band Amplifier . . . . .                                                                                        | <i>X. Liu and B. Lee</i>                                                              | 3446 |
| Rectangular Waveguide Output Unitraveling-Carrier Photodiode Module for High-Power Photonic Millimeter-Wave Generation in the F-Band . . . . . | <i>H. Ito, T. Ito, Y. Muramoto, T. Furuta, and T. Ishibashi</i>                       | 3456 |

## Passive Components

|                                                                                                  |                                                                    |      |
|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|------|
| A Novel and Compact Optical Polarizer Incorporating a Layered Waveguide Core Structure . . . . . | <i>M. Rajarajan, B. M. A. Rahman, and K. T. V. Grattan</i>         | 3463 |
| Phase-Shifting VOA With Polymer Dispersed Liquid Crystal . . . . .                               | <i>P. Chanclou, B. Vinouze, M. Roy, C. Cornu, and H. Ramanitra</i> | 3471 |

---

## CORRECTION

|                                                                                                                     |                                      |      |
|---------------------------------------------------------------------------------------------------------------------|--------------------------------------|------|
| Correction to "Design of Two-Section DBR Laser Operating at ITU Frequencies Only by Grating Current Tuning" . . . . | <i>V. I. Feies and I. Montrosset</i> | 3477 |
|---------------------------------------------------------------------------------------------------------------------|--------------------------------------|------|

---

## ANNOUNCEMENTS

|                                                                                                        |  |      |
|--------------------------------------------------------------------------------------------------------|--|------|
| IEEE Topical Conference Announcement Lightwave Technologies in Instrumentation & Measurement . . . . . |  | 3478 |
|--------------------------------------------------------------------------------------------------------|--|------|

---

|                      |              |      |
|----------------------|--------------|------|
| 2003 INDEX . . . . . | Follows page | 3478 |
|----------------------|--------------|------|

---