

## Subject Index of Volume 54

- Acetazolamide  
anticonvulsant activity of analogues of acetazolamide, 838
- Acetohydrazones  
synthesis and anticonvulsant activity of some (2/4-substituted)-benzaldehyde (2-oxobenzothiazolin-3-yl)acetohydrazones, 842
- Acylation  
analgesic activity of acylated 2-benzoxazolinone derivatives, 112
- 3-Acyl-4-hydroxy-2-pyridones  
the 'pyrono route' to 4-hydroxy-2-quinolones and 4-hydroxy-2-pyridones, 309
- 3-Acyl-4-hydroxy-2-quinolones  
the 'pyrono route' to 4-hydroxy-2-quinolones and 4-hydroxy-2-pyridones, 309
- Adenosine receptor binding  
1,2,3-triazolo[4,5-d]pyridazines: Part VI. New 1-substituted-4-amino derivatives and their affinity towards A<sub>1</sub> and A<sub>2A</sub> adenosine receptors, 615
- β<sub>3</sub>-Adrenergic agonist  
hypolipidemic properties of a diphenyl-methylen-ethylamine derivative with affinity for β<sub>3</sub>-adrenoceptors in a model of hypercholesterolemia, 710
- Adrenoceptor blockers  
synthesis, binding affinity and selectivity of new β<sub>1</sub>- and β<sub>2</sub>-adrenoceptor blockers, 713
- Advanced materials  
the betaine pool: molecular guests in medicinal chemistry and molecular hosts in supramolecular chemistry, 297
- Alkylthiopyridine  
new pyridine derivatives as potential antimicrobial agents, 666
- Amide formation  
in vitro hepatic microsomal metabolism of *N*-benzyl-*N*-methylaniline, 331
- Amides  
investigations on the synthesis and pharmacological properties of amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4-phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetra-hydropyrido[2,3-*d*]pyrimidine-5-carboxylic acid, 773
- ω-amino acids  
synthesis and structure–activity relationship studies of new endothelin pseudopeptide analogues containing alkyl spacers, 213
- Aminoxylys  
spin labeled hydroxyproline analogues, 637
- Amorphous lactose  
quality and functionality of excipients, 1
- AMPA-receptor antagonists  
synthesis and anticonvulsant activity of new 2,3-benzodiazepines as AMPA receptor antagonists, 178
- Analgesic activity  
analgesic activity of acylated 2-benzoxazolinone derivatives, 112  
synthesis and analgesic activity of some triazoles and triazolothiadiazines, 218  
synthesis and pharmacological screening of some *N*-(4-substituted-piperazin-1-ylalkyl)-3,4-pyrroledicarboximides, 390
- Analgesic agents  
synthesis of *N*-[4-(alkyl)cyclohexyl]-substituted benzamides with anti-inflammatory and analgesic activities, 524
- Analgesic properties  
synthesis and analgesic profile of novel *N*-containing heterocycle derivatives: arylidene 3-phenyl-1,2,4-oxadiazole-5-carbohydrazide, 747
- Analysis  
escin in pharmaceutical oral dosage forms: quantitative densitometric HPTLC determination, 728
- 2- and/or 3-substituted pyrazolo[5,1-*c*][1,2,4]benzotriazine 5-oxide benzodiazepine receptor ligands: III. Synthesis and biological evaluation of 2- and/or 3-substituted pyrazolo[5,1-*c*][1,2,4]benzotriazine 5-oxides, 375
- Angiotensin antagonism  
synthesis and pharmacological evaluation of some thiolupine derivatives, 354
- Anilinoacetic acids  
synthesis of some new biologically active thiadiazolotriazinones—Part II, 149
- Antagonist properties  
two-carbon bridge substituted cocaines: enantioselective synthesis, attribution of the absolute configuration and biological activity of novel 6- and 7-methoxylated cocaines, 275
- Anti-aggregating agents  
synthesis and pharmacological investigation of 9-methyl-1,2,3,4,6,7,12,12b-octahydro-7-oxo-indolo[2,3-*a*]quinolizine, 479
- Antiarrhythmic agents  
synthesis and biological evaluation of [α-(1,5-disubstituted 1*H*-pyrazol-4-yl)benzyl]azoles, analogues of bifenazole, 416
- Antiarrhythmic–receptor interaction  
theoretical study of mexiletine and its interaction with cationic and anionic receptor sites, 653
- Antibacterial  
preparation and biological evaluation of 6/7-trifluoromethyl(nitro)-, 6,7-difluoro-3-alkyl (aryl)-substituted-quinoxalin-2-ones. Part 3, 169
- Antibacterial activities  
5-nitroimidazole derivatives as possible antibacterial and antifungal agents, 826  
synthesis and antibacterial activity of 2-aryl-2,5-dihydro-3(3*H*)-oxo-pyridazino[4,3-*b*]indole-4-carboxylic acids, 191  
synthesis of some new biologically active thiadiazolotriazinones—Part II, 149
- Antibiotics  
use of a Caco-2 cell culture model for the characterization of intestinal absorption of antibiotics, 594
- Anticancer activities  
preparation and biological evaluation of 6/7-trifluoromethyl(nitro)-, 6,7-difluoro-3-alkyl (aryl)-substituted-quinoxalin-2-ones. Part 3, 169

- synthesis of 3,6,7-substituted-quinoxalin-2-ones for evaluation of antimicrobial and anticancer activity. Part 2, 161
- Anticonvulsant activity
- anticonvulsant activity of analogues of acetazolamide, 838
  - synthesis and anticonvulsant activity of new 2,3-benzodiazepines as AMPA receptor antagonists, 178
  - synthesis and anticonvulsant activity of some (2/4-substituted)benzaldehyde (2-oxobenzothiazolin-3-yl)acetohydrazones, 842
  - synthesis, physicochemical and anticonvulsant properties of new *N*-pyridyl derivatives of 3-phenyl- and 3,3-diphenyl-succinimides, 423
- Anti-depressant drug
- synthesis of various analog derivatives of ORG13514 as 5-HT<sub>1A</sub> ligands, 791
- Antifungal
- preparation and biological evaluation of 6/7-trifluoromethyl(nitro)-, 6,7-difluoro-3-alkyl (aryl)-substituted-quinoxalin-2-ones. Part 3, 169
- Antifungal activity
- new pyridine derivatives as potential antimicrobial agents, 666
  - 5-nitroimidazole derivatives as possible antibacterial and antifungal agents, 826
  - synthesis and antibacterial activity of 2-aryl-2,5-dihydro-3(3H)-oxo-pyridazino[4,3-*b*]indole-4-carboxylic acids, 191
  - synthesis and antifungal activity of new *N*-isoxazolyl-2-iodobenzamides, 90
- Antifungal agents
- synthesis and biological evaluation of [ $\alpha$ -(1,5-disubstituted 1*H*-pyrazol-4-yl)benzyl]azoles, analogues of bifonazole, 416
- Antihistamine
- a new synthesis of carboxyterfenadine (fexofenadine) and its bioisosteric tetrazole analogs, 600
- Anti-HIV
- synthesis and anti-HIV activity of C4-modified pyrimidine nucleosides, 83
- Antihypertensive
- synthesis, binding affinity and selectivity of new  $\beta_1$ - and  $\beta_2$ -adrenoceptor blockers, 713
- Antiinflammatory
- 4-quinazolinones: synthesis and reduction of prostaglandin E<sub>2</sub> production, 780
- Anti-inflammatory activity
- synthesis and anti-inflammatory activities of some thiazolo[3,2-*a*]pyrimidine derivatives, 588
- Anti-inflammatory agents
- N,N*-Dialkylaminosubstituted chromones and isoxazoles as potential anti-inflammatory agents, 452
  - synthesis of *N*-[4-(alkyl)cyclohexyl]-substituted benzamides with anti-inflammatory and analgesic activities, 524
- Antiinflammatory agents with a complex pyrimidinyl amino acid structure
- antiinflammatory agents: new series of *N*-substituted amino acids with complex pyrimidine structures endowed with antiphlogistic activity, 95
- Antimicrobial activities
- antimicrobial activity of some *N*-alkyl and *N*-nitrobenzyl substituted halides of (*E*)-4'-hydroxy-3'-methoxystilbazoles-4, 584
  - antimicrobial and genotoxic activities of *N*-(2-hydroxyethyl)-1,2-benzisothiazol-3(2*H*)-thione carbamic esters, 643
  - flavone and xanthone derivatives related to fluoroquinolones, 411
  - synthesis and antimicrobial activity of Schiff and Mannich bases of isatin and its derivatives with pyrimidine, 624
  - synthesis and antimicrobial activity of some new benzimidazole carboxylates and carboxamides, 562
  - synthesis and antimicrobial activity of substituted imidazolidinediones and thioxoimidazolidinones, 77
  - synthesis and antimicrobial evaluation of some 3-(substituted phenacyl)-5-[4'-(4*H*-4-oxo-1-benzopyran-2-yl)-benzylidene]-2,4-thiazolidinediones, 475
  - synthesis and antimicrobial properties of cephalosporin derivatives substituted on the C(7) nitrogen with arylmethoxyimino or arylmethoxyamino alkanoyl groups, 224
  - synthesis of 3,6,7-substituted-quinoxalin-2-ones for evaluation of antimicrobial and anticancer activity. Part 2, 161
- Antimicrobial agents
- gold(I) complexes as antimicrobial agents, 232
  - triorganotin compounds as antimicrobial agents, 237
- Antimycobacterial activities
- antimycobacterial activity of new *ortho*-, *meta*- and *para*-toluidine derivatives, 721
  - new pyridine derivatives as potential antimicrobial agents, 666
  - preparation and biological evaluation of 6/7-trifluoromethyl(nitro)-, 6,7-difluoro-3-alkyl (aryl)-substituted-quinoxalin-2-ones. Part 3, 169
  - synthesis and antimycobacterial activity of some N<sup>1</sup>-[1-[3-aryl-1-(pyridin-2-, 3-, or 4-yl)-3-oxo]propyl]-2-pyridinecarboxamides, 761
- Antineoplastic activity
- diarylsemicarbazones: synthesis, antineoplastic activity and topoisomerase I inhibition assay, 517
- Antinociceptive activity
- synthesis and antinociceptive activity of (1-benzyl-2(3*H*)-benzimidazol-3-yl) acetic acid derivatives, 768
  - synthesis and antinociceptive activity of some 3-substituted benzothiazolone derivatives, 846
- Antioxidant properties
- antioxidant properties of albumin: effect on oxidative metabolism of human neutrophil granulocytes, 695
- Antiphlogistic agents
- antiinflammatory agents: new series of *N*-substituted amino acids with complex pyrimidine structures endowed with antiphlogistic activity, 95
- Anti-PKC activity
- N,N*-Dialkylaminosubstituted chromones and isoxazoles as potential anti-inflammatory agents, 452
- Antiproliferative activity
- photochemical and photobiological studies on methylthioangelicins, 134
  - synthesis and relative binding affinity to steroid receptors and antiproliferative activity on MCF-7 cells of 2,3-disubstituted indenes, 678
- Antitoxoplasmosis effect
- novel triazolo[4,3-*a*]quinazolinone and bis-triazolo[4,3-*a*:4,3'-*c*]quinazolines: synthesis and antitoxoplasmosis effect, 486
- Antitumor agents
- DNA minor-groove binders: results and design of new antitumor agents, 15
- Aromatase
- new heterocyclic derivatives of benzimidazole with germicidal activity: Part XIII. In vitro aromatase inhibitory activity; preliminary observations, 327
- Aryloxyacetic acids
- synthesis of some new biologically active thiadiazolotriazinones—Part II, 149
- Ascorbigen
- from ascorbigens to indolocarbazoles, 265
- ATAZT
- synthesis and anti-HIV activity of C4-modified pyrimidine nucleosides, 83

- Atom indices  
the E-state in database analysis: the PCBs as an example, 346
- Atypical antipsychotics  
synthesis and preliminary pharmacological investigations of 1-(1,2-dihydro-2-acenaphthylenyl)piperazine derivatives as potential atypical antipsychotic agents in mice, 567
- Azole derivatives  
synthesis and biological evaluation of [ $\alpha$ -(1,5-disubstituted 1*H*-pyrazol-4-yl)benzyl]azoles, analogues of bifonazole, 416
- Azolyimidazolium(pyridinium) salts  
the betaine pool: molecular guests in medicinal chemistry and molecular hosts in supramolecular chemistry, 297
- Benzimidazole carboxamides  
synthesis and antimicrobial activity of some new benzimidazole carboxylates and carboxamides, 562
- Benzimidazole carboxylates  
synthesis and antimicrobial activity of some new benzimidazole carboxylates and carboxamides, 562
- Benzimidazoles  
new heterocyclic derivatives of benzimidazole with germicidal activity: Part XIII. In vitro aromatase inhibitory activity; preliminary observations, 327
- Benzimidazolone derivatives  
quinolizidinyl derivatives of 2,3-dihydro-2-oxo-1*H*-benzimidazole-1-carboxylic acid and 1-homolupinanoyl benzimidazolones as ligands for 5-HT<sub>3</sub> and 5-HT<sub>4</sub> receptors, 248
- 1,2-Benzisothiazole derivatives  
antimicrobial and genotoxic activities of *N*-(2-hydroxyethyl)-1,2-benzisothiazol-3(2*H*)-thione carbamic esters, 643  
synthesis of 1,2-benzisothiazole derivatives and investigation of their putative histaminergic activity, 740
- Benzodiazepine receptor  
benzodiazepine receptor ligands: III. Synthesis and biological evaluation of 2- and/or 3-substituted pyrazolo[5,1-*c*][1,2,4]benzotriazine 5-oxides, 375
- 1-Benzopyran-4-ones  
*N,N*-Dialkylaminosubstituted chromones and isoxazoles as potential anti-inflammatory agents, 452
- Benzopyranopyrazoles  
synthesis of some new biologically-active coumarin derivatives, 56
- Benzoquinoliziones  
new benzoquinolizin-5-one derivatives as furocoumarin analogs: DNA-interactions and molecular modeling studies, 551
- Benzothiazolone derivatives  
synthesis and antinociceptive activity of some 3-substituted benzothiazolone derivatives, 846
- Benzotriazole-N-oxides  
2-{4-[3-(4-aryl/heteroaryl-1-piperazinyl)propoxy]phenyl}-2*H*-benzotriazoles and their N-oxides as ligands for serotonin and dopamine receptors, 402
- Benzotriazoles  
2-{4-[3-(4-aryl/heteroaryl-1-piperazinyl)propoxy]phenyl}-2*H*-benzotriazoles and their N-oxides as ligands for serotonin and dopamine receptors, 402
- 2-Benzoxazolinone  
analgesic activity of acylated 2-benzoxazolinone derivatives, 112
- 2-(2-Benzylthiazol-4-yl)ethanamines  
histamine H<sub>1</sub> receptor ligands: Part I. Novel thiazol-4-ylethanamine derivatives: synthesis and in vitro pharmacology, 533
- Betaines  
the betaine pool: molecular guests in medicinal chemistry and molecular hosts in supramolecular chemistry, 297
- Bifonazole analogues  
synthesis and biological evaluation of [ $\alpha$ -(1,5-disubstituted 1*H*-pyrazol-4-yl)benzyl]azoles, analogues of bifonazole, 416
- Binding affinity  
synthesis and relative binding affinity to steroid receptors and antiproliferative activity on MCF-7 cells of 2,3-disubstituted indenes, 678
- Bioconjugation  
bioconjugation in pharmaceutical chemistry, 497
- Biological activity  
synthesis of some new biologically-active coumarin derivatives, 56
- Biological fluids  
fluorimetric determination of oxamniquin in biological fluids, 47
- Biological properties  
the betaine pool: molecular guests in medicinal chemistry and molecular hosts in supramolecular chemistry, 297
- Biphenyltetrazole  
synthesis of biphenyltetrazole derivatives of 1-aminopyrroles as angiotensin II antagonists, 64
- $\beta$ -Blockers  
voltammetric determination of *N*-nitrosoderivatives of atenolol and propranolol in simulated gastric juice, 700
- Bovine serum albumin  
antioxidant properties of albumin: effect on oxidative metabolism of human neutrophil granulocytes, 695
- Breast cancer  
docetaxel in combination with epirubicin in metastatic breast cancer: pharmacokinetic interactions, 733
- Caco-2  
use of a Caco-2 cell culture model for the characterization of intestinal absorption of antibiotics, 594
- Calcium antagonistic activity  
synthesis and X-ray crystal structure of the calcium channel antagonist: dimethyl 1,4-dihydro-2,6-dimethyl-4-[4'-(4*H*-4-oxo-1-benzopyran-2-yl)phenyl]-3,5-pyridine dicarboxylate, 660  
synthesis, structural elucidation and pharmacological properties of some 5-acetyl-3,4-dihydro-6-methyl-4-(substituted phenyl)-2(1*H*)-pyrimidinones, 359
- 3-(2-Carbamoylvinyl)-4,5-dimethylpyrrole-2-carboxylic acid  
3-(2-carbamoylvinyl)-4,5-dimethylpyrrole-2-carboxylic acids as ligands at the NMDA glycine-binding site: a study on the 2-carbamoylvinyl chain modification, 101
- Carbonic anhydrase inhibition  
anticonvulsant activity of analogues of acetazolamide, 838
- Carboxy-phenyl-glycines  
asymmetric synthesis of some substituted-3-phenyl prolines, 461
- Cardiotonics  
synthesis of 4-alkyl (aryl)-6-aryl-3-cyano-2(1*H*)-pyridinones and their 2-imino isosteres as nonsteroidal cardiotonic agents, 195
- Cardiovascular agents  
synthesis and preliminary pharmacological evaluation of some cytosine derivatives, 438
- Cardiovascular diseases  
synthesis, binding affinity and selectivity of new  $\beta_1$ - and  $\beta_2$ -adrenoceptor blockers, 713
- Carnosinase inhibitors  
 $\Psi$ (SO<sub>2</sub>NH) transition state isosteres of peptides. Synthesis and bioactivity of sulfonamido pseudopeptides related to carnosine, 673
- Carnosine  
 $\Psi$ (SO<sub>2</sub>NH) transition state isosteres of peptides. Synthesis and bioactivity of sulfonamido pseudopeptides related to carnosine, 673
- CAS-1609  
heterocyclic NO prodrugs, 316

- Catechol mimics  
synthesis and preliminary pharmacological investigations of 1-(1,2-dihydro-2-acenaphthylenyl)piperazine derivatives as potential atypical antipsychotic agents in mice, 567
- CC-1065  
DNA minor-groove binders: results and design of new antitumor agents, 15
- Cellular in vitro activity  
synthesis and biological activity of pseudopeptides inhibitors of Ras farnesyl transferase containing unconventional amino acids, 785
- Cephalosporins  
synthesis and antimicrobial properties of cephalosporin derivatives substituted on the C(7) nitrogen with arylmethoxyimino or arylmethoxyamino alkanoyl groups, 224
- Cerebroprotective agents  
synthesis and pharmacological investigation of 9-methyl-1,2,3,4,6,7,12,12b-octahydro-7-oxo-indolo[2,3-*a*]quinolizine, 479
- Chiral separation  
hydrogen bonding as a possible interaction for the chiral separation of DL-dopa and DL-3-*O*-methyl-dopa in a chiral teicoplanin column, 188
- Chromotropic acid  
spectrophotometric determination of dipyrone in pharmaceutical preparations by using chromotropic acid, 629
- Chronotropic activity  
3-acetyl-5-acetylpyridin-2(1*H*)-ones and 3-acetyl-7,8-dihydro-2,5(1*H*,6*H*)-quinolinediones: synthesis, cardiotonic activity and computational studies, 465
- Ciprofloxacin  
formulation of a neutral solution of ciprofloxacin upon complexation with aluminum, 758
- Clustering  
DNA-psoralens molecular recognition using molecular dynamics, 202
- Cocaine  
two-carbon bridge substituted cocaines: enantioselective synthesis, attribution of the absolute configuration and biological activity of novel 6- and 7-methoxylated cocaines, 275
- Codeine phosphate  
simultaneous determination of guaiphenesin and codeine phosphate in tablets by high-performance liquid chromatography, 705
- Complexation  
formulation of a neutral solution of ciprofloxacin upon complexation with aluminum, 758
- Complex pyrimidines supporting amino acid chains  
antiinflammatory agents: new series of *N*-substituted amino acids with complex pyrimidine structures endowed with antiphlogistic activity, 95
- Complex pyrimidinyl amino acids  
antiinflammatory agents: new series of *N*-substituted amino acids with complex pyrimidine structures endowed with antiphlogistic activity, 95
- Cosmetics determination  
UVA/UVB sunscreen determination by second-order derivative ultraviolet spectrophotometry, 573
- Coumarin hydrazones  
synthesis of some new biologically-active coumarin derivatives, 56
- 2-Cyanoacetamide  
fluorimetric determination of oxamniquine in biological fluids, 47
- Cycloaddition  
photochemical and photobiological studies on methylthioangelicins, 134
- Cyclodesulfurization  
novel triazolo[4,3-*a*]quinazolinone and bis-triazolo[4,3-*a*:4,3'-*c*]quinazolines: synthesis and antitoxoplasmosis effect, 486
- Cytisine derivatives  
synthesis and preliminary pharmacological evaluation of some cytisine derivatives, 438
- Cytotoxicity  
flavone and xanthone derivatives related to fluoroquinolones, 411
- Database management  
the E-state in database analysis: the PCBs as an example, 346
- Delavirdine  
perspectives of non-nucleoside reverse transcriptase inhibitors (NNRTIs) in the therapy of HIV-1 infection, 26
- Densitometry  
escin in pharmaceutical oral dosage forms: quantitative densitometric HPTLC determination, 728
- Depression  
serum  $\beta$ -endorphin level in patients with depression on fluvoxamine, 130
- Deprotection  
synthesis of biphenyltetrazole derivatives of 1-aminopyrroles as angiotensin II antagonists, 64
- Desipramine  
the use of 7,7,8,8-tetracyanoquinodimethane for the determination of nortriptyline and desipramine in tablets, 835
- Diarylsemicarbazones  
diarylsemicarbazones: synthesis, antineoplastic activity and topoisomerase I inhibition assay, 517
- Dichloroacetyl-4-hydroxy-2-pyridones  
the 'pyrono route' to 4-hydroxy-2-quinolones and 4-hydroxy-2-pyridones, 309
- Dichloroacetyl-4-hydroxy-2-quinolones  
the 'pyrono route' to 4-hydroxy-2-quinolones and 4-hydroxy-2-pyridones, 309
- 1-(1,2-Dihydro-2-acenaphthylenyl)piperazine  
synthesis and preliminary pharmacological investigations of 1-(1,2-dihydro-2-acenaphthylenyl)piperazine derivatives as potential atypical antipsychotic agents in mice, 567
- 2,3-Dihydro-1,4-dioxino[2,3-*b*]pyridine  
synthesis of various analog derivatives of ORG13514 as 5-HT<sub>1A</sub> ligands, 791
- Dipyrone  
spectrophotometric determination of dipyrone in pharmaceutical preparations by using chromotropic acid, 629
- Distamycin  
DNA minor-groove binders: results and design of new antitumor agents, 15
- Dithiocarbamates  
5-nitroimidazole derivatives as possible antibacterial and antifungal agents, 826
- D<sub>2</sub>-like receptor binding  
synthesis and dopamine D<sub>2</sub>-like receptor binding affinity of substituted 5-phenyl-pyrrole-3-carboxamides, 542
- DNA  
DNA-psoralens molecular recognition using molecular dynamics, 202
- DNA-intercalation  
new benzoquinolizin-5-one derivatives as furocoumarin analogs: DNA-interactions and molecular modeling studies, 551
- DNA-photobinding  
new benzoquinolizin-5-one derivatives as furocoumarin analogs: DNA-interactions and molecular modeling studies, 551
- photochemical and photobiological studies on methylthioangelicins, 134

- Docetaxel  
docetaxel in combination with epirubicin in metastatic breast cancer: pharmacokinetic interactions, 733
- Docking  
DNA-psoralens molecular recognition using molecular dynamics, 202
- Dopa  
hydrogen bonding as a possible interaction for the chiral separation of DL-dopa and DL-3-*O*-methyl-dopa in a chiral teicoplanin column, 188
- Dopamine  
synthesis and preliminary pharmacological investigations of 1-(1,2-dihydro-2-acenaphthylenyl)piperazine derivatives as potential atypical antipsychotic agents in mice, 567
- Dopamine receptor ligands  
2-{4-[3-(4-aryl/heteroaryl-1-piperazinyl)propoxy]phenyl}-2*H*-benzotriazoles and their N-oxides as ligands for serotonin and dopamine receptors, 402
- Dopaminergic agents  
ergoline derivatives: receptor affinity and selectivity, 288
- Drug absorption  
use of a Caco-2 cell culture model for the characterization of intestinal absorption of antibiotics, 594
- Drug monitoring  
serum  $\beta$ -endorphin level in patients with depression on fluvoxamine, 130
- Drugs  
bioconjugation in pharmaceutical chemistry, 497
- Duodenum  
synthesis of 1,2-benzisothiazole derivatives and investigation of their putative histaminergic activity, 740
- Electrotopological state  
the E-state in database analysis: the PCBs as an example, 346
- Enantioselective reduction  
a new synthesis of carboxyterfenadine (fexofenadine) and its bioisosteric tetrazole analogs, 600
- Enantioselective synthesis  
two-carbon bridge substituted cocaines: enantioselective synthesis, attribution of the absolute configuration and biological activity of novel 6- and 7-methoxylated cocaines, 275
- $\beta$ -Endorphin  
serum  $\beta$ -endorphin level in patients with depression on fluvoxamine, 130
- Endothelin  
synthesis and structure-activity relationship studies of new endothelin pseudopeptide analogues containing alkyl spacers, 213
- Enhancement in dissolution  
inclusion of ketoprofen with skimmed milk by freeze-drying, 648
- Enzyme inhibition  
pyrrolo[3,2-*c*]quinoline derivatives: a new class of kynurenine-3-hydroxylase inhibitors, 152
- Epirubicin  
docetaxel in combination with epirubicin in metastatic breast cancer: pharmacokinetic interactions, 733
- EPR spectroscopy  
spin labeled hydroxyproline analogues, 637
- Ergoline derivatives  
ergoline derivatives: receptor affinity and selectivity, 288
- Escherichia coli*  
selective hydrolysis of nucleotides to nucleosides and free bases, 611
- Escin  
escin in pharmaceutical oral dosage forms: quantitative densitometric HPTLC determination, 728
- ET(16-21)  
synthesis and structure-activity relationship studies of new endothelin pseudopeptide analogues containing alkyl spacers, 213
- ET<sub>B</sub> receptor  
synthesis and structure-activity relationship studies of new endothelin pseudopeptide analogues containing alkyl spacers, 213
- Excipient performance  
quality and functionality of excipients, 1
- Flavone  
flavone and xanthone derivatives related to fluoroquinolones, 411
- Flavonyldihydropyridine  
synthesis and X-ray crystal structure of the calcium channel antagonist: dimethyl 1,4-dihydro-2,6-dimethyl-4-[4'-(4*H*-4-oxo-1-benzopyran-2-yl)phenyl]-3,5-pyridine dicarboxylate, 660
- Flavonylthiazolidinediones  
synthesis and antimicrobial evaluation of some 3-(substituted phenacyl)-5-[4'-(4*H*-4-oxo-1-benzopyran-2-yl)-benzylidene]-2,4-thiazolidinediones, 475
- Fluorometry  
fluorimetric determination of oxamniquin in biological fluids, 47
- Fluoroquinolones  
flavone and xanthone derivatives related to fluoroquinolones, 411
- 3-Formylindole  
from ascorbigens to indolocarbazoles, 265
- Furocoumarin analogs  
new benzoquinolizin-5-one derivatives as furocoumarin analogs: DNA-interactions and molecular modeling studies, 551
- Furocoumarins  
photochemical and photobiological studies on methylthioangelicins, 134
- Furoxanes  
heterocyclic NO prodrugs, 316
- Gangliomimetic effect  
synthesis of 1,2-benzisothiazole derivatives and investigation of their putative histaminergic activity, 740
- Gastric mucosa  
synthesis of 1,2-benzisothiazole derivatives and investigation of their putative histaminergic activity, 740
- GEA-3175  
heterocyclic NO prodrugs, 316
- Genotoxicity  
antimicrobial and genotoxic activities of *N*-(2-hydroxyethyl)-1,2-benzisothiazol-3(2*H*)-thione carbamic esters, 643
- Glutamate  
asymmetric synthesis of some substituted-3-phenyl prolines, 461
- Gold complexes  
gold(I) complexes as antimicrobial agents, 232
- Guaiphenesin  
simultaneous determination of guaiphenesin and codeine phosphate in tablets by high-performance liquid chromatography, 705
- H<sub>1</sub>- and H<sub>3</sub>-antagonists  
non-imidazole histamine H<sub>3</sub> ligands. Part I. Synthesis of 2-(1-piperazinyl)- and 2-(hexahydro-1*H*-1,4-diazepin-1-yl)-benzothiazole derivatives as H<sub>3</sub>-antagonists with H<sub>1</sub> blocking activities, 684
- H<sub>1</sub>-Antihistamine activity  
synthesis and structure-activity relationships of 2-(substituted phenyl)-3-[3-(*N,N*-dimethylamino)propyl]-1,3-thiazolidin-4-ones acting as H<sub>1</sub>-histamine antagonists, 579

- 2(3*H*)-Benzimidazolone derivatives  
 synthesis and antinociceptive activity of (1-benzyl-2(3*H*)-benzimidazol-3-yl) acetic acid derivatives, 768
- Herbicidal activity  
 herbicidal activity of 2-substituted 1,3,4-(2*H*)-isoquinolinetri-  
 ones, 339
- High-performance liquid chromatography  
 simultaneous determination of guaiphenesin and codeine phos-  
 phate in tablets by high-performance liquid chromatogra-  
 phy, 705
- Histamine H<sub>1</sub>- and H<sub>3</sub>-receptors  
 non-imidazole histamine H<sub>3</sub> ligands. Part I. Synthesis of 2-(1-  
 piperazinyl)- and 2-(hexahydro-1*H*-1,4-diazepin-1-  
 yl)benzothiazole derivatives as H<sub>3</sub>-antagonists with H<sub>1</sub>  
 blocking activities, 684
- Histamine H<sub>1</sub>-receptor  
 histamine H<sub>1</sub> receptor ligands: Part I. Novel thiazol-4-  
 ylethanamine derivatives: synthesis and in vitro pharmacol-  
 ogy, 533
- Histamine receptors  
 synthesis of 1,2-benzisothiazole derivatives and investigation of  
 their putative histaminergic activity, 740
- HIV  
 perspectives of non-nucleoside reverse transcriptase inhibitors  
 (NNRTIs) in the therapy of HIV-1 infection, 26
- HIV-1  
 synthesis and HIV-1 inhibitory properties of new tetrahydroben-  
 zoquinazolinone and tetrahydrobenzocycloheptenuracil  
 derivatives and of their thioxo analogues, 242
- HIV-1 reverse transcriptase  
 synthesis and HIV-1 inhibitory properties of new tetrahydroben-  
 zoquinazolinone and tetrahydrobenzocycloheptenuracil  
 derivatives and of their thioxo analogues, 242
- HIV-1 RT inhibitors  
 synthesis and anti-HIV-1 activities of new pyrimido[5,4-  
*b*]indoles, 255
- HLT4lacZ-1<sub>IIIB</sub> cells  
 synthesis and anti-HIV-1 activities of new pyrimido[5,4-  
*b*]indoles, 255
- HPLC  
 hydrogen bonding as a possible interaction for the chiral separa-  
 tion of DL-dopa and DL-3-*O*-methyl-dopa in a chiral tei-  
 coplanin column, 188
- 2(1*H*)-Pyridinones  
 synthesis of 4-alkyl (aryl)-6-aryl-3-cyano-2(1*H*)-pyridinones and  
 their 2-imino isosteres as nonsteroidal cardiotoxic agents,  
 195
- H<sub>1</sub>-receptor agonist  
 histamine H<sub>1</sub> receptor ligands: Part I. Novel thiazol-4-  
 ylethanamine derivatives: synthesis and in vitro pharmacol-  
 ogy, 533
- H<sub>1</sub>-receptor antagonists  
 histamine H<sub>1</sub> receptor ligands: Part I. Novel thiazol-4-  
 ylethanamine derivatives: synthesis and in vitro pharmacol-  
 ogy, 533
- 5-HT<sub>3</sub> and 5-HT<sub>4</sub> receptors  
 quinolizidinyl derivatives of 2,3-dihydro-2-oxo-1*H*-benzimidaz-  
 ole-1-carboxylic acid and 1-homolupinanoyl benzimidaz-  
 olones as ligands for 5-HT<sub>3</sub> and 5-HT<sub>4</sub> receptors, 248
- 5-HT<sub>1A</sub> receptor binding  
 synthesis of various analog derivatives of ORG13514 as 5-HT<sub>1A</sub>  
 ligands, 791
- Human neutrophil granulocytes  
 antioxidant properties of albumin: effect on oxidative meta-  
 bolism of human neutrophil granulocytes, 695
- Hydrazides  
 sterically controlled regiospecific heterocyclization of 3-hydra-  
 zino-5-methyl-1,2,4-triazino[5,6-*b*]indole to 10-methyl-1,2,4-  
 triazololo[4',3':2,3]1,2,4-triazino[5,6-*b*]indoles, 800
- Hydrazones  
 sterically controlled regiospecific heterocyclization of 3-hy-  
 drazino-5-methyl-1,2,4-triazino[5,6-*b*]indole to 10-methyl-  
 1,2,4-triazololo[4',3':2,3]1,2,4-triazino[5,6-*b*]indoles, 800
- Hydroxylase  
 pyrrolo[3,2-*c*]quinoline derivatives: a new class of kynurenine-3-  
 hydroxylase inhibitors, 152
- 4-Hydroxy-2-pyridones  
 the 'pyrono route' to 4-hydroxy-2-quinolones and 4-hydroxy-2-  
 pyridones, 309
- 4-Hydroxy-2-quinolones  
 the 'pyrono route' to 4-hydroxy-2-quinolones and 4-hydroxy-2-  
 pyridones, 309
- 5-Hydroxytryptamine  
 synthesis and preliminary pharmacological investigations of 1-  
 (1,2-dihydro-2-acenaphthylenyl)piperazine derivatives as po-  
 tential atypical antipsychotic agents in mice, 567
- Hypercholesterolemia  
 hypolipidemic properties of a diphenyl-methylen-ethylamine  
 derivative with affinity for β<sub>3</sub>-adrenoceptors in a model of  
 hypercholesterolemia, 710
- Hypotriglyceridemia  
 hypolipidemic properties of a diphenyl-methylen-ethylamine  
 derivative with affinity for β<sub>3</sub>-adrenoceptors in a model of  
 hypercholesterolemia, 710
- Imidazolidines  
 synthesis and antimicrobial activity of substituted imidazolidine-  
 diones and thioxoimidazolidinones, 77
- Imidazolium(pyridinium)azolates inner salts  
 the betaine pool: molecular guests in medicinal chemistry and  
 molecular hosts in supramolecular chemistry, 297
- Immunogenicity  
 immunogenic and tolerogenic properties of monomethoxy-  
 poly(ethylene glycol) conjugated proteins, 430
- Immunometric analysis  
 serum β-endorphin level in patients with depression on fluvox-  
 amine, 130
- Inclusion  
 inclusion of ketoprofen with skimmed milk by freeze-drying, 648
- Indolecarbinol  
 from ascorbigens to indolocarbazoles, 265
- Indolocarbazole  
 from ascorbigens to indolocarbazoles, 265
- Inhibitory activity  
 new heterocyclic derivatives of benzimidazole with germicidal  
 activity: Part XIII. In vitro aromatase inhibitory activity;  
 preliminary observations, 327
- Inotropic activity  
 3-acetyl-5-acylpyridin-2(1*H*)-ones and 3-acetyl-7,8-dihydro-  
 2,5(1*H*,6*H*)-quinolinediones: synthesis, cardiotoxic activity  
 and computational studies, 465
- Intestinal transport  
 use of a Caco-2 cell culture model for the characterization of  
 intestinal absorption of antibiotics, 594
- Isatin  
 synthesis and antimicrobial activity of Schiff and Mannich bases  
 of isatin and its derivatives with pyrimidine, 624
- Isoquinolinetriones  
 herbicidal activity of 2-substituted 1,3,4-(2*H*)-isoquinolinetri-  
 ones, 339
- Ketoprofen  
 inclusion of ketoprofen with skimmed milk by freeze-drying, 648
- Kynurenine  
 pyrrolo[3,2-*c*]quinoline derivatives: a new class of kynurenine-3-  
 hydroxylase inhibitors, 152

- $\beta$ -lactams  
 synthesis and antimicrobial properties of cephalosporin derivatives substituted on the C(7) nitrogen with arylmethoxyimino or arylmethoxyamino alkanoyl groups, 224
- Lactobacillus acidophilus*  
 selective hydrolysis of nucleotides to nucleosides and free bases, 611
- L-Ascorbic acid  
 from ascorbigens to indolocarbazoles, 265
- L-Proline  
 spin labeled hydroxyproline analogues, 637
- Maximal electroshock test  
 anticonvulsant activity of analogues of acetazolamide, 838
- 2-Mercaptobenzazole derivatives  
 triorganotin compounds as antimicrobial agents, 237
- Metabolism  
 in vitro hepatic microsomal metabolism of *N*-benzyl-*N*-methylaniline, 331
- Metabotropic  
 asymmetric synthesis of some substituted-3-phenyl prolines, 461
- Methoxycocaine derivatives  
 two-carbon bridge substituted cocaines: enantioselective synthesis, attribution of the absolute configuration and biological activity of novel 6- and 7-methoxylated cocaines, 275
- 7,8-Methylenedioxy-4*H*-2,3-benzodiazepin-4-ones  
 synthesis and anticonvulsant activity of new 2,3-benzodiazepines as AMPA receptor antagonists, 178
- Mexiletine  
 theoretical study of mexiletine and its interaction with cationic and anionic receptor sites, 653
- Microcrystalline cellulose  
 quality and functionality of excipients, 1
- Microsomes  
 in vitro hepatic microsomal metabolism of *N*-benzyl-*N*-methylaniline, 331
- Milrinone analogues  
 synthesis of 4-alkyl (aryl)-6-aryl-3-cyano-2(1*H*)-pyridinones and their 2-imino isosteres as nonsteroidal cardiotonic agents, 195
- Molecular dynamics  
 DNA-psoralens molecular recognition using molecular dynamics, 202
- Molecular electrostatic potential of the molecule  
 synthesis, physicochemical and anticonvulsant properties of new *N*-pyridyl derivatives of 3-phenyl- and 3,3-diphenyl-succinimides, 423
- Molecular electrostatic potentials (MEPs)  
 3-acetyl-5-acylpyridin-2(1*H*)-ones and 3-acetyl-7,8-dihydro-2,5(1*H*,6*H*)-quinolinediones: synthesis, cardiotonic activity and computational studies, 465
- Molecular modeling  
 new benzoquinolizin-5-one derivatives as furocoumarin analogs: DNA-interactions and molecular modeling studies, 551
- Molecular recognition  
 the betaine pool: molecular guests in medicinal chemistry and molecular hosts in supramolecular chemistry, 297
- Molsidomine  
 heterocyclic NO prodrugs, 316
- Monosegmented flow analysis  
 monosegmented flow-analysis of serum cholesterol, 51
- N*-Acylation  
 synthesis of biphenyltetrazole derivatives of 1-aminopyrroles as angiotensin II antagonists, 64
- N*-Acyldrazone derivatives  
 synthesis and analgesic profile of novel *N*-containing heterocycle derivatives: arylidene 3-phenyl-1,2,4-oxadiazole-5-carbohydrazide, 747
- N*-Alkylation  
 synthesis of biphenyltetrazole derivatives of 1-aminopyrroles as angiotensin II antagonists, 64
- N*-[4-(Alkyl)cyclohexyl]-substituted benzamides  
 synthesis of *N*-[4-(alkyl)cyclohexyl]-substituted benzamides with anti-inflammatory and analgesic activities, 524
- Neoscorbigen  
 from ascorbigens to indolocarbazoles, 265
- Neurokinin B  
 replacement of the quinoline system in 2-phenyl-4-quinolinecarboxamide NK-3 receptor antagonists, 364
- Neurokinin-3 receptor antagonists  
 replacement of the quinoline system in 2-phenyl-4-quinolinecarboxamide NK-3 receptor antagonists, 364
- Neurotransmitters  
 asymmetric synthesis of some substituted-3-phenyl prolines, 461
- Neutrophils  
*N,N*-Dialkylaminosubstituted chromones and isoxazoles as potential anti-inflammatory agents, 452
- Nevirapine  
 perspectives of non-nucleoside reverse transcriptase inhibitors (NNRTIs) in the therapy of HIV-1 infection, 26
- N*-hydroxyamino  
 spin labeled hydroxyproline analogues, 637
- N*-2-Hydroxy-3(4-phenyl-1-piperazinyl)propyl derivatives  
 investigations on the synthesis and pharmacological properties of amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4-phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-5-carboxylic acid, 773
- Nicotine receptors  
 synthesis and preliminary pharmacological evaluation of some cytosine derivatives, 438
- N*-Isoxazolyl-2-iodobenzamides  
 synthesis and antifungal activity of new *N*-isoxazolyl-2-iodobenzamides, 90
- 5-Nitroimidazoles  
 5-nitroimidazole derivatives as possible antibacterial and antifungal agents, 826
- Nitrosoatenolol  
 voltammetric determination of *N*-nitrosoderivatives of atenolol and propranolol in simulated gastric juice, 700
- Nitrosopropranolol  
 voltammetric determination of *N*-nitrosoderivatives of atenolol and propranolol in simulated gastric juice, 700
- N*-Mannich bases  
 synthesis and antimicrobial activity of Schiff and Mannich bases of isatin and its derivatives with pyrimidine, 624
- NMDA receptor  
 3-(2-carbamoylviny)-4,5-dimethylpyrrole-2-carboxylic acids as ligands at the NMDA glycine-binding site: a study on the 2-carbamoylviny chain modification, 101
- NNRTIs (non-nucleoside reverse transcriptase inhibitors)  
 perspectives of non-nucleoside reverse transcriptase inhibitors (NNRTIs) in the therapy of HIV-1 infection, 26
- Nociceptin  
 structure-activity studies on nociceptin/orphanin FQ: from full agonist, to partial agonist, to pure antagonist, 810
- Nociceptin analogs  
 structure-activity studies on nociceptin/orphanin FQ: from full agonist, to partial agonist, to pure antagonist, 810
- NO-donors  
 heterocyclic NO prodrugs, 316
- Nortriptyline  
 the use of 7,7,8,8-tetracyanoquinodimethane for the determination of nortriptyline and desipramine in tablets, 835

- Nucleoside  
synthesis and anti-HIV activity of C4-modified pyrimidine nucleosides, 83
- Nucleosides  
C-1' radicals in nucleosides, 321
- Nucleotides  
selective hydrolysis of nucleotides to nucleosides and free bases, 611
- Ocular model  
4-quinazolinones: synthesis and reduction of prostaglandin E<sub>2</sub> production, 780
- 3-*O*-Methyl-dopa  
hydrogen bonding as a possible interaction for the chiral separation of DL-dopa and DL-3-*O*-methyl-dopa in a chiral teicoplanin column, 188
- OP<sub>4</sub>, Bioassay, mouse vas deferens  
structure-activity studies on nociceptin/orphanin FQ: from full agonist, to partial agonist, to pure antagonist, 810
- Oral dosage forms  
escin in pharmaceutical oral dosage forms: quantitative densitometric HPTLC determination, 728
- Organotin compounds  
triorganotin compounds as antimicrobial agents, 237
- Orphanin FQ  
structure-activity studies on nociceptin/orphanin FQ: from full agonist, to partial agonist, to pure antagonist, 810
- ortho*- *meta*- and *para*-Toluidines  
antimycobacterial activity of new *ortho*-, *meta*- and *para*-toluidine derivatives, 721
- Oxamniquine  
fluorimetric determination of oxamniquine in biological fluids, 47
- 7-Oxo-indolo[2,3-*a*]quinolizidine  
synthesis and pharmacological investigation of 9-methyl-1,2,3,4,6,7,12,12b-octahydro-7-oxo-indolo[2,3-*a*]quinolizidine, 479
- Papillary muscle  
synthesis of 1,2-benzisothiazole derivatives and investigation of their putative histaminergic activity, 740
- Parameter space  
the E-state in database analysis: the PCBs as an example, 346
- PBD  
DNA minor-groove binders: results and design of new antitumor agents, 15
- PCBs  
the E-state in database analysis: the PCBs as an example, 346
- Pentylentetrazole  
synthesis and anticonvulsant activity of some (2/4-substituted)benzaldehyde (2-oxobenzothiazolin-3-yl)acetohydrates, 842
- Pharmaceutical chemistry  
bioconjugation in pharmaceutical chemistry, 497
- Pharmaceutical formulations  
electrochemical behaviour of Venlafaxine and its determination in pharmaceutical products using square wave voltammetry, 145
- Pharmaceutical preparations  
spectrophotometric determination of dipyrone in pharmaceutical preparations by using chromotropic acid, 629
- Pharmacokinetics  
docetaxel in combination with epirubicin in metastatic breast cancer: pharmacokinetic interactions, 733
- Pharmacological activity  
investigations on the synthesis and pharmacological properties of amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4-phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-5-carboxylic acid, 773
- Pharmacopoeial standards  
quality and functionality of excipients, 1
- Phenol derivative  
synthesis and biological activity of pseudopeptides inhibitors of Ras farnesyl transferase containing unconventional amino acids, 785
- 5-Phenylisoxazoles  
*N,N*-Dialkylaminosubstituted chromones and isoxazoles as potential anti-inflammatory agents, 452
- 3-Phenyl-1,2,4-oxadiazole derivatives  
synthesis and analgesic profile of novel *N*-containing heterocycle derivatives: arylidene 3-phenyl-1,2,4-oxadiazole-5-carbohydrazide, 747
- 2-Phenyl-4-quinolinecarboxamides  
replacement of the quinoline system in 2-phenyl-4-quinolinecarboxamide NK-3 receptor antagonists, 364
- 2-(2-Phenylthiazol-4-yl)ethanamines  
histamine H<sub>1</sub> receptor ligands: Part I. Novel thiazol-4-ylethanamine derivatives: synthesis and in vitro pharmacology, 533
- Photobiological activity  
photochemical and photobiological studies on methylthioangelicins, 134
- Physical mixture  
inclusion of ketoprofen with skimmed milk by freeze-drying, 648
- Phytotoxicity  
herbicidal activity of 2-substituted 1,3,4-(2*H*)-isoquinolinetriones, 339
- 2-Piperazinyl- and 2-(hexahydro-1*H*-1,4-diazepin-1-yl)benzothiazoles non-imidazole histamine H<sub>3</sub> ligands. Part I. Synthesis of 2-(1-piperazinyl)- and 2-(hexahydro-1*H*-1,4-diazepin-1-yl)benzothiazole derivatives as H<sub>3</sub>-antagonists with H<sub>1</sub> blocking activities, 684
- Piperidylpyridine  
new pyridine derivatives as potential antimicrobial agents, 666
- Platelet aggregation inhibition  
synthesis and pharmacological evaluation of some thiolupinine derivatives, 354
- Polymer conjugate  
immunogenic and tolerogenic properties of monomethoxy-poly(ethylene glycol) conjugated proteins, 430
- Pregelatinised starch  
quality and functionality of excipients, 1
- Prostaglandins  
4-quinazolinones: synthesis and reduction of prostaglandin E<sub>2</sub> production, 780
- Pseudococaine  
two-carbon bridge substituted cocaines: enantioselective synthesis, attribution of the absolute configuration and biological activity of novel 6- and 7-methoxylated cocaines, 275
- Pseudomonas putida*  
selective hydrolysis of nucleotides to nucleosides and free bases, 611
- Psoralens  
DNA-psoralens molecular recognition using molecular dynamics, 202
- Pyridazino[4,3-*b*]indolones  
synthesis and antibacterial activity of 2-aryl-2,5-dihydro-3(3*H*)-oxo-pyridazino[4,3-*b*]indole-4-carboxylic acids, 191
- Pyridine  
new pyridine derivatives as potential antimicrobial agents, 666
- Pyridine-2-carboxamidrazone  
synthesis and antimycobacterial activity of some N<sup>1</sup>-[1-[3-aryl-1-(pyridin-2-, 3-, or 4-yl)-3-oxo]propyl]-2-pyridinecarboxamidrazones, 761



- Pyrido[2,3-*d*]pyrimidines  
 investigations on the synthesis and pharmacological properties of amides of 7-methyl-3-phenyl-1-[2-hydroxy-3-(4-phenyl-1-piperazinyl)propyl]-2,4-dioxo-1,2,3,4-tetrahydropyrido[2,3-*d*]pyrimidine-5-carboxylic acid, 773
- Pyridone derivatives  
 3-acetyl-5-acylpyridin-2(1*H*)-ones and 3-acetyl-7,8-dihydro-2,5(1*H*,6*H*)-quinolinediones: synthesis, cardiotoxic activity and computational studies, 465
- Pyrimidine  
 synthesis and anti-HIV activity of C4-modified pyrimidine nucleosides, 83
- Pyrimido[5,4-*b*]indoles  
 synthesis and anti-HIV-1 activities of new pyrimido[5,4-*b*]indoles, 255
- Pyrrole  
 synthesis of biphenyltetrazole derivatives of 1-aminopyrroles as angiotensin II antagonists, 64
- Pyrrolicarbinol  
 from ascorbigens to indolocarbazoles, 265
- 3,4-Pyrroledicarboximide derivatives  
 synthesis and pharmacological screening of some *N*-(4-substituted-piperazin-1-ylalkyl)-3,4-pyrroledicarboximides, 390
- Pyrrolidine-2,5-dione  
 synthesis, physicochemical and anticonvulsant properties of new *N*-pyridyl derivatives of 3-phenyl- and 3,3-diphenyl-succinimides, 423
- QSAR  
 correlation of activity of 2-(*X*-benzyloxy)-4,6-dimethoxyacetophenones with topological indices and with the Hansch equation, 125
- Quinazoline  
 novel triazolo[4,3-*a*]quinazolinone and bis-triazolo[4,3-*a*:4,3'-*c*]quinazolines: synthesis and antitoxoplasmosis effect, 486
- Quinazolinones  
 4-quinazolinones: synthesis and reduction of prostaglandin E<sub>2</sub> production, 780
- Quinolinediones derivatives  
 3-acetyl-5-acylpyridin-2(1*H*)-ones and 3-acetyl-7,8-dihydro-2,5(1*H*,6*H*)-quinolinediones: synthesis, cardiotoxic activity and computational studies, 465
- Quinolizidine derivatives  
 quinolizidinyl derivatives of 2,3-dihydro-2-oxo-1*H*-benzimidazole-1-carboxylic acid and 1-homolupinanoyl benzimidazolones as ligands for 5-HT<sub>3</sub> and 5-HT<sub>4</sub> receptors, 248  
 synthesis and preliminary pharmacological evaluation of some cytosine derivatives, 438
- 2-Quinoxalinones  
 preparation and biological evaluation of 6/7-trifluoromethyl(nitro)-, 6,7-difluoro-3-alkyl (aryl)-substituted-quinoxalin-2-ones. Part 3, 169  
 synthesis of 3,6,7-substituted-quinoxalin-2-ones for evaluation of antimicrobial and anticancer activity. Part 2, 161
- Radicals  
 C-1' radicals in nucleosides, 321
- Ras farnesyltransferase inhibitor  
 synthesis and biological activity of pseudopeptides inhibitors of Ras farnesyl transferase containing unconventional amino acids, 785
- Receptor binding  
 benzodiazepine receptor ligands: III. Synthesis and biological evaluation of 2- and/or 3-substituted pyrazolo[5,1-*c*]-[1,2,4]benzotriazine 5-oxides, 375  
 structure-activity studies on nociceptin/orphanin FQ: from full agonist, to partial agonist, to pure antagonist, 810
- Reverse transcriptase  
 perspectives of non-nucleoside reverse transcriptase inhibitors (NNRTIs) in the therapy of HIV-1 infection, 26  
 synthesis and anti-HIV activity of C4-modified pyrimidine nucleosides, 83
- Schiff bases  
 synthesis and antimicrobial activity of Schiff and Mannich bases of isatin and its derivatives with pyrimidine, 624
- Second-order derivative  
 UVA/UVB sunscreen determination by second-order derivative ultraviolet spectrophotometry, 573
- Selective hydrolysis  
 selective hydrolysis of nucleotides to nucleosides and free bases, 611
- Serotonergic agents  
 ergoline derivatives: receptor affinity and selectivity, 288
- Serotonergic systems  
 serum β-endorphin level in patients with depression on fluvoxamine, 130
- Serotonin receptor ligands  
 2-{4-[3-(4-aryl/heteroaryl-1-piperazinyl)propoxy]phenyl}-2*H*-benzotriazoles and their *N*-oxides as ligands for serotonin and dopamine receptors, 402
- Serum levels  
 serum β-endorphin level in patients with depression on fluvoxamine, 130
- Serum total cholesterol  
 monosegmented flow-analysis of serum cholesterol, 51
- Sesamol  
 synthesis, binding affinity and selectivity of new β<sub>1</sub>- and β<sub>2</sub>-adrenoceptor blockers, 713
- Simulated gastric juice  
 voltammetric determination of *N*-nitrosoderivatives of atenolol and propranolol in simulated gastric juice, 700
- Simultaneous determination  
 simultaneous determination of guaiphenesin and codeine phosphate in tablets by high-performance liquid chromatography, 705
- Skimmed milk  
 inclusion of ketoprofen with skimmed milk by freeze-drying, 648
- Slow enzymatic reactions  
 monosegmented flow-analysis of serum cholesterol, 51
- S*-Methylisothiosemicarbazide  
 novel triazolo[4,3-*a*]quinazolinone and bis-triazolo[4,3-*a*:4,3'-*c*]quinazolines: synthesis and antitoxoplasmosis effect, 486
- Solid material characterisation  
 quality and functionality of excipients, 1
- Solubility  
 inclusion of ketoprofen with skimmed milk by freeze-drying, 648
- Solutions  
 formulation of a neutral solution of ciprofloxacin upon complexation with aluminum, 758
- Spectrophotometric determination  
 spectrophotometric determination of dipyrone in pharmaceutical preparations by using chromotropic acid, 629  
 the use of 7,7,8,8-tetracyanoquinodimethane for the determination of nortriptyline and desipramine in tablets, 835
- Spiro compounds  
 C-1' radicals in nucleosides, 321
- Sterically controlled heterocyclization  
 sterically controlled regiospecific heterocyclization of 3-hydrazino-5-methyl-1,2,4-triazino[5,6-*b*]indole to 10-methyl-1,2,4-triazolo[4',3':2,3]1,2,4-triazino[5,6-*b*]indoles, 800
- Steroid receptor  
 synthesis and relative binding affinity to steroid receptors and antiproliferative activity on MCF-7 cells of 2,3-disubstituted indenes, 678

- Stilbazoles**  
 antimicrobial activity of some *N*-alkyl and *N*-nitrobenzyl substituted halides of (*E*)-4'-hydroxy-3'-methoxystilbazoles-4, 584  
**Structure–activity relationship**  
 synthesis and dopamine D<sub>2</sub>-like receptor binding affinity of substituted 5-phenyl-pyrrole-3-carboxamides, 542  
**Structure–antibacterial activity relationships**  
 synthesis and antibacterial activity of 2-aryl-2,5-dihydro-3(3H)-oxo-pyridazino[4,3-*b*]indole-4-carboxylic acids, 191
- Strychnine-insensitive glycine site**  
 3-(2-carbamoylvinyl)-4,5-dimethylpyrrole-2-carboxylic acids as ligands at the NMDA glycine-binding site: a study on the 2-carbamoylvinyl chain modification, 101
- Substituted 5-phenyl-pyrrole-3-carboxamides**  
 synthesis and dopamine D<sub>2</sub>-like receptor binding affinity of substituted 5-phenyl-pyrrole-3-carboxamides, 542
- Succinimides**  
 synthesis, physicochemical and anticonvulsant properties of new *N*-pyridyl derivatives of 3-phenyl- and 3,3-diphenyl-succinimides, 423
- Sulfonamides**  
 anticonvulsant activity of analogues of acetazolamide, 838
- Sulfonamido peptides**  
 $\Psi(\text{SO}_2\text{NH})$  transition state isosteres of peptides. Synthesis and bioactivity of sulfonamido pseudo-peptides related to carnosine, 673
- Superoxide anion**  
*N,N*-Dialkylaminosubstituted chromones and isoxazoles as potential anti-inflammatory agents, 452
- Sydnone imines**  
 heterocyclic NO prodrugs, 316
- Synthesis**  
 diarylsemicarbazones: synthesis, antineoplastic activity and topoisomerase I inhibition assay, 517  
 4-quinazolinones: synthesis and reduction of prostaglandin E<sub>2</sub> production, 780  
 synthesis and anti-inflammatory activities of some thiazolo[3,2-*a*]pyrimidine derivatives, 588  
 synthesis and antinociceptive activity of some 3-substituted benzothiazolone derivatives, 846  
 synthesis, structural elucidation and pharmacological properties of some 5-acetyl-3,4-dihydro-6-methyl-4-(substituted phenyl)-2(1*H*)-pyrimidinones, 359
- Tablet**  
 simultaneous determination of guaiphenesin and codeine phosphate in tablets by high-performance liquid chromatography, 705
- Tachykinins**  
 replacement of the quinoline system in 2-phenyl-4-quinolinecarboxamide NK-3 receptor antagonists, 364
- Taurine**  
 $\Psi(\text{SO}_2\text{NH})$  transition state isosteres of peptides. Synthesis and bioactivity of sulfonamido pseudo-peptides related to carnosine, 673
- tert*-Amino thiols  
 gold(I) complexes as antimicrobial agents, 232
- Tertiary anilines**  
 in vitro hepatic microsomal metabolism of *N*-benzyl-*N*-methylaniline, 331
- 7,7,8,8-Tetracyanoquinodimethane**  
 the use of 7,7,8,8-tetracyanoquinodimethane for the determination of nortriptyline and desipramine in tablets, 835
- Tetrahydrobenzocycloheptenuracil derivatives**  
 synthesis and HIV-1 inhibitory properties of new tetrahydrobenzocycloheptenuracil derivatives and of their thioxo analogues, 242
- Tetrahydrobenzoquinazolinone derivatives**  
 synthesis and HIV-1 inhibitory properties of new tetrahydrobenzocycloheptenuracil derivatives and of their thioxo analogues, 242
- Tetrahydronaphthalentriazoles**  
 synthesis and analgesic activity of some triazoles and triazolothiadiazines, 218
- Tetrahydropyrimidine-2-ones**  
 synthesis, structural elucidation and pharmacological properties of some 5-acetyl-3,4-dihydro-6-methyl-4-(substituted phenyl)-2(1*H*)-pyrimidinones, 359
- 1,2,3,4-Tetrahydropyrimidine-2-thiones**  
 synthesis and anti-inflammatory activities of some thiazolo[3,2-*a*]pyrimidine derivatives, 588
- Tetrazole**  
 a new synthesis of carboxyterfenadine (fexofenadine) and its bioisosteric tetrazole analogs, 600
- 3-Tetrazolylcarbonyl-4-hydroxy-quinolones**  
 the 'pyrono route' to 4-hydroxy-2-quinolones and 4-hydroxy-2-pyridones, 309
- Theoretical calculations**  
 theoretical study of mexiletine and its interaction with cationic and anionic receptor sites, 653
- Thiadiazolotriazinones**  
 synthesis of some new biologically active thiadiazolotriazinones—Part II, 149
- 1,3-Thiazolidin-4-ones derivatives**  
 synthesis and structure–activity relationships of 2-(substituted phenyl)-3-[3-(*N,N*-dimethylamino)propyl]-1,3-thiazolidin-4-ones acting as H<sub>1</sub>-histamine antagonists, 579
- Thiazolo[3,2-*a*]pyrimidines**  
 synthesis and anti-inflammatory activities of some thiazolo[3,2-*a*]pyrimidine derivatives, 588
- Thin-layer chromatography**  
 escin in pharmaceutical oral dosage forms: quantitative densitometric HPTLC determination, 728
- Thioangelicin**  
 photochemical and photobiological studies on methylthioangelicin, 134
- Thiocoumarins**  
 synthesis of some new biologically-active coumarin derivatives, 56
- Thiolupinine derivatives**  
 synthesis and pharmacological evaluation of some thiolupinine derivatives, 354  
 triorganotin compounds as antimicrobial agents, 237
- Thiosemicarbazide**  
 novel triazolo[4,3-*a*]quinazolinone and bis-triazolo[4,3-*a*:4,3'-*c*]quinazolines: synthesis and antitoxoplasmosis effect, 486
- Thioxo analogues**  
 synthesis and HIV-1 inhibitory properties of new tetrahydrobenzocycloheptenuracil derivatives and of their thioxo analogues, 242
- Thioxoimidazolidines**  
 synthesis and antimicrobial activity of substituted imidazolidinones and thioxoimidazolidinones, 77
- Tolerance**  
 immunogenic and tolerogenic properties of monomethoxy-poly(ethylene glycol) conjugated proteins, 430
- Topoisomerase I inhibition**  
 diarylsemicarbazones: synthesis, antineoplastic activity and topoisomerase I inhibition assay, 517
- Topological indices**  
 correlation of activity of 2-(*X*-benzyloxy)-4,6-dimethoxyacetophenones with topological indices and with the Hansch equation, 125
- Trachea relaxation**  
 synthesis and pharmacological evaluation of some thiolupinine derivatives, 354

- Transition state  
Ψ(SO<sub>2</sub>NH) transition state isosteres of peptides. Synthesis and bioactivity of sulfonamido pseudopeptides related to carnosine, 673
- Triazolothiadiazines  
synthesis and analgesic activity of some triazoles and triazolothiadiazines, 218
- Triazinones  
synthesis of some new biologically active thiadiazolotriazinones—Part II, 149
- Triazole  
synthesis and anti-HIV activity of C4-modified pyrimidine nucleosides, 83
- 1,2,4-Triazoles  
5-nitroimidazole derivatives as possible antibacterial and antifungal agents, 826
- Triazolo and bis-triazoloquinazoline  
novel triazolo[4,3-*a*]quinazolinone and bis-triazolo[4,3-*a*:4,3'-*c*]quinazolines: synthesis and antitoxoplasmosis effect, 486
- 1,2,3-Triazolo[4,5-*d*]pyridazines  
1,2,3-triazolo[4,5-*d*]pyridazines: Part VI. New 1-substituted-4-amino derivatives and their affinity towards A<sub>1</sub> and A<sub>2A</sub> adenosine receptors, 615
- Triple-drug combinations  
perspectives of non-nucleoside reverse transcriptase inhibitors (NNRTIs) in the therapy of HIV-1 infection, 26
- Ultraviolet spectrophotometry  
UVA/UVB sunscreen determination by second-order derivative ultraviolet spectrophotometry, 573
- UVA/UVB sunscreen  
UVA/UVB sunscreen determination by second-order derivative ultraviolet spectrophotometry, 573
- UV, IR, <sup>1</sup>H and <sup>13</sup>C NMR, and mass spectra  
synthesis, structural elucidation and pharmacological properties of some 5-acetyl-3,4-dihydro-6-methyl-4-(substituted phenyl)-2(1*H*)-pyrimidinones, 359
- Venlafaxine  
electrochemical behaviour of Venlafaxine and its determination in pharmaceutical products using square wave voltammetry, 145
- Voltammetry  
electrochemical behaviour of Venlafaxine and its determination in pharmaceutical products using square wave voltammetry, 145  
  
voltammetric determination of *N*-nitrosoderivatives of atenolol and propranolol in simulated gastric juice, 700
- Xanthen-9-one  
flavone and xanthone derivatives related to fluoroquinolones, 411
- Xanthomonas maltophilia*  
selective hydrolysis of nucleotides to nucleosides and free bases, 611
- Xanthoxyline derivatives  
correlation of activity of 2-(*X*-benzyloxy)-4,6-dimethoxyacetophenones with topological indices and with the Hansch equation, 125
- X-ray structure analysis  
synthesis and X-ray crystal structure of the calcium channel antagonist: dimethyl 1,4-dihydro-2,6-dimethyl-4-[4'-(4*H*-4-oxo-1-benzopyran-2-yl)phenyl]-3,5-pyridine dicarboxylate, 660