



ELSEVIER

International Journal of Mass Spectrometry 216 (2002) 303–306



www.elsevier.com/locate/ijms

Subject index Volume 216

Actinides

Gas-phase activation of silane, disilane and germane by actinide ions; and collision induced dissociation of metal oxide ions in TOF-MS, 185

Alcohols

The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Alkoxides

The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Angular distribution

Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249

Anions

The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Atomic weight

Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177

Azithromycin

Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209

Binding constants

Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1

Bond strength

Collision-induced dissociation of lanthanide oxide ions in quadrupole ion traps: effects of bond strength and mass, 85

CAD

The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219

Chemometrics

Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95

Clusters

Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75

Cobalt oxide

The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions

with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Collision induced dissociation

Gas-phase activation of silane, disilane and germane by actinide ions; and collision induced dissociation of metal oxide ions in TOF-MS, 185

Collision-induced dissociation

Collision-induced dissociation of lanthanide oxide ions in quadrupole ion traps: effects of bond strength and mass, 85

The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Complexes

The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219

Cross-section calculation

Theoretical total ionization cross-sections for electron impact on atomic and molecular halogens, 239

Deconvolution

Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95

Delayed ionization

Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75

DFT

Adducts of NF_2^+ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285

Diffusion

Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203

Disilane

Gas-phase activation of silane, disilane and germane by actinide ions; and collision induced dissociation of metal oxide ions in TOF-MS, 185

DMSO

The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219

Drift tubes

Effects of drift-gas polarizability on glycine peptides in ion mobility spectrometry, 257

Dysprosium

Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177

Electron impact ionization

Theoretical total ionization cross-sections for electron impact on atomic and molecular halogens, 239

Electrospray

Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95

ESI

Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1

The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219

Experimental design

Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209

FAB

Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1

Field ionization

Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249

Fourier transform ion cyclotron resonance-mass spectrometry

The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Germane

Gas-phase activation of silane, disilane and germane by actinide ions; and collision induced dissociation of metal oxide ions in TOF-MS, 185

G2MS theory

Adducts of NF_2^+ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285

Halogen atoms and molecules

Theoretical total ionization cross-sections for electron impact on atomic and molecular halogens, 239

High-resolution photoelectron-spectroscopy

High-resolution photoelectron-spectroscopy of radicals, 131

Intense femtosecond laser

Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249

Intracluster reaction

Photoionization mass spectroscopy of clusters of alkali metal atoms with methyl vinyl ketone and acrolein: intracluster oligomerization initiated by electron transfer from a metal atom, 29

Ion attachment

Mass spectrometric analysis of a N_2/H_2 microwave discharge plasma, 169

Ion injection

Measurement of external ion injection and trapping efficiency in

the ion trap mass spectrometer and comparison with a predictive model, 269

Ion mobility

Effects of drift-gas polarizability on glycine peptides in ion mobility spectrometry, 257

Ion mobility cell

A time-of-flight, drift cell, quadrupole apparatus for ion mobility measurements, 59

Ion mobility measurements

A time-of-flight, drift cell, quadrupole apparatus for ion mobility measurements, 59

Ion spectroscopy

Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249

Ionization energies

High-resolution photoelectron-spectroscopy of radicals, 131

Isotope fractionation

Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203

Isotope pattern

Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95

Isotope ratio determination

Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177

Isotope separators

The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41

Isotopic abundance

Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177

Isotopic ratio

Determination of atomic isotope patterns from mass spectra of molecular ions containing multiple polyisotopic elements, 95

Lanthanide oxide ions

Collision-induced dissociation of lanthanide oxide ions in quadrupole ion traps: effects of bond strength and mass, 85

Laser ablation

The generation of gaseous $[Co_xO_y]^-$ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides $[Co_4(OR)_8]^-$, 155

Magnesium

The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219

MALDI

Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1

Mass spectrometry

Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203

Metal clusters

The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41

- Met-Cars**
Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75
- Methyl loss**
The formation and collisionally activated dissociation of gas-phase singly and doubly charged Mg/DMSO complexes, 219
- Microwave discharge**
Mass spectrometric analysis of a N₂/H₂ microwave discharge plasma, 169
- Modelling**
Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203
- Multiple collection ICP-MS**
Isotope ratio measurements of dysprosium by multiple collection inductively coupled plasma mass spectrometry, 177
- NF₂⁺ cation**
Adducts of NF₂⁺ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285
- N₄H₂**
Mass spectrometric analysis of a N₂/H₂ microwave discharge plasma, 169
- Nitrogen trifluoride**
Adducts of NF₂⁺ with diatomic and simple polyatomic ligands: a computational investigation on the structure, stability, and thermochemistry, 285
- Noncovalent complex**
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1
- Oligomerization**
Photoionization mass spectroscopy of clusters of alkali metal atoms with methyl vinyl ketone and acrolein: intracluster oligomerization initiated by electron transfer from a metal atom, 29
- Optimization**
Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209
- Photoelectron spectroscopy**
Mass and photoelectron spectrometer for studying field-induced ionization of molecules, 249
- Photoionization**
Photoionization mass spectroscopy of clusters of alkali metal atoms with methyl vinyl ketone and acrolein: intracluster oligomerization initiated by electron transfer from a metal atom, 29
- Plasma**
Mass spectrometric analysis of a N₂/H₂ microwave discharge plasma, 169
- Polarization**
Effects of drift-gas polarizability on glycine peptides in ion mobility spectrometry, 257
- Product analysis**
Mass spectrometric analysis of a N₂/H₂ microwave discharge plasma, 169
- Quadrupole ion trap**
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
- Quantitative analysis**
Optimization of triple quadrupole mass spectrometer for quantitation of trace degradants of pharmaceutical compounds, 209
- Radicals**
High-resolution photoelectron-spectroscopy of radicals, 131
- Reactions**
The generation of gaseous [Co_xO_y]⁻ clusters and their reactions with alcohols: formation of homoleptic cobalt alkoxides [Co₄(OR)₈]⁻, 155
- Reactive intermediates**
High-resolution photoelectron-spectroscopy of radicals, 131
- Saha-Langmuir equation**
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
- Secondary ion mass spectrometry (SIMS)**
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
- Silane**
Gas-phase activation of silane, disilane and germane by actinide ions; and collision induced dissociation of metal oxide ions in TOF-MS, 185
- SIMION**
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
- Simulation**
Measurement of external ion injection and trapping efficiency in the ion trap mass spectrometer and comparison with a predictive model, 269
- Soft ionization**
Quantitative determination of noncovalent binding interactions using soft ionization mass spectrometry, 1
- Thermal ionization cavity**
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
- Thermal ionization efficiency**
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
- Thermal ionization mass spectrometry**
The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41
- Thermionic emission**
Reverse field technique to study delayed ionization in time-of-flight mass spectrometry, 75

Thorium

The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41

Time-of-flight mass spectrometer

A time-of-flight, drift cell, quadrupole apparatus for ion mobility measurements, 59

TOFMS

The thermal ionization cavity (TIC) source: elucidation of possible mechanisms for enhanced ionization efficiency, 41

Triple quadrupole MS

Optimization of triple quadrupole mass spectrometer for

quantitation of trace degradants of pharmaceutical compounds, 209

Uranium

Modelling isotope fractionation in thermal ionisation mass spectrometry filaments having diffusion controlled emission, 203

ZEKE-spectroscopy

High-resolution photoelectron-spectroscopy of radicals, 131