




ELSEVIER

International Journal of Mass Spectrometry 219 (2002) xi–xviii



www.elsevier.com/locate/ijms

Scientific papers by Yannik Hoppilliard

- [1] Mass spectra of aromatic epoxides: cases of alkyl and aryl migration.
H.E. Audier, J.F. Dupin, M. Fetizon, Y. Hoppilliard.
Tetrahedron Lett. (1966) 2077.
- [2] Préparation d'aldéhydes deutériés ou trideutériés au carbone.
M. Fetizon, Y. Henry, N. Moreau, G. Moreau, M. Golfier, T. Prangé.
Tetrahedron 29 (1973) 1011.
- [3] Spectrométrie de masse des époxydes phénylés II.
M. Fetizon, Y. Henry, G. Aranda, H.E. Audier, H. de Luzes.
Org. Mass Spectrom. 8 (1974) 201.
- [4] Réarrangements 1,3 en série hétérocyclique. VI. Fragmentation, en spectrométrie de masse, des aryl-2, alkyl-4-oxadiazol-1,3,4-ones-5 et des aryl-2, alcoxy-5 oxadiazoles-1,3,4.
M. Golfier, R. Milcent, G. Bouchoux, Y. Hoppilliard.
Org. Mass Spectrom. 11 (1976) 712.
- [5] Mécanismes de fragmentation de l'oxazole.
H.E. Audier, M. Fetizon, Y. Henry, T. Prangé.
Org. Mass Spectrom. 11 (1976) 1047.
- [6] Photoelectron spectra of halogeno-3 propynes ($\text{XCH}_2\text{C}=\text{Ch}$) and halogen-methylcyanides ($\text{XCH}_2-\text{C}\equiv\text{N}$).
R. Botter, Y. Gounelle, Y. Henry, J. Jullien, F. Menes et D. Solgadi.
J. Electron Spectrosc. 10 (1977) 393.
- [7] Conformational analysis of 2-haloethanols and 2-methoxy-ethylhalides in a photoelectron spectrometer.
Y. Hoppilliard, D. Solgadi.
Tetrahedron 36 (1980) 377.
- [8] Evidence for thermolysis reaction in a mass spectrometer: 1,2,3-thiadiazoles.
G. Bouchoux, Y. Hoppilliard, M. Golfier, D. Rainteau.
Org. Mass Spectrom. 15 (1980) 483.
- [9] Fragmentation mechanism for the loss of XCY (X and Y = O, OR, S) from 2-phenyl-1,3,4 oxadiazol-5 one and related sulfur containing compounds.
G. Bouchoux, Y. Hoppilliard, M. Golfier, M.G. Guillerez.
Org. Mass Spectrom. 16 (1981) 29.
- [10] Nouvelle interprétation de la première bande du spectre photoélectronique du méthanol.
J.P. Flament, Y. Hoppilliard, P. Jaudon, P. Youkaribache.
Nouv. J. Chim. 5 (1981) 61.
- [11] Fragmentation mechanism of isoxazole.
G. Bouchoux, Y. Hoppilliard.
Org. Mass Spectrom. 16 (1981) 10.
- [12] Tautomérie céto-énolique en phase gazeuse. Les ions $[\text{C}_n\text{H}_{2n}\text{O}]^+$. ($n = 2, 3$ et 4).
G. Bouchoux, Y. Hoppilliard, P. Jaudon.
Nouv. J. Chim. 6 (1982) 43.

[13] Fragmentation des cétones aliphatiques métastables. II. Compétition entre éliminations de radicaux hydrocarbonés et d'alcanes.

G. Bouchoux, Y. Hoppilliard.

Can. J. Chem. 60 (1982) 2107.

[14] Formation et décomposition des ions $[M-15]^+$ issus de méthyl-cétones de formule brute $[C_6H_{12}O]^{\bullet+}$.

G. Bouchoux, Y. Hoppilliard.

Int. J. Mass Spectrom. Ion Phys. 43 (1982) 63.

[15] Barrier to 1,3 sigmatropic shift in odd electron ions. A MINDO/3 study of H, OH, CH_3 and C_6H_5 migration.

Y. Hoppilliard, G. Bouchoux.

Org. Mass Spectrom. 17 (1982) 534.

[16] Isomérisation des ions $[C_5H_9O]^+$ en phase gazeuse: migration 1,2 de méthyle.

G. Bouchoux, Y. Hoppilliard, P. Jaudon.

Tetrahedron Lett. 23 (1982) 3349.

[17] The mechanism of formation of $[C_4H_9O]^+$ ions from isobutylethyl-ether.

H.E. Audier, G. Bouchoux, Y. Hoppilliard, A. Milliet.

Org. Mass Spectrom. 17 (1982) 382.

[18] Isomérisation of gaseous $[C_2H_3O]^+$ ions.

G. Bouchoux, Y. Hoppilliard.

J. Mol. Struct. (THEOCHEM) 104 (1983) 365.

[19] Structure of $[C_3H_5O]^+$ ions produced from unimolecular decompositions of several $[C_4H_8O]^{\bullet+}$ metastable ions.

G. Bouchoux, Y. Hoppilliard, R. Flammang, A. Maquestiau, P. Meyrant.

Org. Mass Spectrom. 18 (1983) 340.

[20] Structure and energy of some $[C_3H_5O]^+$ ions. Ab initio SCF/CI calculations and mass spectrometry study.

G. Bouchoux, J.P. Flament, Y. Hoppilliard.

Nouv. J. Chim. 7 (1983) 385.

[21] Competing methyl losses from 3-methylbutanone positive ions.

G. Bouchoux, Y. Hoppilliard, P. Jaudon.

J. Chem. Res. (1983) 148.

[22] Isomerization and fragmentation energetics of metastable $[C_3H_5O]^+$ ions.

G. Bouchoux, Y. Hoppilliard.

Int. J. Mass Spectrom. Ion Phys. 47 (1983) 105.

[23] Unusual behaviour of some metastable ions. Non-occurrence of the lowest energy process.

Y. Hoppilliard, G. Bouchoux.

Int. J. Mass Spectrom. Ion Phys. 47 (1983) 109.

[24] Compte rendu du 3ème Congrès de Spectrométrie de Masse fondamentale et appliquée.

Y. Hoppilliard.

Analisis (1983).

[25] Isomérisation des ions organiques en phase gazeuse. I. Thermochimie des migrations 1,2 de groupements XCOH ($X = H, CH_3, OH, OCH_3, NH_2$).

G. Bouchoux, Y. Hoppilliard.

Int. J. Mass Spectrom. Ion Processes 55 (1983/1984) 47.

[26] Etude par activation collisionnelle des ions $[C_4H_7O]^+$ provenant des ions pentenols et méthylcétones $[C_5H_{10}O]^{\bullet+}$ métastables.

G. Bouchoux, R. Flammang, Y. Hoppilliard, A. Maquestiau, P. Meyrant.

Can. J. Chem. 62 (1984) 1740.

[27] Mécanismes de formation des ions $[C_5H_9O]^+$ à partir des cétones $[CH_3COC_4H_9]^{\bullet+}$.

G. Bouchoux, R. Flammang, Y. Hoppilliard, P. Jaudon, A. Maquestiau, P. Meyrant.

Spectrosc. Int. J. 3 (1984) 1.

[28] The heats of formation of some protonated olefinic carbonyl compounds $[C_5H_9O]^+$ and $[C_4H_7O_2]^+$ ions.

G. Bouchoux, Y. Hoppilliard, P. Jaudon, R. Houriet.

Org. Mass Spectrom. 19 (1984) 394.

[29] Isomérisation des ions $[C_2H_4O]^{\bullet+}$. Une approche SCF ab initio de la tautomérie céto-énolique en phase gazeuse.

G. Bouchoux, J.P. Flament, Y. Hoppilliard.

Int. J. Mass Spectrom. Ion Phys. 57 (1984) 179.

[30] Elimination des radicaux $CH_3^\bullet$ et $C_2H_5^\bullet$ à partir du [méthyl-1, cyclopentanol] $^{\bullet+}$.

M. Bertranne, G. Bouchoux, R. Flammang, Y. Hoppilliard, A. Maquestiau.

Spectrosc. Int. J. 3 (1984) 167.

[31] Isomérisation des ions organiques en phase gazeuse. II. Etudes des ions moléculaires $[CH_3COCH(CH_3)C_2H_5]^{\bullet+}$.

G. Bouchoux, Y. Hoppilliard, P. Jaudon, J. Fillaud.

Int. J. Mass Spectrom. Ion Processes 64 (1985) 159.

[32] Structural effects upon gas phase basicities of α , β and γ diketones.

G. Bouchoux, Y. Hoppilliard, R. Houriet.

Adv. Mass Spectrom. 10 (1985) 1151.

[33] Structure et énergie des ions $[CH_3COCH_2]^+$, $[CH_2C(OH)CH_2]^+$ and $[CH_2CH_2COH]^+$.

G. Bouchoux, J.P. Flament, Y. Hoppilliard.

Nouv. J. Chim. 9 (1985) 453.

[34] Structures and stabilities of $[C_3H_3O]^+$ ions in the gas-phase. A molecular orbital study.

G. Bouchoux, J.P. Flament, Y. Hoppilliard.

Org. Mass Spectrom. 20 (1985) 560.

[35] Identification and thermochemistry of some $[C_3H_6N]^+$ ions. Comparison between the relative

stability of the isomeric $[C_3H_6N]^+$ and $[C_3H_5O]^+$ isoelectronic ions.

G. Bouchoux, Y. Hoppilliard.

Adv. Mass Spectrom. 10 (1985) 1153.

[36] Gas phase basicities of furan compounds. The role of alkyl substitution on proton affinity and protonation site.

R. Houriet, E. Rolli, G. Bouchoux, Y. Hoppilliard.

Helv. Chim. Acta 68 (1985) 2037.

[37] Isomerisation of $[C_5H_5O]^+$ ions.

H.E. Audier, Y. Hoppilliard, D. Robin.

Adv. Mass Spectrom. 10 (1985) 821.

[38] Structure elucidation of the product ions in the dissociative ionization of aliphatic epoxides.

G. Bouchoux, Y. Hoppilliard, P. Jaudon.

Adv. Mass Spectrom. 10 (1985) 795.

[39] Stabilities of $[C_4H_7O]^+$ ions. Ab initio calculations.

G. Bouchoux, Y. Hoppilliard.

Adv. Mass Spectrom. 10 (1985) 1119.

[40] An experimental and theoretical study of $[C_3H_2O]^{\bullet+}$ cations. Evidence for the existence of stable $[CH=CH-CO]^{\bullet+}$ ion in the gas phase.

G. Bouchoux, Y. Hoppilliard, J.P. Flament, J.K. Terlouw, F. van der Valk.

J. Phys. Chem. 90 (1986) 1582.

[41] Gas phase protonation of unsaturated ethers. Experimental and theoretical study of 2,3 and 2,5-dihydrofurans.

G. Bouchoux, F. Djazi, Y. Hoppilliard, R. Houriet, E. Rolli.

Org. Mass Spectrom. 21 (1986) 209.

[42] Stable covalent and hydrogen bonded acid-base association: ab initio study of $[CH_2O \cdots H \cdots NH_3]^+$ and $[CH_2NH \cdots H \cdots OH_2]^+$ complexes.

G. Bouchoux, Y. Hoppilliard.

Int. J. Mass Spectrom. Ion Processes 75 (1987) 1.

[43] Dissociations of positively charged aliphatic epoxides. I. Structure elucidation of the γ -cleavage products.

G. Bouchoux, Y. Hoppilliard, P. Jaudon.

Org. Mass Spectrom. 22 (1987) 98.

[44] Gas-phase basicity of α , β and γ diketones and their keto-enol tautomers.

G. Bouchoux, Y. Hoppilliard, R. Houriet.

Nouv. J. Chim. 11 (1987) 225.

[45] Book review: Méthodes chromatographiques couplées à la spectrométrie de masse.

Y. Hoppilliard.

Org. Mass Spectrom. 22 (1987) 127.

[46] Desorption mechanism of amino acid compounds analysed by P.D.M.S.

Y. Hoppilliard, Y. Le Beyec, C. Deprun, A. Delfour, in: Lectures Notes in Physics 269: P.D.M.S. and Clusters.

Springer, Berlin-Heidelberg, 1987, p. 110.

[47] Negative ion chemical ionisation in tandem mass spectrometry. Applications to the localisation of epoxide ring in aliphatic chain.

G. Bouchoux, Y. Hoppilliard, P. Jaudon, J.M. Péchiné.

Rapid Commun. Mass Spectrom. 1 (1987) 20.

[48] Determination of epoxide ring position in aliphatic chain by NI-CI mass spectrometry.

G. Bouchoux, Y. Hoppilliard, P. Jaudon, J.M. Péchiné.

Spectrosc. Int. J. 5 (1987) 247.

[49] The role of ion-neutral complexes in the fragmentation of hexanal molecular cation.

G. Bouchoux, Y. Hoppilliard, P. Longevialle.

Rapid. Commun. Mass Spectrom. 1 (1987) 94.

[50] Formation de l'ion énolate $[\text{CH}_3\text{COCHCOCH}_3]^-$ par condensation en phase gazeuse.

G. Bouchoux, Y. Hoppilliard.

Tetrahedron Lett. 28 (1988) 4537.

[51] Dissociation of positively charged aliphatic epoxides. II. $[\text{C}_5\text{H}_{10}\text{O}]^{\bullet+}$ epoxides and α,β unsaturated ethers.

G. Bouchoux, F. Djazi, Y. Hoppilliard, P. Jaudon, N. Nouts.

Org. Mass Spectrom. 23 (1988) 33.

[52] Structures and stabilities of $[\text{C}_4\text{H}_7\text{O}]^{\bullet+}$ cations.

G. Bouchoux, Y. Hoppilliard.

J. Phys. Chem. 92 (1988) 5869.

[53] Processus d'isomérisation et de dissociation des méthylfurannes protonés en phase gazeuse.

H.E. Audier, Y. Hoppilliard, D. Robin.

New J. Chem. 12 (1988) 217.

[54] Gas phase alkylation of 2-methylfuran under chemical ionization conditions.

D. Robin, Y. Hoppilliard, H.E. Audier.

Org. Mass Spectrom. 23 (1988) 370.

[55] Spectrométrie de masse.

Y. Hoppilliard, Y. Lebeyec, G. Bouchoux.

Spectra 2000 (1988) 10.

[56] Ion-neutral complexes intermediates in the unimolecular fragmentation of steroidal amides in the mass spectrometer.

G. Bouchoux, Y. Hoppilliard, P. Longevialle.

Org. Mass Spectrom. 24 (1989) 919.

[57] Structure et rôle des complexes ion-molécules durant le réarrangement de Mc Lafferty. Etude ab initio du système: $[\text{CH}_2=\text{CHOH}]^{\bullet+}/\text{CH}_2=\text{CH}_2$.

G. Bouchoux, J. Tortajada, Y. Hoppilliard.

Int. J. Mass Spectrom. Ion Processes 90 (1989) 197.

[58] Analyse de composés biologiques par désorption-ionisation couplée à la spectrométrie de masse.

Y. Hoppilliard.

Spectra 2000 (1989) 11.

[59] The fragmentation of 3-*N*-methylacetamido steroids under electron impact.

G. Bouchoux, Y. Hoppilliard, in: P. Longevialle (Ed.), *Advances in Mass spectrometry*, Vol. 11, Heyden and Son, Londres, 1989, p. 908.

[60] The chemistry of positively charged α,β -ethylenic alcohols of general formula $C_5H_{10}O$ and $C_6H_{12}O$.

G. Bouchoux, F. Djazi, Y. Hoppilliard, R. Flammang, A. Maquestiau, in: P. Longevialle (Ed.), *Advances in Mass spectrometry*, Vol. 11A, Heyden and Son, Londres, 1989, p. 878.

[61] McLafferty rearrangement and ion-molecule associations: the $[CH_2=CHOH]^+/CH_2=CH_2$ system.

G. Bouchoux, Y. Hoppilliard, J. Tortajada, in: P. Longevialle (Ed.), *Advances in Mass spectrometry*, Vol. 11A, Heyden and Son, Londres, 1989, p. 754.

[62] Structure of $(M-H)^-$ anions produced by chemical ionisation of aliphatic epoxides.

G. Bouchoux, I. Gentais, Y. Hoppilliard, P. Jaudon, in: P. Longevialle (Ed.), *Advances in Mass spectrometry*, Vol. 11A, Heyden and Son, Londres, 1989, p. 608.

[63] On the formation of protonated Schiff base by ammonia chemical ionisation of carbonyl compounds: a theoretical insight.

G. Bouchoux, Y. Hoppilliard, in: P. Longevialle (Ed.), *Advances in Mass spectrometry*, Vol. 11A, Heyden and Son, Londres, 1989, p. 528.

[64] The $[C_3H_6N]^{+\bullet}$ cations in the gas phase: ab initio molecular orbital calculations and tandem mass spectrometry experiments.

G. Bouchoux, J.P. Flament, R. Flammang, A. Maquestiau, Y. Hoppilliard, J. Tortajada.

J. Am. Chem. Soc. 111 (1989) 5560.

[65] Interaction of remote functional groups (amide and amine) in steroidal compounds after electron ionization.

P. Longevialle, G. Bouchoux, Y. Hoppilliard.

Org. Mass Spectrom. 25 (1990) 527.

[66] Role of ion-neutral complexes during acid-catalysed dehydration of ethanol in the gas phase.

G. Bouchoux, Y. Hoppilliard.

J. Am. Chem. Soc. 112 (1990) 9110.

[67] 20 ans de rétrospective en spectrométrie de masse organique et bioorganique.

Y. Hoppilliard.

Les Cahiers de Spectra 2000 159 (Suppl.) (1991) 16-24.

[68] Proton and sodium ion affinities of glycine and its sodium salt. *Ab initio* calculations.

S. Bouchonnet, Y. Hoppilliard.

Org. Mass Spectrom. 27 (1992) 71.

[69] Unimolecular chemistry of oxazole and isoxazole radical cations in the gas phase: combined experimental and molecular orbital study.

R. Flammang, M. Plisnier, G. Bouchoux, Y. Hoppilliard, S. Humbert, C. Wentrup.

Org. Mass Spectrom. 27 (1992) 317.

[70] Is plasma desorption useful for small molecules analysis? Fragmentations of the natural α -aminoacids.

S. Bouchonnet, J.P. Denhez, Y. Hoppilliard, C. Mauriac.

Anal. Chem. 64 (1992) 743.

[71] Fragmentations of dipeptides in plasma desorption mass spectrometry. New rules for the sequence elucidation of oligopeptides.

S. Bouchonnet, M.F. Gonnord, Y. Hoppilliard, C. Mauriac.

Biol. Mass Spectrom. 21 (1992) 576.

[72] Matrix effects in plasma desorption mass spectrometry.

S. Bouchonnet, C. Mauriac, Y. Hoppilliard.

Int. J. Mass Spectrom. Ion Processes 126 (1993) 163.

[73] Differentiation among isomeric di- and tri-functional aromatic compounds by plasma desorption mass spectrometry.

S. Bouchonnet, Y. Hoppilliard, A. Maret.

Org. Mass Spectrom. 28 (1993) 963.

[74] Amino acid mixture analysis by plasma desorption mass spectrometry.

Y. Hoppilliard, C. Mauriac.

Org. Mass Spectrom. 28 (1993) 977.

[75] Desorption-ionization and in-flight fragmentation of mono-alkali-glycine adducts.

S. Bouchonnet, J.P. Flament, Y. Hoppilliard.

Rapid Commun. Mass Spectrom. 7 (1993) 470.

[76] Leucine and isoleucine in chemical ionization and plasma desorption mass spectrometry: a comparative study.

G. Bouchoux, S. Bourcier, Y. Hoppilliard, C. Mauriac.

Org. Mass Spectrom. 28 (1993) 1064.

[77] Particle induced desorption-ionization processes for organic and bioorganic molecules. Ion formation mechanisms.

Y. Hoppilliard, Y. Le Beyec, S. Della-Negra.

J. Chim. Phys. 90 (1993) 1367.

[78] Spectrométrie de masse: applications des nouvelles techniques d'ionisation aux composés d'intérêt biologique.

S. Bourcier, Y. Hoppilliard, T. Kargar.

Spectra Analyse 178 (1994) 29.

[79] Formation and fragmentations of organometallic complexes involving aliphatic α -amino-acids and transition metal cations.

S. Bouchonnet, Y. Hoppilliard, G. Ohanessian.

J. Mass Spectrom. 30 (1995) 172.

[80] Fragmentation rules in plasma desorption mass spectrometry.

T. Kargar, Y. Hoppilliard, S. Bourcier.

Rapid Commun. Mass Spectrom. 9 (1995) 413.

[81] Use of plasma desorption mass spectrometry for pesticide analysis: alkyl-triazines.

S. Bourcier, Y. Hoppilliard, T. Kargar.

Rapid Commun. Mass Spectrom. 9 (1995) 1213.

[82] Analysis of aromatic pesticides by mass spectrometry. Advantage of plasma desorption over electron impact and NH_3 or CH_4 positive chemical ionization: the competitive formation of $\text{M}^{\bullet+}$ and MH^+ ions.

S. Bourcier, Y. Hoppilliard, T. Kargar.

Rapid Commun. Mass Spectrom. 11 (1997) 1046.

[83] Formation and fragmentation of α -amino-acids complexed by Cu^+ .

H. Lavanant, Y. Hoppilliard.

J. Mass Spectrom. 32 (1997) 1037.

[84] L'électronébulisation en spectrométrie de masse: applications à l'analyse des "petites" molécules.

S. Bourcier, Y. Hoppilliard, T. Kargar.

Spectra Analyse 197 (1997) 27.

[85] Reduction of copper(II) complexes by electron capture in an electrospray ionization source.

H. Lavanant, H. Virelizier, Y. Hoppilliard.

J. Am Soc. Mass Spectrom. 9 (1998) 1216.

[86] Kinetic energies of histidine/ Cu^+ complexes desorbed by MeV particle bombardment.

H. Lavanant, A. Brunelle, Y. Hoppilliard.

Rapid Commun. Mass Spectrom. 12 (1998) 1137.

[87] Les différents types de spectromètres de masse utilisés pour l'analyse des composés organiques et bio-organiques.

S. Bouchonnet, Y. Hoppilliard, T. Kargar-Grisel.

Spectra analyse 207 (1999) 11.

[88] Complexes of L-histidine with Fe^{2+} , Co^{2+} , Ni^{2+} , Cu^{2+} , Zn^{2+} studied by electrospray ionization mass spectrometry.

H. Lavanant, E. Hecquet, Y. Hoppilliard.

Int. J. Mass Spectrom. 185/186/187 (1999) 11.

[89] Fragmentation of arginine- and lysine-containing dipeptides cationized by Cu^+ and Cu^{2+} .

H. Lavanant, Y. Hoppilliard.

Eur. Mass Spectrom. 5 (1999) 41.

[90] Fragmentation mechanisms of protonated α -amino acids in electrospray ionization. A tandem mass spectrometric and ab initio theoretical study.

F. Rogalewicz, Y. Hoppilliard, G. Ohanessian.

Int. J. Mass Spectrom. 195/196 (2000) 565.

[91] Low energy fragmentation of protonated glycine.

F. Rogalewicz, Y. Hoppilliard.

Int. J. Mass Spectrom. 199 (2000) 235.

[92] Decarboxylation of carnitine and α -cyano, 4-hydroxycinnamic acid.

S. Bourcier, Y. Hoppilliard.

Eur. Mass Spectrom. 6 (2000) 175.

[93] Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. I. Electrosprayed ions which are structurally different from their liquid phase precursors.

F. Rogalewicz, Y. Hoppilliard, G. Ohanessian.

Int. J. Mass Spectrom. 201 (2000) 307.

[94] Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. II. Decomposition of glycine–Zn(II) complexes.

F. Rogalewicz, Y. Hoppilliard, G. Ohanessian.

Int. J. Mass Spectrom. 204 (2001) 267.

[95] Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. III. Rearrangement vs desolvation in the electrospray formation of the glycine–Zn complex.

F. Rogalewicz, Y. Hoppilliard, G. Ohanessian.

Int. J. Mass Spectrom. 206 (2001) 45.

[96] Ionization of 2,5-dihydroxybenzoic acid (DHB). MALDI experiments and theoretical study.

S. Bourcier, S. Bouchonnet, Y. Hoppilliard.

Int. J. Mass Spectrom. 210/211 (2001) 59.

[97] The story of the Société Française de Spectrométrie de Masse (SFSM).

Y. Hoppilliard.

Eur. J. Mass Spectrom. 7 (2001) 297.

[98] Complexation of glycine by atomic metal cations in the gas phase.

S. Hoyau, J.-P. Pélicier, F. Rogalewicz, Y. Hoppilliard, G. Ohanessian.

Eur. J. Mass Spectrom. 7 (2001) 303.

[99] Do thermally labile 1,4-benzodiazepins rearrange under electrospray and particle bombardment?

S. Bourcier, Y. Hoppilliard, T. Kargar-Grisel, J.M. Pechine, F. Gomez.

Eur. J. Mass Spectrom. 7 (2001) 359.

[100] B3LYP DFT molecular orbital approach, an efficient method for the evaluation of thermochemical properties of MALDI matrices.

S. Bourcier, Y. Hoppilliard.

Int. J. Mass Spectrom. 217 (2002) 231.

[101] Chemistry of glycine– Cu^+ in the gas phase at low energy. An experimental and theoretical study.

Y. Hoppilliard, G. Ohanessian, S. Bourcier.

Submitted for publication.

[102] Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. IV. Solvent effects on the structure of electrosprayed ions.

F. Rogalewicz, Y. Hoppilliard, G. Ohanessian.

Int. J. Mass Spectrom. (in press).

[103] Mass spectrometry and the analysis of biological complexes of zinc.

Y. Hoppilliard, G. Ohanessian.

Submitted for publication.

[104] Apport de la spectrométrie de masse dans l'étude des protéines du lait contenant du calcium.

A.P. Bouin, Y. Hoppilliard, G. Ohanessian.

Submitted for publication.

[105] Desolvation vs. isomerization of electrosprayed metal-methanol complexes.

M. Taghi, S. Bourcier, Y. Hoppilliard, G. Ohanessian.

Submitted for publication.