

Subject index Volume 229

Adsorption

The effect of charge upon CO-adsorption by ionic group 5 and group 9 transition metal clusters, 61

Atomic masses

Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107

Band gap shifting

Band gap shiftings in Co-doped Nb_n ($n = 3–15$) clusters: influence of Co 3d electrons on the electronic structure, 77

Binding energies

Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107

Biopolymers

FRET measurements of trapped oligonucleotide duplexes, 35

Carbon clusters

Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107

Carbon dioxide isotopomers

What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217

Charge localisation

MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3

Chemical ionization of hydrocarbons

Reactions of small hydrocarbons with H_3O^+ , O_2^+ and NO^+ ions, 143

Chlorine molecule

Electron impact ionization of the Cl_2 molecule, 151

Coalescence

MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3

Conventional isotope measurement

What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217

CO-oxidation

Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99

Core level excitation

Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117

Coulomb barrier

Production of dianionic and trianionic noble metal clusters in a Penning trap, 19

Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93

Coulomb crystals

Ion Coulomb crystals: a tool for studying ion processes, 83

Dendrimers

MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3

Dianions

Production of dianionic and trianionic noble metal clusters in a Penning trap, 19

Differential cross-section

Electron impact ionization of the Cl_2 molecule, 151

Diisotopomers

What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217

Electron affinity

Band gap shiftings in Co-doped Nb_n ($n = 3–15$) clusters: influence of Co 3d electrons on the electronic structure, 77

Electron attachment

Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93

Electron impact

Electron impact ionization of the Cl_2 molecule, 151

Electrospray ionization

Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167

Fourier transformation

High resolution mass spectrometry using a linear electrostatic ion beam trap, 55

Fragmentation

Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117

Free clusters

Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117

FRET

FRET measurements of trapped oligonucleotide duplexes, 35

FT-ICR mass spectrometry

Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93

Fullerene dianions

Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93

Fullerenes

MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3

Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{-8} precision, 107

Gramicidin S

Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47

Hidden errors of measurement

What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217

High resolution mass spectrometry

High resolution mass spectrometry using a linear electrostatic ion beam trap, 55

- High-resolution transmission electron microscope (HRTEM)
 - Met-Cars: mass deposition and preliminary structural study via TEM, 11
- HOMO-LUMO gap
 - Band gap shiftings in Co-doped Nb_n (*n* = 3–15) clusters: influence of Co 3d electrons on the electronic structure, 77
- Hybrid DFT method
 - Gas-phase non-identity S_N2 reactions at neutral nitrogen: a hybrid DFT study, 199
- Ion detection
 - Ion Coulomb crystals: a tool for studying ion processes, 83
- Ion emitters
 - High intensity perrhenate anion (ReO₄[−]) emitters, 157
- Ion mobility spectrometry
 - Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
- Ion processes
 - Ion Coulomb crystals: a tool for studying ion processes, 83
- Ion traps
 - Ion Coulomb crystals: a tool for studying ion processes, 83
- Ion/molecule reactions
 - A selected ion flow tube study of the reactions of H₃O⁺, NO⁺ and O₂⁺ with a series of monoterpenes, 231
- Ionization
 - Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117
 - Electron impact ionization of the Cl₂ molecule, 151
- Ion-molecule rate coefficients
 - Reactions of small hydrocarbons with H₃O⁺, O₂⁺ and NO⁺ ions, 143
- Ion–surface interaction
 - Nanoscope surface modification by slow ion bombardment, 27
- Isotope fractionation
 - What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217
- Isotope ratios
 - Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181
- Laser desorption/ionization
 - MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
- Laser vaporization
 - Met-Cars: mass deposition and preliminary structural study via TEM, 11
- Laser-induced fluorescence
 - Laser-induced fluorescence/ion trap as a detector for mass spectrometric analysis of nanoparticles, 67
- Linear electrostatic ion beam trap
 - High resolution mass spectrometry using a linear electrostatic ion beam trap, 55
- MALDI
 - MALDI mass spectrometric determination of molecular site-specific charge localisation, and laser-induced coalescence reactivity of fullerenodendrimers, 3
- MALDI TOF mass spectrometry
 - Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225
- Mass deposition
 - Met-Cars: mass deposition and preliminary structural study via TEM, 11
- Mass spectrometer
 - Recent improvements of ISOLTRAP: absolute mass measurements of exotic nuclides at 10^{−8} precision, 107
- Mass spectrometry
 - Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
- Metal clusters
 - Production of dianionic and trianionic noble metal clusters in a Penning trap, 19
- Metallocoarbohedrenes (Met-Cars)
 - Met-Cars: mass deposition and preliminary structural study via TEM, 11
- Monoterpenes
 - A selected ion flow tube study of the reactions of H₃O⁺, NO⁺ and O₂⁺ with a series of monoterpenes, 231
- Multianions
 - Electron attachment to negative fullerene ions: a Fourier transform mass spectrometric study, 93
- Multicharged ions
 - Nanoscope surface modification by slow ion bombardment, 27
- Multi-dynamic measurements
 - Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181
- Nanocatalysis
 - Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99
- Nano-environments
 - Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47
- Nanoparticles
 - Laser-induced fluorescence/ion trap as a detector for mass spectrometric analysis of nanoparticles, 67
- Noncovalent interactions
 - Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225
- Normal phase liquid chromatography
 - Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167
- Nucleophilicity
 - Gas-phase non-identity S_N2 reactions at neutral nitrogen: a hybrid DFT study, 199
- Oligonucleotides
 - FRET measurements of trapped oligonucleotide duplexes, 35
 - Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225
- Oxygen isotopes
 - What factors can limit the precision of isotope ratio measurements in the isotopomer pool?, 217
- Palladium clusters
 - Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99
- Penning trap
 - Production of dianionic and trianionic noble metal clusters in a Penning trap, 19
- Peptides
 - Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47
 - Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
- Perrhenate
 - High intensity perrhenate anion (ReO₄[−]) emitters, 157
- Polyatomic primary ions
 - High intensity perrhenate anion (ReO₄[−]) emitters, 157
- Polyethers
 - Nanoelectrospray ion mobility spectrometry and ion trap mass spectrometry studies of the non-covalent complexes of amino acids and peptides with polyethers, 209
- Potential sputtering
 - Nanoscope surface modification by slow ion bombardment, 27

Proton transfer

A selected ion flow tube study of the reactions of H_3O^+ , NO^+ and O_2^+ with a series of monoterpenes, 231

QITMS

Laser-induced fluorescence/ion trap as a detector for mass spectrometric analysis of nanoparticles, 67

Quantitative mass spectrometry

Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99

Reaction mechanism

Gas-phase non-identity $\text{S}_{\text{N}}2$ reactions at neutral nitrogen: a hybrid DFT study, 199

Regioisomers

Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167

Relaxation

Core level excitation, ionization, relaxation, and fragmentation of free clusters, 117

Secondary ion mass spectrometry

Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47

Selected ion flow tube (SIFT) mass spectrometry

Reactions of small hydrocarbons with H_3O^+ , O_2^+ and NO^+ ions, 143

Self-bunching

High resolution mass spectrometry using a linear electrostatic ion beam trap, 55

Short-chain triacylglycerols

Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167

SIFT

A selected ion flow tube study of the reactions of H_3O^+ , NO^+ and O_2^+ with a series of monoterpenes, 231

SIMS

High intensity perrhenate anion (ReO_4^-) emitters, 157

 $\text{S}_{\text{N}}2$ at neutral nitrogen

Gas-phase non-identity $\text{S}_{\text{N}}2$ reactions at neutral nitrogen: a hybrid DFT study, 199

Solid surfaces

Probing nano-environments of peptide molecules on solid surfaces by highly charged ion secondary ion mass spectrometry, 47

Stilbazolium ligands

Detection of noncovalent interactions of hairpin oligonucleotide with stilbazolium ligands by MALDI TOF mass spectrometry, 225

Supersonic expansion

The effect of charge upon CO-adsorption by ionic group 5 and group 9 transition metal clusters, 61

Surface defects

Nanoscopic surface modification by slow ion bombardment, 27

Tandem mass spectrometry

Analysis of regioisomers of short-chain triacylglycerols by normal phase liquid chromatography–electrospray tandem mass spectrometry, 167

TIMS

Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181

TOF

Turn-over frequencies of catalytic reactions on nanocatalysts measured by pulsed molecular beams and quantitative mass spectrometry, 99

Total evaporation

Improved techniques for high accuracy isotope ratio measurements of nuclear materials using thermal ionization mass spectrometry, 181

Transition metal

The effect of charge upon CO-adsorption by ionic group 5 and group 9 transition metal clusters, 61

Trianions

Production of dianionic and trianionic noble metal clusters in a Penning trap, 19