

Subject index Volume 233

- Acetone
Secondary kinetic isotope effects in cation-bound dimers of acetone ($(\text{C}_3\text{H}_6\text{O})\text{M}(\text{C}_3\text{D}_6\text{O})^+$ with $\text{M} = \text{H}, \text{Li}, \text{Na}, \text{K}, \text{Rb}, \text{Ag}, \text{and Cs}$, 103
- Aeronomical molecules
Electron impact ionization studies with aeronomical molecules, 207
- Air plasma
Evaluation of the roles of reactive species, heat, and UV radiation in the inactivation of bacterial cells by air plasmas at atmospheric pressure, 81
- Alkali cations
Secondary kinetic isotope effects in cation-bound dimers of acetone ($(\text{C}_3\text{H}_6\text{O})\text{M}(\text{C}_3\text{D}_6\text{O})^+$ with $\text{M} = \text{H}, \text{Li}, \text{Na}, \text{K}, \text{Rb}, \text{Ag}, \text{and Cs}$, 103
- Anion reactions
Electron attachment to and anion reactions with SF_5Cl : electron-swarm and selected ion flow tube studies, 259
- Ar^{2+}
Reaction of Ar^{2+} with C_{60} to produce C_{60}^{3+} : first observation of double electron-transfer ionization?, 33
- Argon
Angular momentum coupling and electron-impact excitation cross sections of rare-gas atoms, 75
- Aromatic and aliphatic hydrocarbons
Destruction of hydrocarbons in non-thermal, ambient-pressure, capillary discharge plasmas, 305
- Atoms
Revised high energy behavior of the Deutsch-Märk (DM) formula for the calculation of electron impact ionization cross sections of atoms, 13
- Bacteria
Selected ion flow tube, SIFT, studies of the reactions of H_3O^+ , NO^+ and O_2^+ with compounds released by *Pseudomonas* and related bacteria, 245
- BCl_3
The formation of boron containing fragment ions from the ionization of BCl_3 , 145
- Branching ratios
Electron attachment to and anion reactions with SF_5Cl : electron-swarm and selected ion flow tube studies, 259
- Breakdown curve
Hyperthermal collisions of atomic clusters and fullerenes, 1
- C_{60}
Hyperthermal collisions of atomic clusters and fullerenes, 1
Reaction of Ar^{2+} with C_{60} to produce C_{60}^{3+} : first observation of double electron-transfer ionization?, 33
- Caesium iodide clusters
The fragmentation dynamics of small $\text{Cs}(\text{CsI})_n^+$ cluster ions under low-energy multiple collision conditions, 355
- Capillary plasma
Destruction of hydrocarbons in non-thermal, ambient-pressure, capillary discharge plasmas, 305
- Carbon chains
Sulfur terminated nanowires in the gas phase: laser spectroscopy and mass spectrometry, 131
- Cavity ring-down spectrometer
Afterglow studies of $\text{H}_3^+(\nu = 0)$ recombination using time resolved cw-diode laser cavity ring-down spectroscopy, 299
- CBrClF^-
Parity violating effects in the molecular anion CBrClF^- , 385
- Charge transfer
Selected ion flow tube, SIFT, studies of the reactions of H_3O^+ , NO^+ and O_2^+ with compounds released by *Pseudomonas* and related bacteria, 245
- Charged clusters
Signature of cluster isomers in time-resolved photodissociation experiments, 117
- Charging
Charging of micro-particles in plasma–dust interaction, 51
- CHBrClF
Parity violating effects in the molecular anion CBrClF^- , 385
- CHCLBr_2
Temperature dependence of electron attachment to CHCLBr_2 : crossed beams study, 193
- Chemical reactions at surfaces
Surface collisions of small cluster ions at incident energies 10–10² eV, 361
- Cluster
Hyperthermal collisions of atomic clusters and fullerenes, 1
Calculations of electron-impact cross sections for the fragmentation and dissociative ionization of fullerenes using a semi-empirical method, 293
- Cluster anions
High resolution study of cluster anion formation in low-energy electron collisions with OCS clusters, 181
- Cluster beams
Do we know the value of the Gspann parameter?, 215
- Cluster ions
Surface collisions of small cluster ions at incident energies 10–10² eV, 361
- Cluster reaction
Gas-phase studies of Au_nO_m^+ interacting with carbon monoxide, 99
- CO oxidation
Gas-phase studies of Au_nO_m^+ interacting with carbon monoxide, 99
- Coincidence technique
The formation of boron containing fragment ions from the ionization of BCl_3 , 145
- Collision
Hyperthermal collisions of atomic clusters and fullerenes, 1
- Collisional electron detachment
Collisional electron detachment from NO^- by rare gases, 45
- Compact and elongated conformers
Applying a new algorithm to H/D exchange of multiply protonated cytochrome c, 125
- Corona
An analysis of mass spectrometric study of negative ions extracted from negative corona discharge in air, 317
- Cross sections
Revised high energy behavior of the Deutsch-Märk (DM) formula for the calculation of electron impact ionization cross sections of atoms, 13
Measurements of absolute total and partial cross sections for the electron ionization of tungsten hexafluoride (WF_6), 25
Calculated cross sections for the electron-impact ionization of excited argon atoms using the DM formalism, 39

- Electron impact ionization cross-sections of SF₃ and SF₅, 111
- Crossed beams study
 - Temperature dependence of electron attachment to CHCLBr₂: crossed beams study, 193
- DEA
 - Low energy electron driven reactions in free and bound molecules: from unimolecular processes in the gas phase to complex reactions in a condensed environment, 267
- Desorption
 - Low energy electron driven reactions in free and bound molecules: from unimolecular processes in the gas phase to complex reactions in a condensed environment, 267
- Diamine
 - Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- Differential cross-section
 - The ¹S–¹P electron excitations of Zn at small scattering angles, 253
- Diffuse interstellar bands
 - Sulfur terminated nanowires in the gas phase: laser spectroscopy and mass spectrometry, 131
- Discharge
 - Evaluation of the roles of reactive species, heat, and UV radiation in the inactivation of bacterial cells by air plasmas at atmospheric pressure, 81
 - Sulfur terminated nanowires in the gas phase: laser spectroscopy and mass spectrometry, 131
- Discharge plasma
 - Vacuum ultraviolet emissions from a cylindrical dielectric barrier discharge in neon and neon–hydrogen mixtures, 395
- Dissociation
 - Theoretical study on the structures and dissociation channels of metal dications solvated by acetonitrile ligands, 87
 - Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- Dissociative electron attachment
 - Temperature dependence of electron attachment to CHCLBr₂: crossed beams study, 193
- Double electron-transfer ionization
 - Reaction of Ar²⁺ with C₆₀ to produce C₆₀³⁺: first observation of double electron-transfer ionization?, 33
- Double-electron capture
 - Evidence for double-electron capture in the H₉⁺–He collision, 233
- Dry air
 - An analysis of mass spectrometric study of negative ions extracted from negative corona discharge in air, 317
- Dusty plasmas
 - Charging of micro-particles in plasma–dust interaction, 51
- Dynamics approach
 - Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- EELS
 - An experimental study of SF₅CF₃ by electron energy loss spectroscopy, VUV photo-absorption and photoelectron spectroscopy, 335
- Electron affinity
 - Electron attachment and detachment: C₆F₆, 67
- Electron attachment
 - Electron attachment and detachment: C₆F₆, 67
 - High resolution study of cluster anion formation in low-energy electron collisions with OCS clusters, 181
 - Low energy electron attachment by bromoalkanes, 199
 - Electron attachment to and anion reactions with SF₅Cl: electron-swarm and selected ion flow tube studies, 259
- Electron capture cross-sections
 - State-selective and total single-electron capture for impact of slow He²⁺ ($E \leq 1$ keV) on H₂, O₂ and CO, 239
- Electron detachment
 - Electron attachment and detachment: C₆F₆, 67
- Electron excitation
 - The ¹S–¹P electron excitations of Zn at small scattering angles, 253
- Electron impact
 - Angular momentum coupling and electron-impact excitation cross sections of rare-gas atoms, 75
 - Calculations of electron-impact cross sections for the fragmentation and dissociative ionization of fullerenes using a semi-empirical method, 293
- Electron impact ionization
 - Revised high energy behavior of the Deutsch–Märk (DM) formula for the calculation of electron impact ionization cross sections of atoms, 13
- Electron ionization
 - Measurements of absolute total and partial cross sections for the electron ionization of tungsten hexafluoride (WF₆), 25
 - Calculated cross sections for the electron-impact ionization of excited argon atoms using the DM formalism, 39
 - Electron impact ionization cross-sections of SF₃ and SF₅, 111
 - The formation of boron containing fragment ions from the ionization of BCl₃, 145
- Electron swarm
 - Low energy electron attachment by bromoalkanes, 199
- Electrospray ionization
 - Secondary kinetic isotope effects in cation-bound dimers of acetone (C₃H₆O)M(C₃D₆O)⁺ with M = H, Li, Na, K, Rb, Ag, and Cs, 103
- Endohedral
 - Hyperthermal collisions of atomic clusters and fullerenes, 1
- Energy transfer
 - Hyperthermal collisions of atomic clusters and fullerenes, 1
- ESI
 - Applying a new algorithm to H/D exchange of multiply protonated cytochrome *c*, 125
- Excess kinetic energy
 - Discrimination effects for ions with initial kinetic energy produced by electron ionization of C₂H₂ in a Nier-type ion source, 325
- Excimer emission
 - Vacuum ultraviolet emissions from a cylindrical dielectric barrier discharge in neon and neon–hydrogen mixtures, 395
- Excitation
 - Elementary processes at the origin of the generation and dynamics of multiple double layers in DP machine plasma, 343
- Excitation cross section
 - Angular momentum coupling and electron-impact excitation cross sections of rare-gas atoms, 75
- Excited states
 - Calculated cross sections for the electron-impact ionization of excited argon atoms using the DM formalism, 39
- Fast flow
 - Applying a new algorithm to H/D exchange of multiply protonated cytochrome *c*, 125
- Flicker noise
 - Elementary processes at the origin of the generation and dynamics of multiple double layers in DP machine plasma, 343
- Flowing-afterglow Langmuir probe technique
 - Electron attachment and detachment: C₆F₆, 67
- Fragment ions
 - Discrimination effects for ions with initial kinetic energy produced by electron ionization of C₂H₂ in a Nier-type ion source, 325
- Fragmentation
 - Signature of cluster isomers in time-resolved photodissociation experiments, 117
- Fragmentation mechanism
 - The fragmentation dynamics of small Cs(CsI)_{*n*}⁺ cluster ions under low-energy multiple collision conditions, 355
- Free radicals
 - Electron impact ionization cross-sections of SF₃ and SF₅, 111

- Frequency shifts
 Parity violating effects in the molecular anion CBrClF^- , 385
- Fuel reforming
 Hydrogen generation in a microhollow cathode discharge in high-pressure ammonia–argon gas mixtures, 19
- Fullerene
 Hyperthermal collisions of atomic clusters and fullerenes, 1
 Ionization energies of the C_{60} fullerene and its hydrogenated derivatives $\text{C}_{60}\text{H}_{18}$ and $\text{C}_{60}\text{H}_{36}$ determined by electron ionization, 165
 Calculations of electron-impact cross sections for the fragmentation and dissociative ionization of fullerenes using a semi-empirical method, 293
- Fusion plasma diagnostics
 $\text{H}^+ - \text{He}(1s^2)$ collisions: CTMC calculations of single ionisation and excitation cross sections, 137
- Gas phase
 Gas-phase studies of Au_nO_m^+ interacting with carbon monoxide, 99
- Gas temperature dependence
 Temperature dependence of electron attachment to CHClBr_2 : crossed beams study, 193
- Gold cluster
 Gas-phase studies of Au_nO_m^+ interacting with carbon monoxide, 99
- Gspann parameter
 Do we know the value of the Gspann parameter?, 215
- H_3^+ ions
 Afterglow studies of $\text{H}_3^+(v=0)$ recombination using time resolved cw-diode laser cavity ring-down spectroscopy, 299
- $\text{H}_9^+ - \text{He}$ collision
 Evidence for double-electron capture in the $\text{H}_9^+ - \text{He}$ collision, 233
- H/D exchange
 Applying a new algorithm to H/D exchange of multiply protonated cytochrome c, 125
- Halocarbons
 Low energy electron attachment by bromoalkanes, 199
- Halogenated methanes
 A selected ion flow tube study of the reactions of OH^- with a number of fully and partially halogenated methanes, 155
- He excitation by proton impact
 $\text{H}^+ - \text{He}(1s^2)$ collisions: CTMC calculations of single ionisation and excitation cross sections, 137
- He ionisation by proton impact
 $\text{H}^+ - \text{He}(1s^2)$ collisions: CTMC calculations of single ionisation and excitation cross sections, 137
- Highly charged ions
 Charge driven fragmentation of biologically relevant molecules, 173
- HOClH^+
 Mode-selective stereomutation tunneling and parity violation in HOClH^+ and H_2Te_2 isotopomers, 373
- Hollow cathode discharge
 Hydrogen generation in a microhollow cathode discharge in high-pressure ammonia–argon gas mixtures, 19
- H_2Te_2
 Mode-selective stereomutation tunneling and parity violation in HOClH^+ and H_2Te_2 isotopomers, 373
- Hydrogen
 Hydrogen generation in a microhollow cathode discharge in high-pressure ammonia–argon gas mixtures, 19
 Vacuum ultraviolet emissions from a cylindrical dielectric barrier discharge in neon and neon–hydrogen mixtures, 395
- Hydrogen cluster ions
 Evidence for double-electron capture in the $\text{H}_9^+ - \text{He}$ collision, 233
- Hydrogen plasma
 Afterglow studies of $\text{H}_3^+(v=0)$ recombination using time resolved cw-diode laser cavity ring-down spectroscopy, 299
- Hydrogenated fullerenes
 Ionization energies of the C_{60} fullerene and its hydrogenated derivatives $\text{C}_{60}\text{H}_{18}$ and $\text{C}_{60}\text{H}_{36}$ determined by electron ionization, 165
- Infrared absorption spectroscopy
 Afterglow studies of $\text{H}_3^+(v=0)$ recombination using time resolved cw-diode laser cavity ring-down spectroscopy, 299
- Ion discrimination
 Discrimination effects for ions with initial kinetic energy produced by electron ionization of C_2H_2 in a Nier-type ion source, 325
- Ion solvation
 Theoretical study on the structures and dissociation channels of metal dications solvated by acetonitrile ligands, 87
- Ionization
 Elementary processes at the origin of the generation and dynamics of multiple double layers in DP machine plasma, 343
- Ionization cross sections
 Calculations of electron-impact cross sections for the fragmentation and dissociative ionization of fullerenes using a semi-empirical method, 293
 Discrimination effects for ions with initial kinetic energy produced by electron ionization of C_2H_2 in a Nier-type ion source, 325
- Ionization energy
 Ionization energies of the C_{60} fullerene and its hydrogenated derivatives $\text{C}_{60}\text{H}_{18}$ and $\text{C}_{60}\text{H}_{36}$ determined by electron ionization, 165
- Ion-molecule reactions
 A selected ion flow tube study of the reactions of OH^- with a number of fully and partially halogenated methanes, 155
- Isomers
 Signature of cluster isomers in time-resolved photodissociation experiments, 117
- Isotope effects
 Secondary kinetic isotope effects in cation-bound dimers of acetone $(\text{C}_3\text{H}_6\text{O})\text{M}(\text{C}_3\text{D}_6\text{O})^+$ with $\text{M} = \text{H, Li, Na, K, Rb, Ag, and Cs}$, 103
- Isotopes
 Mode-selective stereomutation tunneling and parity violation in HOClH^+ and H_2Te_2 isotopomers, 373
- Kinetic energy release
 Do we know the value of the Gspann parameter?, 215
- Kinetic energy release distribution (KERD)
 Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- Kinetic method
 Secondary kinetic isotope effects in cation-bound dimers of acetone $(\text{C}_3\text{H}_6\text{O})\text{M}(\text{C}_3\text{D}_6\text{O})^+$ with $\text{M} = \text{H, Li, Na, K, Rb, Ag, and Cs}$, 103
 Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- Krypton
 Angular momentum coupling and electron-impact excitation cross sections of rare-gas atoms, 75
- Levitated droplets
 The index of refraction of supercooled solutions determined by the analysis of optical rainbow scattering from levitated droplets, 61
- Low-energy collisions
 The fragmentation dynamics of small $\text{Cs}(\text{CsI})_n^+$ cluster ions under low-energy multiple collision conditions, 355
- Lyman- α line
 Vacuum ultraviolet emissions from a cylindrical dielectric barrier discharge in neon and neon–hydrogen mixtures, 395
- Mass spectrometry
 Hydrogen generation in a microhollow cathode discharge in high-pressure ammonia–argon gas mixtures, 19
 Secondary kinetic isotope effects in cation-bound dimers of acetone $(\text{C}_3\text{H}_6\text{O})\text{M}(\text{C}_3\text{D}_6\text{O})^+$ with $\text{M} = \text{H, Li, Na, K, Rb, Ag, and Cs}$, 103
 Evidence for double-electron capture in the $\text{H}_9^+ - \text{He}$ collision, 233

- Metal cations
 - Theoretical study on the structures and dissociation channels of metal dications solvated by acetonitrile ligands, 87
- Microorganism
 - Evaluation of the roles of reactive species, heat, and UV radiation in the inactivation of bacterial cells by air plasmas at atmospheric pressure, 81
- Molecular ions
 - Parity violating effects in the molecular anion CBrClF^- , 385
- Molecular trications
 - Reaction of Ar^{2+} with C_{60} to produce C_{60}^{3+} : first observation of double electron-transfer ionization?, 33
- Multiple double layers
 - Elementary processes at the origin of the generation and dynamics of multiple double layers in DP machine plasma, 343
- Multiply charged ions
 - Theoretical study on the structures and dissociation channels of metal dications solvated by acetonitrile ligands, 87
- Multiply ionization
 - The formation of boron containing fragment ions from the ionization of BCl_3 , 145
- Multiply protonated cyt *c*
 - Applying a new algorithm to H/D exchange of multiply protonated cytochrome *c*, 125
- Nanoparticles
 - Signature of cluster isomers in time-resolved photodissociation experiments, 117
- Nanowires
 - Sulfur terminated nanowires in the gas phase: laser spectroscopy and mass spectrometry, 131
- Negative ions
 - Low energy electron attachment by bromoalkanes, 199
- Neon
 - Angular momentum coupling and electron-impact excitation cross sections of rare-gas atoms, 75
 - Vacuum ultraviolet emissions from a cylindrical dielectric barrier discharge in neon and neon–hydrogen mixtures, 395
- NO^-
 - Collisional electron detachment from NO^- by rare gases, 45
- Non-linear oscillations
 - Elementary processes at the origin of the generation and dynamics of multiple double layers in DP machine plasma, 343
- Non-thermal plasma
 - Destruction of hydrocarbons in non-thermal, ambient-pressure, capillary discharge plasmas, 305
- Nucleobases
 - Charge driven fragmentation of biologically relevant molecules, 173
- Nucleophilic substitution
 - A selected ion flow tube study of the reactions of OH^- with a number of fully and partially halogenated methanes, 155
- OCS clusters
 - High resolution study of cluster anion formation in low-energy electron collisions with OCS clusters, 181
- Optical rainbow scattering
 - The index of refraction of supercooled solutions determined by the analysis of optical rainbow scattering from levitated droplets, 61
- Optical spectroscopy
 - Sulfur terminated nanowires in the gas phase: laser spectroscopy and mass spectrometry, 131
- Ozone
 - An analysis of mass spectrometric study of negative ions extracted from negative corona discharge in air, 317
- Parity violation
 - Mode-selective stereomutation tunneling and parity violation in HOClH^+ and H_2Te_2 isotopomers, 373
- Parity violating effects in the molecular anion CBrClF^- , 385
- Partial ionization cross-sections
 - The formation of boron containing fragment ions from the ionization of BCl_3 , 145
- Photoelectron spectroscopy
 - An experimental study of SF_5CF_3 by electron energy loss spectroscopy, VUV photo-absorption and photoelectron spectroscopy, 335
- Photolysis rate
 - An experimental study of SF_5CF_3 by electron energy loss spectroscopy, VUV photo-absorption and photoelectron spectroscopy, 335
- Plasma chemistry
 - Hydrogen generation in a microhollow cathode discharge in high-pressure ammonia–argon gas mixtures, 19
- Plasma processing
 - Measurements of absolute total and partial cross sections for the electron ionization of tungsten hexafluoride (WF_6), 25
 - Charging of micro-particles in plasma–dust interaction, 51
 - Electron impact ionization cross-sections of SF_3 and SF_5 , 111
- Plasma–wall interactions
 - Charging of micro-particles in plasma–dust interaction, 51
- Proton transfer
 - Selected ion flow tube, SIFT, studies of the reactions of H_3O^+ , NO^+ and O_2^+ with compounds released by *Pseudomonas* and related bacteria, 245
- Proton-bound dimer
 - Secondary kinetic isotope effects in cation-bound dimers of acetone ($\text{C}_3\text{H}_6\text{O})\text{M}(\text{C}_3\text{D}_6\text{O})^+$ with $\text{M} = \text{H}, \text{Li}, \text{Na}, \text{K}, \text{Rb}, \text{Ag}, \text{and Cs}$, 103
 - Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- Pseudomonas*
 - Selected ion flow tube, SIFT, studies of the reactions of H_3O^+ , NO^+ and O_2^+ with compounds released by *Pseudomonas* and related bacteria, 245
- Quasiadiabatic channels
 - Mode-selective stereomutation tunneling and parity violation in HOClH^+ and H_2Te_2 isotopomers, 373
- Rare gases
 - Calculated cross sections for the electron-impact ionization of excited argon atoms using the DM formalism, 39
 - Collisional electron detachment from NO^- by rare gases, 45
- Reaction entropy
 - Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- Reaction path Hamiltonian
 - Mode-selective stereomutation tunneling and parity violation in HOClH^+ and H_2Te_2 isotopomers, 373
- Reactive species
 - Evaluation of the roles of reactive species, heat, and UV radiation in the inactivation of bacterial cells by air plasmas at atmospheric pressure, 81
- Recombination
 - Afterglow studies of $\text{H}_3^+(\nu = 0)$ recombination using time resolved cw-diode laser cavity ring-down spectroscopy, 299
- Refractive index
 - The index of refraction of supercooled solutions determined by the analysis of optical rainbow scattering from levitated droplets, 61
- Relative energies
 - Relative proton affinities from kinetic energy release distributions for dissociation of proton-bound dimers. 2. Diamines as a test case, 223
- SIFT
 - Reaction of Ar^{2+} with C_{60} to produce C_{60}^{3+} : first observation of double electron-transfer ionization?, 33
 - Selected ion flow tube, SIFT, studies of the reactions of H_3O^+ , NO^+ and O_2^+ with compounds released by *Pseudomonas* and related bacteria, 245

SIFT-MS

Selected ion flow tube, SIFT, studies of the reactions of H_3O^+ , NO^+ and O_2^+ with compounds released by *Pseudomonas* and related bacteria, 245

Single-electron capture

State-selective and total single-electron capture for impact of slow He^{2+} ($E \leq 1$ keV) on H_2 , O_2 and CO , 239

Site-specific rate constants

Applying a new algorithm to H/D exchange of multiply protonated cytochrome *c*, 125

Slow He^{2+} ions

State-selective and total single-electron capture for impact of slow He^{2+} ($E \leq 1$ keV) on H_2 , O_2 and CO , 239

Spectroscopy

An experimental study of SF_5CF_3 by electron energy loss spectroscopy, VUV photo-absorption and photoelectron spectroscopy, 335

Spherical complex potential

Electron impact ionization studies with aeronomic molecules, 207

Stability

Theoretical study on the structures and dissociation channels of metal dications solvated by acetonitrile ligands, 87

Stereomutation

Mode-selective stereomutation tunneling and parity violation in HOClH^+ and H_2Te_2 isotopomers, 373

Sterilization

Evaluation of the roles of reactive species, heat, and UV radiation in the inactivation of bacterial cells by air plasmas at atmospheric pressure, 81

Substrate

Low energy electron driven reactions in free and bound molecules: from unimolecular processes in the gas phase to complex reactions in a condensed environment, 267

Sulfur

Sulfur terminated nanowires in the gas phase: laser spectroscopy and mass spectrometry, 131

Supercooled solutions

The index of refraction of supercooled solutions determined by the analysis of optical rainbow scattering from levitated droplets, 61

Surface collisions

Surface collisions of small cluster ions at incident energies $10\text{--}10^2$ eV, 361

Synchrotron radiation

An experimental study of SF_5CF_3 by electron energy loss spectroscopy, VUV photo-absorption and photoelectron spectroscopy, 335

Thermionic emission

Hyperthermal collisions of atomic clusters and fullerenes, 1

Time-of-flight spectrometry

Charge driven fragmentation of biologically relevant molecules, 173

Total ionization cross-section

Electron impact ionization studies with aeronomic molecules, 207

Translational energy spectroscopy

State-selective and total single-electron capture for impact of slow He^{2+} ($E \leq 1$ keV) on H_2 , O_2 and CO , 239

Tungsten hexafluoride

Measurements of absolute total and partial cross sections for the electron ionization of tungsten hexafluoride (WF_6), 25

Unimolecular dissociation

Surface collisions of small cluster ions at incident energies $10\text{--}10^2$ eV, 361

Volatile organic compounds (VOC)

Destruction of hydrocarbons in non-thermal, ambient-pressure, capillary discharge plasmas, 305

VUV photo-absorption

An experimental study of SF_5CF_3 by electron energy loss spectroscopy, VUV photo-absorption and photoelectron spectroscopy, 335

Zinc atom

The $^1\text{S}\text{--}^1\text{P}$ electron excitations of Zn at small scattering angles, 253