

FORTHCOMING ARTICLES

The branching ratio of anions in thermal electron attachment to chlorinated fluorobenzenes

Seiko Nakagawa (Tokyo, Japan)

Branching ratios for the dissociative recombination of hydrocarbon ions. III: the cases of $C_3H_n^+$ ($n = 1-8$)

G. Angelova (Rennes, France), O. Novotny (Rennes, France and Prague, Czech Republic), J.B.A. Mitchell, C. Rebrion-Rowe, J.L. Le Garrec (Rennes, France), H. Bluhme, A. Svendsen and L.H. Andersen (Aarhus, Denmark)

Isomerization and dissociation of the acetonitrile molecular cation

Joong Chul Choe (Suwon, South Korea)

Charge-state selective fragmentation analysis for protonated peptides in infrared multiphoton dissociation

Kazuhiko Fukui, Yasuhide Naito, Yutaka Akiyama and Katsutoshi Takahashi (Tokyo, Japan)

Complexation of nickel(II) by ethylenediamine investigated by means of electrospray ionization mass spectrometry

Nikos G. Tsierkezos, Detlef Schröder and Helmut Schwarz (Berlin, Germany)

Structure-sensitive dissociation scheme for three isomers of difluorobenzene

M. Nomura, G. Veshapidze, H. Shiromaru, Y. Achiba and N. Kobayashi (Tokyo, Japan)