

Subject index Volume 257

Ab initio calculations

Cationic germanium fluorides. 2. An experimental and theoretical investigation on the reaction between GeF^+ and H_2O [1], 50

Alloys

Mass spectrometric determination of ternary interaction parameters of liquid Cu–In–Sn alloy, 41

Aromatic amino acids

Gas phase reactivity of Cu^+ -aromatic amino acids. An experimental and theoretical study, 60

B3lyp

Gas phase reactivity of Cu^+ -aromatic amino acids. An experimental and theoretical study, 60

Biradicals

Gas-phase hydride affinities of neutral molecules, 1

Carbenes

Gas-phase hydride affinities of neutral molecules, 1

Cross-section

Kinetics of electron impact ionization and ion-molecule reactions of pyridine, 34

Dead time

The importance of a correct dead time setting in isotope ratio mass spectrometry: Implementation of an electronically determined dead time to reduce measurement uncertainty, 12

ESI-CID

Gas phase reactivity of Cu^+ -aromatic amino acids. An experimental and theoretical study, 60

Gas-phase basicity (GB)

Simultaneous determination of analyte concentrations, gas-phase basicities, and proton transfer kinetics using gas chromatography/Fourier transform ion cyclotron resonance mass spectrometry (GC/FT-ICR MS), 16

GC/FT-ICR MS

Simultaneous determination of analyte concentrations, gas-phase basicities, and proton transfer kinetics using gas chromatography/Fourier transform ion cyclotron resonance mass spectrometry (GC/FT-ICR MS), 16

Germanium–fluorine cations

Cationic germanium fluorides. 2. An experimental and theoretical investigation on the reaction between GeF^+ and H_2O [1], 50

Glioblastoma multiforme

Imaging of Cu, Zn, Pb and U in human brain tumor resections by laser ablation inductively coupled plasma mass spectrometry, 27

Human brain

Imaging of Cu, Zn, Pb and U in human brain tumor resections by laser ablation inductively coupled plasma mass spectrometry, 27

Hydride affinity

Gas-phase hydride affinities of neutral molecules, 1

Imaging

Imaging of Cu, Zn, Pb and U in human brain tumor resections by laser ablation inductively coupled plasma mass spectrometry, 27

Ion trap mass spectrometry

Cationic germanium fluorides. 2. An experimental and theoretical investigation on the reaction between GeF^+ and H_2O [1], 50

Ionization

Kinetics of electron impact ionization and ion-molecule reactions of pyridine, 34

Ion-molecule

Kinetics of electron impact ionization and ion-molecule reactions of pyridine, 34

Isotope ratio

The importance of a correct dead time setting in isotope ratio mass spectrometry: Implementation of an electronically determined dead time to reduce measurement uncertainty, 12

Knudsen cell

Mass spectrometric determination of ternary interaction parameters of liquid Cu–In–Sn alloy, 41

Laser ablation inductively coupled plasma mass spectrometry

Imaging of Cu, Zn, Pb and U in human brain tumor resections by laser ablation inductively coupled plasma mass spectrometry, 27

Lead free solder

Mass spectrometric determination of ternary interaction parameters of liquid Cu–In–Sn alloy, 41

Mass spectrometry

The importance of a correct dead time setting in isotope ratio mass spectrometry: Implementation of an electronically determined dead time to reduce measurement uncertainty, 12

Metal cation

Gas phase reactivity of Cu^+ -aromatic amino acids. An experimental and theoretical study, 60

Multiplexed reactant ion monitoring (MRIM)

Simultaneous determination of analyte concentrations, gas-phase basicities, and proton transfer kinetics using gas chromatography/Fourier transform ion cyclotron resonance mass spectrometry (GC/FT-ICR MS), 16

Proton affinity (PA)

Simultaneous determination of analyte concentrations, gas-phase basicities, and proton transfer kinetics using gas chromatography/Fourier transform ion cyclotron resonance mass spectrometry (GC/FT-ICR MS), 16

Pulse counting

The importance of a correct dead time setting in isotope ratio mass spectrometry: Implementation of an electronically determined dead time to reduce measurement uncertainty, 12

- Pyridine
 Kinetics of electron impact ionization and ion-molecule reactions of pyridine, 34
- Radicals
 Gas-phase hydride affinities of neutral molecules, 1
- Receptor autoradiography
 Imaging of Cu, Zn, Pb and U in human brain tumor resections by laser ablation inductively coupled plasma mass spectrometry, 27
- Silicon–fluorine cations
 Cationic germanium fluorides. 2. An experimental and theoretical investigation on the reaction between GeF^+ and H_2O [1], 50
- Structure and reactivity
 Cationic germanium fluorides. 2. An experimental and theoretical investigation on the reaction between GeF^+ and H_2O [1], 50
- Ternary interaction parameters
 Mass spectrometric determination of ternary interaction parameters of liquid Cu–In–Sn alloy, 41
- Thermochemistry
 Gas-phase hydride affinities of neutral molecules, 1
- Thermokinetic
 Simultaneous determination of analyte concentrations, gas-phase basicities, and proton transfer kinetics using gas chromatography/Fourier transform ion cyclotron resonance mass spectrometry (GC/FT-ICR MS), 16
- Uncertainty contribution
 The importance of a correct dead time setting in isotope ratio mass spectrometry: Implementation of an electronically determined dead time to reduce measurement uncertainty, 12