

AUTHOR INDEX

- Ali, A.L. and Strittmatter, T., Separation and determination of four ergot alkaloids. Dihydroergotamine-, dihydroergocornine-, dihydroergocryptine- and dihydroergocristine methanesulfonates by high-performance liquid chromatography, 111
- Allwood, M.C. and McCarthy, T.M., Microbial and pyrogenic contamination of molybdenum 99/technetium 99m radionuclide generators, 185
- Almond, H., see Walking, W.D., 39
- Appino, J.B., see Walking, W.D., 39
- Arita, T., see Nakano, M., 291
- Augsburger, L.L., see Mehta, A.M., 347
- Barzegar-Jalali, M. and Richards, J.H., Simulation of the effects of gastrointestinal transit rate on drug availability from aspirin suspensions using a modified dialysis method, 127
- Barzegar-Jalali, M. and Richards, J.H., Kinetics of drug dissolution and dialysis from suspension dosage forms, 171
- Batuyois, N.H., see Walking, W.D., 39
- Bogardus, J.B. and Palepu, N.R., Ionization and solubility of an amphoteric β -lactam antibiotic, 159
- Bowtle, W.J., Heasman, M.J., Prince, A.P. and Easthope, D.A., Compatibility of the cephalosporin, cefamandole nafate with injections, 263
- Bush, R.K., see Welling, P.G., 135
- Calvert, R.T., see Hunters, E., 175
- Chow, Y.P., see Chowhan, Z.T., 317
- Chowhan, Z.T. and Chow, Y.P., Powder flow studies I. Powder consolidation ratio and its relationship to capsule-filling-weight variation, 317
- Chungi, V.S., Dittert, L.W. and Smith, R.B., Gastrointestinal sites of furosemide absorption in rats, 27
- Claushuis, E.P.M., see van Doorne, H., 119
- Corrigan, O.I., Murphy, C.A. and Timoney, R.F., Dissolution properties of polyethylene glycols and polyethylene glycol-drug systems, 67
- Crundwell, F., see Jones, M.F., 1
- Dittert, L.W., see Chungi, V.S., 27
- Easthope, D.A., see Bowtle, W.J., 263
- Ebian, A.R., see Shihab, F.A., 13
- Edwards, D., Selkirk, A.B. and Taylor, R.B., Determination of the stability of mitomycin C by high performance liquid chromatography, 21
- Efentakis, E., see Fell, J.T., 153
- Fell, J.T. and Efentakis, E., Contact angle determinations on pharmaceutical powders: a comparison of two methods, 153
- Fell, J.T., see Hunters, E., 175
- Fleming, R., see Guy, R.H., 241
- Fung, H.-L., see Maier, G.A., 75
- Garcia, B., Marty, J.P. et Wepierre, J., Etude des facteurs conditionnant l'absorption percutanée des alcools incorporés dans des mélanges eau-monooleate de sorbitane polyoxyethylene-myristate d'isopropyle, 205
- Gibbins, L.B. and James, K.C., Calculating quantities in dispersible powders containing antibiotics, 353
- Gorman, S.P. and Scott, E.M., Potentiation and stabilization of glutaraldehyde biocidal activity utilizing surfactant-divalent cation combinations, 57
- Guy, R.H. and Fleming, R., Long-term solution of the equations describing the flow of $^{22}\text{Na}^+$ in a finite composite system containing a synthetic phospholipid-protein membrane: calculation of permeability coefficient, 241
- Hadgraft, J., Theoretical aspects of metabolism in the epidermis, 229
- Heasman, M.J., see Bowtle, W.J., 263
- Higuchi, W.I., see Komiya, I., 249
- Ho, N.F.H., see Komiya, I., 249
- Huizinga, T., see Moolenaar, F., 99
- Huizinga, T., see Moolenaar, F., 195
- Huizinga, T., see Schoonen, A.J.M., 141

- Hunters, E., Fell, J.T., Calvert, R.T. and Sharma, H., 'In vivo' disintegration of hard gelatin capsules in fasting and non-fasting subjects, 175
- Irwin, W.J. and Li Wan Po, A., The dependence of amitriptyline partition of coefficients on lipid phase, 47
- Itoh, M., see Nakano, M., 291
- Jacobs, G.P., The effect of γ -rays on semi-synthetic penicillin powders, 299
- James, K.C., see Gibbins, L.B., 353
- Jones, M.F., Crundwell, E. and Taylor, P.J., The stability of some aryloxy prostaglandin analogues, 1
- Juni, K., see Nakano, M., 291
- Kamani, A., see Komiya, I., 249
- Kinugawa, M., see Muranushi, N., 271
- Kinugawa, M., see Muranushi, N., 281
- Komiya, I., Park, J.Y., Kamani, A., Ho, N.F.H. and Higuchi, W.I., Quantitative mechanistic studies in simultaneous fluid flow and intestinal absorption using steroids as model solutes, 249
- Koning, B. see Moolenaar, F., 99
- Krasowska, H., The hydrolysis of indomethacin in aqueous solutions of polysorbates, 89
- Li Wan Po, A., see Irwin, W.J., 47
- Maier, G.A., Poliszczuk, A. and Fung, H.-L., Stability of nitroglycerin in human and rat plasma, 75
- Marty, J.P., see Garcia, B., 205
- Matheson, L.E., Wurster, D.F. and Ostrenga, J.A., Sarin transport across excised human skin III. The effect on solvent pretreatment on adsorption and desorption by keratin, 309
- McCarthy, T.M., see Allwood, M.C., 185
- Mehta, A.M. and Augsburg, L.L., Simultaneous measurement of force and displacement in an automatic capsule filling machine, 347
- Meschino, J.A., see Walking, W.D., 39
- Möller, H., see Steinbach, D., 327
- Moolenaar, F., Koning, B. and Huizinga, T., Biopharmaceutics of rectal administration of drugs in man 7. Absorption rate and bioavailability of phenobarbital and its sodium salt from rectal dosage forms, 99
- Moolenaar, F., Visser, J. and Huizinga, T., Biopharmaceutics of rectal administration of drugs in man. Absorption rate and bioavailability of glafenine after oral and rectal administration, 195
- Moolenaar, F., see Schoonen, A.J.M., 141
- Muranushi, N., Kinugawa, M., Nakajima, Y., Muranishi, S. and Sezaki, H., Mechanism for the inducement of the intestinal absorption of poorly absorbed drugs by mixed micelles I. Effects of various lipid-bile salt mixed micelles on the intestinal absorption of streptomycin in rat, 271
- Muranushi, N., Nakajima, Y., Kinugawa, M., Muranishi, S. and Sezaki, H., Mechanism for the inducement of the intestinal absorption of poorly absorbed drugs by mixed micelles II. Effect of the incorporation of various lipids on the permeability of liposomal membranes, 281
- Muranishi, S., see Muranushi, N., 271
- Muranishi, S., see Muranushi, N., 281
- Muranishi, S., see Taniguchi, K., 219
- Murphy, C.A., see Corrigan, O.I., 67
- Mustafa, R.M., see Shihab, F.A., 13
- Nachtmann, F., Determination of the L-isomer in D-penicillamine by derivatization liquid chromatography, 337
- Nakajima, Y., see Muranushi, N., 271
- Nakajima, Y., see Muranushi, N., 281
- Nakano, M., Itoh, M., Juni, K., Sekikawa, H. and Arita, T., Sustained urinary excretion of sulfamethizole following oral administration of enteric coated microcapsules in humans, 291
- Ostrenga, J.A., see Matheson, L.E., 309
- Palepu, N.R., see Bogardus, J.B., 171
- Paragarnian, V., see Walking, W.D., 39
- Park, J.Y., see Komiya, I., 249
- Poliszczuk, A., Maier, G.A., 75
- Prince, A.P., see Bowtle, W.J., 263
- Richards, J.H., see Barzegar-Jalali, M., 127
- Richards, J.H., see Barzegar-Jalali, M., 171
- Schmitz, L.E., see Welling, P.G., 135
- Schoonen, A.J.M., Moolenaar, F. and Huizinga, T., Release of drugs from fatty suppository bases I. The release mechanism, 141
- Scott, E.M., see Gorman, S.P., 57
- Sekikawa, H., see Nakano, M., 291
- Selkirk, A.B., see Edwards, D., 21

- Sezaki, H., see Muranushi, N., 271
 Sezaki, H., see Muranushi, N., 281
 Sezaki, H., see Taniguchi, K., 219
 Sharma, H., see Hunters, E., 175
 Shihab, F.A., Ebian, A.R. and Mustafa, R.M.,
 Effect of polyethylene glycol, sodium lauryl
 sulfate and polysorbate-80 on the solubility
 of furosemide, 13
 Smith, R.B., see Chungi, V.S., 27
 Steinbach, D., Thoma, K., Möller, H. and Stenz-
 horn, G. Evaluation of pharmaceutical avail-
 ability from the calculation of drug levels
 and release profiles, 327
 Stenzhorn, G., see Steinbach, D., 327
 Strittmatter, T., se Ali, A.L., 111
- Taniguchi, K., Muranishi, S. and Sezaki, H.,
 Enhanced intestinal permeability to macro-
 molecules II. Improvement of the large
 intestinal absorption of heparin by lipid-
 surfactant mixed micelles in rat, 219
 Taylor, P.J., see Jones, M.F., 1
 Taylor, R.B., see Edwards, D., 21
 Thoma, K., see Steinbach, D., 327
- Timoney, R.F., see Corrigan, O.I., 67
- van Doorne, H. and Claushuis, E.P.M., The
 quantitative determination of enterobac-
 teriaceae in pharmaceutical preparations,
 119
 Visser, J., see Moolenaar, F., 195
- Walking, W.D., Almond, H., Paragamian, V.,
 Batuyios, N.H., Meschino, J.A. and Appino,
 J.B., Difenoxin hydrochloride polymor-
 phism, 39
 Welling, P.G., Schmitz, L.E., Wills, R.J. and
 Bush, R.K., Plasma levels of phenobarbital
 resulting from sustained release tablets con-
 taining theophylline, phenobarbital and
 ephedrine, 135
 Wepierre, J., see Garcia, B., 205
 Wills, R.J., see Welling, P.G., 135
 Wurster, D.E., see Matheson, L.E., 309
- Zatz, J.L., Effect of formulation additives on
 flocculation of dispersions stabilized by a
 non-ionic surfactant, 83