

Author Index Vol. 91–100

- Abdel-Hay, M.H.
 Stability-indicating derivative spectrophotometric determination of frusemide (99) 333
- Abdel-Rahman, A.A., see Ahmed, S.M. (96) 5
- Aboofazeli, R. and Lawrence, M.J.
 Investigations into the formation and characterization of phospholipid microemulsions. I. Pseudo-ternary phase diagrams of systems containing water-lecithin-alcohol-isopropyl myristate (93) 161
- Adler, J., see Melia, C.D. (100) 263
- Advenier, C., see Efthymiopoulos, C. (95) 127
- Ågren, T., see Bjerga Bjæen, A.-K. (92) 183
- Ahmed, B.M., see Ibrahim, K.E. (98) 231
- Ahmed, M.O., see Ahmed, S.M. (96) 5
- Ahmed, S.M., Abdel-Rahman, A.A., Saleh, S.I. and Ahmed, M.O.
 Comparative dissolution characteristics of bropirimine- β -cyclodextrin inclusion complex and its solid dispersion with PEG 6000 (96) 5
- Ahomäki, E., see Kiesvaara, J. (97) 101
- Aioi, A., Kuriyama, K., Shimizu, T., Yoshioka, M. and Uenoyama, S.
 Effects of vitamin E and squalene on skin irritation of a transdermal absorption enhancer, lauroylsarcosine (93) 1
- A/Karim, E.I., see Ibrahim, K.E. (98) 231
- Akbuğa, J.
 The effect of the physicochemical properties of a drug on its release from chitosonium malate matrix tablets (100) 257
- Akimoto, M., Furuya, A., Maki, T., Yamada, K., Suwa, T. and Ogata, H.
 Evaluation of sustained-release granules of chlorphenesin carbamate in dogs and humans (100) 133
- Al-Hassan, M.I., Bawazir, S.A., Al-Khamis, K.I., Matar, K.M. and Tekle, A.
 The interaction potential of vigabatrin with phenytoin and carbamazepine (93) 7
- Al-Hassan, M.I., see Najjar, T.A. (98) 51
- Al-Kassas, R.S., Gilligan, C.A. and Li Wan Po, A.
 Processing factors affecting particle size and in vitro drug release of sustained-release ibuprofen microspheres (94) 59
- Al-Khamis, K.I., see Al-Hassan, M.I. (93) 7
- Aldén, M., Tegenfeldt, J. and Saers, E.S.
 Structures formed by interactions in solid dispersions of the system polyethylene glycol-griseofulvin with charged and non charged surfactants added (94) 31
- Alderborn, G., see Eriksson, M. (99) 197
- Alderborn, G., see Newton, J.M. (93) 249
- Alebić-Kolbah, T., see Zorc, B. (99) 135
- Alkaysi, H.N., see Gharaibeh, Abd.E.M. (100) 253
- Allwood, M.C. and Brown, P.W.
 Stability of ampicillin infusions in unbuffered and buffered saline (97) 219
- Alonso, M.J., see Sánchez, A. (99) 263
- Alvarez, A.I., see Del Estal, J.L. (91) 105
- Amidon, G.L., see Lin, S.Y. (95) 57
- Ando, H., see Aoki, S. (95) 67
- Andrianoff, N., see Sebert, P. (99) 37
- Andry, M.-C., see Edwards-Lévy, F. (96) 85
- Anguiano-Igea, S., see García-González, N. (100) 25
- Anguiano-Igea, S., see García-González, N. (100) 65
- Antolić, S., see Zorc, B. (99) 135
- Aoki, S., Ando, H., Tatsuishi, K., Uesugi, K. and Ozawa, H.
 Determination of the mechanical impact force in the in vitro dissolution test and evaluation of the correlation between in vivo and in vitro release (95) 67
- Armstrong, D.J., see Mitchell, K. (100) 143
- Armstrong, D.J., see Mitchell, K. (100) 155
- Armstrong, D.J., see Mitchell, K. (100) 165
- Armstrong, D.J., see Mitchell, K. (100) 175
- Arsac, C., see Walchshofer, N. (100) 271
- Artursson, P., see Jørgensen, L. (95) 209
- Artursson, P., see Karlsson, J. (99) 209
- Ashford, M., Fell, J.T., Attwood, D. and Woodhead, P.J.
 An in vitro investigation into the suitability of pH-dependent polymers for colonic targeting (91) 241
- Ashford, M., Fell, J.T., Attwood, D., Sharma, H. and Woodhead, P.J.
 An in vivo investigation into the suitability of pH dependent polymers for colonic targeting (95) 193
- Aso, Y., Yoshioka, S. and Terao, T.
 Effects of storage on the physicochemical properties and release characteristics of progesterone-loaded poly(L-lactide) microspheres (93) 153
- Asuero, A.G., see Gonzalez, A.G. (93) 183

- Attwood, D., see Ashford, M. (91) 241
 Attwood, D., see Ashford, M. (95) 193
 Audus, K.L., see Reardon, P.M. (94) 161
 Avgoustakis, K. and Nixon, J.R.
 Biodegradable controlled release tablets: II. Preparation and properties of poly(lactide-co-glycolide) powders (99) 239
 Avgoustakis, K. and Nixon, J.R.
 Biodegradable controlled release tablets: III. Effect of polymer characteristics on drug release from heterogeneous poly(lactide-co-glycolide) matrices (99) 247
- Babalola, C.P., see Onyeji, C.O. (100) 249
 Bachmann, D., Brandl, M. and Gregoriadis, G.
 Preparation of liposomes using a Mini-Lab 8.30 H high-pressure homogenizer (91) 69
 Bae, E.J., see Yoon, E.J. (97) 213
 Baert, L. and Remon, J.P.
 Influence of amount of granulation liquid on the drug release rate from pellets made by extrusion spheronisation (95) 135
 Baert, L. and Remon, J.P.
 Water vapour permeation of aqueous based ethylacrylate methylmethacrylate copolymer films (99) 181
 Baert, L., Remon, J.P., Elbers, J.A.C. and Van Bommel, E.M.G.
 Comparison between a gravity feed extruder and a twin screw extruder (99) 7
 Baert, L., Vermeersch, H., Remon, J.P., Smeyers-Verbeke, J. and Massart, D.L.
 Study of parameters important in the spheronisation process (96) 225
 Baldvinsdóttir, J., see Loftsson, T. (98) 225
 Barary, M.H., see Wahbi, A.M. (92) 15
 Barnes, A.R. and Makohon, D.J.
 Correlation of degradation in metronidazole infusion with F_0 applied during steam sterilization at 122°C (92) 233
 Barnes, A.R. and Nash, S.
 HPLC determination of bendroflumazide in capsules (94) 231
 Barry, B.W., see Cornwell, P.A. (94) 189
 Bawazir, S.A., see Al-Hassan, M.I. (93) 7
 Beall, H.D., Getz, J.J. and Sloan, K.B.
 The estimation of relative water solubility for prodrugs that are unstable in water (93) 37
 Beall, H.D., see Sloan, K.B. (93) 27
 Bechgaard, E., see Jørgensen, L. (95) 209
 Bechgaard, E., see Jørgensen, L. (99) 165
 Beesley, J., see Lashmar, U.T. (91) 59
 Beijnen, J.H., see De Vries, J.D. (100) 181
 Beijnen, J.H., see Van der Houwen, O.A.G.J. (99) 73
 Bekers, O., see Van der Houwen, O.A.G.J. (99) 73
 Benita, S., see Elbaz, E. (96) R1
 Benita, S., see Magenheimer, B. (94) 115
 Benoist, J.F., see Bonhomme, L. (96) R7
 Bergenstål, B., see Sjöström, B. (94) 89
 Bergström, K., see Vidgren, M. (96) 183
 Beris, H., see Johnston, T.P. (100) 279
 Bernad, M.J., see Veiga, M.D. (93) 215
 Berner, B., see Nangia, A. (99) 67
 Berner, B., see Sznitowska, M. (99) 43
 Betageri, G.V. and Burrell, L.S.
 Stability of antibody-bearing liposomes containing dideoxyinosine triphosphate (98) 149
 Bialik, W., Walters, K.A., Brain, K.R. and Hadgraft, J.
 Some factors affecting the in vitro penetration of ibuprofen through human skin (92) 219
 Bianchini, R., see Efthymiopoulos, C. (95) 127
 Biddiscombe, M.F., Melchor, R., Mak, V.H.F., Marriott, R.J., Taylor, A.J., Short, M.D. and Spiro, S.G.
 The lung deposition of salbutamol, directly labelled with technetium-99m, delivered by pressurised metered dose and dry powder inhalers (91) 111
 Bidgood, A.M., see Musson, D.G. (99) 85
 Bilbruck, J., Hanlon, G.W. and Martin, G.P.
 The effects of polyHEMA coating on the adhesion of bacteria to polymer monofilaments (99) 293
 Bindoni, M., see Panico, A.M. (98) 19
 Bizi, E., see Bonhomme, L. (96) R7
 Bjerga Bjæen, A.-K., Nord, K., Furuseth, S., Ågren, T., Tønnesen, H.H. and Karlsen, J.
 Polymorphism of chloroquine diphosphate (92) 183
 Blanco-Fuente, H., see García-González, N. (100) 25
 Blanco-Fuente, H., see García-González, N. (100) 65
 Blanco-Méndez, J., see García-González, N. (100) 25
 Blanco-Méndez, J., see García-González, N. (100) 65
 Bleich, J., Müller, B.W. and Waßmus, W.
 Aerosol solvent extraction system – a new microparticle production technique (97) 111
 Bloom, E., see Nangia, A. (99) 67
 Blume, A., Jansen, M., Ghyczy, M. and Gareiss, J.
 Interaction of phospholipid liposomes with lipid model mixtures for stratum corneum lipids (99) 219
 Bodmeier, R. and Paeratakul, O.
 Dry and wet strengths of polymeric films prepared from an aqueous colloidal polymer dispersion, Eudragit RS30D (96) 129
 Bogdanova, S., see Dimitrova, E. (93) 21
 Bonhomme, L., Bizi, E., Orbach-Arbouys, S., Benoist, J.F. and Fredj, G.
 Macrophage activity may be modified in vivo by galenical excipients (96) R7
 Bonina, F.P., Carelli, V., Di Colo, G., Montenegro, L. and Nannipieri, E.
 Vehicle effects on in vitro skin permeation of and stratum corneum affinity for model drugs caffeine and testosterone (100) 41
 Bonina, F.P., Montenegro, L. and Guerrero, F.
 Naproxen 1-alkylazacycloalkane-2-one esters as dermal prodrugs: in vitro evaluation (100) 99
 Bonina, F.P., Montenegro, L., Micali, G., West, D.P., Palicharla, P. and Koch, R.L.

- In vitro percutaneous absorption evaluation of phenobarbital through hairless mouse, adult and premature human skin (98) 93
- Borgström, L. and Newman, S.
Total and regional lung deposition of terbutaline sulphate inhaled via a pressurised MDI or via Turbuhaler® (97) 47
- Bouche, R., see Fachaux, J.M. (99) 99
- Bouckaert, S., see Ntawukuliyayo, J.D. (91) 23
- Bouckaert, S., see Ntawukuliyayo, J.D. (93) 209
- Brain, K.R., see Bialik, W. (92) 219
- Brandl, M., Strickley, R., Bregante, T., Gu, L. and Chan, T.W.
Degradation of 4'-azidothymidine in aqueous solution (93) 75
- Brandl, M., see Bachmann, D. (91) 69
- Bregante, T., see Brandl, M. (93) 75
- Breheny, C., see Edwardson, P.A.D. (91) 51
- Brochart, H., Ehret, P., Goldbach, P. and Stamm, A.
In vitro evaluation of a new controlled release veterinary device (91) 95
- Brown, P.W., see Allwood, M.C. (97) 219
- Buckton, G. and Chandaria, B.
Consideration of adhesion to modified container walls, by use of surface energy and polarity data, and Lewis acid-Lewis base interactions (94) 223
- Buckton, G., see Papadimitriou, E. (98) 57
- Buckton, G., see Tapia, C. (92) 211
- Bult, A., see Van der Houwen, O.A.G.J. (99) 73
- Bundgaard, H., see Fredholt Thomsen, K. (91) 39
- Bunt, C.R., Jones, D.S. and Tucker, I.G.
The effects of pH, ionic strength and organic phase on the bacterial adhesion to hydrocarbons (BATH) test (99) 93
- Burgot, G. and Burgot, J.-L.
A first estimation of the thermodynamic parameters of water/n-octanol partitioning of some tricyclic antidepressants: Similarities and differences with the values of other psychotropic drugs (94) 135
- Burgot, J.-L., see Burgot, G. (94) 135
- Buri, P., see Meseguer, G. (95) 229
- Burrell, L.S., see Betageri, G.V. (98) 149
- Busson, R., see Naidong, W. (96) 13
- Buyuktimkin, N., see Turunen, T.M. (92) 89
- Buyuktimkin, S., see Turunen, T.M. (92) 89
- Cameroni, R., see Vandelli, M.A. (100) 107
- Cameroni, R., see Vandelli, M.A. (100) 115
- Cantón, E., Esteban, M.J. and Rius, F.
Factors affecting the stability of ceftriaxone sodium in solution on storage (92) 47
- Caraballo, I., Fernández-Arévalo, M., Holgado, M.A. and Rabasco, A.M.
Percolation theory: application to the study of the release behaviour from inert matrix systems (96) 175
- Caramella, C., see Gazzaniga, A. (91) 167
- Cardile, V., see Panico, A.M. (98) 19
- Carelli, V., Di Colo, G., Nannipieri, E. and Serafini, M.F.
A study of controlled-release systems for progesterone based on crosslinked poly(ethylene oxides) (94) 103
- Carelli, V., see Bonina, F.P. (100) 41
- Carlucci, G., Di Giuseppe, E. and Mazzeo, P.
Simultaneous determination of enalapril maleate and hydrochlorothiazide in tablets by derivative UV spectrophotometry and high-performance liquid chromatography (93) 245
- Carpenter, B.G., see Mortazavi, S.A. (94) 195
- Carpignano, R., see Pattarino, F. (91) 157
- Catellani, P.L., see Santi, P. (92) 23
- Cavallaro, G., see Fresta, M. (99) 145
- Cavallaro, G., see Turco Liveri, V. (99) 285
- Cavé, G., see Rabaron, A. (99) 29
- Çelik, M., see Maganti, L. (95) 29
- Cencia-Rohan, L. and Silvestri, S.
Effect of solvent system on microfluidization-induced mechanical degradation (95) 23
- Cerezo, A., see Fernández, M. (98) 29
- Chamart, S., Hanocq, M., Leclercq, G. and Devleeschouwer, N.
Adsorption of tamoxifen and 2-methyl derivatives under cell culture conditions (99) 59
- Chan, H.-K., see Rodley, G.A. (95) 143
- Chan, L.W., see Wan, L.S.C. (95) 77
- Chan, T.W., see Brandl, M. (93) 75
- Chandaria, B., see Buckton, G. (94) 223
- Chantres, J.R., see Sainz, M.C. (91) 1
- Chapman, Jr, J.M., see Michniak, B.B. (91) 85
- Chapman, Jr, J.M., see Michniak, B.B. (94) 203
- Chen, S.-C., see Liu, C.-H. (100) 241
- Chen, Y. and Matheson, L.E.
Quantitative structure-transportability relationship for the release of a series of substituted pyridines from a planar polydimethylsiloxane matrix (94) 153
- Chen, Y., Yang, W.-I. and Matheson, L.E.
Prediction of flux through polydimethylsiloxane membranes using atomic charge calculations (94) 81
- Chetoni, P., see Gallarate, M. (100) 219
- Chi, S.-C., see Kim, C.K. (99) 109
- Chien, Y.W., see Mirchandani, H. (95) 1
- Choi, Y.J., see Kim, C.-K. (98) 9
- Chowhan, Z.T., see Gordon, M.S. (97) 119
- Chowhan, Z.T., see Ong, J.T.H. (96) 231
- Christensen, C.A., see Michniak, B.B. (94) 203
- Chun, I.K. and Yun, D.S.
Inclusion complexation of hydrocortisone butyrate with cyclodextrins and dimethyl- β -cyclodextrin in aqueous solution and in solid state (96) 91
- Clarke, G.M., Newton, J.M. and Short, M.D.
Gastrointestinal transit of pellets of differing size and density (100) 81
- Clarke, J.G., Wicks, S.R. and Farr, S.J.
Surfactant mediated effects in pressurized metered dose inhalers formulated as suspensions. I. Drug/surfactant interactions in a model propellant system (93) 221

- Colombo, P., see Gazzaniga, A. (91) 167
- Colombo, P., see Maggi, L. (99) 173
- Colombo, P., see Santi, P. (92) 23
- Concheiro, A., see Landín, M. (91) 123
- Concheiro, A., see Landín, M. (91) 133
- Concheiro, A., see Landín, M. (91) 143
- Concheiro, A., see Pérez-Marcos, B. (100) 207
- Conflant, P., see Fachaux, J.M. (99) 99
- Conte, U., see Gazzaniga, A. (91) 167
- Conte, U., see Giunchedi, P. (94) 15
- Conte, U., see Maggi, L. (99) 173
- Conte, U., see Sangalli, M.E. (91) 151
- Contreras Claramonte, M.D., Parera Vialard, A. and Girela Vilchez, F.
An application of regular solution theory in the study of the solubility of naproxen in some solvents used in topical preparations (94) 23
- Contreras Claramonte, M.D., Parera Vialard, A. and Vilchez, F.G.
In vitro percutaneous absorption of naproxen from gels using a double-layer artificial membrane (98) 37
- Cooper, C.M. and Sallis, J.D.
Studies on the gastrointestinal absorption of phosphocitrate, a powerful controller of hydroxyapatite formation (98) 165
- Coppi, G., see Vandelli, M.A. (100) 115
- Cordopatri, F., see Panico, A.M. (98) 19
- Cornwell, P.A. and Barry, B.W.
The routes of penetration of ions and 5-fluorouracil across human skin and the mechanisms of action of terpene skin penetration enhancers (94) 189
- Corrigan, O.I., see Millar, F.C. (92) 97
- Couarraze, G., see Gallardo, M. (100) 55
- Coupe, A.J., Davis, S.S., Evans, D.F. and Wilding, I.R.
Do pellet formulations empty from the stomach with food? (92) 167
- Couvreur, P., see Gallardo, M. (100) 55
- Craig, D.Q.M., Lievens, H.S.R., Pitt, K.G. and Storey, D.E.
An investigation into the physico-chemical properties of self-emulsifying systems using low frequency dielectric spectroscopy, surface tension measurements and particle size analysis (96) 147
- Crawford, B., see McMahon, F.G. (91) 75
- Cruz, M.E.M., Gaspar, M.M., Lopes, F., Jorge, J.S. and Perez-Soler, R.
Liposomal L-asparaginase: in vitro evaluation (96) 67
- Csabai, K., Cserháti, T. and Szejtli, J.
Interaction of some barbituric acid derivatives with hydroxypropyl- β -cyclodextrin (91) 15
- Cserháti, T., see Csabai, K. (91) 15
- Curry, J.T., see Lambert, W.J. (95) 181
- Daca, J., see Srcic, S. (99) 21
- Davidson, R., Nyqvist, H. and Ragnarsson, G.
Porous cellulose matrices – a novel excipient for the formulation of solid dosage forms (100) 49
- Davies, M.C., see Watts, P.J. (98) 63
- Davies, M.C., see Watts, P.J. (98) 75
- Davis, S.S., Wilding, E.A. and Wilding, I.R.
Gastrointestinal transit of a matrix tablet formulation: comparison of canine and human data (94) 235
- Davis, S.S., see Coupe, A.J. (92) 167
- Del Estal, J.L., Alvarez, A.I., Villaverde, C. and Prieto, J.G.
Comparative effects of anionic, natural bile acid surfactants and mixed micelles on the intestinal absorption of the anthelmintic albendazole (91) 105
- Delgado-Charro, B., see García-González, N. (100) 25
- Delgado-Charro, B., see García-González, N. (100) 65
- D'Emanuele, A. and Staniforth, J.N.
Effects of polymer formulation on electrophoretic drug delivery (92) 225
- Denizot, B., see Gallardo, M. (100) 55
- Desai, D.S., Rubitski, B.A., Varia, S.A. and Newman, A.W.
Physical interactions of magnesium stearate with starch-derived disintegrants and their effects on capsule and tablet dissolution (91) 217
- Deshmukh, A.A., see Yuen, K.H. (97) 61
- De Vincentis, J., see Wesdyk, R. (93) 101
- Devleeschouwer, N., see Chamart, S. (99) 59
- De Vos, A., Vervoort, L. and Kinget, R.
Solubilization and stability of indomethacin in a transparent oil-water gel (92) 191
- De Vries, J.D., Winkelhorst, J., Underberg, W.J.M., Henrar, R.E.C. and Beijnen, J.H.
A systematic study on the chemical stability of the novel indoloquinone antitumour agent EO9 (100) 181
- Di Colo, G., see Bonina, F.P. (100) 41
- Di Colo, G., see Carelli, V. (94) 103
- Díez-Sales, O., Pérez-Sayas, E., Martín-Villodre, A. and Herráez-Domínguez, M.
The prediction of percutaneous absorption: I. Influence of the dermis on in vitro permeation models (100) 1
- Di Giuseppe, E., see Carlucci, G. (93) 245
- Dimitrova, E., Bogdanova, S., Minkov, E., Manolova, N., Raschkov, I., Koleva, M. and Mihailova, S.
High-molecular weight polyoxyethylene as an additive in ophthalmic solutions (93) 21
- Dorta, M.J., Munguía, O. and Llabrés, M.
Effects of polymerization variables on PLGA properties: molecular weight, composition and chain structure (100) 9
- Drache, M., see Fachaux, J.M. (99) 99
- Duddu, S.P., Fung, F.K.-Y. and Grant, D.J.W.
Effect of the opposite enantiomer on the physicochemical properties of (–)-ephedrinium 2-naphthalenesulfonate crystals (94) 171
- Dumont, P., see Mbela, T.K.M. (92) 71
- Dürig, T. and Fassihi, A.R.
Identification of stabilizing and destabilizing effects of excipient-drug interactions in solid dosage form design (97) 161
- Edwards, D.M.F., see Efthymiopoulos, C. (95) 127
- Edwards-Lévy, F., Andry, M.-C. and Lévy, M.-C.
Determination of free amino group content of serum albumin microcapsules using trinitrobenzenesulfonic acid: effect of variations in polycondensation pH (96) 85

- Edwardson, P.A.D., Walker, M. and Breheny, C.
Quantitative FT-IR determination of skin hydration following occlusion with hydrocolloid containing adhesive dressings (91) 51
- Efentakis, M., see Papadimitriou, E. (98) 57
- Efthymiopoulos, C., Edwards, D.M.F., Strolin-Benedetti, M., Ruff, F., Advenier, C., Bianchini, R. and Musatti, L.
Pharmacokinetics of acipimox and of its *N*-deoxy metabolite following single and repeated oral administration of a sustained release formulation to healthy volunteers (95) 127
- Ehret, P., see Brochart, H. (91) 95
- Eissens, A.C., see Te Wierik, G.H.P. (98) 219
- El-Yazbi, F.A., see Wahbi, A.M. (92) 15
- Elbaz, E., Zeevi, A., Klang, S. and Benita, S.
Positively charged submicron emulsions – a new type of colloidal drug carrier (96) R1
- Elbers, J.A.C., see Baert, L. (99) 7
- Elkinton, S.K., see Ross, D.L. (93) 131
- Elliott, P.N.C., see Mitchell, K. (100) 143
- Elliott, P.N.C., see Mitchell, K. (100) 155
- Elliott, P.N.C., see Mitchell, K. (100) 165
- Elliott, P.N.C., see Mitchell, K. (100) 175
- Elorza, B., see Sainz, M.C. (91) 1
- Elorza, M.A., see Sainz, M.C. (91) 1
- Engblom, J. and Engström, S.
Azone® and the formation of reversed mono- and bicontinuous lipid-water phases (98) 173
- Engström, S., see Engblom, J. (98) 173
- Engström, S., see Lindell, K. (95) 219
- Eriksson, M., Nyström, C. and Alderborn, G.
The use of air permeametry for the assessment of external surface area and sphericity of pelletized granules (99) 197
- Ertan, G., Karasulu, Y. and Güneri, T.
Degradation and gastrointestinal stability of nitrofurantoin in acidic and alkaline media (96) 243
- Escobar, C., see Veiga, M.D. (93) 215
- Esteban, M.J., see Cantón, E. (92) 47
- Estelrich, J., see Pons, M. (95) 51
- Evans, D.F., see Coupe, A.J. (92) 167
- Evitts, D.P., see Musson, D.G. (99) 85
- Fachaux, J.M., Guyot Hermann, A.M., Guyot, J.C., Conflant, P., Drache, M., Huvenne, J.P. and Bouche, R.
Compression ability improvement by solvation/desolvation process: application to paracetamol for direct compression (99) 99
- Farr, S.J., see Clarke, J.G. (93) 221
- Farr, S.J., see Harnor, K.J. (95) 111
- Fassihi, A.R.
Racemates and enantiomers in drug development (92) 1
- Fassihi, A.R., see Dürig, T. (97) 161
- Fawzi, M.B., see Mahjour, M. (95) 161
- Feely, L.C., see Harnor, K.J. (95) 111
- Fell, J.T., see Ashford, M. (91) 241
- Fell, J.T., see Ashford, M. (95) 193
- Fernandez-Arevalo, M., Holgado-Villafuerte, M.A., Gines-Dorado, J.M. and Rabasco-Alvarez, A.M.
Effects of different fillers and wetting liquids on the dissolution behavior of carteolol hydrochloride controlled release inert matrix tablets (95) 117
- Fernández-Arévalo, M., see Caraballo, I. (96) 175
- Fernández, M., Margarit, M.V., Rodríguez, I.C. and Cerezo, A.
Dissolution kinetics of piroxicam in solid dispersions with polyethylene glycol 4000 (98) 29
- Ferry, J.J., see Tsai, J.-C. (96) 111
- Fielden, K.E., Newton, J.M. and Rowe, R.C.
The influence of moisture content on spheronization of extrudate processed by a ram extruder (97) 79
- Filipović-Grčić, J., see Zorc, B. (99) 135
- Florence, A.T., see Tomer, R. (99) R5
- Flynn, G.L., see Tsai, J.-C. (96) 111
- Foradada, M., see Pons, M. (95) 51
- Ford, J.L., see Mitchell, K. (100) 143
- Ford, J.L., see Mitchell, K. (100) 155
- Ford, J.L., see Mitchell, K. (100) 165
- Ford, J.L., see Mitchell, K. (100) 175
- Fort, J.J., Shao, Z. and Mitra, A.K.
Transport and degradation characteristics of methotrexate dialkyl ester prodrugs across tape-stripped hairless mouse skin (100) 233
- Fredholt Thomsen, K. and Bundgaard, H.
Cyclization-activated phenyl carbamate prodrug forms for protecting phenols against first-pass metabolism (91) 39
- Fredj, G., see Bonhomme, L. (96) R7
- Freisleben, H.-J., see Michel, C. (98) 131
- Fresta, M., Villari, A., Puglisi, G. and Cavallaro, G.
5-Fluorouracil: various kinds of loaded liposomes: encapsulation efficiency, storage stability and fusogenic properties (99) 145
- Friend, D.R. and Smedley, S.I.
Solvent drag in ethanol/ethyl acetate enhanced skin permeation of *d*-norgestrel (97) 39
- Friend, D.R., see McLeod, A.D. (92) 105
- Fuchs, J., see Michel, C. (98) 131
- Fuhrman, L.C., see Michniak, B.B. (94) 203
- Fung, F.K.-Y., see Duddu, S.P. (94) 171
- Furet, Y., see Pelucio-Lopes, C. (96) 249
- Furlanetto, S., see Santoni, G. (93) 239
- Furuseth, S., see Bjerga Bjåen, A.-K. (92) 183
- Furuya, A., see Akimoto, M. (100) 133
- Gallarate, M., Gasco, M.R., Trotta, M., Chetoni, P. and Saettone, M.F.
Preparation and evaluation in vitro of solutions and o/w microemulsions containing levobunolol as ion-pair (100) 219
- Gallardo, M., Couarraze, G., Denizot, B., Treupel, L., Couvreur, P. and Puisieux, F.
Study of the mechanisms of formation of nanoparticles and nanocapsules of polyisobutyl 2-cyanoacrylate (100) 55

- García-González, N., Kellaway, I.W., Blanco-Fuente, H., Anguiano-Igea, S., Delgado-Charro, B., Otero-Espinar, F.J. and Blanco-Méndez, J.
Design and evaluation of buccoadhesive metoclopramide hydrogels composed of poly(acrylic acid) crosslinked with sucrose (100) 65
- García-González, N., Kellaway, I.W., Blanco-Fuente, H., Anguiano-Igea, S., Delgado-Charro, B., Otero-Espinar, F.J. and Blanco-Méndez, J.
Influence of β -cyclodextrin concentration and polyacrylic acid molecular weight on swelling and release characteristics of metoclopramide-containing hydrogels (100) 25
- Gareiss, J., see Blume, A. (99) 219
- Gasco, M.R., see Gallarate, M. (100) 219
- Gasco, M.R., see Pattarino, F. (91) 157
- Gaspar, M.M., see Cruz, M.E.M. (96) 67
- Gazzaniga, A., Sangalli, M.E., Conte, U., Caramella, C., Colombo, P. and La Manna, A.
On the release mechanism from coated swellable minimitrices (91) 167
- Gazzaniga, A., see Sangalli, M.E. (91) 151
- Gerard, C.A., see Maurin, M.B. (94) 11
- Getz, J.J., see Beall, H.D. (93) 37
- Getz, J.J., see Sloan, K.B. (93) 27
- Ghanem, A.-H., see Lee, P.H. (93) 139
- Ghanem, A.H., see Peck, K.D. (98) 141
- Gharaibeh, Abd.E.M., Alkaysi, H.N., Salem, M.S. and Gharaibeh, K.I.A.
Nil effect of cigarette smoking on ranitidine pharmacokinetics (100) 253
- Gharaibeh, K.I.A., see Gharaibeh, Abd.E.M. (100) 253
- Ghyczy, M., see Blume, A. (99) 219
- Giammona, G., see Turco Liveri, V. (99) 285
- Gilligan, C.A., see Al-Kassas, R.S. (94) 59
- Gines-Dorado, J.M., see Fernandez-Arevalo, M. (95) 117
- Girela Vilchez, F., see Contreras Claramonte, M.D. (94) 23
- Giunchedi, P., Maggi, L., Conte, U. and La Manna, A.
Linear extended release of a water-insoluble drug, carbamazepine, from erodible matrices (94) 15
- Giunchedi, P., see Maggi, L. (99) 173
- Giunchedi, P., see Sangalli, M.E. (91) 151
- Goldbach, P., see Brochart, H. (91) 95
- Goldberg, A.H., see Lin, S.Y. (95) 57
- Gómez-Amoza, J.L., see Landín, M. (91) 123
- Gómez-Amoza, J.L., see Landín, M. (91) 133
- Gómez-Amoza, J.L., see Landín, M. (91) 143
- Gómez-Amoza, J.L., see Pérez-Marcos, B. (100) 207
- Gomišček, S., see Sher, A. (99) 119
- Gonda, I., see Rodley, G.A. (95) 143
- González, A.G.
Optimization of pharmaceutical formulations based on response-surface experimental designs (97) 149
- González, A.G.
Practical digest for the evaluation of acidity constants of drugs by reversed-phase high performance liquid chromatography (91) R1
- Gonzalez, A.G. and Asuero, A.G.
Application of the extended Hildebrand solubility parameter treatment for optimizing reversed-phase high-performance liquid chromatography determination of pharmaceuticals (93) 183
- Goodwin, S.R., see Miller II, K.J. (98) 101
- Goossen, R.M.J., see Van der Houwen, O.A.G.J. (99) 73
- Gordon, M.S., Rudraraju, V.S., Rhie, J.K. and Chowhan, Z.T.
The effect of aging on the dissolution of wet granulated tablets containing super disintegrants (97) 119
- Goskonda, S.R., see Hileman, G.A. (100) 71
- Graffner, C., see Østberg, T. (97) 183
- Grant, D.J.W., see Duddu, S.P. (94) 171
- Gratteri, P., see Santoni, G. (93) 239
- Greenhill, J.V., see Kristensen, S. (100) 15
- Gregoriadis, G., see Bachmann, D. (91) 69
- Grislingaas, A.-L., see Kristensen, S. (100) 15
- Groth, N., see Michel, C. (98) 131
- Gu, L., see Brandl, M. (93) 75
- Guerrera, F., see Bonina, F.P. (100) 99
- Guinta, D., see McMahon, F.G. (91) 75
- Güneri, T., see Ertan, G. (96) 243
- Gurny, R., see Mesequer, G. (95) 229
- Guyot, J.C., see Fachaux, J.M. (99) 99
- Guyot Hermann, A.M., see Fachaux, J.M. (99) 99
- Hadgraft, J., see Bialik, W. (92) 219
- Haemers, A., see Mbela, T.K.M. (92) 71
- Halbert, G.W., see McTaggart, L.E. (100) 199
- Han, S.-K., see Kim, C. K. (95) 43
- Hanlon, G.W., see Bilbruck, J. (99) 293
- Hanocq, M., see Chamart, S. (99) 59
- Harnor, K.J., Perkins, A.C., Wastie, M., Wilson, C.G., Sims, E.E., Feely, L.C. and Farr, S.J.
Effect of vapour pressure on the deposition pattern from solution phase metered dose inhalers (95) 111
- Hashida, M., see Yamamoto, A. (93) 91
- Hathaway, R.D., see Jozwiakowski, M.J. (91) 195
- Hegde, S.G., see Lidgate, D.M. (96) 51
- Hellén, L. and Yliruusi, J.
Process variables of instant granulator and spheroniser: III. Shape and shape distributions of pellets (96) 217
- Hellén, L., Yliruusi, J. and Kristoffersson, E.
Process variables of instant granulator and spheroniser: II. Size and size distributions of pellets (96) 205
- Hellén, L., Yliruusi, J., Merkkü, P. and Kristoffersson, E.
Process variables of instant granulator and spheroniser: I. Physical properties of granules, extrudate and pellets (96) 197
- Hellmuth, E.W., see Neau, S.H. (99) 303
- Hendrix, C., Yongxin, Z., Van houtven, C., Thomas, J., Roets, E. and Hoogmartens, J.
Evaluation of analytical methods: Liquid chromatography of cefalexin (100) 213
- Heng, P.W.S., see Wan, L.S.C. (95) 77
- Heng, P.W.S., see Wan, L.S.C. (96) 59

- Henrar, R.E.C., see De Vries, J.D. (100) 181
- Henriksen, I., Skaugrud, Ø. and Karlsen, J.
Use of chitosan and chitosan malate as an excipient in wet granulation of three water soluble drugs (98) 181
- Herbage, D., see Pajean, M. (91) 209
- Hernández-Borrell, J., see Montero, M.T. (96) 157
- Herráez-Domínguez, M., see Díez-Sales, O. (100) 1
- Herrling, T., see Michel, C. (98) 131
- Hickey, A.J., see Masinde, L.E. (100) 123
- Hidalgo, I.J., Ryan, F.M., Marks, G.J. and Smith, P.L.
pH-dependent transepithelial transport of cephalexin in rabbit intestinal mucosa (98) 83
- Higuchi, W.I., see Lee, P.H. (93) 139
- Higuchi, W.I., see Miyajima, M. (95) 153
- Higuchi, W.I., see Peck, K.D. (98) 141
- Hileman, G.A., Goskonda, S.R., Spalitto, A.J. and Upadrashta, S.M.
Response surface optimization of high dose pellets by extrusion and spheronization (100) 71
- Hino, T., see Kawashima, Y. (99) 229
- Hino, T., see Ohwaki, T. (93) 61
- Hirata, H., see Kitagawa, S. (98) 203
- Hirvonen, J., Sutinen, R., Paronen, P. and Urtti, A.
Transdermal penetration enhancers in rabbit pinna skin: Duration of action, skin irritation, and in vivo/in vitro comparison (99) 253
- Hoare, C., see Taylor, K.M.G. (98) 45
- Hodsdon, A.C., see Melia, C.D. (100) 263
- Hoffman, M., see Kedzierewicz, F. (94) 69
- Hogan, J.E., see Mitchell, K. (100) 143
- Hogan, J.E., see Mitchell, K. (100) 155
- Hogan, J.E., see Mitchell, K. (100) 165
- Hogan, J.E., see Mitchell, K. (100) 175
- Holbrook, W.P., see Sveinsson, S.J. (95) 105
- Holgado, M.A., see Caraballo, I. (96) 175
- Holgado-Villafuerte, M.A., see Fernandez-Arevalo, M. (95) 117
- Holland, J.M., see Lambert, W.J. (95) 181
- Hollingsbee, D.A., see Waring, M.J. (94) 211
- Hong, M.-S., see Kim, C.-K. (95) 43
- Hoogmartens, J., see Hendrix, C. (100) 213
- Hoogmartens, J., see Naidong, W. (96) 13
- Hoppe, R., see Jachowicz, R. (99) 321
- Hori, M., see Melendres, J.L. (92) 243
- Horsthuis, G.J.B., Van Laarhoven, J.A.H., Van Rooij, R.C.B.M. and Vromans, H.
Studies on upscaling parameters of the Gral high shear granulation process (92) 143
- Hoshino, T., Uekama, K. and Pitha, J.
Increase in temperature enhances solubility of drugs in aqueous solutions of hydroxypropylcyclodextrins (98) 239
- Hosny, E.A.
Polycarbophil as a controlled release matrix (98) 235
- Hua, S., see Naidong, W. (96) 13
- Hussain, M., see Maurin, M.B. (94) 11
- Huvenne, J.P., see Fachaux, J.M. (99) 99
- Hwang, S.J., see Kim, C.-K. (98) 9
- Ibrahim, H.G. and Sallam, E.-S.
Dissolution from disintegrating tablet: separate contributions from granules and primary drug particles considered (93) 111
- Ibrahim, K.E., A/Karim, E.I., Ahmed, B.M. and Nour, I.M.
Effects of tetracycline on the 2 h urinary and salivary excretion of metronidazole (98) 231
- Igarashi, Y., see Sasaki, H. (93) 49
- Ikesue, K., Kopečková, P. and Kopeček, J.
Degradation of proteins by guinea pig intestinal enzymes (95) 171
- Ilango, K., see Parimoo, P. (100) 227
- Ilkka, J. and Paronen, P.
Prediction of the compression behaviour of powder mixtures by the Heckel equation (94) 181
- Ilkka, J., see Ketolainen, J. (92) 157
- Inamori, T., see Lee, P.H. (93) 139
- Ingvarsdóttir, K., see Sveinsson, S.J. (92) 29
- Iwaki, M., see Ogiso, T. (98) 113
- Jachowicz, R., Nürnberg, E. and Hoppe, R.
Solid dispersions of oxazepam (99) 321
- Jain, N.B., see Wesdyk, R. (93) 101
- Jalšenjak, I., see Zorc, B. (99) 135
- Jansen, M., see Blume, A. (99) 219
- Jeong, Y.N., see Yoon, E.J. (97) 213
- Jian, L. and Li Wan Po, A.
Effects of insulin and nasal absorption enhancers on ciliary activity (95) 101
- Jiménez-Castellanos, M.R., see Muñoz-Ruiz, A. (95) 201
- Johnston, T.P., Beris, H., Wout, Z.G. and Kennedy, J.L.
Effects on splenic, hepatic, hematological, and growth parameters following high-dose poloxamer 407 administration to rats (100) 279
- Johnston, T.P., see Wang, P.-L. (96) 41
- Jones, D.S., see Bunt, C.R. (99) 93
- Jorge, J.S., see Cruz, M.E.M. (96) 67
- Jørgensen, L. and Bechgaard, E.
Intranasal absorption of angiopeptin: in vitro study of absorption and enzymatic degradation (99) 165
- Jørgensen, L., Artursson, P. and Bechgaard, E.
Toxicological and absorption enhancing effects of glycofurool 75 and sodium glycocholate in monolayers of human intestinal epithelial (Caco-2) cells (95) 209
- Joshi, Y.M., see Wesdyk, R. (93) 101
- Jozwiakowski, M.J., Williams, S.O. and Hathaway, R.D.
Relative physical stability of the solid forms of amiloride HCl (91) 195
- Kao, C.-C., see Liu, C.-H. (100) 241
- Kao, Y.-H., see Liu, C.-H. (100) 241
- Karasulu, Y., see Ertan, G. (96) 243
- Karba, R., see Kristl, A. (100) 33
- Karlsen, J., see Bjerga Bjåen, A.-K. (92) 183
- Karlsen, J., see Henriksen, I. (98) 181
- Karlsen, J., see Kristensen, S. (100) 15
- Karlsen, J., see Sande, S.A. (98) 209

- Karlsson, J., Wikman, A. and Artursson, P.
The mucus layer as a barrier to drug absorption in mono-layers of human intestinal epithelial HT29-H goblet cells (99) 209
- Katakai, R., see Miyajima, M. (95) 153
- Kawashima, S., see Murata, Y. (96) 139
- Kawashima, Y., Takeuchi, H., Hino, T., Niwa, T., Lin, T.-L., Sekigawa, F. and Ohya, M.
Preparation of prolonged-release matrix tablet of acetaminophen with pulverized low-substituted hydroxypropylcellulose via wet granulation (99) 229
- Kawashima, Y., see Ohwaki, T. (93) 61
- Kearney, A.S., Mehta, S.C. and Radebaugh, G.W.
The effect of structural changes on the intramolecular degradation of the 'dipeptoid' CI-988 (92) 63
- Kedzierewicz, F., Zinutti, C., Hoffman, M. and Maincent, P.
Bioavailability study of tolbutamide β -cyclodextrin inclusion compounds, solid dispersions and bulk powder (94) 69
- Kellaway, I.W., see García-González, N. (100) 25
- Kellaway, I.W., see García-González, N. (100) 65
- Kennedy, J.L., see Johnston, T.P. (100) 279
- Kern, E.R., see Lee, P.H. (93) 139
- Kervinen, L. and Yliruusi, J.
Modelling S-shaped dissolution curves (92) 115
- Ketolainen, J., Ilkka, J. and Paronen, P.
Temperature changes during tableting measured using infrared thermoviewer (92) 157
- Ketolainen, J., see Pirttimäki, J. (95) 93
- Keyhani, K., see Waldrep, J.C. (97) 205
- Khan, R.M.A., see Najjar, T.A. (98) 51
- Kido, M., see Nakamura, J. (99) 189
- Kiesvaara, J. and Yliruusi, J.
The use of the Washburn method in determining the contact angles of lactose powder (92) 81
- Kiesvaara, J., Yliruusi, J. and Ahomäki, E.
Contact angles and surface free energies of theophylline and salicylic acid powders determined by the Washburn method (97) 101
- Kim, B., see Yoon, E.J. (97) 213
- Kim, C.-K., Choi, Y.J., Lim, S.-J., Lee, M.G., Lee, S.H. and Hwang, S.J.
Lymph node targeting and pharmacokinetics of [3 H]methotrexate-encapsulated neutral large unilamellar vesicles and immunoliposomes (98) 9
- Kim, C.-K., Hong, M.-S., Kim, Y.-B. and Han, S.-K.
Effect of penetration enhancers (pyrrolidone derivatives) on multilamellar liposomes of stratum corneum lipid: a study by UV spectroscopy and differential scanning calorimetry (95) 43
- Kim, C.K., Kim, J.-J., Chi, S.-C. and Shim, C.-K.
Effect of fatty acids and urea on the penetration of ketoprofen through rat skin (99) 109
- Kim, J.-J., see Kim, C.K. (99) 109
- Kim, M.M., see Yoon, E.J. (97) 213
- Kim, S.H., see Yoon, E.J. (99) 343
- Kim, Y.-B., see Kim, C.-K. (95) 43
- Kimura, M., see Morimoto, Y. (91) 9
- Kinget, R., see De Vos, A. (92) 191
- Kinget, R., see Peeters, R. (94) 125
- Kinget, R., see Van den Mooter, G. (97) 133
- Kitagawa, S., Sawada, M. and Hirata, H.
Fluorescence analysis with diphenylhexatriene and its ionic derivatives of the fluidity of liposomes constituted from stratum corneum lipids: Contribution of each lipid component and effects of long-chain unsaturated fatty acids (98) 203
- Klang, S., see Elbaz, E. (96) R1
- Kleinebudde, P. and Lindner, H.
Experiments with an instrumented twin-screw extruder using a single-step granulation/extrusion process (94) 49
- Kleinebudde, P.
Application of low substituted hydroxypropylcellulose (L-HPC) in the production of pellets using extrusion/spheronization (96) 119
- Knapczyk, J.
Chitosan hydrogel as a base for semisolid drug forms (93) 233
- Knaub, S.R., see Ross, D.L. (93) 131
- Knight, V., see Waldrep, J.C. (97) 205
- Knowles, M., see McMahon, F.G. (91) 75
- Kobayashi, D., see Morimoto, Y. (91) 9
- Kobayashi, Y., see Watanabe, Y. (99) 337
- Koch, M.H.J., see Westesen, K. (93) 189
- Koch, R.L., see Bonina, F.P. (98) 93
- Koleva, M., see Dimitrova, E. (93) 21
- Konecny, A., see McMahon, F.G. (91) 75
- Kopeček, J., see Ikesue, K. (95) 171
- Kopečková, P., see Ikesue, K. (95) 171
- Kozjek, F., see Kristl, A. (99) 79
- Kreuter, J., see Michel, C. (98) 131
- Kristensen, S., Grislingaas, A.-L., Greenhill, J.V., Skjetne, T., Karlsen, J. and Tønnesen, H.H.
Photochemical stability of biologically active compounds: V. Photochemical degradation of primaquine in an aqueous medium (100) 15
- Kristl, A., Mrhar, A. and Kozjek, F.
The ionisation properties of acyclovir and deoxyacyclovir (99) 79
- Kristl, A., Vojnovic, D., Karba, R., Mrhar, A., Rubessa, F. and Zupaň, B.
Mixture design of theophylline retard formulation (100) 33
- Kristl, J., Šmid-Korbar, J., Štruc, E., Schara, M. and Rupprecht, H.
Hydrocolloids and gels of chitosan as drug carriers (99) 13
- Kristmundsdóttir, T., see Sveinsson, S.J. (92) 29
- Kristoffersson, E., see Hellén, L. (96) 197
- Kristoffersson, E., see Hellén, L. (96) 205
- Kuang, L.-R., see Li, C. (94) 143
- Kubota, K., Sznitowska, M. and Maibach, H.I.
Percutaneous permeation of betamethasone 17-valerate from different vehicles (96) 105
- Kudla, R.J., see Lambert, W.J. (95) 181
- Kuriyama, K., see Aioi, A. (93) 1

- Lai, W.F., see Wan, L.S.C. (94) 39
- Laine, E., see Pirttimäki, J. (95) 93
- La Manna, A., see Gazzaniga, A. (91) 167
- La Manna, A., see Giunchedi, P. (94) 15
- Lambert, W.J., Kudla, R.J., Holland, J.M. and Curry, J.T.
A biodegradable transdermal penetration enhancer based on *N*-(2-hydroxyethyl)-2-pyrrolidone. I. Synthesis and characterization (95) 181
- Landín, M., Martínez-Pacheco, R., Gómez-Amoza, J.L., Souto, C., Concheiro, A. and Rowe, R.C.
Effect of batch variation and source of pulp on the properties of microcrystalline cellulose (91) 133
- Landín, M., Martínez-Pacheco, R., Gómez-Amoza, J.L., Souto, C., Concheiro, A. and Rowe, R.C.
Effect of country of origin on the properties of microcrystalline cellulose (91) 123
- Landín, M., Martínez-Pacheco, R., Gómez-Amoza, J.L., Souto, C., Concheiro, A. and Rowe, R.C.
Influence of microcrystalline cellulose source and batch variation on the tableting behaviour and stability of prednisone formulations (91) 143
- Lanutti, A.T., see Wall, D.A. (97) 171
- Lashmar, U.T. and Beesley, J.
Correlation of rheological properties of an oil in water emulsion with manufacturing procedures and stability (91) 59
- Lawrence, M.J., see Aboofazeli, R. (93) 161
- Leclercq, G., see Chamart, S. (99) 59
- Lee, M.G., see Kim, C.-K. (98) 9
- Lee, M.G., see Yoon, E.J. (97) 213
- Lee, M.G., see Yoon, E.J. (99) 343
- Lee, P.H., Su, M.-H., Ghanem, A.-H., Inamori, T., Kern, E.R. and Higuchi, W.I.
An application of the *C* concept in predicting the topical efficacy of finite dose acyclovir in the treatment of cutaneous HSV-1 infections in hairless mice (93) 139
- Lee, S.H., see Kim, C.-K. (98) 9
- Lee, S.H., see Yoon, E.J. (97) 213
- Leese, P., see McMahon, F.G. (91) 75
- Lehner, S.J., Müller, B.W. and Seydel, J.K.
Interactions between *p*-hydroxybenzoic acid esters and hydroxypropyl- β -cyclodextrin and their antimicrobial effect against *Candida albicans* (93) 201
- Lerk, C.F., see Riepma, K.A. (97) 195
- Lerk, C.F., see Riepma, K.A. (97) 29
- Lerk, C.F., see Te Wierik, G.H.P. (98) 219
- Lerk, P.C. and Sucker, H.
Application of sucrose laurate in topical preparations of cyclosporin A (92) 203
- Lerk, P.C. and Sucker, H.
Application of sucrose laurate, a new pharmaceutical excipient, in peroral formulations of cyclosporin A (92) 197
- Lethiecq, M., see Pelucio-Lopes, C. (96) 249
- Lévy, M.-C., see Edwards-Lévy, F. (96) 85
- Levy, M.Y., see Magenheimer, B. (94) 115
- Li, C., Yang, D.J., Kuang, L.-R. and Wallace, S.
Polyamino acid microspheres: Preparation, characterization and distribution after intravenous injection in rats (94) 143
- Lidgate, D.M., Hegde, S.G. and Maskiewicz, R.
Conductivity measurement as a convenient technique for determination of liposome capture volume (96) 51
- Lievens, H.S.R., see Craig, D.Q.M. (96) 147
- Liew, C.V., see Wan, L.S.C. (96) 59
- Lim, S.-J., see Kim, C.-K. (98) 9
- Lin, S.Y., Amidon, G.L., Weiner, N.D. and Goldberg, A.H.
Viscoelasticity of cellulose polymers and mucociliary transport on frog palates (95) 57
- Lin, T.-L., see Kawashima, Y. (99) 229
- Lindell, K. and Engström, S.
In vitro release of timolol maleate from an in situ gelling polymer system (95) 219
- Lindner, H., see Kleinebudde, P. (94) 49
- Liu, C.-H., Chen, S.-C., Kao, Y.-H., Kao, C.-C., Sokoloski, T.D. and Sheu, M.-T.
Properties of hydroxypropylmethylcellulose granules produced by water spraying (100) 241
- Li Wan Po, A., see Al-Kassas, R.S. (94) 59
- Li Wan Po, A., see Jian, L. (95) 101
- Ljubić, M., see Zorc, B. (99) 135
- Llabrés, M., see Dorta, M.J. (100) 9
- Loftsson, T., Baldvinsdóttir, J. and Sigurdardóttir, A.M.
The effect of cyclodextrins on the solubility and stability of medroxyprogesterone acetate and megestrol acetate in aqueous solution (98) 225
- Lopes, F., see Cruz, M.E.M. (96) 67
- Lorette, G., see Pelucio-Lopes, C. (96) 249
- Lundberg, B.B.
Evaluation of methods for complexing prednimustine to low density lipoprotein (99) 275
- Machet, L., see Pelucio-Lopes, C. (96) 249
- Machida, R., see Ohwaki, T. (93) 61
- Machida, Y., see Morishita, I. (91) 29
- Maeda, T., see Murata, Y. (96) 139
- Maganti, L. and Çelik, M.
Compaction studies on pellets. I. Uncoated pellets (95) 29
- Magenheimer, B., Levy, M.Y. and Benita, S.
A new in vitro technique for the evaluation of drug release profile from colloidal carriers – ultrafiltration technique at low pressure (94) 115
- Maggi, L., Conte, U., Giunchedi, P. and Colombo, P.
Press-coated tablets for the sequential pulsed administration of two different drugs (99) 173
- Maggi, L., see Giunchedi, P. (94) 15
- Mahjour, M., Mauser, B.E., Rashidbaigi, Z.A. and Fawzi, M.B.
Effects of propylene glycol diesters of caprylic and capric acids (Miglyol® 840) and ethanol binary systems on in vitro skin permeation of drugs (95) 161
- Maibach, H., see Nangia, A. (99) 67
- Maibach, H.I., see Kubota, K. (96) 105
- Maibach, H.I., see Melendres, J.L. (92) 243
- Maibach, H.I., see Sznitowska, M. (99) 43

- Maincent, P., see Kedzierewicz, F. (94) 69
- Mak, V.H.F., see Biddiscombe, M.F. (91) 111
- Maki, T., see Akimoto, M. (100) 133
- Makohon, D.J., see Barnes, A.R. (92) 233
- Malamataris, S. and Rees, J.E.
Viscoelastic properties of some pharmaceutical powders compared using creep compliance, extended Heckel analysis and tablet strength measurements (92) 123
- Manolova, N., see Dimitrova, E. (93) 21
- Marengo, E., see Pattarino, F. (91) 157
- Margarit, M.V., see Fernández, M. (98) 29
- Marks, G.J., see Hidalgo, I.J. (98) 83
- Marolt-Gomišček, M., see Sher, A. (99) 119
- Marriott, C., see Waring, M.J. (94) 211
- Marriott, R.J., see Biddiscombe, M.F. (91) 111
- Martí, A., see Montero, M.T. (96) 157
- Martin, G.P., see Bilbruck, J. (99) 293
- Martin, G.P., see Waring, M.J. (94) 211
- Martín-Villodre, A., see Díez-Sales, O. (100) 1
- Martínez-Pacheco, R., see Landín, M. (91) 123
- Martínez-Pacheco, R., see Landín, M. (91) 133
- Martínez-Pacheco, R., see Landín, M. (91) 143
- Martínez-Pacheco, R., see Pérez-Marcos, B. (100) 207
- Masinde, L.E. and Hickey, A.J.
Aerosolized aqueous suspensions of poly(L-lactic acid) micro-spheres (100) 123
- Maskiewicz, R., see Lidgate, D.M. (96) 51
- Massart, D.L., see Baert, L. (96) 225
- Massimo, G., see Santi, P. (92) 23
- Matar, K.M., see Al-Hassan, M.I. (93) 7
- Matheson, L.E., see Chen, Y. (94) 153
- Matheson, L.E., see Chen, Y. (94) 81
- Matsuda, Y., see Teraoka, R. (93) 85
- Matsumoto, M., see Watanabe, Y. (99) 337
- Matsumoto, Y., see Watanabe, Y. (99) 337
- Maurin, M.B., Vickery, R.D., Gerard, C.A. and Hussain, M.
Solubility of ionization behavior of the antifungal α -(2,4-difluorophenyl)- α -[1-(2-(2-pyridyl)phenylethenyl)]-1H-1,2,4-triazole-1-ethanol bismesylate (XD405) (94) 11
- Mausser, B.E., see Mahjour, M. (95) 161
- Maysinger, D., see Zorc, B. (99) 135
- Mazzeo, P., see Carlucci, G. (93) 245
- Mazzone, G., see Panico, A.M. (98) 19
- Mazzone, S., see Panico, A.M. (98) 19
- Mbela, T.K.M., Poupaert, J.H., Dumont, P. and Haemers, A.
Development of poly (dialkyl methylidenemalonate) nanoparticles as drug carriers (92) 71
- McCafferty, D.F., see Woolfson, A.D. (94) 75
- McKillop, A.G., see Rowe, R.C. (91) 247
- McLeod, A.D., Friend, D.R. and Tozer, T.N.
Synthesis and chemical stability of glucocorticoid-dextran esters: potential prodrugs for colon-specific delivery (92) 105
- McMahon, F.G., Vargas, R., Leese, P., Crawford, B., Konecny, A., Nichols, K., Knowles, M., Theeuwes, F. and Guinta, D.
Controlled-release dosage forms and gastrointestinal blood loss: four clinical studies (91) 75
- McTaggart, L.E. and Halbert, G.W.
Assessment of polysaccharide gels as drug delivery vehicles (100) 199
- Mehta, S.C., see Kearney, A.S. (92) 63
- Melchor, R., see Biddiscombe, M.F. (91) 111
- Melchor, R., see Yuen, K.H. (97) 61
- Melendres, J.L., Nangia, A., Sedik, L., Hori, M. and Maibach, H.I.
Nonane enhances propranolol hydrochloride penetration in human skin (92) 243
- Melia, C.D., Rajabi-Siahboomi, A.R., Hodsdon, A.C., Adler, J. and Mitchell, J.R.
Structure and behaviour of hydrophilic matrix sustained release dosage forms: 1. The origin and mechanism of formation of gas bubbles in the hydrated surface layer (100) 263
- Melia, C.D., see Watts, P.J. (98) 63
- Melia, C.D., see Watts, P.J. (98) 75
- Merkel, G., see Podczcek, F. (97) 15
- Merkku, P., see Hellén, L. (96) 197
- Meseguer, G., Gurny, R., Buri, P., Rozier, A. and Plazonnet, B.
Gamma scintigraphic study of precorneal drainage and assessment of miotic response in rabbits of various ophthalmic formulations containing pilocarpine (95) 229
- Mesens, J., see Vollmer, U. (99) 51
- Micali, G., see Bonina, F.P. (98) 93
- Micali, N., see Panico, A.M. (98) 19
- Michel, C., Groth, N., Herrling, T., Rudolph, P., Fuchs, J., Kreuter, J. and Freisleben, H.-J.
Penetration of spin-labeled retinoic acid from liposomal preparations into the skin of SKH1 hairless mice. Measurement by EPR tomography (98) 131
- Michniak, B.B., Player, M.R., Chapman, Jr, J.M. and Sowell, Sr, J.W.
In vitro evaluation of a series of Azone analogs as dermal penetration enhancers. I (91) 85
- Michniak, B.B., Player, M.R., Fuhrman, L.C., Christensen, C.A., Chapman, Jr, J.M. and Sowell, Sr, J.W.
In vitro evaluation of a series of Azone analogs as dermal penetration enhancers. II. (Thio)amides (94) 203
- Mihailova, S., see Dimitrova, E. (93) 21
- Mikawa, M., see Tahara, K. (99) 311
- Millar, F.C. and Corrigan, O.I.
Dissolution mechanism of ibuprofen-casein compacts (92) 97
- Miller II, K.J., Rao, Y.K., Goodwin, S.R., Westermann-Clark, G.B. and Shah, D.O.
Solubility and in vitro percutaneous absorption of tetracaine from solvents of propylene glycol and saline (98) 101
- Mingxin, W., see Parkash, A.K. (92) 151
- Minkov, E., see Dimitrova, E. (93) 21
- Mirchandani, H. and Chien, Y.W.
Drug delivery approaches for anti-HIV drugs (95) 1
- Mitchell, J.R., see Melia, C.D. (100) 263
- Mitchell, K., Ford, J.L., Armstrong, D.J., Elliott, P.N.C., Hogan, J.E. and Rostron, C.

- The influence of drugs on the properties of gels and swelling characteristics of matrices containing methylcellulose or hydroxypropylmethylcellulose (100) 165
- Mitchell, K., Ford, J.L., Armstrong, D.J., Elliott, P.N.C., Hogan, J.E. and Rostron, C.
The influence of substitution type on the performance of methylcellulose and hydroxypropylmethylcellulose in gels and matrices (100) 143
- Mitchell, K., Ford, J.L., Armstrong, D.J., Elliott, P.N.C., Hogan, J.E. and Rostron, C.
The influence of the particle size of hydroxypropylmethylcellulose K15M on its hydration and performance in matrix tablets (100) 175
- Mitchell, K., Ford, J.L., Armstrong, D.J., Elliott, P.N.C., Rostron, C. and Hogan, J.E.
The influence of concentration on the release of drugs from gels and matrices containing Methocel® (100) 155
- Mitra, A.K., see Fort, J.J. (100) 233
- Miyajima, M., Yoshida, M., Sato, H., Omichi, H., Katakai, R. and Higuchi, W.I.
Controlled release of 9- β -D-arabinofuranosyladenine from thermo-responsive devices based on acryloyl-L-proline methyl ester (95) 153
- Miyamoto, E., see Murata, Y. (96) 139
- Moës, A.J., see Sansdrap, P. (98) 157
- Monedero Perales, M.C., see Muñoz-Ruiz, A. (95) 201
- Monger, L., see Waring, M.J. (94) 211
- Montenegro, L., see Bonina, F.P. (100) 41
- Montenegro, L., see Bonina, F.P. (100) 99
- Montenegro, L., see Bonina, F.P. (98) 93
- Montero, M.T., Martí, A. and Hernández-Borrell, J.
The active trapping of doxorubicin in liposomes by pH gradient: photon correlation spectroscopy and fluorimetric study (96) 157
- Morimoto, Y., Sugibayashi, K., Kobayashi, D., Shoji, H., Yamazaki, J.-i. and Kimura, M.
A new enhancer-coenhancer system to increase skin permeation of morphine hydrochloride in vitro (91) 9
- Morishita, I., Morishita, M., Takayama, K., Machida, Y. and Nagai, T.
Enteral insulin delivery by microspheres in 3 different formulations using Eudragit L100 and S100 (91) 29
- Morishita, M., see Morishita, I. (91) 29
- Morita, T., see Yamamoto, A. (93) 91
- Mortazavi, S.A., Carpenter, B.G. and Smart, J.D.
A comparative study on the role played by mucus glycoproteins in the rheological behaviour of the mucoadhesive/mucosal interface (94) 195
- Mrhar, A., see Kristl, A. (100) 33
- Mrhar, A., see Kristl, A. (99) 79
- Müller, B.W., see Bleich, J. (97) 111
- Müller, B.W., see Lehner, S.J. (93) 201
- Müller, B.W., see Vollmer, U. (99) 51
- Müller-Goymann, C.C., see Wilisch, I.L. (96) 79
- Müller, R.H., see Rudt, S. (99) 1
- Munguía, O., see Dorta, M.J. (100) 9
- Muñoz-Muñoz, N., see Muñoz-Ruiz, A. (95) 201
- Muñoz-Ruiz, A., Monedero Perales, M.C., Velasco Antequera, M.V., Payán Villar, T., Muñoz-Muñoz, N. and Jiménez-Castellanos, M.R.
Rheology and compression characteristics of lactose based direct compression excipients (95) 201
- Mura, P., see Santoni, G. (93) 239
- Murata, Y., Maeda, T., Miyamoto, E. and Kawashima, S.
Preparation of chitosan-reinforced alginate gel beads – effects of chitosan on gel matrix erosion (96) 139
- Musatti, L., see Efthymiopoulos, C. (95) 127
- Musson, D.G., Evitts, D.P., Bidgood, A.M. and Olejnik, O.
Stabilization of aqueous thymoxamine using dimethyl- β -cyclodextrin (99) 85
- Nagai, T., see Morishita, I. (91) 29
- Nagai, T., see Song, Y. (98) 121
- Naidong, W., Hua, S., Roets, E., Busson, R. and Hoogmartens, J.
Investigation of *keto-enol* tautomerism and ionization of doxycycline in aqueous solutions (96) 13
- Najjar, T.A., Al-Hassan, M.I. and Khan, R.M.A.
Theophylline inhibits the elimination of flumazenil in rabbits (98) 51
- Nakamura, J., Kido, M., Tagami, C., Nishida, K. and Sasaki, H.
Systemic and presystemic de-conjugation of salicylic acid-arginine conjugate as a prodrug of salicylic acid in rabbits (99) 189
- Nakamura, J., see Sasaki, H. (93) 49
- Nangia, A., Bloom, E., Berner, B. and Maibach, H.
Human keratinocyte cell culture for studying skin irritation in man? (99) 67
- Nangia, A., see Melendres, J.L. (92) 243
- Nannipieri, E., see Bonina, F.P. (100) 41
- Nannipieri, E., see Carelli, V. (94) 103
- Narayani, R. and Panduranga Rao, K.
Preparation, characterisation and in vitro stability of hydrophilic gelatin microspheres using a gelatin-methotrexate conjugate (95) 85
- Nash, S., see Barnes, A.R. (94) 231
- Neau, S.H., Shinwari, M.K. and Hellmuth, E.W.
Melting point phase diagrams of free base and hydrochloride salts of bevantolol, pindolol and propranolol (99) 303
- Neervannan, S., Reinert, J.D., Stella, V.J. and Southard, M.Z.
A numerical convective-diffusion model for dissolution of neutral compounds under laminar flow conditions (96) 167
- Newman, A.W., see Desai, D.S. (91) 217
- Newman, A.W., see Wesdyk, R. (93) 101
- Newman, S., see Borgström, L. (97) 47
- Newton, J.M., Alderborn, G., Nystrom, C. and Stanley, P.
The compressive to tensile strength ratio of pharmaceutical compacts (93) 249
- Newton, J.M., see Clarke, G.M. (100) 81
- Newton, J.M., see Fielden, K.E. (97) 79
- Newton, J.M., see Tapia, C. (92) 211
- Newton, J.M., see Yuen, K.H. (97) 61
- Nichols, K., see McMahon, F.G. (91) 75

- Nishida, K., see Nakamura, J. (99) 189
- Nishida, K., see Sasaki, H. (93) 49
- Nishihata, T., see Tahara, K. (99) 311
- Niwa, T., see Kawashima, Y. (99) 229
- Niwa, T., see Ohwaki, T. (93) 61
- Nixon, J.R., see Avgoustakis, K. (99) 239
- Nixon, J.R., see Avgoustakis, K. (99) 247
- Nord, K., see Bjerga Bjåen, A.-K. (92) 183
- Nour, I.M., see Ibrahim, K.E. (98) 231
- Ntawukulilyayo, J.D., Bouckaert, S. and Remon, J.P.
Enhancement of dissolution rate of nifedipine using sucrose ester coprecipitates (93) 209
- Ntawukulilyayo, J.D., Bouckaert, S. and Remon, J.P.
Low substituted *N*-octenylsuccinate starch as a dissolution rate enhancer in solid dosage forms (91) 23
- Nürnberg, E., see Jachowicz, R. (99) 321
- Nyqvist, H., see Davidson, R. (100) 49
- Nyström, C., see Eriksson, M. (99) 197
- Nystrom, C., see Newton, J.M. (93) 249
- Ogata, H., see Akimoto, M. (100) 133
- Ogiso, T., Iwaki, M., Tanino, T., Yatomi, M. and Tsujimoto, C.
Percutaneous absorption of terodiline and the membrane-controlled transdermal therapeutic system (98) 113
- Ohgawara, Y., see Watanabe, Y. (99) 337
- Ohwaki, T., Machida, R., Ozawa, H., Kawashima, Y., Hino, T., Takeuchi, H. and Niwa, T.
Improvement of the stability of water-in-oil-in-water multiple emulsions by the addition of surfactants in the internal aqueous phase of the emulsions (93) 61
- Ohya, M., see Kawashima, Y. (99) 229
- Olejnik, O., see Musson, D.G. (99) 85
- Omichi, H., see Miyajima, M. (95) 153
- Ong, J.T.H., Chowhan, Z.T. and Samuels, G.J.
Drug-excipient interactions resulting from powder mixing. VI. Role of various surfactants (96) 231
- Onishi, H., see Song, Y. (98) 121
- Onyeji, C.O. and Babalola, C.P.
The effect of magnesium trisilicate on proguanil absorption (100) 249
- Orbach-Arbouys, S., see Bonhomme, L. (96) R7
- Østberg, T., Vesterhus, L. and Graffner, C.
Calcium alginate matrices for oral multiple unit administration: II. Effect of process and formulation factors on matrix properties (97) 183
- Otero-Espinar, F.J., see García-González, N. (100) 25
- Otero-Espinar, F.J., see García-González, N. (100) 65
- Ozawa, H., see Aoki, S. (95) 67
- Ozawa, H., see Ohwaki, T. (93) 61
- Paeratakul, O., see Bodmeier, R. (96) 129
- Pajean, M. and Herbage, D.
Effect of collagen on liposome permeability (91) 209
- Palicharla, P., see Bonina, F.P. (98) 93
- Panderi, I. and Parissi-Poulou, M.
Determination of clopamide-pindolol combination in tablets by fourth-order derivative UV spectrophotometry (99) 327
- Panduranga Rao, K., see Narayani, R. (95) 85
- Panduranga Rao, K., see Thacharodi, D. (96) 33
- Panico, A.M., Pignatello, R., Mazzone, S., Cardile, V., Bindoni, M., Cordopatri, F., Villari, A., Micali, N. and Mazzone, G.
Lipid vesicles loaded with thymopentin: characterization and in vitro activity on tumoral cells (98) 19
- Papadimitriou, E., Buckton, G. and Efentakis, M.
Probing the mechanisms of swelling of hydroxypropyl-methylcellulose matrices (98) 57
- Parera Vialard, A., see Contreras Claramonte, M.D. (94) 23
- Parera Vialard, A., see Contreras Claramonte, M.D. (98) 37
- Parimoo, P., Umaphathi, P. and Ilango, K.
Simultaneous quantitative determination of salbutamol sulfate and bromhexine hydrochloride in drug preparations by difference spectrophotometry (100) 227
- Paris, J., see Walchshofer, N. (100) 271
- Parissi-Poulou, M., see Panderi, I. (99) 327
- Parkash, A.K., Sugden, J.K., Yucan, Z. and Mingxin, W.
A rapid method for screening non steroidal anti-inflammatory agents for hydroxyl radical scavenging (92) 151
- Parker, M.D., see Rowe, R.C. (91) 247
- Paronen, P., see Hirvonen, J. (99) 253
- Paronen, P., see Ilkka, J. (94) 181
- Paronen, P., see Ketolainen, J. (92) 157
- Paronen, P., see Pirttimäki, J. (95) 93
- Paronen, P., see Sutinen, R. (92) 177
- Paronen, P., see Tirkkonen, S. (92) 55
- Paronen, P., see Turunen, T.M. (92) 89
- Paronen, P., see Vidgren, M. (96) 183
- Patat, F., see Pelucio-Lopes, C. (96) 249
- Pattarino, F., Marengo, E., Gasco, M.R. and Carpignano, R.
Experimental design and partial least squares in the study of complex mixtures: microemulsions as drug carriers (91) 157
- Pavlov, M.Y., see Sviridov, D.D. (96) 1
- Payán Villar, T., see Muñoz-Ruiz, A. (95) 201
- Peck, K.D., Ghanem, A.H., Higuchi, W.I. and Srinivasan, V.
Improved stability of the human epidermal membrane during successive permeability experiments (98) 141
- Peeters, R. and Kinget, R.
Film-forming polymers for colonic drug delivery: I. Synthesis and physical and chemical properties of methyl derivatives of Eudragit S (94) 125
- Pelucio-Lopes, C., Machet, L., Vaillant, L., Patat, F., Lethiecq, M., Furet, Y., Pourcelot, L. and Lorette, G.
Phonophoresis of azidothymidine (AZT) (96) 249
- Pérez-Marcos, B., Martínez-Pacheco, R., Gómez-Amoza, J.L., Souto, C., Concheiro, A. and Rowe, R.C.
Interlot variability of carbomer 934 (100) 207
- Pérez-Sayas, E., see Díez-Sales, O. (100) 1
- Perez-Soler, R., see Cruz, M.E.M. (96) 67
- Perkins, A.C., see Harnor, K.J. (95) 111
- Petavy, A.-F., see Walchshofer, N. (100) 271
- Peters, T., see Vollmer, U. (99) 51

- Phillips, E.M. and Stella, V.J.
Rapid expansion from supercritical solutions: application to pharmaceutical processes (94) 1
- Pignatello, R., see Panico, A.M. (98) 19
- Pikkarainen, P., see Vidgren, M. (96) 183
- Pinzauti, S., see Santoni, G. (93) 239
- Pirttimäki, J., Laine, E., Ketolainen, J. and Paronen, P.
Effects of grinding and compression on crystal structure of anhydrous caffeine (95) 93
- Pitarresi, G., see Turco Liveri, V. (99) 285
- Pitha, J., see Hoshino, T. (98) 239
- Pitt, K.G., see Craig, D.Q.M. (96) 147
- Player, M.R., see Michniak, B.B. (91) 85
- Player, M.R., see Michniak, B.B. (94) 203
- Plazonnet, B., see Meseguer, G. (95) 229
- Podczek, F. and Révész, P.
Evaluation of the properties of microcrystalline and microfine cellulose powders (91) 183
- Podczek, F., Merkel, G. and Révész, P.
The application of canonical analysis to the evaluation of the influence of changes in components of standard direct compression tablet formulations (97) 15
- Podczek, F.
Comparison of in vitro dissolution profiles by calculating mean dissolution time (MDT) or mean residence time (MRT) (97) 93
- Polack, A.E., see Prayurnprohm, P. (100) 189
- Pons, M., Foradada, M. and Estelrich, J.
Liposomes obtained by the ethanol injection method (95) 51
- Poupaert, J.H., see Mbela, T.K.M. (92) 71
- Pourcelot, L., see Pelucio-Lopes, C. (96) 249
- Pranker, R.J., see Sloan, K.B. (93) 27
- Prayurnprohm, P. and Polack, A.E.
The effect of each of three physicochemical variables on solute uptake by polyvinylchloride infusion bags (100) 189
- Préat, V. and Thysman, S.
Transdermal iontophoretic delivery of sufentanil (96) 189
- Prieto, J.G., see Del Estal, J.L. (91) 105
- Puglisi, G., see Fresta, M. (99) 145
- Puisieux, F., see Gallardo, M. (100) 55
- Puisieux, F., see Rabaron, A. (99) 29
- Raatikainen, P., see Sutinen, R. (92) 177
- Rabaron, A., Cavé, G., Puisieux, F. and Seiller, M.
Physical methods for measurement of the HLB of ether and ester non-ionic surface-active agents: H-NMR and dielectric constant (99) 29
- Rabasco-Alvarez, A.M., see Fernandez-Arevalo, M. (95) 117
- Rabasco, A.M., see Caraballo, I. (96) 175
- Radebaugh, G.W., see Kearney, A.S. (92) 63
- Ragnarsson, G., see Davidson, R. (100) 49
- Ragno, G., Veronico, M. and Vetusch, C.
Gas chromatographic and UV derivative determination of nitrendipine and its photodegradation product (99) 351
- Rajabi-Siahboomi, A.R., see Melia, C.D. (100) 263
- Rao, M.N.A., see Sreejayan, (100) 93
- Rao, T.T., see Sastry, C.S.P. (93) 13
- Rao, Y.K., see Miller II, K.J. (98) 101
- Raschkov, I., see Dimitrova, E. (93) 21
- Rashidbaigi, Z.A., see Mahjour, M. (95) 161
- Reardon, P.M. and Audus, K.L.
Ammonium glycyrrhizinate (AMGZ) effects on membrane integrity (94) 161
- Rees, J.E. and Tsardaka, K.D.
Compaction stress relaxation interpreted using a hyperbolic relation (92) 137
- Rees, J.E., see Malamataris, S. (92) 123
- Reinert, J.D., see Neervannan, S. (96) 167
- Remon, J.P., see Baert, L. (95) 135
- Remon, J.P., see Baert, L. (96) 225
- Remon, J.P., see Baert, L. (99) 181
- Remon, J.P., see Baert, L. (99) 7
- Remon, J.P., see Ntawukulilyayo, J.D. (91) 23
- Remon, J.P., see Ntawukulilyayo, J.D. (93) 209
- Repin, V.S., see Sviridov, D.D. (96) 1
- Révész, P., see Podczek, F. (91) 183
- Révész, P., see Podczek, F. (97) 15
- Rhie, J.K., see Gordon, M.S. (97) 119
- Rhodes, C.T., see Romero, A.J. (99) 125
- Richards, R.M.E., Taylor, R.B. and Xing, J.Z.
Investigations of the correlation between bacterial uptakes of trimethoprim and sulphadiazine with antibacterial activities against *Enterococcus faecalis* (92) 237
- Riepma, K.A., Vromans, H. and Lerk, C.F.
A coherent matrix model for the consolidation and compaction of an excipient with magnesium stearate (97) 195
- Riepma, K.A., Vromans, H., Zuurman, K. and Lerk, C.F.
The effect of dry granulation on the consolidation and compaction of crystalline lactose (97) 29
- Riley, C.M., see Ross, D.L. (93) 121
- Riley, C.M., see Ross, D.L. (93) 131
- Rius, F., see Cantón, E. (92) 47
- Roberts, R.J. and Rowe, R.C.
The solubility parameter and fractional polarity of microcrystalline cellulose as determined by mechanical measurement (99) 157
- Roberts, R.J., Rowe, R.C. and York, P.
The measurement of the critical stress intensity factor (K_{IC}) of pharmaceutical powders using three point single edge notched beam (SENB) testing (91) 173
- Rodley, G.A., Chan, H.-K. and Gonda, I.
Dissolution studies of hexamethylmelamine (95) 143
- Rodríguez-Hornedo, N., see Zipp, G.L. (98) 189
- Rodríguez, I.C., see Fernández, M. (98) 29
- Roets, E., see Hendrix, C. (100) 213
- Roets, E., see Naidong, W. (96) 13
- Roksvaag, P.O., see Wæhler, K. (97) 55
- Rollet, M., see Sebert, P. (99) 37
- Romero, A.J., Savastano, L. and Rhodes, C.T.
Monitoring crystal modifications in systems containing ibuprofen (99) 125

- Ross, D.L. and Riley, C.M.
Physicochemical properties of the fluoroquinolone antimicrobials. V. Effect of fluoroquinolone structure and pH on the complexation of various fluoroquinolones with magnesium and calcium ions (93) 121
- Ross, D.L., Elkinton, S.K., Knaub, S.R. and Riley, C.M.
Physicochemical properties of the fluoroquinolone antimicrobials VI. Effect of metal-ion complexation on octan-1-ol-water partitioning (93) 131
- Rostron, C., see Mitchell, K. (100) 143
- Rostron, C., see Mitchell, K. (100) 155
- Rostron, C., see Mitchell, K. (100) 165
- Rostron, C., see Mitchell, K. (100) 175
- Rowe, R.C., Parker, M.D. and McKillop, A.G.
The effect of particle size on the heat of immersion of microcrystalline cellulose (91) 247
- Rowe, R.C., see Fielden, K.E. (97) 79
- Rowe, R.C., see Landín, M. (91) 123
- Rowe, R.C., see Landín, M. (91) 133
- Rowe, R.C., see Landín, M. (91) 143
- Rowe, R.C., see Pérez-Marcos, B. (100) 207
- Rowe, R.C., see Roberts, R.J. (91) 173
- Rowe, R.C., see Roberts, R.J. (99) 157
- Rozier, A., see Meseguer, G. (95) 229
- Rubessa, F., see Kristl, A. (100) 33
- Rubitski, B.A., see Desai, D.S. (91) 217
- Rudolph, P., see Michel, C. (98) 131
- Rudraraju, V.S., see Gordon, M.S. (97) 119
- Rudt, S. and Müller, R.H.
In vitro uptake of polystyrene latex particles and par-enteral fat emulsions by human granulocytes (99) 1
- Ruff, F., see Efthymiopoulos, C. (95) 127
- Rupprecht, H., see Kristl, J. (99) 13
- Rupprecht, H., see Srcic, S. (99) 21
- Ryan, F.M., see Hidalgo, I.J. (98) 83
- Rytting, J.H., see Turunen, T.M. (92) 89
- Sabri, S.M., see Wahbi, A.M. (92) 15
- Saers, E.S., see Aldén, M. (94) 31
- Saettone, M.F., see Gallarate, M. (100) 219
- Sailaja, A., see Sastry, C.S.P. (93) 13
- Sainz, M.C., Chantres, J.R., Elorza, B. and Elorza, M.A.
DSC study of the action of phenylbutazone on phospholipid phase transitions (91) 1
- Saleh, S.I., see Ahmed, S.M. (96) 5
- Salem, M.S., see Gharaibeh, Abd.E.M. (100) 253
- Sallam, E.-S., see Ibrahim, H.G. (93) 111
- Sallis, J.D., see Cooper, C.M. (98) 165
- Samuels, G.J., see Ong, J.T.H. (96) 231
- Samyn, C., see Van den Mooter, G. (97) 133
- Sánchez, A., Vila-Jato, J.L. and Alonso, M.J.
Development of biodegradable microspheres and nanospheres for the controlled release of cyclosporin A (99) 263
- Sande, S.A. and Karlsen, J.
Evaluation of reaction order. Software in pharmaceutics: III (98) 209
- Sangalli, M.E., Giunchedi, P., Gazzaniga, A. and Conte, U.
Erodible perforated coated matrix for extended release of drugs (91) 151
- Sangalli, M.E., see Gazzaniga, A. (91) 167
- Sansdrap, P. and Moës, A.J.
Influence of manufacturing parameters on the size characteristics and the release profiles of nifedipine from poly(DL-lactide-co-glycolide) microspheres (98) 157
- Santi, P., Catellani, P.L., Massimo, G., Zanardi, G. and Colombo, P.
Iontophoretic transport of verapamil and melatonin. I. Cellophane membrane as a barrier (92) 23
- Santoni, G., Tonsini, A., Gratteri, P., Mura, P., Furlanetto, S. and Pinzauti, S.
Determination of atropine sulphate and benzalkonium chloride in eye drops by HPLC (93) 239
- Sarciron, M.-E., see Walchshofer, N. (100) 271
- Sasaki, H., Igarashi, Y., Nishida, K. and Nakamura, J.
Ocular delivery of the β -blocker, tilisolol, through the prodrug approach (93) 49
- Sasaki, H., see Nakamura, J. (99) 189
- Sastry, C.S.P., Rao, T.T. and Sailaja, A.
Application of *p*-*N,N*-dimethylphenylenediamine dihydrochloride for the determination of some antiarrhythmic agents and anticoagulants (93) 13
- Sato, H., see Miyajima, M. (95) 153
- Savastano, L., see Romero, A.J. (99) 125
- Sawada, M., see Kitagawa, S. (98) 203
- Schara, M., see Kristl, J. (99) 13
- Scherer, P.W., see Waldrep, J.C. (97) 205
- Sebert, P., Andrianoff, N. and Rollet, M.
Effect of gamma irradiation on hydroxypropylmethylcellulose powders: Consequences on physical, rheological and pharmacotechnical properties (99) 37
- Sedik, L., see Melendres, J.L. (92) 243
- Seiller, M., see Rabaron, A. (99) 29
- Sekigawa, F., see Kawashima, Y. (99) 229
- Senderoff, R.I. and Sokoloski, T.D.
A practical approach to evaluate the effect of the aqueous stagnant layer on drug release from polymeric devices (91) 235
- Şener, E., see Yalçın, I. (98) 1
- Serafini, M.F., see Carelli, V. (94) 103
- Seydel, J.K., see Lehner, S.J. (93) 201
- Sezaki, H., see Yamamoto, A. (93) 91
- Shah, D.O., see Miller II, K.J. (98) 101
- Shamat, M.A.
The role of the gastrointestinal microflora in the metabolism of drugs (97) 1
- Shao, Z., see Fort, J.J. (100) 233
- Sharma, H., see Ashford, M. (95) 193
- Sher, A., Veber, M., Marolt-Gomišček, M. and Gomišček, S.
The study of complexation of copper(II) ions with ampicillin: II. Dynamics of reactions (99) 119
- Sheu, M.-T., see Liu, C.-H. (100) 241
- Shim, C.-K., see Kim, C.K. (99) 109
- Shimizu, T., see Aioi, A. (93) 1

- Shinwari, M.K., see Neau, S.H. (99) 303
- Shivanand, P. and Sprockel, O.L.
Release of propranolol HCl from a tablet coated with a macroporous membrane (92) 35
- Shoji, H., see Morimoto, Y. (91) 9
- Short, M., see Yuen, K.H. (97) 61
- Short, M.D., see Biddiscombe, M.F. (91) 111
- Short, M.D., see Clarke, G.M. (100) 81
- Siekman, B., see Westesen, K. (93) 189
- Sigurdardóttir, A.M., see Loftsson, T. (98) 225
- Silvestri, S., see Cencia-Rohan, L. (95) 23
- Sims, E.E., see Harnor, K.J. (95) 111
- Singh, M., see Singh Raghuvanshi, R. (93) R1
- Singh Raghuvanshi, R., Singh, M. and Talwar, G.P.
Biodegradable delivery system for single step immunization with tetanus toxoid (93) R1
- Sjöström, B., Westesen, K. and Bergenståhl, B.
Preparation of submicron drug particles in lecithin-stabilized o/w emulsions. II. Characterization of cholesteryl acetate particles (94) 89
- Skaugrud, Ø., see Henriksen, I. (98) 181
- Skjetne, T., see Kristensen, S. (100) 15
- Sloan, K.B., Getz, J.J., Beall, H.D. and Pranker, R.J.
Transdermal delivery of 5-fluorouracil (5-FU) through hairless mouse skin by 1-alkylaminocarbonyl-5-FU prodrugs: Physicochemical characterization of prodrugs and correlations with transdermal delivery (93) 27
- Sloan, K.B., see Beall, H.D. (93) 37
- Smart, J.D., see Mortazavi, S.A. (94) 195
- Smedley, S.I., see Friend, D.R. (97) 39
- Smeyers-Verbeke, J., see Baert, L. (96) 225
- Šmid-Korbar, J., see Kristl, J. (99) 13
- Smid-Korbar, J., see Srcic, S. (99) 21
- Smith, P.L., see Hidalgo, I.J. (98) 83
- Sokoloski, T.D., see Liu, C.-H. (100) 241
- Sokoloski, T.D., see Senderoff, R.I. (91) 235
- Song, Y., Onishi, H. and Nagai, T.
Conjugate of mitomycin C with *N*-succinyl-chitosan: In vitro drug release properties, toxicity and antitumor activity (98) 121
- Southard, M.Z., see Neervannan, S. (96) 167
- Souto, C., see Landín, M. (91) 123
- Souto, C., see Landín, M. (91) 133
- Souto, C., see Landín, M. (91) 143
- Souto, C., see Pérez-Marcos, B. (100) 207
- Sowell, Sr, J.W., see Michniak, B.B. (91) 85
- Sowell, Sr, J.W., see Michniak, B.B. (94) 203
- Spalitto, A.J., see Hileman, G.A. (100) 71
- Spiro, S.G., see Biddiscombe, M.F. (91) 111
- Sprockel, O.L., see Shivanand, P. (92) 35
- Srcic, S., Rupprecht, H., Daca, J. and Smid-Korbar, J.
Chemisorbates of *p*-hydroxybenzoic acid methyl ester on silica as a new type of pro-drug. IV. Drug release from chemisorbates dispersed in lipophilic vehicles (99) 21
- Sreejayan, and Rao, M.N.A.
Curcumin inhibits iron-dependent lipid peroxidation (100) 93
- Srinivasan, V., see Peck, K.D. (98) 141
- Stamm, A., see Brochart, H. (91) 95
- Staniforth, J.N., see D'Emanuele, A. (92) 225
- Stanley, P., see Newton, J.M. (93) 249
- Stella, V.J., see Neervannan, S. (96) 167
- Stella, V.J., see Phillips, E.M. (94) 1
- Stelliou, I., Venthoye, G. and Taylor, K.M.G.
Manipulating the temperature of pentamidine isethionate solutions in jet nebulisers (99) R1
- Stewart, P.J., see Sulhiyowati Soebagyo, S. (91) 227
- Stjärnkvist, P.
Biodegradable microspheres: XIV. Effect of microparticle-bound primaquine on *L. donovani* in mice (96) 23
- Storey, D.E., see Craig, D.Q.M. (96) 147
- Strickley, R., see Brandl, M. (93) 75
- Strolin-Benedetti, M., see Efthymiopoulos, C. (95) 127
- Štruc, E., see Kristl, J. (99) 13
- Su, M.-H., see Lee, P.H. (93) 139
- Sucker, H., see Lerk, P.C. (92) 197
- Sucker, H., see Lerk, P.C. (92) 203
- Suda, M., see Watanabe, Y. (99) 337
- Sugden, J.K., see Parkash, A.K. (92) 151
- Sugibayashi, K., see Morimoto, Y. (91) 9
- Sulhiyowati Soebagyo, S. and Stewart, P.J.
The characterization of drug redistribution in a ternary interactive mixture of diazepam (91) 227
- Sutinen, R., Urtti, A., Raatikainen, P. and Paronen, P.
Dissolution medium independent release of propranolol from silicone reservoir devices (92) 177
- Sutinen, R., see Hirvonen, J. (99) 253
- Suwa, T., see Akimoto, M. (100) 133
- Sveinsson, S.J. and Holbrook, W.P.
Oral mucosal adhesive ointment containing liposomal corticosteroid (95) 105
- Sveinsson, S.J., Kristmundsdóttir, T. and Ingvarsdóttir, K.
The effect of tableting on the release characteristics of naproxen and ibuprofen microcapsules (92) 29
- Sviridov, D.D., Pavlov, M.Y. and Repin, V.S.
Effect of the inhibitors of different steps of cholesterol biosynthesis pathway on high density lipoprotein binding to isolated human enterocytes (96) 1
- Szejtli, J., see Csabai, K. (91) 15
- Sznitowska, M., Berner, B. and Maibach, H.I.
In vitro permeation of human skin by multipolar ions (99) 43
- Sznitowska, M., see Kubota, K. (96) 105
- Tagami, C., see Nakamura, J. (99) 189
- Tahara, K., Mikawa, M., Yokohama, S. and Nishihata, T.
Characteristics of intestinal absorption of adinazolam and in vivo evaluation of oral sustained release tablets of adinazolam in beagle dogs (99) 311
- Takayama, K., see Morishita, I. (91) 29
- Takayama, K., see Watanabe, Y. (99) 337
- Takeuchi, H., see Kawashima, Y. (99) 229
- Takeuchi, H., see Ohwaki, T. (93) 61
- Talwar, G.P., see Singh Raghuvanshi, R. (93) R1

- Tanino, T., see Ogiso, T. (98) 113
- Tapia, C., Buckton, G. and Newton, J.M.
Factors influencing the mechanism of release from sustained release matrix pellets, produced by extrusion/spheronisation (92) 211
- Tatsuishi, K., see Aoki, S. (95) 67
- Taylor, A.J., see Biddiscombe, M.F. (91) 111
- Taylor, K.M.G. and Hoare, C.
Ultrasonic nebulisation of pentamidine isethionate (98) 45
- Taylor, K.M.G., see Stelliou, I. (99) R1
- Taylor, R.B., see Richards, R.M.E. (92) 237
- Tegenfeldt, J., see Aldén, M. (94) 31
- Tekle, A., see Al-Hassan, M.I. (93) 7
- Terao, T., see Aso, Y. (93) 153
- Teraoka, R. and Matsuda, Y.
Stabilization-oriented preformulation study of photolabile menatetrenone (vitamin K₂) (93) 85
- Te Wierik, G.H.P., Eissens, A.C. and Lerk, C.F.
Preparation, characterization and pharmaceutical application of linear dextrans: IV. Drug release from capsules and tablets containing amylopectin (98) 219
- Thacharodi, D. and Panduranga Rao, K.
Release of nifedipine through crosslinked chitosan membranes (96) 33
- Theeuwes, F., see McMahon, F.G. (91) 75
- Thomas, J., see Hendrix, C. (100) 213
- Thysman, S., see Pr  at, V. (96) 189
- Tirkkonen, S. and Paronen, P.
Release of indomethacin from tableted ethylcellulose microcapsules (92) 55
- Tomer, R. and Florence, A.T.
Photo-responsive hydrogels for potential responsive release applications (99) R5
- T  nnesen, H.H., see Bj  rga Bj   en, A.-K. (92) 183
- T  nnesen, H.H., see Kristensen, S. (100) 15
- Tonsini, A., see Santoni, G. (93) 239
- Tozer, T.N., see McLeod, A.D. (92) 105
- Treupel, L., see Gallardo, M. (100) 55
- Trotta, M., see Gallarate, M. (100) 219
- Tsai, J.-C., Flynn, G.L., Weiner, N. and Ferry, J.J.
Effect of minoxidil concentration on the deposition of drug and vehicle into the skin (96) 111
- Tsardaka, K.D., see Rees, J.E. (92) 137
- Tsujimoto, C., see Ogiso, T. (98) 113
- Tucker, I.G., see Bunt, C.R. (99) 93
- Turco Liveri, M.L., see Turco Liveri, V. (99) 285
- Turco Liveri, V., Cavallaro, G., Giammona, G., Pitarresi, G. and Turco Liveri, M.L.
Calorimetric and viscosimetric investigation of the interaction between α,β -polyasparthydrazide and sodium dodecyl sulfate micelles (99) 285
- Turunen, T.M., Buyuktimkin, S., Buyuktimkin, N., Urtti, A., Paronen, P. and Rytting, J.H.
Enhanced delivery of 5-fluorouracil through shed snake skin by two new transdermal penetration enhancers (92) 89
- Uekama, K., see Hoshino, T. (98) 239
- Uenoyama, S., see Aioi, A. (93) 1
- Uesugi, K., see Aoki, S. (95) 67
- Umapathi, P., see Parimoo, P. (100) 227
- Underberg, W.J.M., see De Vries, J.D. (100) 181
- Underberg, W.J.M., see Van der Houwen, O.A.G.J. (99) 73
- Upadrashta, S.M., see Hileman, G.A. (100) 71
- Urtti, A., see Hirvonen, J. (99) 253
- Urtti, A., see Sutinen, R. (92) 177
- Urtti, A., see Turunen, T.M. (92) 89
- Vaillant, L., see Pelucio-Lopes, C. (96) 249
- Vainio, P., see Vidgren, M. (96) 183
- Van Bommel, E.M.G., see Baert, L. (99) 7
- Vandelli, M.A. and Cameroni, R.
Selective coating of cylindrical matrices with a central hole. I. An interpretation of the swelling process (100) 107
- Vandelli, M.A., Coppi, G. and Cameroni, R.
Selective coating of cylindrical matrices with a central hole. II. An interpretation of the release process (100) 115
- Van den Mooter, G., Samyn, C. and Kinget, R.
Azo polymers for colon-specific drug delivery. II: Influence of the type of azo polymer on the degradation by intestinal microflora (97) 133
- Van der Houwen, O.A.G.J., Beijnen, J.H., Bult, A., Bekers, O., Goossen, R.M.J. and Underberg, W.J.M.
Degradation kinetics of the antitumour drug nimustine (ACNU) in aqueous solution (99) 73
- Van houtven, C., see Hendrix, C. (100) 213
- Van Laarhoven, J.A.H., see Horsthuis, G.J.B. (92) 143
- Van Rooij, R.C.B.M., see Horsthuis, G.J.B. (92) 143
- Van Schie, D.M.J. and Winchester, J.G.
Stabilisation of a protein prodrug formulation: a novel approach (93) 177
- Vargas, R., see McMahon, F.G. (91) 75
- Varia, S.A., see Desai, D.S. (91) 217
- Veber, M., see Sher, A. (99) 119
- Veiga, M.D., Escobar, C. and Bernad, M.J.
Dissolution behaviour of drugs from binary and ternary systems (93) 215
- Velasco Antequera, M.V., see Mu  oz-Ruiz, A. (95) 201
- Venthoye, G., see Stelliou, I. (99) R1
- Vermeersch, H., see Baert, L. (96) 225
- Veronico, M., see Ragno, G. (99) 351
- Vervoort, L., see De Vos, A. (92) 191
- Vesterhus, L., see   stberg, T. (97) 183
- Vetuschi, C., see Ragno, G. (99) 351
- Vickery, R.D., see Maurin, M.B. (94) 11
- Vidgren, M., Paronen, P., Vainio, P., Bergstr  m, K. and Pikkariainen, P.
Gastrointestinal transit of ^{99m}Tc-labelled oral dosage forms of sucralate in healthy volunteers (96) 183
- Vila-Jato, J.L., see S  nchez, A. (99) 263
- Vilchez, F.G., see Contreras Claramonte, M.D. (98) 37
- Villari, A., see Fresta, M. (99) 145
- Villari, A., see Panico, A.M. (98) 19

- Villaverde, C., see Del Estal, J.L. (91) 105
- Vojnovic, D., see Kristl, A. (100) 33
- Vollmer, U., Müller, B.W., Mesens, J., Wilffert, B. and Peters, T.
In vivo skin pharmacokinetics of liarozole: percutaneous absorption studies with different formulations of cyclodextrin derivatives in rats (99) 51
- Vromans, H., see Horsthuis, G.J.B. (92) 143
- Vromans, H., see Riepma, K.A. (97) 195
- Vromans, H., see Riepma, K.A. (97) 29
- Waler, T., see Wähler, K. (97) 55
- Wähler, K., Roksvaag, P.O. and Waler, T.
Determination of pyridostigmine and the main degradation product in tablets by high-performance liquid chromatography (97) 55
- Wahbi, A.M., El-Yazbi, F.A., Barary, M.H. and Sabri, S.M.
Application of orthogonal functions to spectrophotometric analysis. Determination of dissociation constants (92) 15
- Walbaum, S., see Walchshofer, N. (100) 271
- Walchshofer, N., Sarciron, M.-E., Arsac, C., Walbaum, S., Paris, J. and Petavy, A.-F.
Biological effects of a dipeptide methyl ester on *Echinococcus multilocularis* metacestodes in vivo (100) 271
- Waldrep, J.C., Scherer, P.W., Keyhani, K. and Knight, V.
Cyclosporin A liposome aerosol: Particle size and calculated respiratory deposition (97) 205
- Walker, M., see Edwardson, P.A.D. (91) 51
- Wall, D.A. and Lanutti, A.T.
High levels of exopeptidase activity are present in rat and canine bronchoalveolar lavage fluid (97) 171
- Wallace, S., see Li, C. (94) 143
- Walters, K.A., see Bialik, W. (92) 219
- Wan, L.S.C. and Lai, W.F.
The influence of antitack additives on drug release from film-coated granules (94) 39
- Wan, L.S.C., Heng, P.W.S. and Chan, L.W.
Influence of hydrophile-lipophile balance on alginate microspheres (95) 77
- Wan, L.S.C., Heng, P.W.S. and Liew, C.V.
Spheronization conditions on spheroid shape and size (96) 59
- Wang, P.-L. and Johnston, T.P.
Thermal-induced denaturation of two model proteins: effect of poloxamer 407 on solution stability (96) 41
- Waring, M.J., Monger, L., Hollingsbee, D.A., Martin, G.P. and Marriott, C.
Assessment of corticosteroid-induced skin blanching: evaluation of the Minolta Chromameter CR200 (94) 211
- Waßmus, W., see Bleich, J. (97) 111
- Wastie, M., see Harnor, K.J. (95) 111
- Watanabe, Y., Zhao, W., Matsumoto, Y., Suda, M., Takayama, K., Ohgawara, Y., Kobayashi, Y. and Matsumoto, M.
Increasing bioavailability of nifedipine from matrix granules prepared using macrogol and trilaurin (99) 337
- Watts, P.J., Wilson, C.G., Davies, M.C. and Melia, C.D.
Radiolabelling of polymer microspheres for scintigraphic investigations by neutron activation. 2. Effects of irradiation on the properties of Eudragit RS-sulphasalazine microspheres (98) 63
- Watts, P.J., Wilson, C.G., Davies, M.C. and Melia, C.D.
Radiolabelling of polymer microspheres for scintigraphic investigations by neutron activation. 3. Changes in the physical properties of Eudragit RS-sulphapyridine microspheres from incorporating samarium oxide (98) 75
- Weiner, N., see Tsai, J.-C. (96) 111
- Weiner, N.D., see Lin, S.Y. (95) 57
- Wesdyk, R., Joshi, Y.M., De Vincentis, J., Newman, A.W. and Jain, N.B.
Factors affecting differences in film thickness of beads coated in fluidized bed units (93) 101
- West, D.P., see Bonina, F.P. (98) 93
- Westermann-Clark, G.B., see Miller II, K.J. (98) 101
- Westesen, K., Siekmann, B. and Koch, M.H.J.
Investigations on the physical state of lipid nanoparticles by synchrotron radiation X-ray diffraction (93) 189
- Westesen, K., see Sjöström, B. (94) 89
- Wicks, S.R., see Clarke, J.G. (93) 221
- Wikman, A., see Karlsson, J. (99) 209
- Wilding, E.A., see Davis, S.S. (94) 235
- Wilding, I.R., see Coupe, A.J. (92) 167
- Wilding, I.R., see Davis, S.S. (94) 235
- Wilffert, B., see Vollmer, U. (99) 51
- Wilisch, I.L. and Müller-Goymann, C.C.
Correlation of colloidal microstructure, drug release and permeation through excised human skin (96) 79
- Williams, S.O., see Jozwiakowski, M.J. (91) 195
- Wilson, C.G., see Harnor, K.J. (95) 111
- Wilson, C.G., see Watts, P.J. (98) 63
- Wilson, C.G., see Watts, P.J. (98) 75
- Winchester, J.G., see Van Schie, D.M.J. (93) 177
- Winkelhorst, J., see De Vries, J.D. (100) 181
- Wongpoowarak, W. and Worakul, N.
Effect of titrant concentration on pH-zero point of charge: verification by bootstrap technique (97) 141
- Woodhead, P.J., see Ashford, M. (91) 241
- Woodhead, P.J., see Ashford, M. (95) 193
- Woolfson, A.D. and McCafferty, D.F.
Percutaneous local anaesthesia: drug release characteristics of the amethocaine phase-change system (94) 75
- Worakul, N., see Wongpoowarak, W. (97) 141
- Wout, Z.G., see Johnston, T.P. (100) 279
- Xing, J.Z., see Richards, R.M.E. (92) 237
- Yalçin, I. and Şener, E.
QSARs of some novel antibacterial benzimidazoles, benzoxazoles, and oxazolopyridines against an enteric gram-negative rod; *K. pneumoniae* (98) 1
- Yamada, K., see Akimoto, M. (100) 133
- Yamamoto, A., Morita, T., Hashida, M. and Sezaki, H.
Effect of absorption promoters on the nasal absorption of drugs with various molecular weights (93) 91
- Yamazaki, J.-i., see Morimoto, Y. (91) 9

- Yang, D.J., see Li, C. (94) 143
- Yang, W.-l., see Chen, Y. (94) 81
- Yatomi, M., see Ogiso, T. (98) 113
- Yliruusi, J., see Hellén, L. (96) 197
- Yliruusi, J., see Hellén, L. (96) 205
- Yliruusi, J., see Hellén, L. (96) 217
- Yliruusi, J., see Kervinen, L. (92) 115
- Yliruusi, J., see Kiesvaara, J. (92) 81
- Yliruusi, J., see Kiesvaara, J. (97) 101
- Yokohama, S., see Tahara, K. (99) 311
- Yongxin, Z., see Hendrix, C. (100) 213
- Yoon, E.J., Bae, E.J., Jeong, Y.N., Kim, M.M., Kim, B., Lee, S.H. and Lee, M.G.
Dose-dependent pharmacokinetics of human granulocyte/macrophage colony-stimulating factor in rabbits (97) 213
- Yoon, E.J., Kim, S.H. and Lee, M.G.
Effects of sodium thiosulfate on the pharmacokinetics of total platinum after intravenous administration of cisplatin to rabbits (99) 343
- York, P., see Roberts, R.J. (91) 173
- Yoshida, M., see Miyajima, M. (95) 153
- Yoshioka, M., see Aioi, A. (93) 1
- Yoshioka, S., see Aso, Y. (93) 153
- Yucan, Z., see Parkash, A.K. (92) 151
- Yuen, K.H., Deshmukh, A.A., Newton, J.M., Short, M. and Melchor, R.
Gastrointestinal transit and absorption of theophylline from a multiparticulate controlled release formulation (97) 61
- Yun, D.S., see Chun, I.K. (96) 91
- Zanardi, G., see Santi, P. (92) 23
- Zeevi, A., see Elbaz, E. (96) R1
- Zhao, W., see Watanabe, Y. (99) 337
- Zinutti, C., see Kedzierewicz, F. (94) 69
- Zipp, G.L. and Rodríguez-Hornedo, N.
The mechanism of phenytoin crystal growth (98) 189
- Zorc, B., Ljubić, M., Antolić, S., Filipović-Grčić, J., Maysinger, D., Alebić-Kolbah, T. and Jalšenjak, I.
Macromolecular prodrugs. II. Esters of L-dopa and α -methyldopa (99) 135
- Zupaň, B., see Kristl, A. (100) 33
- Zuurman, K., see Riepma, K.A. (97) 29