

Author Index

- Abdelnasser, M.A., see Desai, D.S. (103) 69
 Alhaique, F., see Touitou, E. (103) 131
 Alonso, M.J., see Calvo, P. (103) 283
 Ammar, H.O., El-Ridy, M.S., Ghorab, M. and Ghorab, M.M.
 Evaluation of the antischistosomal effect of praziquantel
 in a liposomal delivery system in mice (103) 237
 Andry, M.-C., see Edwards-Lévy, F. (103) 253
 Atcheva, M., Simeonova, M., Boeva, M. and Konstantinov, C.
 Effect of polybutylcyano acrylate nanoparticles on primary
 immune response of mice to sheep erythrocytes (103) 303
- Bergren, M.S.
 An automated controlled atmosphere microbalance for
 the measurement of moisture sorption (103) 103
 Beten, D.B. and Moës, A.J.
 Controlled-release coevaporates of dipyridamole prepared
 with acrylic polymers (103) 243
 Bodmeier, R. and Paeratakul, O.
 The distribution of plasticizers between aqueous and poly-
 mer phases in aqueous colloidal polymer dispersions (103)
 47
 Boeva, M., see Atcheva, M. (103) 303
- Calpena, A.C., Lauroba, J., Suriol, M., Obach, R. and
 Domenech, J.
 Effect of d-limonene on the transdermal permeation of
 nifedipine and domperidone (103) 179
 Calvo, P., Thomas, C., Alonso, M.J., Vila-Jato, J.L. and
 Robinson, J.R.
 Study of the mechanism of interaction of poly(ϵ -caprolac-
 tone) nanocapsules with the cornea by confocal laser scan-
 ning microscopy (103) 283
 Castelli, F., Conti, B., Puglisi, G., Conte, U. and Mazzone, G.
 Calorimetric studies on tolmetin release from poly-DL-
 lactide microspheres to lipid model membrane (103) 217
 Çelik, M., see Maganti, L. (103) 55
 Chan, L.W., see Wan, L.S.C. (103) 267
 Chang, P., see Law, S.L. (103) 81
 Concheiro, A., see Landín, M. (103) 9
 Conte, U., see Castelli, F. (103) 217
 Conti, B., see Castelli, F. (103) 217
 Cotton, M.L., see Kwong, E.C. (103) 259
- Davis, S.S., see O'Hagan, D.T. (103) 37
 Dayan, N., see Touitou, E. (103) 131
- Desai, D.S., Abdelnasser, M.A., Rubitski, B.A. and Varia,
 S.A.
 Photostabilization of uncoated tablets of sorivudine and
 nifedipine by incorporation of synthetic iron oxides (103)
 69
 Deutsch, J., see Touitou, E. (103) 199
 Domenech, J., see Calpena, A.C. (103) 179
 Down, G.R.B., see Kwong, E.C. (103) 259
 Du Plessis, J., Ramachandran, C., Weiner, N. and Müller,
 D.G.
 The influence of particle size of liposomes on the deposi-
 tion of drug into skin (103) 277
 Du Plessis, J., Weiner, N. and Müller, D.G.
 The influence of in vivo treatment of skin with liposomes
 on the topical absorption of a hydrophilic and a hydropho-
 bic drug in vitro (103) R1
- Edwards-Lévy, F., Andry, M.-C. and Lévy, M.-C.
 Determination of free amino group content of serum
 albumin microcapsules: II. Effect of variations in reaction
 time and in terephthaloyl chloride concentration (103) 253
 El-Ridy, M.S., see Ammar, H.O. (103) 237
- Ford, J.L., see Francomb, M.M. (103) 87
 Francomb, M.M., Ford, J.L. and Lee, M.G.
 Adsorption of vincristine, vinblastine, doxorubicin and mi-
 tozantrone to in-line intravenous filters (103) 87
- Ghorab, M., see Ammar, H.O. (103) 237
 Ghorab, M.M., see Ammar, H.O. (103) 237
 Goidas, P., see Malamataris, S. (103) 205
 Gómez-Amoza, J.L., see Landín, M. (103) 9
 Gutiérrez-Rocca, J.C. and McGinity, J.W.
 Influence of water soluble and insoluble plasticizers on the
 physical and mechanical properties of acrylic resin copoly-
 mers (103) 293
- Hadgraft, J., see Pugh, W.J. (103) 163
 Heng, P.W.S., see Wan, L.S.C. (103) 267
 Hosoya, K.-i., see Kubo, H. (103) 27
 Hyvönen-Dabek, M., see Mannermaa, J.P. (103) 125
- Inada, Y., see Yoshimura, Y. (103) 1

- Jang, T.F., see Law, S.L. (103) 81
- Jansen, J., Treiner, C., Vaution, C. and Puisieux, F.
Surface modification of alumina particles by nonionic surfactants: Adsorption of steroids, barbiturates and pilocarpine (103) 19
- Jeffery, H., see O'Hagan, D.T. (103) 37
- Jiménez-Castellanos Ballesteros, M.R., see Velasco Antequera, M.V. (103) 155
- Karidas, T., see Malamataris, S. (103) 205
- Kim, W.B., see Shim, H.J. (103) 147
- Koch, M.H.J., see Westesen, K. (103) 225
- Konstantinov, C., see Atcheva, M. (103) 303
- Kreuter, J., see Ruland, A. (103) 77
- Kubo, H., Hosoya, K.-i., Natsume, H., Sugibayashi, K. and Morimoto, Y.
In vitro permeation of several model drugs across rabbit nasal mucosa (103) 27
- Kubo, K., see Yoshimura, Y. (103) 1
- Kwong, E.C., Lamarche, P.L., Down, G.R.B., McClintock, S.A., Vadas, E.B. and Cotton, M.L.
Formulation assessment of MK-886, a poorly water-soluble drug, in the beagle dog (103) 259
- Lamarche, P.L., see Kwong, E.C. (103) 259
- Landín, M., Martínez-Pacheco, R., Gómez-Amoza, J.L., Souto, C., Concheiro, A. and Rowe, R.C.
The effect of country of origin on the properties of dicalcium phosphate dihydrate powder (103) 9
- Lashmar, U.T., Provasi, D. and Poole, S.W.
Evaluation of the delivery of suspensions from an ultrasonic nebuliser with and without the lung surfactant 'Exosurf' (103) 119
- Lauroba, J., see Calpena, A.C. (103) 179
- Law, S.L., Jang, T.F., Chang, P. and Lin, C.H.
Release characteristics of mitoxantrone-containing liposomes (103) 81
- Lee, E.D., see Shim, H.J. (103) 147
- Lee, M.G., see Francomb, M.M. (103) 87
- Lee, M.G., see Shim, H.J. (103) 147
- Lee, S.D., see Shim, H.J. (103) 147
- Levi-Schaffer, F., see Touitou, E. (103) 131
- Lévy, M.-C., see Edwards-Lévy, F. (103) 253
- Lin, C.H., see Law, S.L. (103) 81
- Maganti, L. and Çelik, M.
Compaction studies on pellets: II. Coated pellets (103) 55
- Malamataris, S., Karidas, T. and Goidas, P.
Effect of particle size and sorbed moisture on the compression behaviour of some hydroxypropyl methylcellulose (HPMC) polymers (103) 205
- Mannermaa, J.P., Räisänen, J., Hyvönen-Dabek, M., Spring, E. and Yliruusi, J.
Use of proton-induced X-ray emission (PIXE) analysis in the evaluation of large volume parenteral rubber stoppers (103) 125
- Martínez-Pacheco, R., see Landín, M. (103) 9
- Matar, S., see Touitou, E. (103) 199
- Mazzone, G., see Castelli, F. (103) 217
- McClintock, S.A., see Kwong, E.C. (103) 259
- McGinity, J.W., see Gutiérrez-Rocca, J.C. (103) 293
- Miyamoto, M., see Yoshimura, Y. (103) 1
- Moës, A.J., see Beten, D.B. (103) 243
- Monedero Perales, M.C., see Velasco Antequera, M.V. (103) 155
- Morimoto, Y., see Kubo, H. (103) 27
- Müller, D.G., see Du Plessis, J. (103) 277
- Müller, D.G., see Du Plessis, J. (103) R1
- Muñoz Muñoz, N., see Velasco Antequera, M.V. (103) 155
- Muñoz Ruiz, A., see Velasco Antequera, M.V. (103) 155
- Naka, T., see Yoshimura, Y. (103) 1
- Natsume, H., see Kubo, H. (103) 27
- Nguyen, T.H., see Wilke, T.L. (103) 187
- Nishikawa, K., see Yoshimura, Y. (103) 1
- Obach, R., see Calpena, A.C. (103) 179
- O'Hagan, D.T., Jeffery, H. and Davis, S.S.
The preparation and characterization of poly(lactide-co-glycolide) microparticles: III. Microparticle/polymer degradation rates and the in vitro release of a model protein (103) 37
- Paeratakul, O., see Bodmeier, R. (103) 47
- Poole, S.W., see Lashmar, U.T. (103) 119
- Provasi, D., see Lashmar, U.T. (103) 119
- Pugh, W.J. and Hadgraft, J.
Ab initio prediction of human skin permeability coefficients (103) 163
- Puglisi, G., see Castelli, F. (103) 217
- Puisieux, F., see Jansen, J. (103) 19
- Räisänen, J., see Mannermaa, J.P. (103) 125
- Ramachandran, C., see Du Plessis, J. (103) 277
- Ricciardi, F., see Touitou, E. (103) 131
- Ritschel, W.A., see Turkoglu, M. (103) 115
- Robinson, J.R., see Calvo, P. (103) 283
- Rowe, R.C., see Landín, M. (103) 9
- Rubitski, B.A., see Desai, D.S. (103) 69
- Ruland, A., Kreuter, J. and Rytting, J.H.
Transdermal delivery of the tetrapeptide Hisetal (melanotropin (6-9)): II. Effect of various penetration enhancers. In vitro study across human skin (103) 77
- Rytting, J.H., see Ruland, A. (103) 77
- Sakr, A., see Turkoglu, M. (103) 115
- Sheu, M.-T., Yeh, C.-M. and Sokoloski, T.D.
Characterization and dissolution of fenofibrate solid dispersion systems (103) 137
- Shim, H.J., Lee, E.D., Yoon, E.J., Lee, S.D., Kim, W.B., Yang, J. and Lee, M.G.
Pharmacokinetics of FT-ADM after intravenous administration of DA-125, a prodrug of FT-ADM or FT-ADM to rats. A new adriamycin analog containing fluorine (103) 147
- Simeonova, M., see Atcheva, M. (103) 303

- Sokoloski, T.D., see Sheu, M.-T. (103) 137
- Souto, C., see Landín, M. (103) 9
- Spring, E., see Mannermaa, J.P. (103) 125
- Sugibayashi, K., see Kubo, H. (103) 27
- Suriol, M., see Calpena, A.C. (103) 179
- Tada, N., see Yoshimura, Y. (103) 1
- Thomas, C., see Calvo, P. (103) 283
- Touitou, E., Deutsch, J. and Matar, S.
Iodine-polyurethane matrices: antimicrobial activity vs method of preparation (103) 199
- Touitou, E., Levi-Schaffer, F., Dayan, N., Alhaique, F. and Riccieri, F.
Modulation of caffeine skin delivery by carrier design: liposomes versus permeation enhancers (103) 131
- Treiner, C., see Jansen, J. (103) 19
- Turkoglu, M., Ritschel, W.A. and Sakr, A.
In vivo evaluation of fluidized-bed coated pellets (103) 115
- Tyle, P., see Wilke, T.L. (103) 187
- Vadas, E.B., see Kwong, E.C. (103) 259
- Varia, S.A., see Desai, D.S. (103) 69
- Vaution, C., see Jansen, J. (103) 19
- Velasco Antequera, M.V., Muñoz Ruiz, A., Monedero Perales, M.C., Muñoz Muñoz, N. and Jiménez-Castellanos Ballesteros, M.R.
Evaluation of an adequate method of estimating flowability according to powder characteristics (103) 155
- Vila-Jato, J.L., see Calvo, P. (103) 283
- Wan, L.S.C., Heng, P.W.S. and Chan, L.W.
Surfactant effects on alginate microspheres (103) 267
- Weiner, N., see Du Plessis, J. (103) 277
- Weiner, N., see Du Plessis, J. (103) R1
- Westesen, K. and Koch, M.H.J.
Phase diagram of tyloxapol and water – II (103) 225
- Wilke, T.L., Nguyen, T.H. and Tyle, P.
HPLC method development for AG-85 and benzyl alcohol in anhydrous topical formulations (103) 187
- Yang, J., see Shim, H.J. (103) 147
- Yazdanian, M.
The effect of freezing on cattle skin permeability (103) 93
- Yeh, C.-M., see Sheu, M.-T. (103) 137
- Yliruusi, J., see Mannermaa, J.P. (103) 125
- Yoon, E.J., see Shim, H.J. (103) 147
- Yoshimura, Y., Tada, N., Kubo, K., Miyamoto, M., Inada, Y., Nishikawa, K. and Naka, T.
Evaluation and improvement of bioavailability of a new angiotensin II receptor antagonist, 2-butyl-1-[2'-(1H-tetrazol-5-yl)biphenyl-4-yl] methyl-1H-benzimidazole-7-carboxylic acid by making prodrug (103) 1