

Author Index

- Akın, A., see Şener, E. (110) 109
- Aldén, M., Lydén, M. and Tegenfeldt, J.
Effect of counterions on the interactions in solid dispersions between polyethylene glycol, griseofulvin and alkali dodecyl sulphates (110) 267
- Armstrong, J.K., see Buckton, G. (110) 179
- Attwood, D., see Burns, S.J. (110) 291
- Audus, K.L., see Borchard, G. (110) 29
- Bae, Y.H., see Cremers, H.F.M. (110) 117
- Barnwell, S.G., see Burns, S.J. (110) 291
- Beezer, A.E., see Buckton, G. (110) 179
- Benghalem, A., see Sébert, P. (110) 285
- Bergum, J.S., see Desai, D.S. (110) 249
- Bergum, J.S., see Desai, D.S. (110) 257
- Bergum, J.S., see Patel, N.K. (110) 203
- Borchard, G., Audus, K.L., Shi, F. and Kreuter, J.
Uptake of surfactant-coated poly(methyl methacrylate)-nanoparticles by bovine brain microvessel endothelial cell monolayers (110) 29
- Bourny, E., see Sébert, P. (110) 285
- Buckton, G., Armstrong, J.K., Chowdhry, B.Z., Leharne, S. and Beezer, A.E.
The use of high sensitivity differential scanning calorimetry to characterise dilute aqueous dispersions of surfactants: 2. Further studies on polyoxyethylene alkyl ethers (110) 179
- Burns, S.J., Higginbottom, S., Corness, D., Hay, G., Whelan, I., Attwood, D. and Barnwell, S.G.
A study of enteric-coated liquid-filled hard gelatin capsules with biphasic release characteristics (110) 291
- Byron, P.R., see Phillips, E.M. (110) 9
- Çelebi, N., see Şener, E. (110) 109
- Chapman, Jr, J.M., see Michniak, B.B. (110) 231
- Chowdhry, B.Z., see Buckton, G. (110) 179
- Christensen, C.A., see Michniak, B.B. (110) 231
- Corness, D., see Burns, S.J. (110) 291
- Craig, D.Q.M., see Sutananta, W. (110) 75
- Cremers, H.F.M., Seymour, L.W., Lam, K., Los, G., Van Vugt, M., Kwon, G., Bae, Y.H., Kim, S.W. and Feijen, J.
Adriamycin-loaded albumin-heparin conjugate microspheres for intraperitoneal chemotherapy (110) 117
- De Eulate, J.A., see Veiga, M.D. (110) 223
- De Greef, H., see Kinget, R. (110) 65
- De Groot, J.S., see Roy, S.D. (110) 137
- Deharo, E., see Mbela, T.K.M.N. (110) 189
- Desai, D.S., Rubitski, B.A., Bergum, J.S. and Varia, S.A.
Effects of different types of lactose and disintegrant on dissolution stability of hydrochlorothiazide capsule formulations (110) 257
- Desai, D.S., Rubitski, B.A., Bergum, J.S. and Varia, S.A.
Effects of various formulation factors on dissolution stability of aztreonam, hydrochlorothiazide, and sorivudine capsules (110) 249
- Feijen, J., see Cremers, H.F.M. (110) 117
- Friðriksdóttir, H., see Loftsson, T. (110) 169
- Fuhrman, L.C., see Michniak, B.B. (110) 231
- Grinberg, L.N., see Tønnesen, H.H. (110) 161
- Haemers, A., see Mbela, T.K.M.N. (110) 189
- Hata, T., Shimazaki, Y., Kagayama, A., Tamura, S. and Ueda, S.
Development of a novel drug delivery system, time-controlled explosion system (TES): V. Animal pharmacodynamic study and human bioavailability study (110) 1
- Hay, G., see Burns, S.J. (110) 291
- Heinonen, R.M., see Salomies, H.E.M. (110) 197
- Higginbottom, S., see Burns, S.J. (110) 291
- Houjou, T., see Katayama, N. (110) 155
- Ikeda, T., see Tokui, T. (110) 277
- Ishigami, M., see Tokui, T. (110) 277
- Ito, R., see Watanabe, Y. (110) 93
- Jiménez-Castellanos, M.R., see Muñoz-Ruiz, A. (110) 37
- Kagayama, A., see Hata, T. (110) 1
- Katayama, N., Houjou, T. and Takada, K.
Lymphatic transport of cyclosporin A from the abdominal cavity (110) 155
- Kikuchi, R., see Watanabe, Y. (110) 93
- Kim, S.W., see Cremers, H.F.M. (110) 117

- Kinget, R. and De Greef, H.
Absorption characteristics of novel 8-MOP semi-solid-lipid-matrix formulations: In vitro-in vivo correlation (110) 65
- Kinnunen, P., see Murtoniemi, E. (110) 101
- Kiriyama, M., see Watanabe, Y. (110) 93
- Komai, T., see Tokui, T. (110) 277
- Kreuter, J., see Borchard, G. (110) 29
- Kreuter, J., see Langer, K. (110) 21
- Kreuter, J., see Zimmer, A.K. (110) 211
- Kristensen, S., see Tønnesen, H.H. (110) 161
- Kwon, G., see Cremers, H.F.M. (110) 117
- Lam, K., see Cremers, H.F.M. (110) 117
- Landau, I., see Mbela, T.K.M.N. (110) 189
- Langer, K., Seegmüller, E., Zimmer, A. and Kreuter, J.
Characterisation of polybutylcyanoacrylate nanoparticles:
I. Quantification of PBCA polymer and dextrans (110) 21
- Lehane, S., see Buckton, G. (110) 179
- Leiviskä, K., see Murtoniemi, E. (110) 101
- León, M.J., see Lucero, M.J. (110) 241
- Loftsson, T., Friðriksdóttir, H., Sigurðardóttir, A.M. and Ueda, H.
The effect of water-soluble polymers on drug-cyclodextrin complexation (110) 169
- Los, G., see Cremers, H.F.M. (110) 117
- Lucero, M.J., Vigo, J. and León, M.J.
Stability of hydrophilic gels of tretinoin (110) 241
- Ludwig, A., see Mbela, T.K.M.N. (110) 189
- Lydén, M., see Aldén, M. (110) 267
- Maibach, H.I., see Patil, S.M. (110) 147
- Maincent, P., see Zimmer, A.K. (110) 211
- Maruyama, K., see Watanabe, Y. (110) 93
- Matsumoto, M., see Watanabe, Y. (110) 93
- Matsumoto, Y., see Watanabe, Y. (110) 93
- Mbela, T.K.M.N., Ludwig, A., Landau, I., Deharo, E. and Haemers, A.
Preparation, characterization and in vivo activity of mefloquine submicron emulsions (110) 189
- Merkku, P., see Murtoniemi, E. (110) 101
- Michniak, B.B., Player, M.R., Fuhrman, L.C., Christensen, C.A., Chapman, Jr, J.M. and Sowell, Sr, J.W.
In vitro evaluation of a series of Azone analogs as dermal penetration enhancers: III. Acyclic amides (110) 231
- Monedero Perales, M.C., see Muñoz-Ruiz, A. (110) 37
- Moore, D.E., see Zhou, W. (110) 55
- Muñoz-Ruiz, A., Payán Villar, T., Muñoz Muñoz, N., Monedero Perales, M.C. and Jiménez-Castellanos, M.R.
Analysis of the physical characterization and the tableability of calcium phosphate-based materials (110) 37
- Muñoz Muñoz, N., see Muñoz-Ruiz, A. (110) 37
- Murtoniemi, E., Merkkü, P., Kinnunen, P., Leiviskä, K. and Yliruusi, J.
Effect of neural network topology and training end point in modelling the fluidized bed granulation process (110) 101
- Naisbett, B. and Woodley, J.
The potential use of tomato lectin for oral drug delivery: 2. Mechanism of uptake in vitro (110) 127
- Newton, J.M., see Sutananta, W. (110) 75
- Niwa, K., see Takaya, T. (110) 47
- Nomura, H., see Watanabe, Y. (110) 93
- Ören, İ., see Şener, E. (110) 109
- Patel, N.K., Upadhyay, A.H., Bergum, J.S. and Reier, G.E.
An evaluation of microcrystalline cellulose and lactose excipients using an instrumented single station tablet press (110) 203
- Patil, S.M., Singh, P. and Maibach, H.I.
Cumulative irritancy in man to sodium lauryl sulfate: The overlap phenomenon (110) 147
- Payán Villar, T., see Muñoz-Ruiz, A. (110) 37
- Phillips, E.M. and Byron, P.R.
Surfactant promoted crystal growth of micronized methylprednisolone in trichloromonofluoromethane (110) 9
- Player, M.R., see Michniak, B.B. (110) 231
- Reier, G.E., see Patel, N.K. (110) 203
- Rollet, M., see Sébert, P. (110) 285
- Roy, S.D. and De Groot, J.S.
Percutaneous absorption of nafarelin acetate, an LHRH analog, through human cadaver skin and monkey skin (110) 137
- Rubitski, B.A., see Desai, D.S. (110) 249
- Rubitski, B.A., see Desai, D.S. (110) 257
- Salomies, H.E.M., Heinonen, R.M. and Toppila, M.A.I.
Sorption loss of diazepam, nitroglycerin and warfarin sodium to polypropylene-lined infusion bags (Softbags) (110) 197
- Sébert, P., Bourny, E., Benghalem, A., Vergnaud, J.M. and Rollet, M.
Modelling of release kinetics of drugs from irradiated NaCMC matrix (110) 285
- Seegmüller, E., see Langer, K. (110) 21
- Şener, E., Turgut, H., Yalçın, İ., Ören, İ., Türker, L., Çelebi, N. and Akın, A.
Structure-activity relationships of some antimicrobial 5-substituted 2-(3-pyridyl)benzoxazoles using quantum-chemical calculations (110) 109
- Seymour, L.W., see Cremers, H.F.M. (110) 117
- Shi, F., see Borchard, G. (110) 29
- Shimazaki, Y., see Hata, T. (110) 1
- Sigurðardóttir, A.M., see Loftsson, T. (110) 169
- Singh, P., see Patil, S.M. (110) 147
- Sowell, Sr, J.W., see Michniak, B.B. (110) 231
- Sutananta, W., Craig, D.Q.M. and Newton, J.M.
An investigation into the effect of preparation conditions on the structure and mechanical properties of pharmaceutical glyceride bases (110) 75
- Takada, K., see Katayama, N. (110) 155
- Takada, K., see Takaya, T. (110) 47

- Takaya, T., Niwa, K. and Takada, K.
Pharmacological effect of recombinant human colony-stimulating factor (rhG-CSF) after administration into rat large intestine (110) 47
- Tamura, S., see Hata, T. (110) 1
- Tanzawa, K., see Tokui, T. (110) 277
- Tegenfeldt, J., see Aldén, M. (110) 267
- Thouvenot, P., see Zimmer, A.K. (110) 211
- Tokui, T., Tokui, Y., Ishigami, M., Tanzawa, K., Ikeda, T. and Komai, T.
Targeting of an antitumor agent, RS-1541 (palmitoyl-rhizoxin), via low-density lipoprotein receptor (110) 277
- Tokui, Y., see Tokui, T. (110) 277
- Tønnesen, H.H., Kristensen, S. and Grinberg, L.N.
Studies on curcumin and curcuminoids: XXV. Inhibition of primaquine-induced lysis of human red blood cells by curcumin (110) 161
- Toppila, M.A.I., see Salomies, H.E.M. (110) 197
- Turgut, H., see Şener, E. (110) 109
- Türker, L., see Şener, E. (110) 109
- Ueda, H., see Loftsson, T. (110) 169
- Ueda, S., see Hata, T. (110) 1
- Upadhyay, A.H., see Patel, N.K. (110) 203
- Van Vugt, M., see Cremers, H.F.M. (110) 117
- Varia, S.A., see Desai, D.S. (110) 249
- Varia, S.A., see Desai, D.S. (110) 257
- Veiga, M.D. and De Eulate, J.A.
Dissolution study of spiramycin: influence of agitation intensity and addition of several substances to the dissolution medium (110) 223
- Vergnaud, J.M., see Sébert, P. (110) 285
- Vigo, J., see Lucero, M.J. (110) 241
- Watanabe, Y., Matsumoto, Y., Kikuchi, R., Kiriya, M., Ito, R., Matsumoto, M., Nomura, H. and Maruyama, K.
Absorption and blood leukocyte dynamics of recombinant human granulocyte colony-stimulating factor (rhG-CSF) from intranasally administered preparations containing rhG-CSF and cyclodextrins in rabbits (110) 93
- Whelan, I., see Burns, S.J. (110) 291
- Woodley, J., see Naisbett, B. (110) 127
- Yalçın, İ., see Şener, E. (110) 109
- Yliruusi, J., see Murtoniemi, E. (110) 101
- Zhou, W. and Moore, D.E.
Photochemical decomposition of sulfamethoxazole (110) 55
- Zimmer, A., see Langer, K. (110) 21
- Zimmer, A.K., Maincent, P., Thouvenot, P. and Kreuter, J.
Hydrocortisone delivery to healthy and inflamed eyes using a micellar polysorbate 80 solution or albumin nanoparticles (110) 211