

Author index

- Ahlneck, C., see Sebhatu, T. **146**, 101
 Alaya, M., see Bourget, P. **146**, 167
 Alderborn, G., see Sebhatu, T. **146**, 101
 Ando, T., see Hodoshima, N. **146**, 81
 Apprich, I., see Bernkop-Schnürch, A. **146**, 247
- Bakhouya, A., M. Saïdna, J.M. Vergnaud, Calculation of the blister fluid-time history with ciprofloxacin administered orally or by infusion **146**, 225
 Barry, B.W., see Moghimi, H.R. **146**, 41
 Bataille, B., see Delalonde, M. **146**, 159
 Baylac, G., see Delalonde, M. **146**, 159
 Bentley, M.V.L.B., E.R.M. Kedor, R.F. Vianna, J.H. Collett, The influence of lecithin and urea on the in vitro permeation of hydrocortisone acetate through skin from hairless mouse **146**, 255
 Bernkop-Schnürch, A., I. Apprich, Synthesis and evaluation of a modified mucoadhesive polymer protecting from α -chymotrypsinic degradation **146**, 247
 Bourget, P., A. Lesne-Hulin, A. Sertin, A. Maillot, M. Alaya, C. Martin, Fluorescence polarization immunoassay: does it always represent a reliable method to monitor treatment with teicoplanin? : Comparison with data obtained by high-performance liquid chromatography **146**, 167
 Brand, R.M., G. Duensing, F.G. Hamel, Iontophoretic delivery of an insulin-mimetic peroxovanadium compound **146**, 115
 Byrn, S.R., see Stephenson, G.A. **146**, 93
- Caraballo, I., see González-Rodríguez, M.L. **146**, 175
 Castellano, I., I. Goñi, M. Gurruchaga, M.V. Velasco, A. Muñoz, M.R. Jimenez-Castellanos, Contribution to the study of new graft copolymer matrices for drug delivery systems. Technological study **146**, 71
 Collett, J.H., see Bentley, M.V.L.B. **146**, 255
- Deasy, P.B., see Law, M.F.L. **146**, 1
 De Bolós, J., see Pujol, M. **146**, 263
 Delalonde, M., B. Bataille, G. Baylac, J. Maurice, R. Sabatier, Definition of indices for the mechanical design of wet powders: application to the study of a natural polymer, microcrystalline cellulose **146**, 159
 Demeester, J., see Kiekens, F. **146**, 239
 Devissaguet, J.P., see Thioune, O. **146**, 233
 Due Larsen, B., see Taub, M.E. **146**, 205
 Duensing, G., see Brand, R.M. **146**, 115
- Fernández-Hervás, M.J., see González-Rodríguez, M.L. **146**, 175
 Fessi, H., see Thioune, O. **146**, 233
 Frokjaer, S., see Taub, M.E. **146**, 205
 Fukuyasu, H., see Hodoshima, N. **146**, 81
- Girona, V., see Pujol, M. **146**, 263
 Gizurarson, S., T. Thorvaldsson, P. Sigurdsson, E. Gunnarsson, Erratum to "Selective delivery of insulin into the brain: intraolfactory absorption": [Int. J. Pharm. 140 (1996) 77] **146**, 133
 Gizurarson, S., T. Thorvaldsson, P. Sigurdsson, E. Gunnarsson, Selective delivery of insulin into the brain: intraolfactory absorption **146**, 133
 Goñi, I., see Castellano, I. **146**, 71
 González-Rodríguez, M.L., M.J. Fernández-Hervás, I. Caraballo, A.M. Rabasco, Design and evaluation of a new central core matrix tablet **146**, 175
 Gunnarsson, E., see Gizurarson, S. **146**, 133
 Gunnarsson, E., see Gizurarson, S. **146**, 133
 Gurruchaga, M., see Castellano, I. **146**, 71
- Hamel, F.G., see Brand, R.M. **146**, 115
 Heiati, H., R. Tawashi, R.R. Shivers, N.C. Phillips, Solid lipid nanoparticles as drug carriers: I. Incorporation and retention of the lipophilic prodrug 3'-azido-3'-deoxythymidine palmitate **146**, 123
 Henriksen, I., S.R. Vågen, S.A. Sande, G. Smistad, J. Karlsen, Interactions between liposomes and chitosan II: effect of selected parameters on aggregation and leakage **146**, 193
 Hoa Ngo, T., J. Vertommen, R. Kinget, Formulation of artemisinin tablets **146**, 271
 Hodoshima, N., C. Udagawa, T. Ando, H. Fukuyasu, H.

- Watanabe, S. Nakabayashi, Lipid nanoparticles for delivering antitumor drugs **146**, 81
- Hwang, S.-J., see Kim, C.-K. **146**, 63
- Ishigaki, K., see Maitani, Y. **146**, 11
- Iwasa, S., see Takada, S. **146**, 147
- Jimenez-Castellanos, M.R., see Castellano, I. **146**, 71
- Karlsen, J., see Henriksen, I. **146**, 193
- Kedor, E.R.M., see Bentley, M.V.L.B. **146**, 255
- Kiekens, F., A. Vermeire, N. Samyn, J. Demeester, J.P. Remon, Optimisation of electrical conductance measurements for the quantification and prediction of phase separation in o/w-emulsions, containing hydroxypropylmethylcelluloses as emulsifying agents **146**, 239
- Kim, C.-K., J.-H. Kim, K.-M. Park, K.-H. Oh, U. Oh, S.-J. Hwang, Preparation and evaluation of a titrated extract of *Centella asiatica* injection in the form of an extemporaneous micellar solution **146**, 63
- Kim, J.-H., see Kim, C.-K. **146**, 63
- Kimura, T., see Sawamoto, T. **146**, 181
- Kinget, R., see Hoa Ngo, T. **146**, 271
- Kinget, R., see Vertommen, J. **146**, 21
- Kurokawa, T., see Takada, S. **146**, 147
- Kurosaki, Y., see Sawamoto, T. **146**, 181
- Law, M.F.L., P.B. Deasy, Use of canonical and other analyses for the optimization of an extrusion-spheronization process for indomethacin **146**, 1
- Lesne-Hulin, A., see Bourget, P. **146**, 167
- Levy, R.J., see Sintov, A. **146**, 55
- Maillot, A., see Bourget, P. **146**, 167
- Maitani, Y., K. Ishigaki, K. Takayama, T. Nagai, In vitro nasal transport across rabbit mucosa: effect of oxygen bubbling, pH and hypertonic pressure on permeability of lucifer yellow, diazepam and 17 β -estradiol **146**, 11
- Maitani, Y., see Qi, X.-R. **146**, 31
- Martin, C., see Bourget, P. **146**, 167
- Maurice, J., see Delalonde, M. **146**, 159
- Miyazaki, K., see Takada, S. **146**, 147
- Moghimi, H.R., A.C. Williams, B.W. Barry, A lamellar matrix model for stratum corneum intercellular lipids. : V. Effects of terpene penetration enhancers on the structure and thermal behaviour of the matrix **146**, 41
- Muñoz, A., see Castellano, I. **146**, 71
- Muñoz, M., see Pujol, M. **146**, 263
- Nagai, T., see Maitani, Y. **146**, 11
- Nagai, T., see Qi, X.-R. **146**, 31
- Nakabayashi, S., see Hodoshima, N. **146**, 81
- Nakayama, T., see Sawamoto, T. **146**, 181
- Ogawa, Y., see Takada, S. **146**, 147
- Oh, K.-H., see Kim, C.-K. **146**, 63
- Oh, U., see Kim, C.-K. **146**, 63
- Park, K.-M., see Kim, C.-K. **146**, 63
- Phillips, N.C., see Heiati, H. **146**, 123
- Prat, J., see Pujol, M. **146**, 263
- Puisieux, F., see Thioune, O. **146**, 233
- Pujol, M., V. Girona, J. Prat, M. Muñoz, J. De Bolós, Degradation pathway of carboplatin in aqueous solution **146**, 263
- Qi, X.-R., Y. Maitani, T. Nagai, S.-L. Wei, Comparative pharmacokinetics and antitumor efficacy of doxorubicin encapsulated in soybean-derived sterols and poly(ethylene glycol) liposomes in mice **146**, 31
- Rabasco, A.M., see González-Rodríguez, M.L. **146**, 175
- Remon, J.P., see Kiekens, F. **146**, 239
- Remon, J.P., see Vermeire, A. **146**, 213
- Rombaut, P., see Vertommen, J. **146**, 21
- R. Pfeiffer, R., see Stephenson, G.A. **146**, 93
- Sabatier, R., see Delalonde, M. **146**, 159
- Saïdna, M., see Bakhouya, A. **146**, 225
- Samyn, N., see Kiekens, F. **146**, 239
- Sande, S.A., see Henriksen, I. **146**, 193
- Sasaki, K., see Sawamoto, T. **146**, 181
- Sawamoto, T., Y. Kurosaki, K. Sasaki, T. Kimura, T. Nakayama, Biopharmaceutical studies on drug/conjugated-metabolite interactions. II. Effect of acetaminophen sulfate on pharmacokinetics of acetaminophen in rats **146**, 181
- Sebhatu, T., C. Ahlneck, G. Alderborn, The effect of moisture content on the compression and bond-formation properties of amorphous lactose particles **146**, 101
- Sertin, A., see Bourget, P. **146**, 167
- Shivers, R.R., see Heiati, H. **146**, 123
- Sigurdsson, P., see Gizurarson, S. **146**, 133
- Sigurdsson, P., see Gizurarson, S. **146**, 133
- Sintov, A., R.J. Levy, Polymeric drug delivery of enzymatically degradable pendant agents: peptidyl-linked procainamide model system studies **146**, 55
- Smistad, G., see Henriksen, I. **146**, 193
- Steffansen, B., see Taub, M.E. **146**, 205
- Stephenson, G.A., R. R. Pfeiffer, S.R. Byrn, Solid-state investigation of the tautomerism of acetoexamide **146**, 93
- Takada, S., T. Kurokawa, K. Miyazaki, S. Iwasa, Y. Ogawa, Sustained release of a water-soluble GP IIb/IIIa antagonist from copoly(DL-lactic/glycolic)acid microspheres **146**, 147
- Takayama, K., see Maitani, Y. **146**, 11
- Taub, M.E., B. Due Larsen, B. Steffansen, S. Frokjaer, β -Carboxylic acid esterified D-Asp-Ala retains a high affinity for the oligopeptide transporter in Caco-2 monolayers **146**, 205
- Tawashi, R., see Heiati, H. **146**, 123
- Thioune, O., H. Fessi, J.P. Devissaguet, F. Puisieux, Preparation of pseudolatex by nanoprecipitation: influence of the solvent nature on intrinsic viscosity and interaction constant **146**, 233
- Thorvaldsson, T., see Gizurarson, S. **146**, 133

- Thorvaldsson, T., see Gizurarson, S. **146**, 133
- Udagawa, C., see Hodoshima, N. **146**, 81
- Vågen, S.R., see Henriksen, I. **146**, 193
- Velasco, M.V., see Castellano, I. **146**, 71
- Vergnaud, J.M., see Bakhouya, A. **146**, 225
- Vermeire, A., J.P. Remon, The solubility of morphine and the stability of concentrated morphine solutions in glass, polypropylene syringes and PVC containers **146**, 213
- Vermeire, A., see Kiekens, F. **146**, 239
- Vertommen, J., P. Rombaut, R. Kinget, Shape and surface smoothness of pellets made in a rotary processor **146**, 21
- Vertommen, J., see Hoa Ngo, T. **146**, 271
- Vianna, R.F., see Bentley, M.V.L.B. **146**, 255
- Watanabe, H., see Hodoshima, N. **146**, 81
- Wei, S.-L., see Qi, X.-R. **146**, 31
- Williams, A.C., see Moghimi, H.R. **146**, 41