

Erratum

Erratum to “A new procedure for calculating periodic response factors based on frequency domain regression method”  
[Internat. J. Therm. Sci. 44 (2005) 382–392]

Youming Chen<sup>a,b</sup>, Shengwei Wang<sup>a,\*</sup>

<sup>a</sup> Department of Building Services Engineering, The Hong Kong Polytechnic University, Kowloon, Hong Kong

<sup>b</sup> Department of Building Environment and Services Engineering, School of Civil Engineering, Hunan University, Changsha 410082, Hunan, People's Republic of China

Received 25 July 2005; accepted 25 July 2005

The authors wish it to be known that the above article contains two errors:

(ii) In Eq. (27) the powers of  $s$  were incorrectly given; the correct form of the equation is as indicated below.

(i) The initial date of reception for the article was 6th October 2003 and not 6th October 2004 as initially indicated.

Original form

$$\begin{aligned} \tilde{G}_Y(s) = & (-1.637148 \times 10^{-4} + 1.966158 \times 10^{-6}s - 4.949933 \times 10^{-9}s^2 \\ & + 7.147446 \times 10^{-12}s^3 - 6.217503 \times 10^{-15}s^4 + 2.625507 \times 10^{-18}s^5) \\ & / (1.0 + 2.031942 \times 10^{-3}s + 1.521376 \times 10^{-6}s^2 + 4.701313 \times 10^{-10}s^3 \\ & + 5.214346 \times 10^{-14}s^4 + 1.298195 \times 10^{-18}s^5) \end{aligned} \quad (27)$$

Corrected form

$$\begin{aligned} \tilde{G}_Y(s) = & (-1.637148 \times 10^{-4}s^5 + 1.966158 \times 10^{-6}s^4 - 4.949933 \times 10^{-9}s^3 \\ & + 7.147446 \times 10^{-12}s^2 - 6.217503 \times 10^{-15}s + 2.625507 \times 10^{-18}) \\ & / (s^5 + 2.031942 \times 10^{-3}s^4 + 1.521376 \times 10^{-6}s^3 + 4.701313 \times 10^{-10}s^2 \\ & + 5.214346 \times 10^{-14}s + 1.298195 \times 10^{-18}) \end{aligned} \quad (27)$$

DOI of original article: 10.1016/j.ijthermalsci.2004.10.005.

\* Corresponding author.

E-mail address: [beswwang@polyu.edu.hk](mailto:beswwang@polyu.edu.hk) (S. Wang).